HD CAMERA
LI-ION BATTERY
RATED CAPACITY 2400mAh (9.12WH)
NOMINAL VOLTAGE: 3.8V
LIMITED CHARGE VOLTAGE: 4.35V
MODEL: OSIDDV1
STANDARD: GB 31241-2014
1ICP4/58/74
SHENZHEN WINTIDE TECHNOLOGY CO.,LTD

HD CAMERA
Do not expose battery to temperatures above 113°F/45°C;
Do not disassemble, crush, or puncture battery;
Do not expose to fire, heat or water;
Do not short circuit external contacts;
Use specified Orpyx SI® Digital Display charger only.
Designed in California
Assembled in China
2022-06-27
OSIDDV1252206000093

HD CAMERA
Do not expose battery to temperatures above 113°F/45°C.
Do not disassemble, crush, or puncture battery.
Do not expose to fire, heat or water.
Do not short circuit external contacts.
Use specified Orpyx SI® Digital Display charger only.
Designed in California
Assembled in China
2022-06-27











LI-ION BATTERY
RATED CAPACITY 2400mAh (9.12WH)
NOMINAL VOLTAGE: 3.8V
LIMITED CHARGE VOLTAGE: 4.35V
MODEL: OSIDDV1
STANDARD: GB 31241-2014
1ICP4/58/74
SHENZHEN WINTIDE TECHNOLOGY CO.,LTD
Li-ion

Do not expose battery to temperatures
above 113°F/45°C;
Do not disassemble, crush,
or puncture battery;
Do not expose to fire, heat or water;
Do not short circuit external contacts;
Use specified Orpyx SI® Digital Display
charger only.
Designed in California
Assembled in China
2022-06-27
OSIDDV1202206000093




MEDIATEK


MEDIATEK
ARM
MT6739V
2051-ZAZAJH
BEV33156-WW
SKhynix
H9TQ17ADFTMC
URKUM 517A
YY H318


MEDIATEK
ARM
MT6739V
2051-ZAZAJH
BEV33156-WW
HS8916CM3
037JTEM
M055001


MEDIATEK
ARM
MT6739V
2051-ZAZAJH
BEV33156-WW
Khynix
MEDIATEK
MT6625LN
2105-AJCJL
BAP2T836
ATGBFT51


MEDIATEK
ARM
T6739V
051-ZAZAJH
EV33156-WW
HS8916CM3
037JTEM
M055001


EDIATEK
ARM
739V
1-ZAZAJH
33156-WW
HS8916CM3
037JTEM
MD55001


GPS
DRX
+REC-
MEDIATEK
MT6357V
2105-AJHOH
AVGCKU31
TX
RX
NTC
SYSRST
VBUS
DM
GND


GSM&WCDMA&LTE ANT


GSM&WCDMA&LTE ANT


WIFI&BT&GPS ANT

LTE Diversity ANT(Rx)

------End of report------