

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900404004

Page: 351 of 358

			-20	120	5229.960	5150 to 5250	Pass
			-10	120	5229.960	5150 to 5250	Pass
			0	120	5229.920	5150 to 5250	Pass
			10	120	5229.920	5150 to 5250	Pass
			30	120	5229.960	5150 to 5250	Pass
			40	120	5229.960	5150 to 5250	Pass
			50	120	5229.920	5150 to 5250	Pass
		5270	20	102	5269.960	5250 to 5350	Pass
				120	5269.960	5250 to 5350	Pass
				138	5269.960	5250 to 5350	Pass
			-30	120	5269.920	5250 to 5350	Pass
			-20	120	5269.920	5250 to 5350	Pass
			-10	120	5270.000	5250 to 5350	Pass
			0	120	5269.960	5250 to 5350	Pass
			10	120	5269.960	5250 to 5350	Pass
			30	120	5270.000	5250 to 5350	Pass
			40	120	5269.960	5250 to 5350	Pass
			50	120	5269.920	5250 to 5350	Pass
		5310	20	102	5309.960	5250 to 5350	Pass
				120	5309.960	5250 to 5350	Pass
				138	5309.960	5250 to 5350	Pass
			-30	120	5309.960	5250 to 5350	Pass
			-20	120	5309.920	5250 to 5350	Pass
			-10	120	5309.920	5250 to 5350	Pass
			0	120	5309.960	5250 to 5350	Pass
			10	120	5309.960	5250 to 5350	Pass
			30	120	5309.920	5250 to 5350	Pass
			40	120	5310.000	5250 to 5350	Pass
			50	120	5309.960	5250 to 5350	Pass
		5510	20	102	5509.960	5470 to 5725	Pass
				120	5509.880	5470 to 5725	Pass
				138	5509.960	5470 to 5725	Pass
			-30	120	5509.960	5470 to 5725	Pass
			-20	120	5509.920	5470 to 5725	Pass
			-10	120	5509.880	5470 to 5725	Pass
			0	120	5509.920	5470 to 5725	Pass
			10	120	5509.960	5470 to 5725	Pass
			30	120	5509.960	5470 to 5725	Pass
			40	120	5509.960	5470 to 5725	Pass
			50	120	5509.960	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900404004

Page: 352 of 358

		5550	20	102	5550.000	5470 to 5725	Pass
				120	5549.920	5470 to 5725	Pass
				138	5549.920	5470 to 5725	Pass
			-30	120	5550.000	5470 to 5725	Pass
			-20	120	5549.960	5470 to 5725	Pass
			-10	120	5549.960	5470 to 5725	Pass
			0	120	5549.960	5470 to 5725	Pass
			10	120	5550.000	5470 to 5725	Pass
			30	120	5550.000	5470 to 5725	Pass
			40	120	5549.960	5470 to 5725	Pass
			50	120	5549.960	5470 to 5725	Pass
		5670	20	102	5669.960	5470 to 5725	Pass
				120	5669.960	5470 to 5725	Pass
				138	5669.920	5470 to 5725	Pass
			-30	120	5669.960	5470 to 5725	Pass
			-20	120	5670.000	5470 to 5725	Pass
			-10	120	5669.960	5470 to 5725	Pass
			0	120	5669.960	5470 to 5725	Pass
			10	120	5669.960	5470 to 5725	Pass
			30	120	5669.960	5470 to 5725	Pass
			40	120	5669.960	5470 to 5725	Pass
			50	120	5669.920	5470 to 5725	Pass
		5755	20	102	5754.880	5725 to 5850	Pass
				120	5754.880	5725 to 5850	Pass
				138	5754.880	5725 to 5850	Pass
			-30	120	5754.960	5725 to 5850	Pass
			-20	120	5754.920	5725 to 5850	Pass
			-10	120	5754.920	5725 to 5850	Pass
			0	120	5754.960	5725 to 5850	Pass
			10	120	5754.920	5725 to 5850	Pass
			30	120	5754.880	5725 to 5850	Pass
			40	120	5755.000	5725 to 5850	Pass
			50	120	5754.960	5725 to 5850	Pass
		5795	20	102	5794.960	5725 to 5850	Pass
				120	5794.960	5725 to 5850	Pass
				138	5794.960	5725 to 5850	Pass
			-30	120	5794.920	5725 to 5850	Pass
			-20	120	5794.880	5725 to 5850	Pass
			-10	120	5794.920	5725 to 5850	Pass
			0	120	5794.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Inspection Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900404004

Page: 353 of 358

			10	120	5794.960	5725 to 5850	Pass
			30	120	5794.960	5725 to 5850	Pass
			40	120	5794.920	5725 to 5850	Pass
			50	120	5794.960	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	20	102	5209.850	5150 to 5250	Pass
				120	5209.925	5150 to 5250	Pass
				138	5209.925	5150 to 5250	Pass
			-30	120	5209.925	5150 to 5250	Pass
			-20	120	5209.925	5150 to 5250	Pass
			-10	120	5209.925	5150 to 5250	Pass
			0	120	5209.925	5150 to 5250	Pass
			10	120	5209.925	5150 to 5250	Pass
			30	120	5209.925	5150 to 5250	Pass
			40	120	5210.000	5150 to 5250	Pass
			50	120	5209.925	5150 to 5250	Pass
		5290	20	102	5289.850	5250 to 5350	Pass
				120	5290.000	5250 to 5350	Pass
				138	5289.925	5250 to 5350	Pass
			-30	120	5289.925	5250 to 5350	Pass
			-20	120	5289.925	5250 to 5350	Pass
			-10	120	5289.850	5250 to 5350	Pass
			0	120	5290.000	5250 to 5350	Pass
			10	120	5289.925	5250 to 5350	Pass
			30	120	5290.000	5250 to 5350	Pass
			40	120	5289.850	5250 to 5350	Pass
			50	120	5290.000	5250 to 5350	Pass
		5530	20	102	5529.925	5470 to 5725	Pass
				120	5529.925	5470 to 5725	Pass
				138	5530.000	5470 to 5725	Pass
			-30	120	5529.925	5470 to 5725	Pass
			-20	120	5529.925	5470 to 5725	Pass
			-10	120	5529.925	5470 to 5725	Pass
			0	120	5529.925	5470 to 5725	Pass
			10	120	5529.925	5470 to 5725	Pass
			30	120	5530.000	5470 to 5725	Pass
			40	120	5530.000	5470 to 5725	Pass
			50	120	5529.850	5470 to 5725	Pass
		5610	20	102	5609.850	5470 to 5725	Pass
				120	5609.925	5470 to 5725	Pass
				138	5609.925	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Inspection Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900404004

Page: 354 of 358

			-30	120	5609.925	5470 to 5725	Pass
			-20	120	5609.850	5470 to 5725	Pass
			-10	120	5609.925	5470 to 5725	Pass
			0	120	5610.000	5470 to 5725	Pass
			10	120	5610.000	5470 to 5725	Pass
			30	120	5609.925	5470 to 5725	Pass
			40	120	5610.000	5470 to 5725	Pass
			50	120	5609.925	5470 to 5725	Pass
		5775	20	102	5775.000	5725 to 5850	Pass
				120	5774.925	5725 to 5850	Pass
				138	5774.850	5725 to 5850	Pass
			-30	120	5775.000	5725 to 5850	Pass
			-20	120	5774.925	5725 to 5850	Pass
			-10	120	5774.925	5725 to 5850	Pass
			0	120	5774.850	5725 to 5850	Pass
			10	120	5774.925	5725 to 5850	Pass
			30	120	5774.925	5725 to 5850	Pass
			40	120	5774.850	5725 to 5850	Pass
			50	120	5774.850	5725 to 5850	Pass

6.DFS

Test Result:

BW/Channel	Test Item	Result
80MHz/5290MHz	Channel Availability Check Time	N/A
	Minimum Off-Channel CAC Time	N/A
	Maximum Off-Channel CAC Time	N/A
	In-Service Monitoring	N/A
	Channel Move Time	Pass
	Channel Closing Transmission Time	Pass
	Non-Occupancy Period	N/A
	Uniform Spreading	N/A

The test plots was shown in the report below.

Remark: Channel loading of Timing plots is greater than 17%.

This is the master device used to test DFS FCC ID: Q87-WRT3200ACM



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900404004

Page: 355 of 358

5290MHz




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



5530MHz





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900404004

Page: 357 of 358




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Radar



- End of the Report -