







11N20SISO\_Ant1\_5240




11N20SISO\_Ant1\_5745




# 11N20SISO\_Ant1\_5785




# 11N20SISO\_Ant1\_5825




# 11N40SISO\_Ant1\_5190




11N40SISO\_Ant1\_5230




11N40SISO\_Ant1\_5755




# 11N40SISO\_Ant1\_5795




# 11AC20SISO\_Ant1\_5180




# 11AC20SISO\_Ant1\_5220




11AC20SISO\_Ant1\_5240




11AC20SISO\_Ant1\_5745




11AC20SISO\_Ant1\_5785




11AC20SISO\_Ant1\_5825




11AC40SISO\_Ant1\_5190




11AC40SISO\_Ant1\_5230




11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant1\_5795



11AC80SISO\_Ant1\_5210



11AC80SISO\_Ant1\_5775



## Appendix C: Maximum conducted output power

| Test Mode  | Antenna | Freq(MHz ) | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|------------|---------|------------|---------------------|----------------|-----------------|--------------|-------------|---------|
| 11A        | Ant1    | 5180       | -1.15               | 39.29          | 4.06            | 2.91         | ≤23.98      | PASS    |
|            |         | 5220       | -1.25               | 37.93          | 4.21            | 2.96         | ≤23.98      | PASS    |
|            |         | 5240       | -1.26               | 39.29          | 4.06            | 2.8          | ≤23.98      | PASS    |
|            |         | 5745       | -1.90               | 45.83          | 3.39            | 1.49         | ≤30.00      | PASS    |
|            |         | 5785       | -1.10               | 33.33          | 4.77            | 3.67         | ≤30.00      | PASS    |
|            |         | 5825       | -1.07               | 40.74          | 3.90            | 2.83         | ≤30.00      | PASS    |
| 11N20SISO  | Ant1    | 5180       | -1.97               | 36.67          | 4.36            | 2.39         | ≤23.98      | PASS    |
|            |         | 5220       | -1.95               | 34.38          | 4.64            | 2.69         | ≤23.98      | PASS    |
|            |         | 5240       | -1.16               | 37.93          | 4.21            | 3.05         | ≤23.98      | PASS    |
|            |         | 5745       | -1.24               | 45.83          | 3.39            | 2.15         | ≤30.00      | PASS    |
|            |         | 5785       | -1.14               | 35.48          | 4.50            | 3.36         | ≤30.00      | PASS    |
|            |         | 5825       | -2.01               | 39.29          | 4.06            | 2.05         | ≤30.00      | PASS    |
| 11N40SISO  | Ant1    | 5190       | -1.72               | 29.17          | 5.35            | 3.63         | ≤23.98      | PASS    |
|            |         | 5230       | -1.58               | 26.92          | 5.70            | 4.12         | ≤23.98      | PASS    |
|            |         | 5755       | -1.87               | 25.00          | 6.02            | 4.15         | ≤30.00      | PASS    |
|            |         | 5795       | -2.44               | 31.82          | 4.97            | 2.53         | ≤30.00      | PASS    |
| 11AC20SISO | Ant1    | 5180       | -1.10               | 37.93          | 4.21            | 3.11         | ≤23.98      | PASS    |
|            |         | 5220       | -1.09               | 50.00          | 3.01            | 1.92         | ≤23.98      | PASS    |
|            |         | 5240       | -1.18               | 41.38          | 3.83            | 2.65         | ≤23.98      | PASS    |
|            |         | 5745       | -1.12               | 36.36          | 4.39            | 3.27         | ≤30.00      | PASS    |
|            |         | 5785       | -1.32               | 41.38          | 3.83            | 2.51         | ≤30.00      | PASS    |
|            |         | 5825       | -1.17               | 35.29          | 4.52            | 3.35         | ≤30.00      | PASS    |
| 11AC40SISO | Ant1    | 5190       | -1.52               | 32.00          | 4.95            | 3.43         | ≤23.98      | PASS    |
|            |         | 5230       | -1.28               | 26.67          | 5.74            | 4.46         | ≤23.98      | PASS    |
|            |         | 5755       | -1.49               | 27.59          | 5.59            | 4.1          | ≤30.00      | PASS    |
|            |         | 5795       | -2.10               | 32.00          | 4.95            | 2.85         | ≤30.00      | PASS    |
| 11AC80SISO | Ant1    | 5210       | -1.65               | 25.00          | 6.02            | 4.37         | ≤23.98      | PASS    |
|            |         | 5775       | -2.89               | 24.00          | 6.20            | 3.31         | ≤30.00      | PASS    |

## Appendix D: Maximum power spectral density

### Test Result

| TestMode   | Antenna | Freq(MHz) | Result<br>[dBm/MHz]<br>For 5.2G    | RBW<br>Factor<br>(dB) | Duty<br>factor<br>(dB) | Result<br>[dBm/MHz]<br>For 5.2G    | Limit[dBm/MHz]<br>For 5.2G    | Verdict |
|------------|---------|-----------|------------------------------------|-----------------------|------------------------|------------------------------------|-------------------------------|---------|
|            |         |           | Result<br>[dBm/300KHz]<br>For 5.8G |                       |                        | Result<br>[dBm/500kHz]<br>For 5.8G | Limit[dBm/500kHz]<br>For 5.8G |         |
| 11A        | Ant1    | 5180      | -8.568                             | /                     | 4.06                   | -4.51                              | ≤11.00                        | PASS    |
|            |         | 5220      | -8.475                             | /                     | 4.21                   | -4.27                              | ≤11.00                        | PASS    |
|            |         | 5240      | -8.813                             | /                     | 4.06                   | -4.75                              | ≤11.00                        | PASS    |
|            |         | 5745      | -14.073                            | 2.22                  | 3.39                   | -8.46                              | ≤30.00                        | PASS    |
|            |         | 5785      | -15.183                            | 2.22                  | 4.77                   | -8.19                              | ≤30.00                        | PASS    |
|            |         | 5825      | -14.798                            | 2.22                  | 3.90                   | -8.68                              | ≤30.00                        | PASS    |
| 11N20SISO  | Ant1    | 5180      | -8.658                             | /                     | 4.36                   | -4.30                              | ≤11.00                        | PASS    |
|            |         | 5220      | -8.391                             | /                     | 4.64                   | -3.75                              | ≤11.00                        | PASS    |
|            |         | 5240      | -8.449                             | /                     | 4.21                   | -4.24                              | ≤11.00                        | PASS    |
|            |         | 5745      | -14.027                            | 2.22                  | 3.39                   | -8.42                              | ≤30.00                        | PASS    |
|            |         | 5785      | -15.123                            | 2.22                  | 4.50                   | -8.40                              | ≤30.00                        | PASS    |
|            |         | 5825      | -14.499                            | 2.22                  | 4.06                   | -8.22                              | ≤30.00                        | PASS    |
| 11N40SISO  | Ant1    | 5190      | -14.196                            | /                     | 5.35                   | -8.85                              | ≤11.00                        | PASS    |
|            |         | 5230      | -13.849                            | /                     | 5.70                   | -8.15                              | ≤11.00                        | PASS    |
|            |         | 5755      | -18.760                            | 2.22                  | 6.02                   | -10.52                             | ≤30.00                        | PASS    |
|            |         | 5795      | -19.318                            | 2.22                  | 4.97                   | -12.13                             | ≤30.00                        | PASS    |
| 11AC20SISO | Ant1    | 5180      | -8.656                             | /                     | 4.21                   | -4.45                              | ≤11.00                        | PASS    |


|            |      |      |         |      |      |        |        |      |
|------------|------|------|---------|------|------|--------|--------|------|
|            |      | 5220 | -8.854  | /    | 3.01 | -5.84  | ≤11.00 | PASS |
|            |      | 5240 | -7.970  | /    | 3.83 | -4.14  | ≤11.00 | PASS |
|            |      | 5745 | -14.484 | 2.22 | 4.39 | -7.87  | ≤30.00 | PASS |
|            |      | 5785 | -14.948 | 2.22 | 3.83 | -8.90  | ≤30.00 | PASS |
|            |      | 5825 | -14.861 | 2.22 | 4.52 | -8.12  | ≤30.00 | PASS |
| 11AC40SISO | Ant1 | 5190 | -13.745 | /    | 4.95 | -8.80  | ≤11.00 | PASS |
|            |      | 5230 | -13.668 | /    | 5.74 | -7.93  | ≤11.00 | PASS |
|            |      | 5755 | -18.765 | 2.22 | 5.59 | -10.96 | ≤30.00 | PASS |
|            |      | 5795 | -19.266 | 2.22 | 4.95 | -12.10 | ≤30.00 | PASS |
| 11AC80SISO | Ant1 | 5210 | -17.791 | /    | 6.02 | -11.77 | ≤11.00 | PASS |
|            |      | 5775 | -22.998 | 2.22 | 6.20 | -14.58 | ≤30.00 | PASS |

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

P.S.D(dBm/500KHz)= P.S.D(dBm/300KHz)+10 log (500 kHz/300KHz).

2. RBW factor= 10 log (500 KHz /300 KHz) = 2.22 dB

Test Graphs





11A\_Ant1\_5745



11A\_Ant1\_5785



# 11A\_Ant1\_5825




# 11N20SISO\_Ant1\_5180



# 11N20SISO\_Ant1\_5220



11N20SISO\_Ant1\_5240



11N20SISO\_Ant1\_5745



# 11N20SISO\_Ant1\_5785



# 11N20SISO\_Ant1\_5825




# 11N40SISO\_Ant1\_5190



11N40SISO\_Ant1\_5230



11N40SISO\_Ant1\_5755



# 11N40SISO\_Ant1\_5795



# 11AC20SISO\_Ant1\_5180



# 11AC20SISO\_Ant1\_5220



11AC20SISO\_Ant1\_5240



11AC20SISO\_Ant1\_5745



11AC20SISO\_Ant1\_5785



11AC20SISO\_Ant1\_5825




11AC40SISO\_Ant1\_5190




11AC40SISO\_Ant1\_5230



11AC40SISO\_Ant1\_5755



11AC40SISO\_Ant1\_5795



11AC80SISO\_Ant1\_5210



11AC80SISO\_Ant1\_5775



## Appendix E: Band edge measurements

### Test Result B1

| TestMode   | Antenna | ChName | Freq(MHz) | Result[dBm] | Limit[dBm] | Verdict |
|------------|---------|--------|-----------|-------------|------------|---------|
| 11A        | Ant1    | Low    | 5180      | -40.24      | ≤-27       | PASS    |
|            |         | High   | 5240      | -50.24      | ≤-27       | PASS    |
| 11N20SISO  | Ant1    | Low    | 5180      | -40.73      | ≤-27       | PASS    |
|            |         | High   | 5240      | -50.23      | ≤-27       | PASS    |
| 11N40SISO  | Ant1    | Low    | 5190      | -40.28      | ≤-27       | PASS    |
|            |         | High   | 5230      | -49.79      | ≤-27       | PASS    |
| 11AC20SISO | Ant1    | Low    | 5180      | -42.28      | ≤-27       | PASS    |
|            |         | High   | 5240      | -49.75      | ≤-27       | PASS    |
| 11AC40SISO | Ant1    | Low    | 5190      | -43.21      | ≤-27       | PASS    |
|            |         | High   | 5230      | -49.64      | ≤-27       | PASS    |
| 11AC80SISO | Ant1    | Low    | 5210      | -39.61      | ≤-27       | PASS    |
|            |         | High   | 5210      | -50.05      | ≤-27       | PASS    |


### Test Result B4

| TestMode  | Antenna | ChName | Freq(MHz) | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|-----------|---------|--------|-----------|-----------------|--------------|-------------|---------|
| 11A       | Ant1    | Low    | 5745      | 5650~5700       | -52.45       | ≤-26.87     | PASS    |
|           |         |        |           | 5700~5720       | -42.62       | ≤15.24      | PASS    |
|           |         |        |           | 5720~5725       | -29.67       | ≤25.26      | PASS    |
|           |         |        |           | 5760~5650       | -50.44       | ≤-27        | PASS    |
|           |         | High   | 5825      | 5850~5855       | -43.66       | ≤17.57      | PASS    |
|           |         |        |           | 5855~5875       | -47.72       | ≤11.34      | PASS    |
|           |         |        |           | 5875~5925       | -51.13       | ≤-26.61     | PASS    |
|           |         |        |           | 5925~5935       | -49.83       | ≤-27        | PASS    |
| 11N20SISO | Ant1    | Low    | 5745      | 5650~5700       | -51.42       | ≤-26.27     | PASS    |
|           |         |        |           | 5700~5720       | -40.61       | ≤15.08      | PASS    |
|           |         |        |           | 5720~5725       | -26.48       | ≤26.04      | PASS    |
|           |         |        |           | 5760~5650       | -51.43       | ≤-27        | PASS    |
|           |         | High   | 5825      | 5850~5855       | -40.99       | ≤16.65      | PASS    |
|           |         |        |           | 5855~5875       | -41.37       | ≤15.46      | PASS    |
|           |         |        |           | 5875~5925       | -50.68       | ≤-26.91     | PASS    |
|           |         |        |           | 5925~5935       | -49.62       | ≤-27        | PASS    |
| 11N40SISO | Ant1    | Low    | 5755      | 5650~5700       | -52.89       | ≤-26.80     | PASS    |
|           |         |        |           | 5700~5720       | -33.51       | ≤15.43      | PASS    |
|           |         |        |           | 5720~5725       | -33.6        | ≤16.35      | PASS    |
|           |         |        |           | 5780~5650       | -51.47       | ≤-27        | PASS    |
|           |         | High   | 5795      | 5850~5855       | -50.44       | ≤15.66      | PASS    |

|                |      |      |      |           |        |               |      |
|----------------|------|------|------|-----------|--------|---------------|------|
|                |      |      |      | 5855~5875 | -50.3  | $\leq 10.48$  | PASS |
|                |      |      |      | 5875~5925 | -50.08 | $\leq -26.71$ | PASS |
|                |      |      |      | 5925~5935 | -50.26 | $\leq -27$    | PASS |
| 11AC20S<br>ISO | Ant1 | Low  | 5745 | 5650~5700 | -50.41 | $\leq -26.36$ | PASS |
|                |      |      |      | 5700~5720 | -41.46 | $\leq 15.34$  | PASS |
|                |      |      |      | 5720~5725 | -36.77 | $\leq 18.18$  | PASS |
|                |      |      |      | 5760~5650 | -51.22 | $\leq -27$    | PASS |
|                |      | High | 5825 | 5850~5855 | -43.11 | $\leq 16.65$  | PASS |
|                |      |      |      | 5855~5875 | -44.29 | $\leq 15.01$  | PASS |
|                |      |      |      | 5875~5925 | -50.98 | $\leq -26.91$ | PASS |
|                |      |      |      | 5925~5935 | -50.28 | $\leq -27$    | PASS |
| 11AC40S<br>ISO | Ant1 | Low  | 5755 | 5650~5700 | -51.76 | $\leq -26.20$ | PASS |
|                |      |      |      | 5700~5720 | -34.88 | $\leq 15.47$  | PASS |
|                |      |      |      | 5720~5725 | -34.54 | $\leq 16.35$  | PASS |
|                |      |      |      | 5780~5650 | -50.22 | $\leq -27$    | PASS |
|                |      | High | 5795 | 5850~5855 | -49.78 | $\leq 15.66$  | PASS |
|                |      |      |      | 5855~5875 | -50.33 | $\leq 10.11$  | PASS |
|                |      |      |      | 5875~5925 | -51.23 | $\leq -26.83$ | PASS |
|                |      |      |      | 5925~5935 | -50.37 | $\leq -27$    | PASS |
| 11AC80S<br>ISO | Ant1 | Low  | 5775 | 5650~5700 | -52.61 | $\leq -26.91$ | PASS |
|                |      |      |      | 5700~5720 | -38.2  | $\leq 14.52$  | PASS |
|                |      |      |      | 5720~5725 | -36.6  | $\leq 17.41$  | PASS |
|                |      |      |      | 5800~5650 | -51.5  | $\leq -27$    | PASS |
|                |      | High | 5775 | 5850~5855 | -46.18 | $\leq 19.64$  | PASS |
|                |      |      |      | 5855~5875 | -48.74 | $\leq 10.29$  | PASS |
|                |      |      |      | 5875~5925 | -49.48 | $\leq -25.64$ | PASS |
|                |      |      |      | 5925~5935 | -50.37 | $\leq -27$    | PASS |

## Test Graphs B1


11A\_Ant1\_Low\_5180



11A\_Ant1\_High\_5240




11N20SISO\_Ant1\_Low\_5180



11N20SISO\_Ant1\_High\_5240




11N40SISO\_Ant1\_Low\_5190



# 11N40SISO\_Ant1\_High\_5230




# 11AC20SISO\_Ant1\_Low\_5180



# 11AC20SISO\_Ant1\_High\_5240



11AC40SISO\_Ant1\_Low\_5190



11AC40SISO\_Ant1\_High\_5230



# 11AC80SISO\_Ant1\_Low\_5210



# 11AC80SISO\_Ant1\_High\_5210



## Test Graphs B4

11A\_Ant1\_Low\_5745



11A\_Ant1\_High\_5825



11N20SISO\_Ant1\_Low\_5745



11N20ISO\_Ant1\_High\_5825



11N40ISO\_Ant1\_Low\_5755



# 11N40SISO\_Ant1\_High\_5795



# 11AC20SISO\_Ant1\_Low\_5745



# 11AC20SISO\_Ant1\_High\_5825



11AC40SISO\_Ant1\_Low\_5755



11AC40SISO\_Ant1\_High\_5795



# 11AC80SISO\_Ant1\_Low\_5775



# 11AC80SISO\_Ant1\_High\_5775



## Appendix F: Conducted Spurious Emission

### Test Result

| TestMode   | Antenna | Freq(MHz) | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|------------|---------|-----------|-----------------|----------------|------------------|-------------|---------|
| 11A        | Ant1    | 5180      | 30~5140         | 3068.58        | -61.56           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26161.09       | -51.48           | ≤-27        | PASS    |
|            |         | 5220      | 30~5140         | 2783.78        | -62.16           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26528.97       | -52.34           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 2457.08        | -60.29           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26543.4        | -51.92           | ≤-27        | PASS    |
|            |         | 5745      | 30~5650         | 3195.18        | -62.04           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26963.47       | -51.97           | ≤-27        | PASS    |
|            |         | 5785      | 30~5650         | 3183.38        | -61.09           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26714.08       | -52.48           | ≤-27        | PASS    |
|            |         | 5825      | 30~5650         | 3192.56        | -61.78           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 25646.99       | -52.02           | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | 5180      | 30~5140         | 3012.03        | -62.09           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 25917.28       | -52.75           | ≤-27        | PASS    |
|            |         | 5220      | 30~5140         | 3153.57        | -61.63           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26582.35       | -52.66           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 3024.97        | -62.6            | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26145.94       | -52.62           | ≤-27        | PASS    |
|            |         | 5745      | 30~5650         | 3248.76        | -62.6            | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 25772.73       | -51.77           | ≤-27        | PASS    |
|            |         | 5785      | 30~5650         | 3234.15        | -61.98           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26188.61       | -51.91           | ≤-27        | PASS    |
|            |         | 5825      | 30~5650         | 5178.11        | -59.25           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26164.03       | -51.53           | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | 5190      | 30~5140         | 3155.62        | -61.57           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26987.74       | -51.63           | ≤-27        | PASS    |
|            |         | 5230      | 30~5140         | 3181.51        | -61.43           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26591.73       | -51.72           | ≤-27        | PASS    |
|            |         | 5755      | 30~5650         | 3190.13        | -61.23           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26771.69       | -51              | ≤-27        | PASS    |
|            |         | 5795      | 30~5650         | 3170.46        | -62.18           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 25668.76       | -52.5            | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | 5180      | 30~5140         | 2532.54        | -62              | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26583.07       | -52.05           | ≤-27        | PASS    |
|            |         | 5220      | 30~5140         | 3174.52        | -61.79           | ≤-27        | PASS    |
|            |         |           | 5360~40000      | 26706.42       | -52.34           | ≤-27        | PASS    |
|            |         | 5240      | 30~5140         | 3162.09        | -62.45           | ≤-27        | PASS    |

|            |      |      |            |          |        |      |      |
|------------|------|------|------------|----------|--------|------|------|
|            |      |      | 5360~40000 | 26196.43 | -52.26 | ≤-27 | PASS |
|            |      | 5745 | 30~5650    | 3195.93  | -62.66 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 26912.89 | -51.45 | ≤-27 | PASS |
|            |      | 5785 | 30~5650    | 3019.65  | -61.89 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 25661.74 | -52.05 | ≤-27 | PASS |
|            |      | 5825 | 30~5650    | 2730.78  | -61.81 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 25768.52 | -52.18 | ≤-27 | PASS |
| 11AC40SISO | Ant1 | 5190 | 30~5140    | 3003.34  | -61.09 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 26515.99 | -52.46 | ≤-27 | PASS |
|            |      | 5230 | 30~5140    | 2997.21  | -61.56 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 26045.68 | -52.31 | ≤-27 | PASS |
|            |      | 5755 | 30~5650    | 3169.71  | -60.86 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 26959.26 | -52.84 | ≤-27 | PASS |
|            |      | 5795 | 30~5650    | 5179.61  | -58.64 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 26187.21 | -52.58 | ≤-27 | PASS |
| 11AC80SISO | Ant1 | 5210 | 30~5140    | 2640.19  | -62.56 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 26791.53 | -52.21 | ≤-27 | PASS |
|            |      | 5775 | 30~5650    | 2683.95  | -61.29 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 26512.47 | -52.44 | ≤-27 | PASS |

## Test Graphs

