

APPENDIX REPORT

Project No.	SHT2108055702EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21080557002	Model No.	ER805-NRQ3
Start test date	2021-08-31	Finish date	2021-09-01
Temperature	25.7°C	Humidity	39%
Test Engineer	Xiaoqin Li	Auditor	Xiaodong Zheo


Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions(coducted)	PASS


Appendix A: Conducted Peak Output Power


Type	Channel	Peak Output power (dBm)			Average Output power (dBm)			Limit (dBm)	Result
		Antenna 0	Antenna 1	Total	Antenna 0	Antenna 1	Total		
802.11b	01	14.96	15.77	-	12.55	13.34	-	≤30.00	Pass
	06	15.44	15.98	-	12.96	13.54	-		
	11	15.18	14.80	-	12.73	13.12	-		
802.11g	01	14.96	15.54	-	12.51	13.27	-	≤30.00	Pass
	06	15.90	15.81	-	13.06	13.38	-		
	11	15.50	15.51	-	13.04	13.19	-		
802.11n (HT20)	01	11.29	12.55	15.01	9.63	10.79	13.26	≤30.00	Pass
	06	11.75	12.47	15.17	10.24	11.11	13.71		
	11	11.73	12.42	15.07	10.10	10.94	13.55		
802.11n (HT40)	03	11.17	12.47	14.91	9.03	10.40	12.78	≤30.00	Pass
	06	11.46	11.93	14.71	9.40	9.92	12.68		
	09	11.48	11.54	14.51	9.38	9.47	12.44		


Appendix B: Power Spectral Density


Type	Channel	Power Spectral Density (dBm/30KHz)		Total Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
		Antenna 0	Antenna 1			
802.11b	01	2.42	2.99	--	≤7.99	Pass
	06	2.60	3.02	--		
	11	2.42	2.89	--		
802.11g	01	-9.75	-8.52	--	≤7.99	Pass
	06	-7.82	-8.42	--		
	11	-8.85	-7.44	--		
802.11n(HT20)	01	-13.10	-10.88	-8.84	≤7.99	Pass
	06	-13.15	-12.19	-9.63		
	11	-13.78	-11.39	-9.41		
802.11n(HT40)	03	-16.34	-16.61	-13.46	≤7.99	Pass
	06	-16.48	-16.75	-13.60		
	09	-16.63	-16.08	-13.34		






















Appendix C: 6dB Bandwidth

Type	Channel	6dB Bandwidth (MHz)		Limit (kHz)	Result
		Antenna 0	Antenna 1		
802.11b	01	8.13	8.13	≥500	Pass
	06	8.13	8.13		
	11	8.13	8.13		
802.11g	01	16.38	16.38	≥500	Pass
	06	16.38	16.38		
	11	16.38	16.38		
802.11n(HT20)	01	17.61	17.61	≥500	Pass
	06	17.61	17.58		
	11	17.61	17.61		
802.11n(HT40)	03	33.84	34.02	≥500	Pass
	06	35.28	35.28		
	09	35.64	35.22		







802.11n(HT20)

Antenna 0


CH01





CH06





CH11


















Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)		Limit (kHz)	Result
		Antenna 0	Antenna 1		
802.11b	01	12.80	12.83	-	Pass
	06	12.80	12.80		
	11	12.83	12.80		
802.11g	01	16.45	16.48	-	Pass
	06	16.45	16.45		
	11	16.45	16.45		
802.11n(HT20)	01	17.65	17.62	-	Pass
	06	17.65	17.62		
	11	17.62	17.59		
802.11n(HT40)	03	35.84	35.78	-	Pass
	06	35.84	35.84		
	09	35.90	35.78		











802.11 b

Antenna 1


CH01





CH06




CH11











Appendix E: Duty Cycle


Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	12.41	12.50	99.3%	0.1
11g	2437	2.05	2.14	95.8%	0.5
11n20	2437	4.47	4.56	98.0%	0.2
11n40	2437	3.26	3.35	97.3%	0.3

11b





11g








Appendix F: Band Edge and Spurious Emissions (Conducted)



Test Item:	Bandedge	802.11 b	Antenna 0																																										
CH01	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz ATT 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 200/300 11.2 MHz Frequency Sweep M1 -16.800 dBm M1[1] 3.20 dBm 2.412430 GHz M2[1] -52.34 dBm 2.400000 GHz 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41243 GHz</td><td>3.20 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-52.34 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-60.60 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.48 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.39936 GHz</td><td>-51.99 dBm</td><td></td><td></td></tr></table> Date: 31 AUG 2021 13:08:59			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41243 GHz	3.20 dBm			M2	1		2.4 GHz	-52.34 dBm			M3	1		2.39 GHz	-60.60 dBm			M4	1		2.31 GHz	-62.48 dBm			M5	1		2.39936 GHz	-51.99 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41243 GHz	3.20 dBm																																									
M2	1		2.4 GHz	-52.34 dBm																																									
M3	1		2.39 GHz	-60.60 dBm																																									
M4	1		2.31 GHz	-62.48 dBm																																									
M5	1		2.39936 GHz	-51.99 dBm																																									
CH11	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz ATT 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 4.8 MHz Frequency Sweep M1 -16.470 dBm M1 3.53 dBm 2.4609910 GHz M2[1] -55.28 dBm 2.4835000 GHz 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.460991 GHz</td><td>3.53 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-55.28 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-56.51 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.496016 GHz</td><td>-51.86 dBm</td><td></td><td></td></tr></table> Date: 31 AUG 2021 13:07:29			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460991 GHz	3.53 dBm			M2	1		2.4835 GHz	-55.28 dBm			M3	1		2.5 GHz	-56.51 dBm			M4	1		2.496016 GHz	-51.86 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.460991 GHz	3.53 dBm																																									
M2	1		2.4835 GHz	-55.28 dBm																																									
M3	1		2.5 GHz	-56.51 dBm																																									
M4	1		2.496016 GHz	-51.86 dBm																																									


Test Item:	Bandedge	802.11 g	Antenna 0																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep Count 200/300 1 Frequency Sweep  2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.41691 GHz</td><td>-3.66 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-49.16 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-57.68 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-62.64 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399936 GHz</td><td>-48.65 dBm</td><td></td><td></td></tr></tbody></table> Date: 31.AUG.2021 14:07:02			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41691 GHz	-3.66 dBm			M2	1		2.4 GHz	-49.16 dBm			M3	1		2.39 GHz	-57.68 dBm			M4	1		2.31 GHz	-62.64 dBm			M5	1		2.399936 GHz	-48.65 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41691 GHz	-3.66 dBm																																									
M2	1		2.4 GHz	-49.16 dBm																																									
M3	1		2.39 GHz	-57.68 dBm																																									
M4	1		2.31 GHz	-62.64 dBm																																									
M5	1		2.399936 GHz	-48.65 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.466985 GHz</td><td>-3.01 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-54.28 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-56.21 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.496016 GHz</td><td>-52.13 dBm</td><td></td><td></td></tr></tbody></table> Date: 31.AUG.2021 14:16:44			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-3.01 dBm			M2	1		2.4835 GHz	-54.28 dBm			M3	1		2.5 GHz	-56.21 dBm			M4	1		2.496016 GHz	-52.13 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-3.01 dBm																																									
M2	1		2.4835 GHz	-54.28 dBm																																									
M3	1		2.5 GHz	-56.21 dBm																																									
M4	1		2.496016 GHz	-52.13 dBm																																									



Test Item:	Bandedge	802.11 n(HT20)	Antenna 0																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.41691 GHz</td><td>-7.39 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-50.88 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-59.79 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-60.68 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399936 GHz</td><td>-50.67 dBm</td><td></td><td></td></tr></tbody></table> Date: 31.AUG.2021 14:51:13			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41691 GHz	-7.39 dBm			M2	1		2.4 GHz	-50.88 dBm			M3	1		2.39 GHz	-59.79 dBm			M4	1		2.31 GHz	-60.68 dBm			M5	1		2.399936 GHz	-50.67 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41691 GHz	-7.39 dBm																																									
M2	1		2.4 GHz	-50.88 dBm																																									
M3	1		2.39 GHz	-59.79 dBm																																									
M4	1		2.31 GHz	-60.68 dBm																																									
M5	1		2.399936 GHz	-50.67 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep  2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.466985 GHz</td><td>-6.98 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-56.83 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.78 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.496016 GHz</td><td>-54.31 dBm</td><td></td><td></td></tr></tbody></table> Date: 31.AUG.2021 15:13:22			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-6.98 dBm			M2	1		2.4835 GHz	-56.83 dBm			M3	1		2.5 GHz	-58.78 dBm			M4	1		2.496016 GHz	-54.31 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-6.98 dBm																																									
M2	1		2.4835 GHz	-56.83 dBm																																									
M3	1		2.5 GHz	-58.78 dBm																																									
M4	1		2.496016 GHz	-54.31 dBm																																									



Test Item:	Bandedge	802.11 b	Antenna 1																																										
CH01	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW 1.12 ms VBW 300 kHz Mode Auto Sweep Count 200/200 Frequency Sweep M1[1] 3.81 dBm 2.412430 GHz M2[1] -56.21 dBm 2.400000 GHz 10 dB 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41243 GHz</td><td>3.81 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-56.21 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-58.83 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-60.32 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.396912 GHz</td><td>-54.09 dBm</td><td></td><td></td></tr></table> Date: 31 AUG 2021 13:51:01			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41243 GHz	3.81 dBm			M2	1		2.4 GHz	-56.21 dBm			M3	1		2.39 GHz	-58.83 dBm			M4	1		2.31 GHz	-60.32 dBm			M5	1		2.396912 GHz	-54.09 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41243 GHz	3.81 dBm																																									
M2	1		2.4 GHz	-56.21 dBm																																									
M3	1		2.39 GHz	-58.83 dBm																																									
M4	1		2.31 GHz	-60.32 dBm																																									
M5	1		2.396912 GHz	-54.09 dBm																																									
CH11	MultViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SW 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 Frequency Sweep M1[1] 3.80 dBm 2.4624780 GHz M2[1] -59.24 dBm 2.4835000 GHz 10 dB 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.462478 GHz</td><td>3.80 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-59.24 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.76 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.495968 GHz</td><td>-56.67 dBm</td><td></td><td></td></tr></table> Date: 31 AUG 2021 13:56:02			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.462478 GHz	3.80 dBm			M2	1		2.4835 GHz	-59.24 dBm			M3	1		2.5 GHz	-59.76 dBm			M4	1		2.495968 GHz	-56.67 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.462478 GHz	3.80 dBm																																									
M2	1		2.4835 GHz	-59.24 dBm																																									
M3	1		2.5 GHz	-59.76 dBm																																									
M4	1		2.495968 GHz	-56.67 dBm																																									

Test Item:	Bandedge	802.11 g	Antenna 1																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Count 200/200 ATT 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.40695 GHz</td><td>-3.49 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-50.05 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-57.38 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-60.15 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399936 GHz</td><td>-49.52 dBm</td><td></td><td></td></tr></tbody></table> Date: 31.AUG 2021 14:20:26			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40695 GHz	-3.49 dBm			M2	1		2.4 GHz	-50.05 dBm			M3	1		2.39 GHz	-57.38 dBm			M4	1		2.31 GHz	-60.15 dBm			M5	1		2.399936 GHz	-49.52 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40695 GHz	-3.49 dBm																																									
M2	1		2.4 GHz	-50.05 dBm																																									
M3	1		2.39 GHz	-57.38 dBm																																									
M4	1		2.31 GHz	-60.15 dBm																																									
M5	1		2.399936 GHz	-49.52 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Count 300/300 ATT 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.466985 GHz</td><td>-3.04 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-57.27 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-59.57 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.483776 GHz</td><td>-55.79 dBm</td><td></td><td></td></tr></tbody></table> Date: 1.SEP 2021 09:28:28			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-3.04 dBm			M2	1		2.4835 GHz	-57.27 dBm			M3	1		2.5 GHz	-59.57 dBm			M4	1		2.483776 GHz	-55.79 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-3.04 dBm																																									
M2	1		2.4835 GHz	-57.27 dBm																																									
M3	1		2.5 GHz	-59.57 dBm																																									
M4	1		2.483776 GHz	-55.79 dBm																																									



Test Item:	Bandedge	802.11 n(HT40)	Antenna 1																																										
CH03	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Count 300/300 Att 30 dB SWT 1.52 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41688 GHz</td><td>-9.16 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-55.14 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-59.22 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-61.14 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399892 GHz</td><td>-55.97 dBm</td><td></td><td></td></tr></table> Date: 31.AUG.2021 15:05:47			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41688 GHz	-9.16 dBm			M2	1		2.4 GHz	-55.14 dBm			M3	1		2.39 GHz	-59.22 dBm			M4	1		2.31 GHz	-61.14 dBm			M5	1		2.399892 GHz	-55.97 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41688 GHz	-9.16 dBm																																									
M2	1		2.4 GHz	-55.14 dBm																																									
M3	1		2.39 GHz	-59.22 dBm																																									
M4	1		2.31 GHz	-61.14 dBm																																									
M5	1		2.399892 GHz	-55.97 dBm																																									
CH09	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Count 300/300 Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.449493 GHz</td><td>-9.66 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-58.88 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.67 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.496056 GHz</td><td>-57.95 dBm</td><td></td><td></td></tr></table> Date: 31.AUG.2021 15:06:06			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.449493 GHz	-9.66 dBm			M2	1		2.4835 GHz	-58.88 dBm			M3	1		2.5 GHz	-58.67 dBm			M4	1		2.496056 GHz	-57.95 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.449493 GHz	-9.66 dBm																																									
M2	1		2.4835 GHz	-58.88 dBm																																									
M3	1		2.5 GHz	-58.67 dBm																																									
M4	1		2.496056 GHz	-57.95 dBm																																									