






2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500



2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000







2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000



2DH5_Ant1_2480_1000~26500





A.8 Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-48.23	≤-41.20	46.97	≤54	PASS
				AV	2353.970	-46.34	≤-41.20	48.86	≤54	PASS
				AV	2390.000	-47.83	≤-41.20	47.37	≤54	PASS
				Peak	2310.000	-39.34	≤-21.20	55.86	≤74	PASS
				Peak	2342.735	-35.25	≤-21.20	59.95	≤74	PASS
				Peak	2390.000	-38.52	≤-21.20	56.68	≤74	PASS
		High	2480	AV	2483.500	-42.23	≤-41.20	52.97	≤54	PASS
				AV	2483.760	-42.13	≤-41.20	53.07	≤54	PASS
				AV	2500.000	-47.26	≤-41.20	47.94	≤54	PASS
				Peak	2483.500	-34.06	≤-21.20	61.14	≤74	PASS
				Peak	2484.240	-33.41	≤-21.20	61.79	≤74	PASS
				Peak	2500.000	-37.66	≤-21.20	57.54	≤74	PASS
		Low	Hop_24 02	Peak	2310.000	-38.44	≤-21.20	56.76	≤74	PASS
				Peak	2369.300	-35.04	≤-21.20	60.16	≤74	PASS
				Peak	2390.000	-37.62	≤-21.20	57.58	≤74	PASS
		High	Hop_24 80	Peak	2483.500	-35.53	≤-21.20	59.67	≤74	PASS
				Peak	2483.680	-34.9	≤-21.20	60.30	≤74	PASS
				Peak	2500.000	-37.55	≤-21.20	57.65	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-48.36	≤-41.20	46.84	≤54	PASS
				AV	2353.970	-46.84	≤-41.20	48.36	≤54	PASS
				AV	2390.000	-47.65	≤-41.20	47.55	≤54	PASS
				Peak	2310.000	-37.69	≤-21.20	57.51	≤74	PASS
				Peak	2387.465	-36.11	≤-21.20	59.09	≤74	PASS
				Peak	2390.000	-38.5	≤-21.20	56.70	≤74	PASS
		High	2480	AV	2483.500	-43.24	≤-41.20	51.96	≤54	PASS
				AV	2483.520	-43.24	≤-41.20	51.96	≤54	PASS
				AV	2500.000	-47.26	≤-41.20	47.94	≤54	PASS
				Peak	2483.500	-35.13	≤-21.20	60.07	≤74	PASS
				Peak	2483.680	-33.2	≤-21.20	62.00	≤74	PASS
				Peak	2500.000	-37.53	≤-21.20	57.67	≤74	PASS
		Low	Hop_24 02	Peak	2310.000	-38.1	≤-21.20	57.10	≤74	PASS
				Peak	2386.310	-36.97	≤-21.20	58.23	≤74	PASS
				Peak	2390.000	-38.9	≤-21.20	56.30	≤74	PASS
		High	Hop_24 80	Peak	2483.500	-35.46	≤-21.20	59.74	≤74	PASS
				Peak	2500.000	-36.7	≤-21.20	58.50	≤74	PASS


Note:




1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs






DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak







DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak





2DH5_Ant1_Low_Hop_2402_Peak



2DH5_Ant1_High_Hop_2480_Peak

