


EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4955.500000	---	39.57	54.00	14.43	150.0	V	94.0	11.8
4958.500000	50.64	---	74.00	23.36	150.0	V	70.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7491.116667	---	34.25	54.00	19.75	150.0	H	172.0	8.7
7499.966667	44.31	---	74.00	29.69	150.0	H	31.0	8.7
12663.941667	---	40.65	54.00	13.35	150.0	H	0.0	15.0
12664.433333	49.88	---	74.00	24.12	150.0	H	146.0	15.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7460.141667	---	34.75	54.00	19.25	150.0	V	1.0	8.5
7493.575000	44.06	---	74.00	29.94	150.0	V	259.0	8.7
12138.841667	---	40.39	54.00	13.61	150.0	V	92.0	14.4
12155.558333	49.46	---	74.00	24.54	150.0	V	33.0	14.4


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

30 MHz - 1GHz (Right earbud)

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.863077	14.55	40.00	25.45	100.0	H	57.0	-18.9
58.764231	15.04	40.00	24.96	100.0	H	227.0	-19.2
110.025000	10.79	43.50	32.71	100.0	H	261.0	-19.4
284.401154	14.21	46.00	31.79	100.0	H	235.0	-17.0
603.643077	21.16	46.00	24.84	100.0	H	304.0	-10.1
891.471923	24.92	46.00	21.08	100.0	H	261.0	-5.5

Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Mid channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
40.483462	22.80	40.00	17.20	100.0	V	38.0	-20.3
48.280769	22.80	40.00	17.20	100.0	V	211.0	-18.7
59.808846	25.70	40.00	14.30	100.0	V	203.0	-19.3
99.728077	11.31	43.50	32.19	100.0	V	83.0	-19.3
199.936539	12.36	43.50	31.14	100.0	V	319.0	-19.3
553.352308	19.68	46.00	26.32	100.0	V	0.0	-11.1
890.949615	29.18	46.00	16.82	100.0	V	140.0	-5.5

Final Result


Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz (Right earbud)

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4803.500000	---	41.94	54.00	12.06	150.0	H	220.0	11.8
4804.000000	51.28	---	74.00	22.72	150.0	H	201.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Low channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4813.500000	50.90	---	74.00	23.10	150.0	V	354.0	11.8
4817.500000	---	39.93	54.00	14.07	150.0	V	329.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Low channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7468.008333	43.64	---	74.00	30.36	150.0	H	213.0	8.6
7487.183333	---	34.63	54.00	19.37	150.0	H	61.0	8.7
13359.650000	---	41.91	54.00	12.09	150.0	H	317.0	15.5
13425.533333	50.66	---	74.00	23.34	150.0	H	98.0	15.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Low channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7445.883333	43.75	---	74.00	30.25	150.0	V	16.0	8.5
7482.266667	---	35.03	54.00	18.97	150.0	V	298.0	8.7
13203.791667	---	42.04	54.00	11.96	150.0	V	122.0	15.5
13358.666667	50.98	---	74.00	23.02	150.0	V	122.0	15.5

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.500000	50.82	---	74.00	23.18	150.0	H	236.0	11.8
4879.500000	---	40.56	54.00	13.44	150.0	H	184.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Mid channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4857.000000	51.37	---	74.00	22.63	150.0	V	147.0	11.8
4892.000000	---	40.22	54.00	13.78	150.0	V	200.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Mid channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7300.841667	43.36	---	74.00	30.64	150.0	H	1.0	8.3
7329.850000	---	34.67	54.00	19.33	150.0	H	126.0	8.1
12133.433333	49.24	---	74.00	24.76	150.0	H	57.0	14.3
12180.141667	---	41.13	54.00	12.87	150.0	H	149.0	14.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Mid channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7320.508333	43.00	---	74.00	31.00	150.0	V	359.0	8.2
7320.508333	---	34.41	54.00	19.59	150.0	V	359.0	8.2
12165.883333	---	40.23	54.00	13.77	150.0	V	251.0	14.5
12201.775000	48.96	---	74.00	25.04	150.0	V	359.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4959.500000	---	40.58	54.00	13.42	150.0	H	266.0	11.8
4964.500000	51.72	---	74.00	22.28	150.0	H	335.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4951.000000	---	40.72	54.00	13.28	150.0	V	359.0	11.8
4960.500000	51.78	---	74.00	22.22	150.0	V	278.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7475.875000	44.40	---	74.00	29.60	150.0	H	327.0	8.6
7483.741667	---	34.69	54.00	19.31	150.0	H	166.0	8.7
12516.441667	50.55	---	74.00	23.45	150.0	H	71.0	14.7
12618.216667	---	41.26	54.00	12.74	150.0	H	0.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7417.366667	43.24	---	74.00	30.76	150.0	V	307.0	8.3
7455.225000	---	34.69	54.00	19.31	150.0	V	307.0	8.5
13245.091667	---	41.48	54.00	12.52	150.0	V	0.0	15.5
13334.575000	50.56	---	74.00	23.44	150.0	V	318.0	15.5

Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

Left earbud

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2333.852941	56.23	---	74.00	17.77	150.0	H	198.0	6.7
2336.897059	---	38.68	54.00	15.32	150.0	H	247.0	6.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_Low channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2344.191177	53.11	---	74.00	20.89	150.0	V	252.0	6.9
2344.338235	---	38.46	54.00	15.54	150.0	V	148.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.994118	---	40.33	54.00	13.67	150.0	H	302.0	7.4
2491.600000	50.84	---	74.00	23.16	150.0	H	195.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 1M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2495.450588	51.60	---	74.00	22.40	150.0	V	293.0	7.4
2496.488235	---	40.62	54.00	13.38	150.0	V	258.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 2M_Low channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2363.323530	---	38.88	54.00	15.12	150.0	H	187.0	6.9
2364.485294	54.78	---	74.00	19.22	150.0	H	300.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 2M_Low channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2344.279412	49.87	---	74.00	24.13	150.0	V	356.0	6.9
2344.926471	---	38.69	54.00	15.31	150.0	V	70.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 2M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2492.192941	---	39.81	54.00	14.19	150.0	H	205.0	7.4
2492.401177	50.77	---	74.00	23.23	150.0	H	199.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 2M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2496.378824	51.31	---	74.00	22.69	150.0	V	354.0	7.4
2496.572941	---	40.22	54.00	13.78	150.0	V	284.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Right earbud

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2340.044118	49.76	---	74.00	24.24	150.0	H	38.0	6.8
2349.058824	---	39.63	54.00	14.37	150.0	H	173.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2354.411765	---	39.49	54.00	14.51	150.0	V	178.0	6.9
2357.661765	50.25	---	74.00	23.75	150.0	V	339.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.255294	---	40.39	54.00	13.61	150.0	H	148.0	7.4
2485.014118	51.00	---	74.00	23.00	150.0	H	315.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Lenovo YOGA True Wireless Stereo Earbuds
Model:	LT310
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168455159/A003622699-014
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.758824	52.06	---	74.00	21.94	150.0	V	0.0	7.4
2489.118824	---	40.46	54.00	13.54	150.0	V	193.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 2M_Low channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2319.852941	50.27	---	74.00	23.73	150.0	H	32.0	6.6
2350.235294	---	39.09	54.00	14.91	150.0	H	222.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 2M_Low channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2372.514706	50.85	---	74.00	23.15	150.0	V	35.0	6.9
2373.985294	---	39.23	54.00	14.77	150.0	V	57.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 2M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.997647	---	40.22	54.00	13.78	150.0	H	32.0	7.4
2484.692941	51.32	---	74.00	22.68	150.0	H	177.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Lenovo YOGA True Wireless Stereo Earbuds
Model: LT310
Test Mode: BLE 2M_High channel
Order No/Sample No: 168455159/A003622699-014
Test Voltage: Battery
Remark: Temp 22 Humi:52%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.797647	---	39.94	54.00	14.06	150.0	V	124.0	7.4
2495.930588	51.03	---	74.00	22.97	150.0	V	305.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---