




Appendix II

Internal Photographs


Internal View of EUT-1




Internal View of EUT-2




Internal View of EUT-3




Internal View of EUT-4




Internal View of EUT-5




Internal View of EUT-6



Internal View of EUT-7



Internal View of EUT-8



Internal View of EUT-9



Internal View of EUT-10



Internal view of the LCP-12 probe. The probe is shown next to a ruler for scale. The probe has a black, textured, cylindrical body. A red line points to the probe's tip, which is labeled "Antenna" in a red box. The probe is connected to a black cable with a white connector. The ruler shows centimeters and millimeters.

Rechargeable Lithium Ion Battery 可充电锂离子电池组
 Battery Model/电池型号: BSC-C4143D-3200mAh-7519-01
 21NR1508 Red wire 红线(+), Black wire 黑线(-)
 Rated Capacity 额定容量: 3200mAh (21.6Ah)
 Typical Capacity 典型容量: 3100mAh (21.7Ah)
 Nominal Voltage 标称电压: 7.2V
 Limited Charging Voltage 充电限制电压: 8.4V
 Manufacturer/生产商: Guangdong Aowei Electronics Co., Ltd.
 制造商: 广东澳威电子有限公司
 Production date 生产日期: 20220430
 Do not disassemble, Do not crush, Do not short circuit.
 Do not dispose in fire. Do not short circuit.
 If severe swelling occurs, Do not continue to use.
 Do not expose to high temperature. Do not use after soaking.
 禁止拆解、碾压、挤压、投入火中焚烧、避免短路、避免浸水、避免暴晒。
 请勿置于高温环境、请勿浸泡于液体中。