



Test report issued under the responsibility of:

EMITECH MONTPELLIER laboratory

MRA US-EU Designation Number: FR0006

Registration Number: 954701

Canadian CAB Identifier: FR0003

Registration Number: 4379C

RADIO TEST REPORT

FCC 47 CFR PART 15.247: April 2025

RSS-247, Issue 4: July 2025

ANSI C 63.10: 2020

Company : **INSIGHT SIP**
Address : 400 AVENUE ROUMANILLE
GREENSIDE BAT 7
06906 SOPHIA-ANTIPOLIS
FRANCE

Test item description : **Wi-Fi, BLE, Thread, module**
Trade Mark : INSIGHT SIP
Manufacturer : INSIGHT SIP
Model/Type reference : ISP5261
FCC ID : 2AAQS-ISP5261
IC : 11306A-ISP5261
Ratings : 3.14 VDC to 3.46 VDC

Testing Laboratory : **EMITECH MONTPELLIER laboratory**
Address : 145 rue de Massacan
34740 VENDARGUES
FRANCE

Report Reference No : **RR-EVE-24F158-3A**
Test procedure : FCC IC Certification
Diffusion : Mr FATTOUH
Applicant's name : INSIGHT SIP
Date of issue : January 19, 2026
Total number of pages : 231
Revision : 0
Compiled by : Morgan PATEY
Approved by (+ signature) : David MONTAULON (Laboratory Manager)



*Duplication of this test report is only permitted for an integral photographic facsimile. It includes the number of pages referenced here above.
This document is the result of testing a specimen or a sample of the product submitted. It does not imply an assessment of the conformity of
the whole manufactured products of the tested sample.*

REPORT INDEX:

1. GENERAL INFORMATIONS.....	3
2. REFERENCE DOCUMENT(S)	4
3. EQUIPMENT TECHNICAL DESCRIPTION	5
3.1. TEST CONDITIONS	5
3.2. E.U.T. MARKING PLATE.....	5
3.3. E.U.T. MODIFICATION(S).....	5
3.4. E.U.T. GENERAL VIEW	6
3.5. E.U.T. MECHANICAL AND ELECTRICAL DESIGN	7
3.6. E.U.T. INPUT/OUTPUT PORTS	7
3.7. SUPPORTING EQUIPMENT USED DURING TEST	8
3.8. EUT RADIO SPECIFICATIONS	9
4. RESULT SUMMARY	10
5. MEASUREMENT UNCERTAINTY	12
6. TEST CONDITIONS AND RESULTS.....	13
6.1. RADIATED EMISSION LIMITS.....	13
6.2. 6dB BANDWIDTH & 99% OCCUPIED BANDWIDTH.....	157
6.3. MAXIMUM PEAK POWER OF THE INTENTIONAL RADIATOR.....	171
6.4. POWER SPECTRAL DENSITY	213
6.5. BAND-EDGE COMPLIANCE OF EMISSIONS.....	221
6.6. FREQUENCY STABILITY.....	229

REVISION HISTORY:

Revision	Date	Modified pages	Modifications
0	January 19, 2026	/	Creation

1. GENERAL INFORMATIONS

This document submits the results of Radio tests performed on the equipment **Wi-Fi, BLE, Thread, module ISP5261** (denominated hereafter E.U.T.: equipment under test) according to document(s) listed in §2 of this test report.

TESTING PROCEDURE AND TESTING LOCATION:					
Testing Location: EMITECH MONTPELLIER laboratory Address: 145 rue de Massacan 34740 VENDARGUES FRANCE Test procedure: FCC IC Certification Tested by: Morgan PATEY Test supervisor: None Date of receipt of test item: N/A Date (s) of performance of tests: From February 06 th to March 12 th of 2025					
APPLICANT'S GENERAL INFORMATIONS:					
Company name: INSIGHT SIP Company address: 400 AVENUE ROUMANILLE GREENSIDE BAT 7 06906 SOPHIA-ANTIPOLIS FRANCE Person(s) present during the tests: No representative for company attended the tests. Responsible: Mr FATTOUH					
GENERAL REMARKS:					
The information in italics is declared by the manufacturer and is under his responsibility The test results presented in this report relate only to the object tested. The results contained in this report reflect the results for this particular model and serial number. It is the responsibility of the manufacturer to ensure that all production models meet the intent of the requirements detailed within this report. "(see Enclosure #)" refers to additional information appended to the report. "(see appended table)" refers to a table appended to the report. Throughout this report the decimal separator is point.					
POSSIBLE TEST CASE VERDICTS:					
Test case does not apply to the test object ..: N/A Test case not performed: N/P Test object does meet the requirement: P (Pass) Test object does not meet the requirement: F (Fail):					
DEFINITIONS AND ABBREVIATIONS:					
E.U.T.	Equipment Under Test	AE	Ancillary Equipment	Pk	Peak detector
RBW	Resolution BandWidth	VBW	Video BandWidth	QP	Quasi-peak detector
FSOATS	Free Space Open Area Test Site	FAR	Full Anechoic Room	Av	Average detector
VP	Vertical Polarization	HP	Horizontal Polarization	RMS	Root Mean Square
RF	Radio Frequency	N.T.R	Nothing To Report	N/C	Not Communicated
SAC	Semi Anechoic Chamber				

2. REFERENCE DOCUMENT(S)

NORMATIVE REFERENCES:

The following referenced documents are necessary for the application of the present test report.

FCC 47 CFR PART 15.247: April 2025

Operation within the bands 902–928 MHz, 2400–2483.5 MHz, and 5725–5850MHz. (frequency hopping and digitally modulated)

RSS-247, Issue 4: July 2025

Digital Transmission Systems (DTSS), Frequency Hopping Systems (FHSs) and Licence Exempt Local Area Network (LE-LAN) Devices

ANSI C63.10: 2020

American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices

KDB 558074 D01 DTS v03r03

Guidance for Performing Compliance on Digital Transmission Systems Operating under §15.247

Public Notice DA 00-705

Filing and Measurement Guideline for Frequency Hopping Spread Spectrum Systems.

Although the product standard uses obsolete technical standards, the latest versions of standards achievable by the laboratory will be used for testing.

INFORMATIVE REFERENCES:

The following referenced documents are not necessary for the application of the present test report but they assist the user with regard to a particular subject area.

3. EQUIPMENT TECHNICAL DESCRIPTION

3.1. Test Conditions

Test item description.: Wi-Fi, BLE, Thread, module
 Model/Type reference.: ISP5261
 Trade Mark.: INSIGHT SIP
 Serial number (S/N).....: Not communicated
 Part number (P/N).: Not communicated
 Software version.....: N/A
 Firmware version.....: *Not communicated*
 Type of sample.....: Pre-serial
 Function(s).: Wi-Fi, Bluetooth Low Energy, and Thread, module with integrated bi-band antenna
 Manufacturer name.: INSIGHT SIP
 Address.: 400 AVENUE ROUMANILLE
 GREENSIDE BAT 7
 06906 SOPHIA-ANTIPOLIS
 FRANCE

General product information:
 N/A

3.2. E.U.T. Marking plate

No marking plate during tests

3.3. E.U.T. Modification(s)

The EUT's firmware Tx power level was set to 17 dBm for low channel (b).
 The EUT's firmware Tx power level was set to 16 dBm for low channel (gn).
 The EUT's firmware Tx power level was set to 17 dBm for high channel (gn).

3.4. E.U.T. General view




3.5. E.U.T. Mechanical and Electrical Design

Power supply.....: 3.3 VDC
Power supply range.....: 3.14 VDC to 3.46 VDC
Power type.: DC
Power (W).: 2 (max)
Nominal current (A).: 0.6 (max)
Dimensions (L x W x H) (m).: 0.012 x 0.012 x 0.0018
Weight (kg).....: < 0.01
Temperature range (°C).: -40 to +85
Ground bounding strap.....: No

Comments:

N/A

3.6. E.U.T. Input/Output ports



PORT	NAME	TYPE	LENGTH	CABLE TYPE	COMMENTS
0	Main frame	N/A	N/A	N/A	RF module
1	DC power supply	DC	N/A	N/A	3.3 VDC
2	RF antenna	RF	N/A	N/A	2.4 GHz

AC/DC : AC/DC Converter port AC: Alternative current port DC: Direct current port
I/O.....: Input or Output port TP: Telecommunication port RF.....: Radio frequency port
N/E: Non Electrical port

3.7. Supporting Equipment Used During Test

Sample subject to the tests was tested with following equipment.

PRODUCT TYPE	MANUFACTURER	MODEL	N°EMITECH / COMMENTS
Laptop	ASUS	S301L	Used to power and program the EUT operation modes

LAPTOP (AE)



3.8. EUT Radio Specifications

a) GENERAL INFORMATIONS	
According to manufacturer's declarations :	
EUT type.....	Transceiver
Technology.....	Wi-Fi
Environmental profile.....	Data transmissions
Temperature range.....	-40°C to +85°C
Antenna type.....	Integrated
Antenna Gain	-0.5dBi @2450MHz 2.15dBi @5500MHz
Comments:	
<i>The EUT did not have a specific test mode to distinguish between 802.11g and 802.11n modulation during tests. At the customer's request, the tests were conducted with both modulations combined.</i>	
b) TRANSMITTER PARAMETERS (Tx)	
Frequency bands.....	2400 MHz to 2483.5 MHz
RF Power	> 10 dBm
Number of channels / Separation.....	11
Modulation type	802.11 b / g / n
Duty cycle.....	Not communicated
Tested frequency.....	Low channel : 2412 MHz Mid channel : 2437 MHz High channel : 2462 MHz
c) RECEIVER PARAMETERS (Rx)	
Frequency bands.....	2400 MHz to 2483.5 MHz
Category/Class.....	Not communicated
Bandwidth.....	2400 MHz to 2483.5 MHz

4. RESULT SUMMARY

TEST DESIGNATION	SEVERITY	VERDICT	BASIC STANDARDS / COMMENTS
SUBPART A - GENERAL			
Labeling requirements		PASS	15.19 / See certification documents
Information to user		PASS	15.21 / See certification documents
Home-built devices		N/A	15.23
Kits		N/A	15.25
Special Accessories		PASS	15.27 / See certification documents
Inspection by the Commission		N/A	15.29
Measurement standards		PASS	15.31
Test procedure for CPU boards and computer power supplies		N/A	15.32
Frequency range of radiated measurements		PASS	15.33
Measurement detector functions and bandwidths		PASS	15.35
Transition provisions for compliance with the rules		PASS	15.37 / See certification documents
SUBPART B – UNINTENTIONAL RADIATORS			
Equipment authorization			15.101
- Verification		N/A	
- Declaration of Conformity		N/A	
CPU boards and power supplies used in personal computers		N/A	15.102
Exempted device		N/A	15.103
Information to the user		PASS	15.105 / See certification documents
Conducted limits		N/A	15.107
Radiated emission limits		N/A	15.109
Antenna power conduction limits for receivers		N/A	15.111
Power line carrier systems		N/A	15.113
TV interface devices, including cable system terminal devices		N/A	15.115
TV broadcast receivers		N/A	15.117
Cable ready consumer electronics equipment		N/A	15.118
Program blocking technology requirements for TV receivers		N/A	15.120
Scanning receivers and frequency converters used with scanning receivers		N/A	15.121
Labeling of digital cable ready products		N/A	15.123
SUBPART C –INTENTIONAL RADIATORS			

TEST DESIGNATION	SEVERITY	VERDICT	BASIC STANDARDS / COMMENTS
Equipment authorization requirement	Class B	PASS	15.201 / Transmitter part is subject to Certification procedure
Certified operating frequency range		N/A	15.202
Antenna requirement		PASS	15.203 / Dedicated integral antenna
External radio frequency power amplifiers and antenna modifications		N/A	15.204
Restricted bands of operation		PASS	15.204
Conducted limits		N/A	15.207
Radiated emission limits; general requirements		PASS	15.209
Tunnel radio systems		N/A	15.211
Modular transmitters		N/A	15.212
Cable locating equipment		N/A	15.213
Cordless telephones		N/A	15.214
Additional provisions to the general radiated emission limits		PASS	15.215
Operation within the band 902-928MHz, 2400-2483.5MHz and 5725-5850MHz			15.247
- Frequency hopping and digitally modulated		-	a)
- Frequency hopping system		N/A	a) (1) Non-FHSS equipment
- Digital modulation system		PASS	a) (2) -6dB BW > 500kHz
- Maximum peak conducted output power		-	b)
- For hopping system in the 2400-2483.5 MHz and 5725-5850 MHz bands		N/A	b) (1) Non-FHSS equipment
- For hopping system in the 902-928MHz band		N/A	b) (2) Non-FHSS equipment
- For system using digital modulation in the 902-928 MHz, 2400-2483.5 MHz and 5725-5850 MHz bands		PASS	b) (3)
- Operation with directional antenna gains > 6 dBi		N/A	c)
- Out-of-band emissions		PASS	d)
- Power spectral density conducted		PASS	e)
- Hybrid system		N/A	f)
- Frequency hopping additional requirements		N/P	g) See certification documents
- Frequency hopping intelligence		N/P	h) See certification documents
- RF exposure compliance		PASS	i)

Sample subject to the test complies with the requirements of the reference document(s) listed in §2 of this test report and, where applicable, with deviation(s) specified in this document.

To declare, or not, the compliance with the specifications, it was not explicitly taken account of uncertainty associated with the results.

Opinion(s) and interpretation(s): N/A

TEST(S) PERFORMED	MODIFICATION(S)
ANSI C63.10	N/A

5. MEASUREMENT UNCERTAINTY

PARAMETER	MAXIMAL EMITECH UNCERTAINTY	MINIMAL STANDARD UNCERTAINTY
Radio frequency	$\pm 1 \times 10^{-7}$	$\pm 1 \times 10^{-7}$
RF power, conducted		
RF power	$\pm 0.8\text{dB}$	$\pm 1 \text{ dB}$
Power spectral density	$\pm 2.3\text{dB}$	$\pm 3 \text{ dB}$
Occupied bandwidth		
RF power	$\pm 3.8 \%$	$\pm 5 \%$
Radiated emission (PAR / PIRE / RNE)		
$f \leq 62.5 \text{ MHz}$	$\pm 5.7 \text{ dB}$	$\pm 6 \text{ dB}$
62.5 MHz - 1 GHz	$\pm 5.8 \text{ dB}$	$\pm 6 \text{ dB}$
1 GHz - 18 GHz	$\pm 5.6 \text{ dB}$	$\pm 6 \text{ dB}$
18 GHz – 40 GHz	$\pm 5.6 \text{ dB}$	$\pm 6 \text{ dB}$
40 GHz – 110 GHz	$\pm 5.9 \text{ dB}$	Between ± 6 to 10 dB
PIRE and power spectral density with diode	$\pm 5.7 \text{ dB}$	$\pm 6 \text{ dB}$
Radiated emission (magnetic field)		
9kHz – 30MHz	$\pm 3.4 \text{ dB}$	$\pm 6 \text{ dB}$
Supply voltages	$\pm 3 \%$	$\pm 3 \%$
Temperature	$\pm 1 \text{ }^{\circ}\text{C}$	$\pm 1^{\circ}\text{C}$
Humidity	$\pm 5 \%$	$\pm 5 \%$
Time / Duty cycle	$\pm 4.4 \%$	$\pm 5 \%$
Conducted emission (FCC)		
(Artificial Mains Network) 150kHz – 30MHz	$\pm 3.4 \text{ dB}$	$\pm 3.4 \text{ dB}$
Radiated emission (electric field for FCC standard)		
9kHz – 30MHz	$\pm 2.7 \text{ dB}$	/
30MHz – 1GHz	$\pm 5.0 \text{ dB}$	/
1GHz – 18GHz	$\pm 5.3 \text{ dB}$	/
18GHz – 40GHz	$\pm 6.1 \text{ dB}$	/
40GHz – 140GHz	$\pm 5.7 \text{ dB}$	/

For the calculation of expanded uncertainty, the confidence interval is 95 % (k=2).

6. TEST CONDITIONS AND RESULTS

6.1. Radiated emission limits

Reference standard:	FCC 47 CFR PART 15.209 RSS-247
Test method:	ANSI C63.10
General test setup: For $f < 30\text{MHz}$, EUT is set on an insulating support at 80cm above the ground reference plane. Preliminary (peak) measurements were performed at an antenna to EUT separation distance of 3-meter in a semi-anechoic chamber. The EUT was rotated 360° in order to maximize radiated levels. Test antenna was oriented in 3 axes (0°, 45° and 90°). Final measurements (quasi-peak) were then performed in a 10-meter Open Area Test Site that complies to CISPR 16 in the same measurement conditions. For $f > 30\text{MHz}$, EUT is set on an insulating support at 80cm above the ground reference plane (150cm for $f > 1\text{GHz}$). Preliminary (peak) measurements were performed at an antenna to EUT separation distance of 3-meter. The EUT was rotated 360° about its azimuth with the receive antenna located at various heights in horizontal and vertical polarities. Final measurements (quasi-peak or average) were then performed in a semi-anechoic chamber or Open Area Test Site that complies to CISPR 16. The EUT was rotated 360° about its azimuth and adjusting the receive antenna height from 1 to 4 m. All frequencies were investigated, where applicable. For portable equipments a research of maximum level is done on the 3 axes. In addition we used the tilt function of antenna mast, in order to find the maximum radiated emission in all directions. Only the highest levels are recorded.	

TESTED CONFIGURATION	PARAMETER	SEVERITY	RESULT TAB.	VERDICT
Radiated measurement / 0°	9kHz-30MHz	15.209	EMI4799	PASS
Radiated measurement / 45°	9kHz-30MHz	15.209	EMI4800	PASS
Radiated measurement / 90°	9kHz-30MHz	15.209	EMI4801	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 30 MHz to 1 GHz / Position 1	30MHz-1GHz	15.209	EMI4449	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 30 MHz to 1 GHz / Position 2	30MHz-1GHz	15.209	EMI4450	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 30 MHz to 1 GHz / Position 3	30MHz-1GHz	15.209	EMI4451	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 30 MHz to 1 GHz / Position 1	30MHz-1GHz	15.209	EMI4453	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 30 MHz to 1 GHz / Position 2	30MHz-1GHz	15.209	EMI4454	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 30 MHz to 1 GHz / Position 3	30MHz-1GHz	15.209	EMI4455	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 30 MHz to 1 GHz / Position 1	30MHz-1GHz	15.209	EMI4457	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 30 MHz to 1 GHz / Position 2	30MHz-1GHz	15.209	EMI4458	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 30 MHz to 1 GHz / Position 3	30MHz-1GHz	15.209	EMI4459	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 30 MHz to 1 GHz / Position 1	30MHz-1GHz	15.209	EMI4461	PASS

TESTED CONFIGURATION	PARAMETER	SEVERITY	RESULT TAB.	VERDICT
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 30 MHz to 1 GHz / Position 2	30MHz-1GHz	15.209	EMI4462	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 30 MHz to 1 GHz / Position 3	30MHz-1GHz	15.209	EMI4463	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 30 MHz to 1 GHz / Position 1	30MHz-1GHz	15.209	EMI4465	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 30 MHz to 1 GHz / Position 2	30MHz-1GHz	15.209	EMI4466	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 30 MHz to 1 GHz / Position 3	30MHz-1GHz	15.209	EMI4467	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 30 MHz to 1 GHz / Position 1	30MHz-1GHz	15.209	EMI4469	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 30 MHz to 1 GHz / Position 2	30MHz-1GHz	15.209	EMI4470	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 30 MHz to 1 GHz / Position 3	30MHz-1GHz	15.209	EMI4471	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 1 GHz to 18 GHz / Position 1	1GHz-18GHz	15.209	EMI4883	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 1 GHz to 18 GHz / Position 2	1GHz-18GHz	15.209	EMI4890	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 1 GHz to 18 GHz / Position 3	1GHz-18GHz	15.209	EMI4904	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 1 GHz to 18 GHz / Position 4	1GHz-18GHz	15.209	EMI4876	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 1 GHz to 18 GHz / Position 5	1GHz-18GHz	15.209	EMI4897	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 1 GHz to 18 GHz / Position 6	1GHz-18GHz	15.209	EMI4911	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 1 GHz to 18 GHz / Position 1	1GHz-18GHz	15.209	EMI4885	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 1 GHz to 18 GHz / Position 2	1GHz-18GHz	15.209	EMI4892	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 1 GHz to 18 GHz / Position 3	1GHz-18GHz	15.209	EMI4906	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 1 GHz to 18 GHz / Position 4	1GHz-18GHz	15.209	EMI4878	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 1 GHz to 18 GHz / Position 5	1GHz-18GHz	15.209	EMI4899	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 1 GHz to 18 GHz / Position 6	1GHz-18GHz	15.209	EMI4913	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 1 GHz to 18 GHz / Position 1	1GHz-18GHz	15.209	EMI4887	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 1 GHz to 18 GHz / Position 2	1GHz-18GHz	15.209	EMI4894	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 1 GHz to 18 GHz / Position 3	1GHz-18GHz	15.209	EMI4908	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 1 GHz to 18 GHz / Position 4	1GHz-18GHz	15.209	EMI4880	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 1 GHz to 18 GHz / Position 5	1GHz-18GHz	15.209	EMI4901	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 1 GHz to 18 GHz / Position 6	1GHz-18GHz	15.209	EMI4915	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 1 GHz to 18 GHz / Position 1	1GHz-18GHz	15.209	EMI4884	PASS

TESTED CONFIGURATION	PARAMETER	SEVERITY	RESULT TAB.	VERDICT
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 1 GHz to 18 GHz / Position 2	1GHz-18GHz	15.209	EMI4891	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 1 GHz to 18 GHz / Position 3	1GHz-18GHz	15.209	EMI4905	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 1 GHz to 18 GHz / Position 4	1GHz-18GHz	15.209	EMI4877	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 1 GHz to 18 GHz / Position 5	1GHz-18GHz	15.209	EMI4898	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Low channel / 1 GHz to 18 GHz / Position 6	1GHz-18GHz	15.209	EMI4912	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 1 GHz to 18 GHz / Position 1	1GHz-18GHz	15.209	EMI4886	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 1 GHz to 18 GHz / Position 2	1GHz-18GHz	15.209	EMI4893	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 1 GHz to 18 GHz / Position 3	1GHz-18GHz	15.209	EMI4907	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 1 GHz to 18 GHz / Position 4	1GHz-18GHz	15.209	EMI4879	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 1 GHz to 18 GHz / Position 5	1GHz-18GHz	15.209	EMI4900	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / Mid channel / 1 GHz to 18 GHz / Position 6	1GHz-18GHz	15.209	EMI4914	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 1 GHz to 18 GHz / Position 1	1GHz-18GHz	15.209	EMI4888	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 1 GHz to 18 GHz / Position 2	1GHz-18GHz	15.209	EMI4895	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 1 GHz to 18 GHz / Position 3	1GHz-18GHz	15.209	EMI4909	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 1 GHz to 18 GHz / Position 4	1GHz-18GHz	15.209	EMI4881	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 1 GHz to 18 GHz / Position 5	1GHz-18GHz	15.209	EMI4902	PASS
Radiated measurement / Wi-Fi 2.4 GHz (g/n) / High channel / 1 GHz to 18 GHz / Position 6	1GHz-18GHz	15.209	EMI4916	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 18 GHz to 26.5 GHz / Position 1	18GHz-26.5GHz	15.209	EMI4721	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 18 GHz to 26.5 GHz / Position 2	18GHz-26.5GHz	15.209	EMI4734	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 18 GHz to 26.5 GHz / Position 3	18GHz-26.5GHz	15.209	EMI4747	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 18 GHz to 26.5 GHz / Position 4	18GHz-26.5GHz	15.209	EMI4760	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 18 GHz to 26.5 GHz / Position 5	18GHz-26.5GHz	15.209	EMI4786	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Low channel / 18 GHz to 26.5 GHz / Position 6	18GHz-26.5GHz	15.209	EMI4773	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 18 GHz to 26.5 GHz / Position 1	18GHz-26.5GHz	15.209	EMI4722	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 18 GHz to 26.5 GHz / Position 2	18GHz-26.5GHz	15.209	EMI4735	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 18 GHz to 26.5 GHz / Position 3	18GHz-26.5GHz	15.209	EMI4748	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 18 GHz to 26.5 GHz / Position 4	18GHz-26.5GHz	15.209	EMI4761	PASS

TESTED CONFIGURATION	PARAMETER	SEVERITY	RESULT TAB.	VERDICT
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 18 GHz to 26.5 GHz / Position 5	18GHz-26.5GHz	15.209	EMI4787	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / Mid channel / 18 GHz to 26.5 GHz / Position 6	18GHz-26.5GHz	15.209	EMI4774	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 18 GHz to 26.5 GHz / Position 1	18GHz-26.5GHz	15.209	EMI4723	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 18 GHz to 26.5 GHz / Position 2	18GHz-26.5GHz	15.209	EMI4736	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 18 GHz to 26.5 GHz / Position 3	18GHz-26.5GHz	15.209	EMI4749	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 18 GHz to 26.5 GHz / Position 4	18GHz-26.5GHz	15.209	EMI4762	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 18 GHz to 26.5 GHz / Position 5	18GHz-26.5GHz	15.209	EMI4788	PASS
Radiated measurement / Wi-Fi 2.4 GHz (b) / High channel / 18 GHz to 26.5 GHz / Position 6	18GHz-26.5GHz	15.209	EMI4775	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Low channel / 18 GHz to 26.5 GHz / Position 1	18GHz-26.5GHz	15.209	EMI4724	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Low channel / 18 GHz to 26.5 GHz / Position 2	18GHz-26.5GHz	15.209	EMI4737	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Low channel / 18 GHz to 26.5 GHz / Position 3	18GHz-26.5GHz	15.209	EMI4750	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Low channel / 18 GHz to 26.5 GHz / Position 4	18GHz-26.5GHz	15.209	EMI4763	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Low channel / 18 GHz to 26.5 GHz / Position 5	18GHz-26.5GHz	15.209	EMI4789	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Low channel / 18 GHz to 26.5 GHz / Position 6	18GHz-26.5GHz	15.209	EMI4776	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Mid channel / 18 GHz to 26.5 GHz / Position 1	18GHz-26.5GHz	15.209	EMI4725	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Mid channel / 18 GHz to 26.5 GHz / Position 2	18GHz-26.5GHz	15.209	EMI4738	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Mid channel / 18 GHz to 26.5 GHz / Position 3	18GHz-26.5GHz	15.209	EMI4751	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Mid channel / 18 GHz to 26.5 GHz / Position 4	18GHz-26.5GHz	15.209	EMI4764	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Mid channel / 18 GHz to 26.5 GHz / Position 5	18GHz-26.5GHz	15.209	EMI4790	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / Mid channel / 18 GHz to 26.5 GHz / Position 6	18GHz-26.5GHz	15.209	EMI4777	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / High channel / 18 GHz to 26.5 GHz / Position 1	18GHz-26.5GHz	15.209	EMI4726	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / High channel / 18 GHz to 26.5 GHz / Position 2	18GHz-26.5GHz	15.209	EMI4739	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / High channel / 18 GHz to 26.5 GHz / Position 3	18GHz-26.5GHz	15.209	EMI4752	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / High channel / 18 GHz to 26.5 GHz / Position 4	18GHz-26.5GHz	15.209	EMI4765	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / High channel / 18 GHz to 26.5 GHz / Position 5	18GHz-26.5GHz	15.209	EMI4791	PASS
Radiated measurement / Wi-Fi 2.4 GHz (gn) / High channel / 18 GHz to 26.5 GHz / Position 6	18GHz-26.5GHz	15.209	EMI4778	PASS

LABORATORY PARAMETERS:	REQUIRED PRIOR TO THE TEST	DURING THE TEST
Ambient Temperature	15 to 35 °C	See Graph(s)
Relative Humidity	20 to 75 %	See Graph(s)
Atmospheric pressure	N/A	See Graph(s)
Test method deviation: N/A		
Supplementary information: From 9 kHz to 30 MHz, the limit indicated on graphs is calculated with 40 dB/decade extrapolation factor and 51.5 dB conversion factor. From 30 MHz to 1 GHz in restricted bands, quasi-peak limit provided is the limit given in §15.209. Above 1 GHz in restricted bands , average limit provided is the limit given in §15.209. For radiated emissions which don't fall in the restricted bands, the limit is 20 dB under carrier emission level at 3 meter without quasi-peak or averaging. From 18 GHz to 26.5 GHz, in order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.		

TEST EQUIPMENT USED – 9 KHZ TO 30 MHZ					
CATEGORY	BRAND	TYPE	IDENTIFIER	CAL. DATE	CAL. DUE
Antenna	Rohde & Schwarz	HFH2-Z2	5825	17/08/2022	17/04/2025
Cable	SUCOFLEX	N-3m	14378	17/08/2023	17/10/2025
Cable	SUCOFLEX	N-6,5m	14380	17/08/2023	17/10/2025
Cable	Techniwave	N-8m	18349	17/08/2023	17/10/2025
Receiver	Rohde & Schwarz	ESW8	19536	02/05/2024	02/07/2025
Shielded enclosure	COMTEST	SAC 3m	14494	08/08/2023	08/10/2026
Software	Nexio	BAT EMC	0000		
Thermohygrometer	Testo	608-H1	7562	28/09/2023	28/11/2025
Thermohygrometer	Bioblock Scientific	Météostar	0963	25/09/2023	25/11/2025

BAT-EMC software version: V3.18.0.26

Blank cells = Permanent validity

TEST EQUIPMENT USED – 30 MHZ TO 26 GHZ					
CATEGORY	BRAND	TYPE	IDENTIFIER	CAL. DATE	CAL. DUE
Antenna	ETS-Lindgren	3117	5456	09/09/2022	09/11/2025
Antenna	ETS lindgren	3142E	14523	27/01/2022	27/03/2025
Antenna	ETS lindgren	3160-09	14690	17/01/2024	17/03/2027
Antenna	AARONIA	Powerlog 70180	15306	04/01/2023	04/03/2026
Attenuator	EMITECH	SUB.V4-H	18112	03/06/2024	03/08/2025
Attenuator	EMITECH	SUB.V4-V	18111	03/06/2024	03/08/2025
Cable	JYE BAO	K30K30-5003-40G1	14887	30/01/2024	30/03/2026
Cable	Huber + Suhner	K-5m	14459	20/01/2022	20/03/2025
Cable	Techniwave	N-1.5m	18340	17/08/2023	17/10/2025
Cable	Techniwave	N-1.5m	18341	17/08/2023	17/10/2025
Cable	cables and connectors	N-1.5m	4203	03/03/2023	03/05/2025
Cable	/	N-1m	3625	02/05/2023	02/07/2025
Cable	Techniwave	N-2.5m	18350	17/08/2023	17/10/2025
Cable	Techniwave	N-3.5m	18352	17/08/2023	17/10/2025
Cable	Techniwave	N-3.5m	18354	17/08/2023	17/10/2025
Cable	SUCOFLEX	N-3m	14378	17/08/2023	17/10/2025
Cable	SUCOFLEX	N-3m	14379	17/08/2023	17/10/2025
Cable	SUCOFLEX	N-5,5m	14381	17/08/2023	17/10/2025
Cable	SUCOFLEX	N-6,5m	14380	17/08/2023	17/10/2025

CATEGORY	BRAND	TYPE	IDENTIFIER	CAL. DATE	CAL. DUE
Cable	Techniwave	N-8m	18349	17/08/2023	17/10/2025
Filter	Micro-Tronics	HPM 11630	4392	20/10/2023	20/12/2026
Filter	Micro-Tronics	HPM15162	16973	26/06/2023	26/08/2026
Filter	Micro-Tronics	HPM15162	19385	25/03/2024	25/05/2026
Filter	Micro-Tronics	HPM18865	12843	03/12/2024	03/02/2028
Filter	Wainwright Instruments	WRCGV 2402/2480- 2380/2500- 40/10EE-200W	9771	28/09/2023	28/11/2026
Preamplifier	Techniwave	APS16-0087	14040	15/07/2024	15/09/2025
Preamplifier	Wright Technologie	ASL40-B3015	14851	30/01/2024	30/03/2026
Preamplifier	IMPULSE	CA118-546ACN	9169	01/10/2024	01/12/2025
Receiver	Rohde & Schwarz	ESW26	17791	16/07/2024	16/09/2025
Receiver	Rohde & Schwarz	ESW8	19536	02/05/2024	02/07/2025
Receiver	Rohde & Schwarz	FSW43	14830 ⁽¹⁾	31/08/2022	31/04/2025
Shielded enclosure	RAY PROOF	C.V2	1423	10/08/2023	10/10/2026
Shielded enclosure	COMTEST	C.V4	18014	05/11/2024	05/01/2028
Shielded enclosure	COMTEST	SAC 3m	14494	08/08/2023	08/10/2026
Software	Nexio	BAT EMC	0000		
Thermohygrometer	Testo	608-H1	7561	17/12/2024	17/02/2026
Thermohygrometer	Testo	608-H1	7562	28/09/2023	28/11/2025
Thermohygrometer	Bioblock Scientific	Météostar	0963	25/09/2023	25/11/2025

BAT-EMC software version: V3.18.0.26

Blank cells = Permanent validity

(1) Under derogation EQSDER000S4100139

TEST SETUP PHOTO(S) – EUT POSITION 1



TEST SETUP PHOTO(S) – EUT POSITION 2



TEST SETUP PHOTO(S) – EUT POSITION 3



TEST SETUP PHOTO(S) – EUT POSITION 4



TEST SETUP PHOTO(S) – EUT POSITION 5



TEST SETUP PHOTO(S) – EUT POSITION 6



TEST SETUP PHOTO(S) – 9 KHz TO 30 MHz



TEST SETUP PHOTO(S) – 30 MHz TO 1 GHz



TEST SETUP PHOTO(S) – 1 GHz TO 18 GHz



TEST SETUP PHOTO(S) – 18 GHZ TO 26 GHZ



RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / 0°						EMI4799	
FREQUENCY (MHz)	PEAK LEVEL (dBμV/m)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)	QPEAK LEVEL (dBμV/m)	QPEAK LIMIT (dBμV/m)	QPEAK MARGIN (dB)
0.101	-13.03	N/P	56.06	-69.09	N/A	N/A	N/A
0.133	-19.94	N/P	53.60	-73.53	N/A	N/A	N/A
0.482	-3.60	N/P	42.45	-46.05	N/A	N/A	N/A
0.964	-11.99	N/A	N/A	N/A	N/P	-28.42	-32.36
Comments:	No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / 45°						EMI4800	
FREQUENCY (MHz)	PEAK LEVEL (dBμV/m)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)	QPEAK LEVEL (dBμV/m)	QPEAK LIMIT (dBμV/m)	QPEAK MARGIN (dB)
0.099	-15.46	N/P	56.19	-71.65	N/A	N/A	N/A
0.117	-19.90	N/P	54.77	-74.67	N/A	N/A	N/A
0.483	-4.07	N/P	42.43	-46.49	N/A	N/A	N/A
0.960	-13.19	N/A	N/A	N/A	N/P	-29.65	-32.36
Comments:	No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / 90°						EMI4801	
FREQUENCY (MHz)	PEAK LEVEL (dBμV/m)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)	QPEAK LEVEL (dBμV/m)	QPEAK LIMIT (dBμV/m)	QPEAK MARGIN (dB)
0.093	-18.04	N/P	56.75	-74.78	N/A	N/A	N/A
0.099	-13.78	N/P	56.22	-69.99	N/A	N/A	N/A
0.483	-7.73	N/P	42.43	-50.16	N/A	N/A	N/A
0.964	-14.74	N/A	N/A	N/A	N/P	-31.17	-32.36
Comments:	No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low Channel / 30 MHz TO 1 GHz / POSITION 1					EMI4449
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dB μ V/m)	QPEAK LEVEL (dB μ V/m)	QPEAK LIMIT (dB μ V/m)	QPEAK MARGIN (dB)
44.809	Vertical	28.62	N/P	98.35	-69.73
50.080	Vertical	27.38	N/P	98.35	-70.97
56.126	Vertical	36.43	N/P	98.35	-61.92
67.346	Vertical	26.95	N/P	98.35	-71.40
401.490	Vertical	34.77	N/P	46	-11.23
600.023	Vertical	34.13	N/P	98.35	-64.22
56.094	Horizontal	34.27	N/P	98.35	-64.08
56.676	Horizontal	31.62	N/P	98.35	-66.73
398.548	Horizontal	31.73	N/P	98.35	-66.62
398.968	Horizontal	34.42	N/P	98.35	-63.93
400.488	Horizontal	30.75	N/P	46	-15.25
597.049	Horizontal	30.64	N/P	98.35	-67.71
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low Channel / 30 MHz TO 1 GHz / POSITION 2					EMI4450
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dB μ V/m)	QPEAK LEVEL (dB μ V/m)	QPEAK LIMIT (dB μ V/m)	QPEAK MARGIN (dB)
44.906	Vertical	32.03	N/P	98.35	-66.32
50.209	Vertical	29.72	N/P	98.35	-68.63
55.447	Vertical	30.63	N/P	98.35	-67.72
56.353	Vertical	35.24	N/P	98.35	-63.11
56.644	Vertical	35.48	N/P	98.35	-62.87
124.093	Vertical	32.79	N/P	43.5	-10.71
38.213	Horizontal	23.44	N/P	98.35	-74.91
50.080	Horizontal	24.03	N/P	98.35	-74.32
56.191	Horizontal	34.92	N/P	98.35	-63.43
394.247	Horizontal	29.54	N/P	98.35	-68.81
396.187	Horizontal	30.93	N/P	98.35	-67.42
399.065	Horizontal	32.46	N/P	98.35	-65.89
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / LOW CHANNEL / 30 MHz TO 1 GHz / POSITION 3					EMI4451
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
44.680	Vertical	30.82	N/P	98.35	-67.53
50.241	Vertical	29.81	N/P	98.35	-68.54
56.223	Vertical	38.32	N/P	98.35	-60.03
79.148	Vertical	29.52	N/P	98.35	-68.83
190.314	Vertical	34.01	N/P	98.35	-64.34
600.023	Vertical	34.79	N/P	98.35	-63.56
56.126	Horizontal	34.36	N/P	98.35	-63.99
56.611	Horizontal	32.03	N/P	98.35	-66.32
397.578	Horizontal	31.50	N/P	98.35	-66.85
399.809	Horizontal	31.93	N/P	98.35	-66.42
400.391	Horizontal	30.82	N/P	46	-15.18
594.720	Horizontal	31.21	N/P	98.35	-67.14
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 30 MHz TO 1 GHz / POSITION 1					EMI4453
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
44.874	Vertical	30.02	N/P	98.35	-68.33
50.338	Vertical	29.52	N/P	98.35	-68.83
56.708	Vertical	34.79	N/P	98.35	-63.56
78.954	Vertical	28.18	N/P	98.35	-70.17
211.719	Vertical	30.33	N/P	98.35	-68.02
399.291	Vertical	34.10	N/P	98.35	-64.25
44.809	Horizontal	21.66	N/P	98.35	-76.69
56.644	Horizontal	30.44	N/P	98.35	-67.91
61.364	Horizontal	20.09	N/P	98.35	-78.26
174.826	Horizontal	25.33	N/P	98.35	-73.02
399.615	Horizontal	30.21	N/P	98.35	-68.14
513.981	Horizontal	29.31	N/P	98.35	-69.04
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 30 MHz TO 1 GHz / POSITION 2					EMI4454
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	QPEAK LEVEL (dBμV/m)	QPEAK LIMIT (dBμV/m)	QPEAK MARGIN (dB)
45.327	Vertical	28.95	N/P	98.35	-69.40
50.112	Vertical	29.40	N/P	98.35	-68.95
56.126	Vertical	35.04	N/P	98.35	-63.31
79.181	Vertical	28.86	N/P	98.35	-69.49
401.846	Vertical	33.33	N/P	46	-12.67
402.331	Vertical	32.58	N/P	46	-13.42
44.906	Horizontal	21.26	N/P	98.35	-77.09
50.209	Horizontal	21.94	N/P	98.35	-76.41
56.805	Horizontal	30.69	N/P	98.35	-67.66
78.728	Horizontal	18.87	N/P	98.35	-79.48
173.274	Horizontal	22.31	N/P	98.35	-76.04
399.421	Horizontal	32.01	N/P	98.35	-66.34
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 30 MHz TO 1 GHz / POSITION 3					EMI4455
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	QPEAK LEVEL (dBμV/m)	QPEAK LIMIT (dBμV/m)	QPEAK MARGIN (dB)
45.327	Vertical	30.34	N/P	98.35	-68.01
50.144	Vertical	29.40	N/P	98.35	-68.95
54.703	Vertical	27.22	N/P	98.35	-71.13
56.644	Vertical	33.76	N/P	98.35	-64.59
57.678	Vertical	29.09	N/P	98.35	-69.26
400.585	Vertical	33.01	N/P	46	-12.99
50.080	Horizontal	21.59	N/P	98.35	-76.76
56.644	Horizontal	31.74	N/P	98.35	-66.61
397.804	Horizontal	31.34	N/P	98.35	-67.01
398.354	Horizontal	32.89	N/P	98.35	-65.46
399.647	Horizontal	31.14	N/P	98.35	-67.21
404.626	Horizontal	31.16	N/P	46	-14.84
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 30 MHz TO 1 GHz / POSITION 1					EMI4457
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
44.874	Vertical	31.20	N/P	98.35	-67.15
50.144	Vertical	29.84	N/P	98.35	-68.51
56.191	Vertical	35.38	N/P	98.35	-62.97
56.935	Vertical	34.71	N/P	98.35	-63.64
79.213	Vertical	30.16	N/P	98.35	-68.19
600.023	Vertical	35.84	N/P	98.35	-62.51
50.112	Horizontal	22.10	N/P	98.35	-76.25
56.159	Horizontal	32.47	N/P	98.35	-65.88
61.332	Horizontal	21.41	N/P	98.35	-76.94
174.793	Horizontal	24.29	N/P	98.35	-74.06
399.841	Horizontal	29.44	N/P	98.35	-68.91
600.023	Horizontal	31.24	N/P	98.35	-67.11
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 30 MHz TO 1 GHz / POSITION 2					EMI4458
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
45.650	Vertical	29.70	N/P	98.35	-68.65
51.114	Vertical	30.19	N/P	98.35	-68.16
54.671	Vertical	28.64	N/P	98.35	-69.71
56.256	Vertical	39.71	N/P	98.35	-58.64
397.610	Vertical	33.90	N/P	98.35	-64.45
600.023	Vertical	35.42	N/P	98.35	-62.93
50.112	Horizontal	23.11	N/P	98.35	-75.24
56.353	Horizontal	33.58	N/P	98.35	-64.77
57.096	Horizontal	31.05	N/P	98.35	-67.30
57.743	Horizontal	27.35	N/P	98.35	-71.00
59.392	Horizontal	22.03	N/P	98.35	-76.32
578.974	Horizontal	30.99	N/P	98.35	-67.36
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 30 MHz TO 1 GHz / POSITION 3					EMI4459
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
45.618	Vertical	29.79	N/P	98.35	-68.56
50.177	Vertical	29.73	N/P	98.35	-68.62
56.159	Vertical	35.28	N/P	98.35	-63.07
57.743	Vertical	30.53	N/P	98.35	-67.82
399.097	Vertical	36.40	N/P	98.35	-61.95
399.906	Vertical	35.94	N/P	98.35	-62.41
45.682	Horizontal	21.90	N/P	98.35	-76.45
50.015	Horizontal	22.07	N/P	98.35	-76.28
56.159	Horizontal	35.11	N/P	98.35	-63.24
56.611	Horizontal	32.13	N/P	98.35	-66.22
59.392	Horizontal	22.07	N/P	98.35	-76.28
550.487	Horizontal	30.62	N/P	98.35	-67.73
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / LOW CHANNEL / 30 MHz TO 1 GHz / POSITION 1					EMI4461
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
44.647	Vertical	30.62	N/P	100.09	-69.47
50.144	Vertical	30.22	N/P	100.09	-69.87
56.223	Vertical	37.68	N/P	100.09	-62.41
57.711	Vertical	30.53	N/P	100.09	-69.56
398.354	Vertical	32.46	N/P	100.09	-67.63
436.282	Vertical	34.50	N/P	100.09	-65.59
50.112	Horizontal	22.76	N/P	100.09	-77.33
56.191	Horizontal	32.54	N/P	100.09	-67.55
61.267	Horizontal	22.57	N/P	100.09	-77.52
79.310	Horizontal	20.12	N/P	100.09	-79.97
112.097	Horizontal	25.36	N/P	43.5	-18.14
411.869	Horizontal	28.13	N/P	100.09	-71.96
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / LOW CHANNEL / 30 MHz TO 1 GHz / POSITION 2					EMI4462
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
112.291	Vertical	27.10	N/P	43.5	-16.40
264.004	Vertical	29.20	N/P	46	-16.80
400.811	Vertical	32.13	N/P	46	-13.87
401.781	Vertical	32.82	N/P	46	-13.18
404.562	Vertical	30.79	N/P	46	-15.21
409.218	Vertical	32.07	N/P	46	-13.93
112.582	Horizontal	19.81	N/P	43.5	-23.69
116.010	Horizontal	18.30	N/P	43.5	-25.20
168.294	Horizontal	21.69	N/P	43.5	-21.81
172.368	Horizontal	22.78	N/P	43.5	-20.72
240.659	Horizontal	22.34	N/P	46	-23.66
264.004	Horizontal	22.92	N/P	46	-23.08
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / LOW CHANNEL / 30 MHz TO 1 GHz / POSITION 3					EMI4463
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
45.521	Vertical	30.25	N/P	100.09	-69.84
50.080	Vertical	30.38	N/P	100.09	-69.71
56.191	Vertical	36.26	N/P	100.09	-63.83
57.711	Vertical	31.85	N/P	100.09	-68.24
185.820	Vertical	38.86	N/P	100.09	-61.23
599.991	Vertical	35.37	N/P	100.09	-64.72
50.015	Horizontal	22.72	N/P	100.09	-77.37
56.029	Horizontal	34.08	N/P	100.09	-66.01
60.006	Horizontal	21.83	N/P	100.09	-78.26
61.300	Horizontal	21.67	N/P	100.09	-78.42
179.708	Horizontal	24.84	N/P	100.09	-75.25
535.872	Horizontal	31.12	N/P	100.09	-68.97
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / MID CHANNEL / 30 MHz TO 1 GHz / POSITION 1					EMI4465
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
44.938	Vertical	34.51	N/P	100	-65.49
50.144	Vertical	32.53	N/P	100	-67.47
51.632	Vertical	31.04	N/P	100	-68.96
56.320	Vertical	38.92	N/P	100	-61.08
67.249	Vertical	28.85	N/P	100	-71.15
600.023	Vertical	35.42	N/P	100	-64.58
45.553	Horizontal	22.38	N/P	100	-77.62
49.983	Horizontal	23.06	N/P	100	-76.94
56.547	Horizontal	32.54	N/P	100	-67.46
59.263	Horizontal	22.81	N/P	100	-77.19
61.526	Horizontal	22.48	N/P	100	-77.52
542.662	Horizontal	31.52	N/P	100	-68.48
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / MID CHANNEL / 30 MHz TO 1 GHz / POSITION 2					EMI4466
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
44.583	Vertical	31.88	N/P	100	-68.12
51.147	Vertical	32.06	N/P	100	-67.94
54.639	Vertical	30.30	N/P	100	-69.70
56.256	Vertical	35.55	N/P	100	-64.45
67.573	Vertical	30.43	N/P	100	-69.57
600.023	Vertical	35.49	N/P	100	-64.51
44.680	Horizontal	22.83	N/P	100	-77.17
50.112	Horizontal	23.58	N/P	100	-76.42
54.606	Horizontal	25.72	N/P	100	-74.28
56.579	Horizontal	31.94	N/P	100	-68.06
61.397	Horizontal	22.60	N/P	100	-77.40
543.761	Horizontal	30.46	N/P	100	-69.54
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / MID CHANNEL / 30 MHz TO 1 GHz / POSITION 3					EMI4467
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	QPEAK LEVEL (dBμV/m)	QPEAK LIMIT (dBμV/m)	QPEAK MARGIN (dB)
44.518	Vertical	33.12	N/P	100	-66.88
50.112	Vertical	31.33	N/P	100	-68.67
54.671	Vertical	29.82	N/P	100	-70.18
56.126	Vertical	36.87	N/P	100	-63.13
79.181	Vertical	29.41	N/P	100	-70.59
400.003	Vertical	34.47	N/P	46	-11.53
45.165	Horizontal	22.63	N/P	100	-77.37
49.983	Horizontal	23.62	N/P	100	-76.38
54.606	Horizontal	26.14	N/P	100	-73.86
56.126	Horizontal	33.25	N/P	100	-66.75
61.397	Horizontal	23.42	N/P	100	-76.58
596.661	Horizontal	30.77	N/P	100	-69.23
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / HIGH CHANNEL / 30 MHz TO 1 GHz / POSITION 1					EMI4469
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	QPEAK LEVEL (dBμV/m)	QPEAK LIMIT (dBμV/m)	QPEAK MARGIN (dB)
45.618	Vertical	29.10	N/P	100	-70.90
50.403	Vertical	29.24	N/P	100	-70.76
57.161	Vertical	33.98	N/P	100	-66.02
399.485	Vertical	33.78	N/P	100	-66.22
599.991	Vertical	34.86	N/P	100	-65.14
738.512	Vertical	36.93	N/P	100	-63.07
45.003	Horizontal	24.05	N/P	100	-75.95
50.047	Horizontal	23.80	N/P	100	-76.20
56.320	Horizontal	33.56	N/P	100	-66.44
398.871	Horizontal	32.67	N/P	100	-67.33
401.813	Horizontal	30.56	N/P	46	-15.44
713.161	Horizontal	33.01	N/P	100	-66.99
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / HIGH CHANNEL / 30 MHz TO 1 GHz / POSITION 2					EMI4470
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
56.676	Vertical	36.36	N/P	100	-63.64
188.988	Vertical	37.23	N/P	100	-62.77
190.573	Vertical	38.57	N/P	100	-61.43
192.189	Vertical	38.21	N/P	100	-61.79
194.550	Vertical	37.34	N/P	100	-62.66
196.167	Vertical	37.22	N/P	100	-62.78
50.338	Horizontal	23.01	N/P	100	-76.99
56.159	Horizontal	34.22	N/P	100	-65.78
397.513	Horizontal	32.09	N/P	100	-67.91
400.682	Horizontal	32.56	N/P	46	-13.44
531.280	Horizontal	33.77	N/P	100	-66.23
600.023	Horizontal	33.13	N/P	100	-66.87
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS					
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (G/N) / HIGH CHANNEL / 30 MHz TO 1 GHz / POSITION 3					EMI4471
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBµV/m)	QPEAK LEVEL (dBµV/m)	QPEAK LIMIT (dBµV/m)	QPEAK MARGIN (dB)
56.126	Vertical	37.82	N/P	100	-62.18
189.085	Vertical	37.47	N/P	100	-62.53
190.670	Vertical	37.97	N/P	100	-62.03
192.189	Vertical	37.81	N/P	100	-62.19
194.614	Vertical	37.48	N/P	100	-62.52
196.167	Vertical	36.85	N/P	100	-63.15
45.682	Horizontal	23.61	N/P	100	-76.39
56.094	Horizontal	32.80	N/P	100	-67.20
383.577	Horizontal	29.42	N/P	100	-70.58
393.018	Horizontal	31.01	N/P	100	-68.99
400.067	Horizontal	31.70	N/P	46	-14.30
531.248	Horizontal	33.11	N/P	100	-66.89
COMMENT:	When margin between peak measurements and QPeak limit is greater than 6dB, no QPeak measurements were performed.				

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 1						EMI4883	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
7234.28	Vertical	48.23	98.35	-50.12	N/P	N/A	N/P
4823.12	Horizontal	52.70	74	-21.30	51.32	54	-2.68
7237.28	Horizontal	48.45	98.35	-49.90	N/P	N/A	N/P
9647.44	Horizontal	48.60	98.35	-49.75	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 2						EMI4890	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
1516.30	Vertical	38.56	74	-35.44	N/P	54	N/P
2393.16	Vertical	44.29	98.35	-54.06	N/P	N/A	N/P
4824.12	Vertical	49.98	74	-24.02	50.23	54	-3.77
7235.28	Vertical	47.49	98.35	-50.86	N/P	N/A	N/P
2393.16	Horizontal	45.91	98.35	-52.44	N/P	N/A	N/P
2493.17	Horizontal	40.85	98.35	-57.50	N/P	N/A	N/P
4823.12	Horizontal	54.29	74	-19.71	52.37	54	-1.63
7235.28	Horizontal	50.39	98.35	-47.96	N/P	N/A	N/P
9648.44	Horizontal	50.57	98.35	-47.78	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 3						EMI4904	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2384.09	Vertical	44.82	74	-29.18	N/P	54	N/P
4824.12	Vertical	52.91	74	-21.09	50.69	54	-3.31
7234.28	Vertical	48.15	98.35	-50.20	N/P	N/A	N/P
2384.09	Horizontal	44.49	74	-29.51	N/P	54	N/P
4823.12	Horizontal	51.57	74	-22.43	50.64	54	-3.36
7234.28	Horizontal	48.45	98.35	-49.90	N/P	N/A	N/P
9647.44	Horizontal	48.38	98.35	-49.97	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 4						EMI4876	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2387.56	Vertical	46.39	74	-27.61	N/P	54	N/P
2526.50	Vertical	41.34	98.35	-57.01	N/P	N/A	N/P
4823.12	Vertical	54.41	74	-19.59	52.77	54	-1.23
9648.44	Vertical	48.38	98.35	-49.97	N/P	N/A	N/P
2386.23	Vertical	42.49	74	-31.51	N/P	54	N/P
4824.12	Vertical	53.58	74	-20.42	50.70	54	-3.30
7237.28	Horizontal	48.30	98.35	-50.05	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 5						EMI4897	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2392.09	Vertical	46.90	98.35	-51.45	N/P	N/A	N/P
2526.50	Vertical	40.99	98.35	-57.36	N/P	N/A	N/P
4823.12	Vertical	51.72	74	-22.28	51.21	54	-2.79
7237.28	Vertical	48.04	98.35	-50.31	N/P	N/A	N/P
9647.44	Vertical	48.85	98.35	-49.50	N/P	N/A	N/P
2392.09	Horizontal	45.31	98.35	-53.04	N/P	N/A	N/P
4824.12	Horizontal	52.42	74	-21.58	51.19	54	-2.71
7237.28	Horizontal	49.72	98.35	-48.63	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 6						EMI4911	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2384.36	Vertical	42.81	74	-31.19	N/P	54	N/P
2491.57	Vertical	40.29	74	-33.71	N/P	54	N/P
4824.12	Vertical	48.12	74	-25.88	45.25	54	-8.75
7234.28	Vertical	47.65	98.35	-50.7	N/P	N/A	N/P
2375.43	Horizontal	44.21	74	-29.79	N/P	54	N/P
2393.69	Horizontal	45.1	98.35	-53.25	N/P	N/A	N/P
2494.23	Horizontal	41.03	74	-32.97	N/P	54	N/P
4824.12	Horizontal	52.85	74	-21.15	51.95	54	-2.05
7234.28	Horizontal	49.97	98.35	-48.38	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 1						EMI4885	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
7309.29	Vertical	53.93	74	-20.07	49.12	54	-4.88
2387.03	Horizontal	44.68	74	-29.32	N/P	54	N/P
2495.43	Horizontal	42.93	74	-31.07	N/P	54	N/P
4873.12	Horizontal	52.35	74	-21.65	50.46	54	-3.54
7309.29	Horizontal	54.39	74	-19.61	50.08	54	-3.92
9748.45	Horizontal	50.33	98.35	-48.02	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 2						EMI4892	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2377.43	Vertical	40.99	74	-33.01	N/P	54	N/P
2525.57	Vertical	42.83	98.35	-55.52	N/P	N/A	N/P
4874.12	Vertical	50.51	74	-23.49	48.58	54	-5.42
7309.29	Vertical	53.47	74	-20.53	48.46	54	-5.54
1223.35	Horizontal	42.48	74	-31.52	N/P	54	N/P
2385.96	Horizontal	42.40	74	-31.60	N/P	54	N/P
2496.50	Horizontal	41.23	74	-32.77	N/P	54	N/P
4874.12	Horizontal	53.01	74	-20.99	51.77	54	-2.23
7310.29	Horizontal	54.70	74	-19.30	50.45	54	-3.55
9748.45	Horizontal	49.9	98.35	-48.45	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Mid CHANNEL / 1 GHz TO 18 GHz / POSITION 3						EMI4906	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
1268.82	Vertical	41.16	98.35	-57.19	N/P	N/A	N/P
2389.43	Vertical	43.28	74	-30.72	N/P	54	N/P
2494.23	Vertical	41.60	74	-32.40	N/P	54	N/P
4873.12	Vertical	52.73	74	-21.27	51.60	54	-2.40
7309.29	Vertical	54.93	74	-19.07	51.02	54	-2.98
9747.45	Vertical	49.38	98.35	-48.97	N/P	N/A	N/P
1718.71	Horizontal	41.34	98.35	-57.01	N/P	N/A	N/P
2389.69	Horizontal	42.54	74	-31.46	N/P	54	N/P
2496.50	Horizontal	40.89	74	-33.11	N/P	54	N/P
4873.12	Horizontal	51.98	74	-22.02	50.42	54	-3.58
7312.29	Horizontal	53.52	74	-20.48	50.15	54	-3.85
9747.45	Horizontal	49.59	98.35	-48.76	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Mid CHANNEL / 1 GHz TO 18 GHz / POSITION 4						EMI4878	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2390.89	Vertical	45.72	98.35	-52.63	N/P	N/A	N/P
2501.83	Vertical	42.77	98.35	-55.58	N/P	N/A	N/P
4874.12	Vertical	54.41	74	-19.59	51.73	54	-2.27
7312.29	Vertical	52.72	74	-21.28	48.61	54	-5.49
9748.45	Vertical	49.37	98.35	-48.98	N/P	N/A	N/P
2383.96	Horizontal	42.56	74	-31.44	N/P	54	N/P
2497.83	Horizontal	40.63	74	-33.37	N/P	54	N/P
4874.12	Horizontal	50.51	74	-23.49	49.90	54	-4.10
7309.29	Horizontal	51.19	74	-22.81	46.68	54	-7.32
9748.45	Horizontal	49.72	98.35	-48.63	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Mid CHANNEL / 1 GHz TO 18 GHz / POSITION 5						EMI4899	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2383.16	Vertical	41.90	74	-32.10	N/P	54	N/P
2511.17	Vertical	41.64	98.35	-56.71	N/P	N/A	N/P
4873.12	Vertical	51.95	74	-22.05	50.38	54	-3.62
7310.29	Vertical	54.54	74	-19.46	50.56	54	-3.44
9748.45	Vertical	48.47	98.35	-49.88	N/P	N/A	N/P
2367.16	Horizontal	40.01	74	-33.99	N/P	54	N/P
2582.51	Horizontal	41.22	98.35	-57.13	N/P	N/A	N/P
4874.12	Horizontal	52.25	74	-21.75	51.20	54	-2.80
7311.29	Horizontal	56.00	74	-18.00	51.54	54	-2.46
9747.45	Horizontal	49.44	98.35	-48.91	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Mid CHANNEL / 1 GHz TO 18 GHz / POSITION 6						EMI4913	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
1721.91	Vertical	40.46	74	-33.54	N/P	54	N/P
2388.23	Vertical	40.38	74	-33.62	N/P	54	N/P
2492.23	Vertical	41.48	74	-32.52	N/P	54	N/P
4873.12	Vertical	47.79	74	-26.21	N/P	54	N/P
7309.29	Vertical	54.06	74	-19.94	50.64	54	-3.36
1547.37	Vertical	42.24	74	-31.76	N/P	54	N/P
2391.96	Horizontal	43.44	98.35	-54.91	N/P	N/A	N/P
2493.30	Horizontal	43.15	74	-30.85	N/P	54	N/P
4874.12	Horizontal	53.16	74	-20.84	52.52	54	-1.48
7309.29	Horizontal	55.21	74	-18.79	50.91	54	-3.09
9747.45	Horizontal	49.93	98.35	-48.42	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 1						EMI4887	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2494.77	Vertical	43.90	74	-30.10	N/P	54	N/P
4923.13	Vertical	45.50	74	-28.50	N/P	54	N/P
7386.29	Vertical	54.71	74	-19.29	50.76	54	-3.24
2383.96	Horizontal	42.11	74	-31.89	N/P	54	N/P
2489.57	Horizontal	47.77	74	-26.23	N/P	54	N/P
2494.50	Horizontal	48.96	74	-25.04	44.22	54	-9.78
4924.13	Horizontal	51.22	74	-22.78	49.89	54	-4.11
7384.29	Horizontal	55.53	74	-18.47	51.66	54	-2.34
9848.46	Horizontal	50.25	98.35	-48.10	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 2						EMI4894	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2371.29	Vertical	40.89	74	-33.11	N/P	54	N/P
2489.57	Vertical	44.48	74	-29.52	N/P	54	N/P
4923.13	Vertical	48.91	74	-25.09	47.32	54	-6.78
7385.29	Vertical	55.52	74	-18.48	50.94	54	-3.06
2383.69	Horizontal	41.19	74	-32.81	N/P	54	N/P
2489.83	Horizontal	47.67	74	-26.33	N/P	54	N/P
2498.50	Horizontal	47.63	74	-26.37	N/P	54	N/P
4924.13	Horizontal	51.32	74	-22.68	50.25	54	-3.75
7386.29	Horizontal	55.33	74	-18.67	51.63	54	-3.37
9848.46	Horizontal	49.46	98.35	-48.89	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 3						EMI4908	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2374.36	Vertical	42.34	74	-31.66	N/P	54	N/P
2493.03	Vertical	49.15	74	-24.85	43.24	54	-10.76
4924.13	Vertical	51.91	74	-22.09	50.92	54	-3.08
7384.29	Vertical	57.04	74	-16.96	53.94	54	-0.06
9848.46	Vertical	48.28	98.35	-50.07	N/P	N/A	N/P
2389.56	Horizontal	42.64	74	-31.36	N/P	54	N/P
2493.70	Horizontal	46.89	74	-27.11	N/P	54	N/P
4924.13	Horizontal	50.44	74	-23.56	48.99	54	-7.01
7387.29	Horizontal	55.19	74	-18.81	51.95	54	-2.05
9848.46	Horizontal	48.93	98.35	-49.42	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 4						EMI4880	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2387.83	Vertical	42.86	74	-31.14	N/P	54	N/P
2494.77	Vertical	49.11	74	-24.89	45.21	54	-8.79
4924.13	Vertical	53.71	74	-20.29	51.96	54	-2.04
7387.29	Vertical	55.57	74	-18.43	52.33	54	-1.67
2379.16	Horizontal	40.29	74	-33.71	N/P	54	N/P
2494.77	Horizontal	46.39	74	-27.61	N/P	54	N/P
4923.13	Horizontal	51.67	74	-22.33	49.39	54	-4.61
7387.29	Horizontal	54.83	74	-19.17	51.46	54	-2.54
9848.46	Horizontal	49.74	98.35	-48.61	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 5						EMI4901	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
1501.37	Vertical	45.30	74	-28.70	N/P	54	N/P
2385.56	Vertical	42.44	74	-31.56	N/P	54	N/P
2493.97	Vertical	48.52	74	-25.48	43.54	54	-10.56
4924.13	Vertical	51.74	74	-22.26	52.22	54	-1.78
7384.29	Vertical	57.78	74	-16.22	53.68	54	-0.32
9848.46	Vertical	49.65	98.35	-48.70	N/P	N/A	N/P
2385.96	Horizontal	41.09	74	-32.91	N/P	54	N/P
2494.10	Horizontal	45.41	74	-28.59	N/P	54	N/P
4924.13	Horizontal	51.73	74	-22.27	50.73	54	-3.27
7384.29	Horizontal	57.35	74	-16.65	53.45	54	-0.55
9848.46	Horizontal	49.38	98.35	-48.97	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 6						EMI4915	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
1974.33	Vertical	42.23	98.35	-56.12	N/P	N/A	N/P
2489.30	Vertical	46.41	74	-27.59	N/P	54	N/P
4924.13	Vertical	49.49	74	-24.51	47.39	54	-6.61
7384.29	Vertical	56.34	74	-17.66	52.15	54	-1.85
2380.76	Horizontal	42.23	74	-31.77	N/P	54	N/P
2493.97	Horizontal	48.59	74	-25.41	43.56	54	-10.44
4924.13	Horizontal	53.08	74	-20.92	51.69	54	-2.31
7386.29	Horizontal	56.46	74	-17.54	52.10	54	-1.90
9848.46	Horizontal	50.61	98.35	-47.74	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 1 GHz TO 18 GHz / POSITION 1						EMI4884	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2385.83	Vertical	55.84	74	-18.16	39.03	54	-14.97
2387.03	Vertical	57.97	74	-16.03	40.13	54	-13.87
2389.56	Vertical	59.18	74	-14.82	41.80	54	-12.20
2393.69	Vertical	59.47	100.09	-40.62	N/P	N/A	N/P
7239.28	Vertical	49.61	100.09	-50.48	N/P	N/A	N/P
2376.76	Horizontal	57.52	74	-16.48	42.65	54	-11.35
2382.09	Horizontal	60.36	74	-13.64	45.51	54	-8.49
2386.09	Horizontal	65.06	74	-8.94	47.57	54	-6.43
2393.29	Horizontal	68.93	100.09	-31.16	N/P	N/A	N/P
4826.12	Horizontal	47.64	74	-26.36	N/P	54	N/P
7234.28	Horizontal	51.72	100.09	-48.37	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 1 GHz TO 18 GHz / POSITION 2						EMI4891	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2385.83	Vertical	60.49	74	-13.51	43.78	54	-10.22
2390.76	Vertical	61.15	100.09	-38.94	N/P	N/A	N/P
2391.83	Vertical	62.88	100.09	-37.21	N/P	N/A	N/P
4820.12	Vertical	46.73	74	-27.27	N/P	54	N/P
7236.28	Vertical	49.20	100.09	-50.89	N/P	N/A	N/P
2388.49	Horizontal	61.71	100.09	-38.38	N/P	N/A	N/P
2389.96	Horizontal	62.22	100.09	-37.87	N/P	N/A	N/P
2391.56	Horizontal	64.32	74	-9.68	45.78	54	-8.22
2393.43	Horizontal	64.88	74	-9.12	46.99	54	-7.01
4819.12	Horizontal	49.64	74	-24.36	N/P	54	N/P
7243.28	Horizontal	51.69	100.09	-48.40	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 3						EMI4905	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2381.43	Vertical	60.34	74	-13.66	41.99	54	-12.01
2385.96	Vertical	62.02	74	-11.98	44.23	54	-9.77
2390.36	Vertical	65.74	100.09	-34.35	N/P	N/A	N/P
2391.03	Vertical	65.80	100.09	-34.29	N/P	N/A	N/P
4823.12	Vertical	47.62	74	-26.38	N/P	54	N/P
7232.28	Vertical	50.19	100.09	-49.90	N/P	N/A	N/P
2380.36	Horizontal	58.16	74	-15.84	42.20	54	-11.80
2392.36	Horizontal	66.92	100.09	-33.17	N/P	N/A	N/P
2494.37	Horizontal	41.67	74	-32.33	N/P	54	N/P
4823.12	Horizontal	48.22	74	-25.78	39.74	54	-14.26
7234.28	Horizontal	49.97	100.09	-50.12	40.23	N/A	-13.77
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 4						EMI4877	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2390.36	Vertical	71.13	100.09	-28.96	N/P	N/A	N/P
2499.03	Vertical	43.77	74	-30.23	N/P	54	N/P
4823.12	Vertical	52.83	74	-21.17	43.32	54	-10.68
7228.28	Vertical	57.63	100.09	-42.46	N/P	N/A	N/P
2392.89	Horizontal	66.73	100.09	-33.36	N/P	N/A	N/P
4828.12	Horizontal	49.31	74	-24.69	40.90	54	-13.10
7243.28	Horizontal	54.29	100.09	-45.80	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 5						EMI4898	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2390.36	Vertical	68.11	100.09	-31.98	N/P	N/A	N/P
2528.24	Vertical	44.60	100.09	-55.49	N/P	N/A	N/P
2533.30	Vertical	45.79	100.09	-54.30	N/P	N/A	N/P
4823.12	Vertical	47.24	74	-26.76	N/P	54	N/P
7238.28	Vertical	51.33	100.09	-48.76	N/P	N/A	N/P
2373.29	Horizontal	55.14	74	-18.86	37.60	54	-16.40
2374.62	Horizontal	53.64	74	-20.36	38.49	54	-15.51
2388.09	Horizontal	61.95	74	-12.05	47.47	54	-6.53
2390.63	Horizontal	62.96	100.09	-37.13	N/P	N/A	N/P
7236.28	Horizontal	54.82	100.09	-45.27	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / Low CHANNEL / 1 GHz TO 18 GHz / POSITION 6						EMI4912	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2384.49	Vertical	56.32	74	-17.68	40.94	54	-13.06
2387.43	Vertical	59.06	74	-14.94	41.77	54	-12.23
2391.29	Vertical	63.49	100.09	-36.60	N/P	N/A	N/P
2392.89	Vertical	64.43	100.09	-35.66	N/P	N/A	N/P
7236.28	Vertical	48.90	100.09	-51.19	N/P	N/A	N/P
2365.29	Horizontal	50.08	74	-23.92	31.99	54	-12.01
2383.83	Horizontal	62.98	74	-11.02	43.48	54	-10.52
2392.89	Horizontal	68.01	100.09	-32.08	N/P	N/A	N/P
2393.96	Horizontal	67.49	100.09	-32.60	N/P	N/A	N/P
4822.12	Horizontal	48.67	74	-25.33	41.29	54	-12.71
7238.28	Horizontal	51.62	100.09	-48.47	N/P	N/A	N/P
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 1						EMI4886	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2376.76	Vertical	52.38	74	-21.62	36.77	54	-17.23
2387.56	Vertical	52.93	74	-21.07	40.27	54	-13.73
2493.97	Vertical	51.08	74	-22.92	37.16	54	-16.84
2500.90	Vertical	49.00	100	-51.00	N/P	N/A	N/P
2502.77	Vertical	51.09	100	-48.91	N/P	N/A	N/P
7316.29	Vertical	56.07	74	-17.93	46.62	54	-7.38
2368.76	Horizontal	58.01	74	-15.99	42.12	54	-11.88
2370.22	Horizontal	59.82	74	-14.18	42.53	54	-11.47
2387.03	Horizontal	61.77	74	-12.23	48.13	54	-5.87
2493.97	Horizontal	58.09	74	-15.91	44.27	54	-9.73
4867.12	Horizontal	47.83	74	-26.17	N/P	54	N/P
7303.29	Horizontal	56.76	74	-17.24	48.23	54	-5.77
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 2						EMI4893	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2381.29	Vertical	56.45	74	-17.55	39.01	54	-14.99
2381.83	Vertical	56.45	74	-17.55	39.64	54	-14.36
2389.56	Vertical	55.93	74	-18.07	42.11	54	-11.89
2493.17	Vertical	53.17	74	-20.83	37.54	54	-16.46
4868.12	Vertical	46.42	74	-27.58	N/P	54	N/P
7301.29	Vertical	55.12	74	-18.88	45.87	54	-8.13
2374.22	Horizontal	55.96	74	-18.04	39.72	54	-14.28
2390.23	Horizontal	57.09	100	-42.91	N/P	N/A	N/P
2491.17	Horizontal	57.05	74	-16.95	39.76	54	-14.24
2495.30	Horizontal	56.21	74	-17.79	39.15	54	-14.85
4867.12	Horizontal	48.13	74	-25.87	40.56	54	-13.44
7318.29	Horizontal	57.71	74	-16.29	47.94	54	-6.06
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 3						EMI4907	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2366.62	Vertical	55.19	74	-18.81	41.11	54	-12.89
2392.23	Vertical	60.74	100	-39.26	N/P	N/A	N/P
2500.50	Vertical	59.48	100	-40.52	N/P	N/A	N/P
2509.30	Vertical	55.27	100	-44.73	N/P	N/A	N/P
4881.13	Vertical	49.21	74	-24.79	40.64	54	-13.36
7316.29	Vertical	58.01	74	-15.99	49.20	54	-4.80
2373.16	Horizontal	56.62	74	-17.38	41.57	54	-12.43
2377.29	Horizontal	57.79	74	-16.21	42.29	54	-11.71
2391.83	Horizontal	60.32	100	-39.68	N/P	N/A	N/P
2498.77	Horizontal	57.31	74	-16.69	39.50	54	-14.50
4881.13	Horizontal	46.39	74	-27.61	N/P	54	N/P
7311.29	Horizontal	57.51	74	-16.49	48.21	54	-5.79
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 4						EMI4879	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2369.16	Vertical	58.25	74	-15.75	40.61	54	-13.39
2388.89	Vertical	62.85	74	-11.15	48.82	54	-5.18
2498.90	Vertical	60.15	74	-13.85	43.37	54	-10.63
2511.17	Vertical	58.68	100	-41.32	N/P	N/A	N/P
4870.12	Vertical	49.31	74	-24.69	41.90	54	-12.10
7308.29	Vertical	56.84	74	-17.16	48.44	54	-5.56
2359.16	Horizontal	52.45	74	-21.55	35.54	54	-8.46
2359.56	Horizontal	53.31	74	-20.69	36.21	54	-17.79
2389.43	Horizontal	59.38	74	-14.62	44.17	54	-9.83
2491.57	Horizontal	56.08	74	-17.92	38.75	54	-15.25
4875.13	Horizontal	47.30	74	-26.70	N/P	54	N/P
7310.29	Horizontal	54.04	74	-19.96	46.78	54	-7.22
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 5						EMI4900	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2371.96	Vertical	55.52	74	-18.48	40.16	54	-13.84
2385.16	Vertical	59.30	74	-14.70	45.60	54	-8.40
2490.90	Vertical	57.82	74	-16.18	40.48	54	-13.52
2504.10	Vertical	55.55	100	-44.45	N/P	N/A	N/P
4881.13	Vertical	48.46	74	-25.54	39.45	54	-14.55
7312.29	Vertical	58.55	74	-15.45	47.45	54	-6.55
2381.96	Horizontal	57.10	74	-16.90	41.35	54	-12.65
2383.96	Horizontal	60.33	74	-13.67	42.49	54	-11.51
2391.83	Horizontal	58.19	100	-41.81	N/P	N/A	N/P
2495.70	Horizontal	56.64	74	-17.36	38.32	54	-15.68
4877.13	Horizontal	46.16	74	-27.84	N/P	54	N/P
7314.29	Horizontal	60.08	74	-13.92	49.32	54	-4.68
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 1 GHz TO 18 GHz / POSITION 6						EMI4914	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2347.82	Vertical	49.16	74	-24.84	28.56	54	-25.44
2372.89	Vertical	51.56	74	-22.44	35.50	54	-18.50
2378.09	Vertical	53.53	74	-20.47	37.52	54	-16.48
2387.56	Vertical	57.00	74	-17.00	42.60	54	-11.40
2492.37	Vertical	56.49	74	-17.51	42.29	54	-11.71
7306.29	Vertical	56.48	74	-17.52	48.73	54	-5.27
2345.29	Horizontal	50.99	74	-23.01	36.20	54	-17.80
2389.56	Horizontal	61.23	74	-12.77	49.43	54	-4.57
2494.77	Horizontal	61.11	74	-12.89	43.00	54	-11.00
2498.23	Horizontal	58.75	74	-15.25	41.84	54	-12.16
4880.13	Horizontal	48.93	74	-25.07	40.62	54	-13.38
7304.29	Horizontal	59.13	74	-14.87	48.85	54	-5.15
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 1						EMI4888	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2492.90	Vertical	60.25	74	-13.75	43.05	54	-10.95
2500.50	Vertical	57.09	74	-16.91	45.77	54	-8.23
2504.10	Vertical	55.72	74	-18.28	42.68	54	-11.32
2507.03	Vertical	51.93	99.86	-47.93	N/P	N/A	N/P
7389.29	Vertical	54.29	74	-19.71	44.40	54	-9.60
2469.70	Horizontal	64.68	74	-9.32	52.38	54	-1.62
2491.83	Horizontal	64.93	74	-9.07	49.11	54	-4.89
2506.77	Horizontal	61.53	74	-12.47	49.07	54	-4.93
2515.70	Horizontal	59.79	99.86	-40.07	N/P	N/A	N/P
4928.13	Horizontal	46.94	74	-27.06	N/P	54	N/P
7387.29	Horizontal	56.68	74	-17.32	45.00	54	-9.00
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 2						EMI4895	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2494.23	Vertical	63.88	74	-10.12	47.74	54	-6.26
2501.43	Vertical	61.44	99.86	-38.42	N/P	N/A	N/P
2505.43	Vertical	58.42	99.86	-41.44	N/P	N/A	N/P
2515.57	Vertical	52.76	99.86	-47.10	N/P	N/A	N/P
7388.29	Vertical	54.38	74	-19.62	44.87	54	-9.13
2492.37	Horizontal	67.19	74	-6.81	51.03	54	-2.97
2500.37	Horizontal	64.38	99.86	-35.48	N/P	N/A	N/P
2503.97	Horizontal	63.21	99.86	-36.65	N/P	N/A	N/P
2504.50	Horizontal	63.06	99.86	-36.80	N/P	N/A	N/P
4921.13	Horizontal	46.95	74	-27.05	N/P	54	N/P
7386.29	Horizontal	55.60	74	-18.40	45.34	54	-8.66
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 3						EMI4909	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2491.30	Vertical	65.60	74	-8.40	48.76	54	-5.24
2504.23	Vertical	60.84	99.86	-39.02	N/P	N/A	N/P
2507.70	Vertical	58.04	99.86	-41.82	N/P	N/A	N/P
2512.37	Vertical	54.29	99.86	-45.57	N/P	N/A	N/P
4924.13	Vertical	46.22	74	-27.78	N/P	54	N/P
7382.29	Vertical	54.38	74	-19.62	45.33	54	-8.67
2495.43	Horizontal	61.30	74	-12.70	45.02	54	-8.98
2499.03	Horizontal	62.19	74	-11.81	43.87	54	-10.13
2502.50	Horizontal	59.52	99.86	-40.34	N/P	N/A	N/P
4921.13	Horizontal	46.07	74	-27.93	N/P	54	N/P
7382.29	Horizontal	52.09	74	-21.91	43.70	54	-10.30
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 4						EMI4881	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2383.96	Vertical	50.77	74	-23.23	35.42	54	-18.58
2492.63	Vertical	69.26	74	-4.74	52.52	54	-1.48
4920.13	Vertical	48.75	74	-25.25	40.88	54	-13.12
7386.29	Vertical	57.90	74	-16.10	50.03	54	-3.97
2383.16	Horizontal	45.39	74	-28.61	N/P	54	N/P
2493.30	Horizontal	63.28	74	-10.72	47.06	54	-6.94
2525.57	Horizontal	50.14	99.86	-49.72	N/P	N/A	N/P
4925.13	Horizontal	46.43	74	-27.57	N/P	54	N/P
7390.29	Horizontal	56.56	74	-17.44	49.40	54	-4.60
12316.62	Horizontal	50.96	74	-23.04	39.50	54	-14.50
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 5						EMI4902	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2494.90	Vertical	65.59	74	-8.41	52.11	54	-1.89
2515.30	Vertical	57.12	99.86	-42.74	N/P	N/A	N/P
2518.63	Vertical	55.11	99.86	-44.75	N/P	N/A	N/P
2520.23	Vertical	55.35	99.86	-44.51	N/P	N/A	N/P
4922.13	Vertical	46.96	74	-27.04	N/P	54	N/P
7393.29	Vertical	55.54	74	-18.46	45.30	54	-8.70
2491.17	Horizontal	64.30	74	-9.70	48.35	54	-5.65
2492.63	Horizontal	64.82	74	-9.18	48.38	54	-5.62
2514.90	Horizontal	52.49	99.86	-47.37	N/P	N/A	N/P
4917.13	Horizontal	46.96	74	-27.04	N/P	54	N/P
7385.29	Horizontal	55.64	74	-18.36	45.18	54	-8.82
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 1 GHz TO 18 GHz / POSITION 6						EMI4916	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
2347.56	Vertical	41.69	74	-32.31	N/P	54	N/P
2492.50	Vertical	61.06	74	-12.94	46.82	54	-7.18
2513.70	Vertical	51.20	99.86	-48.66	N/P	N/A	N/P
7383.29	Vertical	53.71	74	-20.29	43.35	54	-10.65
2492.90	Horizontal	63.72	74	-10.28	50.38	54	-3.62
2501.57	Horizontal	60.30	99.86	-39.56	N/P	N/A	N/P
2505.57	Horizontal	57.49	99.86	-42.37	N/P	N/A	N/P
2511.03	Horizontal	54.48	99.86	-45.38	N/P	N/A	N/P
4924.13	Horizontal	47.40	74	-26.60	N/P	54	N/P
7381.29	Horizontal	54.33	74	-19.67	43.65	54	-10.35
Comments:	When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No more spurious emissions detected.						

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 1						EMI4721	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.48	Horizontal	55.17	83.52	-28.35	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 2						EMI4734	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19296.05	Vertical	52.83	83.52	-30.69	N/P	63.52	N/P
19296.05	Horizontal	57.47	83.52	-26.05	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 3						EMI4747	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.48	Vertical	55.17	83.52	-28.35	N/P	63.52	N/P
19295.48	Horizontal	55.17	83.52	-28.35	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 4						EMI4760	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.48	Vertical	55.23	83.52	-28.39	N/P	63.52	N/P
19295.48	Horizontal	56.51	83.52	-27.01	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 5						EMI4786	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19296.05	Vertical	53.46	83.52	-30.06	N/P	63.52	N/P
19296.05	Horizontal	55.78	83.52	-27.74	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 6						EMI4773	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.48	Vertical	54.80	83.52	-28.72	N/P	63.52	N/P
19295.48	Horizontal	58.66	83.52	-24.86	56.77	63.52	-6.75
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 1						EMI4722	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19496.10	Horizontal	56.03	83.52	-27.49	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 2						EMI4735	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19496.10	Vertical	52.39	83.52	-31.13	N/P	63.52	N/P
19496.10	Horizontal	58.00	83.52	-25.52	55.19	63.52	-8.33
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 3						EMI4748	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19496.10	Vertical	55.17	83.52	-28.35	N/P	63.52	N/P
22835.69	Vertical	52.87	83.52	-30.65	N/P	63.52	N/P
19496.10	Horizontal	54.84	83.52	-28.68	55.19	63.52	-8.33
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Mid CHANNEL / 18 GHz TO 26.5 GHz / POSITION 4						EMI4761	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.48	Vertical	53.61	83.52	-29.91	N/P	63.52	N/P
19295.48	Horizontal	54.53	83.52	-28.99	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Mid CHANNEL / 18 GHz TO 26.5 GHz / POSITION 5						EMI4787	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.48	Vertical	52.87	83.52	-30.65	N/P	63.52	N/P
19295.48	Horizontal	56.02	83.52	-27.50	55.19	63.52	-8.33
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / Mid CHANNEL / 18 GHz TO 26.5 GHz / POSITION 6						EMI4774	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.48	Vertical	53.21	83.52	-30.31	N/P	63.52	N/P
19295.48	Horizontal	58.23	83.52	-25.29	56.29	63.52	-7.23
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 1						EMI4723	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.15	Horizontal	56.00	83.52	-27.52	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 2						EMI4736	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.15	Horizontal	56.94	83.52	-26.58	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 3						EMI4749	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.15	Vertical	53.65	83.52	-29.87	N/P	63.52	N/P
19696.15	Horizontal	55.39	83.52	-28.13	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 4						EMI4762	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.15	Vertical	53.55	83.52	-29.97	N/P	63.52	N/P
19696.15	Horizontal	56.64	83.52	-26.88	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 5						EMI4788	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.15	Horizontal	57.54	83.52	-25.98	56.26	63.52	-7.26
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (B) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 6						EMI4775	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.15	Vertical	53.11	83.52	-30.41	N/P	63.52	N/P
19696.15	Horizontal	58.44	83.52	-25.08	56.28	63.52	-7.24
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 1						EMI4724	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19296.05	Horizontal	57.20	83.52	-26.32	56.28	63.52	-7.24
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 2						EMI4737	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19295.49	Vertical	54.50	83.52	-29.02	N/P	63.52	N/P
19296.05	Horizontal	58.04	83.52	-25.48	57.09	63.52	-6.43
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 3						EMI4750	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19296.05	Vertical	55.73	83.52	-27.79	N/P	63.52	N/P
19296.05	Horizontal	55.71	83.52	-27.81	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 4						EMI4763	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19296.05	Vertical	54.81	83.52	-28.71	N/P	63.52	N/P
19296.05	Horizontal	58.02	83.52	-25.50	54.68	63.52	-8.84
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 5						EMI4789	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19296.05	Vertical	53.27	83.52	-30.25	N/P	63.52	N/P
19296.05	Horizontal	57.93	83.52	-25.59	54.87	63.52	-8.65
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / LOW CHANNEL / 18 GHz TO 26.5 GHz / POSITION 6						EMI4776	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19296.05	Vertical	54.54	83.52	-28.98	N/P	63.52	N/P
19296.05	Horizontal	59.10	83.52	-24.42	58.26	63.52	-5.26
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 1						EMI4725	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19496.10	Vertical	53.03	83.52	-30.49	N/P	63.52	N/P
19496.10	Horizontal	57.14	83.52	-26.38	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 2						EMI4738	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19495.53	Vertical	53.28	83.52	-30.24	N/P	63.52	N/P
19496.10	Horizontal	57.79	83.52	-25.73	56.57	63.52	-6.95
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 3						EMI4751	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19078.44	Vertical	52.80	83.52	-30.72	N/P	63.52	N/P
19495.53	Vertical	55.64	83.52	-27.86	N/P	63.52	N/P
21794.65	Vertical	52.97	83.52	-30.55	N/P	63.52	N/P
19495.53	Horizontal	56.52	83.52	-27.00	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 4						EMI4764	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19496.10	Vertical	54.29	83.52	-29.23	N/P	63.52	N/P
19495.53	Horizontal	57.46	83.52	-26.06	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 5						EMI4790	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19495.53	Vertical	53.12	83.52	-30.40	N/P	63.52	N/P
19495.53	Horizontal	57.09	83.52	-26.43	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / MID CHANNEL / 18 GHz TO 26.5 GHz / POSITION 6						EMI4777	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19496.10	Vertical	53.64	83.52	-29.88	N/P	63.52	N/P
19495.53	Horizontal	58.80	83.52	-24.72	57.45	63.52	-6.07
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 1						EMI4726	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19495.53	Horizontal	57.33	83.52	-26.19	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 2						EMI4739	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.14	Vertical	53.95	83.52	-29.57	N/P	63.52	N/P
24574.90	Vertical	54.02	83.52	-29.50	N/P	63.52	N/P
19696.14	Horizontal	58.30	83.52	-25.22	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 3						EMI4752	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.14	Vertical	55.75	83.52	-27.77	N/P	63.52	N/P
19696.14	Horizontal	56.38	83.52	-27.14	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 4						EMI4765	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.14	Vertical	54.51	83.52	-29.01	N/P	63.52	N/P
19696.14	Horizontal	56.89	83.52	-26.63	N/P	63.52	N/P
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 5						EMI4791	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19695.58	Vertical	53.20	83.52	-30.32	N/P	63.52	N/P
19695.58	Horizontal	57.77	83.52	-25.75	55.85	63.52	-7.67
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

RADIATED EMISSION LIMITS – TABULATED RESULTS							
RADIATED MEASUREMENT / Wi-Fi 2.4 GHz (GN) / HIGH CHANNEL / 18 GHz TO 26.5 GHz / POSITION 6						EMI4778	
FREQUENCY (MHz)	POLARIZATION	PEAK LEVEL (dBμV/m)	PEAK LIMIT (dBμV/m)	PEAK MARGIN (dB)	AVERAGE LEVEL (dBμV/m)	AVERAGE LIMIT (dBμV/m)	AVERAGE MARGIN (dB)
19696.14	Vertical	54.67	83.52	-28.85	N/P	63.52	N/P
19696.14	Horizontal	58.67	83.52	-24.85	56.64	63.52	-6.88
Comments:		When margin between peak measurements and Average limit is greater than 6dB, no Average measurements were performed. No spurious emission detected. In order to increase the dynamics of the measurements, these were carried out at a distance of 1 meter and the limit was recalculated.					

