



Right Band edge_Vertical_Peak_802.11ax20_5825MHz



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.660	-4.69	65.97	61.28	118.41	-57.13	Peak
2	5870.511	-4.62	67.02	62.40	106.46	-44.06	Peak
3	5876.554	-4.60	66.30	61.70	104.05	-42.35	Peak
4	5940.884	-4.48	66.23	61.75	68.20	-6.45	Peak


Left Band edge_Horizontal_Peak_802.11ax40_5755MHz



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5648.893	-5.90	65.35	59.45	68.20	-8.75	Peak
2	5683.205	-5.82	65.92	60.10	92.81	-32.71	Peak
3	5719.848	-5.58	70.19	64.61	110.76	-46.15	Peak
4	5724.743	-5.54	71.12	65.58	121.61	-56.03	Peak


Left Band edge_Vertical_Peak_802.11ax40_5755MHz



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5648.560	-5.90	65.21	59.31	68.20	-8.89	Peak
2	5697.478	-5.78	66.20	60.42	103.34	-42.92	Peak
3	5718.849	-5.59	72.66	67.07	110.48	-43.41	Peak
4	5724.999	-5.54	73.51	67.97	122.20	-54.23	Peak


Right Band edge_Horizontal_Peak_802.11ax40_5795MHz



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.420	-4.69	66.04	61.35	116.68	-55.33	Peak
2	5873.868	-4.60	66.11	61.51	105.52	-44.01	Peak
3	5875.201	-4.61	66.46	61.85	105.05	-43.20	Peak
4	5926.630	-4.49	65.79	61.30	68.20	-6.90	Peak


Right Band edge_Vertical_Peak_802.11ax40_5795MHz



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

			Read		Limit	Over	
	Freq	Factor	Level	Level	Line	Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.216	-4.70	67.68	62.98	121.71	-58.73	Peak
2	5862.491	-4.65	67.31	62.66	108.70	-46.04	Peak
3	5893.112	-4.53	65.81	61.28	91.76	-30.48	Peak
4	5946.899	-4.48	65.80	61.32	68.20	-6.88	Peak


Left Band edge_Horizontal_Peak_802.11ax80_5775MHz



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5606.523	-6.17	65.88	59.71	68.20	-8.49	Peak
2	5685.107	-5.82	69.24	63.42	94.21	-30.79	Peak
3	5702.869	-5.74	68.33	62.59	106.00	-43.41	Peak
4	5720.969	-5.57	68.19	62.62	113.01	-50.39	Peak


Left Band edge_Vertical_Peak_802.11ax80_5775MHz



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5609.800	-6.14	65.80	59.66	68.20	-8.54	Peak
2	5684.893	-5.81	72.79	66.98	94.05	-27.07	Peak
3	5701.951	-5.77	71.23	65.46	105.75	-40.29	Peak
4	5720.479	-5.57	71.38	65.81	111.89	-46.08	Peak


Right Band edge_Horizontal_Peak_802.11ax80_5775MHz



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.450	-4.69	66.33	61.64	118.89	-57.25 Peak
2 5858.313	-4.67	66.12	61.45	109.87	-48.42 Peak
3 5911.384	-4.50	65.80	61.30	78.24	-16.94 Peak
4 5946.569	-4.48	66.10	61.62	68.20	-6.58 Peak

Right Band edge_Vertical_Peak_802.11ax80_5775MHz




Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.222	-4.68	68.82	64.14	114.85	-50.71	Peak
2	5857.525	-4.67	68.44	63.77	110.09	-46.32	Peak
3	5888.744	-4.55	66.65	62.10	95.00	-32.90	Peak
4	5939.987	-4.49	66.05	61.56	68.20	-6.64	Peak

1-18GHz (Listed with the worst case test plot)


1-7GHz Horizontal 802.11a ANT0



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6865.750	-1.34	49.00	47.66	68.20	-20.54 Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6436.750	-1.18	49.24	48.06	68.20	-20.14 Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10480.000	2.19	53.57	55.76	68.20	-12.44	Peak
2 17994.500	13.23	47.97	61.20	74.00	-12.80	Peak


7-18GHz_Horizontal_Average_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.23	34.16	47.39	54.00	-6.61	Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.19	53.91	56.10	68.20	-12.10 Peak
2 17964.250	13.08	48.35	61.43	74.00	-12.57 Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5240

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.26	34.00	47.26	54.00	-6.74	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6441.250	-1.18	49.03	47.85	68.20	-20.35 Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6870.250	-1.33	48.89	47.56	68.20	-20.64	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	57.16	59.64	68.20	-8.56 Peak
2 17958.750	13.05	48.43	61.48	74.00	-12.52 Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
			dBuV	dBuV/m	dBuV/m	
MHz		dB/m				
1 17975.250		13.14	33.95	47.09	54.00	-6.91 Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10360.000	2.48	57.89	60.37	68.20	-7.83	Peak
2 17901.000	12.76	49.75	62.51	74.00	-11.49	Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT1-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.23	33.94	47.17	54.00	-6.83	Average


1-7GHz_Horizontal_802.11n-HT20



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-N20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6438.250	-1.18	49.09	47.91	68.20	-20.29	Peak


1-7GHz_Vertical_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6644.500	-1.18	48.51	47.33	68.20	-20.87	Peak


7-18GHz_Horizontal_Peak_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	57.94	60.42	68.20	-7.78	Peak
2	17939.500	12.96	49.02	61.98	74.00	-12.02	Peak


7-18GHz_Horizontal_Average_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	13.25	34.29	47.54	54.00	-6.46	Average


7-18GHz_Vertical_Peak_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10360.000	2.48	58.75	61.23	68.20	-6.97	Peak
2	17967.000	13.09	49.02	62.11	74.00	-11.89	Peak


7-18GHz_Vertical_Average_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-N20-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17976.630	13.15	34.36	47.51	54.00	-6.49	Average


1-7GHz_Horizontal_802.11n-HT40



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-N40-5190

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6442.750	-1.18	48.10	46.92	68.20	-21.28	Peak


1-7GHz_Vertical_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N40-5190

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6848.500	-1.36	49.09	47.73	68.20	-20.47	Peak


7-18GHz_Horizontal_Peak_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N40-5190

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10380.000	2.48	54.21	56.69	68.20	-11.51	Peak
2	17907.880	12.80	48.40	61.20	74.00	-12.80	Peak


7-18GHz_Horizontal_Average_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-N40-5190

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	13.25	34.68	47.93	54.00	-6.07	Average


7-18GHz_Vertical_Peak_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-N40-5190

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10380.000	2.48	55.04	57.52	68.20	-10.68	Peak
2	17888.630	12.54	49.29	61.83	74.00	-12.17	Peak


7-18GHz_Vertical_Average_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-N40-5190

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17978.000	13.15	34.75	47.90	54.00	-6.10	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6276.250	-1.95	50.44	48.49	68.20	-19.71 Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6772.750	-1.54	49.69	48.15	68.20	-20.05	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	58.69	61.17	68.20	-7.03 Peak
2 17906.500	12.79	48.69	61.48	74.00	-12.52 Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.24	33.75	46.99	54.00	-7.01	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	59.54	62.02	68.20	-6.18 Peak
2 17910.630	12.80	49.10	61.90	74.00	-12.10 Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5180

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17972.500	13.13	33.94	47.07	54.00	-6.93	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6435.250	-1.18	49.31	48.13	68.20	-20.07 Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6451.750	-1.18	49.31	48.13	68.20	-20.07	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	54.50	56.98	68.20	-11.22 Peak
2 17940.880	12.96	48.47	61.43	74.00	-12.57 Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	13.22	34.16	47.38	54.00	-6.62	Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	55.38	57.86	68.20	-10.34 Peak
2 17939.500	12.96	48.10	61.06	74.00	-12.94 Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC40-5190

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.25	33.86	47.11	54.00	-6.89	Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1	6590.500	-1.34	48.97	47.63	68.20 -20.57 Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6344.500	-1.66	49.42	47.76	68.20	-20.44	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	52.65	55.05	68.20	-13.15 Peak
2 17957.380	13.04	48.39	61.43	74.00	-12.57 Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	13.23	33.98	47.21	54.00	-6.79	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	53.32	55.72	68.20	-12.48 Peak
2 17978.000	13.15	47.70	60.85	74.00	-13.15 Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17993.130	13.23	34.22	47.45	54.00	-6.55	Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6445.750	-1.16	49.23	48.07	68.20	-20.13 Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6797.500	-1.66	49.33	47.67	68.20	-20.53	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	57.52	60.00	68.20	-8.20 Peak
2 17958.750	13.05	48.19	61.24	74.00	-12.76 Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.570	13.26	33.80	47.06	54.00	-6.94	Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	58.39	60.87	68.20	-7.33 Peak
2 17912.000	12.81	48.60	61.41	74.00	-12.59 Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5180

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.25	34.15	47.40	54.00	-6.60	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6521.500	-1.23	48.57	47.34	68.20	-20.86 Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6585.250	-1.33	49.48	48.15	68.20	-20.05	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	55.08	57.56	68.20	-10.64 Peak
2 17997.250	13.25	48.49	61.74	74.00	-12.26 Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.25	33.80	47.05	54.00	-6.95	Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	55.94	58.42	68.20	-9.78 Peak
2 17902.380	12.77	48.36	61.13	74.00	-12.87 Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5190

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17973.880	13.13	34.02	47.15	54.00	-6.85	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6387.250	-1.33	49.03	47.70	68.20	-20.50 Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6633.250	-1.23	49.33	48.10	68.20	-20.10 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	53.07	55.47	68.20	-12.73 Peak
2 17932.630	12.92	48.51	61.43	74.00	-12.57 Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.26	34.10	47.36	54.00	-6.64	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	53.68	56.08	68.20	-12.12 Peak
2 17986.250	13.18	47.88	61.06	74.00	-12.94 Peak


7-18GHz_Vertical_Average_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17980.750	13.17	33.90	47.07	54.00	-6.93	Average


1-7GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6445.000	-1.17	49.78	48.61	68.20	-19.59 Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6486.250	-1.19	48.86	47.67	68.20	-20.53	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	52.83	55.40	74.00	-18.60	Peak
2 17912.000	12.81	48.60	61.41	74.00	-12.59	Peak


7-18GHz_Horizontal_Average_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	40.28	42.85	54.00	-11.15	Average
2 17998.630	13.26	33.94	47.20	54.00	-6.80	Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.39	55.96	74.00	-18.04 Peak
2 17918.880	12.84	48.73	61.57	74.00	-12.43 Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	40.61	43.18	54.00	-10.82	Average
2 17991.750	13.22	33.91	47.13	54.00	-6.87	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6436.000	-1.18	49.23	48.05	68.20	-20.15 Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6418.750	-1.21	48.77	47.56	68.20 -20.64 Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	54.84	57.41	74.00	-16.59 Peak
2 17940.880	12.96	49.28	62.24	74.00	-11.76 Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	42.96	45.53	54.00	-8.47	Average
2 17968.380	13.11	34.32	47.43	54.00	-6.57	Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	55.65	58.22	74.00	-15.78	Peak
2 17962.880	13.07	49.37	62.44	74.00	-11.56	Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	43.42	45.99	54.00	-8.01	Average
2 17980.750	13.17	33.90	47.07	54.00	-6.93	Average


1-7GHz_Horizontal_802.11n-HT20



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-N20-5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6683.500	-1.40	48.69	47.29	68.20	-20.91	Peak


1-7GHz_Vertical_802.11n-HT20



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-N20-5320

		Read		Limit	Over	Remark
Freq	Factor	Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6467.500	-1.18	49.17	47.99	68.20	-20.21	Peak


7-18GHz_Horizontal_Peak_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	55.29	57.86	74.00	-16.14	Peak
2	17890.000	12.57	48.90	61.47	74.00	-12.53	Peak


7-18GHz_Horizontal_Average_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	43.81	46.38	54.00	-7.62	Average
2	17991.750	13.22	34.35	47.57	54.00	-6.43	Average


7-18GHz_Vertical_Peak_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	56.45	59.02	74.00	-14.98	Peak
2	17968.380	13.11	48.31	61.42	74.00	-12.58	Peak


7-18GHz_Vertical_Average_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-N20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10640.000	2.57	44.68	47.25	54.00	-6.75	Average
2	17997.250	13.25	34.30	47.55	54.00	-6.45	Average


1-7GHz_Horizontal_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N40-5310

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6442.000	-1.17	49.38	48.21	68.20	-19.99 Peak


1-7GHz_Vertical_802.11n-HT40



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-N40-5310

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6433.000	-1.18	48.76	47.58	68.20	-20.62 Peak


7-18GHz_Horizontal_Peak_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-N40-5310

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	53.73	56.12	74.00	-17.88	Peak
2	17906.500	12.79	48.58	61.37	74.00	-12.63	Peak


7-18GHz_Horizontal_Average_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-N40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	42.45	44.84	54.00	-9.16	Average
2	17991.750	13.22	34.69	47.91	54.00	-6.09	Average


7-18GHz Vertical Peak 802.11n-HT40



```
Condition      : Vertical
Project No.    : 2501A25853E-RFA1
Tester        : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note          : 5GWiFi-Band2-N40-5310
```

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	54.57	56.96	74.00	-17.04	Peak
2	17983.500	13.17	48.40	61.57	74.00	-12.43	Peak


7-18GHz_Vertical_Average_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-N40-5310

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10620.000	2.39	43.28	45.67	54.00	-8.33	Average
2	17994.500	13.23	34.71	47.94	54.00	-6.06	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6466.000	-1.18	48.83	47.65	68.20	-20.55	Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6513.250	-1.21	50.06	48.85	68.20	-19.35 Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	55.78	58.35	74.00	-15.65 Peak
2 17924.380	12.88	48.34	61.22	74.00	-12.78 Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	44.27	46.84	54.00	-7.16	Average
2 17979.380	13.16	33.99	47.15	54.00	-6.85	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	57.01	59.58	74.00	-14.42 Peak
2 17950.500	13.01	49.10	62.11	74.00	-11.89 Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	45.14	47.71	54.00	-6.29	Average
2 17993.130	13.23	34.15	47.38	54.00	-6.62	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6782.500	-1.58	50.21	48.63	68.20	-19.57	Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6884.500	-1.32	49.14	47.82	68.20	-20.38	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.92	56.31	74.00	-17.69 Peak
2 17916.130	12.83	48.88	61.71	74.00	-12.29 Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	42.78	45.17	54.00	-8.83 Average
2 17998.630	13.26	33.95	47.21	54.00	-6.79 Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	54.85	57.24	74.00	-16.76 Peak
2 17973.880	13.13	48.53	61.66	74.00	-12.34 Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10620.380	2.39	43.53	45.92	54.00	-8.08 Average
2 17984.880	13.18	34.11	47.29	54.00	-6.71 Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6236.500	-2.35	49.96	47.61	68.20	-20.59 Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6497.500	-1.20	49.95	48.75	68.20	-19.45	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10580.000	2.18	52.85	55.03	68.20	-13.17	Peak
2 17929.880	12.91	49.14	62.05	74.00	-11.95	Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17991.750	13.22	33.92	47.14	54.00	-6.86	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.56	55.74	68.20	-12.46 Peak
2 17899.630	12.74	49.09	61.83	74.00	-12.17 Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17969.750	13.11	34.07	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6477.250	-1.18	48.93	47.75	68.20	-20.45 Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6460.000	-1.18	49.00	47.82	68.20	-20.38	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	55.49	58.06	74.00	-15.94 Peak
2 17914.750	12.82	48.99	61.81	74.00	-12.19 Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	44.93	47.50	54.00	-6.50	Average
2 17984.880	13.18	33.79	46.97	54.00	-7.03	Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	56.67	59.24	74.00	-14.76 Peak
2 17991.750	13.22	48.97	62.19	74.00	-11.81 Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	45.88	48.45	54.00	-5.55	Average
2 17978.000	13.15	34.07	47.22	54.00	-6.78	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6544.750	-1.24	49.02	47.78	68.20	-20.42	Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6467.500	-1.18	49.38	48.20	68.20 -20.00 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	54.17	56.56	74.00	-17.44 Peak
2 17938.130	12.95	49.12	62.07	74.00	-11.93 Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	42.89	45.28	54.00	-8.72 Average
2 17989.000	13.20	33.73	46.93	54.00	-7.07 Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	55.04	57.43	74.00	-16.57 Peak
2 17887.250	12.52	49.61	62.13	74.00	-11.87 Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	43.66	46.05	54.00	-7.95	Average
2 17986.250	13.18	34.11	47.29	54.00	-6.71	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6451.750	-1.18	48.76	47.58	68.20	-20.62	Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6770.500	-1.52	49.55	48.03	68.20 -20.17 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.19	55.37	68.20	-12.83 Peak
2 17968.380	13.11	49.18	62.29	74.00	-11.71 Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	13.20	33.67	46.87	54.00	-7.13	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.94	56.12	68.20	-12.08 Peak
2 17950.500	13.01	48.52	61.53	74.00	-12.47 Peak


7-18GHz_Vertical_Average_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.24	34.17	47.41	54.00	-6.59	Average


1-7GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6534.250	-1.23	49.58	48.35	68.20	-19.85	Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6397.000	-1.24	49.32	48.08	68.20	-20.12 Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	57.08	60.39	74.00	-13.61	Peak
2	17973.880	13.13	48.49	61.62	74.00	-12.38	Peak


7-18GHz_Horizontal_Average_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.31	45.12	48.43	54.00	-5.57 Average
2 17954.630	13.03	33.87	46.90	54.00	-7.10 Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	58.31	61.62	74.00	-12.38	Peak
2	17998.630	13.25	48.86	62.11	74.00	-11.89	Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11400.000	3.31	45.95	49.26	54.00	-4.74	Average
2 17990.380	13.21	34.12	47.33	54.00	-6.67	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6379.000	-1.40	48.97	47.57	68.20	-20.63 Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6418.000	-1.21	49.47	48.26	68.20	-19.94	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	57.54	61.80	74.00	-12.20 Peak
2 17986.250	13.18	48.71	61.89	74.00	-12.11 Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	45.31	49.57	54.00	-4.43	Average
2 17997.250	13.25	33.86	47.11	54.00	-6.89	Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	58.72	62.98	74.00	-11.02 Peak
2 17968.380	13.11	48.42	61.53	74.00	-12.47 Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	46.19	50.45	54.00	-3.55	Average
2 17928.500	12.90	34.33	47.23	54.00	-6.77	Average


1-7GHz_Horizontal_802.11n-HT20



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-N20-5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6250.750	-2.22	49.77	47.55	68.20 -20.65	Peak


1-7GHz_Vertical_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6451.750	-1.18	48.34	47.16	68.20	-21.04 Peak


7-18GHz_Horizontal_Peak_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11000.000	4.26	57.32	61.58	74.00	-12.42	Peak
2	17984.880	13.18	48.75	61.93	74.00	-12.07	Peak


7-18GHz_Horizontal_Average_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11000.000	4.26	44.80	49.06	54.00	-4.94	Average
2	17998.630	13.25	34.31	47.56	54.00	-6.44	Average


7-18GHz_Vertical_Peak_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11000.000	4.26	58.56	62.82	74.00	-11.18	Peak
2	17894.130	12.65	48.30	60.95	74.00	-13.05	Peak


7-18GHz_Vertical_Average_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-N20-5500

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11000.000	4.26	45.63	49.89	54.00	-4.11	Average
2	17979.380	13.16	34.39	47.55	54.00	-6.45	Average


1-7GHz_Horizontal_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N40-5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6489.250	-1.20	49.31	48.11	68.20	-20.09 Peak


1-7GHz_Vertical_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N40-5510

		Read		Limit	Over	Remark
Freq	Factor	Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6464.500	-1.18	48.88	47.70	68.20	-20.50 Peak


7-18GHz_Horizontal_Peak_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	56.63	60.71	74.00	-13.29	Peak
2	17956.000	13.04	48.19	61.23	74.00	-12.77	Peak


7-18GHz_Horizontal_Average_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-N40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	45.44	49.52	54.00	-4.48	Average
2	17991.750	13.22	34.66	47.88	54.00	-6.12	Average


7-18GHz_Vertical_Peak_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-N40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	57.75	61.83	74.00	-12.17	Peak
2	17946.380	12.99	50.71	63.70	74.00	-10.30	Peak


7-18GHz_Vertical_Average_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-N40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	46.27	50.35	54.00	-3.65	Average
2	17975.250	13.14	34.77	47.91	54.00	-6.09	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6480.250	-1.19	49.28	48.09	68.20	-20.11 Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6555.250	-1.25	49.34	48.09	68.20	-20.11 Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	57.73	61.99	74.00	-12.01 Peak
2 17920.250	12.85	48.54	61.39	74.00	-12.61 Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	45.25	49.51	54.00	-4.49	Average
2 17987.630	13.19	34.16	47.35	54.00	-6.65	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	58.91	63.17	74.00	-10.83 Peak
2 17990.380	13.21	48.89	62.10	74.00	-11.90 Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	46.04	50.30	54.00	-3.70	Average
2 17962.880	13.07	33.98	47.05	54.00	-6.95	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6483.250	-1.18	48.96	47.78	68.20	-20.42 Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6628.000	-1.26	49.15	47.89	68.20	-20.31	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	57.05	61.13	74.00	-12.87 Peak
2 17892.750	12.61	48.32	60.93	74.00	-13.07 Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	45.94	50.02	54.00	-3.98 Average
2 17976.630	13.15	34.11	47.26	54.00	-6.74 Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	58.26	62.34	74.00	-11.66 Peak
2 17998.630	13.25	48.24	61.49	74.00	-12.51 Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	46.72	50.80	54.00	-3.20	Average
2 17991.750	13.22	33.95	47.17	54.00	-6.83	Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6451.750	-1.18	49.58	48.40	68.20	-19.80	Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6438.250	-1.18	49.17	47.99	68.20	-20.21 Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	57.01	60.73	74.00	-13.27 Peak
2 17940.880	12.96	48.62	61.58	74.00	-12.42 Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	45.96	49.68	54.00	-4.32	Average
2 17990.380	13.21	33.84	47.05	54.00	-6.95	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	58.15	61.87	74.00	-12.13 Peak
2 17983.500	13.17	48.83	62.00	74.00	-12.00 Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	46.78	50.50	54.00	-3.50 Average
2 17998.630	13.25	34.08	47.33	54.00	-6.67 Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6664.000	-1.27	48.77	47.50	68.20	-20.70	Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6440.500	-1.18	49.82	48.64	68.20	-19.56 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	57.14	61.40	74.00	-12.60 Peak
2 17935.380	12.94	49.44	62.38	74.00	-11.62 Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	45.09	49.35	54.00	-4.65	Average
2 17998.630	13.25	34.12	47.37	54.00	-6.63	Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	58.33	62.59	74.00	-11.41 Peak
2 17972.500	13.13	48.92	62.05	74.00	-11.95 Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	45.92	50.18	54.00	-3.82	Average
2 17982.130	13.16	34.19	47.35	54.00	-6.65	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6721.000	-1.49	48.81	47.32	68.20	-20.88	Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6992.500	-1.17	49.40	48.23	68.20 -19.97 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	57.36	61.44	74.00	-12.56	Peak
2	17960.130	13.06	50.29	63.35	74.00	-10.65	Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	46.05	50.13	54.00	-3.87	Average
2 17969.750	13.11	34.00	47.11	54.00	-6.89	Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	58.52	62.60	74.00	-11.40 Peak
2 17964.250	13.08	48.98	62.06	74.00	-11.94 Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	46.89	50.97	54.00	-3.03	Average
2 17998.630	13.25	34.02	47.27	54.00	-6.73	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6445.750	-1.16	49.32	48.16	68.20	-20.04	Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6751.750	-1.43	49.51	48.08	68.20	-20.12 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	56.52	60.24	74.00	-13.76 Peak
2 17965.630	13.08	49.19	62.27	74.00	-11.73 Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	45.73	49.45	54.00	-4.55	Average
2 17990.380	13.21	34.01	47.22	54.00	-6.78	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	57.68	61.40	74.00	-12.60	Peak
2 17939.500	12.96	48.61	61.57	74.00	-12.43	Peak


7-18GHz_Vertical_Average_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	46.41	50.13	54.00	-3.87	Average
2 17947.750	13.00	34.28	47.28	54.00	-6.72	Average


1-7GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6298.000	-1.72	49.82	48.10	68.20	-20.10 Peak


1-7GHz_Vertical_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6536.500	-1.23	49.32	48.09	68.20	-20.11	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	55.89	59.35	74.00	-14.65	Peak
2	17936.750	12.94	49.85	62.79	74.00	-11.21	Peak


7-18GHz_Horizontal_802.11a_ANT0



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	43.96	47.42	54.00	-6.58	Average
2 17994.500	13.23	33.90	47.13	54.00	-6.87	Average


7-18GHz_Vertical_Peak_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	57.05	60.51	74.00	-13.49	Peak
2	17914.750	12.82	49.26	62.08	74.00	-11.92	Peak


7-18GHz_Vertical_Average_802.11a_ANT0



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	44.72	48.18	54.00	-5.82	Average
2 17995.880	13.24	33.85	47.09	54.00	-6.91	Average


1-7GHz_Horizontal_802.11a_ANT1



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6547.750	-1.24	48.97	47.73	68.20	-20.47	Peak


1-7GHz_Vertical_802.11a_ANT1



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6430.750	-1.19	49.10	47.91	68.20	-20.29	Peak


7-18GHz_Horizontal_Peak_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	58.31	61.77	74.00	-12.23 Peak
2 17975.250	13.14	50.11	63.25	74.00	-10.75 Peak


7-18GHz_Horizontal_Average_802.11a_ANT1



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	44.87	48.33	54.00	-5.67	Average
2 17998.630	13.25	33.87	47.12	54.00	-6.88	Average


7-18GHz_Vertical_Peak_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	59.53	62.99	74.00	-11.01	Peak
2	17986.250	13.18	48.44	61.62	74.00	-12.38	Peak


7-18GHz_Vertical_Average_802.11a_ANT1



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	45.66	49.12	54.00	-4.88	Average
2 17982.130	13.16	34.28	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6433.000	-1.18	49.02	47.84	68.20	-20.36	Peak


1-7GHz_Vertical_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6679.750	-1.38	48.52	47.14	68.20	-21.06 Peak


7-18GHz_Horizontal_Peak_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	58.15	61.61	74.00	-12.39	Peak
2	17885.880	12.49	49.36	61.85	74.00	-12.15	Peak


7-18GHz_Horizontal_Average_802.11n-HT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	46.07	49.53	54.00	-4.47	Average
2	17965.630	13.08	34.47	47.55	54.00	-6.45	Average


7-18GHz_Vertical_Peak_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	59.32	62.78	74.00	-11.22	Peak
2	17982.130	13.16	47.69	60.85	74.00	-13.15	Peak


7-18GHz_Vertical_Average_802.11n-HT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-N20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	46.89	50.35	54.00	-3.65	Average
2	17993.130	13.23	34.30	47.53	54.00	-6.47	Average


1-7GHz_Horizontal_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N40-5795

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6539.500	-1.24	48.37	47.13	68.20	-21.07	Peak


1-7GHz_Vertical_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6867.250	-1.35	48.68	47.33	68.20	-20.87	Peak


7-18GHz_Horizontal_Peak_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	55.86	59.10	74.00	-14.90	Peak
2	17986.250	13.18	48.65	61.83	74.00	-12.17	Peak


7-18GHz_Horizontal_Average_802.11n-HT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band4-N40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	45.12	48.36	54.00	-5.64	Average
2	17989.000	13.20	34.72	47.92	54.00	-6.08	Average


7-18GHz_Vertical_Peak_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-N40-5795

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	57.04	60.28	74.00	-13.72	Peak
2	17984.880	13.18	48.15	61.33	74.00	-12.67	Peak


7-18GHz_Vertical_Average_802.11n-HT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band4-N40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11589.750	3.24	45.91	49.15	54.00	-4.85	Average
2	17984.880	13.18	34.72	47.90	54.00	-6.10	Average


1-7GHz_Horizontal_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6474.250	-1.19	49.82	48.63	68.20	-19.57 Peak


1-7GHz_Vertical_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6291.250	-1.80	50.08	48.28	68.20	-19.92	Peak


7-18GHz_Horizontal_Peak_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	58.62	62.08	74.00	-11.92	Peak
2	17916.130	12.83	48.72	61.55	74.00	-12.45	Peak


7-18GHz_Horizontal_Average_802.11ac VHT20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	46.54	50.00	54.00	-4.00	Average
2 17991.750	13.22	33.75	46.97	54.00	-7.03	Average


7-18GHz_Vertical_Peak_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	59.81	63.27	74.00	-10.73 Peak
2 17964.250	13.08	49.13	62.21	74.00	-11.79 Peak


7-18GHz_Vertical_Average_802.11ac VHT20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	47.33	50.79	54.00	-3.21	Average
2 17998.630	13.26	34.11	47.37	54.00	-6.63	Average


1-7GHz_Horizontal_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6454.750	-1.17	49.00	47.83	68.20 -20.37 Peak


1-7GHz_Vertical_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6373.000	-1.45	49.46	48.01	68.20	-20.19 Peak


7-18GHz_Horizontal_Peak_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	56.96	60.59	74.00	-13.41 Peak
2 17916.130	12.83	49.07	61.90	74.00	-12.10 Peak


7-18GHz_Horizontal_Average_802.11ac VHT40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	46.25	49.88	54.00	-4.12	Average
2 17964.250	13.08	33.95	47.03	54.00	-6.97	Average


7-18GHz_Vertical_Peak_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	58.11	61.74	74.00	-12.26 Peak
2 17907.880	12.80	48.69	61.49	74.00	-12.51 Peak


7-18GHz_Vertical_Average_802.11ac VHT40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	47.09	50.72	54.00	-3.28 Average
2 17995.880	13.24	34.07	47.31	54.00	-6.69 Average


1-7GHz_Horizontal_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6442.000	-1.17	50.08	48.91	68.20	-19.29	Peak


1-7GHz_Vertical_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6698.500	-1.51	49.97	48.46	68.20 -19.74 Peak


7-18GHz_Horizontal_Peak_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	54.48	57.92	74.00	-16.08	Peak
2	17935.380	12.94	48.72	61.66	74.00	-12.34	Peak


7-18GHz_Horizontal_Average_802.11ac VHT80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	43.82	47.26	54.00	-6.74	Average
2 17993.130	13.23	33.89	47.12	54.00	-6.88	Average


7-18GHz_Vertical_Peak_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	55.61	59.05	74.00	-14.95	Peak
2	17913.380	12.82	49.34	62.16	74.00	-11.84	Peak


7-18GHz_Vertical_Average_802.11ac VHT80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	44.53	47.97	54.00	-6.03 Average
2 17971.130	13.12	34.18	47.30	54.00	-6.70 Average


1-7GHz_Horizontal_802.11ax HEW20



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6436.000	-1.18	49.33	48.15	68.20	-20.05	Peak


1-7GHz_Vertical_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6446.500	-1.16	49.11	47.95	68.20 -20.25 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	58.07	61.53	74.00	-12.47	Peak
2	17965.630	13.08	48.20	61.28	74.00	-12.72	Peak


7-18GHz_Horizontal_Average_802.11ax HEW20



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	46.34	49.80	54.00	-4.20 Average
2 17951.880	13.02	34.13	47.15	54.00	-6.85 Average


7-18GHz_Vertical_Peak_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	59.25	62.71	74.00	-11.29 Peak
2 17951.880	13.02	48.24	61.26	74.00	-12.74 Peak


7-18GHz_Vertical_Average_802.11ax HEW20



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	47.18	50.64	54.00	-3.36	Average
2 17997.250	13.25	33.98	47.23	54.00	-6.77	Average


1-7GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5755

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6496.000	-1.20	49.12	47.92	68.20	-20.28 Peak


1-7GHz_Vertical_802.11ax HEW40



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX40-5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6701.500	-1.52	49.91	48.39	68.20	-19.81 Peak


7-18GHz_Horizontal_Peak_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	56.71	60.34	74.00	-13.66 Peak
2 17924.380	12.88	48.82	61.70	74.00	-12.30 Peak


7-18GHz_Horizontal_Average_802.11ax HEW40



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	46.29	49.92	54.00	-4.08	Average
2 17994.500	13.23	33.92	47.15	54.00	-6.85	Average


7-18GHz_Vertical_Peak_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	57.94	61.57	74.00	-12.43 Peak
2 17913.380	12.82	48.75	61.57	74.00	-12.43 Peak


7-18GHz_Vertical_Average_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	47.12	50.75	54.00	-3.25	Average
2 17998.630	13.25	34.14	47.39	54.00	-6.61	Average


1-7GHz_Horizontal_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6479.500	-1.19	49.36	48.17	68.20	-20.03 Peak


1-7GHz_Vertical_802.11ax HEW80



Condition : Vertical
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6526.000	-1.22	49.76	48.54	68.20	-19.66	Peak


7-18GHz_Horizontal_Peak_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.87	57.31	74.00	-16.69 Peak
2 17929.880	12.91	49.17	62.08	74.00	-11.92 Peak


7-18GHz_Horizontal_Average_802.11ax HEW80



Condition : Horizontal
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	43.73	47.17	54.00	-6.83	Average
2 17973.880	13.13	34.14	47.27	54.00	-6.73	Average


7-18GHz_Vertical_Peak_802.11ax HEW80



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	55.04	58.48	74.00	-15.52	Peak
2	17990.380	13.21	48.89	62.10	74.00	-11.90	Peak

7-18GHz_Vertical_Average_802.11ax HEW80




Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	
1	11550.000	3.44	44.41	47.85	54.00	-6.15 Average
2	17980.750	13.17	34.02	47.19	54.00	-6.81 Average

18-40GHz (Only Listed with the worst harmonic margin test plot)


18-40GHz_Horizontal_802.11ax HEW40



Condition : Horizontal
 Project No. : 2501A25853E-RFA1
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39670.000	23.82	37.89	61.71	83.50	-21.79	Peak

18-40GHz_Vertical_802.11ax HEW40



Condition : Vertical
Project No. : 2501A25853E-RFA1
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 39606.750	23.81	37.76	61.57	83.50	-21.93	Peak

26dB attenuated below the channel power**Test Information:**


Sample No.:	3FAN-2	Test Date:	2026/07/16
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.6	Relative Humidity: (%)	49	ATM Pressure: (kPa)	101
----------------------	------	------------------------------	----	------------------------	-----


Test Data:
5150-5250MHz

802.11a_5180MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:17:42

802.11a_5200MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:20:42

802.11a_5240MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:22:08

802.11a_5180MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:20:01

802.11a_5200MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:21:13

802.11a_5240MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:22:42

802.11n20_5180MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16,JUL,2026 19:24:37

802.11n20_5200MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16,JUL,2026 19:27:18

802.11n20_5240MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16,JUL,2026 19:29:34

802.11n20_5180MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16,JUL,2026 19:26:07

802.11n20_5200MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16,JUL,2026 19:28:28

802.11n20_5240MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16,JUL,2026 19:30:20

802.11n40_5190MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:31:37

802.11n40_5230MHz_ANT 0




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:34:09

802.11n40_5190MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:32:16

802.11n40_5230MHz_ANT 1




ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 19:33:20

802.11ac20_5180MHz_ANT 0



ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 20:20:01

802.11ac20_5200MHz_ANT 0



ProjectNo.:2501A25853E-RFA1 Tester:Cheeb Huang
Date: 16.JUL.2026 20:22:38