



SGS-CSTC Standards Technical Services Ltd.

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan
District, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053
Fax: +86 (0) 755 2671 0594
Email: ee.shenzhen@sgs.com

Report No.: SZEM141000589401
Page: 1 of 327

Attachment A for Test Report

SZEM141000589401

Authorized Signature:



Jack Zhang
EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



5 Contents

1	COVER PAGE	1
2	CONTENTS	2
3	TEST DATA.....	3
3.1	CONDUCTED EMISSIONS.....	3
3.2	DUTY CYCLE	92
3.3	26dB EMISSION BANDWIDTH AND 99% OCCUPIED BANDWIDTH	95
3.3.1	<i>26dB Emission Bandwidth</i>	95
3.3.2	<i>99% Occupied Bandwidth</i>	109
3.4	6dB EMISSION BANDWIDTH.....	123
3.5	POWER SPECTRAL DENSITY.....	130
3.6	RADIATED SPURIOUS EMISSIONS	144
3.6.1	<i>Radiated emission below 1GHz</i>	144
3.7	RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	240-327



6 Test Data

6.1 Conducted Emissions


Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

**F12W3-120100SPAU:**

Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5180 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15321	0.02	9.70	35.50	45.22	65.82	-20.60	QP
2	0.15321	0.02	9.70	31.50	41.22	55.82	-14.60	Average
3	0.41485	0.01	9.80	38.42	48.23	57.55	-9.32	QP
4	0.41485	0.01	9.80	30.05	39.86	47.55	-7.69	Average
5	0.47110	0.01	9.80	40.52	50.33	56.49	-6.17	QP
6 @	0.47110	0.01	9.80	33.90	43.71	46.49	-2.78	Average
7	0.77931	0.02	9.80	31.84	41.66	56.00	-14.34	QP
8	0.77931	0.02	9.80	24.96	34.78	46.00	-11.22	Average
9	2.121	0.02	9.81	31.07	40.89	56.00	-15.11	QP
10	2.121	0.02	9.81	24.38	34.21	46.00	-11.79	Average
11	4.926	0.01	9.90	22.43	32.34	46.00	-13.66	Average
12	4.926	0.01	9.90	30.96	40.86	56.00	-15.14	QP



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C QP CE NEUTRAL
 Job.No : 5894CR
 Mode : 5180 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15567	0.02	9.70	29.91	39.63	55.69	-16.06	Average
2	0.15567	0.02	9.70	37.45	47.17	65.69	-18.52	QP
3	0.27297	0.01	9.70	38.41	48.12	61.03	-12.91	QP
4	0.27297	0.01	9.70	30.84	40.55	51.03	-10.47	Average
5	0.38113	0.01	9.78	29.44	39.24	48.25	-9.02	Average
6	0.38113	0.01	9.78	37.50	47.29	58.25	-10.97	QP
7 @	0.46600	0.01	9.80	34.10	43.91	46.58	-2.67	Average
8	0.46614	0.01	9.80	41.60	51.41	56.58	-5.17	QP
9	0.78761	0.02	9.80	30.02	39.84	56.00	-16.16	QP
10	0.78761	0.02	9.80	26.49	36.31	46.00	-9.69	Average
11	4.092	0.01	9.88	21.33	31.22	46.00	-14.78	Average
12	4.092	0.01	9.88	29.71	39.60	56.00	-16.40	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5190TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48890	0.01	9.80	39.26	49.07	56.19	-7.12	QP
2	0.48890	0.01	9.80	33.41	43.22	46.19	-2.96	Average
3	0.93810	0.02	9.80	27.90	37.72	46.00	-8.28	Average
4	0.93810	0.02	9.80	32.38	42.20	56.00	-13.80	QP
5	1.338	0.02	9.80	31.82	41.64	56.00	-14.36	QP
6	1.338	0.02	9.80	27.19	37.01	46.00	-8.99	Average
7	2.012	0.02	9.80	28.84	38.66	46.00	-7.34	Average
8	2.012	0.02	9.80	31.83	41.65	56.00	-14.35	QP
9	2.346	0.02	9.82	32.26	42.09	56.00	-13.91	QP
10	2.346	0.02	9.82	25.27	35.11	46.00	-10.89	Average
11	2.854	0.02	9.84	24.51	34.37	46.00	-11.63	Average
12	2.854	0.02	9.84	30.21	40.07	56.00	-15.93	QP



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C QP CE NEUTRAL
 Job.No : 5894CR
 Mode : 5190TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48375	0.01	9.80	40.60	50.41	56.27	-5.87	QP
2 @	0.48375	0.01	9.80	33.84	43.65	46.27	-2.63	Average
3	0.93810	0.02	9.80	24.13	33.95	46.00	-12.05	Average
4	0.93810	0.02	9.80	33.14	42.96	56.00	-13.04	QP
5	1.338	0.02	9.80	33.88	43.70	56.00	-12.30	QP
6	1.338	0.02	9.80	26.02	35.84	46.00	-10.16	Average
7	2.012	0.02	9.80	21.51	31.33	46.00	-14.67	Average
8	2.012	0.02	9.80	32.08	41.90	56.00	-14.10	QP
9	2.678	0.02	9.83	23.69	33.54	46.00	-12.46	Average
10	2.678	0.02	9.83	33.11	42.96	56.00	-13.04	QP
11	3.454	0.02	9.86	29.69	39.57	56.00	-16.43	QP
12	3.454	0.02	9.86	22.64	32.52	46.00	-13.48	Average



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5210TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.47612	0.01	9.80	41.33	51.14	56.41	-5.27	QP
2 @	0.47612	0.01	9.80	34.05	43.86	46.41	-2.54	Average
3	1.005	0.02	9.80	34.82	44.64	56.00	-11.36	QP
4	1.005	0.02	9.80	29.74	39.56	46.00	-6.44	Average
5	1.338	0.02	9.80	35.80	45.62	56.00	-10.38	QP
6	1.338	0.02	9.80	27.62	37.44	46.00	-8.56	Average
7	2.012	0.02	9.80	28.21	38.04	46.00	-7.96	Average
8	2.012	0.02	9.80	35.95	45.77	56.00	-10.23	QP
9	2.678	0.02	9.83	28.68	38.53	46.00	-7.47	Average
10	2.678	0.02	9.83	32.37	42.22	56.00	-13.78	QP
11	3.025	0.02	9.85	30.69	40.55	56.00	-15.45	QP
12	3.025	0.02	9.85	25.65	35.51	46.00	-10.49	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5210TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48632	0.01	9.80	40.77	50.58	56.23	-5.65	QP
2 @	0.48632	0.01	9.80	33.95	43.76	46.23	-2.47	Average
3	0.93810	0.02	9.80	29.35	39.17	46.00	-6.83	Average
4	0.93810	0.02	9.80	34.72	44.54	56.00	-11.46	QP
5	1.345	0.02	9.80	24.42	34.24	46.00	-11.76	Average
6	1.345	0.02	9.80	34.23	44.05	56.00	-11.95	QP
7	2.012	0.02	9.80	30.46	40.28	46.00	-5.72	Average
8	2.012	0.02	9.80	35.89	45.71	56.00	-10.29	QP
9	2.513	0.02	9.82	32.46	42.30	56.00	-13.70	QP
10	2.513	0.02	9.82	26.67	36.51	46.00	-9.49	Average
11	3.190	0.02	9.85	31.61	41.48	56.00	-14.52	QP
12	3.190	0.02	9.85	25.06	34.94	46.00	-11.06	Average



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C QP CE LINE
 Job.No : 5894CR
 Mode : 5220TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.39553	0.01	9.79	33.25	43.05	57.95	-14.89	QP
2	0.39553	0.01	9.79	29.86	39.66	47.95	-8.29	Average
3	0.47865	0.01	9.80	32.12	41.93	46.36	-4.43	Average
4	0.47865	0.01	9.80	41.94	51.75	56.36	-4.61	QP
5	0.92821	0.02	9.80	33.67	43.49	56.00	-12.51	QP
6	0.92821	0.02	9.80	27.03	36.85	46.00	-9.15	Average
7	1.338	0.02	9.80	34.75	44.57	56.00	-11.43	QP
8	1.338	0.02	9.80	28.73	38.55	46.00	-7.45	Average
9	2.012	0.02	9.80	24.10	33.92	46.00	-12.08	Average
10	2.012	0.02	9.80	35.60	45.42	56.00	-10.58	QP
11	3.173	0.02	9.85	22.34	32.21	46.00	-13.79	Average
12	3.173	0.02	9.85	30.28	40.15	56.00	-15.85	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5220TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.21735	0.02	9.70	31.28	41.00	52.92	-11.92	Average
2	0.21735	0.02	9.70	38.46	48.18	62.92	-14.74	QP
3	0.48375	0.01	9.80	39.69	49.50	56.27	-6.77	QP
4 @	0.48375	0.01	9.80	34.28	44.09	46.27	-2.19	Average
5	0.99968	0.02	9.80	31.25	41.07	56.00	-14.93	QP
6	0.99968	0.02	9.80	28.64	38.46	46.00	-7.54	Average
7	2.012	0.02	9.80	26.19	36.01	46.00	-9.99	Average
8	2.012	0.02	9.80	33.11	42.93	56.00	-13.07	QP
9	3.346	0.02	9.86	28.38	38.25	56.00	-17.75	QP
10	3.346	0.02	9.86	22.48	32.36	46.00	-13.64	Average
11	3.901	0.02	9.87	28.18	38.07	56.00	-17.93	QP
12	3.901	0.02	9.87	22.06	31.95	46.00	-14.05	Average





Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5230TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.19758	0.02	9.70	40.90	50.62	63.71	-13.09	QP
2	0.19758	0.02	9.70	33.14	42.86	53.71	-10.85	Average
3	0.48119	0.01	9.80	41.51	51.32	56.32	-5.00	QP
4 @	0.48119	0.01	9.80	33.85	43.66	46.32	-2.66	Average
5	1.005	0.02	9.80	35.45	45.27	56.00	-10.73	QP
6	1.005	0.02	9.80	26.19	36.01	46.00	-9.99	Average
7	1.503	0.02	9.80	34.10	43.92	56.00	-12.08	QP
8	1.503	0.02	9.80	28.97	38.79	46.00	-7.21	Average
9	2.012	0.02	9.80	29.49	39.31	46.00	-6.69	Average
10	2.012	0.02	9.80	34.52	44.34	56.00	-11.66	QP
11	2.678	0.02	9.83	32.27	42.12	56.00	-13.88	QP
12	2.678	0.02	9.83	24.51	34.37	46.00	-11.63	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5230TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48119	0.01	9.80	40.65	50.46	56.32	-5.86	QP
2 @	0.48119	0.01	9.80	34.30	44.11	46.32	-2.21	Average
3	0.99968	0.02	9.80	34.18	44.00	56.00	-12.01	QP
4	0.99968	0.02	9.80	27.57	37.39	46.00	-8.61	Average
5	1.338	0.02	9.80	34.09	43.91	56.00	-12.09	QP
6	1.338	0.02	9.80	26.93	36.75	46.00	-9.25	Average
7	2.012	0.02	9.80	27.49	37.31	46.00	-8.69	Average
8	2.012	0.02	9.80	33.65	43.47	56.00	-12.53	QP
9	2.678	0.02	9.83	25.75	35.60	46.00	-10.40	Average
10	2.678	0.02	9.83	32.14	41.99	56.00	-14.01	QP
11	3.840	0.02	9.87	21.82	31.70	46.00	-14.30	Average
12	3.840	0.02	9.87	30.62	40.51	56.00	-15.49	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5240TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48375	0.01	9.80	40.57	50.38	56.27	-5.89	QP
2	0.48375	0.01	9.80	33.41	43.22	46.27	-3.06	Average
3	1.010	0.02	9.80	34.28	44.10	56.00	-11.90	QP
4	1.010	0.02	9.80	28.77	38.59	46.00	-7.41	Average
5	1.172	0.02	9.80	27.53	37.35	46.00	-8.65	Average
6	1.172	0.02	9.80	34.87	44.69	56.00	-11.31	QP
7	2.012	0.02	9.80	29.33	39.15	46.00	-6.85	Average
8	2.012	0.02	9.80	35.98	45.80	56.00	-10.20	QP
9	2.678	0.02	9.83	29.01	38.86	46.00	-7.14	Average
10	2.678	0.02	9.83	33.88	43.73	56.00	-12.27	QP
11	3.173	0.02	9.85	27.25	37.12	46.00	-8.88	Average
12	3.173	0.02	9.85	31.43	41.30	56.00	-14.70	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5240TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48375	0.01	9.80	41.33	51.14	56.27	-5.14	QP
2	0.48375	0.01	9.80	33.51	43.32	46.27	-2.95	Average
3	1.005	0.02	9.80	34.63	44.45	56.00	-11.55	QP
4	1.005	0.02	9.80	27.84	37.66	46.00	-8.34	Average
5	1.338	0.02	9.80	34.66	44.48	56.00	-11.52	QP
6	1.338	0.02	9.80	24.69	34.51	46.00	-11.49	Average
7	2.012	0.02	9.80	24.63	34.46	46.00	-11.54	Average
8	2.012	0.02	9.80	33.63	43.45	56.00	-12.55	QP
9	2.594	0.02	9.83	21.93	31.78	46.00	-14.22	Average
10	2.594	0.02	9.83	30.10	39.95	56.00	-16.05	QP
11	3.310	0.02	9.85	23.87	33.74	46.00	-12.26	Average
12	3.310	0.02	9.85	30.92	40.79	56.00	-15.21	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5745TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48119	0.01	9.80	39.47	49.28	56.32	-7.04	QP
2 @	0.48119	0.01	9.80	33.88	43.69	46.32	-2.62	Average
3	1.005	0.02	9.80	34.11	43.93	56.00	-12.07	QP
4	1.005	0.02	9.80	25.22	35.04	46.00	-10.96	Average
5	1.503	0.02	9.80	34.38	44.20	56.00	-11.80	QP
6	1.503	0.02	9.80	28.68	38.50	46.00	-7.50	Average
7	2.012	0.02	9.80	29.34	39.16	46.00	-6.84	Average
8	2.012	0.02	9.80	34.67	44.49	56.00	-11.51	QP
9	2.678	0.02	9.83	27.82	37.68	46.00	-8.32	Average
10	2.678	0.02	9.83	32.33	42.18	56.00	-13.82	QP
11	3.190	0.02	9.85	30.63	40.50	56.00	-15.50	QP
12	3.190	0.02	9.85	25.34	35.21	46.00	-10.79	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5745TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz			dBuV	dBuV	dBuV	dB	
1	0.48119	0.01	9.80	39.73	49.54	56.32	-6.78	QP
2 @	0.48119	0.01	9.80	34.09	43.90	46.32	-2.42	Average
3	1.010	0.02	9.80	34.63	44.45	56.00	-11.55	QP
4	1.010	0.02	9.80	26.48	36.30	46.00	-9.70	Average
5	1.345	0.02	9.80	27.45	37.27	46.00	-8.73	Average
6	1.345	0.02	9.80	34.81	44.63	56.00	-11.37	QP
7	1.503	0.02	9.80	33.48	43.30	56.00	-12.70	QP
8	1.503	0.02	9.80	26.92	36.74	46.00	-9.26	Average
9	2.012	0.02	9.80	27.11	36.93	46.00	-9.07	Average
10	2.012	0.02	9.80	35.37	45.19	56.00	-10.81	QP
11	2.650	0.02	9.83	30.06	39.91	56.00	-16.09	QP
12	2.650	0.02	9.83	22.58	32.43	46.00	-13.57	Average



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5755TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48890	0.01	9.80	40.98	50.79	56.19	-5.40	QP
2 @	0.48890	0.01	9.80	33.99	43.80	46.19	-2.38	Average
3	1.005	0.02	9.80	35.91	45.73	56.00	-10.27	QP
4	1.005	0.02	9.80	28.83	38.65	46.00	-7.35	Average
5	1.338	0.02	9.80	35.18	45.00	56.00	-11.00	QP
6	1.338	0.02	9.80	28.18	38.00	46.00	-8.00	Average
7	2.012	0.02	9.80	29.71	39.53	46.00	-6.47	Average
8	2.012	0.02	9.80	35.76	45.58	56.00	-10.42	QP
9	2.678	0.02	9.83	26.85	36.70	46.00	-9.30	Average
10	2.678	0.02	9.83	31.16	41.01	56.00	-14.99	QP
11	3.190	0.02	9.85	32.49	42.36	56.00	-13.64	QP
12	3.190	0.02	9.85	25.09	34.97	46.00	-11.03	Average



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C QP CE NEUTRAL
 Job.No : 5894CR
 Mode : 5755TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.47865	0.01	9.80	33.60	43.41	46.36	-2.95	Average
2	0.47865	0.01	9.80	39.57	49.38	56.36	-6.98	QP
3	1.010	0.02	9.80	35.67	45.49	56.00	-10.51	QP
4	1.010	0.02	9.80	28.05	37.87	46.00	-8.13	Average
5	1.503	0.02	9.80	25.77	35.59	46.00	-10.41	Average
6	1.503	0.02	9.80	32.35	42.17	56.00	-13.83	QP
7	2.012	0.02	9.80	27.52	37.34	46.00	-8.66	Average
8	2.012	0.02	9.80	34.29	44.11	56.00	-11.89	QP
9	2.678	0.02	9.83	28.09	37.94	46.00	-8.06	Average
10	2.678	0.02	9.83	32.30	42.15	56.00	-13.85	QP
11	3.310	0.02	9.85	25.13	35.01	46.00	-10.99	Average
12	3.310	0.02	9.85	30.46	40.33	56.00	-15.67	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5775TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.49150	0.01	9.80	34.06	43.87	46.14	-2.27	Average
2	0.49150	0.01	9.80	39.87	49.68	56.14	-6.46	QP
3	0.83932	0.02	9.80	33.13	42.95	56.00	-13.05	QP
4	0.83932	0.02	9.80	29.45	39.27	46.00	-6.73	Average
5	1.223	0.02	9.80	29.03	38.85	46.00	-7.15	Average
6	1.223	0.02	9.80	34.67	44.49	56.00	-11.51	QP
7	2.012	0.02	9.80	27.38	37.20	46.00	-8.80	Average
8	2.012	0.02	9.80	34.67	44.49	56.00	-11.51	QP
9	2.371	0.02	9.82	33.27	43.11	56.00	-12.89	QP
10	2.371	0.02	9.82	28.80	38.63	46.00	-7.37	Average
11	3.700	0.02	9.87	31.53	41.41	56.00	-14.59	QP
12	3.700	0.02	9.87	25.71	35.59	46.00	-10.41	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5775TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.49150	0.01	9.80	34.21	44.02	46.14	-2.12	Average
2	0.49150	0.01	9.80	41.04	50.85	56.14	-5.29	QP
3	1.005	0.02	9.80	33.85	43.67	56.00	-12.33	QP
4	1.005	0.02	9.80	26.17	35.99	46.00	-10.01	Average
5	2.012	0.02	9.80	28.13	37.95	46.00	-8.05	Average
6	2.012	0.02	9.80	35.03	44.85	56.00	-11.15	QP
7	2.554	0.02	9.83	25.26	35.11	46.00	-10.89	Average
8	2.554	0.02	9.83	31.44	41.29	56.00	-14.71	QP
9	3.840	0.02	9.87	24.45	34.33	46.00	-11.67	Average
10	3.840	0.02	9.87	30.60	40.49	56.00	-15.51	QP
11	5.362	0.01	9.92	24.11	34.04	50.00	-15.96	Average
12	5.362	0.01	9.92	28.43	38.36	60.00	-21.64	QP





Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5785TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48890	0.01	9.80	39.42	49.23	56.19	-6.96	QP
2 @	0.48890	0.01	9.80	33.62	43.43	46.19	-2.75	Average
3	0.92821	0.02	9.80	32.46	42.28	56.00	-13.72	QP
4	0.92821	0.02	9.80	27.95	37.77	46.00	-8.23	Average
5	1.338	0.02	9.80	34.02	43.84	56.00	-12.16	QP
6	1.338	0.02	9.80	28.48	38.30	46.00	-7.70	Average
7	2.001	0.02	9.80	33.28	43.10	56.00	-12.90	QP
8	2.001	0.02	9.80	27.30	37.12	46.00	-8.88	Average
9	2.409	0.02	9.82	24.03	33.87	46.00	-12.13	Average
10	2.409	0.02	9.82	33.01	42.85	56.00	-13.15	QP
11	3.173	0.02	9.85	24.48	34.35	46.00	-11.65	Average
12	3.173	0.02	9.85	30.76	40.63	56.00	-15.37	QP



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C QP CE NEUTRAL
 Job.No : 5894CR
 Mode : 5785TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48632	0.01	9.80	39.45	49.26	56.23	-6.97	QP
2	0.48632	0.01	9.80	33.43	43.24	46.23	-2.99	Average
3	1.005	0.02	9.80	33.06	42.88	56.00	-13.12	QP
4	1.005	0.02	9.80	28.67	38.49	46.00	-7.51	Average
5	1.511	0.02	9.80	32.45	42.27	56.00	-13.73	QP
6	1.511	0.02	9.80	25.53	35.35	46.00	-10.65	Average
7	2.012	0.02	9.80	29.09	38.91	46.00	-7.09	Average
8	2.012	0.02	9.80	35.33	45.15	56.00	-10.85	QP
9	2.678	0.02	9.83	25.71	35.56	46.00	-10.44	Average
10	2.678	0.02	9.83	32.79	42.64	56.00	-13.36	QP
11	3.190	0.02	9.85	30.83	40.70	56.00	-15.30	QP
12	3.190	0.02	9.85	23.19	33.06	46.00	-12.94	Average



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C QP CE LINE
 Job.No : 5894CR
 Mode : 5795TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48632	0.01	9.80	41.01	50.82	56.23	-5.41	QP
2 @	0.48632	0.01	9.80	33.98	43.79	46.23	-2.44	Average
3	0.99968	0.02	9.80	35.70	45.52	56.00	-10.48	QP
4	0.99968	0.02	9.80	29.38	39.20	46.00	-6.80	Average
5	1.338	0.02	9.80	33.86	43.68	56.00	-12.32	QP
6	1.338	0.02	9.80	28.57	38.39	46.00	-7.61	Average
7	2.012	0.02	9.80	26.15	35.97	46.00	-10.03	Average
8	2.012	0.02	9.80	33.99	43.81	56.00	-12.19	QP
9	2.678	0.02	9.83	26.80	36.66	46.00	-9.34	Average
10	2.678	0.02	9.83	32.28	42.13	56.00	-13.87	QP
11	3.840	0.02	9.87	23.79	33.68	46.00	-12.32	Average
12	3.840	0.02	9.87	29.36	39.25	56.00	-16.75	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5795TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.48632	0.01	9.80	41.02	50.83	56.23	-5.41	QP
2 @	0.48632	0.01	9.80	33.77	43.58	46.23	-2.65	Average
3	0.75493	0.02	9.80	34.50	44.32	56.00	-11.68	QP
4	0.75493	0.02	9.80	26.84	36.66	46.00	-9.34	Average
5	1.172	0.02	9.80	29.08	38.90	46.00	-7.10	Average
6	1.172	0.02	9.80	34.91	44.73	56.00	-11.27	QP
7	1.338	0.02	9.80	33.89	43.71	56.00	-12.29	QP
8	1.338	0.02	9.80	26.96	36.78	46.00	-9.22	Average
9	2.012	0.02	9.80	28.29	38.11	46.00	-7.89	Average
10	2.012	0.02	9.80	34.59	44.41	56.00	-11.59	QP
11	2.678	0.02	9.83	24.26	34.11	46.00	-11.89	Average
12	2.678	0.02	9.83	32.35	42.20	56.00	-13.80	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5825 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15321	0.02	9.70	38.48	48.20	65.82	-17.62	QP
2	0.15321	0.02	9.70	30.84	40.56	55.82	-15.26	Average
3	0.22201	0.02	9.70	39.56	49.28	62.74	-13.47	QP
4	0.22201	0.02	9.70	32.78	42.49	52.74	-10.25	Average
5 @	0.46367	0.01	9.80	34.50	44.31	46.63	-2.31	Average
6	0.46367	0.01	9.80	40.39	50.20	56.63	-6.43	QP
7	0.94308	0.02	9.80	30.63	40.45	56.00	-15.55	QP
8	0.94308	0.02	9.80	23.44	33.26	46.00	-12.74	Average
9	1.654	0.02	9.80	28.69	38.51	56.00	-17.49	QP
10	1.654	0.02	9.80	24.74	34.56	46.00	-11.44	Average
11	4.598	0.01	9.89	28.88	38.79	56.00	-17.21	QP
12	4.598	0.01	9.89	22.99	32.89	46.00	-13.11	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5825 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16677	0.02	9.70	28.39	38.11	55.12	-17.01	Average
2	0.16677	0.02	9.70	37.96	47.68	65.12	-17.44	QP
3	0.28178	0.01	9.70	28.28	37.99	50.76	-12.77	Average
4	0.28178	0.01	9.70	35.28	44.99	60.76	-15.77	QP
5	0.46100	0.01	9.80	39.23	49.04	56.67	-7.63	QP
6 @	0.46100	0.01	9.80	34.61	44.42	46.67	-2.25	Average
7	1.160	0.02	9.80	29.08	38.90	56.00	-17.10	QP
8	1.160	0.02	9.80	21.50	31.32	46.00	-14.68	Average
9	2.448	0.02	9.82	30.44	40.29	56.00	-15.71	QP
10	2.448	0.02	9.82	22.51	32.36	46.00	-13.64	Average
11	2.765	0.02	9.84	33.00	42.85	56.00	-13.15	QP
12	2.765	0.02	9.84	23.36	33.22	46.00	-12.78	Average



S24B12-120A200-Y4:

Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5180 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16414	0.02	9.70	36.40	46.12	65.25	-19.13	QP
2	0.16414	0.02	9.70	26.83	36.55	55.25	-18.70	Average
3	0.21055	0.02	9.70	28.88	38.59	53.18	-14.59	Average
4	0.21055	0.02	9.70	34.95	44.67	63.18	-18.52	QP
5 @	0.45155	0.01	9.80	32.28	42.09	46.85	-4.76	Average
6	0.45155	0.01	9.80	38.59	48.40	56.85	-8.44	QP
7	0.51824	0.01	9.80	29.79	39.60	46.00	-6.40	Average
8	0.51824	0.01	9.80	34.76	44.57	56.00	-11.43	QP
9	5.333	0.01	9.90	20.58	30.49	50.00	-19.51	Average
10	5.333	0.01	9.90	27.39	37.30	60.00	-22.70	QP
11	13.197	0.01	10.04	25.92	35.97	60.00	-24.03	QP
12	13.197	0.01	10.04	18.37	28.41	50.00	-21.59	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5180 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.22319	0.02	9.70	27.47	37.19	52.70	-15.51	Average
2	0.22319	0.02	9.70	36.31	46.03	62.70	-16.67	QP
3	0.35765	0.01	9.76	28.04	37.81	48.78	-10.97	Average
4	0.35765	0.01	9.76	35.86	45.63	58.78	-13.15	QP
5	0.44916	0.01	9.80	29.24	39.05	46.89	-7.84	Average
6	0.44916	0.01	9.80	36.40	46.21	56.89	-10.68	QP
7	0.60112	0.02	9.80	25.39	35.21	46.00	-10.79	Average
8	0.60112	0.02	9.80	29.93	39.75	56.00	-16.25	QP
9	1.781	0.02	9.80	18.75	28.57	46.00	-17.43	Average
10	1.781	0.02	9.80	26.12	35.94	56.00	-20.06	QP
11	13.197	0.01	10.00	26.00	36.01	60.00	-23.99	QP
12	13.197	0.01	10.00	15.38	25.39	50.00	-24.61	Average



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5210TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15567	0.02	9.70	29.43	39.15	55.69	-16.54	Average
2	0.15567	0.02	9.70	36.29	46.01	65.69	-19.68	QP
3	0.18738	0.02	9.70	33.18	42.90	64.15	-21.25	QP
4	0.18738	0.02	9.70	27.18	36.90	54.15	-17.26	Average
5	0.22556	0.02	9.70	26.90	36.62	52.61	-15.99	Average
6	0.22556	0.02	9.70	31.01	40.73	62.61	-21.88	QP
7	0.46861	0.01	9.80	38.35	48.16	56.54	-8.38	QP
8	0.46861	0.01	9.80	30.95	40.76	46.54	-5.78	Average
9	1.106	0.02	9.80	22.28	32.10	56.00	-23.90	QP
10	1.106	0.02	9.80	17.63	27.45	46.00	-18.55	Average
11	20.704	0.02	10.10	24.78	34.90	60.00	-25.10	QP
12	20.704	0.02	10.10	21.19	31.31	50.00	-18.69	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5210TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17034	0.02	9.70	25.61	35.33	54.94	-19.62	Average
2	0.17034	0.02	9.70	34.30	44.02	64.94	-20.93	QP
3	0.19039	0.02	9.70	25.85	35.57	54.02	-18.45	Average
4	0.19039	0.02	9.70	35.58	45.30	64.02	-18.72	QP
5	0.21620	0.02	9.70	30.70	40.41	52.96	-12.55	Average
6	0.21620	0.02	9.70	36.88	46.59	62.96	-16.37	QP
7	0.46367	0.01	9.80	35.44	45.25	56.63	-11.38	QP
8	0.46367	0.01	9.80	30.42	40.23	46.63	-6.40	Average
9	1.043	0.02	9.80	20.39	30.21	46.00	-15.79	Average
10	1.043	0.02	9.80	26.19	36.01	56.00	-19.99	QP
11	21.147	0.02	10.10	24.28	34.40	60.00	-25.60	QP
12	21.147	0.02	10.10	19.83	29.95	50.00	-20.05	Average





Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5230TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17866	0.02	9.70	33.42	43.14	64.55	-21.41	QP
2	0.17866	0.02	9.70	30.61	40.33	54.55	-14.22	Average
3	0.21851	0.02	9.70	25.19	34.90	52.88	-17.97	Average
4	0.21851	0.02	9.70	32.11	41.83	62.88	-21.05	QP
5	0.29398	0.01	9.70	25.79	35.50	50.41	-14.91	Average
6	0.29398	0.01	9.70	31.81	41.52	60.41	-18.89	QP
7	0.46367	0.01	9.80	38.37	48.18	56.63	-8.45	QP
8 @	0.46367	0.01	9.80	32.83	42.64	46.63	-3.98	Average
9	1.049	0.02	9.80	21.53	31.35	46.00	-14.65	Average
10	1.049	0.02	9.80	27.28	37.10	56.00	-18.90	QP
11	21.373	0.02	10.10	17.58	27.70	50.00	-22.30	Average
12	21.373	0.02	10.10	21.90	32.02	60.00	-27.98	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5230TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16944	0.02	9.70	27.62	37.34	54.99	-17.64	Average
2	0.16944	0.02	9.70	34.47	44.19	64.99	-20.80	QP
3	0.19344	0.02	9.70	28.58	38.30	53.89	-15.59	Average
4	0.19344	0.02	9.70	33.83	43.55	63.89	-20.34	QP
5	0.47110	0.01	9.80	39.06	48.87	56.49	-7.62	QP
6	0.47110	0.01	9.80	29.13	38.94	46.49	-7.55	Average
7	0.70096	0.02	9.80	23.67	33.49	56.00	-22.51	QP
8	0.70096	0.02	9.80	20.20	30.02	46.00	-15.98	Average
9	1.065	0.02	9.80	19.38	29.20	46.00	-16.80	Average
10	1.065	0.02	9.80	24.00	33.82	56.00	-22.18	QP
11	20.924	0.02	10.10	18.44	28.56	50.00	-21.44	Average
12	20.924	0.02	10.10	24.70	34.83	60.00	-25.17	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5745TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16765	0.02	9.70	36.26	45.98	65.08	-19.09	QP
2	0.16765	0.02	9.70	29.46	39.18	55.08	-15.90	Average
3	0.17961	0.02	9.70	35.14	44.86	64.50	-19.64	QP
4	0.17961	0.02	9.70	32.37	42.09	54.50	-12.42	Average
5	0.23784	0.02	9.70	32.72	42.44	62.17	-19.73	QP
6	0.23784	0.02	9.70	28.31	38.03	52.17	-14.14	Average
7	0.46861	0.01	9.80	37.57	47.38	56.54	-9.15	QP
8	0.46861	0.01	9.80	30.38	40.19	46.54	-6.35	Average
9	1.049	0.02	9.80	20.28	30.10	46.00	-15.90	Average
10	1.049	0.02	9.80	22.68	32.50	56.00	-23.50	QP
11	20.377	0.02	10.10	22.24	32.36	50.00	-17.64	Average
12	20.377	0.02	10.10	24.85	34.97	60.00	-25.03	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5745TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17034	0.02	9.70	27.80	37.52	54.94	-17.43	Average
2	0.17034	0.02	9.70	34.03	43.75	64.94	-21.20	QP
3	0.18639	0.02	9.70	32.34	42.06	64.20	-22.14	QP
4	0.18639	0.02	9.70	28.98	38.70	54.20	-15.50	Average
5	0.46614	0.01	9.80	36.93	46.74	56.58	-9.84	QP
6	0.46614	0.01	9.80	31.44	41.25	46.58	-5.34	Average
7	1.054	0.02	9.80	23.49	33.31	56.00	-22.69	QP
8	1.054	0.02	9.80	20.72	30.54	46.00	-15.46	Average
9	4.338	0.01	9.88	12.53	22.43	46.00	-23.57	Average
10	4.338	0.01	9.88	15.60	25.49	56.00	-30.51	QP
11	20.924	0.02	10.10	16.37	26.49	50.00	-23.51	Average
12	20.924	0.02	10.10	21.97	32.09	60.00	-27.91	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5755TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16155	0.02	9.70	29.23	38.95	55.38	-16.43	Average
2	0.16155	0.02	9.70	35.04	44.76	65.38	-20.62	QP
3	0.18938	0.02	9.70	29.12	38.84	64.06	-25.22	QP
4	0.18938	0.02	9.70	22.48	32.20	54.06	-21.87	Average
5	0.22918	0.02	9.70	23.01	32.73	52.48	-19.75	Average
6	0.22918	0.02	9.70	29.88	39.60	62.48	-22.88	QP
7	0.46367	0.01	9.80	37.59	47.40	56.63	-9.22	QP
8	0.46367	0.01	9.80	29.33	39.14	46.63	-7.48	Average
9	1.037	0.02	9.80	21.68	31.50	46.00	-14.50	Average
10	1.037	0.02	9.80	23.89	33.71	56.00	-22.29	QP
11	21.035	0.02	10.10	16.77	26.89	50.00	-23.11	Average
12	21.035	0.02	10.10	21.45	31.57	60.00	-28.43	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5755TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15985	0.02	9.70	36.57	46.29	65.47	-19.18	QP
2	0.15985	0.02	9.70	31.46	41.18	55.47	-14.29	Average
3	0.18838	0.02	9.70	29.30	39.02	54.11	-15.09	Average
4	0.18838	0.02	9.70	33.36	43.08	64.11	-21.02	QP
5	0.21392	0.02	9.70	34.05	43.77	63.05	-19.29	QP
6	0.21392	0.02	9.70	28.85	38.57	53.05	-14.48	Average
7	0.46367	0.01	9.80	37.64	47.45	56.63	-9.18	QP
8	0.46367	0.01	9.80	25.72	35.53	46.63	-11.10	Average
9	1.129	0.02	9.80	16.53	26.35	46.00	-19.65	Average
10	1.129	0.02	9.80	21.97	31.79	56.00	-24.21	QP
11	20.704	0.02	10.10	23.80	33.92	60.00	-26.08	QP
12	20.704	0.02	10.10	20.04	30.16	50.00	-19.84	Average



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5775TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15160	0.02	9.70	31.48	41.20	55.91	-14.71	Average
2	0.15160	0.02	9.70	37.58	47.30	65.91	-18.61	QP
3	0.16677	0.02	9.70	35.32	45.04	65.12	-20.08	QP
4	0.16677	0.02	9.70	29.94	39.66	55.12	-15.46	Average
5	0.20075	0.02	9.70	26.12	35.84	63.58	-27.74	QP
6	0.20075	0.02	9.70	24.86	34.58	53.58	-19.00	Average
7	0.22797	0.02	9.70	32.89	42.61	62.52	-19.91	QP
8	0.22797	0.02	9.70	26.35	36.07	52.52	-16.45	Average
9	0.45878	0.01	9.80	36.71	46.52	56.71	-10.19	QP
10	0.45878	0.01	9.80	30.96	40.77	46.71	-5.95	Average
11	15.552	0.02	10.10	17.49	27.60	50.00	-22.40	Average
12	15.552	0.02	10.10	20.99	31.11	60.00	-28.89	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5775TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16765	0.02	9.70	34.10	43.82	65.08	-21.25	QP
2	0.16765	0.02	9.70	26.19	35.91	55.08	-19.16	Average
3	0.19447	0.02	9.70	24.58	34.30	53.84	-19.54	Average
4	0.19447	0.02	9.70	36.82	46.54	63.84	-17.31	QP
5	0.26583	0.01	9.70	28.24	37.96	61.25	-23.29	QP
6	0.26583	0.01	9.70	20.46	30.17	51.25	-21.08	Average
7	0.46367	0.01	9.80	33.43	43.24	56.63	-13.39	QP
8	0.46367	0.01	9.80	26.88	36.69	46.63	-9.94	Average
9	1.049	0.02	9.80	18.52	28.34	46.00	-17.66	Average
10	1.049	0.02	9.80	24.69	34.51	56.00	-21.49	QP
11	20.814	0.02	10.10	18.74	28.86	50.00	-21.14	Average
12	20.814	0.02	10.10	23.92	34.04	60.00	-25.96	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5785TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16677	0.02	9.70	34.88	44.60	65.12	-20.52	QP
2	0.16677	0.02	9.70	29.95	39.67	55.12	-15.45	Average
3	0.19863	0.02	9.70	32.73	42.45	63.67	-21.22	QP
4	0.19863	0.02	9.70	26.12	35.84	53.67	-17.83	Average
5	0.24814	0.02	9.70	23.43	33.15	51.82	-18.67	Average
6	0.24814	0.02	9.70	29.80	39.52	61.82	-22.30	QP
7	0.46614	0.01	9.80	37.04	46.85	56.58	-9.73	QP
8	0.46614	0.01	9.80	30.40	40.21	46.58	-6.37	Average
9	1.082	0.02	9.80	21.26	31.08	46.00	-14.92	Average
10	1.082	0.02	9.80	25.51	35.33	56.00	-20.67	QP
11	20.162	0.02	10.10	19.09	29.21	50.00	-20.79	Average
12	20.162	0.02	10.10	22.72	32.84	60.00	-27.16	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5785TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15649	0.02	9.70	34.49	44.21	65.65	-21.44	QP
2	0.15649	0.02	9.70	28.54	38.26	55.65	-17.39	Average
3	0.18938	0.02	9.70	31.21	40.93	64.06	-23.14	QP
4	0.18938	0.02	9.70	26.55	36.27	54.06	-17.80	Average
5	0.22201	0.02	9.70	27.92	37.63	52.74	-15.11	Average
6	0.22201	0.02	9.70	31.07	40.79	62.74	-21.96	QP
7	0.46614	0.01	9.80	38.23	48.04	56.58	-8.54	QP
8	0.46614	0.01	9.80	31.42	41.23	46.58	-5.35	Average
9	1.065	0.02	9.80	16.42	26.24	46.00	-19.76	Average
10	1.065	0.02	9.80	20.34	30.16	56.00	-25.84	QP
11	21.373	0.02	10.10	18.14	28.26	50.00	-21.74	Average
12	21.373	0.02	10.10	22.08	32.20	60.00	-27.80	QP





Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5795TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15485	0.02	9.70	35.76	45.48	65.74	-20.26	QP
2	0.15485	0.02	9.70	26.69	36.41	55.74	-19.33	Average
3	0.18938	0.02	9.70	32.76	42.48	64.06	-21.59	QP
4	0.18938	0.02	9.70	25.84	35.56	54.06	-18.50	Average
5	0.23784	0.02	9.70	29.01	38.72	62.17	-23.45	QP
6	0.23784	0.02	9.70	20.92	30.64	52.17	-21.54	Average
7	0.46367	0.01	9.80	38.94	48.75	56.63	-7.88	QP
8	0.46367	0.01	9.80	32.14	41.95	46.63	-4.68	Average
9	1.071	0.02	9.80	15.86	25.68	46.00	-20.32	Average
10	1.071	0.02	9.80	22.11	31.93	56.00	-24.07	QP
11	21.600	0.02	10.10	17.56	27.68	50.00	-22.32	Average
12	21.600	0.02	10.10	22.83	32.95	60.00	-27.05	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5795TX

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15403	0.02	9.70	33.23	42.95	65.78	-22.83	QP
2	0.15403	0.02	9.70	30.11	39.83	55.78	-15.95	Average
3	0.16327	0.02	9.70	31.02	40.74	55.30	-14.56	Average
4	0.16327	0.02	9.70	36.84	46.56	65.30	-18.74	QP
5	0.19758	0.02	9.70	24.59	34.31	53.71	-19.40	Average
6	0.19758	0.02	9.70	31.21	40.93	63.71	-22.79	QP
7	0.24945	0.02	9.70	25.96	35.67	51.78	-16.11	Average
8	0.24945	0.02	9.70	30.67	40.38	61.78	-21.39	QP
9	0.45395	0.01	9.80	37.07	46.88	56.80	-9.92	QP
10	0.45395	0.01	9.80	29.83	39.64	46.80	-7.16	Average
11	19.950	0.02	10.10	22.58	32.70	60.00	-27.30	QP
12	19.950	0.02	10.10	16.88	26.99	50.00	-23.01	Average



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5825 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15240	0.02	9.70	31.89	41.61	55.87	-14.26	Average
2	0.15240	0.02	9.70	38.60	48.32	65.87	-17.55	QP
3 @	0.45636	0.01	9.80	32.80	42.61	46.76	-4.15	Average
4	0.45636	0.01	9.80	39.18	48.99	56.76	-7.77	QP
5	0.79600	0.02	9.80	25.66	35.48	46.00	-10.52	Average
6	0.79600	0.02	9.80	30.53	40.35	56.00	-15.65	QP
7	1.848	0.02	9.80	30.23	40.05	56.00	-15.95	QP
8	1.848	0.02	9.80	22.97	32.79	46.00	-13.21	Average
9	4.549	0.01	9.89	28.66	38.56	56.00	-17.44	QP
10	4.549	0.01	9.89	21.06	30.96	46.00	-15.04	Average
11	22.063	0.02	10.10	25.95	36.07	60.00	-23.93	QP
12	22.063	0.02	10.10	19.16	29.28	50.00	-20.72	Average



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5825 TX mode

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.21055	0.02	9.70	31.28	41.00	53.18	-12.18	Average
2	0.21055	0.02	9.70	36.97	46.69	63.18	-16.49	QP
3 @	0.46122	0.01	9.80	31.75	41.56	46.67	-5.11	Average
4	0.46122	0.01	9.80	37.63	47.44	56.67	-9.23	QP
5	0.54934	0.01	9.80	23.42	33.23	46.00	-12.77	Average
6	0.54934	0.01	9.80	28.95	38.77	56.00	-17.23	QP
7	2.474	0.02	9.82	20.76	30.60	46.00	-15.40	Average
8	2.474	0.02	9.82	25.01	34.85	56.00	-21.15	QP
9	6.089	0.01	9.96	18.98	28.94	50.00	-21.06	Average
10	6.089	0.01	9.96	25.31	35.28	60.00	-24.72	QP
11	13.197	0.01	10.00	25.00	35.01	60.00	-24.99	QP
12	13.197	0.01	10.00	15.38	25.39	50.00	-24.61	Average



WHF-1200300T3:

Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5180 TX mode
Adapter : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15816	0.02	9.70	11.99	21.71	55.56	-33.85	Average
2	0.15816	0.02	9.70	25.89	35.61	65.56	-29.95	QP
3	0.44679	0.01	9.80	22.43	32.24	56.93	-24.69	QP
4	0.44679	0.01	9.80	10.60	20.41	46.93	-26.52	Average
5	1.054	0.02	9.80	11.61	21.43	46.00	-24.57	Average
6	1.054	0.02	9.80	21.50	31.32	56.00	-24.69	QP
7	1.980	0.02	9.80	15.50	25.32	56.00	-30.68	QP
8	1.980	0.02	9.80	4.38	14.20	46.00	-31.80	Average
9	4.407	0.01	9.89	12.40	22.30	56.00	-33.70	QP
10	4.407	0.01	9.89	1.33	11.23	46.00	-34.77	Average
11	13.197	0.01	10.04	7.56	17.61	50.00	-32.39	Average
12	13.197	0.01	10.04	15.54	25.59	60.00	-34.41	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5180 TX mode
Adapter : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15321	0.02	9.70	28.17	37.89	65.82	-27.93	QP
2	0.15321	0.02	9.70	12.49	22.21	55.82	-33.61	Average
3 @	0.44443	0.01	9.80	24.97	34.78	56.98	-22.20	QP
4	0.44443	0.01	9.80	10.56	20.37	46.98	-26.61	Average
5	1.065	0.02	9.80	21.02	30.84	56.00	-25.16	QP
6	1.065	0.02	9.80	7.64	17.46	46.00	-28.54	Average
7	1.980	0.02	9.80	16.25	26.07	56.00	-29.93	QP
8	1.980	0.02	9.80	4.16	13.98	46.00	-32.02	Average
9	8.592	0.01	10.00	12.96	22.97	60.00	-37.04	QP
10	8.592	0.01	10.00	0.75	10.76	50.00	-39.24	Average
11	13.551	0.01	10.00	3.56	13.57	50.00	-36.43	Average
12	13.551	0.01	10.00	17.69	27.70	60.00	-32.30	QP



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5190TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15321	0.02	9.70	39.19	48.91	55.82	-6.91	Peak
2	0.20396	0.02	9.70	33.24	42.96	53.45	-10.49	Peak
3	0.25888	0.02	9.70	29.94	39.66	51.47	-11.81	Peak
4 @	0.52376	0.01	9.80	32.60	42.41	46.00	-3.59	Peak
5	1.487	0.02	9.80	21.35	31.17	46.00	-14.83	Peak
6	5.333	0.01	9.92	27.58	37.51	50.00	-12.49	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5190TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17678	0.02	9.70	36.76	46.48	54.64	-8.16	Peak
2	0.23285	0.02	9.70	31.89	41.61	52.35	-10.74	Peak
3	0.32685	0.01	9.73	26.80	36.54	49.53	-12.99	Peak
4 @	0.52376	0.01	9.80	32.64	42.45	46.00	-3.55	Peak
5	1.010	0.02	9.80	22.25	32.07	46.00	-13.93	Peak
6	4.900	0.01	9.90	26.19	36.10	46.00	-9.90	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5210TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15160	0.02	9.70	38.98	48.70	55.91	-7.21	Peak
2	0.19969	0.02	9.70	34.02	43.74	53.62	-9.88	Peak
3 @	0.51550	0.01	9.80	32.93	42.74	46.00	-3.26	Peak
4	1.503	0.02	9.80	22.31	32.13	46.00	-13.87	Peak
5	5.249	0.01	9.91	26.57	36.49	50.00	-13.51	Peak
6	10.072	0.01	10.00	33.66	43.67	50.00	-6.33	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5210TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.19863	0.02	9.70	33.85	43.57	53.67	-10.10	Peak
2 @	0.52099	0.01	9.80	32.51	42.33	46.00	-3.67	Peak
3	1.005	0.02	9.80	21.46	31.28	46.00	-14.72	Peak
4	4.180	0.01	9.88	24.28	34.18	46.00	-11.82	Peak
5	7.062	0.01	10.00	32.59	42.60	50.00	-7.40	Peak
6	9.451	0.01	10.00	34.91	44.92	50.00	-5.08	Peak





Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5220TX
 : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17678	0.02	9.70	36.20	45.92	54.64	-8.72	Peak
2	0.25480	0.02	9.70	29.86	39.58	51.60	-12.02	Peak
3 @	0.52099	0.01	9.80	32.61	42.42	46.00	-3.58	Peak
4	1.338	0.02	9.80	21.99	31.81	46.00	-14.19	Peak
5	4.202	0.01	9.88	24.44	34.33	46.00	-11.67	Peak
6	10.233	0.01	10.00	33.96	43.97	50.00	-6.03	Peak



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5220TX
 : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15160	0.02	9.70	39.48	49.20	55.91	-6.71	Peak
2	0.22676	0.02	9.70	30.82	40.53	52.57	-12.03	Peak
3 @	0.52376	0.01	9.80	32.58	42.39	46.00	-3.61	Peak
4	1.005	0.02	9.80	21.09	30.91	46.00	-15.09	Peak
5	5.305	0.01	9.92	27.59	37.51	50.00	-12.49	Peak
6	9.552	0.01	10.00	33.47	43.48	50.00	-6.52	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5230TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15403	0.02	9.70	39.11	48.83	55.78	-6.95	Peak
2	0.26442	0.01	9.70	29.31	39.02	51.29	-12.27	Peak
3 @	0.52099	0.01	9.80	32.55	42.37	46.00	-3.63	Peak
4	0.87103	0.02	9.80	21.11	30.93	46.00	-15.07	Peak
5	3.681	0.02	9.87	20.31	30.20	46.00	-15.80	Peak
6	6.488	0.01	9.98	30.56	40.55	50.00	-9.45	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5230TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.18152	0.02	9.70	34.92	44.64	54.42	-9.77	Peak
2	0.24293	0.02	9.70	29.96	39.68	52.00	-12.32	Peak
3 @	0.52099	0.01	9.80	33.05	42.86	46.00	-3.14	Peak
4	1.338	0.02	9.80	21.66	31.48	46.00	-14.52	Peak
5	5.898	0.01	9.95	28.22	38.18	50.00	-11.82	Peak
6	10.676	0.01	10.00	34.14	44.15	50.00	-5.85	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5240TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15567	0.02	9.70	38.89	48.61	55.69	-7.08	Peak
2	0.22201	0.02	9.70	31.32	41.03	52.74	-11.71	Peak
3 @	0.52099	0.01	9.80	32.81	42.62	46.00	-3.38	Peak
4	1.441	0.02	9.80	20.85	30.67	46.00	-15.33	Peak
5	4.269	0.01	9.88	25.98	35.87	46.00	-10.13	Peak
6	8.367	0.01	10.00	33.96	43.97	50.00	-6.03	Peak



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5240TX
 : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17961	0.02	9.70	36.50	46.22	54.50	-8.29	Peak
2 @	0.52654	0.01	9.80	32.65	42.46	46.00	-3.54	Peak
3	1.753	0.02	9.80	21.02	30.84	46.00	-15.16	Peak
4	6.733	0.01	9.99	31.49	41.49	50.00	-8.51	Peak
5	9.059	0.01	10.00	34.01	44.02	50.00	-5.98	Peak
6 @	13.695	0.01	10.00	36.17	46.18	50.00	-3.82	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5745TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17584	0.02	9.70	35.76	45.48	54.68	-9.20	Peak
2 @	0.52654	0.01	9.80	32.46	42.27	46.00	-3.73	Peak
3	1.049	0.02	9.80	22.41	32.23	46.00	-13.77	Peak
4	1.503	0.02	9.80	21.36	31.18	46.00	-14.82	Peak
5	3.700	0.02	9.87	21.17	31.05	46.00	-14.95	Peak
6	7.852	0.01	10.00	33.90	43.91	50.00	-6.09	Peak



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5755TX
 : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.18443	0.02	9.70	36.13	45.85	54.28	-8.44	Peak
2	0.27734	0.01	9.70	29.04	38.75	50.90	-12.15	Peak
3 @	0.52099	0.01	9.80	33.09	42.91	46.00	-3.09	Peak
4	1.441	0.02	9.80	20.68	30.50	46.00	-15.50	Peak
5	4.384	0.01	9.89	25.50	35.40	46.00	-10.60	Peak
6	8.323	0.01	10.00	33.96	43.97	50.00	-6.03	Peak



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5755TX
 : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.18249	0.02	9.70	35.80	45.52	54.37	-8.85	Peak
2	0.28178	0.01	9.70	27.06	36.77	50.76	-13.99	Peak
3 @	0.52934	0.01	9.80	32.40	42.22	46.00	-3.78	Peak
4	1.511	0.02	9.80	21.38	31.20	46.00	-14.80	Peak
5	4.247	0.01	9.88	25.17	35.06	46.00	-10.94	Peak
6	7.893	0.01	10.00	32.89	42.90	50.00	-7.10	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5785TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15900	0.02	9.70	37.79	47.51	55.52	-8.01	Peak
2	0.30348	0.01	9.71	28.28	37.99	50.15	-12.16	Peak
3 @	0.52099	0.01	9.80	32.56	42.37	46.00	-3.63	Peak
4	1.037	0.02	9.80	21.91	31.73	46.00	-14.27	Peak
5	4.292	0.01	9.88	25.50	35.40	46.00	-10.60	Peak
6	9.705	0.01	10.00	34.11	44.12	50.00	-5.88	Peak





Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5785TX
 : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15485	0.02	9.70	37.46	47.18	55.74	-8.55	Peak
2	0.22918	0.02	9.70	31.19	40.91	52.48	-11.57	Peak
3 @	0.52099	0.01	9.80	33.13	42.95	46.00	-3.05	Peak
4	1.016	0.02	9.80	21.14	30.96	46.00	-15.04	Peak
5	4.430	0.01	9.89	25.39	35.29	46.00	-10.71	Peak
6	7.977	0.01	10.00	32.43	42.44	50.00	-7.56	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5795TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.19550	0.02	9.70	34.02	43.74	53.80	-10.06	Peak
2	0.35576	0.01	9.76	25.17	34.93	48.83	-13.89	Peak
3 @	0.52654	0.01	9.80	32.75	42.57	46.00	-3.43	Peak
4	1.338	0.02	9.80	21.20	31.02	46.00	-14.98	Peak
5	3.840	0.02	9.87	20.63	30.52	46.00	-15.48	Peak
6	6.769	0.01	9.99	30.85	40.85	50.00	-9.15	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5795TX
: WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15985	0.02	9.70	37.90	47.62	55.47	-7.85	Peak
2	0.24682	0.02	9.70	30.79	40.50	51.86	-11.36	Peak
3 @	0.52934	0.01	9.80	33.07	42.88	46.00	-3.12	Peak
4	1.352	0.02	9.80	20.90	30.72	46.00	-15.28	Peak
5	4.202	0.01	9.88	23.28	33.18	46.00	-12.82	Peak
6	7.728	0.01	10.00	31.48	41.49	50.00	-8.51	Peak



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5745TX
 : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17491	0.02	9.70	36.21	45.93	54.72	-8.79	Peak
2 @	0.52376	0.01	9.80	32.70	42.51	46.00	-3.49	Peak
3	1.005	0.02	9.80	21.23	31.05	46.00	-14.95	Peak
4	1.418	0.02	9.80	21.06	30.88	46.00	-15.12	Peak
5	4.361	0.01	9.88	25.74	35.64	46.00	-10.36	Peak
6	7.893	0.01	10.00	32.64	42.65	50.00	-7.35	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE LINE
Job.No : 5894CR
Mode : 5825 TX mode
Adapter : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15485	0.02	9.70	30.72	40.44	65.74	-25.29	QP
2	0.15485	0.02	9.70	16.18	25.90	55.74	-29.84	Average
3	0.42598	0.01	9.80	22.58	32.39	57.33	-24.94	QP
4	0.42598	0.01	9.80	10.71	20.52	47.33	-26.81	Average
5	1.160	0.02	9.80	21.18	31.00	56.00	-25.00	QP
6	1.160	0.02	9.80	11.17	20.99	46.00	-25.01	Average
7	4.292	0.01	9.88	10.96	20.86	56.00	-35.14	QP
8	4.292	0.01	9.88	1.31	11.21	46.00	-34.79	Average
9	13.197	0.01	10.04	3.99	14.04	50.00	-35.96	Average
10	13.197	0.01	10.04	13.41	23.46	60.00	-36.54	QP
11	26.699	0.03	10.10	5.93	16.06	50.00	-33.94	Average
12	26.699	0.03	10.10	14.68	24.81	60.00	-35.19	QP



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C QP CE NEUTRAL
Job.No : 5894CR
Mode : 5825 TX mode
Adapter : WHF-1200300T3

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15900	0.02	9.70	28.35	38.07	65.52	-27.45	QP
2	0.15900	0.02	9.70	13.89	23.61	55.52	-31.90	Average
3	0.42373	0.01	9.80	22.55	32.36	57.37	-25.01	QP
4 @	0.42373	0.01	9.80	14.27	24.08	47.37	-23.30	Average
5	1.043	0.02	9.80	22.27	32.09	56.00	-23.91	QP
6	1.043	0.02	9.80	10.18	20.00	46.00	-26.00	Average
7	2.809	0.02	9.84	10.54	20.40	56.00	-35.60	QP
8	2.809	0.02	9.84	-0.56	9.29	46.00	-36.71	Average
9	13.551	0.01	10.00	5.17	15.19	50.00	-34.81	Average
10	13.551	0.01	10.00	15.35	25.37	60.00	-34.63	QP
11	22.655	0.02	10.10	4.84	14.97	50.00	-35.03	Average
12	22.655	0.02	10.10	15.37	25.49	60.00	-34.51	QP



SW36-12003000-W:

Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5180TX
Adapter : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15160	0.02	9.70	32.29	42.01	55.91	-13.90	Peak
2 @	0.46614	0.01	9.80	31.08	40.89	46.58	-5.69	Peak
3	1.049	0.02	9.80	24.29	34.11	46.00	-11.89	Peak
4	2.001	0.02	9.80	20.65	30.47	46.00	-15.53	Peak
5	3.173	0.02	9.85	21.24	31.11	46.00	-14.89	Peak
6	18.622	0.02	10.10	22.98	33.10	50.00	-16.90	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5180TX
Adapter : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15000	0.02	9.70	33.97	43.69	56.00	-12.31	Peak
2	0.45395	0.01	9.80	27.81	37.62	46.80	-9.19	Peak
3	0.89441	0.02	9.80	22.12	31.94	46.00	-14.06	Peak
4	2.358	0.02	9.82	15.31	25.15	46.00	-20.85	Peak
5	11.933	0.01	10.00	20.99	31.00	50.00	-19.00	Peak
6	28.452	0.03	10.10	17.38	27.51	50.00	-22.49	Peak



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5190TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16414	0.02	9.70	33.83	43.55	55.25	-11.71	Peak
2 @	0.46614	0.01	9.80	32.99	42.80	46.58	-3.78	Peak
3	1.172	0.02	9.80	27.44	37.26	46.00	-8.74	Peak
4	1.671	0.02	9.80	24.21	34.03	46.00	-11.97	Peak
5	2.346	0.02	9.82	21.77	31.61	46.00	-14.39	Peak
6	14.063	0.01	10.07	27.34	37.42	50.00	-12.58	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5190TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.20396	0.02	9.70	31.73	41.44	53.45	-12.00	Peak
2 @	0.46614	0.01	9.80	33.13	42.94	46.58	-3.64	Peak
3	1.172	0.02	9.80	27.21	37.03	46.00	-8.97	Peak
4	1.671	0.02	9.80	25.78	35.60	46.00	-10.40	Peak
5	2.854	0.02	9.84	24.46	34.32	46.00	-11.68	Peak
6	14.364	0.01	10.00	28.42	38.43	50.00	-11.57	Peak





Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5210TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46861	0.01	9.80	32.89	42.70	46.54	-3.84	Peak
2	1.172	0.02	9.80	27.34	37.16	46.00	-8.84	Peak
3	1.680	0.02	9.80	22.70	32.52	46.00	-13.48	Peak
4	4.361	0.01	9.88	19.48	29.37	46.00	-16.63	Peak
5	6.698	0.01	9.90	18.64	28.55	50.00	-21.45	Peak
6	14.063	0.01	10.07	24.59	34.67	50.00	-15.33	Peak



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5210TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46861	0.01	9.80	32.89	42.70	46.54	-3.84	Peak
2 @	1.010	0.02	9.80	31.24	41.06	46.00	-4.94	Peak
3	1.511	0.02	9.80	27.53	37.35	46.00	-8.65	Peak
4	2.346	0.02	9.82	26.52	36.36	46.00	-9.64	Peak
5	5.362	0.01	9.92	32.78	42.71	50.00	-7.29	Peak
6	15.066	0.02	10.00	29.47	39.48	50.00	-10.52	Peak



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5220X
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46122	0.01	9.80	32.02	41.83	46.67	-4.85	Peak
2	0.99968	0.02	9.80	28.34	38.16	46.00	-7.84	Peak
3	1.671	0.02	9.80	26.47	36.29	46.00	-9.71	Peak
4	2.346	0.02	9.82	25.29	35.12	46.00	-10.88	Peak
5	3.009	0.02	9.85	24.24	34.10	46.00	-11.90	Peak
6	14.364	0.01	10.08	28.14	38.23	50.00	-11.77	Peak



Neutral Line:



Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5220X
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15649	0.02	9.70	32.88	42.60	55.65	-13.04	Peak
2	0.46861	0.01	9.80	30.19	40.00	46.54	-6.54	Peak
3	1.172	0.02	9.80	27.32	37.14	46.00	-8.86	Peak
4	1.671	0.02	9.80	25.77	35.59	46.00	-10.41	Peak
5	2.346	0.02	9.82	25.28	35.12	46.00	-10.88	Peak
6	3.009	0.02	9.85	23.90	33.77	46.00	-12.23	Peak




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401

Page: 76 of 327

Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5230TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46367	0.01	9.80	32.58	42.39	46.63	-4.23	Peak
2	1.005	0.02	9.80	27.42	37.24	46.00	-8.76	Peak
3	1.671	0.02	9.80	22.18	32.00	46.00	-14.00	Peak
4	2.178	0.02	9.81	21.34	31.17	46.00	-14.83	Peak
5	3.009	0.02	9.85	20.66	30.53	46.00	-15.47	Peak
6	14.364	0.01	10.08	27.81	37.91	50.00	-12.09	Peak



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5230TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46614	0.01	9.80	32.28	42.09	46.58	-4.50	Peak
2	1.172	0.02	9.80	27.57	37.39	46.00	-8.61	Peak
3	1.680	0.02	9.80	24.00	33.82	46.00	-12.18	Peak
4	2.346	0.02	9.82	22.55	32.39	46.00	-13.61	Peak
5	4.180	0.01	9.88	20.52	30.41	46.00	-15.59	Peak
6	14.063	0.01	10.07	26.50	36.59	50.00	-13.41	Peak



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5240TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46614	0.01	9.80	32.23	42.04	46.58	-4.54	Peak
2	1.172	0.02	9.80	27.21	37.03	46.00	-8.97	Peak
3	1.671	0.02	9.80	23.54	33.36	46.00	-12.64	Peak
4	2.012	0.02	9.80	23.40	33.22	46.00	-12.78	Peak
5	3.009	0.02	9.85	21.09	30.96	46.00	-15.04	Peak
6	14.063	0.01	10.07	28.81	38.89	50.00	-11.11	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5240TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46122	0.01	9.80	32.44	42.25	46.67	-4.42	Peak
2	1.005	0.02	9.80	26.81	36.63	46.00	-9.37	Peak
3	1.172	0.02	9.80	26.03	35.85	46.00	-10.15	Peak
4	2.012	0.02	9.80	24.07	33.89	46.00	-12.11	Peak
5	4.361	0.01	9.88	23.42	33.32	46.00	-12.68	Peak
6	14.063	0.01	10.00	28.15	38.16	50.00	-11.84	Peak



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5745TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46122	0.01	9.80	32.23	42.04	46.67	-4.63	Peak
2	1.172	0.02	9.80	26.99	36.81	46.00	-9.19	Peak
3	1.671	0.02	9.80	23.95	33.77	46.00	-12.23	Peak
4	2.346	0.02	9.82	23.02	32.86	46.00	-13.14	Peak
5	10.072	0.01	9.90	25.90	35.81	50.00	-14.19	Peak
6	15.388	0.02	10.10	27.24	37.35	50.00	-12.65	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5745TX
SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.18738	0.02	9.70	31.53	41.25	54.15	-12.90	Peak
2 @	0.46367	0.01	9.80	32.24	42.05	46.63	-4.57	Peak
3	0.99968	0.02	9.80	27.78	37.60	46.00	-8.40	Peak
4	1.172	0.02	9.80	26.32	36.14	46.00	-9.86	Peak
5	3.009	0.02	9.85	21.63	31.49	46.00	-14.51	Peak
6	13.695	0.01	10.00	25.72	35.73	50.00	-14.27	Peak





Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5755TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46122	0.01	9.80	31.48	41.29	46.67	-5.38	Peak
2	1.005	0.02	9.80	27.84	37.66	46.00	-8.34	Peak
3	1.172	0.02	9.80	25.74	35.56	46.00	-10.44	Peak
4	1.671	0.02	9.80	22.39	32.21	46.00	-13.79	Peak
5	2.678	0.02	9.83	21.25	31.10	46.00	-14.90	Peak
6	15.226	0.02	10.10	26.10	36.22	50.00	-13.78	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5755TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15000	0.02	9.70	31.21	40.93	56.00	-15.07	Peak
2 @	0.46122	0.01	9.80	33.08	42.89	46.67	-3.78	Peak
3	1.049	0.02	9.80	26.22	36.04	46.00	-9.96	Peak
4	1.671	0.02	9.80	26.17	35.99	46.00	-10.01	Peak
5	2.334	0.02	9.82	21.70	31.54	46.00	-14.46	Peak
6	14.364	0.01	10.00	29.22	39.23	50.00	-10.77	Peak



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5775TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.18152	0.02	9.70	31.31	41.03	54.42	-13.39	Peak
2 @	0.46861	0.01	9.80	33.30	43.11	46.54	-3.43	Peak
3	1.005	0.02	9.80	23.70	33.52	46.00	-12.48	Peak
4	1.680	0.02	9.80	24.70	34.52	46.00	-11.48	Peak
5	3.623	0.02	9.86	18.87	28.75	46.00	-17.25	Peak
6	14.063	0.01	10.07	28.80	38.88	50.00	-11.12	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5775TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15403	0.02	9.70	29.62	39.34	55.78	-16.44	Peak
2 @	0.46367	0.01	9.80	31.41	41.22	46.63	-5.40	Peak
3	1.172	0.02	9.80	23.03	32.85	46.00	-13.15	Peak
4	2.012	0.02	9.80	21.73	31.55	46.00	-14.45	Peak
5	2.678	0.02	9.83	21.38	31.23	46.00	-14.77	Peak
6	15.801	0.02	10.02	26.31	36.34	50.00	-13.66	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5785TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.18346	0.02	9.70	30.60	40.32	54.33	-14.01	Peak
2	0.46614	0.01	9.80	31.02	40.83	46.58	-5.75	Peak
3	1.338	0.02	9.80	26.90	36.72	46.00	-9.28	Peak
4	2.346	0.02	9.82	26.57	36.41	46.00	-9.59	Peak
5	3.025	0.02	9.85	22.47	32.33	46.00	-13.67	Peak
6	13.989	0.01	10.06	25.27	35.35	50.00	-14.65	Peak



Neutral Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5785TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.47110	0.01	9.80	33.02	42.83	46.49	-3.66	Peak
2	1.166	0.02	9.80	26.95	36.77	46.00	-9.23	Peak
3	1.671	0.02	9.80	25.29	35.11	46.00	-10.89	Peak
4	2.346	0.02	9.82	20.46	30.30	46.00	-15.70	Peak
5	4.027	0.01	9.88	21.62	31.51	46.00	-14.49	Peak
6	13.695	0.01	10.00	26.38	36.39	50.00	-13.61	Peak



Live Line:




Site : Shielding Room
Condition : 47 CFR PART15C AV CE LINE
Job.No : 5894CR
Mode : 5795TX
: SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46614	0.01	9.80	32.38	42.19	46.58	-4.40	Peak
2	1.172	0.02	9.80	27.64	37.46	46.00	-8.54	Peak
3	1.671	0.02	9.80	26.38	36.20	46.00	-9.80	Peak
4	3.025	0.02	9.85	22.80	32.67	46.00	-13.33	Peak
5	3.509	0.02	9.86	23.68	33.56	46.00	-12.44	Peak
6	14.063	0.01	10.07	28.27	38.35	50.00	-11.65	Peak



Neutral Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE NEUTRAL
 Job.No : 5894CR
 Mode : 5795TX
 : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 @	0.46614	0.01	9.80	33.14	42.95	46.58	-3.63	Peak
2	1.005	0.02	9.80	26.22	36.04	46.00	-9.96	Peak
3	1.671	0.02	9.80	24.05	33.87	46.00	-12.13	Peak
4	2.012	0.02	9.80	21.26	31.08	46.00	-14.92	Peak
5	3.346	0.02	9.86	21.35	31.23	46.00	-14.77	Peak
6	15.718	0.02	10.01	27.16	37.19	50.00	-12.81	Peak



Live Line:




Site : Shielding Room
 Condition : 47 CFR PART15C AV CE LINE
 Job.No : 5894CR
 Mode : 5825TX
 Adapter : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15485	0.02	9.70	32.38	42.10	55.74	-13.63	Peak
2	0.21620	0.02	9.70	29.59	39.31	52.96	-13.65	Peak
3	0.46122	0.01	9.80	26.70	36.51	46.67	-10.16	Peak
4	1.065	0.02	9.80	23.93	33.75	46.00	-12.25	Peak
5	1.671	0.02	9.80	17.39	27.21	46.00	-18.79	Peak
6	17.849	0.02	10.10	17.87	27.99	50.00	-22.01	Peak



Neutral Line:



Site : Shielding Room
Condition : 47 CFR PART15C AV CE NEUTRAL
Job.No : 5894CR
Mode : 5825TX
Adapter : SW36-12003000-W

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17215	0.02	9.70	32.09	41.81	54.86	-13.04	Peak
2	0.46367	0.01	9.80	29.64	39.45	46.63	-7.17	Peak
3	1.054	0.02	9.80	24.37	34.19	46.00	-11.81	Peak
4	1.503	0.02	9.80	19.66	29.48	46.00	-16.52	Peak
5	4.407	0.01	9.89	17.70	27.60	46.00	-18.40	Peak
6	16.140	0.02	10.03	23.94	33.98	50.00	-16.02	Peak

Notes:

1. The following Quasi-Peak and Average measurements were performed on the
2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.






6.2 Duty Cycle


Test plot as follows:

Test mode:	802.11a
------------	---------



Test mode:	802.11n(HT20)
------------	---------------

Date: 10.DEC.2014 22:17:25






SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401

Page: 93 of 327

Test mode:


802.11n(HT40)



Test mode:

802.11ac(HT20)

Date: 10.DEC.2014 22:19:37



Date: 10.DEC.2014 22:18:21

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401

Page: 94 of 327

Test mode:


802.11ac(HT40)



Test mode:

802.11ac(HT80)

Date: 10.DEC.2014 22:20:02



Date: 10.DEC.2014 22:23:58

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




6.3 26dB Emission Bandwidth and 99% Occupied Bandwidth

6.3.1 26dB Emission Bandwidth


Test plot as follows:

Test mode:	802.11a	Test channel:	36
------------	---------	---------------	----



Test mode:	802.11a	Test channel:	40
------------	---------	---------------	----

Date: 26.NOV.2014 09:58:57



"This document is issued

www.sgs.com/terms_a

www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only

and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate

parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced

except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance

of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in

this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

possible at

measurements at




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 96 of 327

Test mode:	802.11a	Test channel:	48
------------	---------	---------------	----



Test mode:	802.11a	Test channel:	149
------------	---------	---------------	-----

Date: 26.NOV.2014 10:00:22



Date: 26.NOV.2014 10:00:58

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 97 of 327

Test mode:	802.11a	Test channel:	157
------------	---------	---------------	-----



Test mode:	802.11a	Test channel:	165
------------	---------	---------------	-----

Date: 26.NOV.2014 10:01:35



Date: 26.NOV.2014 10:02:21

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 100 of 327

Test mode:	802.11n(HT20)	Test channel:	157
------------	---------------	---------------	-----



Test mode:	802.11n(HT20)	Test channel:	165
------------	---------------	---------------	-----

Date: 26.NOV.2014 10:34:08



Date: 26.NOV.2014 10:35:10

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 101 of 327

Test mode:	802.11n(HT40)	Test channel:	38
------------	---------------	---------------	----



Test mode:	802.11n(HT40)	Test channel:	46
------------	---------------	---------------	----

Date: 26.NOV.2014 11:18:07



Date: 26.NOV.2014 11:18:58



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 102 of 327

Test mode:	802.11n(HT40)	Test channel:	151
------------	---------------	---------------	-----



Test mode:	802.11n(HT40)	Test channel:	159
------------	---------------	---------------	-----

Date: 26.NOV.2014 11:20:03



Date: 26.NOV.2014 11:20:35

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 103 of 327

Test mode:	802.11ac(HT20)	Test channel:	36
------------	----------------	---------------	----



Test mode:	802.11ac(HT20)	Test channel:	40
------------	----------------	---------------	----

Date: 26.NOV.2014 10:53:36



Date: 26.NOV.2014 10:54:10

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 104 of 327

Test mode:	802.11ac(HT20)	Test channel:	48
------------	----------------	---------------	----



Test mode:	802.11ac(HT20)	Test channel:	149
------------	----------------	---------------	-----

Date: 26.NOV.2014 10:54:46



Date: 26.NOV.2014 10:55:33

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

SGS-CSTC Standards Technical Services Ltd.




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 106 of 327

Test mode:	802.11ac(HT40)	Test channel:	38
------------	----------------	---------------	----



Test mode:	802.11ac(HT40)	Test channel:	46
------------	----------------	---------------	----



Date: 26.NOV.2014 11:35:26

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401

Page: 107 of 327

Test mode:	802.11ac(HT40)	Test channel:	151
------------	----------------	---------------	-----






SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 108 of 327

Test mode:	802.11ac(HT80)	Test channel:	42
------------	----------------	---------------	----



Test mode:	802.11ac(HT80)	Test channel:	155
------------	----------------	---------------	-----



Date: 26.NOV.2014 11:55:22


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




6.3.2 99% Occupied Bandwidth

Test plot as follows:

Test mode:	802.11a	Test channel:	36
------------	---------	---------------	----



Test mode:	802.11a	Test channel:	40
------------	---------	---------------	----






SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 110 of 327

Test mode:	802.11a	Test channel:	48
------------	---------	---------------	----



Test mode:	802.11a	Test channel:	149
------------	---------	---------------	-----

Date: 26.NOV.2014 10:04:12



Date: 26.NOV.2014 10:04:53

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 111 of 327

Test mode:	802.11a	Test channel:	157
------------	---------	---------------	-----



Test mode:	802.11a	Test channel:	165
------------	---------	---------------	-----

Date: 26.NOV.2014 10:05:35



Date: 26.NOV.2014 10:06:13



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 112 of 327

Test mode:	802.11n(HT20)	Test channel:	36
------------	---------------	---------------	----



Test mode:	802.11n(HT20)	Test channel:	40
------------	---------------	---------------	----



Date: 26.NOV.2014 10:36:42

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 113 of 327

Test mode:	802.11n(HT20)	Test channel:	48
------------	---------------	---------------	----



Test mode:	802.11n(HT20)	Test channel:	149
------------	---------------	---------------	-----

Date: 26.NOV.2014 10:37:08



Date: 26.NOV.2014 10:38:18

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 114 of 327

Test mode:	802.11n(HT20)	Test channel:	157
------------	---------------	---------------	-----



Test mode:	802.11n(HT20)	Test channel:	165
------------	---------------	---------------	-----

Date: 26.NOV.2014 10:38:56



Date: 26.NOV.2014 10:39:39

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 115 of 327

Test mode:	802.11n(HT40)	Test channel:	38
------------	---------------	---------------	----



Test mode:	802.11n(HT40)	Test channel:	46
------------	---------------	---------------	----



Date: 26.NOV.2014 11:21:43

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 116 of 327

Test mode:	802.11n(HT40)	Test channel:	151
------------	---------------	---------------	-----



Test mode:	802.11n(HT40)	Test channel:	159
------------	---------------	---------------	-----






SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 117 of 327

Test mode:	802.11ac(HT20)	Test channel:	36
------------	----------------	---------------	----



Test mode:	802.11ac(HT20)	Test channel:	40
------------	----------------	---------------	----

Date: 26.NOV.2014 10:59:37



Date: 26.NOV.2014 11:00:09

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 118 of 327

Test mode:	802.11ac(HT20)	Test channel:	48
------------	----------------	---------------	----



Test mode:	802.11ac(HT20)	Test channel:	149
------------	----------------	---------------	-----

Date: 26.NOV.2014 11:00:51



Date: 26.NOV.2014 11:01:26

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 119 of 327

Test mode:	802.11ac(HT20)	Test channel:	157
------------	----------------	---------------	-----



Test mode:	802.11ac(HT20)	Test channel:	165
------------	----------------	---------------	-----

Date: 26.NOV.2014 11:01:50



Date: 26.NOV.2014 11:02:20

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 120 of 327

Test mode:	802.11ac(HT40)	Test channel:	38
------------	----------------	---------------	----



Test mode:	802.11ac(HT40)	Test channel:	46
------------	----------------	---------------	----

Date: 26.NOV.2014 11:37:20



Date: 26.NOV.2014 11:37:53

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 121 of 327

Test mode:	802.11ac(HT40)	Test channel:	151
------------	----------------	---------------	-----



Test mode:	802.11ac(HT40)	Test channel:	159
------------	----------------	---------------	-----

Date: 26.NOV.2014 11:38:22



Date: 26.NOV.2014 11:38:48



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 122 of 327

Test mode:	802.11ac(HT80)	Test channel:	42
------------	----------------	---------------	----



Test mode:	802.11ac(HT80)	Test channel:	155
------------	----------------	---------------	-----

Date: 26.NOV.2014 12:01:47



Date: 26.NOV.2014 12:06:36


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



6.4 6dB Emission Bandwidth


Test plot as follows:

Test mode:	802.11a	Test channel:	149
------------	---------	---------------	-----



Test mode:	802.11a	Test channel:	157
------------	---------	---------------	-----

Date: 26.NOV.2014 10:07:44






SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 124 of 327

Test mode:	802.11a	Test channel:	165
------------	---------	---------------	-----



Test mode:	802.11n(HT20)	Test channel:	149
------------	---------------	---------------	-----

Date: 26.NOV.2014 10:09:55



Date: 26.NOV.2014 10:41:01

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 125 of 327

Test mode:	802.11n(HT20)	Test channel:	157
------------	---------------	---------------	-----



Test mode:	802.11n(HT20)	Test channel:	165
------------	---------------	---------------	-----

Date: 26.NOV.2014 10:42:04



Date: 26.NOV.2014 10:43:06

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 126 of 327

Test mode:	802.11n(HT40)	Test channel:	151
------------	---------------	---------------	-----



Test mode:	802.11n(HT40)	Test channel:	159
------------	---------------	---------------	-----

Date: 26.NOV.2014 11:24:22



Date: 26.NOV.2014 11:27:08

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 127 of 327

Test mode:	802.11ac(HT20)	Test channel:	149
------------	----------------	---------------	-----



Test mode:	802.11ac(HT20)	Test channel:	157
------------	----------------	---------------	-----

Date: 26.NOV.2014 11:05:18



Date: 26.NOV.2014 11:07:12

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 129 of 327

Test mode:	802.11ac(HT40)	Test channel:	159
------------	----------------	---------------	-----



Test mode:	802.11ac(HT80)	Test channel:	155
------------	----------------	---------------	-----

Date: 26.NOV.2014 11:41:39



Date: 26.NOV.2014 12:09:13


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



6.5 Power Spectral Density


Test plot as follows:

Test mode:	802.11a	Test channel:	36
------------	---------	---------------	----



Test mode:	802.11a	Test channel:	40
------------	---------	---------------	----

Date: 26.NOV.2014 10:21:18






SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 131 of 327

Test mode:	802.11a	Test channel:	48
------------	---------	---------------	----



Test mode:	802.11a	Test channel:	149
------------	---------	---------------	-----

Date: 26.NOV.2014 10:22:15



Date: 26.NOV.2014 10:22:44



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 132 of 327

Test mode:	802.11a	Test channel:	157
------------	---------	---------------	-----



Test mode:	802.11a	Test channel:	165
------------	---------	---------------	-----



Date: 26.NOV.2014 10:23:46

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 133 of 327

Test mode:	802.11n(HT20)	Test channel:	36
------------	---------------	---------------	----



Test mode:	802.11n(HT20)	Test channel:	40
------------	---------------	---------------	----



Date: 26.NOV.2014 10:47:55

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 134 of 327

Test mode:	802.11n(HT20)	Test channel:	48
------------	---------------	---------------	----



Test mode:	802.11n(HT20)	Test channel:	149
------------	---------------	---------------	-----

Date: 26.NOV.2014 10:49:03



Date: 26.NOV.2014 10:49:45

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 135 of 327

Test mode:	802.11n(HT20)	Test channel:	157
------------	---------------	---------------	-----



Test mode:	802.11n(HT20)	Test channel:	165
------------	---------------	---------------	-----

Date: 26.NOV.2014 10:50:28



Date: 26.NOV.2014 10:51:06

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 136 of 327

Test mode:	802.11n(HT40)	Test channel:	38
------------	---------------	---------------	----



Test mode:	802.11n(HT40)	Test channel:	46
------------	---------------	---------------	----

Date: 26.NOV.2014 11:30:29



Date: 26.NOV.2014 11:31:35

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 137 of 327

Test mode:	802.11n(HT40)	Test channel:	151
------------	---------------	---------------	-----



Test mode:	802.11n(HT40)	Test channel:	159
------------	---------------	---------------	-----

Date: 26.NOV.2014 11:32:09



Date: 26.NOV.2014 11:32:45

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 138 of 327

Test mode:	802.11ac(HT20)	Test channel:	36
------------	----------------	---------------	----



Test mode:	802.11ac(HT20)	Test channel:	40
------------	----------------	---------------	----

Date: 26.NOV.2014 11:13:03



Date: 26.NOV.2014 11:13:33

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 139 of 327

Test mode:	802.11ac(HT20)	Test channel:	48
------------	----------------	---------------	----



Test mode:	802.11ac(HT20)	Test channel:	149
------------	----------------	---------------	-----

Date: 26.NOV.2014 11:14:05



Date: 26.NOV.2014 11:14:43

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 140 of 327

Test mode:	802.11ac(HT20)	Test channel:	157
------------	----------------	---------------	-----



Test mode:	802.11ac(HT20)	Test channel:	165
------------	----------------	---------------	-----



Date: 26.NOV.2014 11:15:51

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 141 of 327

Test mode:	802.11ac(HT40)	Test channel:	38
------------	----------------	---------------	----



Test mode:	802.11ac(HT40)	Test channel:	46
------------	----------------	---------------	----



Date: 26.NOV.2014 11:45:04

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.


Report No.: SZEM141000589401

Page: 142 of 327

Test mode:	802.11ac(HT40)	Test channel:	151
------------	----------------	---------------	-----



Test mode:	802.11ac(HT40)	Test channel:	159
------------	----------------	---------------	-----



Date: 26.NOV.2014 11:46:08

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM141000589401


Page: 143 of 327

Test mode:	802.11ac(HT80)	Test channel:	42
------------	----------------	---------------	----



Test mode:	802.11ac(HT80)	Test channel:	155
------------	----------------	---------------	-----

Date: 26.NOV.2014 12:14:17



Date: 26.NOV.2014 12:12:18

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."