



InterLab®

Photo Report on

Test Setups

For test report MDE_SCHMI_1301_FCCa

Report Reference: MDE_SCHMI_1301_FCCa_Photo_Setups

Version: 2014-08-08

FCC ID: 2AB65COBRA100TXCS4S

Test Laboratory:

7Layers AG
Borsigstrasse 11
40880 Ratingen
Germany



Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7 layers AG
Borsigstrasse 11
40880 Ratingen, Germany
Phone: +49 (0) 2102 749 0
Fax: +49 (0) 2102 749 350
www.7Layers.com

Aufsichtsratsvorsitzender •
Chairman of the Supervisory Board:
Peter Mertel
Vorstand • Board:
Dr. H.-J. Meckelburg
Dr. H. Ansorge

Registergericht • registered in:
Düsseldorf, HRB 44096
USt-IdNr • VAT No.:
DE 203159652
TAX No. 147/5869/0385



Photo 1: Test setup for radiated measurements, EUT in horizontal position
Enclosure, semi-anechoic chamber, below 30 MHz, intentional radiator §15
Sample with 8+1 buttons



Photo 2: Test setup for radiated measurements, EUT in horizontal position
Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15
Sample with 8+1 buttons



Photo 3: Test setup for radiated measurements, EUT in horizontal position
Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15
Sample with 8+1 buttons




Photo 4: Test setup for radiated measurements, EUT in vertical position
Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15
Sample with 8+1 buttons




Photo 5: Test setup for radiated measurements, EUT in horizontal position
Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15
Sample with 4+1 buttons




Photo 6: Test setup for radiated measurements, EUT in horizontal position
Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15
Sample with 4+1 buttons




Photo 7: Test setup for radiated measurements, EUT in horizontal position
Enclosure, fully-equipped anechoic chamber, 1 - 4.5 GHz intentional radiator §15
Sample with 8+1 buttons