ANNEX F TEST DATA

For

Project No.:	8327EU012026W
Client:	SHENZHEN ELECTRON TECHNOLOGY CO., LTD.
Product Description:	Mobile Smart Screen
Model No.:	SW329AT
FCC ID:	2ABC5-E0086
Technology:	WiFi 2.4G
Test Engineer:	Mikey zhu
Test Date:	2025-03-31

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass

1. Duty Cycle

1.1 Test Result

1.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	/	/	12.227	22.247	54.96	2.60	0.01
		2437	/	/	12.227	22.243	54.97	2.60	0.00
		2462	/	/	12.224	22.244	54.95	2.60	0.01
802.11g	SISO	2412	/	/	2.033	12.060	16.86	7.73	0.03
		2437	/	/	2.034	14.840	13.71	8.63	3.17
		2462	/	/	2.033	12.060	16.86	7.73	0.03
802.11n (HT20)	SISO	2412	/	/	1.894	13.377	14.16	8.49	1.76
		2437	/	/	1.893	14.563	13.00	8.86	2.92
		2462	/	/	1.894	11.920	15.89	7.99	0.03
802.11n (HT40)	SISO	2422	/	/	0.933	11.310	8.25	10.84	0.27
		2437	/	/	0.933	10.963	8.51	10.70	0.01
		2452	/	/	0.934	10.960	8.52	10.69	0.01
802.11ax (HEW20)	SISO	2412	SU	/	1.460	11.487	12.71	8.96	0.03
		2437	SU	/	1.463	11.493	12.73	8.95	0.03
		2462	SU	/	1.463	11.580	12.63	8.98	0.10
802.11ax (HEW40)	SISO	2422	SU	/	0.760	12.686	5.99	12.23	1.09
		2437	SU	/	0.760	10.790	7.04	11.52	0.04
		2452	SU	/	0.760	10.784	7.05	11.52	0.03

1.2 Test Graph

1.2.1 Ant1

802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11b	SISO	2412	/	/	1	13.046	/	Pass
		2437	/	/	1	13.046	/	Pass
		2462	/	/	1	13.055	/	Pass
802.11g	SISO	2412	/	/	1	18.524	/	Pass
		2437	/	/	1	18.750	/	Pass
		2462	/	/	1	18.841	/	Pass
802.11n (HT20)	SISO	2412	/	/	1	19.553	/	Pass
		2437	/	/	1	19.648	/	Pass
		2462	/	/	1	19.585	/	Pass
802.11n (HT40)	SISO	2422	/	/	1	37.365	/	Pass
		2437	/	/	1	37.413	/	Pass
		2452	/	/	1	37.393	/	Pass
802.11ax (HEW20)	SISO	2412	SU	/	1	19.947	/	Pass
		2437	SU	/	1	19.912	/	Pass
		2462	SU	/	1	19.963	/	Pass
802.11ax (HEW40)	SISO	2422	SU	/	1	38.471	/	Pass
		2437	SU	/	1	38.568	/	Pass
		2452	SU	/	1	38.453	/	Pass

2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11b	SISO	2412	/	/	1	9.235	>=0.5	Pass
		2437	/	/	1	9.241	>=0.5	Pass
		2462	/	/	1	9.243	>=0.5	Pass
802.11g	SISO	2412	/	/	1	16.535	>=0.5	Pass
		2437	/	/	1	16.557	>=0.5	Pass
		2462	/	/	1	16.613	>=0.5	Pass
802.11n (HT20)	SISO	2412	/	/	1	17.772	>=0.5	Pass
		2437	/	/	1	17.823	>=0.5	Pass
		2462	/	/	1	17.852	>=0.5	Pass
802.11n (HT40)	SISO	2422	/	/	1	35.942	>=0.5	Pass
		2437	/	/	1	36.096	>=0.5	Pass
		2452	/	/	1	36.097	>=0.5	Pass
802.11ax (HEW20)	SISO	2412	SU	/	1	18.911	>=0.5	Pass
		2437	SU	/	1	18.807	>=0.5	Pass
		2462	SU	/	1	18.901	>=0.5	Pass
802.11ax (HEW40)	SISO	2422	SU	/	1	37.476	>=0.5	Pass
		2437	SU	/	1	37.428	>=0.5	Pass
		2452	SU	/	1	36.795	>=0.5	Pass

2.2 Test Graph

2.2.1 OBW

802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



2.2.2 6dB BW

802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Peak Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	12.10	<=30	Pass
		2437	/	/	11.61	<=30	Pass
		2462	/	/	10.51	<=30	Pass
802.11g	SISO	2412	/	/	13.55	<=30	Pass
		2437	/	/	13.77	<=30	Pass
		2462	/	/	13.00	<=30	Pass
802.11n (HT20)	SISO	2412	/	/	11.26	<=30	Pass
		2437	/	/	12.50	<=30	Pass
		2462	/	/	11.82	<=30	Pass
802.11n (HT40)	SISO	2422	/	/	10.47	<=30	Pass
		2437	/	/	10.86	<=30	Pass
		2452	/	/	10.62	<=30	Pass
802.11ax (HEW20)	SISO	2412	SU	/	12.03	<=30	Pass
		2437	SU	/	12.33	<=30	Pass
		2462	SU	/	11.82	<=30	Pass
802.11ax (HEW40)	SISO	2422	SU	/	11.69	<=30	Pass
		2437	SU	/	11.91	<=30	Pass
		2452	SU	/	11.78	<=30	Pass

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/3kHz)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	-12.55	<=8	Pass
		2437	/	/	-13.16	<=8	Pass
		2462	/	/	-14.34	<=8	Pass
802.11g	SISO	2412	/	/	-18.89	<=8	Pass
		2437	/	/	-18.81	<=8	Pass
		2462	/	/	-19.70	<=8	Pass
802.11n (HT20)	SISO	2412	/	/	-21.67	<=8	Pass
		2437	/	/	-20.02	<=8	Pass
		2462	/	/	-20.74	<=8	Pass
802.11n (HT40)	SISO	2422	/	/	-23.48	<=8	Pass
		2437	/	/	-24.50	<=8	Pass
		2452	/	/	-24.24	<=8	Pass
802.11ax (HEW20)	SISO	2412	SU	/	-22.31	<=8	Pass
		2437	SU	/	-22.15	<=8	Pass
		2462	SU	/	-23.12	<=8	Pass
802.11ax (HEW40)	SISO	2422	SU	/	-25.06	<=8	Pass
		2437	SU	/	-25.21	<=8	Pass
		2452	SU	/	-25.97	<=8	Pass

4.2 Test Graph

4.2.1 PSD

802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)
802.11b	SISO	2412	/	/	1	1.35
		2437	/	/	1	0.83
		2462	/	/	1	-0.23
802.11g	SISO	2412	/	/	1	-5.57
		2437	/	/	1	-4.57
		2462	/	/	1	-6.39
802.11n (HT20)	SISO	2412	/	/	1	-6.95
		2437	/	/	1	-6.71
		2462	/	/	1	-7.75
802.11n (HT40)	SISO	2422	/	/	1	-11.06
		2437	/	/	1	-10.40
		2452	/	/	1	-11.98
802.11ax (HEW20)	SISO	2412	SU	/	1	-7.46
		2437	SU	/	1	-7.58
		2462	SU	/	1	-7.80
802.11ax (HEW40)	SISO	2422	SU	/	1	-10.78
		2437	SU	/	1	-12.06
		2452	SU	/	1	-10.92
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.						

5.1.2 CSE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	1.35	-18.65	Pass
		2437	/	/	1	0.83	-19.17	Pass
		2462	/	/	1	-0.23	-20.23	Pass
802.11g	SISO	2412	/	/	1	-5.57	-25.57	Pass
		2437	/	/	1	-4.57	-24.57	Pass
		2462	/	/	1	-6.39	-26.39	Pass
802.11n (HT20)	SISO	2412	/	/	1	-6.95	-26.95	Pass
		2437	/	/	1	-6.71	-26.71	Pass
		2462	/	/	1	-7.75	-27.75	Pass
802.11n (HT40)	SISO	2422	/	/	1	-11.06	-31.06	Pass
		2437	/	/	1	-10.40	-30.40	Pass
		2452	/	/	1	-11.98	-31.98	Pass
802.11ax (HEW20)	SISO	2412	SU	/	1	-7.46	-27.46	Pass
		2437	SU	/	1	-7.58	-27.58	Pass
		2462	SU	/	1	-7.80	-27.80	Pass
802.11ax (HEW40)	SISO	2422	SU	/	1	-10.78	-30.78	Pass
		2437	SU	/	1	-12.06	-32.06	Pass
		2452	SU	/	1	-10.92	-30.92	Pass
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.								

5.2 Test Graph

5.2.1 Ref

802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



5.2.2 CSE

802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_LCH_2412MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_LCH_2422MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_MCH_2437MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



802.11ax(HEW40)_HCH_2452MHz_SU_ / _Ant1 (SISO)_NTNV



--------- End of Report ------