

ANNEX C INTERNAL PHOTOS

PHOTO 1

(Ordinary
Screen)




PHOTO 2

(4K Screen)




PHOTO 3





PHOTO 4



A photograph of a green printed circuit board (PCB) for a Raspberry Pi 3 Model B. The board is populated with various electronic components. At the top center is a large black integrated circuit (IC), the Raspberry Pi 3 System-on-Chip (SoC). To its left are two large electrolytic capacitors labeled 'CK 100 35V'. Below these are three smaller electrolytic capacitors labeled '150'. To the right of the SoC is a small black IC, likely a USB controller. Below the SoC is a small black IC labeled 'SPK', which is the audio codec. The board features two white plastic connectors: a USB Type-A port on the left and a USB Type-C port on the right. There are also two yellow circular mounting holes on the left side. The board is populated with numerous small surface-mount components, including resistors and capacitors. The text 'Raspberry Pi 3 Model B' is visible on the board.

PHOTO 7




PHOTO 8




PHOTO 9




PHOTO 10
(Ordinary
Screen)




PHOTO 11

(Ordinary
Screen)




PHOTO 12

(4K Screen)




PHOTO 13
(4K Screen)




PHOTO 14




PHOTO 15




PHOTO 16




PHOTO 17




PHOTO 18




PHOTO 19





PHOTO 20





--- End ---