





























8.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	-5.79	0.05	-5.74	8	Pass
NVNT	b	2437	Ant1	-6.26	0.04	-6.22	8	Pass
NVNT	b	2462	Ant1	-4.55	0.04	-4.51	8	Pass
NVNT	g	2412	Ant1	-8.32	0.8	-7.52	8	Pass
NVNT	g	2437	Ant1	-7.76	0.34	-7.42	8	Pass
NVNT	g	2462	Ant1	-8.94	0.31	-8.63	8	Pass
NVNT	n20	2412	Ant1	-10.33	0.36	-9.97	8	Pass
NVNT	n20	2437	Ant1	-9.98	0.28	-9.7	8	Pass
NVNT	n20	2462	Ant1	-10.52	0.32	-10.2	8	Pass
NVNT	n40	2422	Ant1	-14.6	0.67	-13.93	8	Pass
NVNT	n40	2437	Ant1	-13.67	0.67	-13	8	Pass
NVNT	n40	2452	Ant1	-14.58	0.73	-13.85	8	Pass
NVNT	ax20	2412	Ant1	-19.81	2.13	-17.68	8	Pass
NVNT	ax20	2437	Ant1	-14.67	0.42	-14.25	8	Pass
NVNT	ax20	2462	Ant1	-15.47	0.46	-15.01	8	Pass
NVNT	ax40	2422	Ant1	-17.46	0.85	-16.61	8	Pass
NVNT	ax40	2437	Ant1	-16.06	0.84	-15.22	8	Pass
NVNT	ax40	2452	Ant1	-18.15	0.64	-17.51	8	Pass


































8.6 BAND EDGE



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-36.76	-30	Pass
NVNT	b	2462	Ant1	-54.38	-30	Pass
NVNT	g	2412	Ant1	-30.15	-30	Pass
NVNT	g	2462	Ant1	-42.08	-30	Pass
NVNT	n20	2412	Ant1	-30.3	-30	Pass
NVNT	n20	2462	Ant1	-43.51	-30	Pass
NVNT	n40	2422	Ant1	-30.87	-30	Pass
NVNT	n40	2452	Ant1	-38.6	-30	Pass
NVNT	ax20	2412	Ant1	-33.24	-30	Pass
NVNT	ax20	2462	Ant1	-42.61	-30	Pass
NVNT	ax40	2422	Ant1	-33.1	-30	Pass
NVNT	ax40	2452	Ant1	-38.95	-30	Pass







































8.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-49.38	-30	Pass
NVNT	b	2437	Ant1	-50.13	-30	Pass
NVNT	b	2462	Ant1	-47.78	-30	Pass
NVNT	g	2412	Ant1	-48.33	-30	Pass
NVNT	g	2437	Ant1	-50.68	-30	Pass
NVNT	g	2462	Ant1	-52.31	-30	Pass
NVNT	n20	2412	Ant1	-48.34	-30	Pass
NVNT	n20	2437	Ant1	-50.61	-30	Pass
NVNT	n20	2462	Ant1	-48.58	-30	Pass
NVNT	n40	2422	Ant1	-46.39	-30	Pass
NVNT	n40	2437	Ant1	-47.84	-30	Pass
NVNT	n40	2452	Ant1	-47.93	-30	Pass
NVNT	ax20	2412	Ant1	-46.74	-30	Pass
NVNT	ax20	2437	Ant1	-48.72	-30	Pass
NVNT	ax20	2462	Ant1	-47.2	-30	Pass
NVNT	ax40	2422	Ant1	-46.52	-30	Pass
NVNT	ax40	2437	Ant1	-46.04	-30	Pass
NVNT	ax40	2452	Ant1	-46.35	-30	Pass

