




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	3.32	<=11	Pass
		5200	3.41	<=11	Pass
		5240	2.92	<=11	Pass
802.11n (HT20)	SISO	5180	3.54	<=11	Pass
		5200	1.19	<=11	Pass
		5240	1.16	<=11	Pass
802.11n (HT40)	SISO	5190	-1.78	<=11	Pass
		5230	-1.58	<=11	Pass
802.11ac (VHT20)	SISO	5180	1.69	<=11	Pass
		5200	1.20	<=11	Pass
		5240	0.69	<=11	Pass
802.11ac (VHT40)	SISO	5190	-1.41	<=11	Pass
		5230	-1.68	<=11	Pass
802.11ac (VHT80)	SISO	5210	-7.16	<=11	Pass


4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	-3.49	<=30	Pass
		5785	-2.71	<=30	Pass
		5825	-3.28	<=30	Pass
802.11n (HT20)	SISO	5745	-4.23	<=30	Pass
		5785	-3.07	<=30	Pass
		5825	-3.51	<=30	Pass
802.11n (HT40)	SISO	5755	-7.14	<=30	Pass
		5795	-6.09	<=30	Pass
802.11ac (VHT20)	SISO	5745	-4.32	<=30	Pass
		5785	-3.23	<=30	Pass
		5825	-3.54	<=30	Pass
802.11ac (VHT40)	SISO	5755	-6.97	<=30	Pass
		5795	-5.85	<=30	Pass
802.11ac (VHT80)	SISO	5775	-9.72	<=30	Pass


4.2 Test Graph

4.2.1 PSD







802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




4.2.2 PSD-Band3




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Unwanted Emissions In Restricted Frequency Bands

5.1 Test Result


5.1.1 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass
		5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5180	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
		5745	1	Refer To Test Graph		Pass
		5825	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass
		5755	1	Refer To Test Graph		Pass
		5795	1	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5210	1	Refer To Test Graph		Pass
		5775	1	Refer To Test Graph		Pass


Note:
1) EIRP[dBm]=E[dBuV/m]- 95.2, for d= 3 m;
2) Level[dBm] results have calculated the antenna gain;
3) Antenna gain= U-NII-1: 5150 MHz to 5250 MHz: 1.11 dBi and U-NII-3: 5725 MHz to 5850 MHz: 1.11 dBi

5.2 Test Graph


5.2.1 CSE




802.11a_LCH_5745MHz_Ant1_NTNV



802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5014.000	-47.16	-21.20	25.96	Pass	Peak	7	5014.000	-54.86	-41.20	13.66	Pass	AVG
2	5065.500	-46.39	-21.20	25.19	Pass	Peak	8	5065.500	-54.48	-41.20	13.28	Pass	AVG
3	5085.500	-47.22	-21.20	26.02	Pass	Peak	9	5085.500	-55.18	-41.20	13.98	Pass	AVG
4	5106.500	-45.76	-21.20	24.56	Pass	Peak	10	5106.500	-53.75	-41.20	12.55	Pass	AVG
5	5126.500	-42.18	-21.20	20.98	Pass	Peak	11	5126.500	-50.62	-41.20	9.42	Pass	AVG
6	5148.500	-30.38	-21.20	9.18	Pass	Peak	12	5148.500	-41.73	-41.20	0.53	Pass	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5354.160	-47.50	-21.20	26.30	Pass	Peak	7	5354.160	-55.85	-41.20	14.65	Pass	AVG
2	5364.960	-48.49	-21.20	27.29	Pass	Peak	8	5364.960	-55.98	-41.20	14.78	Pass	AVG
3	5374.320	-48.75	-21.20	27.55	Pass	Peak	9	5374.320	-55.74	-41.20	14.54	Pass	AVG
4	5386.800	-50.04	-21.20	28.84	Pass	Peak	10	5386.800	-55.90	-41.20	14.70	Pass	AVG
5	5400.720	-47.84	-21.20	26.64	Pass	Peak	11	5400.720	-56.03	-41.20	14.83	Pass	AVG
6	5408.640	-46.98	-21.20	25.78	Pass	Peak	12	5408.640	-55.63	-41.20	14.43	Pass	AVG


802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5033.000	-47.72	-21.20	26.52	Pass	Peak	7	5033.000	-55.54	-41.20	14.34	Pass	AVG
2	5055.500	-46.62	-21.20	25.42	Pass	Peak	8	5055.500	-54.81	-41.20	13.61	Pass	AVG
3	5087.500	-47.27	-21.20	26.07	Pass	Peak	9	5087.500	-54.63	-41.20	13.43	Pass	AVG
4	5108.500	-45.06	-21.20	23.86	Pass	Peak	10	5108.500	-53.84	-41.20	12.64	Pass	AVG
5	5129.000	-37.18	-21.20	15.98	Pass	Peak	11	5129.000	-51.38	-41.20	10.18	Pass	AVG
6	5150.000	-32.79	-21.20	11.59	Pass	Peak	12	5150.000	-42.52	-41.20	1.32	Pass	AVG

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.890	-47.72	-21.20	26.52	Pass	Peak	7	5353.890	-55.42	-41.20	14.22	Pass	AVG
2	5363.070	-49.01	-21.20	27.81	Pass	Peak	8	5363.070	-55.88	-41.20	14.68	Pass	AVG
3	5376.030	-48.66	-21.20	27.46	Pass	Peak	9	5376.030	-55.91	-41.20	14.71	Pass	AVG
4	5396.550	-48.79	-21.20	27.59	Pass	Peak	10	5396.550	-55.81	-41.20	14.61	Pass	AVG
5	5407.080	-48.32	-21.20	27.12	Pass	Peak	11	5407.080	-55.88	-41.20	14.68	Pass	AVG
6	5442.180	-47.45	-21.20	26.25	Pass	Peak	12	5442.180	-55.92	-41.20	14.72	Pass	AVG


802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5020.000	-48.20	-21.20	27.00	Pass	Peak	7	5020.000	-55.28	-41.20	14.08	Pass	AVG
2	5058.500	-46.50	-21.20	25.30	Pass	Peak	8	5058.500	-54.96	-41.20	13.76	Pass	AVG
3	5084.500	-46.89	-21.20	25.69	Pass	Peak	9	5084.500	-54.87	-41.20	13.67	Pass	AVG
4	5105.000	-47.82	-21.20	26.62	Pass	Peak	10	5105.000	-54.27	-41.20	13.07	Pass	AVG
5	5127.000	-47.47	-21.20	26.27	Pass	Peak	11	5127.000	-53.55	-41.20	12.35	Pass	AVG
6	5150.000	-32.09	-21.20	10.89	Pass	Peak	12	5150.000	-49.11	-41.20	7.91	Pass	AVG

802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.000	-49.73	-21.20	28.53	Pass	Peak	7	5352.000	-56.23	-41.20	15.03	Pass	AVG
2	5362.320	-47.76	-21.20	26.56	Pass	Peak	8	5362.320	-56.15	-41.20	14.95	Pass	AVG
3	5400.720	-47.91	-21.20	26.71	Pass	Peak	9	5400.720	-56.08	-41.20	14.88	Pass	AVG
4	5408.160	-48.25	-21.20	27.05	Pass	Peak	10	5408.160	-55.73	-41.20	14.53	Pass	AVG
5	5416.560	-49.94	-21.20	28.74	Pass	Peak	11	5416.560	-56.22	-41.20	15.02	Pass	AVG
6	5439.360	-49.72	-21.20	28.52	Pass	Peak	12	5439.360	-56.27	-41.20	15.07	Pass	AVG


802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5007.500	-48.43	-21.20	27.23	Pass	Peak	7	5007.500	-55.50	-41.20	14.30	Pass	AVG
2	5029.500	-48.23	-21.20	27.03	Pass	Peak	8	5029.500	-55.19	-41.20	13.99	Pass	AVG
3	5072.500	-48.44	-21.20	27.24	Pass	Peak	9	5072.500	-54.64	-41.20	13.44	Pass	AVG
4	5106.500	-44.20	-21.20	23.00	Pass	Peak	10	5106.500	-52.99	-41.20	11.79	Pass	AVG
5	5128.500	-39.38	-21.20	18.18	Pass	Peak	11	5128.500	-50.48	-41.20	9.28	Pass	AVG
6	5149.000	-30.81	-21.20	9.61	Pass	Peak	12	5149.000	-42.06	-41.20	0.86	Pass	AVG

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5352.000	-48.80	-21.20	27.60	Pass	Peak	7	5352.000	-55.63	-41.20	14.43	Pass	AVG
2	5360.370	-48.49	-21.20	27.29	Pass	Peak	8	5360.370	-55.26	-41.20	14.06	Pass	AVG
3	5372.790	-48.00	-21.20	26.80	Pass	Peak	9	5372.790	-55.79	-41.20	14.59	Pass	AVG
4	5392.770	-47.78	-21.20	26.58	Pass	Peak	10	5392.770	-55.57	-41.20	14.37	Pass	AVG
5	5403.840	-48.11	-21.20	26.91	Pass	Peak	11	5403.840	-55.72	-41.20	14.52	Pass	AVG
6	5423.280	-49.18	-21.20	27.98	Pass	Peak	12	5423.280	-55.92	-41.20	14.72	Pass	AVG


802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4998.500	-56.03	-21.20	34.83	Pass	Peak	7	4998.500	-62.99	-41.20	21.79	Pass	AVG
2	5027.500	-54.57	-21.20	33.37	Pass	Peak	8	5027.500	-62.07	-41.20	20.87	Pass	AVG
3	5060.000	-52.87	-21.20	31.67	Pass	Peak	9	5060.000	-60.39	-41.20	19.19	Pass	AVG
4	5088.000	-48.90	-21.20	27.70	Pass	Peak	10	5088.000	-58.28	-41.20	17.08	Pass	AVG
5	5119.000	-42.85	-21.20	21.65	Pass	Peak	11	5119.000	-51.18	-41.20	9.98	Pass	AVG
6	5146.500	-32.11	-21.20	10.91	Pass	Peak	12	5146.500	-46.97	-41.20	5.77	Pass	AVG

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.000	-49.76	-21.20	28.56	Pass	Peak	5	5350.000	-59.99	-41.20	18.79	Pass	AVG
2	5386.000	-52.98	-21.20	31.78	Pass	Peak	6	5386.000	-62.13	-41.20	20.93	Pass	AVG
3	5414.500	-56.20	-21.20	35.00	Pass	Peak	7	5414.500	-62.74	-41.20	21.54	Pass	AVG
4	5446.000	-56.69	-21.20	35.49	Pass	Peak	8	5446.000	-63.36	-41.20	22.16	Pass	AVG

802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
Carrier Wave	SISO	5180	20	102	5179.996	5150 to 5250	Pass
				120	5179.997	5150 to 5250	Pass
				138	5179.996	5150 to 5250	Pass
			-30	120	5179.997	5150 to 5250	Pass
			-20	120	5179.996	5150 to 5250	Pass
			-10	120	5179.996	5150 to 5250	Pass
			0	120	5179.996	5150 to 5250	Pass
			10	120	5179.997	5150 to 5250	Pass
			30	120	5179.996	5150 to 5250	Pass
			40	120	5179.996	5150 to 5250	Pass
			50	120	5179.996	5150 to 5250	Pass
		5200	20	102	5199.996	5150 to 5250	Pass
				120	5199.996	5150 to 5250	Pass
				138	5199.996	5150 to 5250	Pass
			-30	120	5199.996	5150 to 5250	Pass
			-20	120	5199.996	5150 to 5250	Pass
			-10	120	5199.996	5150 to 5250	Pass
			0	120	5199.996	5150 to 5250	Pass
			10	120	5199.996	5150 to 5250	Pass
			30	120	5199.996	5150 to 5250	Pass
			40	120	5199.996	5150 to 5250	Pass
			50	120	5199.996	5150 to 5250	Pass
		5240	20	102	5239.996	5150 to 5250	Pass
				120	5239.996	5150 to 5250	Pass
				138	5239.996	5150 to 5250	Pass
			-30	120	5239.996	5150 to 5250	Pass
			-20	120	5239.996	5150 to 5250	Pass
			-10	120	5239.996	5150 to 5250	Pass
			0	120	5239.996	5150 to 5250	Pass
			10	120	5239.996	5150 to 5250	Pass
			30	120	5239.996	5150 to 5250	Pass
			40	120	5239.996	5150 to 5250	Pass
			50	120	5239.996	5150 to 5250	Pass
		5745	20	102	5744.996	5725 to 5850	Pass
				120	5744.995	5725 to 5850	Pass
				138	5744.996	5725 to 5850	Pass
			-30	120	5744.996	5725 to 5850	Pass
			-20	120	5744.996	5725 to 5850	Pass
			-10	120	5744.996	5725 to 5850	Pass
			0	120	5744.995	5725 to 5850	Pass
			10	120	5744.996	5725 to 5850	Pass
			30	120	5744.996	5725 to 5850	Pass

			40	120	5744.996	5725 to 5850	Pass
			50	120	5744.996	5725 to 5850	Pass
		5785	20	102	5784.996	5725 to 5850	Pass
				120	5784.996	5725 to 5850	Pass
				138	5784.996	5725 to 5850	Pass
			-30	120	5784.996	5725 to 5850	Pass
			-20	120	5784.996	5725 to 5850	Pass
			-10	120	5784.996	5725 to 5850	Pass
			0	120	5784.996	5725 to 5850	Pass
			10	120	5784.996	5725 to 5850	Pass
			30	120	5784.996	5725 to 5850	Pass
			40	120	5784.996	5725 to 5850	Pass
			50	120	5784.996	5725 to 5850	Pass
		5825	20	102	5824.996	5725 to 5850	Pass
				120	5824.995	5725 to 5850	Pass
				138	5824.996	5725 to 5850	Pass
			-30	120	5824.996	5725 to 5850	Pass
			-20	120	5824.996	5725 to 5850	Pass
			-10	120	5824.996	5725 to 5850	Pass
			0	120	5824.996	5725 to 5850	Pass
			10	120	5824.996	5725 to 5850	Pass
			30	120	5824.996	5725 to 5850	Pass
			40	120	5824.996	5725 to 5850	Pass
			50	120	5824.996	5725 to 5850	Pass
		5190	20	102	5189.996	5150 to 5250	Pass
				120	5189.996	5150 to 5250	Pass
				138	5189.997	5150 to 5250	Pass
			-30	120	5189.996	5150 to 5250	Pass
			-20	120	5189.996	5150 to 5250	Pass
			-10	120	5189.996	5150 to 5250	Pass
			0	120	5189.996	5150 to 5250	Pass
			10	120	5189.996	5150 to 5250	Pass
			30	120	5189.997	5150 to 5250	Pass
			40	120	5189.997	5150 to 5250	Pass
			50	120	5189.996	5150 to 5250	Pass
		5230	20	102	5229.996	5150 to 5250	Pass
				120	5229.996	5150 to 5250	Pass
				138	5229.996	5150 to 5250	Pass
			-30	120	5229.996	5150 to 5250	Pass
			-20	120	5229.996	5150 to 5250	Pass
			-10	120	5229.996	5150 to 5250	Pass
			0	120	5229.996	5150 to 5250	Pass
			10	120	5229.996	5150 to 5250	Pass
			30	120	5229.996	5150 to 5250	Pass
			40	120	5229.996	5150 to 5250	Pass
			50	120	5229.996	5150 to 5250	Pass
		5755	20	102	5754.996	5725 to 5850	Pass
				120	5754.996	5725 to 5850	Pass
				138	5754.996	5725 to 5850	Pass
			-30	120	5754.996	5725 to 5850	Pass
			-20	120	5754.996	5725 to 5850	Pass
			-10	120	5754.996	5725 to 5850	Pass

			0	120	5754.996	5725 to 5850	Pass
			10	120	5754.995	5725 to 5850	Pass
			30	120	5754.996	5725 to 5850	Pass
			40	120	5754.996	5725 to 5850	Pass
			50	120	5754.996	5725 to 5850	Pass
		5795	20	102	5794.996	5725 to 5850	Pass
				120	5794.996	5725 to 5850	Pass
				138	5794.996	5725 to 5850	Pass
			-30	120	5794.996	5725 to 5850	Pass
			-20	120	5794.996	5725 to 5850	Pass
			-10	120	5794.996	5725 to 5850	Pass
			0	120	5794.996	5725 to 5850	Pass
			10	120	5794.996	5725 to 5850	Pass
			30	120	5794.996	5725 to 5850	Pass
			40	120	5794.996	5725 to 5850	Pass
			50	120	5794.996	5725 to 5850	Pass
		5210	20	102	5209.997	5150 to 5250	Pass
				120	5209.996	5150 to 5250	Pass
				138	5209.996	5150 to 5250	Pass
			-30	120	5209.996	5150 to 5250	Pass
			-20	120	5209.996	5150 to 5250	Pass
			-10	120	5209.996	5150 to 5250	Pass
			0	120	5209.996	5150 to 5250	Pass
			10	120	5209.996	5150 to 5250	Pass
			30	120	5209.996	5150 to 5250	Pass
			40	120	5209.996	5150 to 5250	Pass
			50	120	5209.996	5150 to 5250	Pass
		5775	20	102	5774.996	5725 to 5850	Pass
				120	5774.996	5725 to 5850	Pass
				138	5774.996	5725 to 5850	Pass
			-30	120	5774.996	5725 to 5850	Pass
			-20	120	5774.996	5725 to 5850	Pass
			-10	120	5774.996	5725 to 5850	Pass
			0	120	5774.996	5725 to 5850	Pass
			10	120	5774.996	5725 to 5850	Pass
			30	120	5774.996	5725 to 5850	Pass
			40	120	5774.996	5725 to 5850	Pass
			50	120	5774.996	5725 to 5850	Pass

----- End of Report -----