




802.11ax(HEW40)_HCH_5230MHz_SU_/_Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant1_NTNV




4.2.2 PSD-Band3




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU / _Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU / _Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU / _Ant1_NTNV



802.11ax(HEW40)_HCH_5795MHz_SU / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU / _Ant1_NTNV



5. Unwanted Emissions In Restricted Frequency Bands

5.1 Test Result

5.1.1 CSE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
		5795	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
		5795	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT80)	SISO	5210	/	/	1	Refer To Test Graph		Pass
		5775	/	/	1	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	Refer To Test Graph		Pass
		5240	SU	/	1	Refer To Test Graph		Pass
		5745	SU	/	1	Refer To Test Graph		Pass
		5825	SU	/	1	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	Refer To Test Graph		Pass
		5230	SU	/	1	Refer To Test Graph		Pass
		5755	SU	/	1	Refer To Test Graph		Pass
		5795	SU	/	1	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5210	SU	/	1	Refer To Test Graph		Pass
		5775	SU	/	1	Refer To Test Graph		Pass

Note:


1) EIRP[dBm]=E[dBuV/m]- 95.2, for d= 3 m;

2) Level[dBm] results have calculated the antenna gain;


3) Antenna gain= U-NII-1: 5150 MHz to 5250 MHz: 3.23 dBi and U-NII-3: 5725 MHz to 5850 MHz: 3.23 dBi

5.2 Test Graph


5.2.1 CSE




802.11a_LCH_5745MHz_Ant1_NTNV



802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5012.500	-50.98	-21.20	29.78	Pass	Peak	7	5012.500	-49.51	-41.20	8.31	Pass	AVG
2	5056.000	-49.98	-21.20	28.78	Pass	Peak	8	5056.000	-49.48	-41.20	8.28	Pass	AVG
3	5083.000	-49.85	-21.20	28.65	Pass	Peak	9	5083.000	-49.30	-41.20	8.10	Pass	AVG
4	5103.500	-51.11	-21.20	29.91	Pass	Peak	10	5103.500	-48.87	-41.20	7.67	Pass	AVG
5	5126.500	-48.33	-21.20	27.13	Pass	Peak	11	5126.500	-49.04	-41.20	7.84	Pass	AVG
6	5146.500	-46.93	-21.20	25.73	Pass	Peak	12	5146.500	-48.11	-41.20	6.91	Pass	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5401.680	-45.24	-21.20	24.04	Pass	Peak	7	5401.680	-46.25	-41.20	5.05	Pass	AVG
2	5410.800	-47.07	-21.20	25.87	Pass	Peak	8	5410.800	-46.60	-41.20	5.40	Pass	AVG
3	5422.320	-47.54	-21.20	26.34	Pass	Peak	9	5422.320	-46.07	-41.20	4.87	Pass	AVG
4	5436.720	-45.55	-21.20	24.35	Pass	Peak	10	5436.720	-46.02	-41.20	4.82	Pass	AVG
5	5445.360	-47.89	-21.20	26.69	Pass	Peak	11	5445.360	-46.18	-41.20	4.98	Pass	AVG
6	5454.480	-45.02	-21.20	23.82	Pass	Peak	12	5454.480	-46.00	-41.20	4.80	Pass	AVG


802.11n(HT20)_LCH_5745MHz_Ant1_NTNV



802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4996.500	-49.56	-21.20	28.36	Pass	Peak	7	4996.500	-46.83	-41.20	5.63	Pass	AVG
2	5021.000	-51.48	-21.20	30.28	Pass	Peak	8	5021.000	-46.98	-41.20	5.78	Pass	AVG
3	5047.000	-51.11	-21.20	29.91	Pass	Peak	9	5047.000	-46.72	-41.20	5.52	Pass	AVG
4	5072.000	-50.55	-21.20	29.35	Pass	Peak	10	5072.000	-46.48	-41.20	5.28	Pass	AVG
5	5111.000	-49.63	-21.20	28.43	Pass	Peak	11	5111.000	-46.74	-41.20	5.54	Pass	AVG
6	5147.500	-45.25	-21.20	24.05	Pass	Peak	12	5147.500	-46.08	-41.20	4.88	Pass	AVG

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5368.470	-46.88	-21.20	25.68	Pass	Peak	7	5368.470	-43.78	-41.20	2.58	Pass	AVG
2	5402.490	-46.47	-21.20	25.27	Pass	Peak	8	5402.490	-43.74	-41.20	2.54	Pass	AVG
3	5417.880	-47.18	-21.20	25.98	Pass	Peak	9	5417.880	-43.44	-41.20	2.24	Pass	AVG
4	5430.300	-46.51	-21.20	25.31	Pass	Peak	10	5430.300	-43.73	-41.20	2.53	Pass	AVG
5	5438.670	-46.49	-21.20	25.29	Pass	Peak	11	5438.670	-43.33	-41.20	2.13	Pass	AVG
6	5453.790	-46.65	-21.20	25.45	Pass	Peak	12	5453.790	-43.39	-41.20	2.19	Pass	AVG


802.11n(HT40)_LCH_5755MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5007.500	-49.05	-21.20	27.85	Pass	Peak	7	5007.500	-49.56	-41.20	8.36	Pass	AVG
2	5041.000	-49.82	-21.20	28.62	Pass	Peak	8	5041.000	-49.63	-41.20	8.43	Pass	AVG
3	5062.500	-49.77	-21.20	28.57	Pass	Peak	9	5062.500	-49.28	-41.20	8.08	Pass	AVG
4	5101.500	-51.06	-21.20	29.86	Pass	Peak	10	5101.500	-49.19	-41.20	7.99	Pass	AVG
5	5125.500	-47.75	-21.20	26.55	Pass	Peak	11	5125.500	-49.08	-41.20	7.88	Pass	AVG
6	5149.000	-41.84	-21.20	20.64	Pass	Peak	12	5149.000	-47.28	-41.20	6.08	Pass	AVG

802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5382.000	-47.33	-21.20	26.13	Pass	Peak	7	5382.000	-46.31	-41.20	5.11	Pass	AVG
2	5403.840	-45.96	-21.20	24.76	Pass	Peak	8	5403.840	-46.34	-41.20	5.14	Pass	AVG
3	5418.000	-47.19	-21.20	25.99	Pass	Peak	9	5418.000	-46.39	-41.20	5.19	Pass	AVG
4	5428.080	-47.63	-21.20	26.43	Pass	Peak	10	5428.080	-46.00	-41.20	4.80	Pass	AVG
5	5446.080	-46.93	-21.20	25.73	Pass	Peak	11	5446.080	-45.91	-41.20	4.71	Pass	AVG
6	5457.840	-44.87	-21.20	23.67	Pass	Peak	12	5457.840	-46.09	-41.20	4.89	Pass	AVG


802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV



802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4993.500	-49.75	-21.20	28.55	Pass	Peak	7	4993.500	-46.92	-41.20	5.72	Pass	AVG
2	5044.500	-50.97	-21.20	29.77	Pass	Peak	8	5044.500	-46.73	-41.20	5.53	Pass	AVG
3	5070.500	-50.25	-21.20	29.05	Pass	Peak	9	5070.500	-46.95	-41.20	5.75	Pass	AVG
4	5092.500	-49.67	-21.20	28.47	Pass	Peak	10	5092.500	-46.65	-41.20	5.45	Pass	AVG
5	5117.000	-50.21	-21.20	29.01	Pass	Peak	11	5117.000	-46.77	-41.20	5.57	Pass	AVG
6	5141.000	-49.15	-21.20	27.95	Pass	Peak	12	5141.000	-45.83	-41.20	4.63	Pass	AVG

802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5376.030	-47.93	-21.20	26.73	Pass	Peak	7	5376.030	-43.84	-41.20	2.64	Pass	AVG
2	5384.670	-46.58	-21.20	25.38	Pass	Peak	8	5384.670	-43.52	-41.20	2.32	Pass	AVG
3	5409.780	-46.94	-21.20	25.74	Pass	Peak	9	5409.780	-43.63	-41.20	2.43	Pass	AVG
4	5421.930	-47.19	-21.20	25.99	Pass	Peak	10	5421.930	-43.51	-41.20	2.31	Pass	AVG
5	5437.860	-46.48	-21.20	25.28	Pass	Peak	11	5437.860	-43.44	-41.20	2.24	Pass	AVG
6	5454.060	-46.50	-21.20	25.30	Pass	Peak	12	5454.060	-43.48	-41.20	2.28	Pass	AVG


802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
7	4974.500	-44.00	-41.20	2.80	Pass	AVG	8	5011.500	-43.91	-41.20	2.71	Pass	AVG
9	5052.500	-43.84	-41.20	2.64	Pass	AVG	10	5080.500	-43.90	-41.20	2.70	Pass	AVG
11	5112.000	-43.59	-41.20	2.39	Pass	AVG	12	5140.000	-41.66	-41.20	0.46	Pass	AVG

802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
4	5375.500	-44.14	-41.20	2.94	Pass	AVG	5	5409.500	-43.94	-41.20	2.74	Pass	AVG
6	5452.000	-43.59	-41.20	2.39	Pass	AVG							


802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_/_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5020.000	-46.36	-21.20	25.16	Pass	Peak	7	5020.000	-44.46	-41.20	3.26	Pass	AVG
2	5044.500	-46.34	-21.20	25.14	Pass	Peak	8	5044.500	-44.51	-41.20	3.31	Pass	AVG
3	5067.500	-45.83	-21.20	24.63	Pass	Peak	9	5067.500	-44.34	-41.20	3.14	Pass	AVG
4	5098.500	-43.40	-21.20	22.20	Pass	Peak	10	5098.500	-43.77	-41.20	2.57	Pass	AVG
5	5119.500	-45.94	-21.20	24.74	Pass	Peak	11	5119.500	-44.13	-41.20	2.93	Pass	AVG
6	5140.500	-44.52	-21.20	23.32	Pass	Peak	12	5140.500	-43.75	-41.20	2.55	Pass	AVG

802.11ax(HEW20)_HCH_5240MHz_SU_/_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5401.680	-46.01	-21.20	24.81	Pass	Peak	7	5401.680	-44.89	-41.20	3.69	Pass	AVG
2	5415.840	-45.98	-21.20	24.78	Pass	Peak	8	5415.840	-44.89	-41.20	3.69	Pass	AVG
3	5424.960	-45.17	-21.20	23.97	Pass	Peak	9	5424.960	-44.87	-41.20	3.67	Pass	AVG
4	5435.040	-46.12	-21.20	24.92	Pass	Peak	10	5435.040	-44.76	-41.20	3.56	Pass	AVG
5	5445.600	-45.18	-21.20	23.98	Pass	Peak	11	5445.600	-44.65	-41.20	3.45	Pass	AVG
6	5460.000	-46.01	-21.20	24.81	Pass	Peak	12	5460.000	-44.57	-41.20	3.37	Pass	AVG


802.11ax(HEW20)_LCH_5745MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_/_Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_/_Ant1_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU_/_Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU / _Ant1_NTNV



6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
Carrier Wave	SISO	5180	20	102	5179.967	5150 to 5250	Pass
				120	5179.967	5150 to 5250	Pass
				138	5179.967	5150 to 5250	Pass
			-30	120	5179.967	5150 to 5250	Pass
			-20	120	5179.967	5150 to 5250	Pass
			-10	120	5179.966	5150 to 5250	Pass
			0	120	5179.966	5150 to 5250	Pass
			10	120	5179.966	5150 to 5250	Pass
			30	120	5179.966	5150 to 5250	Pass
			40	120	5179.966	5150 to 5250	Pass
			50	120	5179.966	5150 to 5250	Pass
		5200	20	102	5199.966	5150 to 5250	Pass
				120	5199.966	5150 to 5250	Pass
				138	5199.966	5150 to 5250	Pass
			-30	120	5199.966	5150 to 5250	Pass
			-20	120	5199.966	5150 to 5250	Pass
			-10	120	5199.965	5150 to 5250	Pass
			0	120	5199.966	5150 to 5250	Pass
			10	120	5199.965	5150 to 5250	Pass
			30	120	5199.965	5150 to 5250	Pass
			40	120	5199.965	5150 to 5250	Pass
			50	120	5199.965	5150 to 5250	Pass
		5240	20	102	5239.965	5150 to 5250	Pass
				120	5239.965	5150 to 5250	Pass
				138	5239.965	5150 to 5250	Pass
			-30	120	5239.965	5150 to 5250	Pass
			-20	120	5239.965	5150 to 5250	Pass
			-10	120	5239.965	5150 to 5250	Pass
			0	120	5239.965	5150 to 5250	Pass
			10	120	5239.965	5150 to 5250	Pass
			30	120	5239.965	5150 to 5250	Pass
			40	120	5239.965	5150 to 5250	Pass
			50	120	5239.965	5150 to 5250	Pass
		5745	20	102	5744.962	5725 to 5850	Pass
				120	5744.962	5725 to 5850	Pass
				138	5744.962	5725 to 5850	Pass
			-30	120	5744.962	5725 to 5850	Pass
			-20	120	5744.961	5725 to 5850	Pass
			-10	120	5744.961	5725 to 5850	Pass
			0	120	5744.961	5725 to 5850	Pass
			10	120	5744.961	5725 to 5850	Pass
			30	120	5744.961	5725 to 5850	Pass

			40	120	5744.961	5725 to 5850	Pass
			50	120	5744.961	5725 to 5850	Pass
		5785	20	102	5784.962	5725 to 5850	Pass
				120	5784.962	5725 to 5850	Pass
				138	5784.961	5725 to 5850	Pass
			-30	120	5784.961	5725 to 5850	Pass
			-20	120	5784.961	5725 to 5850	Pass
			-10	120	5784.961	5725 to 5850	Pass
			0	120	5784.961	5725 to 5850	Pass
			10	120	5784.961	5725 to 5850	Pass
			30	120	5784.961	5725 to 5850	Pass
			40	120	5784.961	5725 to 5850	Pass
			50	120	5784.961	5725 to 5850	Pass
		5825	20	102	5824.961	5725 to 5850	Pass
				120	5824.961	5725 to 5850	Pass
				138	5824.961	5725 to 5850	Pass
			-30	120	5824.961	5725 to 5850	Pass
			-20	120	5824.961	5725 to 5850	Pass
			-10	120	5824.961	5725 to 5850	Pass
			0	120	5824.960	5725 to 5850	Pass
			10	120	5824.960	5725 to 5850	Pass
			30	120	5824.960	5725 to 5850	Pass
			40	120	5824.960	5725 to 5850	Pass
			50	120	5824.960	5725 to 5850	Pass
		5190	20	102	5189.965	5150 to 5250	Pass
				120	5189.965	5150 to 5250	Pass
				138	5189.965	5150 to 5250	Pass
			-30	120	5189.965	5150 to 5250	Pass
			-20	120	5189.965	5150 to 5250	Pass
			-10	120	5189.965	5150 to 5250	Pass
			0	120	5189.965	5150 to 5250	Pass
			10	120	5189.965	5150 to 5250	Pass
			30	120	5189.965	5150 to 5250	Pass
			40	120	5189.965	5150 to 5250	Pass
			50	120	5189.965	5150 to 5250	Pass
		5230	20	102	5229.965	5150 to 5250	Pass
				120	5229.965	5150 to 5250	Pass
				138	5229.965	5150 to 5250	Pass
			-30	120	5229.965	5150 to 5250	Pass
			-20	120	5229.965	5150 to 5250	Pass
			-10	120	5229.965	5150 to 5250	Pass
			0	120	5229.965	5150 to 5250	Pass
			10	120	5229.964	5150 to 5250	Pass
			30	120	5229.964	5150 to 5250	Pass
			40	120	5229.964	5150 to 5250	Pass
			50	120	5229.964	5150 to 5250	Pass
		5755	20	102	5754.962	5725 to 5850	Pass
				120	5754.961	5725 to 5850	Pass
				138	5754.961	5725 to 5850	Pass
			-30	120	5754.961	5725 to 5850	Pass
			-20	120	5754.961	5725 to 5850	Pass
			-10	120	5754.961	5725 to 5850	Pass

			0	120	5754.961	5725 to 5850	Pass
			10	120	5754.961	5725 to 5850	Pass
			30	120	5754.961	5725 to 5850	Pass
			40	120	5754.961	5725 to 5850	Pass
			50	120	5754.961	5725 to 5850	Pass
		5795	20	102	5794.961	5725 to 5850	Pass
				120	5794.961	5725 to 5850	Pass
				138	5794.961	5725 to 5850	Pass
			-30	120	5794.961	5725 to 5850	Pass
			-20	120	5794.961	5725 to 5850	Pass
			-10	120	5794.961	5725 to 5850	Pass
			0	120	5794.961	5725 to 5850	Pass
			10	120	5794.961	5725 to 5850	Pass
			30	120	5794.961	5725 to 5850	Pass
			40	120	5794.961	5725 to 5850	Pass
			50	120	5794.961	5725 to 5850	Pass
		5210	20	102	5209.965	5150 to 5250	Pass
				120	5209.965	5150 to 5250	Pass
				138	5209.965	5150 to 5250	Pass
			-30	120	5209.965	5150 to 5250	Pass
			-20	120	5209.965	5150 to 5250	Pass
			-10	120	5209.965	5150 to 5250	Pass
			0	120	5209.965	5150 to 5250	Pass
			10	120	5209.965	5150 to 5250	Pass
			30	120	5209.965	5150 to 5250	Pass
			40	120	5209.965	5150 to 5250	Pass
			50	120	5209.965	5150 to 5250	Pass
		5775	20	102	5774.962	5725 to 5850	Pass
				120	5774.962	5725 to 5850	Pass
				138	5774.961	5725 to 5850	Pass
			-30	120	5774.961	5725 to 5850	Pass
			-20	120	5774.961	5725 to 5850	Pass
			-10	120	5774.961	5725 to 5850	Pass
			0	120	5774.961	5725 to 5850	Pass
			10	120	5774.961	5725 to 5850	Pass
			30	120	5774.961	5725 to 5850	Pass
			40	120	5774.961	5725 to 5850	Pass
			50	120	5774.961	5725 to 5850	Pass

----- End of Report -----