

Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1569.76	-78.25	-92.54	-50.00	42.54	-14.29	Vertical
2	1574.30	-79.71	-94.01	-50.00	44.01	-14.30	Vertical
3	1579.69	-78.43	-92.75	-50.00	42.75	-14.32	Vertical
4	1585.67	-79.17	-93.51	-50.00	43.51	-14.34	Vertical
5	1596.57	-79.65	-94.03	-50.00	44.03	-14.38	Vertical
6	1603.07	-79.25	-93.61	-50.00	43.61	-14.36	Vertical

7A-13A 1559-1610MHz -50 H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.8839	-46.08	-63.03	-25.00	38.03	-16.95	Horizontal
2	46.5065	-55.24	-71.57	-25.00	46.57	-16.33	Horizontal
3	84.3744	-49.94	-67.94	-25.00	42.94	-18.00	Horizontal
4	103.793	-50.31	-67.45	-25.00	42.45	-17.14	Horizontal
5	226.136	-53.85	-57.30	-25.00	32.30	-3.45	Horizontal
6	360.130	-56.01	-61.81	-25.00	36.81	-5.80	Horizontal

7A-66A Low 30M-1G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2188.61	-48.10	-57.19	-25.00	32.19	-9.09	Horizontal
2	3063.70	-49.08	-55.95	-25.00	30.95	-6.87	Horizontal
3	5054.40	-50.55	-50.69	-25.00	25.69	-0.14	Horizontal
4	8049.80	-52.37	-43.43	-25.00	18.43	8.94	Horizontal
5	10663.6	-54.50	-39.43	-25.00	14.43	15.07	Horizontal
6	14620.4	-54.43	-34.41	-25.00	9.41	20.02	Horizontal

7A-66A Low 1G-18G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	72.7227	-34.68	-54.15	-25.00	29.15	-19.47	Vertical
2	102.822	-50.92	-57.80	-25.00	32.80	-6.88	Vertical
3	135.835	-40.93	-47.37	-25.00	22.37	-6.44	Vertical
4	243.613	-46.78	-55.57	-25.00	30.57	-8.79	Vertical
5	360.130	-53.56	-58.76	-25.00	33.76	-5.20	Vertical
6	760.170	-60.50	-56.24	-25.00	31.24	4.26	Vertical

7A-66A Low 30M-1G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2176.61	-47.82	-57.23	-25.00	32.23	-9.41	Vertical
2	3794.27	-48.57	-53.42	-25.00	28.42	-4.85	Vertical
3	5548.95	-51.38	-49.38	-25.00	24.38	2.00	Vertical
4	8041.40	-52.10	-44.04	-25.00	19.04	8.06	Vertical
5	10657.6	-54.29	-39.02	-25.00	14.02	15.27	Vertical
6	14631.2	-55.70	-34.69	-25.00	9.69	21.01	Vertical

7A-66A Low 1G-18G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	34.8549	-47.40	-63.60	-13.00	50.60	-16.20	Horizontal
2	86.3163	-50.16	-67.46	-13.00	54.46	-17.30	Horizontal
3	238.758	-58.55	-61.71	-13.00	48.71	-3.16	Horizontal
4	360.130	-55.99	-61.79	-13.00	48.79	-5.80	Horizontal
5	760.170	-64.47	-59.92	-13.00	46.92	4.55	Horizontal

13A-66A Low 30M-1G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2261.62	-48.59	-58.06	-13.00	45.06	-9.47	Horizontal
2	3799.78	-48.91	-53.38	-13.00	40.38	-4.47	Horizontal
3	5064.40	-50.05	-50.28	-13.00	37.28	-0.23	Horizontal
4	8551.45	-52.47	-42.63	-13.00	29.63	9.84	Horizontal
5	10628.8	-53.69	-39.02	-13.00	26.02	14.67	Horizontal
6	14630.0	-56.12	-35.87	-13.00	22.87	20.25	Horizontal

13A-66A Low 1G-18G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	75.6356	-33.95	-53.68	-13.00	40.68	-19.73	Vertical
2	129.039	-42.21	-51.21	-13.00	38.21	-9.00	Vertical
3	172.732	-48.15	-59.66	-13.00	46.66	-11.51	Vertical
4	243.613	-51.01	-59.80	-13.00	46.80	-8.79	Vertical
5	360.130	-53.88	-59.08	-13.00	46.08	-5.20	Vertical
6	760.170	-60.40	-56.14	-13.00	43.14	4.26	Vertical

13A-66A Low 30M-1G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3035.70	-48.14	-54.92	-13.00	41.92	-6.78	Vertical
2	3852.78	-48.42	-53.08	-13.00	40.08	-4.66	Vertical
3	5073.90	-49.33	-49.85	-13.00	36.85	-0.52	Vertical
4	7152.11	-51.95	-43.87	-13.00	30.87	8.08	Vertical
5	10638.4	-54.47	-39.43	-13.00	26.43	15.04	Vertical
6	14626.4	-56.47	-35.58	-13.00	22.58	20.89	Vertical

13A-66A Low 1G-18G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	34.8549	-46.10	-62.30	-13.00	49.30	-16.20	Horizontal
2	86.3163	-54.34	-71.64	-13.00	58.64	-17.30	Horizontal
3	130.981	-49.75	-66.75	-13.00	53.75	-17.00	Horizontal
4	241.671	-60.96	-64.59	-13.00	51.59	-3.63	Horizontal
5	360.130	-56.20	-62.00	-13.00	49.00	-5.80	Horizontal
6	760.170	-63.48	-58.93	-13.00	45.93	4.55	Horizontal

5B Low 30M-1G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2246.62	-48.39	-57.80	-13.00	44.80	-9.41	Horizontal
2	2842.68	-48.30	-56.87	-13.00	43.87	-8.57	Horizontal
3	5201.42	-50.23	-50.22	-13.00	37.22	0.01	Horizontal
4	7405.34	-51.53	-44.89	-13.00	31.89	6.64	Horizontal
5	10663.6	-53.70	-38.63	-13.00	25.63	15.07	Horizontal
6	14621.6	-55.69	-35.64	-13.00	22.64	20.05	Horizontal

5B Low 1G-18G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	74.6647	-37.72	-56.90	-13.00	43.90	-19.18	Vertical
2	118.358	-46.92	-55.58	-13.00	42.58	-8.66	Vertical
3	131.952	-40.21	-48.36	-13.00	35.36	-8.15	Vertical
4	244.584	-47.40	-56.08	-13.00	43.08	-8.68	Vertical
5	360.130	-53.57	-58.77	-13.00	45.77	-5.20	Vertical
6	760.170	-60.91	-56.65	-13.00	43.65	4.26	Vertical

5B Low 30M-1G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2683.66	-48.26	-57.13	-13.00	44.13	-8.87	Vertical
2	3180.71	-48.55	-55.01	-13.00	42.01	-6.46	Vertical
3	5014.90	-49.49	-50.07	-13.00	37.07	-0.58	Vertical
4	8954.69	-52.95	-42.87	-13.00	29.87	10.08	Vertical
5	10637.2	-54.35	-39.35	-13.00	26.35	15.00	Vertical
6	14645.6	-56.77	-35.40	-13.00	22.40	21.37	Vertical

5B Low 1G-18G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.8839	-44.82	-61.77	-25.00	36.77	-16.95	Horizontal
2	82.4324	-54.76	-73.26	-25.00	48.26	-18.50	Horizontal
3	157.197	-52.08	-66.44	-25.00	41.44	-14.36	Horizontal
4	234.874	-60.61	-63.58	-25.00	38.58	-2.97	Horizontal
5	360.130	-55.40	-61.20	-25.00	36.20	-5.80	Horizontal
6	760.170	-64.68	-60.13	-25.00	35.13	4.55	Horizontal

7C Low 30M-1G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2242.62	-48.47	-57.84	-25.00	32.84	-9.37	Horizontal
2	3044.20	-48.85	-55.80	-25.00	30.80	-6.95	Horizontal
3	4524.35	-48.56	-51.65	-25.00	26.65	-3.09	Horizontal
4	7254.12	-52.54	-45.28	-25.00	20.28	7.26	Horizontal
5	10642.0	-54.60	-39.48	-25.00	14.48	15.12	Horizontal
6	14644.4	-56.49	-35.89	-25.00	10.89	20.60	Horizontal

7C Low 1G-18G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	71.7518	-34.03	-54.36	-25.00	29.36	-20.33	Vertical
2	105.735	-45.47	-52.42	-25.00	27.42	-6.95	Vertical
3	134.864	-38.30	-45.14	-25.00	20.14	-6.84	Vertical
4	246.526	-43.38	-52.17	-25.00	27.17	-8.79	Vertical
5	360.130	-53.94	-59.14	-25.00	34.14	-5.20	Vertical
6	760.170	-60.75	-56.49	-25.00	31.49	4.26	Vertical

7C Low 30M-1G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2215.12	-48.69	-57.78	-25.00	32.78	-9.09	Vertical
2	3681.26	-48.21	-53.94	-25.00	28.94	-5.73	Vertical
3	5565.45	-50.18	-49.06	-25.00	24.06	1.12	Vertical
4	7263.72	-52.38	-44.27	-25.00	19.27	8.11	Vertical
5	10630.0	-53.30	-38.55	-25.00	13.55	14.75	Vertical
6	14619.2	-55.31	-34.60	-25.00	9.60	20.71	Vertical

7C Low 1G-18G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.8839	-45.85	-62.80	-40.00	22.80	-16.95	Horizontal
2	128.068	-53.81	-70.26	-40.00	30.26	-16.45	Horizontal
3	195.065	-58.85	-67.45	-40.00	27.45	-8.60	Horizontal
4	239.729	-59.40	-62.61	-40.00	22.61	-3.21	Horizontal
5	360.130	-55.37	-61.17	-40.00	21.17	-5.80	Horizontal
6	760.170	-64.18	-59.63	-40.00	19.63	4.55	Horizontal

48C Low 30M-1G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2262.62	-48.98	-58.46	-40.00	18.46	-9.48	Horizontal
2	3055.20	-49.12	-55.96	-40.00	15.96	-6.84	Horizontal
3	5036.40	-51.28	-51.52	-40.00	11.52	-0.24	Horizontal
4	7648.96	-62.87	-54.72	-40.00	14.72	8.15	Horizontal
5	10645.6	-63.80	-48.56	-40.00	8.56	15.24	Horizontal
6	14627.6	-66.92	-46.73	-40.00	6.73	20.19	Horizontal

48C Low 1G-18G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	73.6937	-32.16	-51.44	-40.00	11.44	-19.28	Vertical
2	106.706	-47.32	-54.75	-40.00	14.75	-7.43	Vertical
3	128.068	-40.79	-50.09	-40.00	10.09	-9.30	Vertical
4	242.642	-49.29	-58.18	-40.00	18.18	-8.89	Vertical
5	360.130	-53.36	-58.56	-40.00	18.56	-5.20	Vertical
6	760.170	-60.29	-56.03	-40.00	16.03	4.26	Vertical

48C Low 30M-1G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2161.61	-47.36	-57.05	-40.00	17.05	-9.69	Vertical
2	4383.83	-50.44	-53.01	-40.00	13.01	-2.57	Vertical
3	5984.49	-53.18	-51.95	-40.00	11.95	1.23	Vertical
4	8570.65	-62.21	-53.04	-40.00	13.04	9.17	Vertical
5	10544.8	-63.98	-48.93	-40.00	8.93	15.05	Vertical
6	14626.4	-67.04	-46.15	-40.00	6.15	20.89	Vertical

48C Low 1G-18G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	34.8549	-48.18	-64.38	-13.00	51.38	-16.20	Horizontal
2	87.2873	-50.29	-67.40	-13.00	54.40	-17.11	Horizontal
3	131.952	-48.51	-64.66	-13.00	51.66	-16.15	Horizontal
4	238.758	-58.93	-62.09	-13.00	49.09	-3.16	Horizontal
5	360.130	-55.70	-61.50	-13.00	48.50	-5.80	Horizontal
6	760.170	-64.83	-60.28	-13.00	47.28	4.55	Horizontal

66B Low 30M-1G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2590.15	-48.40	-57.55	-13.00	44.55	-9.15	Horizontal
2	3797.77	-48.69	-53.23	-13.00	40.23	-4.54	Horizontal
3	5088.40	-48.69	-49.14	-13.00	36.14	-0.45	Horizontal
4	7149.71	-52.40	-45.43	-13.00	32.43	6.97	Horizontal
5	10664.8	-54.10	-39.06	-13.00	26.06	15.04	Horizontal
6	14663.6	-56.22	-35.97	-13.00	22.97	20.25	Horizontal

66B Low 1G-18G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	72.7227	-37.00	-56.47	-13.00	43.47	-19.47	Vertical
2	103.793	-50.76	-57.12	-13.00	44.12	-6.36	Vertical
3	133.893	-43.39	-50.58	-13.00	37.58	-7.19	Vertical
4	241.671	-53.57	-62.57	-13.00	49.57	-9.00	Vertical
5	310.610	-52.83	-58.38	-13.00	45.38	-5.55	Vertical
6	760.170	-60.68	-56.42	-13.00	43.42	4.26	Vertical

66B Low 30M-1G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2914.19	-48.68	-56.24	-13.00	43.24	-7.56	Vertical
2	4100.31	-48.13	-52.21	-13.00	39.21	-4.08	Vertical
3	5564.45	-50.40	-49.21	-13.00	36.21	1.19	Vertical
4	7249.32	-51.83	-43.38	-13.00	30.38	8.45	Vertical
5	11300.9	-53.15	-39.12	-13.00	26.12	14.03	Vertical
6	14632.4	-56.25	-35.21	-13.00	22.21	21.04	Vertical

66B Low 1G-18G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.8839	-44.46	-61.41	-13.00	48.41	-16.95	Horizontal
2	46.5065	-55.24	-71.57	-13.00	58.57	-16.33	Horizontal
3	131.952	-54.97	-71.12	-13.00	58.12	-16.15	Horizontal
4	227.107	-57.91	-61.33	-13.00	48.33	-3.42	Horizontal
5	360.130	-56.42	-62.22	-13.00	49.22	-5.80	Horizontal
6	760.170	-64.11	-59.56	-13.00	46.56	4.55	Horizontal

66C Low 30M-1G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2231.62	-48.55	-57.81	-13.00	44.81	-9.26	Horizontal
2	3605.76	-48.71	-55.23	-13.00	42.23	-6.52	Horizontal
3	5530.45	-50.25	-50.26	-13.00	37.26	-0.01	Horizontal
4	8600.66	-53.35	-42.67	-13.00	29.67	10.68	Horizontal
5	10620.4	-53.49	-39.11	-13.00	26.11	14.38	Horizontal
6	14648.0	-55.77	-35.08	-13.00	22.08	20.69	Horizontal

66C Low 1G-18G H



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	70.7808	-32.72	-53.69	-13.00	40.69	-20.97	Vertical
2	129.039	-37.25	-46.25	-13.00	33.25	-9.00	Vertical
3	173.703	-51.53	-62.69	-13.00	49.69	-11.16	Vertical
4	262.062	-49.22	-57.31	-13.00	44.31	-8.09	Vertical
5	360.130	-53.43	-58.63	-13.00	45.63	-5.20	Vertical
6	760.170	-60.66	-56.40	-13.00	43.40	4.26	Vertical

66C Low 30M-1G V



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2199.62	-48.06	-57.05	-13.00	44.05	-8.99	Vertical
2	4208.32	-48.88	-52.85	-13.00	39.85	-3.97	Vertical
3	5563.45	-50.82	-49.57	-13.00	36.57	1.25	Vertical
4	7284.12	-51.38	-43.80	-13.00	30.80	7.58	Vertical
5	10625.2	-54.10	-39.51	-13.00	26.51	14.59	Vertical
6	14645.6	-55.93	-34.56	-13.00	21.56	21.37	Vertical

66C Low 1G-18G V

Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Output Power	±2.22 dB
Bandwidth	±5%
Conducted Spurious Emission	±2.77 dB
Band Edge	±2.77 dB
Equivalent Isotropic Radiated Power	±2.22 dB
Radiated Spurious Emissions	±6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.

4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Power Splitter	NW521	1506A	Weinschel	N/A	N/A
Attenuator 1	(N/A.)	10dB	Resnet	N/A	N/A
EXA Signal Analyzer	MY51511149	N9020A	Agilent	2024.06.19	2025.06.18
EXA Signal Analyzer	MY54170556	N9030A	Keysight	2023.10.07	2024.10.06
System Simulator	6261830572	MT8821C	Anritsu	2024.01.25	2025.01.24
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
Computer	T430i	Think Pad	Lenovo	N/A	N/A

4.2 List of Software Used

Description	Manufacturer	Software Version
MOR-2023E Test System	MORLAB	V7.99
MORLAB EMCR	MORLAB	V1.2

4.3 Radiated Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Loop Antenna	00131	FMZB 1519B	SCHWARZBECK	2023/10/10	2024/10/09
Bi-Log Antenna	9163-274	VULB 9163	SCHWARZBECK	2024/06/29	2025/06/28
Horn Antenna	9120D-963	BBHA 9120D	SCHWARZBECK	2024/06/03	2025/06/02
Horn Antenna	BBHA9170#773	BBHA9170	SCHWARZBECK	2024/06/22	2025/06/21
Signal Analyzer	MY56060145	N9020A	Agilent	2024/05/30	2025/05/29
6db Attenuator	E191001	BW-N6W5+	Mini-circuits	2023/09/19	2024/09/18
Preamplifier（2GHz-18GHz）	61171/061172	S020180L3203	LUCIX CORP.	2024/05/30	2025/05/29
Preamplifier（10MHz-6GHz）	46732	S10M100L3802	LUCIX CORP.	2024/05/30	2025/05/29
Preamplifier（18GHz-40GHz）	DS77209	DCLNA0118-40C-S	Decentest	2024/05/30	2025/05/29
System Simulator	6262148249	MT8000A	anritsu	2024/06/30	2025/06/29
RF Coaxial Cable（DC-18GHz）	MRE001	PE330	Pasternack	2024/05/30	2025/05/29
RF Coaxial Cable（DC-18GHz）	MRE002	CLU18	Pasternack	2024/05/30	2025/05/29
RF Coaxial Cable（DC-18GHz）	MRE003	CLU18	Pasternack	2024/05/30	2025/05/29
RF Coaxial Cable（DC-40GHz）	22290045	QA360-40-KK-0.5	Qualwave	2024/07/03	2025/07/02
RF Coaxial Cable（DC-40GHz）	22290046	QA360-40-KKF-2	Qualwave	2024/07/03	2025/07/02
RF Coaxial Cable（DC-18GHz）	22120181	QA500-18-NN-5	Qualwave	2024/07/03	2025/07/02

END OF REPORT