







66A\_n5 15M DFT-s-OFDM 16QAM Outer\_Full Mid




66A\_n5 15M DFT-s-OFDM 64QAM Outer\_Full Mid




66A\_n5 15M DFT-s-OFDM 256QAM Outer\_Full Mid




66A\_n5 15M CP-OFDM QPSK Outer\_Full Mid




66A\_n5 15M DFT-s-OFDM BPSK Outer\_Full High




66A\_n5 15M DFT-s-OFDM QPSK Outer\_Full High




66A\_n5 15M DFT-s-OFDM 16QAM Outer\_Full High




66A\_n5 15M DFT-s-OFDM 64QAM Outer\_Full High




66A\_n5 15M DFT-s-OFDM 256QAM Outer\_Full High




66A\_n5 15M CP-OFDM QPSK Outer\_Full High




66A\_n5 20M DFT-s-OFDM BPSK Outer\_Full Low




66A\_n5 20M DFT-s-OFDM QPSK Outer\_Full Low




66A\_n5 20M DFT-s-OFDM 16QAM Outer\_Full Low




66A\_n5 20M DFT-s-OFDM 64QAM Outer\_Full Low




66A\_n5 20M DFT-s-OFDM 256QAM Outer\_Full Low




66A\_n5 20M CP-OFDM QPSK Outer\_Full Low




66A\_n5 20M DFT-s-OFDM BPSK Outer\_Full Mid




66A\_n5 20M DFT-s-OFDM QPSK Outer\_Full Mid




66A\_n5 20M DFT-s-OFDM 16QAM Outer\_Full Mid




66A\_n5 20M DFT-s-OFDM 64QAM Outer\_Full Mid




66A\_n5 20M DFT-s-OFDM 256QAM Outer\_Full Mid




66A\_n5 20M CP-OFDM QPSK Outer\_Full Mid



66A\_n5 20M DFT-s-OFDM BPSK Outer\_Full High



66A\_n5 20M DFT-s-OFDM QPSK Outer\_Full High



| Band   | SCS (KHz) | BW (MHz) | ARFCN  | Modulation           | RB   | OBW (MHz) | 26dB BW (MHz) | Verdict |
|--------|-----------|----------|--------|----------------------|------|-----------|---------------|---------|
| 2A_n66 | 15        | 5        | 342500 | DFT-s-OFDM PI/2 BPSK | 25/0 | 4.488     | 4.886         | PASS    |
| 2A_n66 | 15        | 5        | 342500 | DFT-s-OFDM QPSK      | 25/0 | 4.486     | 4.933         | PASS    |
| 2A_n66 | 15        | 5        | 342500 | DFT-s-OFDM 16QAM     | 25/0 | 4.481     | 4.933         | PASS    |
| 2A_n66 | 15        | 5        | 342500 | DFT-s-OFDM 64QAM     | 25/0 | 4.487     | 4.888         | PASS    |
| 2A_n66 | 15        | 5        | 342500 | DFT-s-OFDM 256QAM    | 25/0 | 4.490     | 4.855         | PASS    |
| 2A_n66 | 15        | 5        | 342500 | CP-OFDM QPSK         | 25/0 | 4.494     | 4.938         | PASS    |
| 2A_n66 | 15        | 5        | 349000 | DFT-s-OFDM PI/2 BPSK | 25/0 | 4.489     | 4.888         | PASS    |



|        |    |    |        |                         |      |       |        |      |
|--------|----|----|--------|-------------------------|------|-------|--------|------|
| 2A_n66 | 15 | 5  | 349000 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.483 | 4.940  | PASS |
| 2A_n66 | 15 | 5  | 349000 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.474 | 4.932  | PASS |
| 2A_n66 | 15 | 5  | 349000 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.500 | 4.915  | PASS |
| 2A_n66 | 15 | 5  | 349000 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.491 | 4.870  | PASS |
| 2A_n66 | 15 | 5  | 349000 | CP-OFDM<br>QPSK         | 25/0 | 4.492 | 4.972  | PASS |
| 2A_n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>PI/2 BPSK | 25/0 | 4.495 | 4.900  | PASS |
| 2A_n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>QPSK      | 25/0 | 4.483 | 4.928  | PASS |
| 2A_n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>16QAM     | 25/0 | 4.474 | 4.916  | PASS |
| 2A_n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>64QAM     | 25/0 | 4.501 | 4.919  | PASS |
| 2A_n66 | 15 | 5  | 355500 | DFT-s-OFDM<br>256QAM    | 25/0 | 4.488 | 4.856  | PASS |
| 2A_n66 | 15 | 5  | 355500 | CP-OFDM<br>QPSK         | 25/0 | 4.498 | 4.955  | PASS |
| 2A_n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.947 | 9.655  | PASS |
| 2A_n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.935 | 9.532  | PASS |
| 2A_n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.922 | 9.447  | PASS |
| 2A_n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.939 | 9.505  | PASS |
| 2A_n66 | 15 | 10 | 343000 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.962 | 9.503  | PASS |
| 2A_n66 | 15 | 10 | 343000 | CP-OFDM<br>QPSK         | 52/0 | 9.315 | 9.984  | PASS |
| 2A_n66 | 15 | 10 | 349000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.937 | 9.475  | PASS |
| 2A_n66 | 15 | 10 | 349000 | DFT-s-OFDM<br>QPSK      | 50/0 | 8.943 | 9.493  | PASS |
| 2A_n66 | 15 | 10 | 349000 | DFT-s-OFDM<br>16QAM     | 50/0 | 8.919 | 9.463  | PASS |
| 2A_n66 | 15 | 10 | 349000 | DFT-s-OFDM<br>64QAM     | 50/0 | 8.935 | 9.491  | PASS |
| 2A_n66 | 15 | 10 | 349000 | DFT-s-OFDM<br>256QAM    | 50/0 | 8.950 | 9.541  | PASS |
| 2A_n66 | 15 | 10 | 349000 | CP-OFDM<br>QPSK         | 52/0 | 9.326 | 10.753 | PASS |
| 2A_n66 | 15 | 10 | 355000 | DFT-s-OFDM<br>PI/2 BPSK | 50/0 | 8.943 | 9.492  | PASS |



|        |    |    |        |                         |       |        |        |      |
|--------|----|----|--------|-------------------------|-------|--------|--------|------|
| 2A_n66 | 15 | 10 | 355000 | DFT-s-OFDM<br>QPSK      | 50/0  | 8.946  | 9.524  | PASS |
| 2A_n66 | 15 | 10 | 355000 | DFT-s-OFDM<br>16QAM     | 50/0  | 8.931  | 9.476  | PASS |
| 2A_n66 | 15 | 10 | 355000 | DFT-s-OFDM<br>64QAM     | 50/0  | 8.946  | 9.484  | PASS |
| 2A_n66 | 15 | 10 | 355000 | DFT-s-OFDM<br>256QAM    | 50/0  | 8.959  | 9.531  | PASS |
| 2A_n66 | 15 | 10 | 355000 | CP-OFDM<br>QPSK         | 52/0  | 9.318  | 9.905  | PASS |
| 2A_n66 | 15 | 15 | 343500 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.463 | 14.142 | PASS |
| 2A_n66 | 15 | 15 | 343500 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.432 | 14.116 | PASS |
| 2A_n66 | 15 | 15 | 343500 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.465 | 14.184 | PASS |
| 2A_n66 | 15 | 15 | 343500 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.430 | 14.132 | PASS |
| 2A_n66 | 15 | 15 | 343500 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.457 | 14.104 | PASS |
| 2A_n66 | 15 | 15 | 343500 | CP-OFDM<br>QPSK         | 79/0  | 14.143 | 14.864 | PASS |
| 2A_n66 | 15 | 15 | 349000 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.467 | 14.189 | PASS |
| 2A_n66 | 15 | 15 | 349000 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.439 | 14.204 | PASS |
| 2A_n66 | 15 | 15 | 349000 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.453 | 14.161 | PASS |
| 2A_n66 | 15 | 15 | 349000 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.454 | 14.266 | PASS |
| 2A_n66 | 15 | 15 | 349000 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.495 | 14.241 | PASS |
| 2A_n66 | 15 | 15 | 349000 | CP-OFDM<br>QPSK         | 79/0  | 14.133 | 14.922 | PASS |
| 2A_n66 | 15 | 15 | 354500 | DFT-s-OFDM<br>PI/2 BPSK | 75/0  | 13.443 | 14.191 | PASS |
| 2A_n66 | 15 | 15 | 354500 | DFT-s-OFDM<br>QPSK      | 75/0  | 13.433 | 14.080 | PASS |
| 2A_n66 | 15 | 15 | 354500 | DFT-s-OFDM<br>16QAM     | 75/0  | 13.428 | 14.154 | PASS |
| 2A_n66 | 15 | 15 | 354500 | DFT-s-OFDM<br>64QAM     | 75/0  | 13.431 | 14.192 | PASS |
| 2A_n66 | 15 | 15 | 354500 | DFT-s-OFDM<br>256QAM    | 75/0  | 13.464 | 14.168 | PASS |
| 2A_n66 | 15 | 15 | 354500 | CP-OFDM<br>QPSK         | 79/0  | 14.111 | 14.863 | PASS |
| 2A_n66 | 15 | 20 | 344000 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.877 | 18.748 | PASS |



|        |    |    |        |                         |       |        |        |      |
|--------|----|----|--------|-------------------------|-------|--------|--------|------|
| 2A_n66 | 15 | 20 | 344000 | DFT-s-OFDM<br>QPSK      | 100/0 | 17.897 | 18.710 | PASS |
| 2A_n66 | 15 | 20 | 344000 | DFT-s-OFDM<br>16QAM     | 100/0 | 17.845 | 18.641 | PASS |
| 2A_n66 | 15 | 20 | 344000 | DFT-s-OFDM<br>64QAM     | 100/0 | 17.851 | 18.662 | PASS |
| 2A_n66 | 15 | 20 | 344000 | DFT-s-OFDM<br>256QAM    | 100/0 | 17.850 | 18.585 | PASS |
| 2A_n66 | 15 | 20 | 344000 | CP-OFDM<br>QPSK         | 106/0 | 18.925 | 19.747 | PASS |
| 2A_n66 | 15 | 20 | 349000 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.928 | 18.670 | PASS |
| 2A_n66 | 15 | 20 | 349000 | DFT-s-OFDM<br>QPSK      | 100/0 | 17.984 | 18.810 | PASS |
| 2A_n66 | 15 | 20 | 349000 | DFT-s-OFDM<br>16QAM     | 100/0 | 17.926 | 18.724 | PASS |
| 2A_n66 | 15 | 20 | 349000 | DFT-s-OFDM<br>64QAM     | 100/0 | 17.922 | 18.731 | PASS |
| 2A_n66 | 15 | 20 | 349000 | DFT-s-OFDM<br>256QAM    | 100/0 | 17.908 | 18.665 | PASS |
| 2A_n66 | 15 | 20 | 349000 | CP-OFDM<br>QPSK         | 106/0 | 19.021 | 24.780 | PASS |
| 2A_n66 | 15 | 20 | 354000 | DFT-s-OFDM<br>PI/2 BPSK | 100/0 | 17.853 | 18.582 | PASS |
| 2A_n66 | 15 | 20 | 354000 | DFT-s-OFDM<br>QPSK      | 100/0 | 17.867 | 18.735 | PASS |
| 2A_n66 | 15 | 20 | 354000 | DFT-s-OFDM<br>16QAM     | 100/0 | 17.836 | 18.693 | PASS |
| 2A_n66 | 15 | 20 | 354000 | DFT-s-OFDM<br>64QAM     | 100/0 | 17.830 | 18.653 | PASS |
| 2A_n66 | 15 | 20 | 354000 | DFT-s-OFDM<br>256QAM    | 100/0 | 17.819 | 18.684 | PASS |
| 2A_n66 | 15 | 20 | 354000 | CP-OFDM<br>QPSK         | 106/0 | 18.912 | 21.728 | PASS |
| 2A_n66 | 15 | 30 | 345000 | DFT-s-OFDM<br>PI/2 BPSK | 160/0 | 28.488 | 29.581 | PASS |
| 2A_n66 | 15 | 30 | 345000 | DFT-s-OFDM<br>QPSK      | 160/0 | 28.517 | 29.494 | PASS |
| 2A_n66 | 15 | 30 | 345000 | DFT-s-OFDM<br>16QAM     | 160/0 | 28.499 | 29.581 | PASS |
| 2A_n66 | 15 | 30 | 345000 | DFT-s-OFDM<br>64QAM     | 160/0 | 28.364 | 29.612 | PASS |
| 2A_n66 | 15 | 30 | 345000 | DFT-s-OFDM<br>256QAM    | 160/0 | 28.478 | 29.557 | PASS |
| 2A_n66 | 15 | 30 | 345000 | CP-OFDM<br>QPSK         | 160/0 | 28.380 | 29.509 | PASS |
| 2A_n66 | 15 | 30 | 349000 | DFT-s-OFDM<br>PI/2 BPSK | 160/0 | 28.714 | 29.722 | PASS |



|        |    |    |        |                         |       |        |        |      |
|--------|----|----|--------|-------------------------|-------|--------|--------|------|
| 2A_n66 | 15 | 30 | 349000 | DFT-s-OFDM<br>QPSK      | 160/0 | 28.753 | 29.716 | PASS |
| 2A_n66 | 15 | 30 | 349000 | DFT-s-OFDM<br>16QAM     | 160/0 | 28.758 | 29.710 | PASS |
| 2A_n66 | 15 | 30 | 349000 | DFT-s-OFDM<br>64QAM     | 160/0 | 28.705 | 29.757 | PASS |
| 2A_n66 | 15 | 30 | 349000 | DFT-s-OFDM<br>256QAM    | 160/0 | 28.713 | 29.632 | PASS |
| 2A_n66 | 15 | 30 | 349000 | CP-OFDM<br>QPSK         | 160/0 | 28.734 | 29.686 | PASS |
| 2A_n66 | 15 | 30 | 353000 | DFT-s-OFDM<br>PI/2 BPSK | 160/0 | 28.497 | 29.537 | PASS |
| 2A_n66 | 15 | 30 | 353000 | DFT-s-OFDM<br>QPSK      | 160/0 | 28.533 | 29.583 | PASS |
| 2A_n66 | 15 | 30 | 353000 | DFT-s-OFDM<br>16QAM     | 160/0 | 28.484 | 29.571 | PASS |
| 2A_n66 | 15 | 30 | 353000 | DFT-s-OFDM<br>64QAM     | 160/0 | 28.400 | 29.648 | PASS |
| 2A_n66 | 15 | 30 | 353000 | DFT-s-OFDM<br>256QAM    | 160/0 | 28.482 | 29.589 | PASS |
| 2A_n66 | 15 | 30 | 353000 | CP-OFDM<br>QPSK         | 160/0 | 28.407 | 29.609 | PASS |

