




Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	38.7390	-57.5	-13.00	44.50	-16.41	-39.55	23.14	Vertical
2	90.2000	-65.58	-13.00	52.58	-16.50	-38.71	22.21	Vertical
3	159.1390	-72.24	-13.00	59.24	-16.94	-38.41	21.47	Vertical
4	279.5400	-72.25	-13.00	59.25	-12.54	-37.04	24.50	Vertical
5	746.5770	-48.22	-13.00	35.22	-2.84	-34.21	31.37	NA
6	971.8420	-67.89	-13.00	54.89	-1.80	-34.06	32.26	Vertical

CA_4A_13A Mid 4A 20M 13A 10M QPSK 1RB 30M-1G V

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1316.3160	-48.18	-13.00	35.18	-7.72	-45.28	37.56	Horizontal
2	1720.7210	-25.73	-13.00	12.73	-8.37	-46.32	37.95	NA
3	2123.1230	-35.66	-13.00	22.66	-8.19	-47.05	38.86	NA
4	2599.6000	-51.86	-13.00	38.86	-10.11	-47.04	36.93	Horizontal
5	7513.0130	-46.99	-13.00	33.99	10.44	-35.62	46.06	Horizontal
6	12014.0140	-40.38	-13.00	27.38	18.06	-31.30	49.36	Horizontal

CA_5A-66A Low 5A 10M 66A 20M QPSK 1RB 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1312.3120	-58.02	-13.00	45.02	-9.14	-45.29	36.15	Vertical
2	1720.7210	-26.51	-13.00	13.51	-9.35	-46.32	36.97	NA
3	2121.1210	-47.6	-13.00	34.60	-9.62	-47.08	37.46	NA
4	2583.5840	-54.52	-13.00	41.52	-10.46	-47.22	36.76	Vertical
5	5151.1510	-53.47	-13.00	40.47	-2.52	-43.80	41.28	Vertical
6	14673.1730	-36	-13.00	23.00	22.91	-27.60	50.51	Vertical

CA_5A-66A Low 5A 10M 66A 20M QPSK 1RB 1-18G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	32.9130	-53.68	-13.00	40.68	-10.25	-39.60	29.35	Horizontal
2	56.2160	-64.09	-13.00	51.09	-9.45	-39.48	30.03	Horizontal
3	106.7070	-73.44	-13.00	60.44	-17.57	-38.69	21.12	Horizontal
4	279.5400	-71.85	-13.00	58.85	-12.04	-37.04	25.00	Horizontal
5	827.1670	-46.09	-13.00	33.09	-2.90	-34.16	31.26	NA
6	874.7450	-44.18	-13.00	31.18	-2.18	-34.03	31.85	NA

CA_5A-66A Low 5A 10M 66A 20M QPSK 1RB 30M-1G H

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	39.7100	-48.63	-13.00	35.63	-16.34	-39.54	23.20	Vertical
2	78.5490	-66.93	-13.00	53.93	-20.02	-39.17	19.15	Vertical
3	158.1680	-72.34	-13.00	59.34	-16.92	-38.44	21.52	Vertical
4	279.5400	-68.84	-13.00	55.84	-12.54	-37.04	24.50	Vertical
5	827.1670	-50.67	-13.00	37.67	-2.67	-34.16	31.49	NA
6	876.6870	-46.61	-13.00	33.61	-1.81	-34.03	32.22	NA

CA_5A-66A Low 5A 10M 66A 20M QPSK 1RB 30M-1G V

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1314.3140	-60.93	-13.00	47.93	-7.71	-45.28	37.57	Horizontal
2	1586.5870	-61.87	-13.00	48.87	-9.25	-45.82	36.57	Horizontal
3	2171.1710	-34.69	-13.00	21.69	-7.79	-46.80	39.01	NA
4	2531.5320	-41.4	-13.00	28.40	-10.64	-47.40	36.76	Horizontal
5	4418.9190	-55.29	-13.00	42.29	-5.59	-45.76	40.17	Horizontal
6	8318.8190	-48.82	-13.00	35.82	8.99	-35.98	44.97	Horizontal
7	12532.0320	-42.1	-13.00	29.10	18.63	-30.16	48.79	Horizontal

CA_5A-66A High 5A 10M 66A 20M QPSK 1RB 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1400.4000	-60.65	-13.00	47.65	-8.05	-45.35	37.30	Vertical
2	2167.1670	-41.15	-13.00	28.15	-8.13	-46.79	38.66	NA
3	2531.5320	-51.2	-13.00	38.20	-10.78	-47.40	36.62	Vertical
4	5011.0110	-54.92	-13.00	41.92	-2.95	-43.82	40.87	Vertical
5	10390.8910	-42.96	-13.00	29.96	14.95	-34.59	49.54	Vertical
6	14327.8280	-38.91	-13.00	25.91	22.51	-28.16	50.67	Vertical

CA_5A-66A High 5A 10M 66A 20M QPSK 1RB 1-18G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	38.7390	-52.05	-13.00	39.05	-7.63	-39.55	31.92	Horizontal
2	49.4190	-60.29	-13.00	47.29	-7.01	-39.46	32.45	Horizontal
3	85.3450	-71.21	-13.00	58.21	-18.70	-38.90	20.20	Horizontal
4	279.5400	-71.79	-13.00	58.79	-12.04	-37.04	25.00	Horizontal
5	843.6740	-39.42	-13.00	26.42	-2.48	-34.11	31.63	NA
6	886.3960	-44.42	-13.00	31.42	-2.06	-34.00	31.94	NA

CA_5A-66A High 5A 10M 66A 20M QPSK 1RB 30M-1G H

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	40.6810	-53.56	-13.00	40.56	-16.24	-39.53	23.29	Vertical
2	76.6070	-66.29	-13.00	53.29	-19.61	-39.25	19.64	Vertical
3	161.0810	-73.67	-13.00	60.67	-16.98	-38.36	21.38	Vertical
4	279.5400	-69.17	-13.00	56.17	-12.54	-37.04	24.50	Vertical
5	843.6740	-46.16	-13.00	33.16	-2.89	-34.11	31.22	NA
6	888.3380	-46.27	-13.00	33.27	-1.25	-34.00	32.75	NA

CA_5A-66A High 5A 10M 66A 20M QPSK 1RB 30M-1G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1342.3420	-48.31	-13.00	35.31	-7.92	-45.27	37.35	Horizontal
2	1746.7470	-25.75	-13.00	12.75	-8.28	-46.27	37.99	NA
3	2145.1450	-36.93	-13.00	23.93	-7.85	-46.78	38.93	NA
4	2659.6600	-57.27	-13.00	44.27	-10.18	-47.32	37.14	Horizontal
5	4653.6540	-54.87	-13.00	41.87	-4.33	-45.01	40.68	Horizontal
6	10678.6790	-42.4	-13.00	29.40	13.97	-34.61	48.58	Horizontal

CA_5A-66A Mid 5A 10M 66A 20M QPSK 1RB 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1744.7450	-26.41	-13.00	13.41	-9.27	-46.27	37.00	NA
2	2143.1430	-40.69	-13.00	27.69	-8.77	-46.81	38.04	NA
3	2415.4150	-58.2	-13.00	45.20	-10.37	-47.42	37.05	Vertical
4	5102.1020	-53.53	-13.00	40.53	-2.13	-43.84	41.71	Vertical
5	7489.9900	-47.13	-13.00	34.13	10.06	-35.67	45.73	Vertical
6	14097.5980	-38.84	-13.00	25.84	22.97	-27.39	50.36	Vertical

CA_5A-66A Mid 5A 10M 66A 20M QPSK 1RB 1-18G V

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	39.7100	-53.83	-13.00	40.83	-7.19	-39.54	32.35	Horizontal
2	72.7230	-71.97	-13.00	58.97	-16.61	-39.40	22.79	Horizontal
3	279.5400	-72.15	-13.00	59.15	-12.04	-37.04	25.00	Horizontal
4	502.8630	-72.03	-13.00	59.03	-7.53	-35.25	27.72	Horizontal
5	836.8770	-44.26	-13.00	31.26	-2.58	-34.13	31.55	NA
6	881.5420	-44.37	-13.00	31.37	-2.13	-34.01	31.88	NA

CA_5A-66A Mid 5A 10M 66A 20M QPSK 1RB 30M-1G H

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	39.7100	-48.42	-13.00	35.42	-16.34	-39.54	23.20	Vertical
2	77.5780	-68.82	-13.00	55.82	-19.81	-39.21	19.40	Vertical
3	158.1680	-71.44	-13.00	58.44	-16.92	-38.44	21.52	Vertical
4	279.5400	-69.35	-13.00	56.35	-12.54	-37.04	24.50	Vertical
5	839.7900	-50.18	-13.00	37.18	-2.77	-34.12	31.35	NA
6	880.5710	-45.49	-13.00	32.49	-1.56	-34.02	32.46	NA

CA_5A-66A Mid 5A 10M 66A 20M QPSK 1RB 30M-1G V

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1362.3620	-60.3	-13.00	47.30	-8.11	-45.29	37.18	Horizontal
2	2123.1230	-31.69	-13.00	18.69	-8.19	-47.05	38.86	NA
3	2345.3450	-54.67	-13.00	41.67	-8.15	-46.53	38.38	Horizontal
4	5168.6690	-53.49	-13.00	40.49	-2.29	-43.57	41.28	Horizontal
5	7501.5020	-45.97	-13.00	32.97	10.71	-35.48	46.19	Horizontal
6	12704.7050	-40.99	-13.00	27.99	19.73	-29.74	49.47	Horizontal

CA_13A-66A Low 13A 10M 66A 20M QPSK 1RB 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	2127.1270	-41.61	-13.00	28.61	-9.38	-47.00	37.62	NA
2	2415.4150	-58.19	-13.00	45.19	-10.37	-47.42	37.05	Vertical
3	5077.5780	-53.26	-13.00	40.26	-2.34	-43.85	41.51	Vertical
4	7536.0360	-46.93	-13.00	33.93	9.67	-35.90	45.57	Vertical
5	11323.3230	-41.27	-13.00	28.27	15.41	-33.60	49.01	Vertical
6	14650.1500	-37.34	-13.00	24.34	23.28	-27.14	50.42	Vertical

CA_13A-66A Low 13A 10M 66A 20M QPSK 1RB 1-18G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	38.7390	-57.4	-13.00	44.40	-7.63	-39.55	31.92	Horizontal
2	68.8390	-66.77	-13.00	53.77	-15.36	-39.51	24.15	Horizontal
3	106.7070	-72.2	-13.00	59.20	-17.57	-38.69	21.12	Horizontal
4	201.8620	-68.02	-13.00	55.02	-14.77	-37.79	23.02	Horizontal
5	750.4600	-34.55	-13.00	21.55	-2.99	-34.20	31.21	NA
6	782.5030	-28.3	-13.00	15.30	-3.20	-34.23	31.03	NA

CA_13A-66A Low 13A 10M 66A 20M QPSK 1RB 30M-1G H

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	37.7680	-55.15	-13.00	42.15	-16.48	-39.56	23.08	Vertical
2	69.8100	-66.38	-13.00	53.38	-18.22	-39.51	21.29	Vertical
3	201.8620	-64.62	-13.00	51.62	-16.25	-37.79	21.54	Vertical
4	306.7270	-66.83	-13.00	53.83	-11.88	-36.96	25.08	Vertical
5	751.4310	-41.27	-13.00	28.27	-2.58	-34.20	31.62	NA
6	782.5030	-37.42	-13.00	24.42	-3.31	-34.23	30.92	NA

CA_13A-66A Low 13A 10M 66A 20M QPSK 1RB 30M-1G V

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1374.3740	-60.91	-13.00	47.91	-8.22	-45.31	37.09	Horizontal
2	1746.7470	-56.91	-13.00	43.91	-8.28	-46.27	37.99	Horizontal
3	2167.1670	-31.81	-13.00	18.81	-7.79	-46.79	39.00	NA
4	2345.3450	-50.35	-13.00	37.35	-8.15	-46.53	38.38	Horizontal
5	5056.5570	-53.07	-13.00	40.07	-2.39	-43.86	41.47	Horizontal
6	10678.6790	-42.92	-13.00	29.92	13.97	-34.61	48.58	Horizontal

CA_13A-66A High 13A 10M 66A 20M QPSK 1RB 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1402.4020	-61.14	-13.00	48.14	-8.09	-45.35	37.26	Vertical
2	1752.7530	-57.91	-13.00	44.91	-9.25	-46.26	37.01	Vertical
3	2169.1690	-38.21	-13.00	25.21	-8.07	-46.79	38.72	NA
4	4093.0930	-55.91	-13.00	42.91	-7.31	-46.82	39.51	Vertical
5	7248.2480	-47.15	-13.00	34.15	8.57	-36.95	45.52	Vertical
6	11956.4560	-40.64	-13.00	27.64	16.71	-32.05	48.76	Vertical

CA_13A-66A High 13A 10M 66A 20M QPSK 1RB 1-18G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	39.7100	-54.78	-13.00	41.78	-7.19	-39.54	32.35	Horizontal
2	59.1290	-63.27	-13.00	50.27	-10.59	-39.48	28.89	Horizontal
3	279.5400	-72.45	-13.00	59.45	-12.04	-37.04	25.00	Horizontal
4	403.8240	-72.2	-13.00	59.20	-10.16	-36.20	26.04	Horizontal
5	748.5190	-34.86	-13.00	21.86	-3.05	-34.21	31.16	NA
6	782.5030	-29.24	-13.00	16.24	-3.20	-34.23	31.03	NA

CA_13A-66A High 13A 10M 66A 20M QPSK 1RB 30M-1G H

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	39.7100	-59.27	-13.00	46.27	-16.34	-39.54	23.20	Vertical
2	106.7070	-69.77	-13.00	56.77	-14.91	-38.69	23.78	Vertical
3	197.9780	-70.54	-13.00	57.54	-15.99	-37.89	21.90	Vertical
4	279.5400	-70.27	-13.00	57.27	-12.54	-37.04	24.50	Vertical
5	749.4890	-42.04	-13.00	29.04	-2.66	-34.20	31.54	NA
6	782.5030	-38.38	-13.00	25.38	-3.31	-34.23	30.92	NA

CA_13A-66A High 13A 10M 66A 20M QPSK 1RB 30M-1G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1296.2960	-60.74	-13.00	47.74	-7.73	-45.30	37.57	Horizontal
2	2151.1510	-31.76	-13.00	18.76	-7.77	-46.72	38.95	NA
3	2345.3450	-55.07	-13.00	42.07	-8.15	-46.53	38.38	Horizontal
4	5638.1380	-53.72	-13.00	40.72	-2.07	-42.89	40.82	Horizontal
5	9999.4990	-43.28	-13.00	30.28	14.18	-34.22	48.40	Horizontal
6	14650.1500	-38.43	-13.00	25.43	22.61	-27.14	49.75	Horizontal

CA_13A-66A Mid 13A 10M 66A 20M QPSK 1RB 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	2153.1530	-40.21	-13.00	27.21	-8.43	-46.73	38.30	NA
2	3017.5180	-57.68	-13.00	44.68	-9.21	-47.75	38.54	Vertical
3	3798.7990	-55.17	-13.00	42.17	-6.93	-45.99	39.06	Vertical
4	5519.0190	-53.64	-13.00	40.64	-2.30	-42.76	40.46	Vertical
5	7501.5020	-45.92	-13.00	32.92	10.30	-35.48	45.78	Vertical
6	11346.3460	-40.74	-13.00	27.74	15.68	-33.42	49.10	Vertical

CA_13A-66A Mid 13A 10M 66A 20M QPSK 1RB 1-18G V

Test Graph




○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	37.7680	-56.29	-13.00	43.29	-8.07	-39.56	31.49	Horizontal
2	48.4480	-59.04	-13.00	46.04	-7.02	-39.47	32.45	Horizontal
3	90.2000	-73.92	-13.00	60.92	-18.92	-38.71	19.79	Horizontal
4	201.8620	-74.11	-13.00	61.11	-14.77	-37.79	23.02	Horizontal
5	749.4890	-35.16	-13.00	22.16	-3.02	-34.20	31.18	NA
6	782.5030	-29	-13.00	16.00	-3.20	-34.23	31.03	NA

CA_13A-66A Mid 13A 10M 66A 20M QPSK 1RB 30M-1G H

Test Graph



○ Final Test

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	38.7390	-58.79	-13.00	45.79	-16.41	-39.55	23.14	Vertical
2	69.8100	-66.17	-13.00	53.17	-18.22	-39.51	21.29	Vertical
3	157.1970	-69.9	-13.00	56.90	-16.90	-38.47	21.57	Vertical
4	279.5400	-70.73	-13.00	57.73	-12.54	-37.04	24.50	Vertical
5	751.4310	-40.52	-13.00	27.52	-2.58	-34.20	31.62	NA
6	782.5030	-37.48	-13.00	24.48	-3.31	-34.23	30.92	NA

CA_13A-66A Mid 13A 10M 66A 20M QPSK 1RB 30M-1G V



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$





Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Power Splitter	NW521	1506A	Weinschel	N/A	N/A
Attenuator 1	(N/A.)	10dB	Resnet	N/A	N/A
Attenuator 2	(N/A.)	3dB	Resnet	N/A	N/A
EXA Signal Analyzer	MY54170556	N9030A	Agilent	2021.01.08	2022.01.07
USB Power Sensor	MY54210011	U2021XA	Agilent	2020.10.23	2021.10.22
System Simulator	6261830572	MT8821C	Anritsu	2021.02.25	2022.02.24
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
Coaxial cable	CB02	RF02	Morlab	N/A	N/A
SMA connector	CN01	RF03	HUBER-SUHNER	N/A	N/A
Temperature Chamber	(N/A)	HUT705P	CHONGQING HANBA EXPERIMENTAL EQUIPMENT CO.,LTD	2021.03.17	2022.03.16
Computer	T430i	Think Pad	Lenovo	N/A	N/A



**4.2 Radiated Test Equipments**

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Bi-Log Antenna	VULB 9163	9163-274	SCHWARZBE CK	2019/11/23	2022/11/22
Horn Antenna	BBHA 9120D	9120D-963	SCHWARZBE CK	2019/5/24	2022/5/23
Horn Antenna	BBHA9170	BBHA9170# 774	SCHWARZBE CK	2019/7/26	2022/7/25
Receiver	N9038A	MY54130016	Agilent	2021/7/16	2022/7/15
Preamplifier	S020180L3203	61171/61172	LUCIX CORP.	2021/7/16	2022/7/15
Preamplifier	S10M100L3802	46732	LUCIX CORP.	2021/7/16	2022/7/15
Preamplifier	S180265M3001	46732	LUCIX CORP.	2021/7/16	2022/7/15
System Simulator	CMW500	152038	R&S	2020/11/19	2021/11/18

————— END OF REPORT —————