

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.14888G	50.57	54.00	-3.43	3	Vertical	351	1.98	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.148G	52.77	54.00	-1.23	3	Vertical	352	2.03	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	AV	5.378G	49.62	54.00	-4.38	3	Horizontal	348	2.04	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	AV	5.44G	50.13	54.00	-3.87	3	Vertical	43	1.50	-
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	PK	5.468G	63.13	68.20	-5.07	3	Vertical	44	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.6478G	60.37	68.20	-7.83	3	Vertical	330	1.50	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.14888G	50.57	54.00	-3.43	3	Vertical	351	1.98	-
5210MHz	Pass	AV	5.186G	95.53	Inf	-Inf	3	Vertical	351	1.98	-
5210MHz	Pass	PK	5.14376G	66.83	74.00	-7.17	3	Vertical	351	1.98	-
5210MHz	Pass	PK	5.1876G	107.19	Inf	-Inf	3	Vertical	351	1.98	-
5210MHz	Pass	AV	5.15G	47.97	54.00	-6.03	3	Horizontal	349	2.01	-
5210MHz	Pass	AV	5.201G	93.06	Inf	-Inf	3	Horizontal	349	2.01	-
5210MHz	Pass	AV	5.449G	42.84	54.00	-11.16	3	Horizontal	349	2.01	-
5210MHz	Pass	PK	5.143G	61.77	74.00	-12.23	3	Horizontal	349	2.01	-
5210MHz	Pass	PK	5.182G	104.56	Inf	-Inf	3	Horizontal	349	2.01	-
5210MHz	Pass	PK	5.393G	54.28	74.00	-19.72	3	Horizontal	349	2.01	-
5210MHz	Pass	PK	10.44016G	49.68	68.20	-18.52	3	Vertical	265	1.50	-
5210MHz	Pass	PK	10.34672G	49.20	68.20	-19.00	3	Horizontal	350	2.46	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.146G	42.75	54.00	-11.25	3	Vertical	352	1.50	-
5290MHz	Pass	AV	5.264G	95.61	Inf	-Inf	3	Vertical	352	1.50	-
5290MHz	Pass	AV	5.38G	47.12	54.00	-6.88	3	Vertical	352	1.50	-
5290MHz	Pass	PK	5.143G	55.08	74.00	-18.92	3	Vertical	352	1.50	-
5290MHz	Pass	PK	5.266G	106.48	Inf	-Inf	3	Vertical	352	1.50	-
5290MHz	Pass	PK	5.379G	60.09	74.00	-13.91	3	Vertical	352	1.50	-
5290MHz	Pass	PK	5.508G	54.32	68.20	-13.88	3	Vertical	352	1.50	-
5290MHz	Pass	AV	5.15G	42.90	54.00	-11.10	3	Horizontal	348	2.04	-
5290MHz	Pass	AV	5.261G	94.35	Inf	-Inf	3	Horizontal	348	2.04	-
5290MHz	Pass	AV	5.378G	49.62	54.00	-4.38	3	Horizontal	348	2.04	-
5290MHz	Pass	PK	5.14G	57.90	74.00	-16.10	3	Horizontal	348	2.04	-
5290MHz	Pass	PK	5.26G	106.27	Inf	-Inf	3	Horizontal	348	2.04	-
5290MHz	Pass	PK	5.385G	67.77	74.00	-6.23	3	Horizontal	348	2.04	-
5290MHz	Pass	PK	5.463G	54.71	68.20	-13.49	3	Horizontal	348	2.04	-
5290MHz	Pass	AV	10.6072G	37.81	54.00	-16.19	3	Vertical	310	1.50	-
5290MHz	Pass	PK	10.6392G	49.91	74.00	-24.09	3	Vertical	310	1.50	-
5290MHz	Pass	PK	10.64848G	49.95	74.00	-24.05	3	Horizontal	64	1.50	-
5530MHz	Pass	AV	5.35G	42.02	54.00	-11.98	3	Vertical	43	1.50	-
5530MHz	Pass	AV	5.44G	50.13	54.00	-3.87	3	Vertical	43	1.50	-
5530MHz	Pass	AV	5.493G	94.29	Inf	-Inf	3	Vertical	43	1.50	-
5530MHz	Pass	PK	5.349G	54.78	68.20	-13.42	3	Vertical	43	1.50	-
5530MHz	Pass	PK	5.442G	65.29	74.00	-8.71	3	Vertical	43	1.50	-
5530MHz	Pass	PK	5.461G	59.09	68.20	-9.11	3	Vertical	43	1.50	-
5530MHz	Pass	PK	5.492G	106.80	Inf	-Inf	3	Vertical	43	1.50	-
5530MHz	Pass	PK	5.756G	55.49	68.20	-12.71	3	Vertical	43	1.50	-
5530MHz	Pass	AV	5.35G	42.64	54.00	-11.36	3	Horizontal	49	2.07	-
5530MHz	Pass	AV	5.444G	48.91	54.00	-5.09	3	Horizontal	49	2.07	-
5530MHz	Pass	AV	5.492G	94.75	Inf	-Inf	3	Horizontal	49	2.07	-
5530MHz	Pass	PK	5.287G	54.57	68.20	-13.63	3	Horizontal	49	2.07	-
5530MHz	Pass	PK	5.448G	62.76	74.00	-11.24	3	Horizontal	49	2.07	-
5530MHz	Pass	PK	5.47G	56.56	68.20	-11.64	3	Horizontal	49	2.07	-
5530MHz	Pass	PK	5.494G	105.33	Inf	-Inf	3	Horizontal	49	2.07	-
5530MHz	Pass	PK	5.739G	55.65	68.20	-12.55	3	Horizontal	49	2.07	-
5530MHz	Pass	AV	10.98928G	37.63	54.00	-16.37	3	Vertical	48	2.46	-
5530MHz	Pass	PK	11.05712G	49.82	74.00	-24.18	3	Vertical	48	2.46	-
5530MHz	Pass	AV	10.99088G	37.67	54.00	-16.33	3	Horizontal	179	2.74	-
5530MHz	Pass	PK	11.07952G	49.63	74.00	-24.37	3	Horizontal	179	2.74	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.448G	42.86	54.00	-11.14	3	Vertical	333	1.50	-
5610MHz	Pass	AV	5.576G	93.48	Inf	-Inf	3	Vertical	333	1.50	-
5610MHz	Pass	PK	5.421G	54.83	74.00	-19.17	3	Vertical	333	1.50	-
5610MHz	Pass	PK	5.465G	54.08	68.20	-14.12	3	Vertical	333	1.50	-
5610MHz	Pass	PK	5.576G	105.00	Inf	-Inf	3	Vertical	333	1.50	-
5610MHz	Pass	PK	5.808G	55.90	68.20	-12.30	3	Vertical	333	1.50	-
5610MHz	Pass	AV	5.457G	43.34	54.00	-10.66	3	Horizontal	50	2.07	-
5610MHz	Pass	AV	5.573G	93.10	Inf	-Inf	3	Horizontal	50	2.07	-
5610MHz	Pass	PK	5.409G	56.15	74.00	-17.85	3	Horizontal	50	2.07	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	5.468G	57.27	68.20	-10.93	3	Horizontal	50	2.07	-
5610MHz	Pass	PK	5.578G	103.71	Inf	-Inf	3	Horizontal	50	2.07	-
5610MHz	Pass	PK	5.795G	56.48	68.20	-11.72	3	Horizontal	50	2.07	-
5610MHz	Pass	AV	11.27088G	37.99	54.00	-16.01	3	Vertical	317	1.50	-
5610MHz	Pass	PK	11.18224G	50.07	74.00	-23.93	3	Vertical	317	1.50	-
5610MHz	Pass	AV	11.2808G	38.03	54.00	-15.97	3	Horizontal	360	2.02	-
5610MHz	Pass	PK	11.16656G	50.20	74.00	-23.80	3	Horizontal	360	2.02	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX											
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	42.48	54.00	-11.52	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6552G	90.46	Inf	-Inf	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	53.92	74.00	-20.08	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	52.86	68.20	-15.34	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.654G	102.27	Inf	-Inf	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	55.63	68.20	-12.57	3	Vertical	333	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	42.62	54.00	-11.38	3	Horizontal	51	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6516G	89.82	Inf	-Inf	3	Horizontal	51	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.396G	53.92	74.00	-20.08	3	Horizontal	51	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	53.51	68.20	-14.69	3	Horizontal	51	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6516G	101.30	Inf	-Inf	3	Horizontal	51	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9372G	55.35	68.20	-12.85	3	Horizontal	51	2.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43824G	38.19	54.00	-15.81	3	Vertical	301	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.44656G	50.41	74.00	-23.59	3	Vertical	301	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43376G	38.12	54.00	-15.88	3	Horizontal	115	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36816G	50.16	74.00	-23.84	3	Horizontal	115	1.50	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX											
5775MHz	Pass	AV	5.7378G	99.53	Inf	-Inf	3	Vertical	330	1.50	-
5775MHz	Pass	PK	5.6478G	60.37	68.20	-7.83	3	Vertical	330	1.50	-
5775MHz	Pass	PK	5.7378G	111.16	Inf	-Inf	3	Vertical	330	1.50	-
5775MHz	Pass	PK	5.9358G	55.62	68.20	-12.58	3	Vertical	330	1.50	-
5775MHz	Pass	AV	5.751G	98.20	Inf	-Inf	3	Horizontal	53	2.71	-
5775MHz	Pass	PK	5.6502G	57.99	68.35	-10.36	3	Horizontal	53	2.71	-
5775MHz	Pass	PK	5.7474G	109.06	Inf	-Inf	3	Horizontal	53	2.71	-
5775MHz	Pass	PK	5.9466G	56.21	68.20	-11.99	3	Horizontal	53	2.71	-
5775MHz	Pass	AV	11.54008G	37.84	54.00	-16.16	3	Vertical	330	1.29	-
5775MHz	Pass	PK	11.57368G	49.99	74.00	-24.01	3	Vertical	330	1.29	-
5775MHz	Pass	AV	11.49336G	37.95	54.00	-16.05	3	Horizontal	254	2.10	-
5775MHz	Pass	PK	11.55576G	49.98	74.00	-24.02	3	Horizontal	254	2.10	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX											
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.148G	52.77	54.00	-1.23	3	Vertical	352	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.184G	92.85	Inf	-Inf	3	Vertical	352	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.418G	45.61	54.00	-8.39	3	Vertical	352	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1132G	70.68	74.00	-3.32	3	Vertical	352	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.202G	103.96	Inf	-Inf	3	Vertical	352	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3928G	63.28	74.00	-10.72	3	Vertical	352	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4636G	61.01	68.20	-7.19	3	Vertical	352	2.03	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	50.69	54.00	-3.31	3	Horizontal	349	2.00	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2008G	91.21	Inf	-Inf	3	Horizontal	349	2.00	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3604G	47.67	54.00	-6.33	3	Horizontal	349	2.00	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.118G	67.52	74.00	-6.48	3	Horizontal	349	2.00	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1852G	102.36	Inf	-Inf	3	Horizontal	349	2.00	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3556G	65.53	74.00	-8.47	3	Horizontal	349	2.00	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4636G	61.19	68.20	-7.01	3	Horizontal	349	2.00	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4328G	49.43	68.20	-18.77	3	Vertical	149	1.69	-
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5128G	49.93	68.20	-18.27	3	Horizontal	322	1.50	-
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX											
5570MHz	Pass	AV	5.4404G	46.40	54.00	-7.60	3	Vertical	44	1.50	-
5570MHz	Pass	AV	5.4932G	88.93	Inf	-Inf	3	Vertical	44	1.50	-
5570MHz	Pass	PK	5.3156G	55.77	68.20	-12.43	3	Vertical	44	1.50	-
5570MHz	Pass	PK	5.4404G	64.62	74.00	-9.38	3	Vertical	44	1.50	-
5570MHz	Pass	PK	5.468G	63.13	68.20	-5.07	3	Vertical	44	1.50	-
5570MHz	Pass	PK	5.4944G	100.25	Inf	-Inf	3	Vertical	44	1.50	-
5570MHz	Pass	PK	5.762G	60.27	68.20	-7.93	3	Vertical	44	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	AV	5.4356G	47.89	54.00	-6.11	3	Horizontal	50	2.00	-
5570MHz	Pass	AV	5.4932G	89.61	Inf	-Inf	3	Horizontal	50	2.00	-
5570MHz	Pass	PK	5.3156G	60.51	68.20	-7.69	3	Horizontal	50	2.00	-
5570MHz	Pass	PK	5.4404G	68.31	74.00	-5.69	3	Horizontal	50	2.00	-
5570MHz	Pass	PK	5.4608G	62.35	68.20	-5.85	3	Horizontal	50	2.00	-
5570MHz	Pass	PK	5.5124G	101.02	Inf	-Inf	3	Horizontal	50	2.00	-
5570MHz	Pass	PK	5.7608G	59.77	68.20	-8.43	3	Horizontal	50	2.00	-
5570MHz	Pass	AV	11.1208G	37.64	54.00	-16.36	3	Vertical	11	1.50	-
5570MHz	Pass	PK	11.17552G	50.17	74.00	-23.83	3	Vertical	11	1.50	-
5570MHz	Pass	AV	11.16688G	37.56	54.00	-16.44	3	Horizontal	0	1.19	-
5570MHz	Pass	PK	11.12368G	50.16	74.00	-23.84	3	Horizontal	0	1.19	-


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.02	54.00	-11.98	2.36	3	Vertical	43	1.50	39.66	33.00	6.70	37.34
AV	5.44G	50.13	54.00	-3.87	2.56	3	Vertical	43	1.50	47.57	33.18	6.74	37.36
AV	5.493G	94.29	Inf	-Inf	2.62	3	Vertical	43	1.50	91.67	33.20	6.79	37.37
PK	5.349G	54.78	68.20	-13.42	2.36	3	Vertical	43	1.50	52.42	33.00	6.70	37.34
PK	5.442G	65.29	74.00	-8.71	2.56	3	Vertical	43	1.50	62.73	33.18	6.74	37.36
PK	5.461G	59.09	68.20	-9.11	2.60	3	Vertical	43	1.50	56.49	33.20	6.76	37.36
PK	5.492G	106.80	Inf	-Inf	2.62	3	Vertical	43	1.50	104.18	33.20	6.79	37.37
PK	5.756G	55.49	68.20	-12.71	3.98	3	Vertical	43	1.50	51.51	34.04	7.20	37.26

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.64	54.00	-11.36	2.36	3	Horizontal	49	2.07	40.28	33.00	6.70	37.34
AV	5.444G	48.91	54.00	-5.09	2.57	3	Horizontal	49	2.07	46.34	33.19	6.74	37.36
AV	5.492G	94.75	Inf	-Inf	2.62	3	Horizontal	49	2.07	92.13	33.20	6.79	37.37
PK	5.287G	54.57	68.20	-13.63	2.54	3	Horizontal	49	2.07	52.03	33.15	6.71	37.32
PK	5.448G	62.76	74.00	-11.24	2.59	3	Horizontal	49	2.07	60.17	33.20	6.75	37.36
PK	5.47G	56.56	68.20	-11.64	2.61	3	Horizontal	49	2.07	53.95	33.20	6.77	37.36
PK	5.494G	105.33	Inf	-Inf	2.62	3	Horizontal	49	2.07	102.71	33.20	6.79	37.37
PK	5.739G	55.65	68.20	-12.55	3.83	3	Horizontal	49	2.07	51.82	33.93	7.17	37.27


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	Pass	AV	5.149G	47.24	54.00	-6.76	3	Vertical	11	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	AV	5.359G	53.02	54.00	-0.98	3	Vertical	347	1.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	Pass	AV	5.1456G	53.16	54.00	-0.84	3	Vertical	351	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	5.46G	49.02	54.00	-4.98	3	Vertical	44	3.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	Pass	PK	5.4656G	67.50	68.20	-0.70	3	Horizontal	54	2.16
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	PK	5.6502G	63.90	68.35	-4.45	3	Vertical	333	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.149G	47.24	54.00	-6.76	3	Vertical	11	1.50
5210MHz_TX	Pass	AV	5.204G	92.36	Inf	-Inf	3	Vertical	11	1.50
5210MHz_TX	Pass	AV	5.436G	41.98	54.00	-12.02	3	Vertical	11	1.50
5210MHz_TX	Pass	PK	5.149G	60.77	74.00	-13.23	3	Vertical	11	1.50
5210MHz_TX	Pass	PK	5.202G	103.42	Inf	-Inf	3	Vertical	11	1.50
5210MHz_TX	Pass	PK	5.408G	54.99	74.00	-19.01	3	Vertical	11	1.50
5210MHz_TX	Pass	AV	5.15G	46.28	54.00	-7.72	3	Horizontal	25	1.50
5210MHz_TX	Pass	AV	5.202G	90.33	Inf	-Inf	3	Horizontal	25	1.50
5210MHz_TX	Pass	AV	5.435G	41.97	54.00	-12.03	3	Horizontal	25	1.50
5210MHz_TX	Pass	PK	5.15G	58.26	74.00	-15.74	3	Horizontal	25	1.50
5210MHz_TX	Pass	PK	5.203G	101.80	Inf	-Inf	3	Horizontal	25	1.50
5210MHz_TX	Pass	PK	5.458G	54.56	74.00	-19.44	3	Horizontal	25	1.50
5210MHz_TX	Pass	PK	10.41176G	49.79	68.20	-18.41	3	Vertical	129	1.40
5210MHz_TX	Pass	PK	10.42052G	49.19	68.20	-19.01	3	Horizontal	0	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_TX	Pass	AV	5.15G	44.45	54.00	-9.55	3	Vertical	347	1.00
5290MHz_TX	Pass	AV	5.263G	97.84	Inf	-Inf	3	Vertical	347	1.00
5290MHz_TX	Pass	AV	5.359G	53.02	54.00	-0.98	3	Vertical	347	1.00
5290MHz_TX	Pass	PK	5.148G	57.33	74.00	-16.67	3	Vertical	347	1.00
5290MHz_TX	Pass	PK	5.265G	109.03	Inf	-Inf	3	Vertical	347	1.00
5290MHz_TX	Pass	PK	5.36G	71.43	74.00	-2.57	3	Vertical	347	1.00
5290MHz_TX	Pass	PK	5.488G	56.33	68.20	-11.87	3	Vertical	347	1.00
5290MHz_TX	Pass	AV	5.04G	43.65	54.00	-10.35	3	Horizontal	316	1.50
5290MHz_TX	Pass	AV	5.326G	92.87	Inf	-Inf	3	Horizontal	316	1.50
5290MHz_TX	Pass	AV	5.354G	49.92	54.00	-4.08	3	Horizontal	316	1.50
5290MHz_TX	Pass	PK	5.04G	55.62	74.00	-18.38	3	Horizontal	316	1.50
5290MHz_TX	Pass	PK	5.305G	104.27	Inf	-Inf	3	Horizontal	316	1.50
5290MHz_TX	Pass	PK	5.373G	63.06	74.00	-10.94	3	Horizontal	316	1.50
5290MHz_TX	Pass	PK	5.533G	56.07	68.20	-12.13	3	Horizontal	316	1.50
5290MHz_TX	Pass	PK	10.5809G	51.62	68.20	-16.58	3	Vertical	194	2.25
5290MHz_TX	Pass	PK	10.58051G	50.97	68.20	-17.23	3	Horizontal	199	2.83
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz_TX	Pass	AV	5.35G	43.67	54.00	-10.33	3	Vertical	44	3.00
5530MHz_TX	Pass	AV	5.46G	49.02	54.00	-4.98	3	Vertical	44	3.00
5530MHz_TX	Pass	AV	5.493G	97.04	Inf	-Inf	3	Vertical	44	3.00
5530MHz_TX	Pass	PK	5.297G	56.44	68.20	-11.76	3	Vertical	44	3.00
5530MHz_TX	Pass	PK	5.455G	62.53	74.00	-11.47	3	Vertical	44	3.00
5530MHz_TX	Pass	PK	5.462G	62.38	68.20	-5.82	3	Vertical	44	3.00
5530MHz_TX	Pass	PK	5.493G	108.37	Inf	-Inf	3	Vertical	44	3.00
5530MHz_TX	Pass	PK	5.747G	56.76	68.20	-11.44	3	Vertical	44	3.00
5530MHz_TX	Pass	AV	5.35G	43.30	54.00	-10.70	3	Horizontal	311	1.01
5530MHz_TX	Pass	AV	5.458G	48.46	54.00	-5.54	3	Horizontal	311	1.01
5530MHz_TX	Pass	AV	5.492G	94.15	Inf	-Inf	3	Horizontal	311	1.01
5530MHz_TX	Pass	PK	5.31G	55.63	68.20	-12.57	3	Horizontal	311	1.01
5530MHz_TX	Pass	PK	5.46G	61.54	74.00	-12.46	3	Horizontal	311	1.01
5530MHz_TX	Pass	PK	5.469G	62.23	68.20	-5.97	3	Horizontal	311	1.01
5530MHz_TX	Pass	PK	5.492G	105.31	Inf	-Inf	3	Horizontal	311	1.01
5530MHz_TX	Pass	PK	5.767G	57.72	68.20	-10.48	3	Horizontal	311	1.01
5530MHz_TX	Pass	AV	11.06016G	38.76	54.00	-15.24	3	Vertical	284	2.66
5530MHz_TX	Pass	PK	11.0595G	50.67	74.00	-23.33	3	Vertical	284	2.66
5530MHz_TX	Pass	AV	11.05953G	38.73	54.00	-15.27	3	Horizontal	60	1.57
5530MHz_TX	Pass	PK	11.06043G	51.39	74.00	-22.61	3	Horizontal	60	1.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz_TX	Pass	AV	5.46G	44.44	54.00	-9.56	3	Vertical	41	2.92
5610MHz_TX	Pass	AV	5.572G	97.78	Inf	-Inf	3	Vertical	41	2.92
5610MHz_TX	Pass	PK	5.46G	56.54	74.00	-17.46	3	Vertical	41	2.92
5610MHz_TX	Pass	PK	5.467G	56.20	68.20	-12.00	3	Vertical	41	2.92
5610MHz_TX	Pass	PK	5.573G	109.58	Inf	-Inf	3	Vertical	41	2.92
5610MHz_TX	Pass	PK	5.733G	58.27	68.20	-9.93	3	Vertical	41	2.92
5610MHz_TX	Pass	AV	5.456G	44.00	54.00	-10.00	3	Horizontal	317	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz_TX	Pass	AV	5.574G	91.46	Inf	-Inf	3	Horizontal	317	1.50
5610MHz_TX	Pass	PK	5.415G	56.32	74.00	-17.68	3	Horizontal	317	1.50
5610MHz_TX	Pass	PK	5.467G	55.25	68.20	-12.95	3	Horizontal	317	1.50
5610MHz_TX	Pass	PK	5.575G	103.69	Inf	-Inf	3	Horizontal	317	1.50
5610MHz_TX	Pass	PK	5.86G	57.12	68.20	-11.08	3	Horizontal	317	1.50
5610MHz_TX	Pass	AV	11.22002G	39.10	54.00	-14.90	3	Vertical	226	1.34
5610MHz_TX	Pass	PK	11.22088G	51.62	74.00	-22.38	3	Vertical	226	1.34
5610MHz_TX	Pass	AV	11.21972G	39.07	54.00	-14.93	3	Horizontal	248	2.50
5610MHz_TX	Pass	PK	11.22058G	51.80	74.00	-22.20	3	Horizontal	248	2.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4596G	44.19	54.00	-9.81	3	Vertical	33	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6516G	97.94	Inf	-Inf	3	Vertical	33	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4524G	56.19	74.00	-17.81	3	Vertical	33	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4644G	55.97	68.20	-12.23	3	Vertical	33	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6948G	108.53	Inf	-Inf	3	Vertical	33	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8736G	56.95	68.20	-11.25	3	Vertical	33	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.3984G	43.87	54.00	-10.13	3	Horizontal	317	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6516G	90.77	Inf	-Inf	3	Horizontal	317	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4596G	56.13	74.00	-17.87	3	Horizontal	317	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.468G	54.77	68.20	-13.43	3	Horizontal	317	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6912G	102.06	Inf	-Inf	3	Horizontal	317	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8568G	57.42	68.20	-10.78	3	Horizontal	317	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.3803G	39.45	54.00	-14.55	3	Vertical	343	1.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.38035G	51.93	74.00	-22.07	3	Vertical	343	1.78
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.37962G	39.45	54.00	-14.55	3	Horizontal	50	1.62
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.37921G	51.48	74.00	-22.52	3	Horizontal	50	1.62
5775MHz_TX	Pass	AV	5.7366G	102.06	Inf	-Inf	3	Vertical	333	1.50
5775MHz_TX	Pass	PK	5.6502G	63.90	68.35	-4.45	3	Vertical	333	1.50
5775MHz_TX	Pass	PK	5.7378G	112.42	Inf	-Inf	3	Vertical	333	1.50
5775MHz_TX	Pass	PK	5.9394G	56.97	68.20	-11.23	3	Vertical	333	1.50
5775MHz_TX	Pass	AV	5.7486G	99.74	Inf	-Inf	3	Horizontal	56	3.00
5775MHz_TX	Pass	PK	5.6502G	60.93	68.35	-7.42	3	Horizontal	56	3.00
5775MHz_TX	Pass	PK	5.7474G	110.91	Inf	-Inf	3	Horizontal	56	3.00
5775MHz_TX	Pass	PK	5.9528G	58.23	68.20	-9.97	3	Horizontal	56	3.00
5775MHz_TX	Pass	AV	11.55028G	39.06	54.00	-14.94	3	Vertical	166	1.24
5775MHz_TX	Pass	PK	11.54941G	50.78	74.00	-23.22	3	Vertical	166	1.24
5775MHz_TX	Pass	AV	11.55084G	39.05	54.00	-14.95	3	Horizontal	203	1.41
5775MHz_TX	Pass	PK	11.55041G	52.29	74.00	-21.71	3	Horizontal	203	1.41
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.15G	51.54	54.00	-2.46	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.184G	95.05	Inf	-Inf	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.35G	48.90	54.00	-5.10	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1384G	72.39	74.00	-1.61	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.184G	105.64	Inf	-Inf	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.3784G	67.32	74.00	-6.68	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.5152G	58.51	68.20	-9.69	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.15G	51.53	54.00	-2.47	3	Horizontal	353	2.01
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1816G	92.43	Inf	-Inf	3	Horizontal	353	2.01
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.35G	49.47	54.00	-4.53	3	Horizontal	353	2.01
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1384G	72.78	74.00	-1.22	3	Horizontal	353	2.01
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1828G	104.14	Inf	-Inf	3	Horizontal	353	2.01
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.35G	64.57	74.00	-9.43	3	Horizontal	353	2.01
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.478G	58.49	68.20	-9.71	3	Horizontal	353	2.01
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.4999G	51.08	68.20	-17.12	3	Vertical	15	1.02
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.50044G	51.79	68.20	-16.41	3	Horizontal	147	2.19
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1456G	53.16	54.00	-0.84	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1828G	95.75	Inf	-Inf	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.3532G	47.87	54.00	-6.13	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1444G	66.51	74.00	-7.49	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1852G	107.09	Inf	-Inf	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.37G	62.53	74.00	-11.47	3	Vertical	351	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.5356G	57.88	68.20	-10.32	3	Vertical	351	1.50




RSE TX above 1GHz_Non-Beamforming_ Channel Puncturing

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1492G	52.32	54.00	-1.68	3	Horizontal	354	2.10
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1828G	92.40	Inf	-Inf	3	Horizontal	354	2.10
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.3592G	46.75	54.00	-7.25	3	Horizontal	354	2.10
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1444G	66.19	74.00	-7.81	3	Horizontal	354	2.10
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.2212G	103.56	Inf	-Inf	3	Horizontal	354	2.10
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.3532G	59.87	74.00	-14.13	3	Horizontal	354	2.10
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4732G	56.19	68.20	-12.01	3	Horizontal	354	2.10
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.49924G	50.80	68.20	-17.40	3	Vertical	250	2.17
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.50063G	50.76	68.20	-17.44	3	Horizontal	50	1.05
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz_TX	Pass	AV	5.4356G	50.28	54.00	-3.72	3	Vertical	30	2.39
5570MHz_TX	Pass	AV	5.516G	92.26	Inf	-Inf	3	Vertical	30	2.39
5570MHz_TX	Pass	PK	5.342G	62.44	68.20	-5.76	3	Vertical	30	2.39
5570MHz_TX	Pass	PK	5.4416G	69.42	74.00	-4.58	3	Vertical	30	2.39
5570MHz_TX	Pass	PK	5.4668G	67.49	68.20	-0.71	3	Vertical	30	2.39
5570MHz_TX	Pass	PK	5.5148G	102.73	Inf	-Inf	3	Vertical	30	2.39
5570MHz_TX	Pass	PK	5.7272G	65.70	68.20	-2.50	3	Vertical	30	2.39
5570MHz_TX	Pass	AV	5.4452G	50.19	54.00	-3.81	3	Horizontal	54	2.16
5570MHz_TX	Pass	AV	5.5112G	89.91	Inf	-Inf	3	Horizontal	54	2.16
5570MHz_TX	Pass	PK	5.3456G	62.30	68.20	-5.90	3	Horizontal	54	2.16
5570MHz_TX	Pass	PK	5.4392G	68.75	74.00	-5.25	3	Horizontal	54	2.16
5570MHz_TX	Pass	PK	5.4656G	67.50	68.20	-0.70	3	Horizontal	54	2.16
5570MHz_TX	Pass	PK	5.5124G	101.39	Inf	-Inf	3	Horizontal	54	2.16
5570MHz_TX	Pass	PK	5.726G	63.99	68.20	-4.21	3	Horizontal	54	2.16
5570MHz_TX	Pass	AV	11.13938G	39.14	54.00	-14.86	3	Vertical	43	1.30
5570MHz_TX	Pass	PK	11.14068G	51.67	74.00	-22.33	3	Vertical	43	1.30
5570MHz_TX	Pass	AV	11.14052G	39.16	54.00	-14.84	3	Horizontal	340	2.68
5570MHz_TX	Pass	PK	11.14026G	51.30	74.00	-22.70	3	Horizontal	340	2.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz_TX	Pass	AV	5.456G	47.10	54.00	-6.90	3	Vertical	42	1.50
5570MHz_TX	Pass	AV	5.534G	90.10	Inf	-Inf	3	Vertical	42	1.50
5570MHz_TX	Pass	PK	5.3312G	56.88	68.20	-11.32	3	Vertical	42	1.50
5570MHz_TX	Pass	PK	5.4548G	59.44	74.00	-14.56	3	Vertical	42	1.50
5570MHz_TX	Pass	PK	5.4656G	58.64	68.20	-9.56	3	Vertical	42	1.50
5570MHz_TX	Pass	PK	5.5544G	101.04	Inf	-Inf	3	Vertical	42	1.50
5570MHz_TX	Pass	PK	5.7308G	59.36	68.20	-8.84	3	Vertical	42	1.50
5570MHz_TX	Pass	AV	5.456G	47.17	54.00	-6.83	3	Horizontal	56	2.28
5570MHz_TX	Pass	AV	5.6264G	89.85	Inf	-Inf	3	Horizontal	56	2.28
5570MHz_TX	Pass	PK	5.2808G	56.52	68.20	-11.68	3	Horizontal	56	2.28
5570MHz_TX	Pass	PK	5.4596G	62.84	74.00	-11.16	3	Horizontal	56	2.28
5570MHz_TX	Pass	PK	5.468G	63.00	68.20	-5.20	3	Horizontal	56	2.28
5570MHz_TX	Pass	PK	5.636G	101.34	Inf	-Inf	3	Horizontal	56	2.28
5570MHz_TX	Pass	PK	5.726G	60.03	68.20	-8.17	3	Horizontal	56	2.28
5570MHz_TX	Pass	AV	11.16144G	38.00	54.00	-16.00	3	Vertical	25	1.50
5570MHz_TX	Pass	PK	11.15824G	50.20	74.00	-23.80	3	Vertical	25	1.50
5570MHz_TX	Pass	AV	11.14564G	37.98	54.00	-16.02	3	Horizontal	360	1.50
5570MHz_TX	Pass	PK	11.1482G	50.18	74.00	-23.82	3	Horizontal	360	1.50


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.67	54.00	-10.33	2.27	3	Vertical	44	3.00	41.40	33.10	6.70	37.53
AV	5.46G	49.02	54.00	-4.98	2.44	3	Vertical	44	3.00	46.58	33.22	6.76	37.54
AV	5.493G	97.04	Inf	-Inf	2.54	3	Vertical	44	3.00	94.50	33.29	6.79	37.54
PK	5.297G	56.44	68.20	-11.76	2.29	3	Vertical	44	3.00	54.15	33.11	6.71	37.53
PK	5.455G	62.53	74.00	-11.47	2.42	3	Vertical	44	3.00	60.11	33.21	6.75	37.54
PK	5.462G	62.38	68.20	-5.82	2.44	3	Vertical	44	3.00	59.94	33.22	6.76	37.54
PK	5.493G	108.37	Inf	-Inf	2.54	3	Vertical	44	3.00	105.83	33.29	6.79	37.54
PK	5.747G	56.76	68.20	-11.44	3.81	3	Vertical	44	3.00	52.95	34.08	7.19	37.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.30	54.00	-10.70	2.27	3	Horizontal	311	1.01	41.03	33.10	6.70	37.53
AV	5.458G	48.46	54.00	-5.54	2.44	3	Horizontal	311	1.01	46.02	33.22	6.76	37.54
AV	5.492G	94.15	Inf	-Inf	2.53	3	Horizontal	311	1.01	91.62	33.28	6.79	37.54
PK	5.31G	55.63	68.20	-12.57	2.27	3	Horizontal	311	1.01	53.36	33.10	6.70	37.53
PK	5.46G	61.54	74.00	-12.46	2.44	3	Horizontal	311	1.01	59.10	33.22	6.76	37.54
PK	5.469G	62.23	68.20	-5.97	2.47	3	Horizontal	311	1.01	59.76	33.24	6.77	37.54
PK	5.492G	105.31	Inf	-Inf	2.53	3	Horizontal	311	1.01	102.78	33.28	6.79	37.54
PK	5.767G	57.72	68.20	-10.48	3.98	3	Horizontal	311	1.01	53.74	34.20	7.23	37.45


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.38802G	40.47	54.00	-13.53	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.874G	32.61	54.00	-21.39	3	Vertical	143	1.97
Mode 1	Pass	AV	7.31013G	34.50	54.00	-19.50	3	Vertical	32	2.48
Mode 1	Pass	AV	10.65131G	39.12	54.00	-14.88	3	Vertical	0	1.46
Mode 1	Pass	AV	13.38802G	40.47	54.00	-13.53	3	Vertical	25	1.05
Mode 1	Pass	PK	4.8743G	43.05	74.00	-30.95	3	Vertical	143	1.97
Mode 1	Pass	PK	7.31514G	47.40	74.00	-26.60	3	Vertical	32	2.48
Mode 1	Pass	PK	10.65212G	51.91	74.00	-22.09	3	Vertical	0	1.46
Mode 1	Pass	PK	13.38058G	54.09	74.00	-19.91	3	Vertical	25	1.05
Mode 1	Pass	AV	4.87397G	36.10	54.00	-17.90	3	Horizontal	39	1.50
Mode 1	Pass	AV	7.31031G	35.01	54.00	-18.99	3	Horizontal	0	1.12
Mode 1	Pass	AV	10.64744G	39.00	54.00	-15.00	3	Horizontal	143	1.20
Mode 1	Pass	AV	13.38748G	40.32	54.00	-13.68	3	Horizontal	319	1.89
Mode 1	Pass	PK	4.87382G	43.73	74.00	-30.27	3	Horizontal	39	1.50
Mode 1	Pass	PK	7.31229G	48.16	74.00	-25.84	3	Horizontal	0	1.12
Mode 1	Pass	PK	10.65023G	52.18	74.00	-21.82	3	Horizontal	143	1.20
Mode 1	Pass	PK	13.38742G	53.13	74.00	-20.87	3	Horizontal	319	1.89

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

