



HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10380.500	47.55	-0.34	47.21	68.20	-20.99	peak		
2 *		15560.829	35.94	3.15	39.09	54.00	-14.91	AVG		
3		15563.900	49.38	3.15	52.53	74.00	-21.47	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	26.86	33.43	60.29	74.00	-13.71	peak		
2 *		5150.000	15.80	33.43	49.23	54.00	-4.77	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10380.967	47.73	-0.34	47.39	68.20	-20.81	peak	
2 *		15566.165	36.05	3.15	39.20	54.00	-14.80	AVG	
3		15571.033	48.21	3.15	51.36	74.00	-22.64	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5150.000	29.12	33.43	62.55	74.00	-11.45	peak	
2 *		5150.000	18.72	33.43	52.15	54.00	-1.85	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10460.933	48.18	-0.37	47.81	68.20	-20.39	peak		
2		15687.433	48.17	3.14	51.31	74.00	-22.69	peak		
3 *		15696.254	36.15	3.14	39.29	54.00	-14.71	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5146.800	28.65	33.43	62.08	74.00	-11.92	peak		
2 *		5146.800	18.48	33.43	51.91	54.00	-2.09	AVG		
3		5150.000	28.95	33.43	62.38	74.00	-11.62	peak		
4		5150.000	18.31	33.43	51.74	54.00	-2.26	AVG		
5		5350.000	26.22	33.47	59.69	74.00	-14.31	peak		
6		5350.000	16.05	33.47	49.52	54.00	-4.48	AVG		
7		5409.600	28.11	33.48	61.59	74.00	-12.41	peak		
8		5409.600	17.22	33.48	50.70	54.00	-3.30	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10461.233	48.56	-0.37	48.19	68.20	-20.01	peak		
2		15686.867	48.01	3.14	51.15	74.00	-22.85	peak		
3 *		15693.460	35.83	3.14	38.97	54.00	-15.03	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5145.600	29.97	33.43	63.40	74.00	-10.60	peak		
2 *		5145.600	19.13	33.43	52.56	54.00	-1.44	AVG		
3		5150.000	29.03	33.43	62.46	74.00	-11.54	peak		
4		5150.000	18.95	33.43	52.38	54.00	-1.62	AVG		
5		5350.000	27.14	33.47	60.61	74.00	-13.39	peak		
6		5350.000	16.56	33.47	50.03	54.00	-3.97	AVG		


Above 1GHz (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.541	36.09	3.26	39.35	54.00	-14.65	AVG		
2		11511.100	48.36	3.26	51.62	74.00	-22.38	peak		
3 *		17265.367	48.30	6.96	55.26	68.20	-12.94	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5637.000	32.49	33.75	66.24	68.20	-1.96	peak		
2 !		5627.000	32.34	33.73	66.07	68.20	-2.13	peak		
3		5928.200	25.85	34.27	60.12	68.20	-8.08	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.533	45.77	3.26	49.03	74.00	-24.97	peak		
2		11512.030	34.47	3.26	37.73	54.00	-16.27	AVG		
3 *		17265.500	46.82	6.96	53.78	68.20	-14.42	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5639.000	28.15	33.75	61.90	68.20	-6.30	peak		
2		5656.600	30.41	33.78	64.19	73.10	-8.91	peak		
3		5948.600	25.84	34.31	60.15	68.20	-8.05	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11589.867	49.47	2.92	52.39	74.00	-21.61	peak		
2 *		11592.001	37.91	2.91	40.82	54.00	-13.18	AVG		
3		17381.767	46.62	7.64	54.26	68.20	-13.94	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5642.600	34.00	33.76	67.76	68.20	-0.44	peak		
2 !		5651.400	34.11	33.77	67.88	69.24	-1.36	peak		
3 !		5934.600	33.37	34.28	67.65	68.20	-0.55	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11591.526	35.73	2.91	38.64	54.00	-15.36	AVG		
2		11592.133	46.39	2.91	49.30	74.00	-24.70	peak		
3	*	17385.930	46.49	7.66	54.15	68.20	-14.05	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5641.000	29.52	33.75	63.27	68.20	-4.93	peak		
2	*	5934.200	30.18	34.28	64.46	68.20	-3.74	peak		
3	!	5941.000	29.72	34.29	64.01	68.20	-4.19	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10420.767	47.96	-0.36	47.60	68.20	-20.60	peak		
2 *		15628.289	35.61	3.15	38.76	54.00	-15.24	AVG		
3		15631.267	48.52	3.15	51.67	74.00	-22.33	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5142.400	29.15	33.43	62.58	74.00	-11.42	peak		
2 *		5142.400	18.07	33.43	51.50	54.00	-2.50	AVG		
3		5150.000	28.21	33.43	61.64	74.00	-12.36	peak		
4		5150.000	17.71	33.43	51.14	54.00	-2.86	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11549.782	35.17	3.09	38.26	54.00	-15.74	AVG		
2		11551.733	47.81	3.09	50.90	74.00	-23.10	peak		
3 *		17325.500	48.22	7.31	55.53	68.20	-12.67	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5638.600	29.79	33.75	63.54	68.20	-4.66	peak		
2		5664.200	35.55	33.80	69.35	78.74	-9.39	peak		
3		5965.400	26.46	34.34	60.80	68.20	-7.40	peak		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10363.600	47.94	-0.34	47.60	68.20	-20.60	peak		
2		15544.633	47.72	3.16	50.88	74.00	-23.12	peak		
3 *		15552.918	35.80	3.15	38.95	54.00	-15.05	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	29.32	33.43	62.75	74.00	-11.25	peak		
2 *		5150.000	17.45	33.43	50.88	54.00	-3.12	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission



VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10401.567	46.53	-0.35	46.18	68.20	-22.02	peak		
2 *		15592.582	35.75	3.15	38.90	54.00	-15.10	AVG		
3		15595.067	47.33	3.15	50.48	74.00	-23.52	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10401.533	48.09	-0.35	47.74	68.20	-20.46	peak		
2 *		15596.740	35.78	3.15	38.93	54.00	-15.07	AVG		
3		15596.767	49.15	3.15	52.30	74.00	-21.70	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10480.330	49.66	-0.37	49.29	68.20	-18.91	peak		
2 *		15721.271	36.24	3.14	39.38	54.00	-14.62	AVG		
3		15721.800	49.05	3.14	52.19	74.00	-21.81	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5046.800	27.22	33.41	60.63	74.00	-13.37	peak		
2		5046.800	16.83	33.41	50.24	54.00	-3.76	AVG		
3		5150.000	25.98	33.43	59.41	74.00	-14.59	peak		
4		5150.000	15.36	33.43	48.79	54.00	-5.21	AVG		
5		5350.000	25.22	33.47	58.69	74.00	-15.31	peak		
6		5350.000	14.95	33.47	48.42	54.00	-5.58	AVG		
7		5433.600	28.48	33.49	61.97	74.00	-12.03	peak		
8 *		5433.600	17.61	33.49	51.10	54.00	-2.90	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10481.467	49.35	-0.37	48.98	68.20	-19.22	peak	
2		15720.367	48.79	3.14	51.93	74.00	-22.07	peak	
3 *		15724.228	36.21	3.14	39.35	54.00	-14.65	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5046.800	29.55	33.41	62.96	74.00	-11.04	peak	
2 *		5046.800	18.93	33.41	52.34	54.00	-1.66	AVG	
3		5150.000	26.22	33.43	59.65	74.00	-14.35	peak	
4		5150.000	16.00	33.43	49.43	54.00	-4.57	AVG	
5		5350.000	25.40	33.47	58.87	74.00	-15.13	peak	
6		5350.000	14.96	33.47	48.43	54.00	-5.57	AVG	
7		5431.600	27.92	33.49	61.41	74.00	-12.59	peak	
8		5431.600	17.29	33.49	50.78	54.00	-3.22	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11490.700	50.11	3.28	53.39	74.00	-20.61	peak			
2	*	11490.833	38.47	3.28	41.75	54.00	-12.25	AVG			
3		17235.500	47.23	6.79	54.02	68.20	-14.18	peak			


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	!	5651.400	30.13	33.77	63.90	69.24	-5.34	peak			
2	*	5745.800	85.34	33.94	119.28	122.20	-2.92	peak			
3		5942.600	25.90	34.30	60.20	68.20	-8.00	peak			


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.759	35.90	3.28	39.18	54.00	-14.82	A/VG		
2		11490.900	46.67	3.28	49.95	74.00	-24.05	peak		
3 *		17235.000	46.85	6.79	53.64	68.20	-14.56	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5641.800	26.13	33.76	59.89	68.20	-8.31	peak		
2 *		5745.800	85.93	33.94	119.87	122.20	-2.33	peak		
3		5933.800	25.38	34.28	59.66	68.20	-8.54	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11567.200	49.84	3.02	52.86	74.00	-21.14	peak		
2 *		11570.787	39.76	3.00	42.76	54.00	-11.24	AVG		
3		17355.500	47.09	7.48	54.57	68.20	-13.63	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11567.200	46.72	3.02	49.74	74.00	-24.26	peak		
2		11571.220	36.71	3.00	39.71	54.00	-14.29	AVG		
3 *		17355.200	46.95	7.48	54.43	68.20	-13.77	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11651.516	38.98	2.65	41.63	54.00	-12.37	AVG		
2		11652.767	49.94	2.65	52.59	74.00	-21.41	peak		
3		17475.250	47.23	8.18	55.41	68.20	-12.79	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5825.800	85.57	34.09	119.66	122.20	-2.54	peak		
2		5929.000	27.20	34.27	61.47	68.20	-6.73	peak		
3		6016.600	25.77	34.44	60.21	68.20	-7.99	peak		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10375.500	47.97	-0.34	47.63	68.20	-20.57	peak		
2 *		15566.015	35.95	3.15	39.10	54.00	-14.90	AVG		
3		15572.400	48.51	3.15	51.66	74.00	-22.34	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5148.200	30.67	33.43	64.10	74.00	-9.90	peak		
2 *		5148.200	17.61	33.43	51.04	54.00	-2.96	AVG		
3		5150.000	30.21	33.43	63.64	74.00	-10.36	peak		
4		5150.000	17.57	33.43	51.00	54.00	-3.00	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10460.667	47.57	-0.37	47.20	68.20	-21.00	peak		
2		15687.433	47.87	3.14	51.01	74.00	-22.99	peak		
3 *		15693.499	36.00	3.14	39.14	54.00	-14.86	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5147.200	29.65	33.43	63.08	74.00	-10.92	peak		
2 *		5147.200	19.15	33.43	52.58	54.00	-1.42	AVG		
3		5150.000	28.65	33.43	62.08	74.00	-11.92	peak		
4		5150.000	18.76	33.43	52.19	54.00	-1.81	AVG		
5		5350.000	26.70	33.47	60.17	74.00	-13.83	peak		
6		5350.000	16.32	33.47	49.79	54.00	-4.21	AVG		
7		5411.600	28.07	33.48	61.55	74.00	-12.45	peak		
8		5411.600	17.10	33.48	50.58	54.00	-3.42	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10460.300	47.97	-0.37	47.60	68.20	-20.60	peak		
2		15690.933	48.99	3.14	52.13	74.00	-21.87	peak		
3	*	15698.111	36.07	3.14	39.21	54.00	-14.79	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5147.600	29.13	33.43	62.56	74.00	-11.44	peak		
2	*	5147.600	18.74	33.43	52.17	54.00	-1.83	AVG		
3		5150.000	28.65	33.43	62.08	74.00	-11.92	peak		
4		5150.000	18.09	33.43	51.52	54.00	-2.48	AVG		
5		5350.000	26.50	33.47	59.97	74.00	-14.03	peak		
6		5350.000	16.25	33.47	49.72	54.00	-4.28	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11512.104	36.12	3.26	39.38	54.00	-14.62	AVG		
2		11512.300	47.57	3.26	50.83	74.00	-23.17	peak		
3 *		17271.833	47.44	7.00	54.44	68.20	-13.76	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5623.000	32.72	33.72	66.44	68.20	-1.76	peak		
2 !		5757.800	83.17	33.96	117.13	122.20	-5.07	peak		
3		5950.600	25.69	34.31	60.00	68.20	-8.20	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11511.867	46.12	3.26	49.38	74.00	-24.62	peak	
2		11514.572	34.36	3.25	37.61	54.00	-16.39	AVG	
3 *		17157.367	48.38	6.34	54.72	68.20	-13.48	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5642.600	27.91	33.76	61.67	68.20	-6.53	peak	
2 *		5756.200	82.72	33.96	116.68	122.20	-5.52	peak	
3		5939.000	26.75	34.29	61.04	68.20	-7.16	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB			Comment
1	*	11591.324	38.00	2.91	40.91	54.00	-13.09	AVG		
2		11591.567	50.92	2.91	53.83	74.00	-20.17	peak		
3		17385.000	46.91	7.66	54.57	68.20	-13.63	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB			Comment
1	*	5825.800	85.57	34.09	119.66	122.20	-2.54	peak		
2		5929.000	27.20	34.27	61.47	68.20	-6.73	peak		
3		6016.600	25.77	34.44	60.21	68.20	-7.99	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11587.600	46.45	2.93	49.38	74.00	-24.62	peak	
2		11591.470	35.83	2.91	38.74	54.00	-15.26	AVG	
3 *		17385.000	46.27	7.66	53.93	68.20	-14.27	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5825.000	85.15	34.09	119.24	122.20	-2.96	peak	
2		5960.200	26.23	34.33	60.56	68.20	-7.64	peak	
3		6010.200	25.59	34.43	60.02	68.20	-8.18	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10420.230	47.67	-0.36	47.31	68.20	-20.89	peak		
2 *		15629.072	35.66	3.15	38.81	54.00	-15.19	AVG		
3		15631.800	48.30	3.15	51.45	74.00	-22.55	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5143.600	30.21	33.43	63.64	74.00	-10.36	peak		
2 *		5143.600	17.92	33.43	51.35	54.00	-2.65	AVG		
3		5150.000	30.03	33.43	63.46	74.00	-10.54	peak		
4		5150.000	17.67	33.43	51.10	54.00	-2.90	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10422.367	48.23	-0.36	47.87	68.20	-20.33	peak		
2		15631.167	48.50	3.15	51.65	74.00	-22.35	peak		
3 *		15635.304	35.53	3.15	38.68	54.00	-15.32	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5140.800	31.20	33.43	64.63	74.00	-9.37	peak		
2 *		5140.800	19.25	33.43	52.68	54.00	-1.32	AVG		
3		5150.000	30.13	33.43	63.56	74.00	-10.44	peak		
4		5150.000	18.66	33.43	52.09	54.00	-1.91	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11552.300	46.74	3.08	49.82	74.00	-24.18			peak
2		11552.356	35.10	3.08	38.18	54.00	-15.82			AVG
3 *		17322.867	47.39	7.30	54.69	68.20	-13.51			peak

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5650.200	31.06	33.77	64.83	68.35	-3.52			peak
2		5776.600	81.48	34.00	115.48	122.20	-6.72			peak
3		5936.600	27.70	34.29	61.99	68.20	-6.21			peak

HORIZONTALA

Radiated Emission



Radiated Emission



Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	≥1% x Nominal Channel Bandwidth
VBW	≥3 x RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant0	5180	22.320	5168.840	5191.160	---	---
	Ant1	5180	21.920	5169.080	5191.000	---	---
	Ant0	5200	22.040	5189.080	5211.120	---	---
	Ant1	5200	21.600	5189.080	5210.680	---	---
	Ant0	5240	22.320	5228.720	5251.040	---	---
	Ant1	5240	22.280	5228.800	5251.080	---	---
	Ant0	5745	22.320	5733.920	5756.240	---	---
	Ant1	5745	22.560	5733.800	5756.360	---	---
	Ant0	5785	23.080	5773.520	5796.600	---	---
	Ant1	5785	23.040	5773.800	5796.840	---	---
	Ant0	5825	22.400	5813.560	5835.960	---	---
	Ant1	5825	21.880	5814.160	5836.040	---	---
11AX20MIMO	Ant0	5180	22.920	5168.800	5191.720	---	---
	Ant1	5180	22.640	5168.800	5191.440	---	---
	Ant0	5200	23.160	5188.440	5211.600	---	---
	Ant1	5200	23.600	5188.520	5212.120	---	---
	Ant0	5240	23.320	5228.320	5251.640	---	---
	Ant1	5240	22.880	5228.600	5251.480	---	---
	Ant0	5745	22.320	5733.840	5756.160	---	---
	Ant1	5745	22.640	5733.640	5756.280	---	---
	Ant0	5785	23.480	5773.120	5796.600	---	---
	Ant1	5785	23.720	5772.840	5796.560	---	---
	Ant0	5825	22.800	5813.680	5836.480	---	---
	Ant1	5825	22.480	5813.680	5836.160	---	---
11AX40MIMO	Ant0	5190	43.120	5168.640	5211.760	---	---
	Ant1	5190	43.200	5168.240	5211.440	---	---
	Ant0	5230	43.440	5208.400	5251.840	---	---
	Ant1	5230	43.200	5208.560	5251.760	---	---
	Ant0	5755	43.920	5732.760	5776.680	---	---
	Ant1	5755	44.400	5732.840	5777.240	---	---
	Ant0	5795	43.440	5772.920	5816.360	---	---
	Ant1	5795	43.840	5772.840	5816.680	---	---
11AX80MIMO	Ant0	5210	85.920	5167.280	5253.200	---	---
	Ant1	5210	85.280	5167.440	5252.720	---	---
	Ant0	5775	88.000	5730.040	5818.040	---	---
	Ant1	5775	86.880	5731.320	5818.200	---	---
11BE20MIMO	Ant0	5180	23.080	5168.400	5191.480	---	---
	Ant1	5180	23.360	5168.520	5191.880	---	---

	Ant0	5200	23.080	5188.360	5211.440	---	---
	Ant1	5200	22.880	5188.480	5211.360	---	---
	Ant0	5240	22.840	5228.720	5251.560	---	---
	Ant1	5240	23.280	5228.320	5251.600	---	---
	Ant0	5745	22.800	5733.760	5756.560	---	---
	Ant1	5745	23.120	5733.440	5756.560	---	---
	Ant0	5785	23.160	5773.320	5796.480	---	---
	Ant1	5785	23.880	5772.480	5796.360	---	---
	Ant0	5825	22.600	5813.560	5836.160	---	---
	Ant1	5825	22.880	5813.520	5836.400	---	---
11BE40MIMO	Ant0	5190	44.640	5167.920	5212.560	---	---
	Ant1	5190	44.240	5168.400	5212.640	---	---
	Ant0	5230	44.880	5207.840	5252.720	---	---
	Ant1	5230	44.080	5208.080	5252.160	---	---
	Ant0	5755	43.440	5733.080	5776.520	---	---
	Ant1	5755	43.840	5732.920	5776.760	---	---
	Ant0	5795	44.560	5772.680	5817.240	---	---
	Ant1	5795	44.000	5773.240	5817.240	---	---
11BE80MIMO	Ant0	5210	86.400	5166.800	5253.200	---	---
	Ant1	5210	87.040	5166.480	5253.520	---	---
	Ant0	5775	86.880	5730.360	5817.240	---	---
	Ant1	5775	86.880	5730.840	5817.720	---	---

6 dB Bandwidth

Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant0	5745	14.280	5737.240	5751.520	0.5	PASS
	Ant1	5745	15.120	5737.440	5752.560	0.5	PASS
	Ant0	5785	15.640	5776.880	5792.520	0.5	PASS
	Ant1	5785	15.040	5777.520	5792.560	0.5	PASS
	Ant0	5825	15.680	5816.880	5832.560	0.5	PASS
	Ant1	5825	15.680	5816.840	5832.520	0.5	PASS
11AX20MIMO	Ant0	5745	19.040	5735.480	5754.520	0.5	PASS
	Ant1	5745	18.720	5735.680	5754.400	0.5	PASS
	Ant0	5785	18.960	5775.520	5794.480	0.5	PASS
	Ant1	5785	15.520	5778.440	5793.960	0.5	PASS
	Ant0	5825	19.000	5815.480	5834.480	0.5	PASS
	Ant1	5825	17.640	5815.800	5833.440	0.5	PASS
11AX40MIMO	Ant0	5755	38.000	5735.960	5773.960	0.5	PASS
	Ant1	5755	36.880	5735.880	5772.760	0.5	PASS
	Ant0	5795	37.920	5775.960	5813.880	0.5	PASS
	Ant1	5795	38.080	5775.880	5813.960	0.5	PASS
11AX80MIMO	Ant0	5775	69.920	5735.960	5805.880	0.5	PASS
	Ant1	5775	75.200	5736.120	5811.320	0.5	PASS
11BE20MIMO	Ant0	5745	18.480	5735.760	5754.240	0.5	PASS
	Ant1	5745	18.800	5735.600	5754.400	0.5	PASS
	Ant0	5785	18.160	5775.600	5793.760	0.5	PASS
	Ant1	5785	17.480	5776.480	5793.960	0.5	PASS
	Ant0	5825	19.000	5815.480	5834.480	0.5	PASS
	Ant1	5825	18.920	5815.520	5834.440	0.5	PASS
11BE40MIMO	Ant0	5755	38.240	5735.880	5774.120	0.5	PASS
	Ant1	5755	38.000	5735.880	5773.880	0.5	PASS
	Ant0	5795	37.760	5775.960	5813.720	0.5	PASS
	Ant1	5795	38.000	5775.800	5813.800	0.5	PASS
11BE80MIMO	Ant0	5775	68.640	5736.120	5804.760	0.5	PASS
	Ant1	5775	77.920	5735.960	5813.880	0.5	PASS