



VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11060.580	47.02	2.01	49.03	74.00	-24.97	peak		
2		11060.580	34.57	2.01	36.58	54.00	-17.42	AVG		
3 *		16590.540	47.00	4.48	51.48	68.20	-16.72	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1 *		5460.000	20.45	33.49	53.94	54.00	-0.06	AVG		
2		5460.000	31.03	33.49	64.52	74.00	-9.48	peak		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11217.567	46.82	2.47	49.29	74.00	-24.71	peak		
2		11226.507	34.80	2.50	37.30	54.00	-16.70	AVG		
3 *		16832.300	47.83	5.04	52.87	68.20	-15.33	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5410.000	29.91	33.48	63.39	74.00	-10.61	peak		
2 *		5410.000	17.44	33.48	50.92	54.00	-3.08	AVG		
3		5460.000	27.94	33.49	61.43	74.00	-12.57	peak		
4		5460.000	16.09	33.49	49.58	54.00	-4.42	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11219.845	34.89	2.48	37.37	54.00	-16.63	AVG	
2		11221.367	47.02	2.49	49.51	74.00	-24.49	peak	
3 *		16832.867	48.21	5.04	53.25	68.20	-14.95	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5440.800	28.52	33.49	62.01	74.00	-11.99	peak	
2 *		5440.800	16.89	33.49	50.38	54.00	-3.62	AVG	
3		5460.000	26.50	33.49	59.99	74.00	-14.01	peak	
4		5460.000	15.55	33.49	49.04	54.00	-4.96	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11376.800	47.44	2.95	50.39	74.00	-23.61	peak		
2		11379.882	34.67	2.95	37.62	54.00	-16.38	AVG		
3 *		17078.600	47.39	5.73	53.12	68.20	-15.08	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5692.400	79.09	33.85	112.94	68.20	44.74	peak		
2		5850.000	32.09	34.13	66.22	68.20	-1.98	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11377.367	46.62	2.95	49.57	74.00	-24.43	peak		
2		11382.342	34.27	2.96	37.23	54.00	-16.77	AVG		
3	*	17068.400	46.94	5.69	52.63	68.20	-15.57	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5691.600	76.49	33.84	110.33	68.20	42.13	peak		
2		5850.000	30.78	34.13	64.91	68.20	-3.29	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10506.400	49.84	-0.35	49.49	68.20	-18.71	peak		
2 *		15744.290	36.16	3.14	39.30	54.00	-14.70	AVG		
3		15750.333	47.53	3.13	50.66	74.00	-23.34	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5139.600	28.31	33.43	61.74	74.00	-12.26	peak		
2		5139.600	17.52	33.43	50.95	54.00	-3.05	AVG		
3		5150.000	28.16	33.43	61.59	74.00	-12.41	peak		
4		5150.000	17.13	33.43	50.56	54.00	-3.44	AVG		
5		5350.000	28.17	33.47	61.64	74.00	-12.36	peak		
6		5350.000	17.44	33.47	50.91	54.00	-3.09	AVG		
7		5381.400	29.29	33.48	62.77	74.00	-11.23	peak		
8 *		5381.400	18.61	33.48	52.09	54.00	-1.91	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11140.767	46.84	2.25	49.09	74.00	-24.91	peak		
2		11141.148	34.87	2.25	37.12	54.00	-16.88	AVG		
3 *		16712.330	47.81	4.76	52.57	68.20	-15.63	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5458.100	30.49	33.49	63.98	74.00	-10.02	peak		
2 *		5458.100	19.90	33.49	53.39	54.00	-0.61	AVG		
3		5460.000	30.48	33.49	63.97	74.00	-10.03	peak		
4		5460.000	19.64	33.49	53.13	54.00	-0.87	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10521.500	48.71	-0.28	48.43	68.20	-19.77	peak		
2 *		15778.917	35.57	3.13	38.70	54.00	-15.30	AVG		
3		15788.867	48.33	3.13	51.46	74.00	-22.54	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	25.84	33.47	59.31	74.00	-14.69	peak		
2 *		5350.000	14.28	33.47	47.75	54.00	-6.25	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission



VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10558.533	49.19	-0.12	49.07	68.20	-19.13	peak		
2		15840.067	47.97	3.13	51.10	74.00	-22.90	peak		
3	*	15841.091	35.51	3.13	38.64	54.00	-15.36	AVG		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10565.333	48.13	-0.09	48.04	68.20	-20.16	peak		
2	*	15838.864	35.67	3.13	38.80	54.00	-15.20	AVG		
3		15841.833	48.09	3.13	51.22	74.00	-22.78	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10640.650	47.27	0.24	47.51	74.00	-26.49	peak		
2		15960.390	48.34	3.11	51.45	74.00	-22.55	peak		
3 *		15964.881	35.40	3.11	38.51	54.00	-15.49	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	28.41	33.47	61.88	74.00	-12.12	peak		
2 *		5350.000	18.00	33.47	51.47	54.00	-2.53	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10639.908	35.18	0.24	35.42	54.00	-18.58	AVG		
2		10649.200	48.46	0.28	48.74	74.00	-25.26	peak		
3		15960.850	47.69	3.11	50.80	74.00	-23.20	peak		
4 *		15967.637	35.84	3.11	38.95	54.00	-15.05	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	28.25	33.47	61.72	74.00	-12.28	peak		
2 *		5350.000	17.30	33.47	50.77	54.00	-3.23	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11485.553	34.24	3.27	37.51	54.00	-16.49	AVG		
2		11494.667	46.33	3.29	49.62	74.00	-24.38	peak		
3 *		17235.500	47.33	6.79	54.12	68.20	-14.08	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	30.94	33.49	64.43	74.00	-9.57	peak		
2 *		5460.000	19.94	33.49	53.43	54.00	-0.57	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission



VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11157.480	34.84	2.30	37.14	54.00	-16.86	AVG		
2		11159.767	46.83	2.30	49.13	74.00	-24.87	peak		
3 *		16743.330	47.43	4.83	52.26	68.20	-15.94	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11157.553	34.68	2.30	36.98	54.00	-17.02	AVG		
2		11163.733	47.19	2.31	49.50	74.00	-24.50	peak		
3 *		16740.000	48.60	4.83	53.43	68.20	-14.77	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11397.767	47.93	3.01	50.94	74.00	-23.06	peak		
2		11404.870	35.22	3.03	38.25	54.00	-15.75	AVG		
3 *		17097.867	47.56	6.00	53.56	68.20	-14.64	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	30.91	33.91	64.82	68.20	-3.38	peak		
2 *		5725.400	32.03	33.91	65.94	68.20	-2.26	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11393.233	47.13	2.99	50.12	74.00	-23.88	peak	
2		11398.141	35.13	3.01	38.14	54.00	-15.86	AVG	
3 *		17100.500	47.85	6.01	53.86	68.20	-14.34	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5725.000	32.62	33.91	66.53	68.20	-1.67	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11432.883	34.17	3.11	37.28	54.00	-16.72	AVG		
2		11441.167	46.87	3.14	50.01	74.00	-23.99	peak		
3 *		17160.133	46.47	6.04	52.51	68.20	-15.69	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5721.600	83.43	33.90	117.33	68.20	49.13	peak		
2		5850.000	28.52	34.13	62.65	68.20	-5.55	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11432.885	34.19	3.11	37.30	54.00	-16.70	AVG	
2		11441.160	46.33	3.14	49.47	74.00	-24.53	peak	
3 *		17160.000	47.10	6.03	53.13	68.20	-15.07	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5721.600	80.68	33.90	114.58	68.20	46.38	peak	
2		5850.000	29.72	34.13	63.85	68.20	-4.35	peak	

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10541.167	49.25	-0.20	49.05	68.20	-19.15	peak		
2		15806.433	47.50	3.13	50.63	74.00	-23.37	peak		
3	*	15808.470	35.51	3.13	38.64	54.00	-15.36	AVG		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10542.300	47.85	-0.19	47.66	68.20	-20.54	peak		
2	*	15812.371	35.65	3.13	38.78	54.00	-15.22	AVG		
3		15813.233	48.03	3.13	51.16	74.00	-22.84	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10620.680	46.78	0.15	46.93	74.00	-27.07	peak		
2		15861.400	49.37	3.12	52.49	74.00	-21.51	peak		
3 *		15869.196	35.52	3.12	38.64	54.00	-15.36	AVG		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	29.84	33.47	63.31	74.00	-10.69	peak		
2 *		5350.000	19.01	33.47	52.48	54.00	-1.52	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11140.870	47.36	2.25	49.61	74.00	-24.39	peak		
2		16150.967	49.27	3.46	52.73	74.00	-21.27	peak		
3 *		16150.967	35.95	3.46	39.41	54.00	-14.59	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	30.42	33.49	63.91	74.00	-10.09	peak		
2 *		5460.000	20.05	33.49	53.54	54.00	-0.46	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission



VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11087.851	34.96	2.09	37.05	54.00	-16.95	AVG		
2		11093.467	46.72	2.11	48.83	74.00	-25.17	peak		
3 *		16651.230	47.24	4.62	51.86	68.20	-16.34	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11098.030	34.75	2.12	36.87	54.00	-17.13	AVG		
2		11100.833	46.60	2.13	48.73	74.00	-25.27	peak		
3 *		16651.530	47.22	4.62	51.84	68.20	-16.36	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1		11343.167	47.18	2.85	50.03	74.00	-23.97			peak
2		11349.636	34.91	2.86	37.77	54.00	-16.23			AVG
3	*	17010.930	47.73	5.49	53.22	68.20	-14.98			peak


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1		5725.000	32.23	33.91	66.14	68.20	-2.06			peak
2	*	5732.600	33.61	33.92	67.53	68.20	-0.67			peak


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11340.927	34.86	2.84	37.70	54.00	-16.30	AVG	
2		11342.030	46.89	2.84	49.73	74.00	-24.27	peak	
3 *		17009.467	47.65	5.48	53.13	68.20	-15.07	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5725.000	31.20	33.91	65.11	68.20	-3.09	peak	
2 *		5726.200	33.66	33.91	67.57	68.20	-0.63	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11417.742	34.55	3.07	37.62	54.00	-16.38	AVG		
2		11421.567	46.22	3.08	49.30	74.00	-24.70	peak		
3 *		17132.833	46.34	5.93	52.27	68.20	-15.93	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5711.200	80.25	33.88	114.13	68.20	45.93	peak		
2		5850.000	29.44	34.13	63.57	68.20	-4.63	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11421.256	34.34	3.08	37.42	54.00	-16.58	AVG		
2		11424.400	46.93	3.09	50.02	74.00	-23.98	peak		
3 *		17131.330	46.99	5.93	52.92	68.20	-15.28	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5710.800	79.44	33.88	113.32	68.20	45.12	peak		
2		5850.000	28.42	34.13	62.55	68.20	-5.65	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10581.500	48.63	-0.02	48.61	68.20	-19.59	peak		
2 *		15869.223	35.78	3.12	38.90	54.00	-15.10	AVG		
3		15870.550	48.47	3.12	51.59	74.00	-22.41	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	29.68	33.47	63.15	74.00	-10.85	peak		
2		5350.000	19.18	33.47	52.65	54.00	-1.35	AVG		
3		5361.600	29.85	33.47	63.32	74.00	-10.68	peak		
4 *		5361.600	19.20	33.47	52.67	54.00	-1.33	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11060.580	47.02	2.01	49.03	74.00	-24.97	peak		
2		11060.580	34.57	2.01	36.58	54.00	-17.42	AVG		
3 *		16590.540	47.00	4.48	51.48	68.20	-16.72	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	31.16	33.49	64.65	74.00	-9.35	peak		
2 *		5460.000	19.01	33.49	52.50	54.00	-1.50	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11218.700	47.38	2.48	49.86	74.00	-24.14	peak		
2		11225.378	34.78	2.50	37.28	54.00	-16.72	AVG		
3 *		16832.100	47.55	5.04	52.59	68.20	-15.61	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5420.400	30.21	33.48	63.69	74.00	-10.31	peak		
2 *		5420.400	17.51	33.48	50.99	54.00	-3.01	AVG		
3		5460.000	29.55	33.49	63.04	74.00	-10.96	peak		
4		5460.000	15.78	33.49	49.27	54.00	-4.73	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11223.233	47.40	2.49	49.89	74.00	-24.11	peak	
2		11223.260	34.90	2.49	37.39	54.00	-16.61	AVG	
3 *		16828.133	47.80	5.03	52.83	68.20	-15.37	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5419.200	28.78	33.48	62.26	74.00	-11.74	peak	
2 *		5419.200	17.11	33.48	50.59	54.00	-3.41	AVG	
3		5460.000	27.98	33.49	61.47	74.00	-12.53	peak	
4		5460.000	15.53	33.49	49.02	54.00	-4.98	AVG	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11380.767	47.41	2.96	50.37	74.00	-23.63	peak		
2		11382.326	34.29	2.96	37.25	54.00	-16.75	AVG		
3	*	17075.767	46.33	5.72	52.05	68.20	-16.15	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5672.400	77.48	33.81	111.29	68.20	43.09	peak		
2		5850.000	32.74	34.13	66.87	68.20	-1.33	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11380.500	47.36	2.96	50.32	74.00	-23.68	peak		
2		11383.485	34.59	2.97	37.56	54.00	-16.44	AVG		
3 *		17073.500	46.92	5.71	52.63	68.20	-15.57	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5653.200	75.19	33.78	108.97	68.20	40.77	peak		
2		5850.000	32.15	34.13	66.28	68.20	-1.92	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10501.200	49.01	-0.37	48.64	68.20	-19.56	peak		
2	*	15743.185	36.28	3.14	39.42	54.00	-14.58	AVG		
3		15749.767	49.82	3.14	52.96	74.00	-21.04	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5143.600	30.21	33.43	63.64	74.00	-10.36	peak		
2		5143.600	18.78	33.43	52.21	54.00	-1.79	AVG		
3		5150.000	28.65	33.43	62.08	74.00	-11.92	peak		
4		5150.000	17.51	33.43	50.94	54.00	-3.06	AVG		
5		5350.000	29.25	33.47	62.72	74.00	-11.28	peak		
6		5350.000	17.98	33.47	51.45	54.00	-2.55	AVG		
7		5380.800	30.88	33.48	64.36	74.00	-9.64	peak		
8	*	5380.800	18.77	33.48	52.25	54.00	-1.75	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11136.822	35.27	2.23	37.50	54.00	-16.50	AVG		
2		11141.467	47.57	2.25	49.82	74.00	-24.18	peak		
3 *		16710.000	48.07	4.76	52.83	68.20	-15.37	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5458.400	32.24	33.49	65.73	74.00	-8.27	peak		
2 *		5458.400	19.43	33.49	52.92	54.00	-1.08	AVG		
3		5460.000	31.49	33.49	64.98	74.00	-9.02	peak		
4		5460.000	19.25	33.49	52.74	54.00	-1.26	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11298.617	35.44	2.71	38.15	54.00	-15.85	AVG		
2		11301.800	47.29	2.72	50.01	74.00	-23.99	peak		
3 *		16949.400	47.42	5.31	52.73	68.20	-15.47	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5446.500	30.49	33.49	63.98	74.00	-10.02	peak		
2 *		5446.500	19.07	33.49	52.56	54.00	-1.44	AVG		
3		5460.000	30.28	33.49	63.77	74.00	-10.23	peak		
4		5460.000	18.71	33.49	52.20	54.00	-1.80	AVG		

HORIZONTALA

Radiated Emission



Radiated Emission



Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	≥1% x Nominal Channel Bandwidth
VBW	≥3 x RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant0	5260	22.440	5248.680	5271.120	---	---
	Ant1	5260	21.640	5249.040	5270.680	---	---
	Ant0	5280	22.040	5269.120	5291.160	---	---
	Ant1	5280	22.320	5268.760	5291.080	---	---
	Ant0	5320	22.120	5308.960	5331.080	---	---
	Ant1	5320	22.200	5308.440	5330.640	---	---
	Ant0	5500	21.920	5489.240	5511.160	---	---
	Ant1	5500	22.560	5488.640	5511.200	---	---
	Ant0	5580	22.000	5569.160	5591.160	---	---
	Ant1	5580	22.320	5568.840	5591.160	---	---
	Ant0	5700	22.000	5689.160	5711.160	---	---
	Ant1	5700	22.080	5689.000	5711.080	---	---
	Ant0	5720	22.960	5709.040	5732.000	---	---
	Ant1	5720	25.400	5707.160	5732.560	---	---
	Ant0	5720_UNII-2C	15.96	5709.040	5725	---	---
	Ant1	5720_UNII-2C	17.84	5707.160	5725	---	---
	Ant0	5720_UNII-3	7.00	5725	5732.000	---	---
	Ant1	5720_UNII-3	7.56	5725	5732.560	---	---
11AX20MIMO	Ant0	5260	23.280	5248.360	5271.640	---	---
	Ant1	5260	23.200	5248.280	5271.480	---	---
	Ant0	5280	22.920	5268.240	5291.160	---	---
	Ant1	5280	23.480	5268.040	5291.520	---	---
	Ant0	5320	22.480	5308.840	5331.320	---	---
	Ant1	5320	23.280	5308.200	5331.480	---	---
	Ant0	5500	22.040	5488.960	5511.000	---	---
	Ant1	5500	22.760	5488.520	5511.280	---	---
	Ant0	5580	21.960	5569.040	5591.000	---	---
	Ant1	5580	22.560	5568.720	5591.280	---	---
	Ant0	5700	22.680	5688.840	5711.520	---	---
	Ant1	5700	22.520	5688.720	5711.240	---	---
	Ant0	5720	21.120	5709.520	5730.640	---	---
	Ant1	5720	31.160	5702.400	5733.560	---	---
	Ant0	5720_UNII-2C	15.48	5709.520	5725	---	---
	Ant1	5720_UNII-2C	22.6	5702.400	5725	---	---
	Ant0	5720_UNII-3	5.64	5725	5730.640	---	---
	Ant1	5720_UNII-3	8.56	5725	5733.560	---	---
11AX40MIMO	Ant0	5270	43.280	5248.640	5291.920	---	---
	Ant1	5270	43.280	5248.400	5291.680	---	---

	Ant0	5310	43.200	5288.800	5332.000	---	---
	Ant1	5310	43.600	5288.640	5332.240	---	---
	Ant0	5510	43.040	5488.320	5531.360	---	---
	Ant1	5510	44.240	5487.440	5531.680	---	---
	Ant0	5550	43.680	5528.320	5572.000	---	---
	Ant1	5550	43.600	5528.000	5571.600	---	---
	Ant0	5670	43.280	5648.240	5691.520	---	---
	Ant1	5670	42.720	5648.560	5691.280	---	---
	Ant0	5710	42.640	5688.560	5731.200	---	---
	Ant1	5710	41.840	5688.720	5730.560	---	---
	Ant0	5710_UNII-2C	36.44	5688.560	5725	---	---
	Ant1	5710_UNII-2C	36.28	5688.720	5725	---	---
	Ant0	5710_UNII-3	6.2	5725	5731.200	---	---
	Ant1	5710_UNII-3	5.56	5725	5730.560	---	---
11AX80MIMO	Ant0	5290	87.200	5246.800	5334.000	---	---
	Ant1	5290	84.800	5247.920	5332.720	---	---
	Ant0	5530	89.120	5484.880	5574.000	---	---
	Ant1	5530	85.120	5486.960	5572.080	---	---
	Ant0	5610	86.400	5566.320	5652.720	---	---
	Ant1	5610	86.240	5566.640	5652.880	---	---
	Ant0	5690	84.800	5647.600	5732.400	---	---
	Ant1	5690	85.920	5646.320	5732.240	---	---
	Ant0	5690_UNII-2C	77.4	5647.600	5725	---	---
	Ant1	5690_UNII-2C	78.68	5646.320	5725	---	---
	Ant0	5690_UNII-3	7.4	5725	5732.400	---	---
	Ant1	5690_UNII-3	7.24	5725	5732.240	---	---
11AX160MIMO	Ant0	5250_UNII-1	84.16	5165.840	5250	---	---
	Ant1	5250_UNII-1	84.16	5165.840	5250	---	---
	Ant0	5250_UNII-2A	84.16	5250	5334.160	---	---
	Ant1	5250_UNII-2A	84.8	5250	5334.800	---	---
	Ant0	5570	175.360	5482.000	5657.360	---	---
	Ant1	5570	173.120	5483.600	5656.720	---	---
11BE20MIMO	Ant0	5260	22.760	5248.560	5271.320	---	---
	Ant1	5260	23.520	5248.360	5271.880	---	---
	Ant0	5280	22.600	5268.640	5291.240	---	---
	Ant1	5280	23.200	5268.640	5291.840	---	---
	Ant0	5320	23.040	5308.280	5331.320	---	---
	Ant1	5320	24.120	5308.120	5332.240	---	---
	Ant0	5500	22.160	5488.920	5511.080	---	---
	Ant1	5500	22.840	5488.680	5511.520	---	---
	Ant0	5580	22.160	5568.920	5591.080	---	---
	Ant1	5580	23.320	5568.360	5591.680	---	---
	Ant0	5700	22.040	5688.720	5710.760	---	---

	Ant1	5700	21.880	5688.880	5710.760	---	---
	Ant0	5720	24.160	5706.760	5730.920	---	---
	Ant1	5720	22.360	5708.880	5731.240	---	---
	Ant0	5720_UNII-2C	18.24	5706.760	5725	---	---
	Ant1	5720_UNII-2C	16.12	5708.880	5725	---	---
	Ant0	5720_UNII-3	5.92	5725	5730.920	---	---
	Ant1	5720_UNII-3	6.24	5725	5731.240	---	---
11BE40MIMO	Ant0	5270	43.040	5248.400	5291.440	---	---
	Ant1	5270	44.480	5247.920	5292.400	---	---
	Ant0	5310	42.400	5288.880	5331.280	---	---
	Ant1	5310	44.560	5287.760	5332.320	---	---
	Ant0	5510	42.880	5488.400	5531.280	---	---
	Ant1	5510	44.320	5488.320	5532.640	---	---
	Ant0	5550	43.600	5528.320	5571.920	---	---
	Ant1	5550	42.800	5528.400	5571.200	---	---
	Ant0	5670	42.400	5648.720	5691.120	---	---
	Ant1	5670	43.680	5647.440	5691.120	---	---
	Ant0	5710	42.720	5688.400	5731.120	---	---
	Ant1	5710	42.640	5688.240	5730.880	---	---
	Ant0	5710_UNII-2C	36.6	5688.400	5725	---	---
	Ant1	5710_UNII-2C	36.76	5688.240	5725	---	---
	Ant0	5710_UNII-3	6.12	5725	5731.120	---	---
	Ant1	5710_UNII-3	5.88	5725	5730.880	---	---
11BE80MIMO	Ant0	5290	84.640	5247.920	5332.560	---	---
	Ant1	5290	87.040	5246.320	5333.360	---	---
	Ant0	5530	87.840	5485.360	5573.200	---	---
	Ant1	5530	86.720	5486.160	5572.880	---	---
	Ant0	5610	87.360	5566.320	5653.680	---	---
	Ant1	5610	84.960	5566.960	5651.920	---	---
	Ant0	5690	86.240	5646.480	5732.720	---	---
	Ant1	5690	84.960	5647.440	5732.400	---	---
	Ant0	5690_UNII-2C	78.52	5646.480	5725	---	---
	Ant1	5690_UNII-2C	77.56	5647.440	5725	---	---
	Ant0	5690_UNII-3	7.72	5725	5732.720	---	---
	Ant1	5690_UNII-3	7.40	5725	5732.400	---	---
11BE160MIMO	Ant0	5250_UNII-1	87.68	5162.320	5250	---	---
	Ant1	5250_UNII-1	85.44	5164.560	5250	---	---
	Ant0	5250_UNII-2A	87.68	5250	5337.680	---	---
	Ant1	5250_UNII-2A	84.80	5250	5334.800	---	---
	Ant0	5570	176.000	5483.280	5659.280	---	---
	Ant1	5570	172.480	5483.280	5655.760	---	---
11BE240MIMO	Ant0	5650	272.160	5506.960	5779.120	---	---
	Ant1	5650	262.080	5512.720	5774.800	---	---

	Ant0	5650_UNII-2C	218.04	5506.960	5725	---	---
	Ant1	5650_UNII-2C	212.28	5512.720	5725	---	---
	Ant0	5650_UNII-3	54.12	5725	5779.120	---	---
	Ant1	5650_UNII-3	49.80	5725	5774.800	---	---

Occupied channel bandwidth

Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant0	5260	17.172	5251.4219	5268.5939	---	---
	Ant1	5260	17.276	5251.3479	5268.6239	---	---
	Ant0	5280	17.189	5271.3959	5288.5849	---	---
	Ant1	5280	17.278	5271.3510	5288.6290	---	---
	Ant0	5320	17.157	5311.4175	5328.5745	---	---
	Ant1	5320	17.336	5311.2650	5328.6010	---	---
	Ant0	5500	17.159	5491.4081	5508.5671	---	---
	Ant1	5500	17.283	5491.3000	5508.5830	---	---
	Ant0	5580	17.206	5571.3487	5588.5547	---	---
	Ant1	5580	17.283	5571.3119	5588.5949	---	---
	Ant0	5700	17.131	5691.4060	5708.5370	---	---
	Ant1	5700	17.283	5691.3573	5708.6403	---	---
	Ant0	5720	16.976	5711.4166	5728.3926	---	---
	Ant1	5720	17.327	5711.1388	5728.4658	---	---
	Ant0	5720_UNII-2C	13.583	5711.4166	5725	---	---
	Ant1	5720_UNII-2C	13.861	5711.1388	5725	---	---
	Ant0	5720_UNII-3	3.393	5725	5728.3926	---	---
	Ant1	5720_UNII-3	3.466	5725	5728.4658	---	---
11AX20MIMO	Ant0	5260	19.368	5250.3106	5269.6786	---	---
	Ant1	5260	19.453	5250.2743	5269.7273	---	---
	Ant0	5280	19.341	5270.3243	5289.6653	---	---
	Ant1	5280	19.420	5270.2975	5289.7175	---	---
	Ant0	5320	19.282	5310.3584	5329.6404	---	---
	Ant1	5320	19.465	5310.3059	5329.7709	---	---
	Ant0	5500	19.108	5490.4567	5509.5647	---	---
	Ant1	5500	19.330	5490.3463	5509.6763	---	---
	Ant0	5580	19.136	5570.4636	5589.5996	---	---
	Ant1	5580	19.343	5570.3562	5589.6992	---	---
	Ant0	5700	19.229	5690.4332	5709.6622	---	---
	Ant1	5700	19.187	5690.4276	5709.6146	---	---
	Ant0	5720	19.013	5710.4789	5729.4919	---	---
	Ant1	5720	19.301	5710.3127	5729.6137	---	---
	Ant0	5720_UNII-2C	14.521	5710.4789	5725	---	---
	Ant1	5720_UNII-2C	14.687	5710.3127	5725	---	---
	Ant0	5720_UNII-3	4.492	5725	5729.4919	---	---
	Ant1	5720_UNII-3	4.614	5725	5729.6137	---	---
11AX40MIMO	Ant0	5270	38.226	5251.0783	5289.3043	---	---
	Ant1	5270	38.124	5251.0517	5289.1757	---	---
	Ant0	5310	38.276	5290.9767	5329.2527	---	---

	Ant1	5310	38.144	5291.0239	5329.1679	---	---
	Ant0	5510	38.370	5490.8067	5529.1767	---	---
	Ant1	5510	38.121	5490.9336	5529.0546	---	---
	Ant0	5550	38.401	5530.8350	5569.2360	---	---
	Ant1	5550	38.186	5530.9467	5569.1327	---	---
	Ant0	5670	38.445	5650.7964	5689.2414	---	---
	Ant1	5670	38.408	5650.8203	5689.2283	---	---
	Ant0	5710	38.380	5690.7018	5729.0818	---	---
	Ant1	5710	38.338	5690.7188	5729.0568	---	---
	Ant0	5710_UNII-2C	34.298	5690.7018	5725	---	---
	Ant1	5710_UNII-2C	34.281	5690.7188	5725	---	---
	Ant0	5710_UNII-3	4.082	5725	5729.0818	---	---
	Ant1	5710_UNII-3	4.057	5725	5729.0568	---	---
11AX80MIMO	Ant0	5290	77.966	5251.2741	5329.2401	---	---
	Ant1	5290	77.736	5251.2530	5328.9890	---	---
	Ant0	5530	78.520	5490.7616	5569.2816	---	---
	Ant1	5530	78.137	5490.8418	5568.9788	---	---
	Ant0	5610	78.220	5570.9824	5649.2024	---	---
	Ant1	5610	77.998	5570.8914	5648.8894	---	---
	Ant0	5690	78.161	5650.7123	5728.8733	---	---
	Ant1	5690	78.115	5650.6087	5728.7237	---	---
	Ant0	5690_UNII-2C	74.288	5650.7123	5725	---	---
	Ant1	5690_UNII-2C	74.391	5650.6087	5725	---	---
	Ant0	5690_UNII-3	3.873	5725	5728.8733	---	---
	Ant1	5690_UNII-3	3.724	5725	5728.7237	---	---
11AX160MIMO	Ant0	5250_UNII-1	78.676	5171.3235	5250	---	---
	Ant1	5250_UNII-1	78.66	5171.3400	5250	---	---
	Ant0	5250_UNII-2A	79.203	5250	5329.2035	---	---
	Ant1	5250_UNII-2A	78.77	5250	5328.7700	---	---
	Ant0	5570	158.87	5490.4218	5649.2918	---	---
	Ant1	5570	158.33	5490.4088	5648.7388	---	---
11BE20MIMO	Ant0	5260	19.303	5250.3367	5269.6397	---	---
	Ant1	5260	19.365	5250.3094	5269.6744	---	---
	Ant0	5280	19.274	5270.3588	5289.6328	---	---
	Ant1	5280	19.409	5270.2612	5289.6702	---	---
	Ant0	5320	19.276	5310.3499	5329.6259	---	---
	Ant1	5320	19.412	5310.2600	5329.6720	---	---
	Ant0	5500	19.154	5490.3946	5509.5486	---	---
	Ant1	5500	19.374	5490.3330	5509.7070	---	---
	Ant0	5580	19.181	5570.3752	5589.5562	---	---
	Ant1	5580	19.315	5570.3519	5589.6669	---	---
	Ant0	5700	19.283	5690.3851	5709.6681	---	---

	Ant1	5700	19.138	5690.4134	5709.5514	---	---
	Ant0	5720	19.228	5710.3748	5729.6028	---	---
	Ant1	5720	19.150	5710.3976	5729.5476	---	---
	Ant0	5720_UNII-2C	14.625	5710.3748	5725	---	---
	Ant1	5720_UNII-2C	14.602	5710.3976	5725	---	---
	Ant0	5720_UNII-3	4.603	5725	5729.6028	---	---
	Ant1	5720_UNII-3	4.548	5725	5729.5476	---	---
11BE40MIMO	Ant0	5270	38.278	5250.9307	5289.2087	---	---
	Ant1	5270	38.240	5250.8873	5289.1273	---	---
	Ant0	5310	38.268	5290.8816	5329.1496	---	---
	Ant1	5310	38.101	5290.9317	5329.0327	---	---
	Ant0	5510	38.458	5490.6996	5529.1576	---	---
	Ant1	5510	38.262	5490.7257	5528.9877	---	---
	Ant0	5550	38.453	5530.7036	5569.1566	---	---
	Ant1	5550	38.246	5530.8375	5569.0835	---	---
	Ant0	5670	38.500	5650.7498	5689.2498	---	---
	Ant1	5670	38.419	5650.7336	5689.1526	---	---
	Ant0	5710	38.456	5690.6894	5729.1454	---	---
	Ant1	5710	38.364	5690.6657	5729.0297	---	---
	Ant0	5710_UNII-2C	34.311	5690.6894	5725	---	---
	Ant1	5710_UNII-2C	34.334	5690.6657	5725	---	---
	Ant0	5710_UNII-3	4.145	5725	5729.1454	---	---
	Ant1	5710_UNII-3	4.03	5725	5729.0297	---	---
11BE80MIMO	Ant0	5290	78.187	5250.9127	5329.0997	---	---
	Ant1	5290	77.773	5251.1099	5328.8829	---	---
	Ant0	5530	78.397	5490.6079	5569.0049	---	---
	Ant1	5530	78.054	5490.7231	5568.7771	---	---
	Ant0	5610	78.261	5570.7789	5649.0399	---	---
	Ant1	5610	78.140	5570.5924	5648.7324	---	---
	Ant0	5690	78.234	5650.6790	5728.9130	---	---
	Ant1	5690	78.096	5650.7305	5728.8265	---	---
	Ant0	5690_UNII-2C	74.321	5650.6790	5725	---	---
	Ant1	5690_UNII-2C	74.27	5650.7305	5725	---	---
	Ant0	5690_UNII-3	3.913	5725	5728.9130	---	---
	Ant1	5690_UNII-3	3.827	5725	5728.8265	---	---
11BE160MIMO	Ant0	5250_UNII-1	79.118	5170.8824	5250	---	---
	Ant1	5250_UNII-1	79.447	5170.5526	5250	---	---
	Ant0	5250_UNII-2A	78.972	5250	5328.9724	---	---
	Ant1	5250_UNII-2A	78.783	5250	5328.7826	---	---
	Ant0	5570	158.86	5490.4362	5649.2962	---	---
	Ant1	5570	158.06	5490.4918	5648.5518	---	---
11BE240MIMO	Ant0	5650	236.62	5531.6900	5768.3100	---	---
	Ant1	5650	235.74	5532.1300	5767.8700	---	---

	Ant0	5650_UNII-2C	193.31	5531.6900	5725	---	---
	Ant1	5650_UNII-2C	192.87	5532.1300	5725	---	---
	Ant0	5650_UNII-3	43.31	5725	5768.3100	---	---
	Ant1	5650_UNII-3	42.87	5725	5767.8700	---	---

Test Graphs (26 dB Bandwidth)

11A-CDD_Ant0_5260



11A-CDD_Ant1_5260

