

11AX40MIMO	Ant0	5720_UNII-2C	TPC_H	16.29	≤23.48	PASS
	Ant1	5720_UNII-2C	TPC_H	15.62	≤23.48	PASS
	total	5720_UNII-2C	TPC_H	18.98	≤23.48	PASS
	Ant0	5720_UNII-2C	TPC_L	10.19	≤23.48	PASS
	Ant1	5720_UNII-2C	TPC_L	9.55	≤23.48	PASS
	total	5720_UNII-2C	TPC_L	12.89	≤23.48	PASS
	Ant0	5720_UNII-3	NA	10.20	≤29.50	PASS
	Ant1	5720_UNII-3	NA	9.97	≤29.50	PASS
	total	5720_UNII-3	NA	13.10	≤29.50	PASS
	Ant0	5270	TPC_H	20.37	≤23.48	PASS
	Ant1	5270	TPC_H	19.72	≤23.48	PASS
	total	5270	TPC_H	23.07	≤23.48	PASS
	Ant0	5270	TPC_L	14.27	≤23.48	PASS
	Ant1	5270	TPC_L	13.62	≤23.48	PASS
	total	5270	TPC_L	16.97	≤23.48	PASS
	Ant0	5310	TPC_H	20.33	≤23.48	PASS
	Ant1	5310	TPC_H	19.59	≤23.48	PASS
	total	5310	TPC_H	22.99	≤23.48	PASS
	Ant0	5310	TPC_L	14.23	≤23.48	PASS
	Ant1	5310	TPC_L	13.49	≤23.48	PASS
	total	5310	TPC_L	16.89	≤23.48	PASS
	Ant0	5510	TPC_H	18.81	≤23.48	PASS
	Ant1	5510	TPC_H	20.19	≤23.48	PASS
	total	5510	TPC_H	22.56	≤23.48	PASS
	Ant0	5510	TPC_L	12.69	≤23.48	PASS
	Ant1	5510	TPC_L	14.07	≤23.48	PASS
	total	5510	TPC_L	16.44	≤23.48	PASS
	Ant0	5550	TPC_H	19.16	≤23.48	PASS
	Ant1	5550	TPC_H	19.94	≤23.48	PASS
	total	5550	TPC_H	22.58	≤23.48	PASS
	Ant0	5550	TPC_L	13.03	≤23.48	PASS
	Ant1	5550	TPC_L	13.81	≤23.48	PASS
	total	5550	TPC_L	16.45	≤23.48	PASS
	Ant0	5670	TPC_H	19.08	≤23.48	PASS
	Ant1	5670	TPC_H	19.41	≤23.48	PASS
	total	5670	TPC_H	22.26	≤23.48	PASS
	Ant0	5670	TPC_L	12.97	≤23.48	PASS
	Ant1	5670	TPC_L	13.30	≤23.48	PASS
	total	5670	TPC_L	16.15	≤23.48	PASS
	Ant0	5710_UNII-2C	TPC_H	19.08	≤23.48	PASS
	Ant1	5710_UNII-2C	TPC_H	18.76	≤23.48	PASS
	total	5710_UNII-2C	TPC_H	21.93	≤23.48	PASS
	Ant0	5710_UNII-2C	TPC_L	12.98	≤23.48	PASS

	Ant1	5710_UNII-2C	TPC_L	12.69	≤23.48	PASS	
	total	5710_UNII-2C	TPC_L	15.85	≤23.48	PASS	
	Ant0	5710_UNII-3	NA	8.60	≤29.50	PASS	
	Ant1	5710_UNII-3	NA	8.12	≤29.50	PASS	
	total	5710_UNII-3	NA	11.38	≤29.50	PASS	
11AX80MIMO	Ant0	5290	TPC_H	20.64	≤23.48	PASS	
	Ant1	5290	TPC_H	19.92	≤23.48	PASS	
	total	5290	TPC_H	23.31	≤23.48	PASS	
	Ant0	5290	TPC_L	14.53	≤23.48	PASS	
	Ant1	5290	TPC_L	13.81	≤23.48	PASS	
	total	5290	TPC_L	17.20	≤23.48	PASS	
	Ant0	5530	TPC_H	19.22	≤23.48	PASS	
	Ant1	5530	TPC_H	20.49	≤23.48	PASS	
	total	5530	TPC_H	22.91	≤23.48	PASS	
	Ant0	5530	TPC_L	13.10	≤23.48	PASS	
	Ant1	5530	TPC_L	14.37	≤23.48	PASS	
	total	5530	TPC_L	16.79	≤23.48	PASS	
	Ant0	5610	TPC_H	19.34	≤23.48	PASS	
	Ant1	5610	TPC_H	20.14	≤23.48	PASS	
	total	5610	TPC_H	22.77	≤23.48	PASS	
	Ant0	5610	TPC_L	13.21	≤23.48	PASS	
	Ant1	5610	TPC_L	14.01	≤23.48	PASS	
	total	5610	TPC_L	16.64	≤23.48	PASS	
	Ant0	5690_UNII-2C	TPC_H	20.16	≤23.48	PASS	
	Ant1	5690_UNII-2C	TPC_H	20.09	≤23.48	PASS	
	total	5690_UNII-2C	TPC_H	23.14	≤23.48	PASS	
	Ant0	5690_UNII-2C	TPC_L	14.06	≤23.48	PASS	
	Ant1	5690_UNII-2C	TPC_L	14.02	≤23.48	PASS	
	total	5690_UNII-2C	TPC_L	17.05	≤23.48	PASS	
	Ant0	5690_UNII-3	NA	6.21	≤29.50	PASS	
	Ant1	5690_UNII-3	NA	5.74	≤29.50	PASS	
	total	5690_UNII-3	NA	8.99	≤29.50	PASS	
	11AX160MIMO	Ant0	5250_UNII-1	NA	18.29	≤29.50	PASS
		Ant1	5250_UNII-1	NA	17.53	≤29.50	PASS
		total	5250_UNII-1	NA	20.94	≤29.50	PASS
Ant0		5250_UNII-2A	TPC_H	12.49	≤23.48	PASS	
Ant1		5250_UNII-2A	TPC_H	12.93	≤23.48	PASS	
total		5250_UNII-2A	TPC_H	15.73	≤23.48	PASS	
Ant0		5250_UNII-2A	TPC_L	6.37	≤23.48	PASS	
Ant1		5250_UNII-2A	TPC_L	6.81	≤23.48	PASS	
total		5250_UNII-2A	TPC_L	9.61	≤23.48	PASS	
Ant0		5570	TPC_H	19.74	≤23.48	PASS	
Ant1		5570	TPC_H	19.99	≤23.48	PASS	

	total	5570	TPC_H	22.88	≤23.48	PASS
	Ant0	5570	TPC_L	13.61	≤23.48	PASS
	Ant1	5570	TPC_L	13.86	≤23.48	PASS
	total	5570	TPC_L	16.75	≤23.48	PASS
11BE20MIMO	Ant0	5260	TPC_H	17.39	≤23.48	PASS
	Ant1	5260	TPC_H	16.77	≤23.48	PASS
	total	5260	TPC_H	20.10	≤23.48	PASS
	Ant0	5260	TPC_L	11.28	≤23.48	PASS
	Ant1	5260	TPC_L	10.66	≤23.48	PASS
	total	5260	TPC_L	13.99	≤23.48	PASS
	Ant0	5280	TPC_H	17.52	≤23.48	PASS
	Ant1	5280	TPC_H	16.80	≤23.48	PASS
	total	5280	TPC_H	20.19	≤23.48	PASS
	Ant0	5280	TPC_L	11.40	≤23.48	PASS
	Ant1	5280	TPC_L	10.68	≤23.48	PASS
	total	5280	TPC_L	14.07	≤23.48	PASS
	Ant0	5320	TPC_H	17.69	≤23.48	PASS
	Ant1	5320	TPC_H	17.10	≤23.48	PASS
	total	5320	TPC_H	20.42	≤23.48	PASS
	Ant0	5320	TPC_L	11.56	≤23.48	PASS
	Ant1	5320	TPC_L	10.98	≤23.48	PASS
	total	5320	TPC_L	14.29	≤23.48	PASS
	Ant0	5500	TPC_H	16.72	≤23.48	PASS
	Ant1	5500	TPC_H	17.96	≤23.48	PASS
	total	5500	TPC_H	20.39	≤23.48	PASS
	Ant0	5500	TPC_L	10.60	≤23.48	PASS
	Ant1	5500	TPC_L	11.84	≤23.48	PASS
	total	5500	TPC_L	14.27	≤23.48	PASS
	Ant0	5580	TPC_H	16.94	≤23.48	PASS
	Ant1	5580	TPC_H	17.54	≤23.48	PASS
	total	5580	TPC_H	20.26	≤23.48	PASS
	Ant0	5580	TPC_L	10.81	≤23.48	PASS
	Ant1	5580	TPC_L	11.41	≤23.48	PASS
	total	5580	TPC_L	14.13	≤23.48	PASS
	Ant0	5700	TPC_H	17.06	≤23.48	PASS
	Ant1	5700	TPC_H	16.96	≤23.48	PASS
	total	5700	TPC_H	20.02	≤23.48	PASS
	Ant0	5700	TPC_L	10.95	≤23.48	PASS
	Ant1	5700	TPC_L	10.85	≤23.48	PASS
	total	5700	TPC_L	13.91	≤23.48	PASS
	Ant0	5720_UNII-2C	TPC_H	16.40	≤23.48	PASS
	Ant1	5720_UNII-2C	TPC_H	16.02	≤23.48	PASS
	total	5720_UNII-2C	TPC_H	19.22	≤23.48	PASS

		Ant0	5720_UNII-2C	TPC_L	10.30	≤23.48	PASS
		Ant1	5720_UNII-2C	TPC_L	9.95	≤23.48	PASS
		total	5720_UNII-2C	TPC_L	13.14	≤23.48	PASS
		Ant0	5720_UNII-3	NA	10.54	≤29.50	PASS
		Ant1	5720_UNII-3	NA	10.37	≤29.50	PASS
		total	5720_UNII-3	NA	13.47	≤29.50	PASS
11BE40MIMO		Ant0	5270	TPC_H	20.20	≤23.48	PASS
		Ant1	5270	TPC_H	19.57	≤23.48	PASS
		total	5270	TPC_H	22.91	≤23.48	PASS
		Ant0	5270	TPC_L	14.09	≤23.48	PASS
		Ant1	5270	TPC_L	13.46	≤23.48	PASS
		total	5270	TPC_L	16.80	≤23.48	PASS
		Ant0	5310	TPC_H	20.41	≤23.48	PASS
		Ant1	5310	TPC_H	19.59	≤23.48	PASS
		total	5310	TPC_H	23.03	≤23.48	PASS
		Ant0	5310	TPC_L	14.29	≤23.48	PASS
		Ant1	5310	TPC_L	13.47	≤23.48	PASS
		total	5310	TPC_L	16.91	≤23.48	PASS
		Ant0	5510	TPC_H	18.88	≤23.48	PASS
		Ant1	5510	TPC_H	20.21	≤23.48	PASS
		total	5510	TPC_H	22.61	≤23.48	PASS
		Ant0	5510	TPC_L	12.76	≤23.48	PASS
		Ant1	5510	TPC_L	14.09	≤23.48	PASS
		total	5510	TPC_L	16.49	≤23.48	PASS
		Ant0	5550	TPC_H	19.10	≤23.48	PASS
		Ant1	5550	TPC_H	20.06	≤23.48	PASS
		total	5550	TPC_H	22.62	≤23.48	PASS
		Ant0	5550	TPC_L	12.97	≤23.48	PASS
		Ant1	5550	TPC_L	13.93	≤23.48	PASS
		total	5550	TPC_L	16.49	≤23.48	PASS
		Ant0	5670	TPC_H	19.01	≤23.48	PASS
		Ant1	5670	TPC_H	19.34	≤23.48	PASS
		total	5670	TPC_H	22.19	≤23.48	PASS
		Ant0	5670	TPC_L	12.89	≤23.48	PASS
		Ant1	5670	TPC_L	13.22	≤23.48	PASS
		total	5670	TPC_L	16.07	≤23.48	PASS
		Ant0	5710_UNII-2C	TPC_H	19.40	≤23.48	PASS
		Ant1	5710_UNII-2C	TPC_H	19.04	≤23.48	PASS
		total	5710_UNII-2C	TPC_H	22.23	≤23.48	PASS
		Ant0	5710_UNII-2C	TPC_L	13.30	≤23.48	PASS
		Ant1	5710_UNII-2C	TPC_L	12.97	≤23.48	PASS
		total	5710_UNII-2C	TPC_L	16.15	≤23.48	PASS
		Ant0	5710_UNII-3	NA	8.94	≤29.50	PASS

	Ant1	5710_UNII-3	NA	8.34	≤29.50	PASS
	total	5710_UNII-3	NA	11.66	≤29.50	PASS
11BE80MIMO	Ant0	5290	TPC_H	20.27	≤23.48	PASS
	Ant1	5290	TPC_H	19.65	≤23.48	PASS
	total	5290	TPC_H	22.98	≤23.48	PASS
	Ant0	5290	TPC_L	14.16	≤23.48	PASS
	Ant1	5290	TPC_L	13.54	≤23.48	PASS
	total	5290	TPC_L	16.87	≤23.48	PASS
	Ant0	5530	TPC_H	18.89	≤23.48	PASS
	Ant1	5530	TPC_H	20.04	≤23.48	PASS
	total	5530	TPC_H	22.51	≤23.48	PASS
	Ant0	5530	TPC_L	12.77	≤23.48	PASS
	Ant1	5530	TPC_L	13.92	≤23.48	PASS
	total	5530	TPC_L	16.39	≤23.48	PASS
	Ant0	5610	TPC_H	19.52	≤23.48	PASS
	Ant1	5610	TPC_H	20.13	≤23.48	PASS
	total	5610	TPC_H	22.85	≤23.48	PASS
	Ant0	5610	TPC_L	13.39	≤23.48	PASS
	Ant1	5610	TPC_L	14.00	≤23.48	PASS
	total	5610	TPC_L	16.72	≤23.48	PASS
	Ant0	5690_UNII-2C	TPC_H	19.40	≤23.48	PASS
	Ant1	5690_UNII-2C	TPC_H	19.04	≤23.48	PASS
	total	5690_UNII-2C	TPC_H	22.23	≤23.48	PASS
	Ant0	5690_UNII-2C	TPC_L	13.30	≤23.48	PASS
	Ant1	5690_UNII-2C	TPC_L	12.97	≤23.48	PASS
	total	5690_UNII-2C	TPC_L	16.15	≤23.48	PASS
	Ant0	5690_UNII-3	NA	8.94	≤29.50	PASS
	Ant1	5690_UNII-3	NA	8.34	≤29.50	PASS
	total	5690_UNII-3	NA	11.66	≤29.50	PASS
11BE160MIMO	Ant0	5250_UNII-1	NA	19.01	≤29.50	PASS
	Ant1	5250_UNII-1	NA	18.24	≤29.50	PASS
	total	5250_UNII-1	NA	21.65	≤29.50	PASS
	Ant0	5250_UNII-2A	TPC_H	12.54	≤23.48	PASS
	Ant1	5250_UNII-2A	TPC_H	12.98	≤23.48	PASS
	total	5250_UNII-2A	TPC_H	15.78	≤23.48	PASS
	Ant0	5250_UNII-2A	TPC_L	6.40	≤23.48	PASS
	Ant1	5250_UNII-2A	TPC_L	9.78	≤23.48	PASS
	total	5250_UNII-2A	TPC_L	11.42	≤23.48	PASS
	Ant0	5570	TPC_H	20.43	≤23.48	PASS
	Ant1	5570	TPC_H	19.96	≤23.48	PASS
	total	5570	TPC_H	23.21	≤23.48	PASS
	Ant0	5570	TPC_L	14.33	≤23.48	PASS
	Ant1	5570	TPC_L	13.86	≤23.48	PASS

	total	5570	TPC_L	17.11	≤23.48	PASS
11BE240MIMO	Ant0	5650_UNII-2C	TPC_H	19.51	≤23.48	PASS
	Ant1	5650_UNII-2C	TPC_H	18.76	≤23.48	PASS
	total	5650_UNII-2C	TPC_H	22.16	≤23.48	PASS
	Ant0	5650_UNII-2C	TPC_L	13.40	≤23.48	PASS
	Ant1	5650_UNII-2C	TPC_L	12.64	≤23.48	PASS
	total	5650_UNII-2C	TPC_L	16.05	≤23.48	PASS
	Ant0	5650_UNII-3	NA	9.84	≤29.50	PASS
	Ant1	5650_UNII-3	NA	9.12	≤29.50	PASS
	total	5650_UNII-3	NA	12.51	≤29.50	PASS

Beamforming

Test Mode	Antenna	Frequency[MHz]	TPC Mode	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant0	5260	TPC_H	17.92	≤23.48	PASS
	Ant1	5260	TPC_H	17.19	≤23.48	PASS
	total	5260	TPC_H	20.58	≤23.48	PASS
	Ant0	5260	TPC_L	11.81	≤23.48	PASS
	Ant1	5260	TPC_L	11.07	≤23.48	PASS
	total	5260	TPC_L	14.47	≤23.48	PASS
	Ant0	5280	TPC_H	17.57	≤23.48	PASS
	Ant1	5280	TPC_H	16.55	≤23.48	PASS
	total	5280	TPC_H	20.10	≤23.48	PASS
	Ant0	5280	TPC_L	11.44	≤23.48	PASS
	Ant1	5280	TPC_L	10.44	≤23.48	PASS
	total	5280	TPC_L	13.98	≤23.48	PASS
	Ant0	5320	TPC_H	17.96	≤23.48	PASS
	Ant1	5320	TPC_H	17.12	≤23.48	PASS
	total	5320	TPC_H	20.57	≤23.48	PASS
	Ant0	5320	TPC_L	11.85	≤23.48	PASS
	Ant1	5320	TPC_L	10.99	≤23.48	PASS
	total	5320	TPC_L	14.45	≤23.48	PASS
	Ant0	5500	TPC_H	16.42	≤23.48	PASS
	Ant1	5500	TPC_H	17.10	≤23.48	PASS
	total	5500	TPC_H	19.78	≤23.48	PASS
	Ant0	5500	TPC_L	10.42	≤23.48	PASS
	Ant1	5500	TPC_L	10.99	≤23.48	PASS
	total	5500	TPC_L	13.72	≤23.48	PASS
	Ant0	5580	TPC_H	16.40	≤23.48	PASS
	Ant1	5580	TPC_H	17.07	≤23.48	PASS
	total	5580	TPC_H	19.76	≤23.48	PASS
	Ant0	5580	TPC_L	10.30	≤23.48	PASS
	Ant1	5580	TPC_L	10.95	≤23.48	PASS
	total	5580	TPC_L	13.65	≤23.48	PASS
	Ant0	5700	TPC_H	16.46	≤23.48	PASS
	Ant1	5700	TPC_H	16.35	≤23.48	PASS
	total	5700	TPC_H	19.42	≤23.48	PASS
	Ant0	5700	TPC_L	10.35	≤23.48	PASS
	Ant1	5700	TPC_L	10.23	≤23.48	PASS
	total	5700	TPC_L	13.30	≤23.48	PASS
	Ant0	5720_UNII-2C	TPC_H	16.21	≤23.48	PASS
	Ant1	5720_UNII-2C	TPC_H	15.87	≤23.48	PASS

11AX40MIMO	total	5720_UNII-2C	TPC_H	19.05	≤23.48	PASS
	Ant0	5720_UNII-2C	TPC_L	10.11	≤23.48	PASS
	Ant1	5720_UNII-2C	TPC_L	9.80	≤23.48	PASS
	total	5720_UNII-2C	TPC_L	12.97	≤23.48	PASS
	Ant0	5720_UNII-3	NA	10.40	≤29.50	PASS
	Ant1	5720_UNII-3	NA	10.18	≤29.50	PASS
	total	5720_UNII-3	NA	13.30	≤29.50	PASS
	Ant0	5270	TPC_H	20.26	≤23.48	PASS
	Ant1	5270	TPC_H	19.56	≤23.48	PASS
	total	5270	TPC_H	22.93	≤23.48	PASS
	Ant0	5270	TPC_L	14.15	≤23.48	PASS
	Ant1	5270	TPC_L	13.56	≤23.48	PASS
	total	5270	TPC_L	16.88	≤23.48	PASS
	Ant0	5310	TPC_H	20.48	≤23.48	PASS
	Ant1	5310	TPC_H	19.36	≤23.48	PASS
	total	5310	TPC_H	22.97	≤23.48	PASS
	Ant0	5310	TPC_L	14.37	≤23.48	PASS
	Ant1	5310	TPC_L	13.25	≤23.48	PASS
	total	5310	TPC_L	16.86	≤23.48	PASS
	Ant0	5510	TPC_H	18.91	≤23.48	PASS
	Ant1	5510	TPC_H	19.81	≤23.48	PASS
	total	5510	TPC_H	22.39	≤23.48	PASS
	Ant0	5510	TPC_L	12.80	≤23.48	PASS
	Ant1	5510	TPC_L	13.69	≤23.48	PASS
	total	5510	TPC_L	16.28	≤23.48	PASS
	Ant0	5550	TPC_H	19.07	≤23.48	PASS
	Ant1	5550	TPC_H	19.60	≤23.48	PASS
	total	5550	TPC_H	22.35	≤23.48	PASS
	Ant0	5550	TPC_L	12.96	≤23.48	PASS
	Ant1	5550	TPC_L	13.47	≤23.48	PASS
	total	5550	TPC_L	16.23	≤23.48	PASS
	Ant0	5670	TPC_H	19.24	≤23.48	PASS
	Ant1	5670	TPC_H	19.51	≤23.48	PASS
	total	5670	TPC_H	22.39	≤23.48	PASS
	Ant0	5670	TPC_L	13.13	≤23.48	PASS
	Ant1	5670	TPC_L	13.39	≤23.48	PASS
	total	5670	TPC_L	16.27	≤23.48	PASS
	Ant0	5710_UNII-2C	TPC_H	19.18	≤23.48	PASS
	Ant1	5710_UNII-2C	TPC_H	18.81	≤23.48	PASS
	total	5710_UNII-2C	TPC_H	22.01	≤23.48	PASS
	Ant0	5710_UNII-2C	TPC_L	13.08	≤23.48	PASS
	Ant1	5710_UNII-2C	TPC_L	12.74	≤23.48	PASS
	total	5710_UNII-2C	TPC_L	15.92	≤23.48	PASS

	Ant0	5710_UNII-3	NA	8.68	≤29.50	PASS
	Ant1	5710_UNII-3	NA	8.21	≤29.50	PASS
	total	5710_UNII-3	NA	11.46	≤29.50	PASS
11AX80MIMO	Ant0	5290	TPC_H	20.70	≤23.48	PASS
	Ant1	5290	TPC_H	19.38	≤23.48	PASS
	total	5290	TPC_H	23.10	≤23.48	PASS
	Ant0	5290	TPC_L	14.58	≤23.48	PASS
	Ant1	5290	TPC_L	13.38	≤23.48	PASS
	total	5290	TPC_L	17.03	≤23.48	PASS
	Ant0	5530	TPC_H	19.25	≤23.48	PASS
	Ant1	5530	TPC_H	20.01	≤23.48	PASS
	total	5530	TPC_H	22.66	≤23.48	PASS
	Ant0	5530	TPC_L	13.13	≤23.48	PASS
	Ant1	5530	TPC_L	14.01	≤23.48	PASS
	total	5530	TPC_L	16.60	≤23.48	PASS
	Ant0	5610	TPC_H	19.35	≤23.48	PASS
	Ant1	5610	TPC_H	19.75	≤23.48	PASS
	total	5610	TPC_H	22.56	≤23.48	PASS
	Ant0	5610	TPC_L	13.23	≤23.48	PASS
	Ant1	5610	TPC_L	13.75	≤23.48	PASS
	total	5610	TPC_L	16.51	≤23.48	PASS
	Ant0	5690_UNII-2C	TPC_H	20.08	≤23.48	PASS
	Ant1	5690_UNII-2C	TPC_H	19.83	≤23.48	PASS
	total	5690_UNII-2C	TPC_H	22.97	≤23.48	PASS
	Ant0	5690_UNII-2C	TPC_L	13.98	≤23.48	PASS
	Ant1	5690_UNII-2C	TPC_L	13.76	≤23.48	PASS
	total	5690_UNII-2C	TPC_L	16.88	≤23.48	PASS
	Ant0	5690_UNII-3	NA	5.83	≤29.50	PASS
	Ant1	5690_UNII-3	NA	5.44	≤29.50	PASS
	total	5690_UNII-3	NA	8.65	≤29.50	PASS
11AX160MIMO	Ant0	5250_UNII-1	NA	18.51	≤29.50	PASS
	Ant1	5250_UNII-1	NA	18.66	≤29.50	PASS
	total	5250_UNII-1	NA	21.6	≤29.50	PASS
	Ant0	5250_UNII-2A	TPC_H	12.62	≤23.48	PASS
	Ant1	5250_UNII-2A	TPC_H	13.01	≤23.48	PASS
	total	5250_UNII-2A	TPC_H	15.83	≤23.48	PASS
	Ant0	5250_UNII-2A	TPC_L	6.49	≤23.48	PASS
	Ant1	5250_UNII-2A	TPC_L	6.89	≤23.48	PASS
	total	5250_UNII-2A	TPC_L	9.70	≤23.48	PASS
	Ant0	5570	TPC_H	19.54	≤23.48	PASS
	Ant1	5570	TPC_H	19.82	≤23.48	PASS
	total	5570	TPC_H	22.69	≤23.48	PASS
	Ant0	5570	TPC_L	13.54	≤23.48	PASS

	Ant1	5570	TPC_L	13.69	≤23.48	PASS
	total	5570	TPC_L	16.63	≤23.48	PASS
11BE20MIMO	Ant0	5260	TPC_H	17.97	≤23.48	PASS
	Ant1	5260	TPC_H	17.46	≤23.48	PASS
	total	5260	TPC_H	20.73	≤23.48	PASS
	Ant0	5260	TPC_L	11.97	≤23.48	PASS
	Ant1	5260	TPC_L	11.36	≤23.48	PASS
	total	5260	TPC_L	14.69	≤23.48	PASS
	Ant0	5280	TPC_H	17.69	≤23.48	PASS
	Ant1	5280	TPC_H	16.54	≤23.48	PASS
	total	5280	TPC_H	20.16	≤23.48	PASS
	Ant0	5280	TPC_L	11.57	≤23.48	PASS
	Ant1	5280	TPC_L	10.43	≤23.48	PASS
	total	5280	TPC_L	14.05	≤23.48	PASS
	Ant0	5320	TPC_H	17.99	≤23.48	PASS
	Ant1	5320	TPC_H	17.26	≤23.48	PASS
	total	5320	TPC_H	20.65	≤23.48	PASS
	Ant0	5320	TPC_L	11.99	≤23.48	PASS
	Ant1	5320	TPC_L	11.15	≤23.48	PASS
	total	5320	TPC_L	14.60	≤23.48	PASS
	Ant0	5500	TPC_H	16.87	≤23.48	PASS
	Ant1	5500	TPC_H	17.74	≤23.48	PASS
	total	5500	TPC_H	20.34	≤23.48	PASS
	Ant0	5500	TPC_L	10.87	≤23.48	PASS
	Ant1	5500	TPC_L	11.62	≤23.48	PASS
	total	5500	TPC_L	14.27	≤23.48	PASS
	Ant0	5580	TPC_H	16.47	≤23.48	PASS
	Ant1	5580	TPC_H	17.11	≤23.48	PASS
	total	5580	TPC_H	19.81	≤23.48	PASS
	Ant0	5580	TPC_L	10.47	≤23.48	PASS
	Ant1	5580	TPC_L	11.11	≤23.48	PASS
	total	5580	TPC_L	13.81	≤23.48	PASS
	Ant0	5700	TPC_H	17.01	≤23.48	PASS
	Ant1	5700	TPC_H	16.65	≤23.48	PASS
	total	5700	TPC_H	19.84	≤23.48	PASS
	Ant0	5700	TPC_L	10.90	≤23.48	PASS
	Ant1	5700	TPC_L	10.53	≤23.48	PASS
	total	5700	TPC_L	13.73	≤23.48	PASS
	Ant0	5720_UNII-2C	TPC_H	15.66	≤23.48	PASS
	Ant1	5720_UNII-2C	TPC_H	15.35	≤23.48	PASS
	total	5720_UNII-2C	TPC_H	18.52	≤23.48	PASS
	Ant0	5720_UNII-2C	TPC_L	9.56	≤23.48	PASS
	Ant1	5720_UNII-2C	TPC_L	9.28	≤23.48	PASS

	total	5720_UNII-2C	TPC_L	12.43	≤23.48	PASS
	Ant0	5720_UNII-3	NA	9.88	≤29.50	PASS
11BE40MIMO	Ant1	5720_UNII-3	NA	9.60	≤29.50	PASS
	total	5720_UNII-3	NA	12.75	≤29.50	PASS
	Ant0	5720_UNII-2C	TPC_H	16.21	≤23.48	PASS
	Ant0	5270	TPC_H	20.25	≤23.48	PASS
	Ant1	5270	TPC_H	19.58	≤23.48	PASS
	total	5270	TPC_H	22.94	≤23.48	PASS
	Ant0	5270	TPC_L	14.25	≤23.48	PASS
	Ant1	5270	TPC_L	13.48	≤23.48	PASS
	total	5270	TPC_L	16.89	≤23.48	PASS
	Ant0	5310	TPC_H	20.44	≤23.48	PASS
	Ant1	5310	TPC_H	19.22	≤23.48	PASS
	total	5310	TPC_H	22.88	≤23.48	PASS
	Ant0	5310	TPC_L	14.34	≤23.48	PASS
	Ant1	5310	TPC_L	13.10	≤23.48	PASS
	total	5310	TPC_L	16.77	≤23.48	PASS
	Ant0	5510	TPC_H	18.80	≤23.48	PASS
	Ant1	5510	TPC_H	20.15	≤23.48	PASS
	total	5510	TPC_H	22.54	≤23.48	PASS
	Ant0	5510	TPC_L	12.68	≤23.48	PASS
	Ant1	5510	TPC_L	14.04	≤23.48	PASS
	total	5510	TPC_L	16.42	≤23.48	PASS
	Ant0	5550	TPC_H	19.02	≤23.48	PASS
	Ant1	5550	TPC_H	19.61	≤23.48	PASS
	total	5550	TPC_H	22.34	≤23.48	PASS
	Ant0	5550	TPC_L	12.91	≤23.48	PASS
	Ant1	5550	TPC_L	13.61	≤23.48	PASS
	total	5550	TPC_L	16.28	≤23.48	PASS
	Ant0	5670	TPC_H	19.30	≤23.48	PASS
	Ant1	5670	TPC_H	19.54	≤23.48	PASS
	total	5670	TPC_H	22.43	≤23.48	PASS
	Ant0	5670	TPC_L	13.19	≤23.48	PASS
	Ant1	5670	TPC_L	13.42	≤23.48	PASS
	total	5670	TPC_L	16.32	≤23.48	PASS
	Ant0	5710_UNII-2C	TPC_H	17.83	≤23.48	PASS
	Ant1	5710_UNII-2C	TPC_H	17.54	≤23.48	PASS
	total	5710_UNII-2C	TPC_H	20.70	≤23.48	PASS
	Ant0	5710_UNII-2C	TPC_L	11.73	≤23.48	PASS
	Ant1	5710_UNII-2C	TPC_L	11.47	≤23.48	PASS
	total	5710_UNII-2C	TPC_L	14.61	≤23.48	PASS
	Ant0	5710_UNII-3	NA	7.38	≤29.50	PASS
	Ant1	5710_UNII-3	NA	6.95	≤29.50	PASS

	total	5710_UNII-3	NA	10.18	≤29.50	PASS
11BE80MIMO	Ant0	5290	TPC_H	20.58	≤23.48	PASS
	Ant1	5290	TPC_H	20.04	≤23.48	PASS
	total	5290	TPC_H	23.33	≤23.48	PASS
	Ant0	5290	TPC_L	14.47	≤23.48	PASS
	Ant1	5290	TPC_L	13.92	≤23.48	PASS
	total	5290	TPC_L	17.21	≤23.48	PASS
	Ant0	5530	TPC_H	20.61	≤23.48	PASS
	Ant1	5530	TPC_H	19.49	≤23.48	PASS
	total	5530	TPC_H	23.10	≤23.48	PASS
	Ant0	5530	TPC_L	14.48	≤23.48	PASS
	Ant1	5530	TPC_L	13.37	≤23.48	PASS
	total	5530	TPC_L	16.97	≤23.48	PASS
	Ant0	5610	TPC_H	19.51	≤23.48	PASS
	Ant1	5610	TPC_H	20.12	≤23.48	PASS
	total	5610	TPC_H	22.84	≤23.48	PASS
	Ant0	5610	TPC_L	13.51	≤23.48	PASS
	Ant1	5610	TPC_L	14.01	≤23.48	PASS
	total	5610	TPC_L	16.78	≤23.48	PASS
	Ant0	5690_UNII-2C	TPC_H	19.78	≤23.48	PASS
	Ant1	5690_UNII-2C	TPC_H	19.69	≤23.48	PASS
	total	5690_UNII-2C	TPC_H	22.75	≤23.48	PASS
	Ant0	5690_UNII-2C	TPC_L	13.68	≤23.48	PASS
	Ant1	5690_UNII-2C	TPC_L	13.62	≤23.48	PASS
	total	5690_UNII-2C	TPC_L	16.66	≤23.48	PASS
	Ant0	5690_UNII-3	NA	5.65	≤29.50	PASS
	Ant1	5690_UNII-3	NA	5.31	≤29.50	PASS
	total	5690_UNII-3	NA	8.49	≤29.50	PASS
11BE160MIMO	Ant0	5250_UNII-1	NA	19.19	≤29.50	PASS
	Ant1	5250_UNII-1	NA	18.19	≤29.50	PASS
	total	5250_UNII-1	NA	21.73	≤29.50	PASS
	Ant0	5250_UNII-2A	TPC_H	12.13	≤23.48	PASS
	Ant1	5250_UNII-2A	TPC_H	12.54	≤23.48	PASS
	total	5250_UNII-2A	TPC_H	15.35	≤23.48	PASS
	Ant0	5250_UNII-2A	TPC_L	6.13	≤23.48	PASS
	Ant1	5250_UNII-2A	TPC_L	6.54	≤23.48	PASS
	total	5250_UNII-2A	TPC_L	9.35	≤23.48	PASS
	Ant0	5570	TPC_H	20.67	≤23.48	PASS
	Ant1	5570	TPC_H	19.46	≤23.48	PASS
	total	5570	TPC_H	23.12	≤23.48	PASS
	Ant0	5570	TPC_L	14.56	≤23.48	PASS
	Ant1	5570	TPC_L	13.34	≤23.48	PASS
	total	5570	TPC_L	17.00	≤23.48	PASS

11BE240MIMO	Ant0	5650_UNII-2C	TPC_H	19.6	≤23.98	PASS
	Ant1	5650_UNII-2C	TPC_H	18.85	≤23.98	PASS
	total	5650_UNII-2C	TPC_H	22.25	≤23.48	PASS
	Ant0	5650_UNII-2C	TPC_L	13.49	≤23.48	PASS
	Ant1	5650_UNII-2C	TPC_L	12.72	≤23.48	PASS
	total	5650_UNII-2C	TPC_L	16.13	≤23.48	PASS
	Ant0	5650_UNII-3	NA	9.53	≤29.50	PASS
	Ant1	5650_UNII-3	NA	8.81	≤29.50	PASS
	total	5650_UNII-3	NA	12.20	≤29.50	PASS

Note: The Duty Cycle Factor is compensated in the test system

3.5 Power Spectral Density

3.5.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	Power Spectral Density	Master device: 17 dBm/MHz Client device: 11 dBm/MHz	5150-5250
		11 dBm/MHz	5250-5350
		11 dBm/MHz	5470-5725
		30 dBm/500 kHz	5725-5850

Note:

- For UNII-3, according to KDB publication 789033 D02 General UNII Test Procedures New Rules v02r01, section II.F.5., it is acceptable to set RBW at 300kHz and VBW at 1500kHz if the spectrum analyzer does not have 500 kHz RBW. Then, add $10 \log (500 \text{ kHz}/300 \text{ kHz})$ to the measured result, i.e. 2.22 dB.
- During the test of U-NII 3 PSD, the measurement result with RBW=300kHz has been added 2.22 dB by compensating offset, offset=cable loss+duty factor+ $10\log(500\text{kHz}/300\text{kHz})$.


3.5.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below. Spectrum analyser settings as following:

Centre Frequency	The centre frequency of the channel under test
RBW	= 1 MHz (Band1/2/3); = 500kHz (Band4)
VBW	≥3 x RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	RMS
Trace Mode	Max Hold
Sweep Time	Auto Couple

3.5.3 Test Setup



3.5.4 The Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A-CDD	Ant0	5260	6.68	≤11.00	PASS
	Ant1	5260	7.47	≤11.00	PASS
	total	5260	10.10	≤10.50	PASS
	Ant0	5280	6.62	≤11.00	PASS
	Ant1	5280	7.74	≤11.00	PASS
	total	5280	10.23	≤10.50	PASS
	Ant0	5320	6.82	≤11.00	PASS
	Ant1	5320	7.39	≤11.00	PASS
	total	5320	10.12	≤10.50	PASS
	Ant0	5500	7.53	≤11.00	PASS
	Ant1	5500	7.10	≤11.00	PASS
	total	5500	10.33	≤10.50	PASS
	Ant0	5580	7.30	≤11.00	PASS
	Ant1	5580	6.65	≤11.00	PASS
	total	5580	10.00	≤10.50	PASS
	Ant0	5700	6.81	≤11.00	PASS
	Ant1	5700	7.73	≤11.00	PASS
	total	5700	10.30	≤10.50	PASS
	Ant1	5720_UNII-2C	7.60	≤11.00	PASS
	Ant2	5720_UNII-2C	6.70	≤11.00	PASS
	total	5720_UNII-2C	10.18	≤10.50	PASS
	Ant1	5720_UNII-3	2.77	≤30.00	PASS
	Ant2	5720_UNII-3	1.82	≤30.00	PASS
	total	5720_UNII-3	5.33	≤29.50	PASS
11AX20MIMO	Ant0	5260	7.41	≤11.00	PASS
	Ant1	5260	6.37	≤11.00	PASS
	total	5260	9.93	≤10.50	PASS
	Ant0	5280	7.55	≤11.00	PASS
	Ant1	5280	6.39	≤11.00	PASS
	total	5280	10.02	≤10.50	PASS
	Ant0	5320	7.74	≤11.00	PASS
	Ant1	5320	6.16	≤11.00	PASS
	total	5320	10.03	≤10.50	PASS
	Ant0	5500	6.98	≤11.00	PASS
	Ant1	5500	7.15	≤11.00	PASS
	total	5500	10.08	≤10.50	PASS
	Ant0	5580	6.97	≤11.00	PASS
	Ant1	5580	7.42	≤11.00	PASS
	total	5580	10.21	≤10.50	PASS
	Ant0	5700	6.68	≤11.00	PASS

	Ant1	5700	7.55	≤11.00	PASS
	total	5700	10.15	≤10.50	PASS
	Ant0	5745	13.58	≤30.00	PASS
	Ant1	5745	13.45	≤30.00	PASS
	total	5745	16.53	≤29.50	PASS
	Ant1	5720_UNII-2C	7.83	≤11.00	PASS
	Ant2	5720_UNII-2C	6.57	≤11.00	PASS
	total	5720_UNII-2C	10.26	≤10.50	PASS
	Ant1	5720_UNII-3	2.50	≤30.00	PASS
	Ant2	5720_UNII-3	1.82	≤30.00	PASS
	total	5720_UNII-3	5.18	≤29.50	PASS
11AX40MIMO	Ant0	5270	7.79	≤11.00	PASS
	Ant1	5270	6.34	≤11.00	PASS
	total	5270	10.14	≤10.50	PASS
	Ant0	5310	7.89	≤11.00	PASS
	Ant1	5310	6.18	≤11.00	PASS
	total	5310	10.13	≤10.50	PASS
	Ant0	5510	6.69	≤11.00	PASS
	Ant1	5510	7.16	≤11.00	PASS
	total	5510	9.94	≤10.50	PASS
	Ant0	5550	6.73	≤11.00	PASS
	Ant1	5550	7.22	≤11.00	PASS
	total	5550	9.99	≤10.50	PASS
	Ant0	5670	6.78	≤11.00	PASS
	Ant1	5670	7.17	≤11.00	PASS
	total	5670	9.99	≤10.50	PASS
	Ant1	5710_UNII-2C	7.51	≤11.00	PASS
	Ant2	5710_UNII-2C	6.22	≤11.00	PASS
	total	5710_UNII-2C	9.92	≤10.50	PASS
	Ant1	5710_UNII-3	1.32	≤30.00	PASS
	Ant2	5710_UNII-3	0.16	≤30.00	PASS
	total	5710_UNII-3	3.79	≤29.50	PASS
11AX80MIMO	Ant0	5290	5.55	≤11.00	PASS
	Ant1	5290	3.95	≤11.00	PASS
	total	5290	7.83	≤10.50	PASS
	Ant0	5530	4.03	≤11.00	PASS
	Ant1	5530	4.52	≤11.00	PASS
	total	5530	7.29	≤10.50	PASS
	Ant0	5610	4.16	≤11.00	PASS
	Ant1	5610	4.78	≤11.00	PASS
	total	5610	7.49	≤10.50	PASS
	Ant1	5690_UNII-2C	5.24	≤11.00	PASS
	Ant2	5690_UNII-2C	4.68	≤11.00	PASS

	total	5690_UNII-2C	7.98	≤ 10.50	PASS
	Ant1	5690_UNII-3	-1.25	≤ 30.00	PASS
	Ant2	5690_UNII-3	-2.25	≤ 30.00	PASS
	total	5690_UNII-3	1.29	≤ 29.50	PASS
11AX160MIMO	Ant0	5250_UNII-1	3.19	≤ 17.00	PASS
	Ant1	5250_UNII-1	1.99	≤ 17.00	PASS
	total	5250_UNII-1	5.64	≤ 16.50	PASS
	Ant0	5250_UNII-2A	2.49	≤ 11.00	PASS
	Ant1	5250_UNII-2A	1.29	≤ 11.00	PASS
	total	5250_UNII-2A	4.94	≤ 10.50	PASS
	Ant0	5570	1.13	≤ 11.00	PASS
	Ant1	5570	1.73	≤ 11.00	PASS
	total	5570	4.45	≤ 10.50	PASS
11BE20MIMO	Ant0	5260	7.27	≤ 11.00	PASS
	Ant1	5260	6.02	≤ 11.00	PASS
	total	5260	9.70	≤ 10.50	PASS
	Ant0	5280	7.31	≤ 11.00	PASS
	Ant1	5280	6.15	≤ 11.00	PASS
	total	5280	9.78	≤ 10.50	PASS
	Ant0	5320	7.61	≤ 11.00	PASS
	Ant1	5320	6.11	≤ 11.00	PASS
	total	5320	9.93	≤ 10.50	PASS
	Ant0	5500	7.26	≤ 11.00	PASS
	Ant1	5500	7.19	≤ 11.00	PASS
	total	5500	10.24	≤ 10.50	PASS
	Ant0	5580	7.10	≤ 11.00	PASS
	Ant1	5580	7.35	≤ 11.00	PASS
	total	5580	10.24	≤ 10.50	PASS
	Ant0	5700	7.04	≤ 11.00	PASS
	Ant1	5700	7.34	≤ 11.00	PASS
	total	5700	10.20	≤ 10.50	PASS
	Ant1	5720_UNII-2C	7.75	≤ 11.00	PASS
	Ant2	5720_UNII-2C	6.98	≤ 11.00	PASS
	total	5720_UNII-2C	10.39	≤ 10.50	PASS
	Ant1	5720_UNII-3	2.75	≤ 30.00	PASS
	Ant2	5720_UNII-3	2.13	≤ 30.00	PASS
	total	5720_UNII-3	5.46	≤ 29.50	PASS
11BE40MIMO	Ant0	5270	7.64	≤ 11.00	PASS
	Ant1	5270	6.19	≤ 11.00	PASS
	total	5270	9.99	≤ 10.50	PASS
	Ant0	5310	8.08	≤ 11.00	PASS
	Ant1	5310	6.49	≤ 11.00	PASS
	total	5310	10.37	≤ 10.50	PASS

	Ant0	5510	6.66	≤11.00	PASS
	Ant1	5510	7.06	≤11.00	PASS
	total	5510	9.87	≤10.50	PASS
	Ant0	5550	6.95	≤11.00	PASS
	Ant1	5550	7.36	≤11.00	PASS
	total	5550	10.17	≤10.50	PASS
	Ant0	5670	6.59	≤11.00	PASS
	Ant1	5670	7.25	≤11.00	PASS
	total	5670	9.94	≤10.50	PASS
	Ant1	5710_UNII-2C	7.55	≤11.00	PASS
	Ant2	5710_UNII-2C	6.99	≤11.00	PASS
	total	5710_UNII-2C	10.29	≤10.50	PASS
	Ant1	5710_UNII-3	1.08	≤30.00	PASS
	Ant2	5710_UNII-3	0.81	≤30.00	PASS
	total	5710_UNII-3	3.96	≤29.50	PASS
11BE80MIMO	Ant0	5290	4.98	≤11.00	PASS
	Ant1	5290	3.36	≤11.00	PASS
	total	5290	7.26	≤10.50	PASS
	Ant0	5530	3.51	≤11.00	PASS
	Ant1	5530	4.18	≤11.00	PASS
	total	5530	6.87	≤10.50	PASS
	Ant0	5610	4.34	≤11.00	PASS
	Ant1	5610	4.95	≤11.00	PASS
	total	5610	7.67	≤10.50	PASS
	Ant1	5690_UNII-2C	5.30	≤11.00	PASS
	Ant2	5690_UNII-2C	4.75	≤11.00	PASS
	total	5690_UNII-2C	8.04	≤10.50	PASS
	Ant1	5690_UNII-3	-1.48	≤30.00	PASS
	Ant2	5690_UNII-3	-2.32	≤30.00	PASS
	total	5690_UNII-3	1.13	≤29.50	PASS
11BE160MIMO	Ant0	5250_UNII-1	3.13	≤17.00	PASS
	Ant1	5250_UNII-1	2.04	≤17.00	PASS
	total	5250_UNII-1	5.63	≤16.50	PASS
	Ant0	5250_UNII-2A	2.53	≤11.00	PASS
	Ant1	5250_UNII-2A	1.75	≤11.00	PASS
	total	5250_UNII-2A	5.17	≤10.50	PASS
	Ant0	5570	0.13	≤11.00	PASS
	Ant1	5570	1.64	≤11.00	PASS
	total	5570	3.96	≤10.50	PASS
11BE240MIMO	Ant0	5650_UNII-2C	-0.01	≤11.00	PASS
	Ant1	5650_UNII-2C	-0.67	≤11.00	PASS
	total	5650_UNII-2C	2.68	≤10.50	PASS
	Ant0	5650_UNII-3	-4.60	≤30.00	PASS

	Ant1	5650_UNII-3	-4.40	≤30.00	PASS
	total	5650_UNII-3	-1.49	≤29.50	PASS

Note: The Duty Cycle Factor is compensated in the test system


For UNII-3, according to KDB publication 789033 D02 General UNII Test Procedures New Rules v02r01, section II.F.5., it is acceptable to set RBW at 300kHz and VBW at 1500kHz if the spectrum analyzer does not have 500 kHz RBW. Then, add $10 \log (500 \text{ kHz}/300 \text{ kHz})$ to the measured result, i.e. 2.22 dB.

During the test of U-NII 3 PSD, the measurement result with RBW=300kHz has been added 2.22 dB by compensating offset, $\text{offset} = \text{cable loss} + \text{duty factor} + 10 \log(500 \text{ kHz}/300 \text{ kHz})$.


Pre-scan TPC_H PSD and TPC_L PSD, worst case for TPC_H PSD was recorded.

Beamforming conducted power less than no beamforming conducted power, so only no beamforming conducted power spectral density was recorded.


11A-CDD_Ant0_5260




11A-CDD_Ant1_5260




11A-CDD_Ant0_5280




11A-CDD_Ant1_5280




11A-CDD_Ant0_5320




11A-CDD_Ant1_5320




11A-CDD_Ant0_5500




11A-CDD_Ant1_5500




11A-CDD_Ant0_5580




11A-CDD_Ant1_5580




11A-CDD_Ant0_5700




11A-CDD_Ant1_5700




11A-CDD_Ant0_5720_UNII-2C




11A-CDD_Ant1_5720_UNII-2C




11A-CDD_Ant0_5720_UNII-3




11A-CDD_Ant1_5720_UNII-3




11AX20MIMO_Ant0_5260




11AX20MIMO_Ant1_5260




11AX20MIMO_Ant0_5280




11AX20MIMO_Ant1_5280




11AX20MIMO_Ant0_5320




11AX20MIMO_Ant1_5320




11AX20MIMO_Ant0_5500




11AX20MIMO_Ant1_5500




11AX20MIMO_Ant0_5580




11AX20MIMO_Ant1_5580




11AX20MIMO_Ant0_5700




11AX20MIMO_Ant1_5700




11AX20MIMO_Ant0_5720_UNII-2C




11AX20MIMO_Ant1_5720_UNII-2C




11AX20MIMO_Ant0_5720_UNII-3




11AX20MIMO_Ant1_5720_UNII-3




11AX40MIMO_Ant0_5270




11AX40MIMO_Ant1_5270




11AX40MIMO_Ant0_5310




11AX40MIMO_Ant1_5310




11AX40MIMO_Ant0_5510




11AX40MIMO_Ant1_5510




11AX40MIMO_Ant0_5550




11AX40MIMO_Ant1_5550




11AX40MIMO_Ant0_5670




11AX40MIMO_Ant1_5670




11AX40MIMO_Ant0_5710_UNII-2C




11AX40MIMO_Ant1_5710_UNII-2C




11AX40MIMO_Ant0_5710_UNII-3



11AX40MIMO_Ant1_5710_UNII-3



11AX80MIMO_Ant0_5290



11AX80MIMO_Ant1_5290

