


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 19.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.31356G    | 51.54             | 83.54             | -32.00         | 41.97         | 1           | Horizontal | 55             | 1.36          | -       | 37.35      | 20.48      | 48.26      |  |  |  |
| AV   | 18.32175G    | 38.17             | 63.54             | -25.37         | 28.56         | 1           | Horizontal | 55             | 1.36          | -       | 37.39      | 20.48      | 48.26      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-E-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9098G | 59.31    | 88.20    | -28.89 | 61.26  | 3    | Vertical  | 165     | 1.80   | -       | 32.30 | 9.04 | 43.29 |  |  |  |
| RMS  | 5.9098G | 50.34    | 68.20    | -17.86 | 52.29  | 3    | Vertical  | 165     | 1.80   | -       | 32.30 | 9.04 | 43.29 |  |  |  |
| PK   | 6.0282G | 106.14   | Inf      | -Inf   | 107.77 | 3    | Vertical  | 165     | 1.80   | -       | 32.40 | 9.16 | 43.19 |  |  |  |
| RMS  | 6.0882G | 96.91    | Inf      | -Inf   | 98.40  | 3    | Vertical  | 165     | 1.80   | -       | 32.48 | 9.20 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-E-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9242G | 63.49    | 88.20    | -24.71 | 65.42  | 3    | Horizontal | 294     | 2.96   | -       | 32.30 | 9.05 | 43.28 |  |  |  |
| RMS  | 5.925G  | 53.89    | 68.20    | -14.31 | 55.82  | 3    | Horizontal | 294     | 2.96   | -       | 32.30 | 9.05 | 43.28 |  |  |  |
| PK   | 6.0634G | 108.57   | Inf      | -Inf   | 110.14 | 3    | Horizontal | 294     | 2.96   | -       | 32.43 | 9.18 | 43.18 |  |  |  |
| RMS  | 6.0442G | 99.68    | Inf      | -Inf   | 101.29 | 3    | Horizontal | 294     | 2.96   | -       | 32.40 | 9.17 | 43.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
SET 18  
04-E-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.02842G | 57.72    | 74.00    | -16.28 | 42.83  | 3    | Vertical  | 96      | 2.93   | 18.5    | 39.14 | 10.92 | 35.17 |  |  |  |
| AV   | 12.012G   | 45.17    | 54.00    | -8.83  | 30.26  | 3    | Vertical  | 96      | 2.93   | 18.5    | 39.18 | 10.91 | 35.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
SET 18  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.89416G    | 57.48             | 74.00             | -16.52         | 42.46         | 3           | Horizontal | 294            | 1.80          | 18.5    | 39.31      | 10.88      | 35.17      |  |  |  |
| AV   | 11.89096G    | 45.08             | 54.00             | -8.92          | 30.06         | 3           | Horizontal | 294            | 1.80          | 18.5    | 39.32      | 10.87      | 35.17      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 18  
04-E-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.32169G | 51.66    | 83.54    | -31.88 | 42.05  | 1    | Vertical  | 121     | 2.68   | -       | 37.39 | 20.48 | 48.26 |  |  |  |
| AV   | 18.32961G | 38.30    | 63.54    | -25.24 | 28.66  | 1    | Vertical  | 121     | 2.68   | -       | 37.42 | 20.49 | 48.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 18  
04-E-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.30333G | 51.26    | 83.54    | -32.28 | 41.74  | 1    | Horizontal | 294     | 2.92   | -       | 37.31 | 20.47 | 48.26 |  |  |  |
| AV   | 18.32112G | 38.30    | 63.54    | -25.24 | 28.70  | 1    | Horizontal | 294     | 2.92   | -       | 37.38 | 20.48 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 6\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
04-E-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.909G  | 63.95    | 88.20    | -24.25 | 65.90  | 3    | Vertical  | 166     | 1.80   | -       | 32.30 | 9.04 | 43.29 |  |  |  |
| RMS  | 5.9194G | 50.86    | 68.20    | -17.34 | 52.79  | 3    | Vertical  | 166     | 1.80   | -       | 32.30 | 9.05 | 43.28 |  |  |  |
| PK   | 6.0074G | 106.70   | Inf      | -Inf   | 108.36 | 3    | Vertical  | 166     | 1.80   | -       | 32.40 | 9.14 | 43.20 |  |  |  |
| RMS  | 6.0882G | 97.13    | Inf      | -Inf   | 98.62  | 3    | Vertical  | 166     | 1.80   | -       | 32.48 | 9.20 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 6\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
04-E-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9234G | 63.92    | 88.20    | -24.28 | 65.85  | 3    | Horizontal | 295     | 2.97   | -       | 32.30 | 9.05 | 43.28 |  |  |  |
| RMS  | 5.9242G | 54.03    | 68.20    | -14.17 | 55.96  | 3    | Horizontal | 295     | 2.97   | -       | 32.30 | 9.05 | 43.28 |  |  |  |
| PK   | 5.9642G | 107.94   | Inf      | -Inf   | 109.75 | 3    | Horizontal | 295     | 2.97   | -       | 32.33 | 9.10 | 43.24 |  |  |  |
| RMS  | 6.0042G | 99.40    | Inf      | -Inf   | 101.06 | 3    | Horizontal | 295     | 2.97   | -       | 32.40 | 9.14 | 43.20 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
SET 17.5  
04-E-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.19095G | 57.13    | 74.00    | -16.87 | 42.31  | 3    | Vertical  | 240     | 2.70   | 17.5    | 38.90 | 10.97 | 35.05 |  |  |  |
| AV   | 12.21G    | 45.01    | 54.00    | -8.99  | 30.19  | 3    | Vertical  | 240     | 2.70   | 17.5    | 38.88 | 10.97 | 35.03 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP\_6\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
SET 17.5  
04-E-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.22856G    | 56.70             | 74.00             | -17.30         | 41.90         | 3           | Horizontal | 292            | 1.80          | 17.5    | 38.84      | 10.98      | 35.02      |  |  |  |
| AV   | 12.20814G    | 44.96             | 54.00             | -9.04          | 30.15         | 3           | Horizontal | 292            | 1.80          | 17.5    | 38.88      | 10.97      | 35.04      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP\_6\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.5  
04-E-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.30411G | 51.65    | 83.54    | -31.89 | 42.12  | 1    | Vertical  | 250     | 2.58   | -       | 37.32 | 20.47 | 48.26 |  |  |  |
| AV   | 18.30237G | 38.11    | 63.54    | -25.43 | 28.59  | 1    | Vertical  | 250     | 2.58   | -       | 37.31 | 20.47 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP\_6\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 17.5  
04-E-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.32919G | 51.09    | 83.54    | -32.45 | 41.45  | 1    | Horizontal | 331     | 2.96   | -       | 37.42 | 20.49 | 48.27 |  |  |  |
| AV   | 18.30717G | 38.15    | 63.54    | -25.39 | 28.61  | 1    | Horizontal | 331     | 2.96   | -       | 37.33 | 20.47 | 48.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-W-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7682G      | 103.87            | Inf               | -Inf           | 95.21         | 3           | Vertical  | 349            | 1.91          | -       | 35.57      | 8.20       | 35.11      |  |  |  |
| AV   | 6.749G       | 94.10             | Inf               | -Inf           | 85.54         | 3           | Vertical  | 349            | 1.91          | -       | 35.50      | 8.18       | 35.12      |  |  |  |
| PK   | 7.3002G      | 60.38             | 74.00             | -13.62         | 50.02         | 3           | Vertical  | 349            | 1.91          | -       | 36.80      | 8.55       | 34.99      |  |  |  |
| AV   | 7.2914G      | 49.69             | 54.00             | -4.31          | 39.37         | 3           | Vertical  | 349            | 1.91          | -       | 36.77      | 8.54       | 34.99      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-W-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.8466G | 107.49   | Inf      | -Inf   | 98.65  | 3    | Horizontal | 104     | 2.78   | -       | 35.70 | 8.25 | 35.11 |  |  |  |
| AV   | 6.7466G | 97.67    | Inf      | -Inf   | 89.12  | 3    | Horizontal | 104     | 2.78   | -       | 35.49 | 8.18 | 35.12 |  |  |  |
| PK   | 7.301G  | 60.33    | 74.00    | -13.67 | 49.97  | 3    | Horizontal | 104     | 2.78   | -       | 36.80 | 8.55 | 34.99 |  |  |  |
| AV   | 7.2874G | 49.88    | 54.00    | -4.12  | 39.60  | 3    | Horizontal | 104     | 2.78   | -       | 36.75 | 8.53 | 35.00 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 15

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.99402G | 59.52    | 88.20    | -28.68 | 40.56  | 3    | Vertical  | 338     | 1.45   | 15      | 41.08 | 11.49 | 33.61 |  |  |  |
| RMS  | 13.98902G | 48.19    | 68.20    | -20.01 | 29.25  | 3    | Vertical  | 338     | 1.45   | 15      | 41.06 | 11.49 | 33.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP\_4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 15

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96984G    | 59.90             | 88.20             | -28.30         | 41.03         | 3           | Horizontal | 87             | 1.79          | 15      | 40.98      | 11.48      | 33.59      |  |  |  |
| RMS  | 13.98327G    | 48.16             | 68.20             | -20.04         | 29.25         | 3           | Horizontal | 87             | 1.79          | 15      | 41.03      | 11.49      | 33.61      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 15

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.70429G | 55.19    | 83.54    | -28.35 | 44.69  | 1    | Vertical  | 40      | 1.80   | -       | 37.53 | 21.67 | 48.70 |  |  |  |
| AV   | 20.72844G | 41.59    | 63.54    | -21.95 | 30.93  | 1    | Vertical  | 40      | 1.80   | -       | 37.67 | 21.69 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 15

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.72664G | 54.82    | 83.54    | -28.72 | 44.17  | 1    | Horizontal | 228     | 1.43   | -       | 37.66 | 21.69 | 48.70 |  |  |  |
| AV   | 20.72715G | 41.54    | 63.54    | -22.00 | 30.89  | 1    | Horizontal | 228     | 1.43   | -       | 37.66 | 21.69 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 14.5  
03-W-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.7882G | 104.21   | Inf      | -Inf   | 95.46  | 3    | Vertical  | 350     | 1.84   | -       | 35.65 | 8.21 | 35.11 |  |  |  |
| AV   | 6.7882G | 94.80    | Inf      | -Inf   | 86.05  | 3    | Vertical  | 350     | 1.84   | -       | 35.65 | 8.21 | 35.11 |  |  |  |
| PK   | 7.2954G | 60.23    | 74.00    | -13.77 | 49.90  | 3    | Vertical  | 350     | 1.84   | -       | 36.78 | 8.54 | 34.99 |  |  |  |
| AV   | 7.3026G | 49.61    | 54.00    | -4.39  | 39.24  | 3    | Vertical  | 350     | 1.84   | -       | 36.81 | 8.55 | 34.99 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 14.5  
03-W-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7474G      | 107.49            | Inf               | -Inf           | 98.94         | 3           | Horizontal | 108            | 2.79          | -       | 35.49      | 8.18       | 35.12      |
| AV   | 6.7474G      | 97.53             | Inf               | -Inf           | 88.98         | 3           | Horizontal | 108            | 2.79          | -       | 35.49      | 8.18       | 35.12      |
| PK   | 7.2762G      | 60.75             | 74.00             | -13.25         | 50.53         | 3           | Horizontal | 108            | 2.79          | -       | 36.70      | 8.52       | 35.00      |
| AV   | 7.2618G      | 50.06             | 54.00             | -3.94          | 39.92         | 3           | Horizontal | 108            | 2.79          | -       | 36.65      | 8.50       | 35.01      |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 14.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.82459G | 59.75    | 88.20    | -28.45 | 41.03  | 3    | Vertical  | 88      | 1.80   | 15      | 40.75 | 11.44 | 33.47 |  |  |  |
| RMS  | 13.7903G  | 48.19    | 68.20    | -20.01 | 29.50  | 3    | Vertical  | 88      | 1.80   | 15      | 40.70 | 11.43 | 33.44 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 14.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.89503G | 59.68    | 88.20    | -28.52 | 40.95  | 3    | Horizontal | 1       | 1.80   | 15      | 40.80 | 11.46 | 33.53 |  |  |  |
| RMS  | 13.98391G | 48.21    | 68.20    | -19.99 | 29.29  | 3    | Horizontal | 1       | 1.80   | 15      | 41.04 | 11.49 | 33.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
SET 14.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71407G | 54.59    | 83.54    | -28.95 | 44.03  | 1    | Vertical  | 257     | 1.38   | -       | 37.58 | 21.68 | 48.70 |  |  |  |
| AV   | 20.71686G | 41.44    | 63.54    | -22.10 | 30.86  | 1    | Vertical  | 257     | 1.38   | -       | 37.60 | 21.68 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
SET 14.5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.70297G | 54.73    | 83.54    | -28.81 | 44.24  | 1    | Horizontal | 124     | 2.84   | -       | 37.52 | 21.67 | 48.70 |  |  |  |
| AV   | 20.72361G | 41.44    | 63.54    | -22.10 | 30.81  | 1    | Horizontal | 124     | 2.84   | -       | 37.64 | 21.69 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 17  
03-W-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8498G      | 106.81            | Inf               | -Inf           | 97.97         | 3           | Vertical  | 353            | 1.80          | -       | 35.70      | 8.25       | 35.11      |  |  |  |
| AV   | 6.829G       | 97.13             | Inf               | -Inf           | 88.30         | 3           | Vertical  | 353            | 1.80          | -       | 35.70      | 8.24       | 35.11      |  |  |  |
| PK   | 7.2794G      | 60.47             | 74.00             | -13.53         | 50.23         | 3           | Vertical  | 353            | 1.80          | -       | 36.72      | 8.52       | 35.00      |  |  |  |
| AV   | 7.2978G      | 49.64             | 54.00             | -4.36          | 39.30         | 3           | Vertical  | 353            | 1.80          | -       | 36.79      | 8.54       | 34.99      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX  
Setting 17  
03-W-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8946G      | 110.34            | Inf               | -Inf           | 101.47        | 3           | Horizontal | 294            | 2.02          | -       | 35.70      | 8.28       | 35.11      |  |  |  |
| AV   | 6.8346G      | 99.91             | Inf               | -Inf           | 91.08         | 3           | Horizontal | 294            | 2.02          | -       | 35.70      | 8.24       | 35.11      |  |  |  |
| PK   | 7.2538G      | 61.61             | 74.00             | -12.39         | 51.50         | 3           | Horizontal | 294            | 2.02          | -       | 36.62      | 8.50       | 35.01      |  |  |  |
| AV   | 7.2546G      | 49.82             | 54.00             | -4.18          | 39.71         | 3           | Horizontal | 294            | 2.02          | -       | 36.62      | 8.50       | 35.01      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 17

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97138G    | 59.81             | 88.20             | -28.39         | 40.93         | 3           | Vertical  | 8              | 1.92          | 15      | 40.99      | 11.48      | 33.59      |  |  |  |
| RMS  | 13.98902G    | 48.06             | 68.20             | -20.14         | 29.12         | 3           | Vertical  | 8              | 1.92          | 15      | 41.06      | 11.49      | 33.61      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 17

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.01004G | 60.95    | 88.20    | -27.25 | 41.97  | 3    | Horizontal | 288     | 1.48   | 15      | 41.12 | 11.49 | 33.63 |  |  |  |
| RMS  | 13.98518G | 48.03    | 68.20    | -20.17 | 29.11  | 3    | Horizontal | 288     | 1.48   | 15      | 41.04 | 11.49 | 33.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 17

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.70957G | 54.70    | 83.54    | -28.84 | 44.17  | 1    | Vertical  | 55      | 2.05   | -       | 37.56 | 21.67 | 48.70 |  |  |  |
| AV   | 20.7291G  | 41.08    | 63.54    | -22.46 | 30.42  | 1    | Vertical  | 55      | 2.05   | -       | 37.67 | 21.69 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
SET 17

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.72451G    | 54.51             | 83.54             | -29.03         | 43.87         | 1           | Horizontal | 204            | 2.14          | -       | 37.65      | 21.69      | 48.70      |  |  |  |
| AV   | 20.72964G    | 41.14             | 63.54             | -22.40         | 30.47         | 1           | Horizontal | 204            | 2.14          | -       | 37.68      | 21.69      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 10  
03-W-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0079G      | 108.92            | Inf               | -Inf           | 99.99         | 3           | Vertical  | 172            | 2.09          | -       | 35.70      | 8.34       | 35.11      |  |  |  |
| RMS  | 7.0079G      | 97.35             | Inf               | -Inf           | 88.42         | 3           | Vertical  | 172            | 2.09          | -       | 35.70      | 8.34       | 35.11      |  |  |  |
| PK   | 7.1294G      | 63.44             | 88.20             | -24.76         | 54.22         | 3           | Vertical  | 172            | 2.09          | -       | 35.88      | 8.40       | 35.06      |  |  |  |
| RMS  | 7.169G       | 52.52             | 68.20             | -15.68         | 43.03         | 3           | Vertical  | 172            | 2.09          | -       | 36.11      | 8.42       | 35.04      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 10  
03-W-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0151G      | 108.76            | Inf               | -Inf           | 99.81         | 3           | Horizontal | 294            | 1.80          | -       | 35.70      | 8.35       | 35.10      |  |  |  |
| RMS  | 6.9944G      | 97.39             | Inf               | -Inf           | 88.47         | 3           | Horizontal | 294            | 1.80          | -       | 35.69      | 8.34       | 35.11      |  |  |  |
| PK   | 7.1507G      | 63.50             | 88.20             | -24.70         | 54.13         | 3           | Horizontal | 294            | 1.80          | -       | 36.00      | 8.42       | 35.05      |  |  |  |
| RMS  | 7.1603G      | 52.13             | 68.20             | -16.07         | 42.70         | 3           | Horizontal | 294            | 1.80          | -       | 36.06      | 8.42       | 35.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
SET 10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04968G | 61.71    | 88.20    | -26.49 | 42.65  | 3    | Vertical  | 283     | 2.80   | 10      | 41.20 | 11.51 | 33.65 |  |  |  |
| RMS  | 14.04984G | 54.01    | 68.20    | -14.19 | 34.95  | 3    | Vertical  | 283     | 2.80   | 10      | 41.20 | 11.51 | 33.65 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
SET 10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.02411G    | 60.34             | 88.20             | -27.86         | 41.32         | 3           | Horizontal | 107            | 1.30          | 10      | 41.15      | 11.50      | 33.63      |  |  |  |
| RMS  | 14.06279G    | 49.75             | 68.20             | -18.45         | 30.68         | 3           | Horizontal | 107            | 1.30          | 10      | 41.20      | 11.52      | 33.65      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX



EUT\_Y\_4TX  
SET 10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.08505G | 57.88    | 83.54    | -25.66 | 46.91  | 1    | Vertical  | 10      | 2.33   | -       | 37.73 | 21.92 | 48.68 |  |  |  |
| AV   | 21.07494G | 45.96    | 63.54    | -17.58 | 34.98  | 1    | Vertical  | 10      | 2.33   | -       | 37.75 | 21.92 | 48.69 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP 3\_4TX


7025MHz\_TX


EUT Y\_4TX  
SET 10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07338G | 58.12    | 83.54    | -25.42 | 47.14  | 1    | Horizontal | 278     | 1.86   | -       | 37.75 | 21.92 | 48.69 |  |  |  |
| AV   | 21.06033G | 46.09    | 63.54    | -17.45 | 35.07  | 1    | Horizontal | 278     | 1.86   | -       | 37.78 | 21.93 | 48.69 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-W-A-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.028G  | 108.70   | Inf      | -Inf   | 99.75  | 3    | Vertical  | 174     | 2.14   | -       | 35.70 | 8.35 | 35.10 |  |  |  |
| RMS  | 7.0285G | 99.64    | Inf      | -Inf   | 90.69  | 3    | Vertical  | 174     | 2.14   | -       | 35.70 | 8.35 | 35.10 |  |  |  |
| PK   | 7.129G  | 66.88    | 88.20    | -21.32 | 57.67  | 3    | Vertical  | 174     | 2.14   | -       | 35.87 | 8.40 | 35.06 |  |  |  |
| RMS  | 7.137G  | 56.28    | 68.20    | -11.92 | 47.01  | 3    | Vertical  | 174     | 2.14   | -       | 35.92 | 8.41 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-W-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.956G       | 109.34            | Inf               | -Inf           | 100.53        | 3           | Horizontal | 296            | 1.99          | -       | 35.61      | 8.31       | 35.11      |  |  |  |
| RMS  | 6.915G       | 100.32            | Inf               | -Inf           | 91.47         | 3           | Horizontal | 296            | 1.99          | -       | 35.67      | 8.29       | 35.11      |  |  |  |
| PK   | 7.137G       | 68.39             | 88.20             | -19.81         | 59.12         | 3           | Horizontal | 296            | 1.99          | -       | 35.92      | 8.41       | 35.06      |  |  |  |
| RMS  | 7.2325G      | 53.27             | 68.20             | -14.93         | 43.33         | 3           | Horizontal | 296            | 1.99          | -       | 36.49      | 8.47       | 35.02      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15  
03-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97266G    | 59.96             | 88.20             | -28.24         | 41.09         | 3           | Vertical  | 72             | 1.78          | -       | 40.99      | 11.48      | 33.60      |  |  |  |
| RMS  | 13.96488G    | 50.73             | 68.20             | -17.47         | 31.88         | 3           | Vertical  | 72             | 1.78          | -       | 40.96      | 11.48      | 33.59      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15  
03-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97508G | 59.98    | 88.20    | -28.22 | 41.10  | 3    | Horizontal | 100     | 1.72   | -       | 41.00 | 11.48 | 33.60 |  |  |  |
| RMS  | 13.97298G | 50.37    | 68.20    | -17.83 | 31.50  | 3    | Horizontal | 100     | 1.72   | -       | 40.99 | 11.48 | 33.60 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15  
03-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.94984G | 44.48    | 83.54    | -39.06 | 33.46  | 1    | Vertical  | 266     | 1.59   | -       | 37.80 | 21.92 | 48.70 |  |  |  |
| AV   | 20.9537G  | 33.61    | 63.54    | -29.93 | 22.60  | 1    | Vertical  | 266     | 1.59   | -       | 37.79 | 21.92 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 15  
03-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.96392G | 44.16    | 83.54    | -39.38 | 33.16  | 1    | Horizontal | 35      | 1.16   | -       | 37.77 | 21.93 | 48.70 |  |  |  |
| AV   | 20.9641G  | 33.71    | 63.54    | -29.83 | 22.71  | 1    | Horizontal | 35      | 1.16   | -       | 37.77 | 21.93 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 13  
03-W-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.027G  | 108.75   | Inf      | -Inf   | 99.80  | 3    | Vertical  | 175     | 2.08   | -       | 35.70 | 8.35 | 35.10 |  |  |  |
| RMS  | 6.968G  | 98.00    | Inf      | -Inf   | 89.15  | 3    | Vertical  | 175     | 2.08   | -       | 35.64 | 8.32 | 35.11 |  |  |  |
| PK   | 7.1335G | 73.26    | 88.20    | -14.94 | 64.01  | 3    | Vertical  | 175     | 2.08   | -       | 35.90 | 8.41 | 35.06 |  |  |  |
| RMS  | 7.134G  | 62.03    | 68.20    | -6.17  | 52.78  | 3    | Vertical  | 175     | 2.08   | -       | 35.90 | 8.41 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 13  
03-W-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.994G       | 107.97            | Inf               | -Inf           | 99.05         | 3           | Horizontal | 293            | 2.02          | -       | 35.69      | 8.34       | 35.11      |  |  |  |
| RMS  | 6.935G       | 97.97             | Inf               | -Inf           | 89.15         | 3           | Horizontal | 293            | 2.02          | -       | 35.63      | 8.30       | 35.11      |  |  |  |
| PK   | 7.225G       | 64.38             | 88.20             | -23.82         | 54.48         | 3           | Horizontal | 293            | 2.02          | -       | 36.45      | 8.47       | 35.02      |  |  |  |
| RMS  | 7.208G       | 54.56             | 68.20             | -13.64         | 44.79         | 3           | Horizontal | 293            | 2.02          | -       | 36.35      | 8.45       | 35.03      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96968G    | 60.89             | 88.20             | -27.31         | 42.02         | 3           | Vertical  | 284            | 2.92          | 13.5    | 40.98      | 11.48      | 33.59      |  |  |  |
| RMS  | 13.96968G    | 52.95             | 68.20             | -15.25         | 34.08         | 3           | Vertical  | 284            | 2.92          | 13.5    | 40.98      | 11.48      | 33.59      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_6\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 13

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0269G  | 60.39    | 88.20    | -27.81 | 41.37  | 3    | Horizontal | 141     | 1.09   | 13.5    | 41.15 | 11.50 | 33.63 |  |  |  |
| RMS  | 14.00548G | 50.87    | 68.20    | -17.33 | 31.89  | 3    | Horizontal | 141     | 1.09   | 13.5    | 41.11 | 11.49 | 33.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_6\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
SET 13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95683G    | 57.45             | 83.54             | -26.09         | 46.43         | 1           | Vertical  | 77             | 1.06          | -       | 37.79      | 21.93      | 48.70      |  |  |  |
| AV   | 20.95032G    | 46.58             | 63.54             | -16.96         | 35.56         | 1           | Vertical  | 77             | 1.06          | -       | 37.80      | 21.92      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP 6\_4TX

6985MHz\_TX



EUT\_Y\_4TX  
SET 13

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95944G    | 57.72             | 83.54             | -25.82         | 46.71         | 1           | Horizontal | 268            | 2.59          | -       | 37.78      | 21.93      | 48.70      |  |  |  |
| AV   | 20.95515G    | 46.60             | 63.54             | -16.94         | 35.59         | 1           | Horizontal | 268            | 2.59          | -       | 37.79      | 21.92      | 48.70      |  |  |  |




Summary

| Mode                                                   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 6.875-7.125GHz                                         | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 CP 6_4TX | Pass   | RMS  | 7.142G       | 64.57             | 68.20             | -3.63          | 3           | Horizontal | 105            | 2.58          | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 4\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 17  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9245G | 66.99    | 88.20    | -21.21 | 54.85  | 3    | Vertical  | 168     | 1.88   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| RMS  | 5.924G  | 56.59    | 68.20    | -11.61 | 44.45  | 3    | Vertical  | 168     | 1.88   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 5.9675G | 109.28   | Inf      | -Inf   | 97.05  | 3    | Vertical  | 168     | 1.88   | -       | 34.24 | 8.13 | 30.14 |  |  |  |
| RMS  | 5.9795G | 100.20   | Inf      | -Inf   | 87.95  | 3    | Vertical  | 168     | 1.88   | -       | 34.26 | 8.13 | 30.14 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 4\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 66.81    | 88.20    | -21.39 | 54.67  | 3    | Horizontal | 352     | 1.80   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| RMS  | 5.9245G | 56.52    | 68.20    | -11.68 | 44.38  | 3    | Horizontal | 352     | 1.80   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 5.9905G | 110.34   | Inf      | -Inf   | 98.07  | 3    | Horizontal | 352     | 1.80   | -       | 34.28 | 8.12 | 30.13 |  |  |  |
| RMS  | 5.9885G | 100.46   | Inf      | -Inf   | 88.18  | 3    | Horizontal | 352     | 1.80   | -       | 34.28 | 8.13 | 30.13 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 4\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.97431G    | 59.69             | 74.00             | -14.31         | 39.08         | 3           | Vertical  | 129            | 2.77          | -       | 39.25      | 12.78      | 31.42      |  |  |  |
| AV   | 11.97026G    | 45.71             | 54.00             | -8.29          | 25.09         | 3           | Vertical  | 129            | 2.77          | -       | 39.26      | 12.77      | 31.41      |  |  |  |
| PK   | 17.95824G    | 67.63             | 74.00             | -6.37          | 37.39         | 3           | Vertical  | 319            | 2.93          | -       | 46.58      | 15.23      | 31.57      |  |  |  |
| AV   | 17.95897G    | 50.10             | 54.00             | -3.90          | 19.86         | 3           | Vertical  | 319            | 2.93          | -       | 46.58      | 15.23      | 31.57      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 4\_4TX


5985MHz\_TX

EUT\_Y\_4TX  
Setting 17  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96966G    | 58.67             | 74.00             | -15.33         | 38.05         | 3           | Horizontal | 91             | 1.97          | -       | 39.26      | 12.77      | 31.41      |  |  |  |
| AV   | 11.97068G    | 45.68             | 54.00             | -8.32          | 25.05         | 3           | Horizontal | 91             | 1.97          | -       | 39.26      | 12.78      | 31.41      |  |  |  |
| PK   | 17.95121G    | 67.76             | 74.00             | -6.24          | 37.51         | 3           | Horizontal | 178            | 2.18          | -       | 46.60      | 15.23      | 31.58      |  |  |  |
| AV   | 17.95131G    | 50.08             | 54.00             | -3.92          | 19.83         | 3           | Horizontal | 178            | 2.18          | -       | 46.60      | 15.23      | 31.58      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 4\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93969G | 56.94    | 83.54    | -26.60 | 42.48  | 1    | Vertical  | 184     | 1.53   | -       | 39.00 | 23.08 | 47.62 |  |  |  |
| AV   | 23.93694G | 43.98    | 63.54    | -19.56 | 29.54  | 1    | Vertical  | 184     | 1.53   | -       | 39.00 | 23.07 | 47.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 4\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94185G | 56.56    | 83.54    | -26.98 | 42.66  | 1    | Horizontal | 77      | 1.52   | -       | 39.00 | 22.52 | 47.62 |  |  |  |
| AV   | 23.94263G | 43.41    | 63.54    | -20.13 | 29.51  | 1    | Horizontal | 77      | 1.52   | -       | 39.00 | 22.52 | 47.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-D-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.051G       | 110.14            | Inf               | -Inf           | 96.70         | 3           | Vertical  | 166            | 1.80          | -       | 35.40      | 8.93       | 30.89      |  |  |  |
| RMS  | 7.0566G      | 100.10            | Inf               | -Inf           | 86.63         | 3           | Vertical  | 166            | 1.80          | -       | 35.43      | 8.93       | 30.89      |  |  |  |
| PK   | 7.1754G      | 65.36             | 88.20             | -22.84         | 51.36         | 3           | Vertical  | 166            | 1.80          | -       | 35.90      | 8.99       | 30.89      |  |  |  |
| RMS  | 7.1418G      | 54.42             | 68.20             | -13.78         | 40.57         | 3           | Vertical  | 166            | 1.80          | -       | 35.77      | 8.97       | 30.89      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-D-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0474G      | 111.50            | Inf               | -Inf           | 98.08         | 3           | Horizontal | 106            | 1.84          | -       | 35.39      | 8.92       | 30.89      |
| RMS  | 7.0458G      | 99.79             | Inf               | -Inf           | 86.37         | 3           | Horizontal | 106            | 1.84          | -       | 35.39      | 8.92       | 30.89      |
| PK   | 7.1978G      | 64.83             | 88.20             | -23.37         | 50.73         | 3           | Horizontal | 106            | 1.84          | -       | 35.99      | 9.00       | 30.89      |
| RMS  | 7.1422G      | 54.48             | 68.20             | -13.72         | 40.63         | 3           | Horizontal | 106            | 1.84          | -       | 35.77      | 8.97       | 30.89      |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 18  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04807G | 65.70    | 88.20    | -22.50 | 42.65  | 3    | Vertical  | 291     | 2.64   | -       | 41.60 | 13.14 | 31.69 |  |  |  |
| RMS  | 14.05252G | 52.13    | 68.20    | -16.07 | 29.06  | 3    | Vertical  | 291     | 2.64   | -       | 41.61 | 13.15 | 31.69 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 18  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.05221G    | 66.00             | 88.20             | -22.20         | 42.93         | 3           | Horizontal | 255            | 2.49          | -       | 41.61      | 13.15      | 31.69      |  |  |  |
| RMS  | 14.0505G     | 52.11             | 68.20             | -16.09         | 29.06         | 3           | Horizontal | 255            | 2.49          | -       | 41.60      | 13.14      | 31.69      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 18  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0706G  | 53.69    | 83.54    | -29.85 | 42.23  | 1    | Vertical  | 165     | 1.52   | -       | 38.00 | 22.15 | 48.69 |  |  |  |
| AV   | 21.07078G | 39.83    | 63.54    | -23.71 | 28.37  | 1    | Vertical  | 165     | 1.52   | -       | 38.00 | 22.15 | 48.69 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 3\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 18  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07001G | 52.53    | 83.54    | -31.01 | 41.07  | 1    | Horizontal | 264     | 1.53   | -       | 38.00 | 22.15 | 48.69 |  |  |  |
| AV   | 21.07089G | 39.83    | 63.54    | -23.71 | 28.37  | 1    | Horizontal | 264     | 1.53   | -       | 38.00 | 22.15 | 48.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_6\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 20  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9008G | 75.32    | 88.20    | -12.88 | 63.23  | 3    | Vertical  | 163     | 1.74   | -       | 34.10 | 8.16 | 30.17 |  |  |  |
| RMS  | 5.923G  | 57.66    | 68.20    | -10.54 | 45.52  | 3    | Vertical  | 163     | 1.74   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 6.0796G | 109.20   | Inf      | -Inf   | 96.82  | 3    | Vertical  | 163     | 1.74   | -       | 34.46 | 8.08 | 30.16 |  |  |  |
| RMS  | 6.0802G | 99.54    | Inf      | -Inf   | 87.16  | 3    | Vertical  | 163     | 1.74   | -       | 34.46 | 8.08 | 30.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP 6\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 20  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9206G | 74.22    | 88.20    | -13.98 | 62.08  | 3    | Horizontal | 282     | 2.77   | -       | 34.14 | 8.16 | 30.16 |  |  |  |
| RMS  | 5.9236G | 58.95    | 68.20    | -9.25  | 46.81  | 3    | Horizontal | 282     | 2.77   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 6.1018G | 110.72   | Inf      | -Inf   | 98.33  | 3    | Horizontal | 282     | 2.77   | -       | 34.50 | 8.06 | 30.17 |  |  |  |
| RMS  | 6.0868G | 99.79    | Inf      | -Inf   | 87.41  | 3    | Horizontal | 282     | 2.77   | -       | 34.47 | 8.07 | 30.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_6\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05081G | 59.27    | 74.00    | -14.73 | 38.79  | 3    | Vertical  | 282     | 1.72   | -       | 39.10 | 12.80 | 31.42 |  |  |  |
| AV   | 12.04577G | 45.24    | 54.00    | -8.76  | 24.75  | 3    | Vertical  | 282     | 1.72   | -       | 39.11 | 12.80 | 31.42 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_6\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05029G | 58.86    | 74.00    | -15.14 | 38.38  | 3    | Horizontal | 220     | 2.75   | -       | 39.10 | 12.80 | 31.42 |  |  |  |
| AV   | 12.04729G | 45.23    | 54.00    | -8.77  | 24.74  | 3    | Horizontal | 220     | 2.75   | -       | 39.11 | 12.80 | 31.42 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07555G | 50.88    | 83.54    | -32.66 | 41.33  | 1    | Vertical  | 118     | 1.51   | -       | 37.55 | 20.22 | 48.22 |  |  |  |
| AV   | 18.07258G | 37.47    | 63.54    | -26.07 | 27.92  | 1    | Vertical  | 118     | 1.51   | -       | 37.54 | 20.22 | 48.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_6\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0755G  | 51.22    | 83.54    | -32.32 | 41.67  | 1    | Horizontal | 258     | 1.55   | -       | 37.55 | 20.22 | 48.22 |  |  |  |
| AV   | 18.07518G | 37.50    | 63.54    | -26.04 | 27.95  | 1    | Horizontal | 258     | 1.55   | -       | 37.55 | 20.22 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9188G | 67.89    | 88.20    | -20.31 | 55.75  | 3    | Vertical  | 166     | 1.84   | -       | 34.14 | 8.16 | 30.16 |  |  |  |
| RMS  | 5.9248G | 55.54    | 68.20    | -12.66 | 43.40  | 3    | Vertical  | 166     | 1.84   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 6.0676G | 109.42   | Inf      | -Inf   | 97.06  | 3    | Vertical  | 166     | 1.84   | -       | 34.44 | 8.08 | 30.16 |  |  |  |
| RMS  | 6.0718G | 99.20    | Inf      | -Inf   | 86.84  | 3    | Vertical  | 166     | 1.84   | -       | 34.44 | 8.08 | 30.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9122G | 68.21    | 88.20    | -19.99 | 56.09  | 3    | Horizontal | 284     | 1.79   | -       | 34.12 | 8.16 | 30.16 |  |  |  |  |
| RMS  | 5.9248G | 55.54    | 68.20    | -12.66 | 43.40  | 3    | Horizontal | 284     | 1.79   | -       | 34.15 | 8.15 | 30.16 |  |  |  |  |
| PK   | 6.0688G | 109.23   | Inf      | -Inf   | 96.87  | 3    | Horizontal | 284     | 1.79   | -       | 34.44 | 8.08 | 30.16 |  |  |  |  |
| RMS  | 6.0898G | 99.63    | Inf      | -Inf   | 87.25  | 3    | Horizontal | 284     | 1.79   | -       | 34.48 | 8.07 | 30.17 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 19  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.05032G    | 59.10             | 74.00             | -14.90         | 38.62         | 3           | Vertical  | 67             | 2.09          | -       | 39.10      | 12.80      | 31.42      |  |  |  |
| AV   | 12.04582G    | 45.65             | 54.00             | -8.35          | 25.16         | 3           | Vertical  | 67             | 2.09          | -       | 39.11      | 12.80      | 31.42      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 19  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.05196G    | 59.11             | 74.00             | -14.89         | 38.63         | 3           | Horizontal | 188            | 2.35          | -       | 39.10      | 12.80      | 31.42      |  |  |  |
| AV   | 12.04532G    | 45.61             | 54.00             | -8.39          | 25.12         | 3           | Horizontal | 188            | 2.35          | -       | 39.11      | 12.80      | 31.42      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 19  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07749G | 52.37    | 83.54    | -31.17 | 42.81  | 1    | Vertical  | 17      | 1.51   | -       | 37.56 | 20.22 | 48.22 |  |  |  |
| AV   | 18.07517G | 37.84    | 63.54    | -25.70 | 28.29  | 1    | Vertical  | 17      | 1.51   | -       | 37.55 | 20.22 | 48.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 19  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07656G | 50.67    | 83.54    | -32.87 | 41.11  | 1    | Horizontal | 12      | 1.51   | -       | 37.56 | 20.22 | 48.22 |  |  |  |
| AV   | 18.0761G  | 37.91    | 63.54    | -25.63 | 28.35  | 1    | Horizontal | 12      | 1.51   | -       | 37.56 | 20.22 | 48.22 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP 6\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.943G  | 110.32   | Inf      | -Inf   | 96.90  | 3    | Vertical  | 169     | 1.80   | -       | 35.30 | 8.95 | 30.83 |  |  |  |  |
| RMS  | 6.9515G | 100.51   | Inf      | -Inf   | 87.11  | 3    | Vertical  | 169     | 1.80   | -       | 35.30 | 8.94 | 30.84 |  |  |  |  |
| PK   | 7.1455G | 73.37    | 88.20    | -14.83 | 59.51  | 3    | Vertical  | 169     | 1.80   | -       | 35.78 | 8.97 | 30.89 |  |  |  |  |
| RMS  | 7.1425G | 62.14    | 68.20    | -6.06  | 48.29  | 3    | Vertical  | 169     | 1.80   | -       | 35.77 | 8.97 | 30.89 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4\_TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0275G | 110.41   | Inf      | -Inf   | 97.04  | 3    | Horizontal | 105     | 2.58   | -       | 35.35 | 8.91 | 30.89 |  |  |  |
| RMS  | 6.9075G | 100.14   | Inf      | -Inf   | 86.65  | 3    | Horizontal | 105     | 2.58   | -       | 35.30 | 8.98 | 30.79 |  |  |  |
| PK   | 7.1815G | 75.70    | 88.20    | -12.50 | 61.67  | 3    | Horizontal | 105     | 2.58   | -       | 35.93 | 8.99 | 30.89 |  |  |  |
| RMS  | 7.142G  | 64.57    | 68.20    | -3.63  | 50.72  | 3    | Horizontal | 105     | 2.58   | -       | 35.77 | 8.97 | 30.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96753G | 64.43    | 88.20    | -23.77 | 41.68  | 3    | Vertical  | 191     | 2.77   | -       | 41.37 | 13.09 | 31.71 |  |  |  |
| RMS  | 13.97225G | 50.43    | 68.20    | -17.77 | 27.65  | 3    | Vertical  | 191     | 2.77   | -       | 41.39 | 13.10 | 31.71 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97024G | 63.94    | 88.20    | -24.26 | 41.17  | 3    | Horizontal | 236     | 1.41   | -       | 41.38 | 13.10 | 31.71 |  |  |  |
| RMS  | 13.97367G | 50.44    | 68.20    | -17.76 | 27.66  | 3    | Horizontal | 236     | 1.41   | -       | 41.39 | 13.10 | 31.71 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9562G  | 53.30    | 83.54    | -30.24 | 42.01  | 1    | Vertical  | 198     | 1.52   | -       | 37.91 | 22.08 | 48.70 |  |  |  |
| AV   | 20.95626G | 39.48    | 63.54    | -24.06 | 28.19  | 1    | Vertical  | 198     | 1.52   | -       | 37.91 | 22.08 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95642G    | 52.64             | 83.54             | -30.90         | 41.35         | 1           | Horizontal | 316            | 1.56          | -       | 37.91      | 22.08      | 48.70      |  |  |  |
| AV   | 20.95599G    | 39.48             | 63.54             | -24.06         | 28.19         | 1           | Horizontal | 316            | 1.56          | -       | 37.91      | 22.08      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 20.5  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0545G | 108.69   | Inf      | -Inf   | 95.23  | 3    | Vertical  | 168     | 1.74   | -       | 35.42 | 8.93 | 30.89 |  |  |  |
| RMS  | 6.9225G | 98.91    | Inf      | -Inf   | 85.44  | 3    | Vertical  | 168     | 1.74   | -       | 35.30 | 8.97 | 30.80 |  |  |  |
| PK   | 7.1885G | 67.71    | 88.20    | -20.49 | 53.66  | 3    | Vertical  | 168     | 1.74   | -       | 35.95 | 8.99 | 30.89 |  |  |  |
| RMS  | 7.1395G | 57.35    | 68.20    | -10.85 | 43.51  | 3    | Vertical  | 168     | 1.74   | -       | 35.76 | 8.97 | 30.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9335G | 110.54   | Inf      | -Inf   | 97.14  | 3    | Horizontal | 84      | 2.94   | -       | 35.30 | 8.94 | 30.84 |  |  |  |
| RMS  | 6.933G  | 100.17   | Inf      | -Inf   | 86.72  | 3    | Horizontal | 84      | 2.94   | -       | 35.30 | 8.96 | 30.81 |  |  |  |
| PK   | 7.185G  | 69.54    | 88.20    | -18.66 | 55.50  | 3    | Horizontal | 84      | 2.94   | -       | 35.94 | 8.99 | 30.89 |  |  |  |
| RMS  | 7.144G  | 58.81    | 68.20    | -9.39  | 44.95  | 3    | Horizontal | 84      | 2.94   | -       | 35.78 | 8.97 | 30.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 20.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96925G | 64.04    | 88.20    | -24.16 | 41.27  | 3    | Vertical  | 113     | 2.89   | -       | 41.38 | 13.10 | 31.71 |  |  |  |
| RMS  | 13.9706G  | 50.85    | 68.20    | -17.35 | 28.08  | 3    | Vertical  | 113     | 2.89   | -       | 41.38 | 13.10 | 31.71 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97417G    | 63.91             | 88.20             | -24.29         | 41.12         | 3           | Horizontal | 210            | 1.27          | -       | 41.40      | 13.10      | 31.71      |  |  |  |
| RMS  | 13.96553G    | 50.94             | 68.20             | -17.26         | 28.20         | 3           | Horizontal | 210            | 1.27          | -       | 41.36      | 13.09      | 31.71      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 20.5  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.9562G     | 53.32             | 83.54             | -30.22         | 42.03         | 1           | Vertical  | 51             | 1.58          | -       | 37.91      | 22.08      | 48.70      |  |  |  |
| AV   | 20.9538G     | 39.77             | 63.54             | -23.77         | 28.48         | 1           | Vertical  | 51             | 1.58          | -       | 37.91      | 22.08      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP 3\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 20.5  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95449G    | 52.66             | 83.54             | -30.88         | 41.37         | 1           | Horizontal | 319            | 1.56          | -       | 37.91      | 22.08      | 48.70      |  |  |  |
| AV   | 20.95391G    | 39.91             | 63.54             | -23.63         | 28.62         | 1           | Horizontal | 319            | 1.56          | -       | 37.91      | 22.08      | 48.70      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 22  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.8898G | 73.61    | 88.20    | -14.59 | 61.55  | 3    | Vertical  | 160     | 1.62   | -       | 34.06 | 8.17 | 30.17 |  |  |  |
| RMS  | 5.925G  | 59.24    | 68.20    | -8.96  | 47.10  | 3    | Vertical  | 160     | 1.62   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 6.0826G | 107.33   | Inf      | -Inf   | 94.95  | 3    | Vertical  | 160     | 1.62   | -       | 34.47 | 8.07 | 30.16 |  |  |  |
| RMS  | 6.0882G | 97.83    | Inf      | -Inf   | 85.45  | 3    | Vertical  | 160     | 1.62   | -       | 34.48 | 8.07 | 30.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 22  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9186G | 73.74    | 88.20    | -14.46 | 61.60  | 3    | Horizontal | 289     | 2.84   | -       | 34.14 | 8.16 | 30.16 |  |  |  |
| RMS  | 5.9242G | 63.34    | 68.20    | -4.86  | 51.20  | 3    | Horizontal | 289     | 2.84   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 6.1234G | 109.73   | Inf      | -Inf   | 97.31  | 3    | Horizontal | 289     | 2.84   | -       | 34.55 | 8.05 | 30.18 |  |  |  |
| RMS  | 6.0834G | 99.05    | Inf      | -Inf   | 86.67  | 3    | Horizontal | 289     | 2.84   | -       | 34.47 | 8.07 | 30.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 22  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.21017G    | 58.83             | 74.00             | -15.17         | 38.59         | 3           | Vertical  | 275            | 1.00          | -       | 38.78      | 12.82      | 31.36      |  |  |  |
| AV   | 12.20876G    | 45.16             | 54.00             | -8.84          | 24.92         | 3           | Vertical  | 275            | 1.00          | -       | 38.78      | 12.82      | 31.36      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 22  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20708G | 58.83    | 74.00    | -15.17 | 38.59  | 3    | Horizontal | 41      | 2.18   | -       | 38.79 | 12.82 | 31.37 |  |  |  |
| AV   | 12.20804G | 45.03    | 54.00    | -8.97  | 24.80  | 3    | Horizontal | 41      | 2.18   | -       | 38.78 | 12.82 | 31.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 22  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.31525G    | 51.33             | 83.54             | -32.21         | 41.67         | 1           | Vertical  | 22             | 1.50          | -       | 37.63      | 20.29      | 48.26      |  |  |  |
| AV   | 18.31618G    | 37.89             | 63.54             | -25.65         | 28.23         | 1           | Vertical  | 22             | 1.50          | -       | 37.63      | 20.29      | 48.26      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 22  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31341G | 50.66    | 83.54    | -32.88 | 41.00  | 1    | Horizontal | 336     | 1.58   | -       | 37.63 | 20.29 | 48.26 |  |  |  |
| AV   | 18.31661G | 38.02    | 63.54    | -25.52 | 28.36  | 1    | Horizontal | 336     | 1.58   | -       | 37.63 | 20.29 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-D-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9218G      | 67.42             | 88.20             | -20.78         | 55.28         | 3           | Vertical  | 163            | 1.73          | -       | 34.14      | 8.16       | 30.16      |  |  |  |
| RMS  | 5.9226G      | 57.62             | 68.20             | -10.58         | 45.48         | 3           | Vertical  | 163            | 1.73          | -       | 34.15      | 8.15       | 30.16      |  |  |  |
| PK   | 6.0778G      | 109.97            | Inf               | -Inf           | 97.59         | 3           | Vertical  | 163            | 1.73          | -       | 34.46      | 8.08       | 30.16      |  |  |  |
| RMS  | 6.081G       | 98.15             | Inf               | -Inf           | 85.77         | 3           | Vertical  | 163            | 1.73          | -       | 34.46      | 8.08       | 30.16      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9162G | 70.05    | 88.20    | -18.15 | 57.92  | 3    | Horizontal | 284     | 2.48   | -       | 34.13 | 8.16 | 30.16 |  |  |  |
| RMS  | 5.925G  | 60.79    | 68.20    | -7.41  | 48.65  | 3    | Horizontal | 284     | 2.48   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 6.081G  | 108.94   | Inf      | -Inf   | 96.56  | 3    | Horizontal | 284     | 2.48   | -       | 34.46 | 8.08 | 30.16 |  |  |  |
| RMS  | 6.1018G | 99.14    | Inf      | -Inf   | 86.75  | 3    | Horizontal | 284     | 2.48   | -       | 34.50 | 8.06 | 30.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21297G | 58.91    | 74.00    | -15.09 | 38.68  | 3    | Vertical  | 260     | 2.03   | -       | 38.77 | 12.82 | 31.36 |  |  |  |
| AV   | 12.20906G | 44.67    | 54.00    | -9.33  | 24.43  | 3    | Vertical  | 260     | 2.03   | -       | 38.78 | 12.82 | 31.36 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2107G  | 59.15    | 74.00    | -14.85 | 38.91  | 3    | Horizontal | 3       | 1.76   | -       | 38.78 | 12.82 | 31.36 |  |  |  |
| AV   | 12.20563G | 44.69    | 54.00    | -9.31  | 24.45  | 3    | Horizontal | 3       | 1.76   | -       | 38.79 | 12.82 | 31.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31485G | 51.29    | 83.54    | -32.25 | 41.63  | 1    | Vertical  | 230     | 1.51   | -       | 37.63 | 20.29 | 48.26 |  |  |  |
| AV   | 18.31611G | 37.46    | 63.54    | -26.08 | 27.80  | 1    | Vertical  | 230     | 1.51   | -       | 37.63 | 20.29 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 21.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3167G  | 51.09    | 83.54    | -32.45 | 41.42  | 1    | Horizontal | 281     | 1.51   | -       | 37.63 | 20.30 | 48.26 |  |  |  |
| AV   | 18.31319G | 37.48    | 63.54    | -26.06 | 27.82  | 1    | Horizontal | 281     | 1.51   | -       | 37.63 | 20.29 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 6\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 20.5  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 70.04             | 88.20             | -18.16         | 57.90         | 3           | Vertical  | 289            | 2.52          | -       | 34.15      | 8.15       | 30.16      |  |  |  |
| RMS  | 5.925G       | 58.27             | 68.20             | -9.93          | 46.13         | 3           | Vertical  | 289            | 2.52          | -       | 34.15      | 8.15       | 30.16      |  |  |  |
| PK   | 6.1122G      | 108.28            | Inf               | -Inf           | 95.87         | 3           | Vertical  | 289            | 2.52          | -       | 34.52      | 8.06       | 30.17      |  |  |  |
| RMS  | 6.0794G      | 99.05             | Inf               | -Inf           | 86.67         | 3           | Vertical  | 289            | 2.52          | -       | 34.46      | 8.08       | 30.16      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 6\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 20.5  
02-D-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 71.00    | 88.20    | -17.20 | 58.86  | 3    | Horizontal | 279     | 1.74   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| RMS  | 5.925G  | 59.06    | 68.20    | -9.14  | 46.92  | 3    | Horizontal | 279     | 1.74   | -       | 34.15 | 8.15 | 30.16 |  |  |  |
| PK   | 6.097G  | 109.94   | Inf      | -Inf   | 97.55  | 3    | Horizontal | 279     | 1.74   | -       | 34.49 | 8.07 | 30.17 |  |  |  |
| RMS  | 6.0962G | 98.72    | Inf      | -Inf   | 86.33  | 3    | Horizontal | 279     | 1.74   | -       | 34.49 | 8.07 | 30.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP\_6\_4TX


6105MHz\_TX

EUT\_V\_4TX  
Setting 20.5  
02-D-J-11

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.22299G    | 57.74             | 74.00             | -16.26         | 37.53         | 3           | Vertical  | 277            | 2.63          | -       | 38.75      | 12.82      | 31.36      |  |  |  |
| AV   | 12.19692G    | 44.28             | 54.00             | -9.72          | 24.02         | 3           | Vertical  | 277            | 2.63          | -       | 38.81      | 12.82      | 31.37      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP\_6\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 20.5  
02-D-J-11

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20355G | 57.57    | 74.00    | -16.43 | 37.33  | 3    | Horizontal | 240     | 2.12   | -       | 38.79 | 12.82 | 31.37 |  |  |  |
| AV   | 12.19527G | 44.26    | 54.00    | -9.74  | 24.00  | 3    | Horizontal | 240     | 2.12   | -       | 38.81 | 12.82 | 31.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP\_6\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 20.5  
02-D-J-11

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3154G  | 50.44    | 83.54    | -33.10 | 40.78  | 1    | Vertical  | 145     | 1.46   | -       | 37.63 | 20.29 | 48.26 |  |  |  |
| AV   | 18.29985G | 37.30    | 63.54    | -26.24 | 27.67  | 1    | Vertical  | 145     | 1.46   | -       | 37.60 | 20.29 | 48.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP\_6\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 20.5  
02-D-J-11

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.30675G | 50.44    | 83.54    | -33.10 | 40.80  | 1    | Horizontal | 227     | 2.33   | -       | 37.61 | 20.29 | 48.26 |  |  |  |
| AV   | 18.2912G  | 37.25    | 63.54    | -26.29 | 27.62  | 1    | Horizontal | 227     | 2.33   | -       | 37.60 | 20.29 | 48.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.833G  | 107.60   | Inf      | -Inf   | 93.89  | 3    | Vertical  | 168     | 2.20   | -       | 35.37 | 9.04 | 30.70 |
| RMS  | 6.8288G | 97.25    | Inf      | -Inf   | 83.54  | 3    | Vertical  | 168     | 2.20   | -       | 35.36 | 9.05 | 30.70 |
| PK   | 7.1768G | 74.91    | 88.20    | -13.29 | 60.90  | 3    | Vertical  | 168     | 2.20   | -       | 35.91 | 8.99 | 30.89 |
| RMS  | 7.1258G | 58.02    | 68.20    | -10.18 | 44.25  | 3    | Vertical  | 168     | 2.20   | -       | 35.70 | 8.96 | 30.89 |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.8492G | 107.32   | Inf      | -Inf   | 93.61  | 3    | Horizontal | 105     | 1.74   | -       | 35.40 | 9.03 | 30.72 |  |  |  |
| RMS  | 6.8054G | 97.27    | Inf      | -Inf   | 83.56  | 3    | Horizontal | 105     | 1.74   | -       | 35.31 | 9.07 | 30.67 |  |  |  |
| PK   | 7.1498G | 74.27    | 88.20    | -13.93 | 60.39  | 3    | Horizontal | 105     | 1.74   | -       | 35.80 | 8.97 | 30.89 |  |  |  |
| RMS  | 7.148G  | 60.03    | 68.20    | -8.17  | 46.16  | 3    | Horizontal | 105     | 1.74   | -       | 35.79 | 8.97 | 30.89 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81112G    | 63.44             | 88.20             | -24.76         | 41.09         | 3           | Vertical  | 156            | 2.09          | -       | 40.94      | 13.07      | 31.66      |  |  |  |
| RMS  | 13.8054G     | 49.43             | 68.20             | -18.77         | 27.10         | 3           | Vertical  | 156            | 2.09          | -       | 40.92      | 13.07      | 31.66      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 20  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81471G    | 64.34             | 88.20             | -23.86         | 41.97         | 3           | Horizontal | 293            | 1.02          | -       | 40.96      | 13.07      | 31.66      |  |  |  |
| RMS  | 13.80882G    | 49.44             | 68.20             | -18.76         | 27.09         | 3           | Horizontal | 293            | 1.02          | -       | 40.94      | 13.07      | 31.66      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71351G    | 53.00             | 83.54             | -30.54         | 42.03         | 1           | Vertical  | 100            | 1.54          | -       | 37.90      | 21.77      | 48.70      |  |  |  |
| AV   | 20.715G      | 39.27             | 63.54             | -24.27         | 28.29         | 1           | Vertical  | 100            | 1.54          | -       | 37.90      | 21.78      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP 4\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71354G | 53.97    | 83.54    | -29.57 | 43.00  | 1    | Horizontal | 127     | 1.52   | -       | 37.90 | 21.77 | 48.70 |  |  |  |
| AV   | 20.71486G | 39.26    | 63.54    | -24.28 | 28.28  | 1    | Horizontal | 127     | 1.52   | -       | 37.90 | 21.78 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.8078G | 106.88   | Inf      | -Inf   | 93.17  | 3    | Vertical  | 168     | 2.14   | -       | 35.32 | 9.06 | 30.67 |  |  |  |  |
| RMS  | 6.8102G | 97.43    | Inf      | -Inf   | 83.73  | 3    | Vertical  | 168     | 2.14   | -       | 35.32 | 9.06 | 30.68 |  |  |  |  |
| PK   | 7.1294G | 74.11    | 88.20    | -14.09 | 60.32  | 3    | Vertical  | 168     | 2.14   | -       | 35.72 | 8.96 | 30.89 |  |  |  |  |
| RMS  | 7.142G  | 57.12    | 68.20    | -11.08 | 43.27  | 3    | Vertical  | 168     | 2.14   | -       | 35.77 | 8.97 | 30.89 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-D-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7736G      | 108.44            | Inf               | -Inf           | 94.82         | 3           | Horizontal | 104            | 2.01          | -       | 35.25      | 9.01       | 30.64      |  |  |  |
| RMS  | 6.8054G      | 97.72             | Inf               | -Inf           | 84.01         | 3           | Horizontal | 104            | 2.01          | -       | 35.31      | 9.07       | 30.67      |  |  |  |
| PK   | 7.1942G      | 76.62             | 88.20             | -11.58         | 62.53         | 3           | Horizontal | 104            | 2.01          | -       | 35.98      | 9.00       | 30.89      |  |  |  |
| RMS  | 7.2002G      | 58.28             | 68.20             | -9.92          | 44.17         | 3           | Horizontal | 104            | 2.01          | -       | 36.00      | 9.00       | 30.89      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.8117G  | 63.76    | 88.20    | -24.44 | 41.40  | 3    | Vertical  | 137     | 2.11   | -       | 40.95 | 13.07 | 31.66 |  |  |  |
| RMS  | 13.80639G | 49.45    | 68.20    | -18.75 | 27.11  | 3    | Vertical  | 137     | 2.11   | -       | 40.93 | 13.07 | 31.66 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 19.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80954G | 63.70    | 88.20    | -24.50 | 41.35  | 3    | Horizontal | 97      | 1.60   | -       | 40.94 | 13.07 | 31.66 |  |  |  |
| RMS  | 13.80578G | 49.45    | 68.20    | -18.75 | 27.12  | 3    | Horizontal | 97      | 1.60   | -       | 40.92 | 13.07 | 31.66 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-D-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71635G    | 53.03             | 83.54             | -30.51         | 42.05         | 1           | Vertical  | 242            | 1.58          | -       | 37.90      | 21.78      | 48.70      |  |  |  |
| AV   | 20.71493G    | 39.24             | 63.54             | -24.30         | 28.26         | 1           | Vertical  | 242            | 1.58          | -       | 37.90      | 21.78      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-D-G-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.715G  | 52.79    | 83.54    | -30.75 | 41.81  | 1    | Horizontal | 75      | 1.58   | -       | 37.90 | 21.78 | 48.70 |  |  |  |
| AV   | 20.7149G | 39.23    | 63.54    | -24.31 | 28.25  | 1    | Horizontal | 75      | 1.58   | -       | 37.90 | 21.78 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 18.5  
02-D-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.8822G | 106.52   | Inf      | -Inf   | 92.94  | 3    | Vertical  | 167     | 1.77   | -       | 35.34 | 9.00 | 30.76 |  |  |  |
| RMS  | 6.8822G | 97.09    | Inf      | -Inf   | 83.51  | 3    | Vertical  | 167     | 1.77   | -       | 35.34 | 9.00 | 30.76 |  |  |  |
| PK   | 7.2008G | 72.60    | 88.20    | -15.60 | 58.49  | 3    | Vertical  | 167     | 1.77   | -       | 36.00 | 9.00 | 30.89 |  |  |  |
| RMS  | 7.1576G | 56.18    | 68.20    | -12.02 | 42.26  | 3    | Vertical  | 167     | 1.77   | -       | 35.83 | 8.98 | 30.89 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 10\_4TX


6905MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
Setting 18.5  
02-D-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8348G      | 108.09            | Inf               | -Inf           | 94.38         | 3           | Horizontal | 289            | 2.11          | -       | 35.37      | 9.04       | 30.70      |  |  |  |
| RMS  | 6.839G       | 97.63             | Inf               | -Inf           | 83.92         | 3           | Horizontal | 289            | 2.11          | -       | 35.38      | 9.04       | 30.71      |  |  |  |
| PK   | 7.1882G      | 69.71             | 88.20             | -18.49         | 55.66         | 3           | Horizontal | 289            | 2.11          | -       | 35.95      | 8.99       | 30.89      |  |  |  |
| RMS  | 7.1438G      | 55.64             | 68.20             | -12.56         | 41.78         | 3           | Horizontal | 289            | 2.11          | -       | 35.78      | 8.97       | 30.89      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 18.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81167G | 63.90    | 88.20    | -24.30 | 41.54  | 3    | Vertical  | 120     | 1.59   | -       | 40.95 | 13.07 | 31.66 |  |  |  |
| RMS  | 13.80673G | 49.89    | 68.20    | -18.31 | 27.55  | 3    | Vertical  | 120     | 1.59   | -       | 40.93 | 13.07 | 31.66 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 18.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81259G | 63.66    | 88.20    | -24.54 | 41.30  | 3    | Horizontal | 96      | 1.46   | -       | 40.95 | 13.07 | 31.66 |  |  |  |
| RMS  | 13.80639G | 49.85    | 68.20    | -18.35 | 27.51  | 3    | Horizontal | 96      | 1.46   | -       | 40.93 | 13.07 | 31.66 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 18.5  
02-D-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71514G | 52.69    | 83.54    | -30.85 | 41.71  | 1    | Vertical  | 121     | 1.54   | -       | 37.90 | 21.78 | 48.70 |  |  |  |
| AV   | 20.71521G | 39.68    | 63.54    | -23.86 | 28.70  | 1    | Vertical  | 121     | 1.54   | -       | 37.90 | 21.78 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 10\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX



EUT\_V\_4TX  
Setting 18.5  
02-D-G-2


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71599G    | 52.75             | 83.54             | -30.79         | 41.77         | 1           | Horizontal | 163            | 1.58          | -       | 37.90      | 21.78      | 48.70      |  |  |  |
| AV   | 20.715G      | 39.66             | 63.54             | -23.88         | 28.68         | 1           | Horizontal | 163            | 1.58          | -       | 37.90      | 21.78      | 48.70      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

5985MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.02099G | -3.89    | 6.1836G  | -57.42     | -43.89     | -13.53     | 1    |
| 6.02229G | -4.18    | 6.1292G  | -56.93     | -44.18     | -12.75     | 2    |
| 6.02189G | -4.53    | 6.1625G  | -55.47     | -44.53     | -10.94     | 3    |
| 6.02299G | -3.70    | 6.1208G  | -53.12     | -43.70     | -9.42      | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

5985MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.01939G | -3.55    | 6.0291G  | -36.33     | -23.15     | -13.18     | 1    |
| 6.01819G | -3.99    | 6.0295G  | -37.37     | -24.08     | -13.29     | 2    |
| 6.02309G | -3.88    | 6.1758G  | -55.66     | -43.88     | -11.78     | 3    |
| 6.01259G | -3.16    | 6.1675G  | -53.33     | -43.16     | -10.17     | 4    |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

7025MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

7025MHz\_TX

21/10/2025



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6025MHz\_TX

21/10/2025

CF (Hz)  
6.025G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07139G | -1.26    | 6.2844G  | -53.34     | -41.26     | -12.08     | 1    |
| 6.028G   | -1.50    | 6.2704G  | -52.43     | -41.01     | -11.42     | 2    |
| 6.06259G | -1.17    | 6.281G   | -51.84     | -41.17     | -10.67     | 3    |
| 6.05779G | -1.17    | 6.2774G  | -49.52     | -41.17     | -8.35      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_4TX

MASK

6025MHz\_TX

21/10/2025

CF (Hz)  
6.025G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0322G  | 0.23     | 6.2748G  | -51.62     | -39.35     | -12.27     | 1    |
| 6.10198G | -0.16    | 6.275G   | -50.27     | -40.16     | -10.11     | 2    |
| 6.08978G | -0.06    | 6.2792G  | -50.63     | -40.06     | -10.57     | 3    |
| 6.0424G  | 0.20     | 6.278G   | -46.84     | -39.80     | -7.04      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6025MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6985MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU726+RU242+RU242 MRU 1\_4TX

MASK

6985MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6985MHz\_TX

21/10/2025



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_4TX

MASK

6105MHz\_TX

21/10/2025

CF (Hz)  
6.105G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07181G | 0.98     | 6.6062G  | -52.50     | -39.02     | -13.48     | 1    |
| 6.1094G  | 1.03     | 6.6266G  | -51.33     | -38.97     | -12.36     | 2    |
| 6.17738G | 0.74     | 6.6294G  | -50.01     | -39.26     | -10.75     | 3    |
| 6.17338G | 1.27     | 6.6038G  | -48.78     | -38.73     | -10.05     | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 5\_4TX

MASK

6105MHz\_TX

21/10/2025

CF (Hz)  
6.105G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.05061G | 0.39     | 6.6078G  | -52.78     | -39.61     | -13.17     | 1    |
| 6.0998G  | -0.08    | 6.8794G  | -51.92     | -40.08     | -11.84     | 2    |
| 6.15019G | 0.50     | 6.6134G  | -50.69     | -39.50     | -11.19     | 3    |
| 6.07861G | 0.93     | 6.6134G  | -49.39     | -39.07     | -10.32     | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

MASK

6105MHz\_TX

21/10/2025




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

MASK

6905MHz\_TX

21/10/2025




6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996 MRU 1\_4TX

MASK

6905MHz\_TX

21/10/2025




5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

5985MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.01999G | -3.50    | 6.1253G  | -56.92     | -43.50     | -13.42     | 1    |
| 6.01749G | -3.70    | 6.171G   | -56.49     | -43.70     | -12.79     | 2    |
| 6.02229G | -3.97    | 6.1757G  | -55.18     | -43.97     | -11.21     | 3    |
| 6.01699G | -3.29    | 6.1255G  | -52.48     | -43.29     | -9.19      | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

5985MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.01269G | -3.75    | 6.0286G  | -37.52     | -23.80     | -13.72     | 1    |
| 6.01439G | -3.95    | 6.0297G  | -38.03     | -23.98     | -14.05     | 2    |
| 6.02209G | -4.38    | 6.1682G  | -55.86     | -44.38     | -11.48     | 3    |
| 6.01839G | -3.18    | 6.1643G  | -53.11     | -43.18     | -9.93      | 4    |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

MASK

7025MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU242+RU242 MRU 1\_4TX

MASK

7025MHz\_TX

21/10/2025




5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU\_2\_4TX

MASK

6025MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0296G  | -1.49    | 6.2798G  | -53.42     | -41.49     | -11.93     | 1    |
| 6.06879G | -1.76    | 6.4052G  | -53.70     | -41.76     | -11.94     | 2    |
| 6.07919G | -1.80    | 6.3596G  | -51.79     | -41.80     | -9.99      | 3    |
| 6.08079G | -1.01    | 6.2878G  | -49.00     | -40.76     | -8.24      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU726+RU242+RU242 MRU\_1\_4TX

MASK

6025MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.09058G | -0.02    | 6.2794G  | -50.89     | -40.02     | -10.87     | 1    |
| 6.032G   | -0.23    | 6.4076G  | -53.53     | -40.23     | -13.30     | 2    |
| 6.09398G | 0.13     | 6.2782G  | -50.43     | -39.74     | -10.69     | 3    |
| 6.038G   | 0.13     | 6.2862G  | -46.72     | -39.40     | -7.32      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6025MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU 2\_4TX

MASK

6985MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU726+RU242+RU242 MRU 1\_4TX

MASK

6985MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU484+RU484 MRU 1\_4TX

MASK

6985MHz\_TX

21/10/2025



5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 MRU 4\_4TX

MASK

6105MHz\_TX

21/10/2025

CF (Hz)  
6.105G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07341G | 2.04     | 6.6026G  | -50.68     | -37.96     | -12.72     | 1    |
| 6.1118G  | 1.80     | 6.6542G  | -50.77     | -38.20     | -12.57     | 2    |
| 6.15339G | 1.72     | 6.6294G  | -48.83     | -38.28     | -10.55     | 3    |
| 6.1174G  | 2.47     | 6.6222G  | -47.65     | -37.53     | -10.12     | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 MRU 5\_4TX

MASK

6105MHz\_TX

21/10/2025

CF (Hz)  
6.105G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07021G | 0.42     | 6.8678G  | -52.48     | -39.58     | -12.90     | 1    |
| 6.18058G | -0.18    | 6.8682G  | -52.15     | -40.18     | -11.97     | 2    |
| 6.15019G | -0.11    | 6.6282G  | -51.08     | -40.11     | -10.97     | 3    |
| 6.15939G | 0.73     | 6.6158G  | -49.81     | -39.27     | -10.54     | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996 MRU 1\_4TX

MASK

6105MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.01102G | 2.11     | 6.4922G  | -40.21     | -30.05     | -10.16     | 1    |
| 6.19538G | 1.56     | 6.7314G  | -47.45     | -38.44     | -9.01      | 2    |
| 6.22857G | 1.01     | 6.7322G  | -49.17     | -38.99     | -10.18     | 3    |
| 6.25576G | 2.13     | 6.7334G  | -46.72     | -37.87     | -8.85      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 MRU 8\_4TX

MASK

6905MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.83262G | -0.95    | 6.3778G  | -50.16     | -40.95     | -9.21      | 1    |
| 6.86021G | -0.79    | 6.3942G  | -51.46     | -40.79     | -10.67     | 2    |
| 6.93099G | -1.41    | 6.513G   | -42.75     | -33.32     | -9.43      | 3    |
| 6.82902G | -0.36    | 6.3966G  | -49.96     | -40.36     | -9.60      | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996 MRU 1\_4TX

MASK

6905MHz\_TX

21/10/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP\_4\_TX

MASK

5985MHz\_TX

21/10/2025




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9888G | -2.81    | 6.1308G  | -54.48     | -42.81     | -11.67     | 1    |
| 6.0037G | -2.75    | 6.1245G  | -54.13     | -42.75     | -11.38     | 2    |
| 5.9998G | -3.15    | 6.1495G  | -52.78     | -43.15     | -9.63      | 3    |
| 6.0038G | -2.73    | 6.1496G  | -51.38     | -42.73     | -8.65      | 4    |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 CP\_3\_TX

MASK

7025MHz\_TX

21/10/2025



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 7.04969G | -5.81    | 7.2249G  | -53.98     | -45.81     | -8.17      | 1    |
| 6.99841G | -5.72    | 7.216G   | -54.33     | -45.72     | -8.61      | 2    |
| 6.99721G | -5.84    | 7.217G   | -53.70     | -45.84     | -7.86      | 3    |
| 7.016G   | -5.68    | 6.8369G  | -52.51     | -45.68     | -6.83      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_6\_4TX

MASK

6025MHz\_TX

21/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07399G | -0.95    | 6.3046G  | -50.97     | -40.95     | -10.02     | 1    |
| 6.0152G  | -1.73    | 6.2682G  | -48.71     | -40.92     | -7.79      | 2    |
| 6.08099G | -1.18    | 6.2794G  | -48.75     | -41.18     | -7.57      | 3    |
| 6.07039G | -0.99    | 6.4096G  | -48.76     | -40.99     | -7.77      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_3\_4TX

MASK

6025MHz\_TX

21/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07299G | -1.84    | 6.2786G  | -51.40     | -41.84     | -9.56      | 1    |
| 6.09018G | -2.43    | 6.3406G  | -51.10     | -42.43     | -8.67      | 2    |
| 6.07859G | -2.23    | 6.2936G  | -50.39     | -42.23     | -8.16      | 3    |
| 6.07299G | -1.81    | 6.3004G  | -48.59     | -41.81     | -6.78      | 4    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 CP\_4TX

MASK

6985MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.967G   | -3.59    | 7.364G   | -50.21     | -43.59     | -6.62      | 1    |
| 6.95401G | -3.44    | 7.3716G  | -50.27     | -43.44     | -6.83      | 2    |
| 6.90942G | -3.69    | 7.3696G  | -50.09     | -43.69     | -6.40      | 3    |
| 6.91242G | -3.62    | 6.6902G  | -49.85     | -43.62     | -6.23      | 4    |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 CP\_3\_4TX

MASK

6985MHz\_TX

22/10/2025



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.9688G  | -0.48    | 7.3846G  | -49.84     | -40.48     | -9.36      | 1    |
| 6.95701G | -0.21    | 6.7232G  | -49.60     | -40.21     | -9.39      | 2    |
| 6.91042G | -0.43    | 6.727G   | -48.95     | -40.43     | -8.52      | 3    |
| 6.96221G | -0.79    | 6.7228G  | -48.73     | -40.72     | -8.01      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP\_3\_4TX

MASK

6105MHz\_TX

21/10/2025

CF (Hz)  
6.105G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.13979G | 0.96     | 6.641G   | -46.78     | -39.04     | -7.74      | 1    |
| 6.1098G  | 0.78     | 6.5586G  | -42.77     | -36.12     | -6.65      | 2    |
| 6.17618G | 0.49     | 6.6222G  | -46.78     | -39.51     | -7.27      | 3    |
| 6.26016G | 1.11     | 6.6142G  | -45.78     | -38.89     | -6.89      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP\_3\_4TX

MASK

6105MHz\_TX

21/10/2025

CF (Hz)  
6.105G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07181G | 0.37     | 6.873G   | -49.50     | -39.63     | -9.87      | 1    |
| 6.19218G | 0.04     | 6.875G   | -49.02     | -39.96     | -9.06      | 2    |
| 6.21777G | -0.53    | 6.8726G  | -48.79     | -40.53     | -8.26      | 3    |
| 6.25536G | 0.32     | 6.6514G  | -47.95     | -39.68     | -8.27      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP\_6\_4TX

MASK

6105MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.14019G | 0.63     | 6.8946G  | -49.38     | -39.37     | -10.01     | 1    |
| 6.12899G | 0.21     | 6.881G   | -49.00     | -39.79     | -9.21      | 2    |
| 6.14059G | 0.26     | 6.9026G  | -48.81     | -39.74     | -9.07      | 3    |
| 6.13739G | 1.19     | 6.6002G  | -48.52     | -38.81     | -9.71      | 4    |

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 CP\_4\_4TX

MASK

6905MHz\_TX

21/10/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.75664G | -2.87    | 7.4862G  | -47.66     | -42.87     | -4.79      | 1    |
| 6.86021G | -3.05    | 7.4998G  | -47.57     | -43.05     | -4.52      | 2    |
| 6.76503G | -3.31    | 7.4986G  | -47.22     | -43.31     | -3.91      | 3    |
| 6.74904G | -2.31    | 7.4974G  | -47.46     | -42.31     | -5.15      | 4    |

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 CP 2\_4TX

MASK

6905MHz\_TX

21/10/2025




6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 CP 10\_4TX

MASK

6905MHz\_TX

27/10/2025




5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 4\_4TX

MASK

5985MHz\_TX

05/12/2025




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9991G | 1.36     | 6.1627G  | -45.14     | -38.64     | -6.50      | 1    |
| 5.9678G | 0.70     | 6.1333G  | -45.27     | -39.30     | -5.97      | 2    |
| 5.9969G | 0.83     | 6.1344G  | -45.09     | -39.17     | -5.92      | 3    |
| 6.0032G | 1.46     | 6.1207G  | -44.21     | -38.54     | -5.67      | 4    |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 CP 3\_4TX

MASK

7025MHz\_TX

05/12/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.99021G | 0.06     | 6.8788G  | -50.85     | -39.94     | -10.91     | 1    |
| 7.00111G | -0.09    | 6.8533G  | -51.59     | -40.09     | -11.50     | 2    |
| 6.99051G | 0.14     | 6.8569G  | -50.30     | -39.86     | -10.44     | 3    |
| 6.98751G | 0.51     | 6.8384G  | -48.84     | -39.49     | -9.35      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4TX

MASK

6025MHz\_TX

05/12/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07059G | 5.13     | 6.2688G  | -41.72     | -33.41     | -8.31      | 1    |
| 6.07999G | 4.97     | 6.362G   | -47.02     | -34.79     | -12.23     | 2    |
| 6.08738G | 5.22     | 6.2784G  | -43.50     | -34.68     | -8.82      | 3    |
| 6.09638G | 5.36     | 6.293G   | -42.62     | -34.64     | -7.98      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 CP\_3\_4TX

MASK

6025MHz\_TX

05/12/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.08159G | 4.89     | 6.2806G  | -43.88     | -35.11     | -8.77      | 1    |
| 6.07799G | 4.79     | 6.3686G  | -47.70     | -35.21     | -12.49     | 2    |
| 6.09618G | 4.65     | 6.2878G  | -45.91     | -35.35     | -10.56     | 3    |
| 6.09518G | 5.11     | 6.3228G  | -43.79     | -34.89     | -8.90      | 4    |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 CP\_4TX

MASK

6985MHz\_TX

05/12/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.9736G  | 5.25     | 6.7266G  | -43.76     | -34.75     | -9.01      | 1    |
| 6.92901G | 5.51     | 6.7372G  | -42.31     | -33.51     | -8.80      | 2    |
| 6.91262G | 4.78     | 6.7314G  | -43.62     | -35.22     | -8.40      | 3    |
| 6.91102G | 5.68     | 6.734G   | -41.79     | -34.32     | -7.47      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP\_3\_4TX

MASK

6105MHz\_TX

05/12/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0934G  | 6.47     | 6.5922G  | -35.45     | -32.96     | -2.49      | 1    |
| 6.0902G  | 6.28     | 6.6418G  | -36.99     | -33.69     | -3.30      | 2    |
| 6.1154G  | 5.72     | 6.6258G  | -38.80     | -34.28     | -4.52      | 3    |
| 6.23457G | 6.49     | 6.613G   | -36.50     | -33.50     | -3.00      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP 3\_4TX

MASK

6105MHz\_TX

05/12/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07341G | 6.21     | 6.593G   | -37.91     | -33.28     | -4.63      | 1    |
| 6.0938G  | 6.20     | 6.6386G  | -38.82     | -33.56     | -5.26      | 2    |
| 6.0894G  | 5.60     | 6.6242G  | -40.94     | -34.40     | -6.54      | 3    |
| 6.23617G | 6.66     | 6.6114G  | -38.32     | -33.21     | -5.11      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 6\_4TX

MASK

6105MHz\_TX

05/12/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0958G  | 6.06     | 6.6002G  | -45.59     | -33.94     | -11.65     | 1    |
| 6.0886G  | 6.01     | 6.6534G  | -45.23     | -33.99     | -11.24     | 2    |
| 6.08141G | 5.73     | 6.6302G  | -44.77     | -34.27     | -10.50     | 3    |
| 6.13339G | 6.61     | 6.6006G  | -43.12     | -32.50     | -10.62     | 4    |

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996+RU484 CP\_4\_TX

MASK

6905MHz\_TX

05/12/2025




6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),3xRU996 CP\_2\_TX

MASK

6905MHz\_TX

05/12/2025




6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0),2xRU996+RU484 CP 10\_4TX

MASK

6905MHz\_TX

05/12/2025



| Contention Based Protocol Threshold Level 802.11be EHT20 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                        | 53      | 20              | 6215            | Center                       | 6215 | OFF        | -67.36                    | 3.64           | -71.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -68.36                    | 3.64           | -72.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
| 6                                                        | 101     | 20              | 6455            | Center                       | 6455 | OFF        | -64.36                    | 3.64           | -68.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -65.36                    | 3.64           | -69.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
| 7                                                        | 149     | 20              | 6695            | Center                       | 6695 | OFF        | -64.36                    | 3.64           | -68.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -65.36                    | 3.64           | -69.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
| 8                                                        | 213     | 20              | 7015            | Center                       | 7015 | OFF        | -63.36                    | 3.64           | -67.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -64.36                    | 3.64           | -68.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |

| Contention Based Protocol Threshold Level 802.11be EHT320 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| UNII5                                                     | 31      | 320             | 6105            | Low edge                     | 5950 | OFF        | -60.36                    | 3.64           | -64.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -61.36                    | 3.64           | -65.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6105 | OFF        | -58.36                    | 3.64           | -62.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -59.36                    | 3.64           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6260 | OFF        | -62.36                    | 3.64           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -63.36                    | 3.64           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
| UNII 5/6/7                                                | 95      | 320             | 6425            | Low edge                     | 6270 | OFF        | -59.36                    | 3.64           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -60.36                    | 3.64           | -64.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6425 | OFF        | -58.36                    | 3.64           | -62.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -59.36                    | 3.64           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6580 | OFF        | -61.36                    | 3.64           | -65.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -62.36                    | 3.64           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
| UNII7/8                                                   | 159     | 320             | 6745            | Low edge                     | 6590 | OFF        | -62.36                    | 3.64           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -63.36                    | 3.64           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6745 | OFF        | -58.36                    | 3.64           | -62.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -59.36                    | 3.64           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6900 | OFF        | -61.36                    | 3.64           | -65.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -62.36                    | 3.64           | -66.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
| UNII7/8                                                   | 191     | 320             | 6905            | Low edge                     | 6750 | OFF        | -63.36                    | 3.64           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.36                    | 3.64           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6905 | OFF        | -58.36                    | 3.64           | -62.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -59.36                    | 3.64           | -63.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 7060 | OFF        | -63.36                    | 3.64           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.36                    | 3.64           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -78.36                    | 3.64           | -82.00               | ≤ -62                 |


| Contention Based protocol 802.11be EHT20 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                        | 53      | 20              | 6215            | Center                       | 6215 | -71.00                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6                                        | 101     | 20              | 6455            | Center                       | 6455 | -68.00                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7                                        | 149     | 20              | 6695            | Center                       | 6695 | -68.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
| 8                                        | 213     | 20              | 7015            | Center                       | 7015 | -67.00                     | OFF        | 10                                   | 100                       | 90        | Pass        |

| Contention Based protocol 802.11be EHT320 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| UNII5                                     | 31      | 320             | 6105            | Low edge                     | 5950 | -64.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | Center                       | 6105 | -62.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | High edge                    | 6260 | -66.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
| UNII 5/6/7                                | 95      | 320             | 6425            | Low edge                     | 6270 | -63.00                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                           |         |                 |                 | Center                       | 6425 | -62.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | High edge                    | 6580 | -65.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
| UNII 7/8                                  | 159     | 320             | 6745            | Low edge                     | 6590 | -66.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | Center                       | 6745 | -62.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | High edge                    | 6900 | -65.00                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| UNII 7/8                                  | 191     | 320             | 6905            | Low edge                     | 6750 | -67.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | Center                       | 6905 | -62.00                     | OFF        | 9                                    | 90                        | 90        | Pass        |
|                                           |         |                 |                 | High edge                    | 7060 | -67.00                     | OFF        | 10                                   | 100                       | 90        | Pass        |


## Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




## Frequency (MHz): 6695 MHz



Date: 20.OCT.2025 22:25:59


## Frequency (MHz): 7015 MHz




Date: 20.OCT.2025 22:25:10

Bandwidth: 320MHz


Frequency (MHz): 5950 MHz




Frequency (MHz): 6105 MHz




## Frequency (MHz): 6260 MHz



## Frequency (MHz): 6270 MHz




## Frequency (MHz): 6425 MHz




Date: 20.OCT.2025 22:34:30

## Frequency (MHz): 6580 MHz




Date: 20.OCT.2025 22:35:21

## Frequency (MHz): 6590 MHz




Date: 20.OCT.2025 22:36:41

## Frequency (MHz): 6745 MHz




Date: 20.OCT.2025 22:37:30


### Frequency (MHz): 6750 MHz



### Frequency (MHz): 6900 MHz




## Frequency (MHz): 6905 MHz



Date: 20.OCT.2025 22:39:34

## Frequency (MHz): 7060 MHz




Date: 20.OCT.2025 22:40:50

## Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

## Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


## Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

## Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal