







The configuration of SFC_ADDR_MODE is related to the type of the SPI FLASH.




Baichuan Security Technology Co., Ltd			
Title		H1801C	
Size	Document Number	Rev	
Custom	SYS of H3518C	V100	
Date:	Friday, March 07, 2014	Sheet	3 of 10



Baichuan Security Technology Co., Ltd				
Title		H1801C		
Size	Document Number			Rev
Custom	PERIPHERAL of H3518C			V100
Date:	Friday, March 07, 2014	Sheet	4 of 10	







Baichuan Security Technology Co., Ltd			
Title		H1801C	
Size	Document Number	Rev	
B	RTL8201 FOR ETH	v100	
Date:	Friday, March 07, 2014	Sheet	5 of 10




Baichuan Security Technology Co., Ltd

Title		
H18C01		
Size	Document Number	Rev V100
Date:	Friday, March 07, 2014	Sheet 6 of 10







Baichuan Security Technology Co., Ltd			
Title H1801C			
Size B	Document Number 9712POWER		Rev V100
Date:	Friday, March 07, 2014	Sheet 8 of 10	



Baichuan Security Technology Co., Ltd			
Title		H1801C	
Size B	Document Number	Rev	V100
OV9712			
Date:	Friday, March 07, 2014	Sheet	9 of 10



Baichuan Security Technology Co., Ltd		
Title		
H1801C		
Size	Document Number	Rev
A	10:IR_CUT Driver	V100
Date:	Friday, March 07, 2014	Sheet 10 of 10



Filename:
CB-RT2661+RT5326-V10TQ-X-062705.DSN

