




<Carrier 2>


Plot on Channel 6645 MHz



11:08:25 AM 07/15/2026

<Carrier 1+3>


Plot on Channel 6685 MHz + 6725 MHz



11:21:20 AM 07/15/2026

<Carrier 2>


Plot on Channel 6775 MHz



11:29:07 AM 07/15/2026

<Carrier 1+3>

Plot on Channel 6815 MHz + 6855 MHz



11:49:22 AM 07/15/2026




<Multiple Carrier, X2 mode>

EUT Mode

Contiguous 40MHz + 40MHz + 40MHz + 40MHz

<Carrier 0+2>


Plot on Channel 5965 MHz + 6005 MHz



03:14:14 PM 07/15/2026

<Carrier 1+3>


Plot on Channel 6045 MHz + 6085 MHz



03:58:03 PM 07/15/2026

<Carrier 0+2>


Plot on Channel 6125 MHz + 6165 MHz



04:17:12 PM 07/15/2026

<Carrier 1+3>

Plot on Channel 6205 MHz + 6245 MHz




04:23:44 PM 07/15/2026




<Carrier 0+2>

Plot on Channel 6285 MHz + 6325 MHz




<Carrier 1+3>

Plot on Channel 6365 MHz + 6405 MHz




<Carrier 0+2>

Plot on Channel 6545 MHz + 6585 MHz



<Carrier 1+3>


Plot on Channel 6625 MHz + 6665 MHz





<Carrier 0+2>


Plot on Channel 6645 MHz + 6685 MHz



11:11:05 AM 07/14/2026

<Carrier 1+3>


Plot on Channel 6725 MHz + 6765 MHz



11:35:06 AM 07/14/2026

<Carrier 0+2>


Plot on Channel 6735 MHz + 6775 MHz



12:01:08 PM 07/14/2026

<Carrier 1+3>

Plot on Channel 6815 MHz + 6855 MHz



02:53:50 PM 07/14/2026




<Multiple Carrier, X1 mode>

EUT Mode Non-Contiguous 40MHz + 40MHz


<5965 MHz + 6405 MHz>

Plot on Channel 5965 MHz

Plot on Channel 6405 MHz



04:43:55 PM 07/08/2026




04:52:58 PM 07/08/2026


<6545MHz + 6855MHz>

Plot on Channel 6545 MHz

Plot on Channel 6855 MHz



09:45:23 AM 07/09/2026



09:52:15 AM 07/09/2026



<Multiple Carrier, X2 mode>

EUT Mode Non-Contiguous 40MHz + 40MHz


<5965 MHz + 6405 MHz>

<Carrier 2>


Plot on Channel 5965 MHz

<Carrier 3>

Plot on Channel 6405 MHz



03:40:30 PM 07/09/2026



03:47:36 PM 07/10/2026


<6545MHz + 6855MHz>

<Carrier 2>


Plot on Channel 6545 MHz

<Carrier 3>

Plot on Channel 6855 MHz



11:49:31 AM 07/10/2026



04:07:39 PM 07/10/2026





<Multiple Carrier, X2 mode>

EUT Mode Non-Contiguous 40MHz + 40MHz + 40MHz


<5965MHz + 6165 MHz + 6405MHz>

Plot on Channel 5965 MHz

Plot on Channel 6165 MHz




Plot on Channel 6405 MHz






<6545MHz + 6685MHz + 6855MHz>

Plot on Channel 6545 MHz




12:00:04 PM 07/15/2026

Plot on Channel 6685 MHz



01:45:15 PM 07/15/2026

Plot on Channel 6855 MHz



01:55:43 PM 07/15/2026



<Multiple Carrier, X2 mode>



EUT Mode

Non-Contiguous 40MHz + 40MHz + 40MHz + 40MHz

<5965 MHz + 6085 MHz + 6205 MHz + 6405 MHz>



Plot on Channel 5965 MHz

Plot on Channel 6085 MHz



Plot on Channel 6205 MHz


Plot on Channel 6405 MHz






<6545 MHz + 6645 MHz + 6745 MHz + 6855 MHz>


Plot on Channel 6545 MHz




Plot on Channel 6645 MHz



Plot on Channel 6745 MHz



Plot on Channel 6855 MHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23 ~ 26°C
		Relative Humidity :	45 ~ 55%

EUT Information

Report NO : 662234

Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum

**Final Result**

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	33.88	55.88	22.00	L1	OFF	19.9
0.152250	50.03	---	65.88	15.85	L1	OFF	19.9
0.170250	---	37.85	54.95	17.10	L1	OFF	19.9
0.170250	53.18	---	64.95	11.77	L1	OFF	19.9
0.181500	---	31.83	54.42	22.59	L1	OFF	19.9
0.181500	47.45	---	64.42	16.97	L1	OFF	19.9
0.197250	---	32.41	53.73	21.32	L1	OFF	19.9
0.197250	47.83	---	63.73	15.90	L1	OFF	19.9
0.213000	---	31.39	53.09	21.70	L1	OFF	19.9
0.213000	46.15	---	63.09	16.94	L1	OFF	19.9
0.255750	---	26.72	51.57	24.85	L1	OFF	19.9
0.255750	40.02	---	61.57	21.55	L1	OFF	19.9
0.381750	---	31.43	48.24	16.81	L1	OFF	19.9
0.381750	39.09	---	58.24	19.15	L1	OFF	19.9
0.559500	---	28.33	46.00	17.67	L1	OFF	19.9
0.559500	44.00	---	56.00	12.00	L1	OFF	19.9
0.582000	---	35.09	46.00	10.91	L1	OFF	19.9
0.582000	43.06	---	56.00	12.94	L1	OFF	19.9
0.613500	---	30.43	46.00	15.57	L1	OFF	19.9
0.613500	41.37	---	56.00	14.63	L1	OFF	19.9
0.678750	---	23.93	46.00	22.07	L1	OFF	19.9


0.678750	33.37	---	56.00	22.63	L1	OFF	19.9
0.811500	---	24.43	46.00	21.57	L1	OFF	19.9
0.811500	30.46	---	56.00	25.54	L1	OFF	19.9
1.965750	---	23.71	46.00	22.29	L1	OFF	20.0
1.965750	33.25	---	56.00	22.75	L1	OFF	20.0
2.130000	---	23.22	46.00	22.78	L1	OFF	20.0
2.130000	32.84	---	56.00	23.16	L1	OFF	20.0
7.176750	---	29.86	50.00	20.14	L1	OFF	20.3
7.176750	35.47	---	60.00	24.53	L1	OFF	20.3
15.076500	---	31.46	50.00	18.54	L1	OFF	20.8
15.076500	37.10	---	60.00	22.90	L1	OFF	20.8

EUT Information

Report NO : 662234

Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum

**Final Result**

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154500	---	33.73	55.75	22.02	N	OFF	19.9
0.154500	48.62	---	65.75	17.13	N	OFF	19.9
0.170250	---	37.09	54.95	17.86	N	OFF	19.9
0.170250	52.08	---	64.95	12.87	N	OFF	19.9
0.192750	---	28.62	53.92	25.30	N	OFF	19.9
0.192750	42.79	---	63.92	21.13	N	OFF	19.9
0.213000	---	30.85	53.09	22.24	N	OFF	19.9
0.213000	45.18	---	63.09	17.91	N	OFF	19.9
0.255750	---	25.34	51.57	26.23	N	OFF	19.9
0.255750	38.59	---	61.57	22.98	N	OFF	19.9
0.381750	---	25.21	48.24	23.03	N	OFF	19.9
0.381750	36.02	---	58.24	22.22	N	OFF	19.9
0.555000	---	30.75	46.00	15.25	N	OFF	19.9
0.555000	45.25	---	56.00	10.75	N	OFF	19.9
0.582000	---	34.58	46.00	11.42	N	OFF	19.9
0.582000	42.73	---	56.00	13.27	N	OFF	19.9
0.611250	---	29.89	46.00	16.11	N	OFF	19.9
0.611250	41.13	---	56.00	14.87	N	OFF	19.9
1.999500	---	24.06	46.00	21.94	N	OFF	20.0
1.999500	33.41	---	56.00	22.59	N	OFF	20.0
14.937000	---	31.75	50.00	18.25	N	OFF	20.7

14.937000	37.49	---	60.00	22.51	N	OFF	20.7
-----------	-------	-----	-------	-------	---	-----	------



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	John Chuang, David Dai, and Sam Chou	Temperature :	18.0~22.6°C
		Relative Humidity :	64.2~70.8%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Remark
Mode 1	U-NII-5	5.925-6.425	MIMO	Proprietary	3	5965	-
Mode 2	U-NII-5	5.925-6.425	MIMO	Proprietary	43	6165	-
Mode 3	U-NII-5	5.925-6.425	MIMO	Proprietary	91	6405	-
Mode 4	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11	5965+6005	-
Mode 5	U-NII-5	5.925-6.425	MIMO	Proprietary	43+51	6165+6205	-
Mode 6	U-NII-5	5.925-6.425	MIMO	Proprietary	83+91	6365+6405	-
Mode 7	U-NII-5	5.925-6.425	MIMO	Proprietary	3+91	5965+6405	-
Mode 8	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11	5965+6005	-
Mode 9	U-NII-5	5.925-6.425	MIMO	Proprietary	43+51	6165+6205	-
Mode 10	U-NII-5	5.925-6.425	MIMO	Proprietary	83+91	6365+6405	-
Mode 11	U-NII-5	5.925-6.425	MIMO	Proprietary	3+91	5965+6405	-
Mode 12	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11+19	5965+6005+6045	-
Mode 13	U-NII-5	5.925-6.425	MIMO	Proprietary	43+51+59	6165+6205+6245	-
Mode 14	U-NII-5	5.925-6.425	MIMO	Proprietary	75+83+91	6325+6365+6405	-
Mode 15	U-NII-5	5.925-6.425	MIMO	Proprietary	3+43+91	5965+6165+6405	-
Mode 16	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11+19+27	5965+6005+6045+6085	-
Mode 17	U-NII-5	5.925-6.425	MIMO	Proprietary	35+43+51+59	6125+6165+6205+6245	-
Mode 18	U-NII-5	5.925-6.425	MIMO	Proprietary	67+75+83+91	6285+6325+6365+6405	-
Mode 19	U-NII-5	5.925-6.425	MIMO	Proprietary	3+27+51+91	5965+6085+6205+6405	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Remark
Mode 31	U-NII-7	6.525-6.875	MIMO	Proprietary	119	6545	-
Mode 32	U-NII-7	6.525-6.875	MIMO	Proprietary	147	6685	-
Mode 33	U-NII-7	6.525-6.875	MIMO	Proprietary	181	6855	-
Mode 34	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127	6545+6585	-
Mode 35	U-NII-7	6.525-6.875	MIMO	Proprietary	147+155	6685+6725	-
Mode 36	U-NII-7	6.525-6.875	MIMO	Proprietary	173+181	6815+6855	-
Mode 37	U-NII-7	6.525-6.875	MIMO	Proprietary	119+181	6545+6855	-
Mode 38	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127	6545+6585	-
Mode 39	U-NII-7	6.525-6.875	MIMO	Proprietary	147+155	6685+6725	-
Mode 40	U-NII-7	6.525-6.875	MIMO	Proprietary	173+181	6815+6855	-
Mode 41	U-NII-7	6.525-6.875	MIMO	Proprietary	119+181	6545+6855	-
Mode 42	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127+135	6545+6585+6625	-
Mode 43	U-NII-7	6.525-6.875	MIMO	Proprietary	139+147+155	6645+6685+6725	-
Mode 44	U-NII-7	6.525-6.875	MIMO	Proprietary	165+173+181	6775+6815+6855	-
Mode 45	U-NII-7	6.525-6.875	MIMO	Proprietary	119+147+181	6545+6685+6855	-
Mode 46	U-NII-7	6.525-6.875	MIMO	Proprietary	119+127+135+143	6545+6585+6625+6665	-
Mode 47	U-NII-7	6.525-6.875	MIMO	Proprietary	139+147+155+163	6645+6685+6725+6765	-
Mode 48	U-NII-7	6.525-6.875	MIMO	Proprietary	157+165+173+181	6735+6775+6815+6855	-
Mode 49	U-NII-7	6.525-6.875	MIMO	Proprietary	119+139+159+181	6545+6645+6745+6855	-
Mode 50	U-NII-5	5.925-6.425	MIMO	Proprietary	3+11	5965+6005	LF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Proprietary	3	5913.62	53.58	68.20	-14.62	H	Avg.	Pass	Band Edge
	Proprietary	3	17895.00	43.01	54.00	-10.99	V	Avg.	Pass	Harmonic
2	Proprietary	43	-	-	-	-	-	-	-	Band Edge
	Proprietary	43	12330.00	44.04	54.00	-9.96	V	Avg.	Pass	Harmonic
3	Proprietary	91	-	-	-	-	-	-	-	Band Edge
	Proprietary	91	12810.00	45.06	68.20	-23.14	V	Avg.	Pass	Harmonic
4	Proprietary	3+11	5925.00	64.94	68.20	-3.26	H	Avg.	Pass	Band Edge
	Proprietary	3+11	17955.00	54.19	74.00	-19.81	H	Peak	Pass	Harmonic
5	Proprietary	43+51	-	-	-	-	-	-	-	Band Edge
	Proprietary	43+51	12370.00	40.93	54.00	-13.07	V	Avg.	Pass	Harmonic
6	Proprietary	83+91	-	-	-	-	-	-	-	Band Edge
	Proprietary	83+91	19215.00	35.18	54.00	-18.82	V	Avg.	Pass	Harmonic
7	Proprietary	3+91	5925.00	56.13	68.20	-12.07	H	Avg.	Pass	Band Edge
	Proprietary	3+91	17895.00	42.96	54.00	-11.04	H	Avg.	Pass	Harmonic
8	Proprietary	3+11	5924.68	57.47	68.20	-10.73	H	Avg.	Pass	Band Edge
	Proprietary	3+11	17895.00	42.97	54.00	-11.03	V	Avg.	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
9	Proprietary	43+51	-	-	-	-	-	-	-	Band Edge
	Proprietary	43+51	12330.00	43.41	54.00	-10.59	V	Avg.	Pass	Harmonic
10	Proprietary	83+91	-	-	-	-	-	-	-	Band Edge
	Proprietary	83+91	19215.00	34.17	54.00	-19.83	V	Avg.	Pass	Harmonic
11	Proprietary	3+91	5925.00	56.07	68.20	-12.13	H	Avg.	Pass	Band Edge
	Proprietary	3+91	17895.00	42.98	54.00	-11.02	H	Avg.	Pass	Harmonic
12	Proprietary	3+11+19	5885.00	58.24	68.20	-9.96	H	Avg.	Pass	Band Edge
	Proprietary	3+11+19	12090.00	43.11	54.00	-10.89	V	Avg.	Pass	Harmonic
13	Proprietary	43+51+59	-	-	-	-	-	-	-	Band Edge
	Proprietary	43+51+59	12490.00	48.26	54.00	-5.74	V	Avg.	Pass	Harmonic
14	Proprietary	75+83+91	-	-	-	-	-	-	-	Band Edge
	Proprietary	75+83+91	12650.00	41.60	54.00	-12.40	H	Avg.	Pass	Harmonic
15	Proprietary	3+43+91	5925.00	61.24	68.20	-6.96	H	Avg.	Pass	Band Edge
	Proprietary	3+43+91	17895.00	42.97	54.00	-11.03	V	Avg.	Pass	Harmonic
16	Proprietary	3+11+19+27	5925.00	60.76	68.20	-7.44	H	Avg.	Pass	Band Edge
	Proprietary	3+11+19+27	17895.00	43.61	54.00	-10.39	V	Avg.	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	Proprietary	35+43+51+59	-	-	-	-	-	-	-	Band Edge
	Proprietary	35+43+51+59	12330.00	43.83	54.00	-10.17	V	Avg.	Pass	Harmonic
18	Proprietary	67+75+83+91	-	-	-	-	-	-	-	Band Edge
	Proprietary	67+75+83+91	12690.00	41.40	54.00	-12.60	V	Avg.	Pass	Harmonic
19	Proprietary	3+27+51+91	5845.00	60.90	68.20	-7.30	H	Avg.	Pass	Band Edge
	Proprietary	3+27+51+91	17895.00	42.96	54.00	-11.04	H	Avg.	Pass	Harmonic
31	Proprietary	119	-	-	-	-	-	-	-	Band Edge
	Proprietary	119	13090.00	45.98	68.20	-22.22	V	Avg.	Pass	Harmonic
32	Proprietary	147	-	-	-	-	-	-	-	Band Edge
	Proprietary	147	13370.00	42.51	54.00	-11.49	V	Avg.	Pass	Harmonic
33	Proprietary	181	7245.00	52.18	68.20	-16.02	V	Avg.	Pass	Band Edge
	Proprietary	181	13710.00	44.41	68.20	-23.79	V	Avg.	Pass	Harmonic
34	Proprietary	119+127	-	-	-	-	-	-	-	Band Edge
	Proprietary	119+127	19695.00	38.75	74.00	-35.25	V	Peak	Pass	Harmonic
35	Proprietary	147+155	-	-	-	-	-	-	-	Band Edge
	Proprietary	147+155	20115.00	39.36	74.00	-34.64	H	Peak	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	Proprietary	173+181	7244.26	52.16	68.20	-16.04	H	Avg.	Pass	Band Edge
	Proprietary	173+181	20505.00	39.75	74.00	-34.25	V	Peak	Pass	Harmonic
37	Proprietary	119+181	7156.35	54.01	68.20	-14.19	V	Avg.	Pass	Band Edge
	Proprietary	119+181	13710.00	46.86	68.20	-21.34	V	Avg.	Pass	Harmonic
38	Proprietary	119+127	-	-	-	-	-	-	-	Band Edge
	Proprietary	119+127	19755.00	34.67	54.00	-19.33	V	Avg.	Pass	Harmonic
39	Proprietary	147+155	-	-	-	-	-	-	-	Band Edge
	Proprietary	147+155	20175.00	34.94	54.00	-19.06	V	Avg.	Pass	Harmonic
40	Proprietary	173+181	7160.07	58.49	68.20	-9.71	H	Avg.	Pass	Band Edge
	Proprietary	173+181	13630.00	49.29	68.20	-18.91	V	Avg.	Pass	Harmonic
41	Proprietary	119+181	7160.07	57.97	68.20	-10.23	H	Avg.	Pass	Band Edge
	Proprietary	119+181	13710.00	52.57	68.20	-15.63	V	Avg.	Pass	Harmonic
42	Proprietary	119+127+135	-	-	-	-	-	-	-	Band Edge
	Proprietary	119+127+135	13250.00	44.48	54.00	-9.52	V	Avg.	Pass	Harmonic
43	Proprietary	139+147+155	-	-	-	-	-	-	-	Band Edge
	Proprietary	139+147+155	13370.00	42.88	54.00	-11.12	V	Avg.	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
44	Proprietary	165+173+181	7125.06	53.16	68.20	-15.04	H	Avg.	Pass	Band Edge
	Proprietary	165+173+181	20445.00	42.67	54.00	-11.33	V	Avg.	Pass	Harmonic
45	Proprietary	119+147+181	7133.25	54.69	68.20	-13.51	H	Avg.	Pass	Band Edge
	Proprietary	119+147+181	13370.00	42.51	54.00	-11.49	V	Avg.	Pass	Harmonic
46	Proprietary	119+127+135+143	-	-	-	-	-	-	-	Band Edge
	Proprietary	119+127+135+143	13250.00	42.94	54.00	-11.06	H	Avg.	Pass	Harmonic
47	Proprietary	139+147+155+163	-	-	-	-	-	-	-	Band Edge
	Proprietary	139+147+155+163	13370.00	43.08	54.00	-10.92	V	Avg.	Pass	Harmonic
48	Proprietary	157+165+173+181	7125.06	52.90	68.20	-15.30	H	Avg.	Pass	Band Edge
	Proprietary	157+165+173+181	20205.00	37.07	54.00	-16.93	H	Avg.	Pass	Harmonic
49	Proprietary	119+139+159+181	7125.06	53.07	68.20	-15.13	H	Avg.	Pass	Band Edge
	Proprietary	119+139+159+181	13290.00	44.66	54.00	-9.34	V	Avg.	Pass	Harmonic
50	LF	3+11	259.89	34.43	46.00	-11.57	H	Peak	Pass	LF





		1																																																																																									
Mode	Band Edge																																																																																										
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz																																																																																										
ANT	MIMO																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5918.24</td><td>62.40</td><td>88.20</td><td>-25.80</td><td>43.29</td><td>34.26</td><td>12.41</td><td>30.56</td><td>3.00</td><td></td><td>176</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5918.24	62.40	88.20	-25.80	43.29	34.26	12.41	30.56	3.00		176	360	Peak	Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5965.00</td><td>114.03</td><td>-----</td><td>-----</td><td>95.00</td><td>34.20</td><td>12.44</td><td>30.61</td><td>3.00</td><td></td><td>176</td><td>360</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5965.00	114.03	-----	-----	95.00	34.20	12.44	30.61	3.00		176	360	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5918.24	62.40	88.20	-25.80	43.29	34.26	12.41	30.56	3.00		176	360	Peak																																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5965.00	114.03	-----	-----	95.00	34.20	12.44	30.61	3.00		176	360	Peak																																																																															
Avg	Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5913.62</td><td>53.58</td><td>68.20</td><td>-14.62</td><td>34.47</td><td>34.27</td><td>12.40</td><td>30.56</td><td>3.00</td><td></td><td>176</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5913.62	53.58	68.20	-14.62	34.47	34.27	12.40	30.56	3.00		176	360	Average	Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5965.00</td><td>105.73</td><td>-----</td><td>-----</td><td>86.76</td><td>34.15</td><td>12.47</td><td>30.65</td><td>3.00</td><td></td><td>176</td><td>360</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5965.00	105.73	-----	-----	86.76	34.15	12.47	30.65	3.00		176	360	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5913.62	53.58	68.20	-14.62	34.47	34.27	12.40	30.56	3.00		176	360	Average																																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5965.00	105.73	-----	-----	86.76	34.15	12.47	30.65	3.00		176	360	Average																																																																															



		1																																																																																															
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz																																																																																																
ANT	MIMO																																																																																																
Pol.	Vertical												Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5894.72</td><td>63.02</td><td>88.20</td><td>-25.18</td><td>43.88</td><td>34.29</td><td>12.38</td><td>30.53</td><td>3.00</td><td></td><td>180</td><td>348</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>115.28</td><td>-----</td><td>-----</td><td>96.33</td><td>34.13</td><td>12.48</td><td>30.66</td><td>3.00</td><td></td><td>180</td><td>348</td><td>Peak</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5894.72	63.02	88.20	-25.18	43.88	34.29	12.38	30.53	3.00		180	348	Peak		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5965.00	115.28	-----	-----	96.33	34.13	12.48	30.66	3.00		180	348	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5894.72	63.02	88.20	-25.18	43.88	34.29	12.38	30.53	3.00		180	348	Peak																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5965.00	115.28	-----	-----	96.33	34.13	12.48	30.66	3.00		180	348	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5924.96</td><td>53.20</td><td>68.20</td><td>-15.00</td><td>34.11</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td></td><td>180</td><td>348</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2026-07-20 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>106.82</td><td>-----</td><td>-----</td><td>87.80</td><td>34.19</td><td>12.45</td><td>30.62</td><td>3.00</td><td></td><td>180</td><td>348</td><td>Average</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5924.96	53.20	68.20	-15.00	34.11	34.25	12.41	30.57	3.00		180	348	Average		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5965.00	106.82	-----	-----	87.80	34.19	12.45	30.62	3.00		180	348	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5924.96	53.20	68.20	-15.00	34.11	34.25	12.41	30.57	3.00		180	348	Average																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5965.00	106.82	-----	-----	87.80	34.19	12.45	30.62	3.00		180	348	Average																																																																																				





Mode	1																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz																																																																																																																							
ANT	MIMO																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>50.58</td><td>74.00</td><td>-23.42</td><td>36.66</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>300</td><td>311 Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.50</td><td>54.00</td><td>-12.50</td><td>27.50</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>300</td><td>311 Average</td></tr><tr><td>3</td><td>17895.00</td><td>53.90</td><td>74.00</td><td>-20.10</td><td>36.18</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>300</td><td>9 Peak</td></tr><tr><td>4</td><td>17895.00</td><td>42.92</td><td>54.00</td><td>-11.08</td><td>25.20</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>300</td><td>9 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	11930.00	50.58	74.00	-23.42	36.66	38.96	17.60	42.94	0.30	300	311 Peak	2	11930.00	41.50	54.00	-12.50	27.50	38.96	17.60	42.94	0.30	300	311 Average	3	17895.00	53.90	74.00	-20.10	36.18	41.24	21.60	45.49	0.37	300	9 Peak	4	17895.00	42.92	54.00	-11.08	25.20	41.24	21.60	45.49	0.37	300	9 Average	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>37.02</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>300</td><td>38 Peak</td></tr><tr><td>2</td><td>11930.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>27.76</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>300</td><td>38 Average</td></tr><tr><td>3</td><td>17895.00</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>36.28</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>200</td><td>119 Peak</td></tr><tr><td>4</td><td>17895.00</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>25.29</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>200</td><td>119 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg		1	11930.00	50.94	74.00	-23.06	37.02	38.96	17.60	42.94	0.30	300	38 Peak	2	11930.00	41.68	54.00	-12.32	27.76	38.96	17.60	42.94	0.30	300	38 Average	3	17895.00	54.00	74.00	-20.00	36.28	41.24	21.60	45.49	0.37	200	119 Peak	4	17895.00	43.01	54.00	-10.99	25.29	41.24	21.60	45.49	0.37	200	119 Average
		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																														
1	11930.00	50.58	74.00	-23.42	36.66	38.96	17.60	42.94	0.30	300	311 Peak																																																																																																													
2	11930.00	41.50	54.00	-12.50	27.50	38.96	17.60	42.94	0.30	300	311 Average																																																																																																													
3	17895.00	53.90	74.00	-20.10	36.18	41.24	21.60	45.49	0.37	300	9 Peak																																																																																																													
4	17895.00	42.92	54.00	-11.08	25.20	41.24	21.60	45.49	0.37	300	9 Average																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																															
1	11930.00	50.94	74.00	-23.06	37.02	38.96	17.60	42.94	0.30	300	38 Peak																																																																																																													
2	11930.00	41.68	54.00	-12.32	27.76	38.96	17.60	42.94	0.30	300	38 Average																																																																																																													
3	17895.00	54.00	74.00	-20.00	36.28	41.24	21.60	45.49	0.37	200	119 Peak																																																																																																													
4	17895.00	43.01	54.00	-10.99	25.29	41.24	21.60	45.49	0.37	200	119 Average																																																																																																													



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3_5965MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-07-31 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-07-31 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	2																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-5_5.925-6.425_Proprietary_CH43_6165MHz																																																																																																																																																
ANT	MIMO																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>37.00</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>200</td><td>17 Peak</td></tr><tr><td>2</td><td>12330.00</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>27.75</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>200</td><td>17 Average</td></tr><tr><td>3</td><td>18495.00</td><td>38.58</td><td>74.00</td><td>-35.42</td><td>52.09</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	52.24	74.00	-21.76	37.00	39.14	17.90	42.91	0.31	200	17 Peak	2	12330.00	42.19	54.00	-11.81	27.75	39.14	17.90	42.91	0.31	200	17 Average	3	18495.00	38.58	74.00	-35.42	52.09	37.99	22.03	64.79	-9.54	--	-- Peak	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>38.03</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>200</td><td>40 Peak</td></tr><tr><td>2</td><td>12330.00</td><td>44.04</td><td>54.00</td><td>-9.96</td><td>29.60</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>200</td><td>40 Average</td></tr><tr><td>3</td><td>18495.00</td><td>39.53</td><td>74.00</td><td>-34.47</td><td>53.84</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	52.47	74.00	-21.53	38.03	39.14	17.90	42.91	0.31	200	40 Peak	2	12330.00	44.04	54.00	-9.96	29.60	39.14	17.90	42.91	0.31	200	40 Average	3	18495.00	39.53	74.00	-34.47	53.84	37.99	22.03	64.79	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	12330.00	52.24	74.00	-21.76	37.00	39.14	17.90	42.91	0.31	200	17 Peak																																																																																																																																						
2	12330.00	42.19	54.00	-11.81	27.75	39.14	17.90	42.91	0.31	200	17 Average																																																																																																																																						
3	18495.00	38.58	74.00	-35.42	52.09	37.99	22.03	64.79	-9.54	--	-- Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	12330.00	52.47	74.00	-21.53	38.03	39.14	17.90	42.91	0.31	200	40 Peak																																																																																																																																						
2	12330.00	44.04	54.00	-9.96	29.60	39.14	17.90	42.91	0.31	200	40 Average																																																																																																																																						
3	18495.00	39.53	74.00	-34.47	53.84	37.99	22.03	64.79	-9.54	--	-- Peak																																																																																																																																						





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH43_6165MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-07-31 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-07-31 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH91_6405MHz																																																																																																																									
ANT	MIMO																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12810.00</td><td>52.79</td><td>88.20</td><td>-35.41</td><td>37.65</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23 200 330 Peak</td></tr><tr><td>2</td><td>12810.00</td><td>43.93</td><td>68.20</td><td>-24.27</td><td>28.79</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23 200 330 Average</td></tr><tr><td>3</td><td>19215.00</td><td>40.46</td><td>74.00</td><td>-33.54</td><td>53.64</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	12810.00	52.79	88.20	-35.41	37.65	39.64	18.24	42.97	0.23 200 330 Peak	2	12810.00	43.93	68.20	-24.27	28.79	39.64	18.24	42.97	0.23 200 330 Average	3	19215.00	40.46	74.00	-33.54	53.64	38.09	22.51	64.24	-9.54 -- -- Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>12810.00</td><td>54.10</td><td>88.20</td><td>-34.10</td><td>38.96</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23 200 36 Peak</td></tr><tr><td>2</td><td>12810.00</td><td>45.06</td><td>68.20</td><td>-23.14</td><td>29.92</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23 200 36 Average</td></tr><tr><td>3</td><td>19215.00</td><td>40.70</td><td>74.00</td><td>-33.30</td><td>53.88</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	12810.00	54.10	88.20	-34.10	38.96	39.64	18.24	42.97	0.23 200 36 Peak	2	12810.00	45.06	68.20	-23.14	29.92	39.64	18.24	42.97	0.23 200 36 Average	3	19215.00	40.70	74.00	-33.30	53.88	38.09	22.51	64.24	-9.54 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1	12810.00	52.79	88.20	-35.41	37.65	39.64	18.24	42.97	0.23 200 330 Peak																																																																																																																	
2	12810.00	43.93	68.20	-24.27	28.79	39.64	18.24	42.97	0.23 200 330 Average																																																																																																																	
3	19215.00	40.46	74.00	-33.54	53.64	38.09	22.51	64.24	-9.54 -- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1	12810.00	54.10	88.20	-34.10	38.96	39.64	18.24	42.97	0.23 200 36 Peak																																																																																																																	
2	12810.00	45.06	68.20	-23.14	29.92	39.64	18.24	42.97	0.23 200 36 Average																																																																																																																	
3	19215.00	40.70	74.00	-33.30	53.88	38.09	22.51	64.24	-9.54 -- -- Peak																																																																																																																	
Avg																																																																																																																										



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH91_6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



		4																																																																																									
Mode	Band Edge																																																																																										
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz																																																																																										
ANT	MIMO																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-07-16 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5925.00</td><td>69.67</td><td>88.20</td><td>-18.53</td><td>50.58</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td></td><td>200</td><td></td><td>6 Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5925.00	69.67	88.20	-18.53	50.58	34.25	12.41	30.57	3.00		200		6 Peak	Level (dBuV/m) Date: 2026-07-16 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5985.00</td><td>109.62</td><td>-----</td><td>-----</td><td>90.62</td><td>34.17</td><td>12.46</td><td>30.63</td><td>3.00</td><td></td><td>200</td><td></td><td>6 Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5985.00	109.62	-----	-----	90.62	34.17	12.46	30.63	3.00		200		6 Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5925.00	69.67	88.20	-18.53	50.58	34.25	12.41	30.57	3.00		200		6 Peak																																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5985.00	109.62	-----	-----	90.62	34.17	12.46	30.63	3.00		200		6 Peak																																																																															
Avg	Level (dBuV/m) Date: 2026-07-16 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5925.00</td><td>64.94</td><td>68.20</td><td>-3.26</td><td>45.85</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td></td><td>200</td><td></td><td>6 Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5925.00	64.94	68.20	-3.26	45.85	34.25	12.41	30.57	3.00		200		6 Average	Level (dBuV/m) Date: 2026-07-16 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5985.00</td><td>100.78</td><td>-----</td><td>-----</td><td>81.78</td><td>34.17</td><td>12.46</td><td>30.63</td><td>3.00</td><td></td><td>200</td><td></td><td>6 Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5985.00	100.78	-----	-----	81.78	34.17	12.46	30.63	3.00		200		6 Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5925.00	64.94	68.20	-3.26	45.85	34.25	12.41	30.57	3.00		200		6 Average																																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 5985.00	100.78	-----	-----	81.78	34.17	12.46	30.63	3.00		200		6 Average																																																																															