





Mode	13																																																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_Proprietary_CH43+51+59_6165+6205+6245MHz																																																																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																												
Peak	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12330.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>35.91</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>200 48 Peak</td></tr><tr><td>2 12330.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>27.58</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>200 48 Average</td></tr><tr><td>3 12410.00</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>36.00</td><td>38.92</td><td>17.96</td><td>42.88</td><td>0.31</td><td>200 54 Peak</td></tr><tr><td>4 12410.00</td><td>41.87</td><td>54.00</td><td>-12.13</td><td>27.56</td><td>38.92</td><td>17.96</td><td>42.88</td><td>0.31</td><td>200 54 Average</td></tr><tr><td>5 12490.00</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>35.91</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td><td>100 54 Peak</td></tr><tr><td>6 12490.00</td><td>43.73</td><td>54.00</td><td>-10.27</td><td>29.09</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td><td>100 54 Average</td></tr><tr><td>7 18495.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>56.48</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>150 286 Peak</td></tr><tr><td>8 18495.00</td><td>36.03</td><td>54.00</td><td>-17.97</td><td>50.34</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>150 286 Average</td></tr><tr><td>9 18615.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>54.53</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>200 307 Peak</td></tr><tr><td>10 18615.00</td><td>31.64</td><td>54.00</td><td>-22.36</td><td>45.72</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>200 307 Average</td></tr><tr><td>11 18735.00</td><td>42.25</td><td>74.00</td><td>-31.75</td><td>56.03</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td><td>300 181 Peak</td></tr><tr><td>12 18735.00</td><td>35.50</td><td>54.00</td><td>-18.50</td><td>49.28</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td><td>300 181 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12330.00	50.35	74.00	-23.65	35.91	39.14	17.90	42.91	0.31	200 48 Peak	2 12330.00	42.02	54.00	-11.98	27.58	39.14	17.90	42.91	0.31	200 48 Average	3 12410.00	50.39	74.00	-23.61	36.00	38.92	17.96	42.88	0.31	200 54 Peak	4 12410.00	41.87	54.00	-12.13	27.56	38.92	17.96	42.88	0.31	200 54 Average	5 12490.00	50.55	74.00	-23.45	35.91	39.16	18.01	42.85	0.32	100 54 Peak	6 12490.00	43.73	54.00	-10.27	29.09	39.16	18.01	42.85	0.32	100 54 Average	7 18495.00	42.17	74.00	-31.83	56.48	37.99	22.03	64.79	-9.54	150 286 Peak	8 18495.00	36.03	54.00	-17.97	50.34	37.99	22.03	64.79	-9.54	150 286 Average	9 18615.00	40.45	74.00	-33.55	54.53	38.00	22.12	64.66	-9.54	200 307 Peak	10 18615.00	31.64	54.00	-22.36	45.72	38.00	22.12	64.66	-9.54	200 307 Average	11 18735.00	42.25	74.00	-31.75	56.03	38.07	22.21	64.52	-9.54	300 181 Peak	12 18735.00	35.50	54.00	-18.50	49.28	38.07	22.21	64.52	-9.54	300 181 Average	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12330.00</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>35.88</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>250 312 Peak</td></tr><tr><td>2 12330.00</td><td>41.12</td><td>54.00</td><td>-12.88</td><td>26.68</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>250 312 Average</td></tr><tr><td>3 12410.00</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>35.88</td><td>38.92</td><td>17.96</td><td>42.80</td><td>0.31</td><td>200 323 Peak</td></tr><tr><td>4 12410.00</td><td>41.96</td><td>54.00</td><td>-12.04</td><td>27.65</td><td>38.92</td><td>17.96</td><td>42.88</td><td>0.31</td><td>200 323 Average</td></tr><tr><td>5 12490.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>37.97</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td><td>200 46 Peak</td></tr><tr><td>6 12490.00</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>33.62</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td><td>200 46 Average</td></tr><tr><td>7 18495.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>54.14</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>100 282 Peak</td></tr><tr><td>8 18495.00</td><td>32.34</td><td>54.00</td><td>-21.66</td><td>46.65</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>100 282 Average</td></tr><tr><td>9 18615.00</td><td>40.20</td><td>74.00</td><td>-33.80</td><td>54.28</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>100 360 Peak</td></tr><tr><td>10 18615.00</td><td>31.57</td><td>54.00</td><td>-22.43</td><td>45.65</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>100 360 Average</td></tr><tr><td>11 18735.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>54.82</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td><td>200 7 Peak</td></tr><tr><td>12 18735.00</td><td>32.53</td><td>54.00</td><td>-21.47</td><td>46.31</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td><td>200 7 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12330.00	50.32	74.00	-23.68	35.88	39.14	17.90	42.91	0.31	250 312 Peak	2 12330.00	41.12	54.00	-12.88	26.68	39.14	17.90	42.91	0.31	250 312 Average	3 12410.00	50.19	74.00	-23.81	35.88	38.92	17.96	42.80	0.31	200 323 Peak	4 12410.00	41.96	54.00	-12.04	27.65	38.92	17.96	42.88	0.31	200 323 Average	5 12490.00	52.61	74.00	-21.39	37.97	39.16	18.01	42.85	0.32	200 46 Peak	6 12490.00	48.26	54.00	-5.74	33.62	39.16	18.01	42.85	0.32	200 46 Average	7 18495.00	39.83	74.00	-34.17	54.14	37.99	22.03	64.79	-9.54	100 282 Peak	8 18495.00	32.34	54.00	-21.66	46.65	37.99	22.03	64.79	-9.54	100 282 Average	9 18615.00	40.20	74.00	-33.80	54.28	38.00	22.12	64.66	-9.54	100 360 Peak	10 18615.00	31.57	54.00	-22.43	45.65	38.00	22.12	64.66	-9.54	100 360 Average	11 18735.00	41.04	74.00	-32.96	54.82	38.07	22.21	64.52	-9.54	200 7 Peak	12 18735.00	32.53	54.00	-21.47	46.31	38.07	22.21	64.52	-9.54	200 7 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 12330.00	50.35	74.00	-23.65	35.91	39.14	17.90	42.91	0.31	200 48 Peak																																																																																																																																																																																																																																																																																																					
2 12330.00	42.02	54.00	-11.98	27.58	39.14	17.90	42.91	0.31	200 48 Average																																																																																																																																																																																																																																																																																																					
3 12410.00	50.39	74.00	-23.61	36.00	38.92	17.96	42.88	0.31	200 54 Peak																																																																																																																																																																																																																																																																																																					
4 12410.00	41.87	54.00	-12.13	27.56	38.92	17.96	42.88	0.31	200 54 Average																																																																																																																																																																																																																																																																																																					
5 12490.00	50.55	74.00	-23.45	35.91	39.16	18.01	42.85	0.32	100 54 Peak																																																																																																																																																																																																																																																																																																					
6 12490.00	43.73	54.00	-10.27	29.09	39.16	18.01	42.85	0.32	100 54 Average																																																																																																																																																																																																																																																																																																					
7 18495.00	42.17	74.00	-31.83	56.48	37.99	22.03	64.79	-9.54	150 286 Peak																																																																																																																																																																																																																																																																																																					
8 18495.00	36.03	54.00	-17.97	50.34	37.99	22.03	64.79	-9.54	150 286 Average																																																																																																																																																																																																																																																																																																					
9 18615.00	40.45	74.00	-33.55	54.53	38.00	22.12	64.66	-9.54	200 307 Peak																																																																																																																																																																																																																																																																																																					
10 18615.00	31.64	54.00	-22.36	45.72	38.00	22.12	64.66	-9.54	200 307 Average																																																																																																																																																																																																																																																																																																					
11 18735.00	42.25	74.00	-31.75	56.03	38.07	22.21	64.52	-9.54	300 181 Peak																																																																																																																																																																																																																																																																																																					
12 18735.00	35.50	54.00	-18.50	49.28	38.07	22.21	64.52	-9.54	300 181 Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 12330.00	50.32	74.00	-23.68	35.88	39.14	17.90	42.91	0.31	250 312 Peak																																																																																																																																																																																																																																																																																																					
2 12330.00	41.12	54.00	-12.88	26.68	39.14	17.90	42.91	0.31	250 312 Average																																																																																																																																																																																																																																																																																																					
3 12410.00	50.19	74.00	-23.81	35.88	38.92	17.96	42.80	0.31	200 323 Peak																																																																																																																																																																																																																																																																																																					
4 12410.00	41.96	54.00	-12.04	27.65	38.92	17.96	42.88	0.31	200 323 Average																																																																																																																																																																																																																																																																																																					
5 12490.00	52.61	74.00	-21.39	37.97	39.16	18.01	42.85	0.32	200 46 Peak																																																																																																																																																																																																																																																																																																					
6 12490.00	48.26	54.00	-5.74	33.62	39.16	18.01	42.85	0.32	200 46 Average																																																																																																																																																																																																																																																																																																					
7 18495.00	39.83	74.00	-34.17	54.14	37.99	22.03	64.79	-9.54	100 282 Peak																																																																																																																																																																																																																																																																																																					
8 18495.00	32.34	54.00	-21.66	46.65	37.99	22.03	64.79	-9.54	100 282 Average																																																																																																																																																																																																																																																																																																					
9 18615.00	40.20	74.00	-33.80	54.28	38.00	22.12	64.66	-9.54	100 360 Peak																																																																																																																																																																																																																																																																																																					
10 18615.00	31.57	54.00	-22.43	45.65	38.00	22.12	64.66	-9.54	100 360 Average																																																																																																																																																																																																																																																																																																					
11 18735.00	41.04	74.00	-32.96	54.82	38.07	22.21	64.52	-9.54	200 7 Peak																																																																																																																																																																																																																																																																																																					
12 18735.00	32.53	54.00	-21.47	46.31	38.07	22.21	64.52	-9.54	200 7 Average																																																																																																																																																																																																																																																																																																					



Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH43+51+59_6165+6205+6245MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-05  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL







Mode	14																																																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_Proprietary_CH75+83+91_6325+6365+6405MHz																																																																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12650.00</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>35.16</td><td>39.50</td><td>18.13</td><td>42.91</td><td>0.28</td><td>250 0 Peak</td></tr><tr><td>2 12650.00</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>26.00</td><td>39.50</td><td>18.13</td><td>42.91</td><td>0.28</td><td>250 0 Average</td></tr><tr><td>3 12730.00</td><td>50.98</td><td>68.20</td><td>-37.22</td><td>35.97</td><td>39.50</td><td>18.19</td><td>42.94</td><td>0.26</td><td>100 301 Peak</td></tr><tr><td>4 12730.00</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>29.48</td><td>39.50</td><td>18.19</td><td>42.94</td><td>0.26</td><td>100 301 Average</td></tr><tr><td>5 12810.00</td><td>50.86</td><td>68.20</td><td>-37.34</td><td>35.72</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>300 331 Peak</td></tr><tr><td>6 12810.00</td><td>41.22</td><td>68.20</td><td>-26.98</td><td>26.00</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>300 331 Average</td></tr><tr><td>7 18975.00</td><td>42.91</td><td>74.00</td><td>-31.09</td><td>56.25</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>300 19 Peak</td></tr><tr><td>8 18975.00</td><td>36.98</td><td>54.00</td><td>-17.02</td><td>50.32</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>300 19 Average</td></tr><tr><td>9 19095.00</td><td>41.33</td><td>74.00</td><td>-32.67</td><td>54.62</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>200 211 Peak</td></tr><tr><td>10 19095.00</td><td>32.63</td><td>54.00</td><td>-21.37</td><td>45.92</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>200 211 Average</td></tr><tr><td>11 19215.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>56.12</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>300 83 Peak</td></tr><tr><td>12 19215.00</td><td>36.20</td><td>54.00</td><td>-17.80</td><td>49.38</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>300 83 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12650.00	50.16	74.00	-23.84	35.16	39.50	18.13	42.91	0.28	250 0 Peak	2 12650.00	41.60	54.00	-12.40	26.00	39.50	18.13	42.91	0.28	250 0 Average	3 12730.00	50.98	68.20	-37.22	35.97	39.50	18.19	42.94	0.26	100 301 Peak	4 12730.00	44.49	68.20	-23.71	29.48	39.50	18.19	42.94	0.26	100 301 Average	5 12810.00	50.86	68.20	-37.34	35.72	39.64	18.24	42.97	0.23	300 331 Peak	6 12810.00	41.22	68.20	-26.98	26.00	39.64	18.24	42.97	0.23	300 331 Average	7 18975.00	42.91	74.00	-31.09	56.25	38.05	22.38	64.23	-9.54	300 19 Peak	8 18975.00	36.98	54.00	-17.02	50.32	38.05	22.38	64.23	-9.54	300 19 Average	9 19095.00	41.33	74.00	-32.67	54.62	38.02	22.45	64.22	-9.54	200 211 Peak	10 19095.00	32.63	54.00	-21.37	45.92	38.02	22.45	64.22	-9.54	200 211 Average	11 19215.00	42.94	74.00	-31.06	56.12	38.09	22.51	64.24	-9.54	300 83 Peak	12 19215.00	36.20	54.00	-17.80	49.38	38.09	22.51	64.24	-9.54	300 83 Average	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12650.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>35.46</td><td>39.50</td><td>18.13</td><td>42.91</td><td>0.28</td><td>350 47 Peak</td></tr><tr><td>2 12650.00</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>26.01</td><td>39.50</td><td>18.13</td><td>42.91</td><td>0.28</td><td>350 47 Average</td></tr><tr><td>3 12730.00</td><td>53.50</td><td>68.20</td><td>-34.70</td><td>38.49</td><td>39.50</td><td>18.19</td><td>42.94</td><td>0.26</td><td>200 308 Peak</td></tr><tr><td>4 12730.00</td><td>48.74</td><td>68.20</td><td>-19.46</td><td>33.73</td><td>39.50</td><td>18.19</td><td>42.94</td><td>0.26</td><td>200 308 Average</td></tr><tr><td>5 12810.00</td><td>51.34</td><td>68.20</td><td>-36.86</td><td>36.20</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>200 43 Peak</td></tr><tr><td>6 12810.00</td><td>42.61</td><td>68.20</td><td>-25.59</td><td>27.47</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>200 43 Average</td></tr><tr><td>7 18975.00</td><td>40.82</td><td>74.00</td><td>-33.18</td><td>54.16</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>200 189 Peak</td></tr><tr><td>8 18975.00</td><td>33.14</td><td>54.00</td><td>-20.86</td><td>46.48</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>200 189 Average</td></tr><tr><td>9 19095.00</td><td>41.24</td><td>74.00</td><td>-32.76</td><td>54.53</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>100 136 Peak</td></tr><tr><td>10 19095.00</td><td>32.40</td><td>54.00</td><td>-21.60</td><td>45.69</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>100 136 Average</td></tr><tr><td>11 19215.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>54.92</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>136 0 Peak</td></tr><tr><td>12 19215.00</td><td>33.08</td><td>54.00</td><td>-20.92</td><td>46.26</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>136 0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12650.00	50.46	74.00	-23.54	35.46	39.50	18.13	42.91	0.28	350 47 Peak	2 12650.00	41.01	54.00	-12.99	26.01	39.50	18.13	42.91	0.28	350 47 Average	3 12730.00	53.50	68.20	-34.70	38.49	39.50	18.19	42.94	0.26	200 308 Peak	4 12730.00	48.74	68.20	-19.46	33.73	39.50	18.19	42.94	0.26	200 308 Average	5 12810.00	51.34	68.20	-36.86	36.20	39.64	18.24	42.97	0.23	200 43 Peak	6 12810.00	42.61	68.20	-25.59	27.47	39.64	18.24	42.97	0.23	200 43 Average	7 18975.00	40.82	74.00	-33.18	54.16	38.05	22.38	64.23	-9.54	200 189 Peak	8 18975.00	33.14	54.00	-20.86	46.48	38.05	22.38	64.23	-9.54	200 189 Average	9 19095.00	41.24	74.00	-32.76	54.53	38.02	22.45	64.22	-9.54	100 136 Peak	10 19095.00	32.40	54.00	-21.60	45.69	38.02	22.45	64.22	-9.54	100 136 Average	11 19215.00	41.74	74.00	-32.26	54.92	38.09	22.51	64.24	-9.54	136 0 Peak	12 19215.00	33.08	54.00	-20.92	46.26	38.09	22.51	64.24	-9.54	136 0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 12650.00	50.16	74.00	-23.84	35.16	39.50	18.13	42.91	0.28	250 0 Peak																																																																																																																																																																																																																																																																																																					
2 12650.00	41.60	54.00	-12.40	26.00	39.50	18.13	42.91	0.28	250 0 Average																																																																																																																																																																																																																																																																																																					
3 12730.00	50.98	68.20	-37.22	35.97	39.50	18.19	42.94	0.26	100 301 Peak																																																																																																																																																																																																																																																																																																					
4 12730.00	44.49	68.20	-23.71	29.48	39.50	18.19	42.94	0.26	100 301 Average																																																																																																																																																																																																																																																																																																					
5 12810.00	50.86	68.20	-37.34	35.72	39.64	18.24	42.97	0.23	300 331 Peak																																																																																																																																																																																																																																																																																																					
6 12810.00	41.22	68.20	-26.98	26.00	39.64	18.24	42.97	0.23	300 331 Average																																																																																																																																																																																																																																																																																																					
7 18975.00	42.91	74.00	-31.09	56.25	38.05	22.38	64.23	-9.54	300 19 Peak																																																																																																																																																																																																																																																																																																					
8 18975.00	36.98	54.00	-17.02	50.32	38.05	22.38	64.23	-9.54	300 19 Average																																																																																																																																																																																																																																																																																																					
9 19095.00	41.33	74.00	-32.67	54.62	38.02	22.45	64.22	-9.54	200 211 Peak																																																																																																																																																																																																																																																																																																					
10 19095.00	32.63	54.00	-21.37	45.92	38.02	22.45	64.22	-9.54	200 211 Average																																																																																																																																																																																																																																																																																																					
11 19215.00	42.94	74.00	-31.06	56.12	38.09	22.51	64.24	-9.54	300 83 Peak																																																																																																																																																																																																																																																																																																					
12 19215.00	36.20	54.00	-17.80	49.38	38.09	22.51	64.24	-9.54	300 83 Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 12650.00	50.46	74.00	-23.54	35.46	39.50	18.13	42.91	0.28	350 47 Peak																																																																																																																																																																																																																																																																																																					
2 12650.00	41.01	54.00	-12.99	26.01	39.50	18.13	42.91	0.28	350 47 Average																																																																																																																																																																																																																																																																																																					
3 12730.00	53.50	68.20	-34.70	38.49	39.50	18.19	42.94	0.26	200 308 Peak																																																																																																																																																																																																																																																																																																					
4 12730.00	48.74	68.20	-19.46	33.73	39.50	18.19	42.94	0.26	200 308 Average																																																																																																																																																																																																																																																																																																					
5 12810.00	51.34	68.20	-36.86	36.20	39.64	18.24	42.97	0.23	200 43 Peak																																																																																																																																																																																																																																																																																																					
6 12810.00	42.61	68.20	-25.59	27.47	39.64	18.24	42.97	0.23	200 43 Average																																																																																																																																																																																																																																																																																																					
7 18975.00	40.82	74.00	-33.18	54.16	38.05	22.38	64.23	-9.54	200 189 Peak																																																																																																																																																																																																																																																																																																					
8 18975.00	33.14	54.00	-20.86	46.48	38.05	22.38	64.23	-9.54	200 189 Average																																																																																																																																																																																																																																																																																																					
9 19095.00	41.24	74.00	-32.76	54.53	38.02	22.45	64.22	-9.54	100 136 Peak																																																																																																																																																																																																																																																																																																					
10 19095.00	32.40	54.00	-21.60	45.69	38.02	22.45	64.22	-9.54	100 136 Average																																																																																																																																																																																																																																																																																																					
11 19215.00	41.74	74.00	-32.26	54.92	38.09	22.51	64.24	-9.54	136 0 Peak																																																																																																																																																																																																																																																																																																					
12 19215.00	33.08	54.00	-20.92	46.26	38.09	22.51	64.24	-9.54	136 0 Average																																																																																																																																																																																																																																																																																																					



Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH75+83+91_6325+6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-05 Frequency (MHz) Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Frequency (MHz) Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



Mode	15																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz																																																																																																																			
ANT	MIMO																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>65.63</td><td>88.20</td><td>-22.57</td><td>46.54</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td>186</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5925.00	65.63	88.20	-22.57	46.54	34.25	12.41	30.57	3.00	186	360	Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.66</td><td>-----</td><td>-----</td><td>86.67</td><td>34.16</td><td>12.47</td><td>30.64</td><td>3.00</td><td>186</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>6165.00</td><td>115.73</td><td>-----</td><td>-----</td><td>96.91</td><td>34.12</td><td>12.63</td><td>30.93</td><td>3.00</td><td>186</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>6405.00</td><td>90.90</td><td>-----</td><td>-----</td><td>71.55</td><td>34.81</td><td>12.86</td><td>31.32</td><td>3.00</td><td>186</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5965.00	105.66	-----	-----	86.67	34.16	12.47	30.64	3.00	186	360	Peak	2	6165.00	115.73	-----	-----	96.91	34.12	12.63	30.93	3.00	186	360	Peak	3	6405.00	90.90	-----	-----	71.55	34.81	12.86	31.32	3.00	186	360	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	5925.00	65.63	88.20	-22.57	46.54	34.25	12.41	30.57	3.00	186	360	Peak																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	5965.00	105.66	-----	-----	86.67	34.16	12.47	30.64	3.00	186	360	Peak																																																																																																								
2	6165.00	115.73	-----	-----	96.91	34.12	12.63	30.93	3.00	186	360	Peak																																																																																																								
3	6405.00	90.90	-----	-----	71.55	34.81	12.86	31.32	3.00	186	360	Peak																																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>61.24</td><td>68.20</td><td>-6.96</td><td>42.15</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td>186</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5925.00	61.24	68.20	-6.96	42.15	34.25	12.41	30.57	3.00	186	360	Average	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>97.55</td><td>-----</td><td>-----</td><td>78.58</td><td>34.15</td><td>12.47</td><td>30.65</td><td>3.00</td><td>186</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>6165.00</td><td>106.84</td><td>-----</td><td>-----</td><td>88.02</td><td>34.12</td><td>12.63</td><td>30.93</td><td>3.00</td><td>186</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>6405.00</td><td>82.30</td><td>-----</td><td>-----</td><td>62.95</td><td>34.81</td><td>12.86</td><td>31.32</td><td>3.00</td><td>186</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5965.00	97.55	-----	-----	78.58	34.15	12.47	30.65	3.00	186	360	Average	2	6165.00	106.84	-----	-----	88.02	34.12	12.63	30.93	3.00	186	360	Average	3	6405.00	82.30	-----	-----	62.95	34.81	12.86	31.32	3.00	186	360	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	5925.00	61.24	68.20	-6.96	42.15	34.25	12.41	30.57	3.00	186	360	Average																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	5965.00	97.55	-----	-----	78.58	34.15	12.47	30.65	3.00	186	360	Average																																																																																																								
2	6165.00	106.84	-----	-----	88.02	34.12	12.63	30.93	3.00	186	360	Average																																																																																																								
3	6405.00	82.30	-----	-----	62.95	34.81	12.86	31.32	3.00	186	360	Average																																																																																																								



		15											
Mode	Band Edge												
	U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz												
ANT	MIMO												
Pol.	Vertical						Fundamental						
Peak	Level (dBuV/m) Date: 2026-07-21												







Mode	15																																																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz																																																																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>35.54</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>157 0 Peak</td></tr><tr><td>2 11930.00</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>26.49</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>157 0 Average</td></tr><tr><td>3 12330.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>36.04</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>134 0 Peak</td></tr><tr><td>4 12330.00</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>26.04</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>134 0 Average</td></tr><tr><td>5 12810.00</td><td>51.17</td><td>88.20</td><td>-37.03</td><td>36.03</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>300 330 Peak</td></tr><tr><td>6 12810.00</td><td>41.31</td><td>68.20</td><td>-26.89</td><td>26.17</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>300 330 Average</td></tr><tr><td>7 17895.00</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>36.14</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>400 137 Peak</td></tr><tr><td>8 17895.00</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>25.23</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>400 137 Average</td></tr><tr><td>9 18495.00</td><td>40.20</td><td>74.00</td><td>-33.80</td><td>54.51</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>100 358 Peak</td></tr><tr><td>10 18495.00</td><td>31.47</td><td>54.00</td><td>-22.53</td><td>45.78</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>100 358 Average</td></tr><tr><td>11 19215.00</td><td>42.98</td><td>74.00</td><td>-31.02</td><td>56.16</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>200 308 Peak</td></tr><tr><td>12 19215.00</td><td>36.20</td><td>54.00</td><td>-17.80</td><td>49.38</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>200 308 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	49.46	74.00	-24.54	35.54	38.96	17.60	42.94	0.30	157 0 Peak	2 11930.00	40.41	54.00	-13.59	26.49	38.96	17.60	42.94	0.30	157 0 Average	3 12330.00	50.48	74.00	-23.52	36.04	39.14	17.90	42.91	0.31	134 0 Peak	4 12330.00	41.28	54.00	-12.72	26.04	39.14	17.90	42.91	0.31	134 0 Average	5 12810.00	51.17	88.20	-37.03	36.03	39.64	18.24	42.97	0.23	300 330 Peak	6 12810.00	41.31	68.20	-26.89	26.17	39.64	18.24	42.97	0.23	300 330 Average	7 17895.00	53.86	74.00	-20.14	36.14	41.24	21.60	45.49	0.37	400 137 Peak	8 17895.00	42.95	54.00	-11.05	25.23	41.24	21.60	45.49	0.37	400 137 Average	9 18495.00	40.20	74.00	-33.80	54.51	37.99	22.03	64.79	-9.54	100 358 Peak	10 18495.00	31.47	54.00	-22.53	45.78	37.99	22.03	64.79	-9.54	100 358 Average	11 19215.00	42.98	74.00	-31.02	56.16	38.09	22.51	64.24	-9.54	200 308 Peak	12 19215.00	36.20	54.00	-17.80	49.38	38.09	22.51	64.24	-9.54	200 308 Average	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>49.68</td><td>74.00</td><td>-24.32</td><td>35.76</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>200 319 Peak</td></tr><tr><td>2 11930.00</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>26.75</td><td>38.96</td><td>17.60</td><td>42.94</td><td>0.30</td><td>200 319 Average</td></tr><tr><td>3 12330.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>36.42</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>300 332 Peak</td></tr><tr><td>4 12330.00</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>26.42</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>300 332 Average</td></tr><tr><td>5 12810.00</td><td>51.19</td><td>88.20</td><td>-37.01</td><td>36.05</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>200 46 Peak</td></tr><tr><td>6 12810.00</td><td>42.45</td><td>68.20</td><td>-25.75</td><td>27.31</td><td>39.64</td><td>18.24</td><td>42.97</td><td>0.23</td><td>200 46 Average</td></tr><tr><td>7 17895.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>35.32</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>200 18 Peak</td></tr><tr><td>8 17895.00</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>25.25</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>200 18 Average</td></tr><tr><td>9 18495.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>54.26</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>195 360 Peak</td></tr><tr><td>10 18495.00</td><td>31.47</td><td>54.00</td><td>-22.53</td><td>45.78</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td><td>195 360 Average</td></tr><tr><td>11 19215.00</td><td>41.68</td><td>74.00</td><td>-32.32</td><td>54.86</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>116 360 Peak</td></tr><tr><td>12 19215.00</td><td>33.14</td><td>54.00</td><td>-20.86</td><td>46.32</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>116 360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	49.68	74.00	-24.32	35.76	38.96	17.60	42.94	0.30	200 319 Peak	2 11930.00	40.67	54.00	-13.33	26.75	38.96	17.60	42.94	0.30	200 319 Average	3 12330.00	50.86	74.00	-23.14	36.42	39.14	17.90	42.91	0.31	300 332 Peak	4 12330.00	40.86	54.00	-13.14	26.42	39.14	17.90	42.91	0.31	300 332 Average	5 12810.00	51.19	88.20	-37.01	36.05	39.64	18.24	42.97	0.23	200 46 Peak	6 12810.00	42.45	68.20	-25.75	27.31	39.64	18.24	42.97	0.23	200 46 Average	7 17895.00	53.04	74.00	-20.96	35.32	41.24	21.60	45.49	0.37	200 18 Peak	8 17895.00	42.97	54.00	-11.03	25.25	41.24	21.60	45.49	0.37	200 18 Average	9 18495.00	39.95	74.00	-34.05	54.26	37.99	22.03	64.79	-9.54	195 360 Peak	10 18495.00	31.47	54.00	-22.53	45.78	37.99	22.03	64.79	-9.54	195 360 Average	11 19215.00	41.68	74.00	-32.32	54.86	38.09	22.51	64.24	-9.54	116 360 Peak	12 19215.00	33.14	54.00	-20.86	46.32	38.09	22.51	64.24	-9.54	116 360 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 11930.00	49.46	74.00	-24.54	35.54	38.96	17.60	42.94	0.30	157 0 Peak																																																																																																																																																																																																																																																																																																					
2 11930.00	40.41	54.00	-13.59	26.49	38.96	17.60	42.94	0.30	157 0 Average																																																																																																																																																																																																																																																																																																					
3 12330.00	50.48	74.00	-23.52	36.04	39.14	17.90	42.91	0.31	134 0 Peak																																																																																																																																																																																																																																																																																																					
4 12330.00	41.28	54.00	-12.72	26.04	39.14	17.90	42.91	0.31	134 0 Average																																																																																																																																																																																																																																																																																																					
5 12810.00	51.17	88.20	-37.03	36.03	39.64	18.24	42.97	0.23	300 330 Peak																																																																																																																																																																																																																																																																																																					
6 12810.00	41.31	68.20	-26.89	26.17	39.64	18.24	42.97	0.23	300 330 Average																																																																																																																																																																																																																																																																																																					
7 17895.00	53.86	74.00	-20.14	36.14	41.24	21.60	45.49	0.37	400 137 Peak																																																																																																																																																																																																																																																																																																					
8 17895.00	42.95	54.00	-11.05	25.23	41.24	21.60	45.49	0.37	400 137 Average																																																																																																																																																																																																																																																																																																					
9 18495.00	40.20	74.00	-33.80	54.51	37.99	22.03	64.79	-9.54	100 358 Peak																																																																																																																																																																																																																																																																																																					
10 18495.00	31.47	54.00	-22.53	45.78	37.99	22.03	64.79	-9.54	100 358 Average																																																																																																																																																																																																																																																																																																					
11 19215.00	42.98	74.00	-31.02	56.16	38.09	22.51	64.24	-9.54	200 308 Peak																																																																																																																																																																																																																																																																																																					
12 19215.00	36.20	54.00	-17.80	49.38	38.09	22.51	64.24	-9.54	200 308 Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 11930.00	49.68	74.00	-24.32	35.76	38.96	17.60	42.94	0.30	200 319 Peak																																																																																																																																																																																																																																																																																																					
2 11930.00	40.67	54.00	-13.33	26.75	38.96	17.60	42.94	0.30	200 319 Average																																																																																																																																																																																																																																																																																																					
3 12330.00	50.86	74.00	-23.14	36.42	39.14	17.90	42.91	0.31	300 332 Peak																																																																																																																																																																																																																																																																																																					
4 12330.00	40.86	54.00	-13.14	26.42	39.14	17.90	42.91	0.31	300 332 Average																																																																																																																																																																																																																																																																																																					
5 12810.00	51.19	88.20	-37.01	36.05	39.64	18.24	42.97	0.23	200 46 Peak																																																																																																																																																																																																																																																																																																					
6 12810.00	42.45	68.20	-25.75	27.31	39.64	18.24	42.97	0.23	200 46 Average																																																																																																																																																																																																																																																																																																					
7 17895.00	53.04	74.00	-20.96	35.32	41.24	21.60	45.49	0.37	200 18 Peak																																																																																																																																																																																																																																																																																																					
8 17895.00	42.97	54.00	-11.03	25.25	41.24	21.60	45.49	0.37	200 18 Average																																																																																																																																																																																																																																																																																																					
9 18495.00	39.95	74.00	-34.05	54.26	37.99	22.03	64.79	-9.54	195 360 Peak																																																																																																																																																																																																																																																																																																					
10 18495.00	31.47	54.00	-22.53	45.78	37.99	22.03	64.79	-9.54	195 360 Average																																																																																																																																																																																																																																																																																																					
11 19215.00	41.68	74.00	-32.32	54.86	38.09	22.51	64.24	-9.54	116 360 Peak																																																																																																																																																																																																																																																																																																					
12 19215.00	33.14	54.00	-20.86	46.32	38.09	22.51	64.24	-9.54	116 360 Average																																																																																																																																																																																																																																																																																																					



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+43+91_5965+6165+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



		16																																																																																										
Mode	Band Edge																																																																																											
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19+27_5965+6005+6045+6085MHz																																																																																											
ANT	MIMO																																																																																											
Pol.	Horizontal												Fundamental																																																																															
Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5925.00</td><td>66.74</td><td>88.20</td><td>-21.46</td><td>47.65</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td></td><td>185</td><td>357</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5925.00	66.74	88.20	-21.46	47.65	34.25	12.41	30.57	3.00		185	357	Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6025.00</td><td>114.95</td><td>-----</td><td>-----</td><td>96.06</td><td>34.10</td><td>12.53</td><td>30.74</td><td>3.00</td><td></td><td>185</td><td>357</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6025.00	114.95	-----	-----	96.06	34.10	12.53	30.74	3.00		185	357	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5925.00	66.74	88.20	-21.46	47.65	34.25	12.41	30.57	3.00		185	357	Peak																																																																																
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6025.00	114.95	-----	-----	96.06	34.10	12.53	30.74	3.00		185	357	Peak																																																																																
Avg	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5925.00</td><td>60.76</td><td>68.20</td><td>-7.44</td><td>41.67</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td></td><td>185</td><td>357</td><td>Average</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5925.00	60.76	68.20	-7.44	41.67	34.25	12.41	30.57	3.00		185	357	Average	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6025.00</td><td>106.70</td><td>-----</td><td>-----</td><td>87.70</td><td>34.17</td><td>12.46</td><td>30.63</td><td>3.00</td><td></td><td>185</td><td>357</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6025.00	106.70	-----	-----	87.70	34.17	12.46	30.63	3.00		185	357	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5925.00	60.76	68.20	-7.44	41.67	34.25	12.41	30.57	3.00		185	357	Average																																																																																
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 6025.00	106.70	-----	-----	87.70	34.17	12.46	30.63	3.00		185	357	Average																																																																																



	16																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19+27_5965+6005+6045+6085MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5925.00</td><td>65.79</td><td>88.20</td><td>-22.41</td><td>46.70</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td></td><td>200</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5925.00	65.79	88.20	-22.41	46.70	34.25	12.41	30.57	3.00		200	351	Peak	Level (dBuV/m) Date: 2026-07-21 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6025.00</td><td>115.24</td><td>-----</td><td>-----</td><td>96.48</td><td>34.10</td><td>12.58</td><td>30.84</td><td>3.00</td><td></td><td>200</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6025.00	115.24	-----	-----	96.48	34.10	12.58	30.84	3.00		200	351	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 5925.00	65.79	88.20	-22.41	46.70	34.25	12.41	30.57	3.00		200	351	Peak																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6025.00	115.24	-----	-----	96.48	34.10	12.58	30.84	3.00		200	351	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-07-21 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5925.00</td><td>58.47</td><td>68.20</td><td>-9.73</td><td>39.38</td><td>34.25</td><td>12.41</td><td>30.57</td><td>3.00</td><td></td><td>200</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5925.00	58.47	68.20	-9.73	39.38	34.25	12.41	30.57	3.00		200	351	Average	Level (dBuV/m) Date: 2026-07-21 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6025.00</td><td>106.31</td><td>-----</td><td>-----</td><td>87.45</td><td>34.10</td><td>12.56</td><td>30.80</td><td>3.00</td><td></td><td>200</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6025.00	106.31	-----	-----	87.45	34.10	12.56	30.80	3.00		200	351	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 5925.00	58.47	68.20	-9.73	39.38	34.25	12.41	30.57	3.00		200	351	Average																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6025.00	106.31	-----	-----	87.45	34.10	12.56	30.80	3.00		200	351	Average																																																																														





Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19+27_5965+6005+6045+6085MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
Peak		





Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+11+19+27_5965+6005+6045+6085MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
10G ~18G Avg		



Mode	17																																																																																																																																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																																																																																																																																							
	U-NII-5_5.925-6.425_Proprietary_CH35+43+51+59_6125+6165+6205+6245MHz																																																																																																																																																																																																																																																																																																																																																							
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																						
Peak																																																																																																																																																																																																																																																																																																																																																								
Avg	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 12250.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>36.84</td><td>39.30</td><td>17.84</td><td>42.94</td><td>0.31</td></tr><tr><td>2 12250.00</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>27.66</td><td>39.30</td><td>17.84</td><td>42.94</td><td>0.31</td></tr><tr><td>3 12330.00</td><td>51.60</td><td>74.00</td><td>-22.40</td><td>37.16</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td></tr><tr><td>4 12330.00</td><td>41.92</td><td>54.00</td><td>-12.08</td><td>27.48</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td></tr><tr><td>5 12410.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>36.15</td><td>38.92</td><td>17.96</td><td>42.88</td><td>0.31</td></tr><tr><td>6 12410.00</td><td>42.45</td><td>54.00</td><td>-11.55</td><td>28.14</td><td>38.92</td><td>17.96</td><td>42.88</td><td>0.31</td></tr><tr><td>7 12490.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>35.47</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td></tr><tr><td>8 12490.00</td><td>41.51</td><td>54.00</td><td>-12.49</td><td>26.87</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td></tr><tr><td>9 18375.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>56.12</td><td>37.80</td><td>21.94</td><td>64.65</td><td>-9.54</td></tr><tr><td>10 18375.00</td><td>36.90</td><td>54.00</td><td>-17.10</td><td>51.35</td><td>37.80</td><td>21.94</td><td>64.65</td><td>-9.54</td></tr><tr><td>11 18495.00</td><td>40.81</td><td>74.00</td><td>-33.19</td><td>55.12</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td></tr><tr><td>12 18495.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>50.95</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td></tr><tr><td>13 18615.00</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>53.15</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td></tr><tr><td>14 18615.00</td><td>34.37</td><td>54.00</td><td>-19.63</td><td>48.45</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td></tr><tr><td>15 18735.00</td><td>38.79</td><td>74.00</td><td>-35.21</td><td>52.57</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td></tr><tr><td>16 18735.00</td><td>33.85</td><td>54.00</td><td>-20.15</td><td>47.63</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 12250.00	51.35	74.00	-22.65	36.84	39.30	17.84	42.94	0.31	2 12250.00	42.17	54.00	-11.83	27.66	39.30	17.84	42.94	0.31	3 12330.00	51.60	74.00	-22.40	37.16	39.14	17.90	42.91	0.31	4 12330.00	41.92	54.00	-12.08	27.48	39.14	17.90	42.91	0.31	5 12410.00	50.46	74.00	-23.54	36.15	38.92	17.96	42.88	0.31	6 12410.00	42.45	54.00	-11.55	28.14	38.92	17.96	42.88	0.31	7 12490.00	50.11	74.00	-23.89	35.47	39.16	18.01	42.85	0.32	8 12490.00	41.51	54.00	-12.49	26.87	39.16	18.01	42.85	0.32	9 18375.00	41.67	74.00	-32.33	56.12	37.80	21.94	64.65	-9.54	10 18375.00	36.90	54.00	-17.10	51.35	37.80	21.94	64.65	-9.54	11 18495.00	40.81	74.00	-33.19	55.12	37.99	22.03	64.79	-9.54	12 18495.00	36.64	54.00	-17.36	50.95	37.99	22.03	64.79	-9.54	13 18615.00	39.07	74.00	-34.93	53.15	38.00	22.12	64.66	-9.54	14 18615.00	34.37	54.00	-19.63	48.45	38.00	22.12	64.66	-9.54	15 18735.00	38.79	74.00	-35.21	52.57	38.07	22.21	64.52	-9.54	16 18735.00	33.85	54.00	-20.15	47.63	38.07	22.21	64.52	-9.54	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 12250.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>36.48</td><td>39.30</td><td>17.84</td><td>42.94</td><td>0.31</td></tr><tr><td>2 12250.00</td><td>41.31</td><td>54.00</td><td>-12.69</td><td>26.80</td><td>39.30</td><td>17.84</td><td>42.94</td><td>0.31</td></tr><tr><td>3 12330.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>36.31</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td></tr><tr><td>4 12330.00</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>29.39</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td></tr><tr><td>5 12410.00</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>36.10</td><td>38.92</td><td>17.96</td><td>42.88</td><td>0.31</td></tr><tr><td>6 12410.00</td><td>41.97</td><td>54.00</td><td>-12.03</td><td>27.66</td><td>38.92</td><td>17.96</td><td>42.88</td><td>0.31</td></tr><tr><td>7 12490.00</td><td>50.79</td><td>74.00</td><td>-23.21</td><td>36.15</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td></tr><tr><td>8 12490.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>28.80</td><td>39.16</td><td>18.01</td><td>42.85</td><td>0.32</td></tr><tr><td>9 18375.00</td><td>39.78</td><td>74.00</td><td>-34.22</td><td>54.23</td><td>37.80</td><td>21.94</td><td>64.65</td><td>-9.54</td></tr><tr><td>10 18375.00</td><td>35.67</td><td>54.00</td><td>-18.33</td><td>50.12</td><td>37.80</td><td>21.94</td><td>64.65</td><td>-9.54</td></tr><tr><td>11 18495.00</td><td>38.37</td><td>74.00</td><td>-35.63</td><td>52.68</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td></tr><tr><td>12 18495.00</td><td>33.35</td><td>54.00</td><td>-20.65</td><td>47.66</td><td>37.99</td><td>22.03</td><td>64.79</td><td>-9.54</td></tr><tr><td>13 18615.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>55.17</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td></tr><tr><td>14 18615.00</td><td>34.87</td><td>54.00</td><td>-19.13</td><td>48.95</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td></tr><tr><td>15 18735.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>55.45</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td></tr><tr><td>16 18735.00</td><td>35.99</td><td>54.00</td><td>-18.01</td><td>49.77</td><td>38.07</td><td>22.21</td><td>64.52</td><td>-9.54</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 12250.00	50.99	74.00	-23.01	36.48	39.30	17.84	42.94	0.31	2 12250.00	41.31	54.00	-12.69	26.80	39.30	17.84	42.94	0.31	3 12330.00	50.75	74.00	-23.25	36.31	39.14	17.90	42.91	0.31	4 12330.00	43.83	54.00	-10.17	29.39	39.14	17.90	42.91	0.31	5 12410.00	50.41	74.00	-23.59	36.10	38.92	17.96	42.88	0.31	6 12410.00	41.97	54.00	-12.03	27.66	38.92	17.96	42.88	0.31	7 12490.00	50.79	74.00	-23.21	36.15	39.16	18.01	42.85	0.32	8 12490.00	43.44	54.00	-10.56	28.80	39.16	18.01	42.85	0.32	9 18375.00	39.78	74.00	-34.22	54.23	37.80	21.94	64.65	-9.54	10 18375.00	35.67	54.00	-18.33	50.12	37.80	21.94	64.65	-9.54	11 18495.00	38.37	74.00	-35.63	52.68	37.99	22.03	64.79	-9.54	12 18495.00	33.35	54.00	-20.65	47.66	37.99	22.03	64.79	-9.54	13 18615.00	41.09	74.00	-32.91	55.17	38.00	22.12	64.66	-9.54	14 18615.00	34.87	54.00	-19.13	48.95	38.00	22.12	64.66	-9.54	15 18735.00	41.67	74.00	-32.33	55.45	38.07	22.21	64.52	-9.54	16 18735.00	35.99	54.00	-18.01	49.77	38.07	22.21	64.52	-9.54
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																																
1 12250.00	51.35	74.00	-22.65	36.84	39.30	17.84	42.94	0.31																																																																																																																																																																																																																																																																																																																																																
2 12250.00	42.17	54.00	-11.83	27.66	39.30	17.84	42.94	0.31																																																																																																																																																																																																																																																																																																																																																
3 12330.00	51.60	74.00	-22.40	37.16	39.14	17.90	42.91	0.31																																																																																																																																																																																																																																																																																																																																																
4 12330.00	41.92	54.00	-12.08	27.48	39.14	17.90	42.91	0.31																																																																																																																																																																																																																																																																																																																																																
5 12410.00	50.46	74.00	-23.54	36.15	38.92	17.96	42.88	0.31																																																																																																																																																																																																																																																																																																																																																
6 12410.00	42.45	54.00	-11.55	28.14	38.92	17.96	42.88	0.31																																																																																																																																																																																																																																																																																																																																																
7 12490.00	50.11	74.00	-23.89	35.47	39.16	18.01	42.85	0.32																																																																																																																																																																																																																																																																																																																																																
8 12490.00	41.51	54.00	-12.49	26.87	39.16	18.01	42.85	0.32																																																																																																																																																																																																																																																																																																																																																
9 18375.00	41.67	74.00	-32.33	56.12	37.80	21.94	64.65	-9.54																																																																																																																																																																																																																																																																																																																																																
10 18375.00	36.90	54.00	-17.10	51.35	37.80	21.94	64.65	-9.54																																																																																																																																																																																																																																																																																																																																																
11 18495.00	40.81	74.00	-33.19	55.12	37.99	22.03	64.79	-9.54																																																																																																																																																																																																																																																																																																																																																
12 18495.00	36.64	54.00	-17.36	50.95	37.99	22.03	64.79	-9.54																																																																																																																																																																																																																																																																																																																																																
13 18615.00	39.07	74.00	-34.93	53.15	38.00	22.12	64.66	-9.54																																																																																																																																																																																																																																																																																																																																																
14 18615.00	34.37	54.00	-19.63	48.45	38.00	22.12	64.66	-9.54																																																																																																																																																																																																																																																																																																																																																
15 18735.00	38.79	74.00	-35.21	52.57	38.07	22.21	64.52	-9.54																																																																																																																																																																																																																																																																																																																																																
16 18735.00	33.85	54.00	-20.15	47.63	38.07	22.21	64.52	-9.54																																																																																																																																																																																																																																																																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																																
1 12250.00	50.99	74.00	-23.01	36.48	39.30	17.84	42.94	0.31																																																																																																																																																																																																																																																																																																																																																
2 12250.00	41.31	54.00	-12.69	26.80	39.30	17.84	42.94	0.31																																																																																																																																																																																																																																																																																																																																																
3 12330.00	50.75	74.00	-23.25	36.31	39.14	17.90	42.91	0.31																																																																																																																																																																																																																																																																																																																																																
4 12330.00	43.83	54.00	-10.17	29.39	39.14	17.90	42.91	0.31																																																																																																																																																																																																																																																																																																																																																
5 12410.00	50.41	74.00	-23.59	36.10	38.92	17.96	42.88	0.31																																																																																																																																																																																																																																																																																																																																																
6 12410.00	41.97	54.00	-12.03	27.66	38.92	17.96	42.88	0.31																																																																																																																																																																																																																																																																																																																																																
7 12490.00	50.79	74.00	-23.21	36.15	39.16	18.01	42.85	0.32																																																																																																																																																																																																																																																																																																																																																
8 12490.00	43.44	54.00	-10.56	28.80	39.16	18.01	42.85	0.32																																																																																																																																																																																																																																																																																																																																																
9 18375.00	39.78	74.00	-34.22	54.23	37.80	21.94	64.65	-9.54																																																																																																																																																																																																																																																																																																																																																
10 18375.00	35.67	54.00	-18.33	50.12	37.80	21.94	64.65	-9.54																																																																																																																																																																																																																																																																																																																																																
11 18495.00	38.37	74.00	-35.63	52.68	37.99	22.03	64.79	-9.54																																																																																																																																																																																																																																																																																																																																																
12 18495.00	33.35	54.00	-20.65	47.66	37.99	22.03	64.79	-9.54																																																																																																																																																																																																																																																																																																																																																
13 18615.00	41.09	74.00	-32.91	55.17	38.00	22.12	64.66	-9.54																																																																																																																																																																																																																																																																																																																																																
14 18615.00	34.87	54.00	-19.13	48.95	38.00	22.12	64.66	-9.54																																																																																																																																																																																																																																																																																																																																																
15 18735.00	41.67	74.00	-32.33	55.45	38.07	22.21	64.52	-9.54																																																																																																																																																																																																																																																																																																																																																
16 18735.00	35.99	54.00	-18.01	49.77	38.07	22.21	64.52	-9.54																																																																																																																																																																																																																																																																																																																																																



Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH35+43+51+59_6125+6165+6205+6245MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL







Mode	18																																																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH67+75+83+91_6285+6325+6365+6405MHz																																																																																																																																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12690.00</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>34.74</td><td>39.50</td><td>18.16</td><td>42.92</td><td>0.27</td><td>350</td><td>351</td><td>Peak</td><td></td></tr><tr><td>2 12690.00</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>26.27</td><td>39.50</td><td>18.16</td><td>42.92</td><td>0.27</td><td>350</td><td>351</td><td>Average</td><td></td></tr><tr><td>3 18855.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>56.76</td><td>38.02</td><td>22.29</td><td>64.37</td><td>-9.54</td><td>250</td><td>62</td><td>Peak</td><td></td></tr><tr><td>4 18855.00</td><td>38.77</td><td>54.00</td><td>-15.23</td><td>52.37</td><td>38.02</td><td>22.29</td><td>64.37</td><td>-9.54</td><td>250</td><td>62</td><td>Average</td><td></td></tr><tr><td>5 18975.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>55.86</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>218</td><td>62</td><td>Peak</td><td></td></tr><tr><td>6 18975.00</td><td>36.13</td><td>54.00</td><td>-17.87</td><td>49.47</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>218</td><td>62</td><td>Average</td><td></td></tr><tr><td>7 19095.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>57.28</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>250</td><td>67</td><td>Peak</td><td></td></tr><tr><td>8 19095.00</td><td>38.74</td><td>54.00</td><td>-15.26</td><td>52.83</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>250</td><td>67</td><td>Average</td><td></td></tr><tr><td>9 19215.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>57.96</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>150</td><td>63</td><td>Peak</td><td></td></tr><tr><td>10 19215.00</td><td>38.66</td><td>54.00</td><td>-15.34</td><td>51.84</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>150</td><td>63</td><td>Average</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12690.00	49.75	74.00	-24.25	34.74	39.50	18.16	42.92	0.27	350	351	Peak		2 12690.00	41.28	54.00	-12.72	26.27	39.50	18.16	42.92	0.27	350	351	Average		3 18855.00	43.16	74.00	-30.84	56.76	38.02	22.29	64.37	-9.54	250	62	Peak		4 18855.00	38.77	54.00	-15.23	52.37	38.02	22.29	64.37	-9.54	250	62	Average		5 18975.00	42.52	74.00	-31.48	55.86	38.05	22.38	64.23	-9.54	218	62	Peak		6 18975.00	36.13	54.00	-17.87	49.47	38.05	22.38	64.23	-9.54	218	62	Average		7 19095.00	43.99	74.00	-30.01	57.28	38.02	22.45	64.22	-9.54	250	67	Peak		8 19095.00	38.74	54.00	-15.26	52.83	38.02	22.45	64.22	-9.54	250	67	Average		9 19215.00	44.78	74.00	-29.22	57.96	38.09	22.51	64.24	-9.54	150	63	Peak		10 19215.00	38.66	54.00	-15.34	51.84	38.09	22.51	64.24	-9.54	150	63	Average		Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12690.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>34.88</td><td>39.50</td><td>18.16</td><td>42.92</td><td>0.27</td><td>170</td><td>0</td><td>Peak</td><td></td></tr><tr><td>2 12690.00</td><td>41.40</td><td>54.00</td><td>-12.60</td><td>26.39</td><td>39.50</td><td>18.16</td><td>42.92</td><td>0.27</td><td>170</td><td>0</td><td>Average</td><td></td></tr><tr><td>3 18855.00</td><td>43.53</td><td>74.00</td><td>-30.47</td><td>57.13</td><td>38.02</td><td>22.29</td><td>64.37</td><td>-9.54</td><td>100</td><td>21</td><td>Peak</td><td></td></tr><tr><td>4 18855.00</td><td>35.23</td><td>54.00</td><td>-18.77</td><td>48.83</td><td>38.02</td><td>22.29</td><td>64.37</td><td>-9.54</td><td>100</td><td>21</td><td>Average</td><td></td></tr><tr><td>5 18975.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>56.34</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>150</td><td>345</td><td>Peak</td><td></td></tr><tr><td>6 18975.00</td><td>34.45</td><td>54.00</td><td>-19.55</td><td>47.79</td><td>38.05</td><td>22.38</td><td>64.23</td><td>-9.54</td><td>150</td><td>345</td><td>Average</td><td></td></tr><tr><td>7 19095.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>56.84</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>150</td><td>11</td><td>Peak</td><td></td></tr><tr><td>8 19095.00</td><td>35.08</td><td>54.00</td><td>-18.92</td><td>48.37</td><td>38.02</td><td>22.45</td><td>64.22</td><td>-9.54</td><td>150</td><td>11</td><td>Average</td><td></td></tr><tr><td>9 19215.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>57.08</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>194</td><td>0</td><td>Peak</td><td></td></tr><tr><td>10 19215.00</td><td>35.06</td><td>54.00</td><td>-18.94</td><td>48.24</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>194</td><td>0</td><td>Average</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12690.00	49.89	74.00	-24.11	34.88	39.50	18.16	42.92	0.27	170	0	Peak		2 12690.00	41.40	54.00	-12.60	26.39	39.50	18.16	42.92	0.27	170	0	Average		3 18855.00	43.53	74.00	-30.47	57.13	38.02	22.29	64.37	-9.54	100	21	Peak		4 18855.00	35.23	54.00	-18.77	48.83	38.02	22.29	64.37	-9.54	100	21	Average		5 18975.00	43.00	74.00	-31.00	56.34	38.05	22.38	64.23	-9.54	150	345	Peak		6 18975.00	34.45	54.00	-19.55	47.79	38.05	22.38	64.23	-9.54	150	345	Average		7 19095.00	43.55	74.00	-30.45	56.84	38.02	22.45	64.22	-9.54	150	11	Peak		8 19095.00	35.08	54.00	-18.92	48.37	38.02	22.45	64.22	-9.54	150	11	Average		9 19215.00	43.90	74.00	-30.10	57.08	38.09	22.51	64.24	-9.54	194	0	Peak		10 19215.00	35.06	54.00	-18.94	48.24	38.09	22.51	64.24	-9.54	194	0	Average	
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1 12690.00	49.75	74.00	-24.25	34.74	39.50	18.16	42.92	0.27	350	351	Peak																																																																																																																																																																																																																																																																																																															
2 12690.00	41.28	54.00	-12.72	26.27	39.50	18.16	42.92	0.27	350	351	Average																																																																																																																																																																																																																																																																																																															
3 18855.00	43.16	74.00	-30.84	56.76	38.02	22.29	64.37	-9.54	250	62	Peak																																																																																																																																																																																																																																																																																																															
4 18855.00	38.77	54.00	-15.23	52.37	38.02	22.29	64.37	-9.54	250	62	Average																																																																																																																																																																																																																																																																																																															
5 18975.00	42.52	74.00	-31.48	55.86	38.05	22.38	64.23	-9.54	218	62	Peak																																																																																																																																																																																																																																																																																																															
6 18975.00	36.13	54.00	-17.87	49.47	38.05	22.38	64.23	-9.54	218	62	Average																																																																																																																																																																																																																																																																																																															
7 19095.00	43.99	74.00	-30.01	57.28	38.02	22.45	64.22	-9.54	250	67	Peak																																																																																																																																																																																																																																																																																																															
8 19095.00	38.74	54.00	-15.26	52.83	38.02	22.45	64.22	-9.54	250	67	Average																																																																																																																																																																																																																																																																																																															
9 19215.00	44.78	74.00	-29.22	57.96	38.09	22.51	64.24	-9.54	150	63	Peak																																																																																																																																																																																																																																																																																																															
10 19215.00	38.66	54.00	-15.34	51.84	38.09	22.51	64.24	-9.54	150	63	Average																																																																																																																																																																																																																																																																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1 12690.00	49.89	74.00	-24.11	34.88	39.50	18.16	42.92	0.27	170	0	Peak																																																																																																																																																																																																																																																																																																															
2 12690.00	41.40	54.00	-12.60	26.39	39.50	18.16	42.92	0.27	170	0	Average																																																																																																																																																																																																																																																																																																															
3 18855.00	43.53	74.00	-30.47	57.13	38.02	22.29	64.37	-9.54	100	21	Peak																																																																																																																																																																																																																																																																																																															
4 18855.00	35.23	54.00	-18.77	48.83	38.02	22.29	64.37	-9.54	100	21	Average																																																																																																																																																																																																																																																																																																															
5 18975.00	43.00	74.00	-31.00	56.34	38.05	22.38	64.23	-9.54	150	345	Peak																																																																																																																																																																																																																																																																																																															
6 18975.00	34.45	54.00	-19.55	47.79	38.05	22.38	64.23	-9.54	150	345	Average																																																																																																																																																																																																																																																																																																															
7 19095.00	43.55	74.00	-30.45	56.84	38.02	22.45	64.22	-9.54	150	11	Peak																																																																																																																																																																																																																																																																																																															
8 19095.00	35.08	54.00	-18.92	48.37	38.02	22.45	64.22	-9.54	150	11	Average																																																																																																																																																																																																																																																																																																															
9 19215.00	43.90	74.00	-30.10	57.08	38.09	22.51	64.24	-9.54	194	0	Peak																																																																																																																																																																																																																																																																																																															
10 19215.00	35.06	54.00	-18.94	48.24	38.09	22.51	64.24	-9.54	194	0	Average																																																																																																																																																																																																																																																																																																															







Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH67+75+83+91_6285+6325+6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-06 AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06 AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



		19																																																																																																																																								
Mode	Band Edge																																																																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH3+27+51+91_5965+6085+6205+6405MHz																																																																																																																																									
ANT	MIMO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5845.00</td><td>66.39</td><td>88.20</td><td>-21.81</td><td>47.34</td><td>34.19</td><td>12.32</td><td>30.46</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	5845.00	66.39	88.20	-21.81	47.34	34.19	12.32	30.46	3.00		182	350	Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>114.29</td><td>-----</td><td>-----</td><td>95.29</td><td>34.17</td><td>12.46</td><td>30.63</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Peak</td></tr><tr><td>2</td><td>6085.00</td><td>113.25</td><td>-----</td><td>-----</td><td>94.39</td><td>34.10</td><td>12.55</td><td>30.79</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Peak</td></tr><tr><td>3</td><td>6205.00</td><td>115.06</td><td>-----</td><td>-----</td><td>96.20</td><td>34.20</td><td>12.66</td><td>31.00</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Peak</td></tr><tr><td>4</td><td>6405.00</td><td>113.93</td><td>-----</td><td>-----</td><td>94.58</td><td>34.81</td><td>12.86</td><td>31.32</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	5965.00	114.29	-----	-----	95.29	34.17	12.46	30.63	3.00		182	350	Peak	2	6085.00	113.25	-----	-----	94.39	34.10	12.55	30.79	3.00		182	350	Peak	3	6205.00	115.06	-----	-----	96.20	34.20	12.66	31.00	3.00		182	350	Peak	4	6405.00	113.93	-----	-----	94.58	34.81	12.86	31.32	3.00		182	350	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5845.00	66.39	88.20	-21.81	47.34	34.19	12.32	30.46	3.00		182	350	Peak																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5965.00	114.29	-----	-----	95.29	34.17	12.46	30.63	3.00		182	350	Peak																																																																																																																													
2	6085.00	113.25	-----	-----	94.39	34.10	12.55	30.79	3.00		182	350	Peak																																																																																																																													
3	6205.00	115.06	-----	-----	96.20	34.20	12.66	31.00	3.00		182	350	Peak																																																																																																																													
4	6405.00	113.93	-----	-----	94.58	34.81	12.86	31.32	3.00		182	350	Peak																																																																																																																													
Avg	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5845.00</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>41.85</td><td>34.19</td><td>12.32</td><td>30.46</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	5845.00	60.90	68.20	-7.30	41.85	34.19	12.32	30.46	3.00		182	350	Average	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>105.66</td><td>-----</td><td>-----</td><td>86.64</td><td>34.19</td><td>12.45</td><td>30.62</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Average</td></tr><tr><td>2</td><td>6085.00</td><td>104.41</td><td>-----</td><td>-----</td><td>85.55</td><td>34.10</td><td>12.57</td><td>30.81</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Average</td></tr><tr><td>3</td><td>6205.00</td><td>106.22</td><td>-----</td><td>-----</td><td>87.36</td><td>34.19</td><td>12.66</td><td>30.99</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Average</td></tr><tr><td>4</td><td>6405.00</td><td>105.09</td><td>-----</td><td>-----</td><td>85.74</td><td>34.81</td><td>12.86</td><td>31.32</td><td>3.00</td><td></td><td>182</td><td>350</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	5965.00	105.66	-----	-----	86.64	34.19	12.45	30.62	3.00		182	350	Average	2	6085.00	104.41	-----	-----	85.55	34.10	12.57	30.81	3.00		182	350	Average	3	6205.00	106.22	-----	-----	87.36	34.19	12.66	30.99	3.00		182	350	Average	4	6405.00	105.09	-----	-----	85.74	34.81	12.86	31.32	3.00		182	350	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5845.00	60.90	68.20	-7.30	41.85	34.19	12.32	30.46	3.00		182	350	Average																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5965.00	105.66	-----	-----	86.64	34.19	12.45	30.62	3.00		182	350	Average																																																																																																																													
2	6085.00	104.41	-----	-----	85.55	34.10	12.57	30.81	3.00		182	350	Average																																																																																																																													
3	6205.00	106.22	-----	-----	87.36	34.19	12.66	30.99	3.00		182	350	Average																																																																																																																													
4	6405.00	105.09	-----	-----	85.74	34.81	12.86	31.32	3.00		182	350	Average																																																																																																																													



	19																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-5_5.925-6.425_Proprietary_CH3+27+51+91_5965+6085+6205+6405MHz																																																																																																																																
ANT	MIMO																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.38</td><td>66.86</td><td>88.20</td><td>-21.34</td><td>47.75</td><td>34.27</td><td>12.40</td><td>30.56</td><td>3.00</td><td>183</td><td>360</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5914.38	66.86	88.20	-21.34	47.75	34.27	12.40	30.56	3.00	183	360	Peak	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.38</td><td>-----</td><td>-----</td><td>88.38</td><td>34.17</td><td>12.46</td><td>30.63</td><td>3.00</td><td>183</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>6085.00</td><td>111.86</td><td>-----</td><td>-----</td><td>93.00</td><td>34.10</td><td>12.57</td><td>30.81</td><td>3.00</td><td>183</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>6205.00</td><td>113.13</td><td>-----</td><td>-----</td><td>94.19</td><td>34.29</td><td>12.68</td><td>31.03</td><td>3.00</td><td>183</td><td>360</td><td>Peak</td></tr><tr><td>4</td><td>6405.00</td><td>115.30</td><td>-----</td><td>-----</td><td>95.92</td><td>34.84</td><td>12.88</td><td>31.34</td><td>3.00</td><td>183</td><td>360</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5965.00	107.38	-----	-----	88.38	34.17	12.46	30.63	3.00	183	360	Peak	2	6085.00	111.86	-----	-----	93.00	34.10	12.57	30.81	3.00	183	360	Peak	3	6205.00	113.13	-----	-----	94.19	34.29	12.68	31.03	3.00	183	360	Peak	4	6405.00	115.30	-----	-----	95.92	34.84	12.88	31.34	3.00	183	360	Peak
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	5914.38	66.86	88.20	-21.34	47.75	34.27	12.40	30.56	3.00	183	360	Peak																																																																																																																					
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	5965.00	107.38	-----	-----	88.38	34.17	12.46	30.63	3.00	183	360	Peak																																																																																																																					
2	6085.00	111.86	-----	-----	93.00	34.10	12.57	30.81	3.00	183	360	Peak																																																																																																																					
3	6205.00	113.13	-----	-----	94.19	34.29	12.68	31.03	3.00	183	360	Peak																																																																																																																					
4	6405.00	115.30	-----	-----	95.92	34.84	12.88	31.34	3.00	183	360	Peak																																																																																																																					
Avg	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5845.00</td><td>57.85</td><td>68.20</td><td>-10.35</td><td>38.80</td><td>34.19</td><td>12.32</td><td>30.46</td><td>3.00</td><td>183</td><td>360</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5845.00	57.85	68.20	-10.35	38.80	34.19	12.32	30.46	3.00	183	360	Average	Level (dBuV/m) Date: 2026-07-21  Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.87</td><td>-----</td><td>-----</td><td>83.87</td><td>34.17</td><td>12.46</td><td>30.63</td><td>3.00</td><td>183</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>6085.00</td><td>102.85</td><td>-----</td><td>-----</td><td>83.99</td><td>34.10</td><td>12.57</td><td>30.81</td><td>3.00</td><td>183</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>6205.00</td><td>106.46</td><td>-----</td><td>-----</td><td>87.57</td><td>34.23</td><td>12.67</td><td>31.01</td><td>3.00</td><td>183</td><td>360</td><td>Average</td></tr><tr><td>4</td><td>6405.00</td><td>106.45</td><td>-----</td><td>-----</td><td>87.14</td><td>34.76</td><td>12.85</td><td>31.30</td><td>3.00</td><td>183</td><td>360</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5965.00	102.87	-----	-----	83.87	34.17	12.46	30.63	3.00	183	360	Average	2	6085.00	102.85	-----	-----	83.99	34.10	12.57	30.81	3.00	183	360	Average	3	6205.00	106.46	-----	-----	87.57	34.23	12.67	31.01	3.00	183	360	Average	4	6405.00	106.45	-----	-----	87.14	34.76	12.85	31.30	3.00	183	360	Average
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	5845.00	57.85	68.20	-10.35	38.80	34.19	12.32	30.46	3.00	183	360	Average																																																																																																																					
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	5965.00	102.87	-----	-----	83.87	34.17	12.46	30.63	3.00	183	360	Average																																																																																																																					
2	6085.00	102.85	-----	-----	83.99	34.10	12.57	30.81	3.00	183	360	Average																																																																																																																					
3	6205.00	106.46	-----	-----	87.57	34.23	12.67	31.01	3.00	183	360	Average																																																																																																																					
4	6405.00	106.45	-----	-----	87.14	34.76	12.85	31.30	3.00	183	360	Average																																																																																																																					



	19																																																																																																																																																																																																																																																																																																																									
Mode	Harmonic																																																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_Proprietary_CH3+27+51+91_5965+6085+6205+6405MHz																																																																																																																																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12330.00</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>36.12</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>300</td><td>173</td><td>Peak</td><td></td></tr><tr><td>2 12330.00</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>26.39</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>300</td><td>173</td><td>Average</td><td></td></tr><tr><td>3 17895.00</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>35.96</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>400</td><td>311</td><td>Peak</td><td></td></tr><tr><td>4 17895.00</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>25.24</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>400</td><td>311</td><td>Average</td><td></td></tr><tr><td>5 18255.00</td><td>39.72</td><td>74.00</td><td>-34.28</td><td>54.21</td><td>37.70</td><td>21.06</td><td>64.51</td><td>-9.54</td><td>100</td><td>18</td><td>Peak</td><td></td></tr><tr><td>6 18255.00</td><td>34.73</td><td>54.00</td><td>-19.27</td><td>49.22</td><td>37.70</td><td>21.06</td><td>64.51</td><td>-9.54</td><td>100</td><td>18</td><td>Average</td><td></td></tr><tr><td>7 18615.00</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>55.71</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>199</td><td>360</td><td>Peak</td><td></td></tr><tr><td>8 18615.00</td><td>35.24</td><td>54.00</td><td>-18.76</td><td>49.32</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>199</td><td>360</td><td>Average</td><td></td></tr><tr><td>9 19215.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>57.81</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>109</td><td>360</td><td>Peak</td><td></td></tr><tr><td>10 19215.00</td><td>38.47</td><td>54.00</td><td>-15.53</td><td>51.65</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>109</td><td>360</td><td>Average</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12330.00	50.56	74.00	-23.44	36.12	39.14	17.90	42.91	0.31	300	173	Peak		2 12330.00	40.83	54.00	-13.17	26.39	39.14	17.90	42.91	0.31	300	173	Average		3 17895.00	53.68	74.00	-20.32	35.96	41.24	21.60	45.49	0.37	400	311	Peak		4 17895.00	42.96	54.00	-11.04	25.24	41.24	21.60	45.49	0.37	400	311	Average		5 18255.00	39.72	74.00	-34.28	54.21	37.70	21.06	64.51	-9.54	100	18	Peak		6 18255.00	34.73	54.00	-19.27	49.22	37.70	21.06	64.51	-9.54	100	18	Average		7 18615.00	41.63	74.00	-32.37	55.71	38.00	22.12	64.66	-9.54	199	360	Peak		8 18615.00	35.24	54.00	-18.76	49.32	38.00	22.12	64.66	-9.54	199	360	Average		9 19215.00	44.63	74.00	-29.37	57.81	38.09	22.51	64.24	-9.54	109	360	Peak		10 19215.00	38.47	54.00	-15.53	51.65	38.09	22.51	64.24	-9.54	109	360	Average		Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12330.00</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>35.44</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>151</td><td>0</td><td>Peak</td><td></td></tr><tr><td>2 12330.00</td><td>40.75</td><td>54.00</td><td>-13.25</td><td>26.31</td><td>39.14</td><td>17.90</td><td>42.91</td><td>0.31</td><td>151</td><td>0</td><td>Average</td><td></td></tr><tr><td>3 17895.00</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>36.26</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>100</td><td>173</td><td>Peak</td><td></td></tr><tr><td>4 17895.00</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>25.21</td><td>41.24</td><td>21.60</td><td>45.49</td><td>0.37</td><td>100</td><td>173</td><td>Average</td><td></td></tr><tr><td>5 18255.00</td><td>40.71</td><td>74.00</td><td>-33.29</td><td>55.20</td><td>37.70</td><td>21.06</td><td>64.51</td><td>-9.54</td><td>100</td><td>194</td><td>Peak</td><td></td></tr><tr><td>6 18255.00</td><td>33.33</td><td>54.00</td><td>-20.67</td><td>47.82</td><td>37.70</td><td>21.06</td><td>64.51</td><td>-9.54</td><td>100</td><td>194</td><td>Average</td><td></td></tr><tr><td>7 18615.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>55.87</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>100</td><td>153</td><td>Peak</td><td></td></tr><tr><td>8 18615.00</td><td>34.43</td><td>54.00</td><td>-19.57</td><td>48.51</td><td>38.00</td><td>22.12</td><td>64.66</td><td>-9.54</td><td>100</td><td>153</td><td>Average</td><td></td></tr><tr><td>9 19215.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>56.12</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>148</td><td>360</td><td>Peak</td><td></td></tr><tr><td>10 19215.00</td><td>35.18</td><td>54.00</td><td>-18.82</td><td>48.36</td><td>38.09</td><td>22.51</td><td>64.24</td><td>-9.54</td><td>148</td><td>360</td><td>Average</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12330.00	49.88	74.00	-24.12	35.44	39.14	17.90	42.91	0.31	151	0	Peak		2 12330.00	40.75	54.00	-13.25	26.31	39.14	17.90	42.91	0.31	151	0	Average		3 17895.00	53.98	74.00	-20.02	36.26	41.24	21.60	45.49	0.37	100	173	Peak		4 17895.00	42.93	54.00	-11.07	25.21	41.24	21.60	45.49	0.37	100	173	Average		5 18255.00	40.71	74.00	-33.29	55.20	37.70	21.06	64.51	-9.54	100	194	Peak		6 18255.00	33.33	54.00	-20.67	47.82	37.70	21.06	64.51	-9.54	100	194	Average		7 18615.00	41.79	74.00	-32.21	55.87	38.00	22.12	64.66	-9.54	100	153	Peak		8 18615.00	34.43	54.00	-19.57	48.51	38.00	22.12	64.66	-9.54	100	153	Average		9 19215.00	42.94	74.00	-31.06	56.12	38.09	22.51	64.24	-9.54	148	360	Peak		10 19215.00	35.18	54.00	-18.82	48.36	38.09	22.51	64.24	-9.54	148	360	Average	
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1 12330.00	50.56	74.00	-23.44	36.12	39.14	17.90	42.91	0.31	300	173	Peak																																																																																																																																																																																																																																																																																																															
2 12330.00	40.83	54.00	-13.17	26.39	39.14	17.90	42.91	0.31	300	173	Average																																																																																																																																																																																																																																																																																																															
3 17895.00	53.68	74.00	-20.32	35.96	41.24	21.60	45.49	0.37	400	311	Peak																																																																																																																																																																																																																																																																																																															
4 17895.00	42.96	54.00	-11.04	25.24	41.24	21.60	45.49	0.37	400	311	Average																																																																																																																																																																																																																																																																																																															
5 18255.00	39.72	74.00	-34.28	54.21	37.70	21.06	64.51	-9.54	100	18	Peak																																																																																																																																																																																																																																																																																																															
6 18255.00	34.73	54.00	-19.27	49.22	37.70	21.06	64.51	-9.54	100	18	Average																																																																																																																																																																																																																																																																																																															
7 18615.00	41.63	74.00	-32.37	55.71	38.00	22.12	64.66	-9.54	199	360	Peak																																																																																																																																																																																																																																																																																																															
8 18615.00	35.24	54.00	-18.76	49.32	38.00	22.12	64.66	-9.54	199	360	Average																																																																																																																																																																																																																																																																																																															
9 19215.00	44.63	74.00	-29.37	57.81	38.09	22.51	64.24	-9.54	109	360	Peak																																																																																																																																																																																																																																																																																																															
10 19215.00	38.47	54.00	-15.53	51.65	38.09	22.51	64.24	-9.54	109	360	Average																																																																																																																																																																																																																																																																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1 12330.00	49.88	74.00	-24.12	35.44	39.14	17.90	42.91	0.31	151	0	Peak																																																																																																																																																																																																																																																																																																															
2 12330.00	40.75	54.00	-13.25	26.31	39.14	17.90	42.91	0.31	151	0	Average																																																																																																																																																																																																																																																																																																															
3 17895.00	53.98	74.00	-20.02	36.26	41.24	21.60	45.49	0.37	100	173	Peak																																																																																																																																																																																																																																																																																																															
4 17895.00	42.93	54.00	-11.07	25.21	41.24	21.60	45.49	0.37	100	173	Average																																																																																																																																																																																																																																																																																																															
5 18255.00	40.71	74.00	-33.29	55.20	37.70	21.06	64.51	-9.54	100	194	Peak																																																																																																																																																																																																																																																																																																															
6 18255.00	33.33	54.00	-20.67	47.82	37.70	21.06	64.51	-9.54	100	194	Average																																																																																																																																																																																																																																																																																																															
7 18615.00	41.79	74.00	-32.21	55.87	38.00	22.12	64.66	-9.54	100	153	Peak																																																																																																																																																																																																																																																																																																															
8 18615.00	34.43	54.00	-19.57	48.51	38.00	22.12	64.66	-9.54	100	153	Average																																																																																																																																																																																																																																																																																																															
9 19215.00	42.94	74.00	-31.06	56.12	38.09	22.51	64.24	-9.54	148	360	Peak																																																																																																																																																																																																																																																																																																															
10 19215.00	35.18	54.00	-18.82	48.36	38.09	22.51	64.24	-9.54	148	360	Average																																																																																																																																																																																																																																																																																																															
Avg																																																																																																																																																																																																																																																																																																																										





Mode	19	
	Harmonic	
	U-NII-5_5.925-6.425_Proprietary_CH3+27+51+91_5965+6085+6205+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
10G ~18G Avg		



Mode	31																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-7_6.525-6.875_Proprietary_CH119_6545MHz																																																																																																																																											
ANT	MIMO																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>52.43</td><td>88.20</td><td>-35.77</td><td>37.24</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>100</td><td>57</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>42.42</td><td>68.20</td><td>-25.78</td><td>27.23</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>100</td><td>57</td><td>Average</td></tr><tr><td>3</td><td>19635.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>53.74</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13090.00	52.43	88.20	-35.77	37.24	39.60	18.45	43.04	0.18	100	57	Peak	2	13090.00	42.42	68.20	-25.78	27.23	39.60	18.45	43.04	0.18	100	57	Average	3	19635.00	40.75	74.00	-33.25	53.74	38.00	22.74	64.19	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>53.61</td><td>88.20</td><td>-34.59</td><td>38.42</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>232</td><td>53</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>45.98</td><td>68.20</td><td>-22.22</td><td>30.79</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>232</td><td>53</td><td>Average</td></tr><tr><td>3</td><td>19635.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>52.97</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13090.00	53.61	88.20	-34.59	38.42	39.60	18.45	43.04	0.18	232	53	Peak	2	13090.00	45.98	68.20	-22.22	30.79	39.60	18.45	43.04	0.18	232	53	Average	3	19635.00	39.98	74.00	-34.02	52.97	38.00	22.74	64.19	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																			
1	13090.00	52.43	88.20	-35.77	37.24	39.60	18.45	43.04	0.18	100	57	Peak																																																																																																																																
2	13090.00	42.42	68.20	-25.78	27.23	39.60	18.45	43.04	0.18	100	57	Average																																																																																																																																
3	19635.00	40.75	74.00	-33.25	53.74	38.00	22.74	64.19	-9.54	--	--	Peak																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																			
1	13090.00	53.61	88.20	-34.59	38.42	39.60	18.45	43.04	0.18	232	53	Peak																																																																																																																																
2	13090.00	45.98	68.20	-22.22	30.79	39.60	18.45	43.04	0.18	232	53	Average																																																																																																																																
3	19635.00	39.98	74.00	-34.02	52.97	38.00	22.74	64.19	-9.54	--	--	Peak																																																																																																																																





Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119_6545MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	32																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH147_6685MHz																																																																																																																									
ANT	MIMO																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13370.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>35.99</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19 100 339 Peak</td></tr><tr><td>2</td><td>13370.00</td><td>41.97</td><td>54.00</td><td>-12.03</td><td>26.22</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19 100 339 Average</td></tr><tr><td>3</td><td>20055.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>52.61</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13370.00	51.74	74.00	-22.26	35.99	39.94	18.67	43.05	0.19 100 339 Peak	2	13370.00	41.97	54.00	-12.03	26.22	39.94	18.67	43.05	0.19 100 339 Average	3	20055.00	40.05	74.00	-33.95	52.61	37.91	22.96	63.89	-9.54 -- -- Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13370.00</td><td>51.90</td><td>74.00</td><td>-22.10</td><td>36.15</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19 300 24 Peak</td></tr><tr><td>2</td><td>13370.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>26.76</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19 300 24 Average</td></tr><tr><td>3</td><td>20055.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>52.73</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13370.00	51.90	74.00	-22.10	36.15	39.94	18.67	43.05	0.19 300 24 Peak	2	13370.00	42.51	54.00	-11.49	26.76	39.94	18.67	43.05	0.19 300 24 Average	3	20055.00	40.17	74.00	-33.83	52.73	37.91	22.96	63.89	-9.54 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1	13370.00	51.74	74.00	-22.26	35.99	39.94	18.67	43.05	0.19 100 339 Peak																																																																																																																	
2	13370.00	41.97	54.00	-12.03	26.22	39.94	18.67	43.05	0.19 100 339 Average																																																																																																																	
3	20055.00	40.05	74.00	-33.95	52.61	37.91	22.96	63.89	-9.54 -- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1	13370.00	51.90	74.00	-22.10	36.15	39.94	18.67	43.05	0.19 300 24 Peak																																																																																																																	
2	13370.00	42.51	54.00	-11.49	26.76	39.94	18.67	43.05	0.19 300 24 Average																																																																																																																	
3	20055.00	40.17	74.00	-33.83	52.73	37.91	22.96	63.89	-9.54 -- -- Peak																																																																																																																	



Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH147_6685MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-07-31  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	33																																																																																																	
	Band Edge																																																																																																	
	U-NII-7_6.525-6.875_Proprietary_CH181_6855MHz																																																																																																	
ANT	MIMO																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7200.93</td><td>62.25</td><td>88.20</td><td>-25.95</td><td>41.30</td><td>36.80</td><td>13.66</td><td>32.51</td><td>3.00</td><td>175</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7200.93	62.25	88.20	-25.95	41.30	36.80	13.66	32.51	3.00	175	360	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6855.00</td><td>114.54</td><td>-----</td><td>-----</td><td>94.38</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>175</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6855.00	114.54	-----	-----	94.38	35.80	13.36	32.00	3.00	175	360	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7200.93	62.25	88.20	-25.95	41.30	36.80	13.66	32.51	3.00	175	360	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	6855.00	114.54	-----	-----	94.38	35.80	13.36	32.00	3.00	175	360	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7244.22</td><td>52.17</td><td>68.20</td><td>-16.03</td><td>31.04</td><td>36.98</td><td>13.72</td><td>32.57</td><td>3.00</td><td>175</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7244.22	52.17	68.20	-16.03	31.04	36.98	13.72	32.57	3.00	175	360	Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6855.00</td><td>111.55</td><td>-----</td><td>-----</td><td>91.39</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>175</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6855.00	111.55	-----	-----	91.39	35.80	13.36	32.00	3.00	175	360	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7244.22	52.17	68.20	-16.03	31.04	36.98	13.72	32.57	3.00	175	360	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	6855.00	111.55	-----	-----	91.39	35.80	13.36	32.00	3.00	175	360	Average																																																																																						



		33																																																																																								
Mode	Band Edge																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH181_6855MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7214.97</td><td>62.33</td><td>88.20</td><td>-25.87</td><td>41.32</td><td>36.86</td><td>13.68</td><td>32.53</td><td>3.00</td><td></td><td>100</td><td>193</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7214.97	62.33	88.20	-25.87	41.32	36.86	13.68	32.53	3.00		100	193	Peak	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6855.00</td><td>82.44</td><td>-----</td><td>-----</td><td>62.25</td><td>35.82</td><td>13.35</td><td>31.98</td><td>3.00</td><td></td><td>100</td><td>193</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6855.00	82.44	-----	-----	62.25	35.82	13.35	31.98	3.00		100	193	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 7214.97	62.33	88.20	-25.87	41.32	36.86	13.68	32.53	3.00		100	193	Peak																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6855.00	82.44	-----	-----	62.25	35.82	13.35	31.98	3.00		100	193	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7245.00</td><td>52.18</td><td>68.20</td><td>-16.02</td><td>31.05</td><td>36.98</td><td>13.72</td><td>32.57</td><td>3.00</td><td></td><td>100</td><td>193</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7245.00	52.18	68.20	-16.02	31.05	36.98	13.72	32.57	3.00		100	193	Average	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6855.00</td><td>74.22</td><td>-----</td><td>-----</td><td>54.03</td><td>35.82</td><td>13.35</td><td>31.98</td><td>3.00</td><td></td><td>100</td><td>193</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6855.00	74.22	-----	-----	54.03	35.82	13.35	31.98	3.00		100	193	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 7245.00	52.18	68.20	-16.02	31.05	36.98	13.72	32.57	3.00		100	193	Average																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6855.00	74.22	-----	-----	54.03	35.82	13.35	31.98	3.00		100	193	Average																																																																														



Mode	33																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-7_6.525-6.875_Proprietary_CH181_6855MHz																																																																																																																																																
ANT	MIMO																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>52.42</td><td>88.20</td><td>-35.78</td><td>36.91</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>100</td><td>301 Peak</td></tr><tr><td>2</td><td>13710.00</td><td>42.58</td><td>68.20</td><td>-25.62</td><td>27.07</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>100</td><td>301 Average</td></tr><tr><td>3</td><td>20565.00</td><td>40.13</td><td>74.00</td><td>-33.87</td><td>52.19</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	52.42	88.20	-35.78	36.91	39.78	18.94	43.38	0.17	100	301 Peak	2	13710.00	42.58	68.20	-25.62	27.07	39.78	18.94	43.38	0.17	100	301 Average	3	20565.00	40.13	74.00	-33.87	52.19	38.00	23.22	63.74	-9.54	--	-- Peak	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>53.69</td><td>88.20</td><td>-34.51</td><td>38.18</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>150</td><td>343 Peak</td></tr><tr><td>2</td><td>13710.00</td><td>44.41</td><td>68.20</td><td>-23.79</td><td>28.90</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>150</td><td>343 Average</td></tr><tr><td>3</td><td>20565.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>52.44</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	53.69	88.20	-34.51	38.18	39.78	18.94	43.38	0.17	150	343 Peak	2	13710.00	44.41	68.20	-23.79	28.90	39.78	18.94	43.38	0.17	150	343 Average	3	20565.00	40.38	74.00	-33.62	52.44	38.00	23.22	63.74	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13710.00	52.42	88.20	-35.78	36.91	39.78	18.94	43.38	0.17	100	301 Peak																																																																																																																																						
2	13710.00	42.58	68.20	-25.62	27.07	39.78	18.94	43.38	0.17	100	301 Average																																																																																																																																						
3	20565.00	40.13	74.00	-33.87	52.19	38.00	23.22	63.74	-9.54	--	-- Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	13710.00	53.69	88.20	-34.51	38.18	39.78	18.94	43.38	0.17	150	343 Peak																																																																																																																																						
2	13710.00	44.41	68.20	-23.79	28.90	39.78	18.94	43.38	0.17	150	343 Average																																																																																																																																						
3	20565.00	40.38	74.00	-33.62	52.44	38.00	23.22	63.74	-9.54	--	-- Peak																																																																																																																																						