





Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH181_6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-07-31 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-07-31 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	34																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-7_6.525-6.875_Proprietary_CH119+127_6545+6585MHz																																																																																																																											
ANT	MIMO																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>50.20</td><td>88.20</td><td>-38.00</td><td>34.87</td><td>39.72</td><td>18.48</td><td>43.05</td><td>0.18</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.39</td><td>74.00</td><td>-35.61</td><td>51.12</td><td>38.18</td><td>22.77</td><td>64.14</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13130.00	50.20	88.20	-38.00	34.87	39.72	18.48	43.05	0.18	--	--	--	Peak	2	19695.00	38.39	74.00	-35.61	51.12	38.18	22.77	64.14	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>50.89</td><td>88.20</td><td>-37.31</td><td>35.56</td><td>39.72</td><td>18.48</td><td>43.05</td><td>0.18</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>51.48</td><td>38.18</td><td>22.77</td><td>64.14</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13130.00	50.89	88.20	-37.31	35.56	39.72	18.48	43.05	0.18	--	--	--	Peak	2	19695.00	38.75	74.00	-35.25	51.48	38.18	22.77	64.14	-9.54	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																															
1	13130.00	50.20	88.20	-38.00	34.87	39.72	18.48	43.05	0.18	--	--	--	Peak																																																																																																															
2	19695.00	38.39	74.00	-35.61	51.12	38.18	22.77	64.14	-9.54	--	--	--	Peak																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																
1	13130.00	50.89	88.20	-37.31	35.56	39.72	18.48	43.05	0.18	--	--	--	Peak																																																																																																															
2	19695.00	38.75	74.00	-35.25	51.48	38.18	22.77	64.14	-9.54	--	--	--	Peak																																																																																																															





Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+127_6545+6585MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



Mode	35																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz																																																																																																																	
ANT	MIMO																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>51.15</td><td>88.20</td><td>-37.05</td><td>35.28</td><td>40.04</td><td>18.70</td><td>43.06</td><td>0.19</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>39.36</td><td>74.00</td><td>-34.64</td><td>51.79</td><td>38.00</td><td>22.99</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13410.00	51.15	88.20	-37.05	35.28	40.04	18.70	43.06	0.19	--	--	--	Peak	2	20115.00	39.36	74.00	-34.64	51.79	38.00	22.99	63.88	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>51.25</td><td>88.20</td><td>-36.95</td><td>35.38</td><td>40.04</td><td>18.70</td><td>43.06</td><td>0.19</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>51.23</td><td>38.00</td><td>22.99</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13410.00	51.25	88.20	-36.95	35.38	40.04	18.70	43.06	0.19	--	--	--	Peak	2	20115.00	38.80	74.00	-35.20	51.23	38.00	22.99	63.88	-9.54	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	13410.00	51.15	88.20	-37.05	35.28	40.04	18.70	43.06	0.19	--	--	--	Peak																																																																																																					
2	20115.00	39.36	74.00	-34.64	51.79	38.00	22.99	63.88	-9.54	--	--	--	Peak																																																																																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	13410.00	51.25	88.20	-36.95	35.38	40.04	18.70	43.06	0.19	--	--	--	Peak																																																																																																					
2	20115.00	38.80	74.00	-35.20	51.23	38.00	22.99	63.88	-9.54	--	--	--	Peak																																																																																																					



Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



		36																																																																																								
Mode	Band Edge																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-24 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2026-07-24 PEAK(UNII)_6E																																																																																			
	Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7209.99</td><td>62.56</td><td>88.20</td><td>-25.64</td><td>41.57</td><td>36.84</td><td>13.67</td><td>32.52</td><td>3.00</td><td></td><td>200</td><td>14</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7209.99	62.56	88.20	-25.64	41.57	36.84	13.67	32.52	3.00		200	14	Peak	Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6835.00</td><td>118.27</td><td>-----</td><td>-----</td><td>98.08</td><td>35.85</td><td>13.37</td><td>32.03</td><td>3.00</td><td></td><td>200</td><td>14</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6835.00	118.27	-----	-----	98.08	35.85	13.37	32.03	3.00		200	14
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 7209.99	62.56	88.20	-25.64	41.57	36.84	13.67	32.52	3.00		200	14	Peak																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6835.00	118.27	-----	-----	98.08	35.85	13.37	32.03	3.00		200	14	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-07-24 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2026-07-24 AVG(UNII)_6E																																																																																			
	Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7244.26</td><td>52.16</td><td>68.20</td><td>-16.04</td><td>31.03</td><td>36.98</td><td>13.72</td><td>32.57</td><td>3.00</td><td></td><td>200</td><td>14</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7244.26	52.16	68.20	-16.04	31.03	36.98	13.72	32.57	3.00		200	14	Average	Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6835.00</td><td>109.46</td><td>-----</td><td>-----</td><td>89.27</td><td>35.85</td><td>13.37</td><td>32.03</td><td>3.00</td><td></td><td>200</td><td>14</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6835.00	109.46	-----	-----	89.27	35.85	13.37	32.03	3.00		200	14
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 7244.26	52.16	68.20	-16.04	31.03	36.98	13.72	32.57	3.00		200	14	Average																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6835.00	109.46	-----	-----	89.27	35.85	13.37	32.03	3.00		200	14	Average																																																																														



Mode	36																																																																																											
	Band Edge																																																																																											
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																																																											
ANT	MIMO																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 7145.17</td><td>62.27</td><td>88.20</td><td>-25.93</td><td>41.42</td><td>36.67</td><td>13.61</td><td>32.43</td><td>3.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7145.17	62.27	88.20	-25.93	41.42	36.67	13.61	32.43	3.00									cm deg Peak	Level (dBuV/m) Date: 2026-07-24 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 6835.00</td><td>120.55</td><td>-----</td><td>-----</td><td>100.37</td><td>35.83</td><td>13.37</td><td>32.02</td><td>3.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6835.00	120.55	-----	-----	100.37	35.83	13.37	32.02	3.00									cm deg Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 7145.17	62.27	88.20	-25.93	41.42	36.67	13.61	32.43	3.00																																																																																				
								cm deg Peak																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 6835.00	120.55	-----	-----	100.37	35.83	13.37	32.02	3.00																																																																																				
								cm deg Peak																																																																																				
Avg	Level (dBuV/m) Date: 2026-07-24 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 7242.77</td><td>52.15</td><td>68.20</td><td>-16.05</td><td>31.03</td><td>36.97</td><td>13.72</td><td>32.57</td><td>3.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7242.77	52.15	68.20	-16.05	31.03	36.97	13.72	32.57	3.00									cm deg Average	Level (dBuV/m) Date: 2026-07-24 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 6835.00</td><td>111.92</td><td>-----</td><td>-----</td><td>91.75</td><td>35.82</td><td>13.36</td><td>32.01</td><td>3.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 6835.00	111.92	-----	-----	91.75	35.82	13.36	32.01	3.00									cm deg Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 7242.77	52.15	68.20	-16.05	31.03	36.97	13.72	32.57	3.00																																																																																				
								cm deg Average																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 6835.00	111.92	-----	-----	91.75	35.82	13.36	32.01	3.00																																																																																				
								cm deg Average																																																																																				



Mode	36																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																																																																																											
ANT	MIMO																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13670.00</td><td>51.98</td><td>88.20</td><td>-36.22</td><td>36.41</td><td>39.00</td><td>18.91</td><td>43.32</td><td>0.18</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20505.00</td><td>38.32</td><td>74.00</td><td>-35.68</td><td>50.46</td><td>38.00</td><td>23.19</td><td>63.79</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13670.00	51.98	88.20	-36.22	36.41	39.00	18.91	43.32	0.18	--	--	--	Peak	2	20505.00	38.32	74.00	-35.68	50.46	38.00	23.19	63.79	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13670.00</td><td>52.70</td><td>88.20</td><td>-35.50</td><td>37.13</td><td>39.00</td><td>18.91</td><td>43.32</td><td>0.18</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20505.00</td><td>39.75</td><td>74.00</td><td>-34.25</td><td>51.89</td><td>38.00</td><td>23.19</td><td>63.79</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	13670.00	52.70	88.20	-35.50	37.13	39.00	18.91	43.32	0.18	--	--	--	Peak	2	20505.00	39.75	74.00	-34.25	51.89	38.00	23.19	63.79	-9.54	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																															
1	13670.00	51.98	88.20	-36.22	36.41	39.00	18.91	43.32	0.18	--	--	--	Peak																																																																																																															
2	20505.00	38.32	74.00	-35.68	50.46	38.00	23.19	63.79	-9.54	--	--	--	Peak																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																
1	13670.00	52.70	88.20	-35.50	37.13	39.00	18.91	43.32	0.18	--	--	--	Peak																																																																																																															
2	20505.00	39.75	74.00	-34.25	51.89	38.00	23.19	63.79	-9.54	--	--	--	Peak																																																																																																															



Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-07-24 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-07-24 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



	37																																																																																																						
Mode	Band Edge																																																																																																						
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																																						
ANT	MIMO																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7153.37</td><td>62.57</td><td>88.20</td><td>-25.63</td><td>41.68</td><td>36.71</td><td>13.62</td><td>32.44</td><td>3.00</td><td>200</td><td>349</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7153.37	62.57	88.20	-25.63	41.68	36.71	13.62	32.44	3.00	200	349	Peak	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>115.39</td><td>-----</td><td>-----</td><td>95.44</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>200</td><td>349</td><td>Peak</td></tr><tr><td>2</td><td>6855.00</td><td>104.64</td><td>-----</td><td>-----</td><td>84.45</td><td>35.85</td><td>13.37</td><td>32.03</td><td>3.00</td><td>200</td><td>349</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	115.39	-----	-----	95.44	35.45	13.04	31.54	3.00	200	349	Peak	2	6855.00	104.64	-----	-----	84.45	35.85	13.37	32.03	3.00	200	349	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7153.37	62.57	88.20	-25.63	41.68	36.71	13.62	32.44	3.00	200	349	Peak																																																																																											
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	6545.00	115.39	-----	-----	95.44	35.45	13.04	31.54	3.00	200	349	Peak																																																																																											
2	6855.00	104.64	-----	-----	84.45	35.85	13.37	32.03	3.00	200	349	Peak																																																																																											
Avg	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7149.64</td><td>53.39</td><td>68.20</td><td>-14.81</td><td>32.52</td><td>36.70</td><td>13.61</td><td>32.44</td><td>3.00</td><td>200</td><td>349</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7149.64	53.39	68.20	-14.81	32.52	36.70	13.61	32.44	3.00	200	349	Average	Level (dBuV/m) Date: 2026-07-23 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>106.04</td><td>-----</td><td>-----</td><td>86.03</td><td>35.51</td><td>13.05</td><td>31.55</td><td>3.00</td><td>200</td><td>349</td><td>Average</td></tr><tr><td>2</td><td>6855.00</td><td>96.30</td><td>-----</td><td>-----</td><td>76.13</td><td>35.82</td><td>13.36</td><td>32.01</td><td>3.00</td><td>200</td><td>349</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	106.04	-----	-----	86.03	35.51	13.05	31.55	3.00	200	349	Average	2	6855.00	96.30	-----	-----	76.13	35.82	13.36	32.01	3.00	200	349	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7149.64	53.39	68.20	-14.81	32.52	36.70	13.61	32.44	3.00	200	349	Average																																																																																											
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	6545.00	106.04	-----	-----	86.03	35.51	13.05	31.55	3.00	200	349	Average																																																																																											
2	6855.00	96.30	-----	-----	76.13	35.82	13.36	32.01	3.00	200	349	Average																																																																																											



Mode	37																																																																																																						
	Band Edge																																																																																																						
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																																						
ANT	MIMO																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7144.43</td><td>64.16</td><td>88.20</td><td>-24.04</td><td>43.31</td><td>36.67</td><td>13.61</td><td>32.43</td><td>3.00</td><td>173</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7144.43	64.16	88.20	-24.04	43.31	36.67	13.61	32.43	3.00	173	351	Peak	Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>118.69</td><td>-----</td><td>-----</td><td>98.64</td><td>35.55</td><td>13.06</td><td>31.56</td><td>3.00</td><td>173</td><td>351</td><td>Peak</td></tr><tr><td>2</td><td>6855.00</td><td>99.72</td><td>-----</td><td>-----</td><td>79.56</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>173</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	118.69	-----	-----	98.64	35.55	13.06	31.56	3.00	173	351	Peak	2	6855.00	99.72	-----	-----	79.56	35.80	13.36	32.00	3.00	173	351	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7144.43	64.16	88.20	-24.04	43.31	36.67	13.61	32.43	3.00	173	351	Peak																																																																																											
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	6545.00	118.69	-----	-----	98.64	35.55	13.06	31.56	3.00	173	351	Peak																																																																																											
2	6855.00	99.72	-----	-----	79.56	35.80	13.36	32.00	3.00	173	351	Peak																																																																																											
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7156.35</td><td>54.01</td><td>68.20</td><td>-14.19</td><td>33.13</td><td>36.71</td><td>13.62</td><td>32.45</td><td>3.00</td><td>173</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7156.35	54.01	68.20	-14.19	33.13	36.71	13.62	32.45	3.00	173	351	Average	Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>109.61</td><td>-----</td><td>-----</td><td>89.76</td><td>35.55</td><td>13.06</td><td>31.56</td><td>3.00</td><td>173</td><td>351</td><td>Average</td></tr><tr><td>2</td><td>6855.00</td><td>98.89</td><td>-----</td><td>-----</td><td>78.73</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>173</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	109.61	-----	-----	89.76	35.55	13.06	31.56	3.00	173	351	Average	2	6855.00	98.89	-----	-----	78.73	35.80	13.36	32.00	3.00	173	351	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7156.35	54.01	68.20	-14.19	33.13	36.71	13.62	32.45	3.00	173	351	Average																																																																																											
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	6545.00	109.61	-----	-----	89.76	35.55	13.06	31.56	3.00	173	351	Average																																																																																											
2	6855.00	98.89	-----	-----	78.73	35.80	13.36	32.00	3.00	173	351	Average																																																																																											



Mode	37																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																																																																																																																																	
ANT	MIMO																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>53.15</td><td>88.20</td><td>-35.05</td><td>37.96</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>100</td><td>316</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>44.44</td><td>68.20</td><td>-23.76</td><td>29.25</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>100</td><td>316</td><td>Average</td></tr><tr><td>3</td><td>13710.00</td><td>53.46</td><td>88.20</td><td>-34.74</td><td>37.95</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>400</td><td>316</td><td>Peak</td></tr><tr><td>4</td><td>13710.00</td><td>42.65</td><td>68.20</td><td>-25.55</td><td>27.14</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>400</td><td>316</td><td>Average</td></tr><tr><td>5</td><td>20100.00</td><td>40.47</td><td>74.00</td><td>-33.53</td><td>52.91</td><td>38.00</td><td>22.98</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	53.15	88.20	-35.05	37.96	39.60	18.45	43.04	0.18	100	316	Peak	2	13090.00	44.44	68.20	-23.76	29.25	39.60	18.45	43.04	0.18	100	316	Average	3	13710.00	53.46	88.20	-34.74	37.95	39.78	18.94	43.38	0.17	400	316	Peak	4	13710.00	42.65	68.20	-25.55	27.14	39.78	18.94	43.38	0.17	400	316	Average	5	20100.00	40.47	74.00	-33.53	52.91	38.00	22.98	63.88	-9.54	--	--	Peak	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>38.35</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>227</td><td>56</td><td>Peak</td></tr><tr><td>2</td><td>13090.00</td><td>43.99</td><td>68.20</td><td>-24.21</td><td>28.00</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>227</td><td>56</td><td>Average</td></tr><tr><td>3</td><td>13710.00</td><td>55.09</td><td>88.20</td><td>-33.11</td><td>39.50</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>205</td><td>342</td><td>Peak</td></tr><tr><td>4</td><td>13710.00</td><td>46.86</td><td>68.20</td><td>-21.34</td><td>31.35</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>205</td><td>342</td><td>Average</td></tr><tr><td>5</td><td>20100.00</td><td>39.42</td><td>74.00</td><td>-34.58</td><td>51.86</td><td>38.00</td><td>22.98</td><td>63.88</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	53.54	88.20	-34.66	38.35	39.60	18.45	43.04	0.18	227	56	Peak	2	13090.00	43.99	68.20	-24.21	28.00	39.60	18.45	43.04	0.18	227	56	Average	3	13710.00	55.09	88.20	-33.11	39.50	39.78	18.94	43.38	0.17	205	342	Peak	4	13710.00	46.86	68.20	-21.34	31.35	39.78	18.94	43.38	0.17	205	342	Average	5	20100.00	39.42	74.00	-34.58	51.86	38.00	22.98	63.88	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	13090.00	53.15	88.20	-35.05	37.96	39.60	18.45	43.04	0.18	100	316	Peak																																																																																																																																																																																						
2	13090.00	44.44	68.20	-23.76	29.25	39.60	18.45	43.04	0.18	100	316	Average																																																																																																																																																																																						
3	13710.00	53.46	88.20	-34.74	37.95	39.78	18.94	43.38	0.17	400	316	Peak																																																																																																																																																																																						
4	13710.00	42.65	68.20	-25.55	27.14	39.78	18.94	43.38	0.17	400	316	Average																																																																																																																																																																																						
5	20100.00	40.47	74.00	-33.53	52.91	38.00	22.98	63.88	-9.54	--	--	Peak																																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	13090.00	53.54	88.20	-34.66	38.35	39.60	18.45	43.04	0.18	227	56	Peak																																																																																																																																																																																						
2	13090.00	43.99	68.20	-24.21	28.00	39.60	18.45	43.04	0.18	227	56	Average																																																																																																																																																																																						
3	13710.00	55.09	88.20	-33.11	39.50	39.78	18.94	43.38	0.17	205	342	Peak																																																																																																																																																																																						
4	13710.00	46.86	68.20	-21.34	31.35	39.78	18.94	43.38	0.17	205	342	Average																																																																																																																																																																																						
5	20100.00	39.42	74.00	-34.58	51.86	38.00	22.98	63.88	-9.54	--	--	Peak																																																																																																																																																																																						





Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-04 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-04 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL





Mode	38																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH119+127_6545+6585MHz																																																																																																																																													
ANT	MIMO																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13130.00</td><td>50.64</td><td>88.20</td><td>-37.56</td><td>35.31</td><td>39.72</td><td>18.48</td><td>43.05</td><td>0.18 -- -- Peak</td></tr><tr><td>2</td><td>19635.00</td><td>38.96</td><td>74.00</td><td>-35.04</td><td>51.95</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54 -- -- Peak</td></tr><tr><td>3</td><td>19755.00</td><td>42.15</td><td>74.00</td><td>-31.85</td><td>55.08</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54 243 0 Peak</td></tr><tr><td>4</td><td>19755.00</td><td>33.60</td><td>54.00</td><td>-20.40</td><td>46.53</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54 243 0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13130.00	50.64	88.20	-37.56	35.31	39.72	18.48	43.05	0.18 -- -- Peak	2	19635.00	38.96	74.00	-35.04	51.95	38.00	22.74	64.19	-9.54 -- -- Peak	3	19755.00	42.15	74.00	-31.85	55.08	37.91	22.80	64.10	-9.54 243 0 Peak	4	19755.00	33.60	54.00	-20.40	46.53	37.91	22.80	64.10	-9.54 243 0 Average	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13130.00</td><td>50.56</td><td>88.20</td><td>-37.64</td><td>35.23</td><td>39.72</td><td>18.48</td><td>43.05</td><td>0.18 -- -- Peak</td></tr><tr><td>2</td><td>19635.00</td><td>38.95</td><td>74.00</td><td>-35.05</td><td>51.94</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54 -- -- Peak</td></tr><tr><td>3</td><td>19755.00</td><td>43.78</td><td>74.00</td><td>-30.22</td><td>56.71</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54 100 343 Peak</td></tr><tr><td>4</td><td>19755.00</td><td>34.67</td><td>54.00</td><td>-19.33</td><td>47.60</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54 100 343 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	13130.00	50.56	88.20	-37.64	35.23	39.72	18.48	43.05	0.18 -- -- Peak	2	19635.00	38.95	74.00	-35.05	51.94	38.00	22.74	64.19	-9.54 -- -- Peak	3	19755.00	43.78	74.00	-30.22	56.71	37.91	22.80	64.10	-9.54 100 343 Peak	4	19755.00	34.67	54.00	-19.33	47.60	37.91	22.80	64.10	-9.54 100 343 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1	13130.00	50.64	88.20	-37.56	35.31	39.72	18.48	43.05	0.18 -- -- Peak																																																																																																																																					
2	19635.00	38.96	74.00	-35.04	51.95	38.00	22.74	64.19	-9.54 -- -- Peak																																																																																																																																					
3	19755.00	42.15	74.00	-31.85	55.08	37.91	22.80	64.10	-9.54 243 0 Peak																																																																																																																																					
4	19755.00	33.60	54.00	-20.40	46.53	37.91	22.80	64.10	-9.54 243 0 Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1	13130.00	50.56	88.20	-37.64	35.23	39.72	18.48	43.05	0.18 -- -- Peak																																																																																																																																					
2	19635.00	38.95	74.00	-35.05	51.94	38.00	22.74	64.19	-9.54 -- -- Peak																																																																																																																																					
3	19755.00	43.78	74.00	-30.22	56.71	37.91	22.80	64.10	-9.54 100 343 Peak																																																																																																																																					
4	19755.00	34.67	54.00	-19.33	47.60	37.91	22.80	64.10	-9.54 100 343 Average																																																																																																																																					
Avg																																																																																																																																														





Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+127_6545+6585MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



Mode	39																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz																																																																															
ANT	MIMO																																																																															
Pol.	Horizontal					Vertical																																																																										
Peak Avg																																																																																
	Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL					Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>13410.00</td><td>50.75</td><td>88.20</td><td>-37.45</td><td>34.88</td><td>40.04</td><td>18.70</td><td>43.06</td><td>0.19 -- -- Peak</td></tr><tr><td>2</td><td>20055.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>52.19</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54 -- -- Peak</td></tr><tr><td>3</td><td>20175.00</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>55.32</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54 200 67 Peak</td></tr><tr><td>4</td><td>20175.00</td><td>34.44</td><td>54.00</td><td>-19.56</td><td>46.88</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54 200 67 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	13410.00	50.75	88.20	-37.45	34.88	40.04	18.70	43.06	0.19 -- -- Peak	2	20055.00	39.63	74.00	-34.37	52.19	37.91	22.96	63.89	-9.54 -- -- Peak	3	20175.00	42.88	74.00	-31.12	55.32	37.95	23.02	63.87	-9.54 200 67 Peak	4	20175.00	34.44	54.00	-19.56	46.88	37.95	23.02	63.87	-9.54 200 67 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																							
1	13410.00	50.75	88.20	-37.45	34.88	40.04	18.70	43.06	0.19 -- -- Peak																																																																							
2	20055.00	39.63	74.00	-34.37	52.19	37.91	22.96	63.89	-9.54 -- -- Peak																																																																							
3	20175.00	42.88	74.00	-31.12	55.32	37.95	23.02	63.87	-9.54 200 67 Peak																																																																							
4	20175.00	34.44	54.00	-19.56	46.88	37.95	23.02	63.87	-9.54 200 67 Average																																																																							







Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH147+155_6685+6725MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-03  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



Mode	40																																																																																								
	Band Edge																																																																																								
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																																																								
ANT	MIMO																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-07-23 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2026-07-23 PEAK(UNII)_6E																																																																																		
	Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7242.02</td><td>63.11</td><td>88.20</td><td>-25.09</td><td>41.99</td><td>36.97</td><td>13.72</td><td>32.57</td><td>3.00</td><td></td><td>173</td><td>14</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7242.02	63.11	88.20	-25.09	41.99	36.97	13.72	32.57	3.00		173	14	Peak	Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6835.00</td><td>119.15</td><td>-----</td><td>-----</td><td>98.99</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td></td><td>173</td><td>14</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6835.00	119.15	-----	-----	98.99	35.80	13.36	32.00	3.00		173	14
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 7242.02	63.11	88.20	-25.09	41.99	36.97	13.72	32.57	3.00		173	14	Peak																																																																													
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 6835.00	119.15	-----	-----	98.99	35.80	13.36	32.00	3.00		173	14	Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-07-23 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2026-07-23 AVG(UNII)_6E																																																																																		
	Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7160.07</td><td>58.49</td><td>68.20</td><td>-9.71</td><td>37.60</td><td>36.72</td><td>13.62</td><td>32.45</td><td>3.00</td><td></td><td>173</td><td>14</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7160.07	58.49	68.20	-9.71	37.60	36.72	13.62	32.45	3.00		173	14	Average	Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6835.00</td><td>116.18</td><td>-----</td><td>-----</td><td>96.02</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td></td><td>173</td><td>14</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6835.00	116.18	-----	-----	96.02	35.80	13.36	32.00	3.00		173	14
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 7160.07	58.49	68.20	-9.71	37.60	36.72	13.62	32.45	3.00		173	14	Average																																																																													
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 6835.00	116.18	-----	-----	96.02	35.80	13.36	32.00	3.00		173	14	Average																																																																													



Mode	40																																																																																									
	Band Edge																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-23  Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 7131.02</td><td>62.49</td><td>88.20</td><td>-25.71</td><td>41.72</td><td>36.59</td><td>13.59</td><td>32.41</td><td>3.00</td><td></td><td>182</td><td>27</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak	1 7131.02	62.49	88.20	-25.71	41.72	36.59	13.59	32.41	3.00		182	27	Peak	Level (dBuV/m) Date: 2026-07-23  Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 6835.00</td><td>113.03</td><td>-----</td><td>-----</td><td>92.78</td><td>35.87</td><td>13.33</td><td>31.95</td><td>3.00</td><td></td><td>182</td><td>27</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak	1 6835.00	113.03	-----	-----	92.78	35.87	13.33	31.95	3.00		182	27	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak																																																																														
1 7131.02	62.49	88.20	-25.71	41.72	36.59	13.59	32.41	3.00		182	27	Peak																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak																																																																														
1 6835.00	113.03	-----	-----	92.78	35.87	13.33	31.95	3.00		182	27	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-07-23  Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Average</th></tr><tr><td>1 7160.07</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>34.08</td><td>36.72</td><td>13.62</td><td>32.45</td><td>3.00</td><td></td><td>182</td><td>27</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Average	1 7160.07	54.97	68.20	-13.23	34.08	36.72	13.62	32.45	3.00		182	27	Average	Level (dBuV/m) Date: 2026-07-23  Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Average</th></tr><tr><td>1 6835.00</td><td>109.09</td><td>-----</td><td>-----</td><td>88.84</td><td>35.87</td><td>13.33</td><td>31.95</td><td>3.00</td><td></td><td>182</td><td>27</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Average	1 6835.00	109.09	-----	-----	88.84	35.87	13.33	31.95	3.00		182	27	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Average																																																																														
1 7160.07	54.97	68.20	-13.23	34.08	36.72	13.62	32.45	3.00		182	27	Average																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Average																																																																														
1 6835.00	109.09	-----	-----	88.84	35.87	13.33	31.95	3.00		182	27	Average																																																																														



Mode	40																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz																																																																																																																																																																																																									
ANT	MIMO																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13630.00</td><td>54.69</td><td>88.20</td><td>-33.51</td><td>39.05</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>100 297 Peak</td></tr><tr><td>2 13630.00</td><td>44.68</td><td>68.20</td><td>-23.52</td><td>29.04</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>100 297 Average</td></tr><tr><td>3 13710.00</td><td>53.70</td><td>88.20</td><td>-34.50</td><td>38.19</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>391 291 Peak</td></tr><tr><td>4 13710.00</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>28.33</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>391 291 Average</td></tr><tr><td>5 20445.00</td><td>39.01</td><td>74.00</td><td>-34.99</td><td>51.12</td><td>38.08</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>6 20565.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>54.05</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>200 128 Peak</td></tr><tr><td>7 20565.00</td><td>34.57</td><td>54.00</td><td>-19.43</td><td>46.63</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>200 128 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13630.00	54.69	88.20	-33.51	39.05	39.84	18.88	43.26	0.18	100 297 Peak	2 13630.00	44.68	68.20	-23.52	29.04	39.84	18.88	43.26	0.18	100 297 Average	3 13710.00	53.70	88.20	-34.50	38.19	39.78	18.94	43.38	0.17	391 291 Peak	4 13710.00	43.84	68.20	-24.36	28.33	39.78	18.94	43.38	0.17	391 291 Average	5 20445.00	39.01	74.00	-34.99	51.12	38.08	23.16	63.81	-9.54	-- -- Peak	6 20565.00	42.79	74.00	-31.21	54.05	38.00	23.22	63.74	-9.54	200 128 Peak	7 20565.00	34.57	54.00	-19.43	46.63	38.00	23.22	63.74	-9.54	200 128 Average	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13630.00</td><td>56.70</td><td>88.20</td><td>-31.50</td><td>41.06</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>306 8 Peak</td></tr><tr><td>2 13630.00</td><td>49.29</td><td>68.20</td><td>-18.91</td><td>33.65</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>306 8 Average</td></tr><tr><td>3 13710.00</td><td>56.68</td><td>88.20</td><td>-31.52</td><td>41.17</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>268 342 Peak</td></tr><tr><td>4 13710.00</td><td>48.92</td><td>68.20</td><td>-19.28</td><td>33.41</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>268 342 Average</td></tr><tr><td>5 20445.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>51.27</td><td>38.08</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>6 20565.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>55.00</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>100 337 Peak</td></tr><tr><td>7 20565.00</td><td>34.96</td><td>54.00</td><td>-19.04</td><td>47.02</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>100 337 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13630.00	56.70	88.20	-31.50	41.06	39.84	18.88	43.26	0.18	306 8 Peak	2 13630.00	49.29	68.20	-18.91	33.65	39.84	18.88	43.26	0.18	306 8 Average	3 13710.00	56.68	88.20	-31.52	41.17	39.78	18.94	43.38	0.17	268 342 Peak	4 13710.00	48.92	68.20	-19.28	33.41	39.78	18.94	43.38	0.17	268 342 Average	5 20445.00	39.16	74.00	-34.84	51.27	38.08	23.16	63.81	-9.54	-- -- Peak	6 20565.00	43.74	74.00	-30.26	55.00	38.00	23.22	63.74	-9.54	100 337 Peak	7 20565.00	34.96	54.00	-19.04	47.02	38.00	23.22	63.74	-9.54	100 337 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																	
1 13630.00	54.69	88.20	-33.51	39.05	39.84	18.88	43.26	0.18	100 297 Peak																																																																																																																																																																																																	
2 13630.00	44.68	68.20	-23.52	29.04	39.84	18.88	43.26	0.18	100 297 Average																																																																																																																																																																																																	
3 13710.00	53.70	88.20	-34.50	38.19	39.78	18.94	43.38	0.17	391 291 Peak																																																																																																																																																																																																	
4 13710.00	43.84	68.20	-24.36	28.33	39.78	18.94	43.38	0.17	391 291 Average																																																																																																																																																																																																	
5 20445.00	39.01	74.00	-34.99	51.12	38.08	23.16	63.81	-9.54	-- -- Peak																																																																																																																																																																																																	
6 20565.00	42.79	74.00	-31.21	54.05	38.00	23.22	63.74	-9.54	200 128 Peak																																																																																																																																																																																																	
7 20565.00	34.57	54.00	-19.43	46.63	38.00	23.22	63.74	-9.54	200 128 Average																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																	
1 13630.00	56.70	88.20	-31.50	41.06	39.84	18.88	43.26	0.18	306 8 Peak																																																																																																																																																																																																	
2 13630.00	49.29	68.20	-18.91	33.65	39.84	18.88	43.26	0.18	306 8 Average																																																																																																																																																																																																	
3 13710.00	56.68	88.20	-31.52	41.17	39.78	18.94	43.38	0.17	268 342 Peak																																																																																																																																																																																																	
4 13710.00	48.92	68.20	-19.28	33.41	39.78	18.94	43.38	0.17	268 342 Average																																																																																																																																																																																																	
5 20445.00	39.16	74.00	-34.84	51.27	38.08	23.16	63.81	-9.54	-- -- Peak																																																																																																																																																																																																	
6 20565.00	43.74	74.00	-30.26	55.00	38.00	23.22	63.74	-9.54	100 337 Peak																																																																																																																																																																																																	
7 20565.00	34.96	54.00	-19.04	47.02	38.00	23.22	63.74	-9.54	100 337 Average																																																																																																																																																																																																	



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH173+181_6815+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-03 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-03 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	41																																																																																														
	Band Edge																																																																																														
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																														
ANT	MIMO																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2026-07-22 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2026-07-22 PEAK(UNII)_6E																																																																																								
	Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7160.07</td><td>64.19</td><td>88.20</td><td>-24.01</td><td>43.30</td><td>36.72</td><td>13.62</td><td>32.45</td><td>3.00</td><td>182</td><td>15</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7160.07	64.19	88.20	-24.01	43.30	36.72	13.62	32.45	3.00	182	15	Peak	Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6545.00</td><td>117.20</td><td>-----</td><td>-----</td><td>97.15</td><td>35.55</td><td>13.06</td><td>31.56</td><td>3.00</td><td>182</td><td>15</td><td>Peak</td></tr><tr><td>2 6855.00</td><td>119.86</td><td>-----</td><td>-----</td><td>99.70</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>182</td><td>15</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6545.00	117.20	-----	-----	97.15	35.55	13.06	31.56	3.00	182	15	Peak	2 6855.00	119.86	-----	-----	99.70	35.80	13.36	32.00	3.00	182	15
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7160.07	64.19	88.20	-24.01	43.30	36.72	13.62	32.45	3.00	182	15	Peak																																																																																				
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 6545.00	117.20	-----	-----	97.15	35.55	13.06	31.56	3.00	182	15	Peak																																																																																				
2 6855.00	119.86	-----	-----	99.70	35.80	13.36	32.00	3.00	182	15	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2026-07-22 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2026-07-22 AVG(UNII)_6E																																																																																								
	Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7160.07</td><td>57.97</td><td>68.20</td><td>-10.23</td><td>37.08</td><td>36.72</td><td>13.62</td><td>32.45</td><td>3.00</td><td>182</td><td>15</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7160.07	57.97	68.20	-10.23	37.08	36.72	13.62	32.45	3.00	182	15	Average	Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6545.00</td><td>110.81</td><td>-----</td><td>-----</td><td>90.06</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>182</td><td>15</td><td>Average</td></tr><tr><td>2 6855.00</td><td>116.58</td><td>-----</td><td>-----</td><td>96.42</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>182</td><td>15</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6545.00	110.81	-----	-----	90.06	35.45	13.04	31.54	3.00	182	15	Average	2 6855.00	116.58	-----	-----	96.42	35.80	13.36	32.00	3.00	182	15
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 7160.07	57.97	68.20	-10.23	37.08	36.72	13.62	32.45	3.00	182	15	Average																																																																																				
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 6545.00	110.81	-----	-----	90.06	35.45	13.04	31.54	3.00	182	15	Average																																																																																				
2 6855.00	116.58	-----	-----	96.42	35.80	13.36	32.00	3.00	182	15	Average																																																																																				



Mode	41																																																																																												
	Band Edge																																																																																												
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																												
ANT	MIMO																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-07-22 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7174.97</td><td>64.17</td><td>88.20</td><td>-24.03</td><td>43.25</td><td>36.75</td><td>13.64</td><td>32.47</td><td>3.00</td><td>183</td><td>0</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7174.97	64.17	88.20	-24.03	43.25	36.75	13.64	32.47	3.00	183	0	Peak	Level (dBuV/m) Date: 2026-07-22 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>116.44</td><td>-----</td><td>-----</td><td>96.39</td><td>35.55</td><td>13.06</td><td>31.56</td><td>3.00</td><td>183</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>6855.00</td><td>119.93</td><td>-----</td><td>-----</td><td>99.77</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>183</td><td>0</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	116.44	-----	-----	96.39	35.55	13.06	31.56	3.00	183	0	Peak	2	6855.00	119.93	-----	-----	99.77	35.80	13.36	32.00	3.00	183	0	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	7174.97	64.17	88.20	-24.03	43.25	36.75	13.64	32.47	3.00	183	0	Peak																																																																																	
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	6545.00	116.44	-----	-----	96.39	35.55	13.06	31.56	3.00	183	0	Peak																																																																																	
2	6855.00	119.93	-----	-----	99.77	35.80	13.36	32.00	3.00	183	0	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-07-22 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7165.29</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>35.24</td><td>36.73</td><td>13.63</td><td>32.46</td><td>3.00</td><td>183</td><td>0</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7165.29	56.14	68.20	-12.06	35.24	36.73	13.63	32.46	3.00	183	0	Average	Level (dBuV/m) Date: 2026-07-22 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>110.88</td><td>-----</td><td>-----</td><td>90.93</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>183</td><td>0</td><td>Average</td></tr><tr><td>2</td><td>6855.00</td><td>114.88</td><td>-----</td><td>-----</td><td>94.72</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>183</td><td>0</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	110.88	-----	-----	90.93	35.45	13.04	31.54	3.00	183	0	Average	2	6855.00	114.88	-----	-----	94.72	35.80	13.36	32.00	3.00	183	0	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	7165.29	56.14	68.20	-12.06	35.24	36.73	13.63	32.46	3.00	183	0	Average																																																																																	
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	6545.00	110.88	-----	-----	90.93	35.45	13.04	31.54	3.00	183	0	Average																																																																																	
2	6855.00	114.88	-----	-----	94.72	35.80	13.36	32.00	3.00	183	0	Average																																																																																	



Mode	41																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																											
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz																																																																																																																																																																																																																																											
ANT	MIMO																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																										
Peak	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13090.00</td><td>51.19</td><td>88.20</td><td>-37.01</td><td>36.00</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>200</td><td>318</td><td>Peak</td><td></td></tr><tr><td>2 13090.00</td><td>41.27</td><td>68.20</td><td>-26.93</td><td>26.00</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>200</td><td>318</td><td>Average</td><td></td></tr><tr><td>3 13710.00</td><td>58.97</td><td>88.20</td><td>-29.23</td><td>43.46</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>400</td><td>290</td><td>Peak</td><td></td></tr><tr><td>4 13710.00</td><td>46.98</td><td>68.20</td><td>-21.22</td><td>31.47</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>400</td><td>290</td><td>Average</td><td></td></tr><tr><td>5 19635.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>52.54</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>6 20565.00</td><td>43.32</td><td>74.00</td><td>-30.68</td><td>55.38</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>200</td><td>211</td><td>Peak</td><td></td></tr><tr><td>7 20565.00</td><td>34.49</td><td>54.00</td><td>-19.51</td><td>46.55</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>200</td><td>211</td><td>Average</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 13090.00	51.19	88.20	-37.01	36.00	39.60	18.45	43.04	0.18	200	318	Peak		2 13090.00	41.27	68.20	-26.93	26.00	39.60	18.45	43.04	0.18	200	318	Average		3 13710.00	58.97	88.20	-29.23	43.46	39.78	18.94	43.38	0.17	400	290	Peak		4 13710.00	46.98	68.20	-21.22	31.47	39.78	18.94	43.38	0.17	400	290	Average		5 19635.00	39.55	74.00	-34.45	52.54	38.00	22.74	64.19	-9.54	--	--	Peak		6 20565.00	43.32	74.00	-30.68	55.38	38.00	23.22	63.74	-9.54	200	211	Peak		7 20565.00	34.49	54.00	-19.51	46.55	38.00	23.22	63.74	-9.54	200	211	Average		Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13090.00</td><td>51.63</td><td>88.20</td><td>-36.57</td><td>36.44</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>250</td><td>14</td><td>Peak</td><td></td></tr><tr><td>2 13090.00</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>28.25</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>250</td><td>14</td><td>Average</td><td></td></tr><tr><td>3 13710.00</td><td>64.54</td><td>88.20</td><td>-23.66</td><td>49.03</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>264</td><td>8</td><td>Peak</td><td></td></tr><tr><td>4 13710.00</td><td>52.57</td><td>68.20</td><td>-15.63</td><td>37.06</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>264</td><td>8</td><td>Average</td><td></td></tr><tr><td>5 19635.00</td><td>38.97</td><td>74.00</td><td>-35.03</td><td>51.96</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>6 20565.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>56.58</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>155</td><td>360</td><td>Peak</td><td></td></tr><tr><td>7 20565.00</td><td>35.45</td><td>54.00</td><td>-18.55</td><td>47.51</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>155</td><td>360</td><td>Average</td><td></td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 13090.00	51.63	88.20	-36.57	36.44	39.60	18.45	43.04	0.18	250	14	Peak		2 13090.00	43.44	68.20	-24.76	28.25	39.60	18.45	43.04	0.18	250	14	Average		3 13710.00	64.54	88.20	-23.66	49.03	39.78	18.94	43.38	0.17	264	8	Peak		4 13710.00	52.57	68.20	-15.63	37.06	39.78	18.94	43.38	0.17	264	8	Average		5 19635.00	38.97	74.00	-35.03	51.96	38.00	22.74	64.19	-9.54	--	--	Peak		6 20565.00	44.52	74.00	-29.48	56.58	38.00	23.22	63.74	-9.54	155	360	Peak		7 20565.00	35.45	54.00	-18.55	47.51	38.00	23.22	63.74	-9.54	155	360	Average	
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																	
1 13090.00	51.19	88.20	-37.01	36.00	39.60	18.45	43.04	0.18	200	318	Peak																																																																																																																																																																																																																																	
2 13090.00	41.27	68.20	-26.93	26.00	39.60	18.45	43.04	0.18	200	318	Average																																																																																																																																																																																																																																	
3 13710.00	58.97	88.20	-29.23	43.46	39.78	18.94	43.38	0.17	400	290	Peak																																																																																																																																																																																																																																	
4 13710.00	46.98	68.20	-21.22	31.47	39.78	18.94	43.38	0.17	400	290	Average																																																																																																																																																																																																																																	
5 19635.00	39.55	74.00	-34.45	52.54	38.00	22.74	64.19	-9.54	--	--	Peak																																																																																																																																																																																																																																	
6 20565.00	43.32	74.00	-30.68	55.38	38.00	23.22	63.74	-9.54	200	211	Peak																																																																																																																																																																																																																																	
7 20565.00	34.49	54.00	-19.51	46.55	38.00	23.22	63.74	-9.54	200	211	Average																																																																																																																																																																																																																																	
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																	
1 13090.00	51.63	88.20	-36.57	36.44	39.60	18.45	43.04	0.18	250	14	Peak																																																																																																																																																																																																																																	
2 13090.00	43.44	68.20	-24.76	28.25	39.60	18.45	43.04	0.18	250	14	Average																																																																																																																																																																																																																																	
3 13710.00	64.54	88.20	-23.66	49.03	39.78	18.94	43.38	0.17	264	8	Peak																																																																																																																																																																																																																																	
4 13710.00	52.57	68.20	-15.63	37.06	39.78	18.94	43.38	0.17	264	8	Average																																																																																																																																																																																																																																	
5 19635.00	38.97	74.00	-35.03	51.96	38.00	22.74	64.19	-9.54	--	--	Peak																																																																																																																																																																																																																																	
6 20565.00	44.52	74.00	-29.48	56.58	38.00	23.22	63.74	-9.54	155	360	Peak																																																																																																																																																																																																																																	
7 20565.00	35.45	54.00	-18.55	47.51	38.00	23.22	63.74	-9.54	155	360	Average																																																																																																																																																																																																																																	



Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+181_6545+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-03 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-03 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



Mode	42																																																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135_6545+6585+6625MHz																																																																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																												
Peak	Level (dBuV/m) Date: 2026-08-04 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13090.00</td><td>52.07</td><td>88.20</td><td>-36.13</td><td>36.88</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>347 46 Peak</td></tr><tr><td>2 13090.00</td><td>41.37</td><td>68.20</td><td>-26.83</td><td>26.18</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>347 46 Average</td></tr><tr><td>3 13170.00</td><td>53.11</td><td>68.20</td><td>-35.09</td><td>37.71</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td><td>156 303 Peak</td></tr><tr><td>4 13170.00</td><td>43.27</td><td>68.20</td><td>-24.93</td><td>27.87</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td><td>156 303 Average</td></tr><tr><td>5 13250.00</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>38.00</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td><td>144 58 Peak</td></tr><tr><td>6 13250.00</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>27.90</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td><td>144 58 Average</td></tr><tr><td>7 19635.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>55.25</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>100 55 Peak</td></tr><tr><td>8 19635.00</td><td>35.88</td><td>54.00</td><td>-18.12</td><td>48.87</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>100 55 Average</td></tr><tr><td>9 19755.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>58.64</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td><td>150 290 Peak</td></tr><tr><td>10 19755.00</td><td>41.19</td><td>54.00</td><td>-12.81</td><td>54.12</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td><td>150 290 Average</td></tr><tr><td>11 19875.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>54.56</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td><td>250 342 Peak</td></tr><tr><td>12 19875.00</td><td>31.58</td><td>54.00</td><td>-22.42</td><td>44.31</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td><td>250 342 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13090.00	52.07	88.20	-36.13	36.88	39.60	18.45	43.04	0.18	347 46 Peak	2 13090.00	41.37	68.20	-26.83	26.18	39.60	18.45	43.04	0.18	347 46 Average	3 13170.00	53.11	68.20	-35.09	37.71	39.76	18.51	43.05	0.18	156 303 Peak	4 13170.00	43.27	68.20	-24.93	27.87	39.76	18.51	43.05	0.18	156 303 Average	5 13250.00	53.52	74.00	-20.48	38.00	39.80	18.58	43.05	0.19	144 58 Peak	6 13250.00	43.42	54.00	-10.58	27.90	39.80	18.58	43.05	0.19	144 58 Average	7 19635.00	42.26	74.00	-31.74	55.25	38.00	22.74	64.19	-9.54	100 55 Peak	8 19635.00	35.88	54.00	-18.12	48.87	38.00	22.74	64.19	-9.54	100 55 Average	9 19755.00	45.71	74.00	-28.29	58.64	37.91	22.80	64.10	-9.54	150 290 Peak	10 19755.00	41.19	54.00	-12.81	54.12	37.91	22.80	64.10	-9.54	150 290 Average	11 19875.00	41.83	74.00	-32.17	54.56	37.95	22.86	64.00	-9.54	250 342 Peak	12 19875.00	31.58	54.00	-22.42	44.31	37.95	22.86	64.00	-9.54	250 342 Average	Level (dBuV/m) Date: 2026-08-04 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13090.00</td><td>51.97</td><td>88.20</td><td>-36.23</td><td>36.78</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>249 347 Peak</td></tr><tr><td>2 13090.00</td><td>40.96</td><td>68.20</td><td>-27.24</td><td>25.77</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>249 347 Average</td></tr><tr><td>3 13170.00</td><td>53.92</td><td>68.20</td><td>-34.28</td><td>38.52</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td><td>198 308 Peak</td></tr><tr><td>4 13170.00</td><td>44.82</td><td>68.20</td><td>-23.38</td><td>29.42</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td><td>198 308 Average</td></tr><tr><td>5 13250.00</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>38.29</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td><td>232 57 Peak</td></tr><tr><td>6 13250.00</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>28.96</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td><td>232 57 Average</td></tr><tr><td>7 19635.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>54.21</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>250 43 Peak</td></tr><tr><td>8 19635.00</td><td>31.56</td><td>54.00</td><td>-22.44</td><td>44.55</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>250 43 Average</td></tr><tr><td>9 19755.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>58.81</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td><td>100 346 Peak</td></tr><tr><td>10 19755.00</td><td>41.90</td><td>54.00</td><td>-12.10</td><td>54.83</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td><td>100 346 Average</td></tr><tr><td>11 19875.00</td><td>40.30</td><td>74.00</td><td>-33.70</td><td>53.03</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td><td>143 360 Peak</td></tr><tr><td>12 19875.00</td><td>32.16</td><td>54.00</td><td>-21.84</td><td>44.89</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td><td>143 360 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13090.00	51.97	88.20	-36.23	36.78	39.60	18.45	43.04	0.18	249 347 Peak	2 13090.00	40.96	68.20	-27.24	25.77	39.60	18.45	43.04	0.18	249 347 Average	3 13170.00	53.92	68.20	-34.28	38.52	39.76	18.51	43.05	0.18	198 308 Peak	4 13170.00	44.82	68.20	-23.38	29.42	39.76	18.51	43.05	0.18	198 308 Average	5 13250.00	53.81	74.00	-20.19	38.29	39.80	18.58	43.05	0.19	232 57 Peak	6 13250.00	44.48	54.00	-9.52	28.96	39.80	18.58	43.05	0.19	232 57 Average	7 19635.00	41.22	74.00	-32.78	54.21	38.00	22.74	64.19	-9.54	250 43 Peak	8 19635.00	31.56	54.00	-22.44	44.55	38.00	22.74	64.19	-9.54	250 43 Average	9 19755.00	45.88	74.00	-28.12	58.81	37.91	22.80	64.10	-9.54	100 346 Peak	10 19755.00	41.90	54.00	-12.10	54.83	37.91	22.80	64.10	-9.54	100 346 Average	11 19875.00	40.30	74.00	-33.70	53.03	37.95	22.86	64.00	-9.54	143 360 Peak	12 19875.00	32.16	54.00	-21.84	44.89	37.95	22.86	64.00	-9.54	143 360 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13090.00	52.07	88.20	-36.13	36.88	39.60	18.45	43.04	0.18	347 46 Peak																																																																																																																																																																																																																																																																																																					
2 13090.00	41.37	68.20	-26.83	26.18	39.60	18.45	43.04	0.18	347 46 Average																																																																																																																																																																																																																																																																																																					
3 13170.00	53.11	68.20	-35.09	37.71	39.76	18.51	43.05	0.18	156 303 Peak																																																																																																																																																																																																																																																																																																					
4 13170.00	43.27	68.20	-24.93	27.87	39.76	18.51	43.05	0.18	156 303 Average																																																																																																																																																																																																																																																																																																					
5 13250.00	53.52	74.00	-20.48	38.00	39.80	18.58	43.05	0.19	144 58 Peak																																																																																																																																																																																																																																																																																																					
6 13250.00	43.42	54.00	-10.58	27.90	39.80	18.58	43.05	0.19	144 58 Average																																																																																																																																																																																																																																																																																																					
7 19635.00	42.26	74.00	-31.74	55.25	38.00	22.74	64.19	-9.54	100 55 Peak																																																																																																																																																																																																																																																																																																					
8 19635.00	35.88	54.00	-18.12	48.87	38.00	22.74	64.19	-9.54	100 55 Average																																																																																																																																																																																																																																																																																																					
9 19755.00	45.71	74.00	-28.29	58.64	37.91	22.80	64.10	-9.54	150 290 Peak																																																																																																																																																																																																																																																																																																					
10 19755.00	41.19	54.00	-12.81	54.12	37.91	22.80	64.10	-9.54	150 290 Average																																																																																																																																																																																																																																																																																																					
11 19875.00	41.83	74.00	-32.17	54.56	37.95	22.86	64.00	-9.54	250 342 Peak																																																																																																																																																																																																																																																																																																					
12 19875.00	31.58	54.00	-22.42	44.31	37.95	22.86	64.00	-9.54	250 342 Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13090.00	51.97	88.20	-36.23	36.78	39.60	18.45	43.04	0.18	249 347 Peak																																																																																																																																																																																																																																																																																																					
2 13090.00	40.96	68.20	-27.24	25.77	39.60	18.45	43.04	0.18	249 347 Average																																																																																																																																																																																																																																																																																																					
3 13170.00	53.92	68.20	-34.28	38.52	39.76	18.51	43.05	0.18	198 308 Peak																																																																																																																																																																																																																																																																																																					
4 13170.00	44.82	68.20	-23.38	29.42	39.76	18.51	43.05	0.18	198 308 Average																																																																																																																																																																																																																																																																																																					
5 13250.00	53.81	74.00	-20.19	38.29	39.80	18.58	43.05	0.19	232 57 Peak																																																																																																																																																																																																																																																																																																					
6 13250.00	44.48	54.00	-9.52	28.96	39.80	18.58	43.05	0.19	232 57 Average																																																																																																																																																																																																																																																																																																					
7 19635.00	41.22	74.00	-32.78	54.21	38.00	22.74	64.19	-9.54	250 43 Peak																																																																																																																																																																																																																																																																																																					
8 19635.00	31.56	54.00	-22.44	44.55	38.00	22.74	64.19	-9.54	250 43 Average																																																																																																																																																																																																																																																																																																					
9 19755.00	45.88	74.00	-28.12	58.81	37.91	22.80	64.10	-9.54	100 346 Peak																																																																																																																																																																																																																																																																																																					
10 19755.00	41.90	54.00	-12.10	54.83	37.91	22.80	64.10	-9.54	100 346 Average																																																																																																																																																																																																																																																																																																					
11 19875.00	40.30	74.00	-33.70	53.03	37.95	22.86	64.00	-9.54	143 360 Peak																																																																																																																																																																																																																																																																																																					
12 19875.00	32.16	54.00	-21.84	44.89	37.95	22.86	64.00	-9.54	143 360 Average																																																																																																																																																																																																																																																																																																					





Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135_6545+6585+6625MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-04 AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-04 AVG(UNII)_6E Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL



Mode	43																																																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155_6645+6685+6725MHz																																																																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																												
Peak	Level (dBuV/m) Date: 2026-08-04 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13290.00</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>37.43</td><td>39.80</td><td>18.61</td><td>43.05</td><td>0.19</td><td>100 342 Peak</td></tr><tr><td>2 13290.00</td><td>41.82</td><td>54.00</td><td>-12.18</td><td>26.27</td><td>39.80</td><td>18.61</td><td>43.05</td><td>0.19</td><td>100 342 Average</td></tr><tr><td>3 13370.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>37.19</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>145 308 Peak</td></tr><tr><td>4 13370.00</td><td>41.34</td><td>54.00</td><td>-12.66</td><td>25.59</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>145 308 Average</td></tr><tr><td>5 13450.00</td><td>52.81</td><td>88.20</td><td>-35.39</td><td>36.74</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>377 321 Peak</td></tr><tr><td>6 13450.00</td><td>41.49</td><td>68.20</td><td>-26.71</td><td>25.42</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>377 321 Average</td></tr><tr><td>7 19935.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>55.23</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>100 111 Peak</td></tr><tr><td>8 19935.00</td><td>36.24</td><td>54.00</td><td>-17.76</td><td>48.86</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>100 111 Average</td></tr><tr><td>9 20855.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>58.61</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200 167 Peak</td></tr><tr><td>10 20855.00</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>54.10</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200 167 Average</td></tr><tr><td>11 20176.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>54.57</td><td>37.95</td><td>23.02</td><td>63.86</td><td>-9.54</td><td>100 346 Peak</td></tr><tr><td>12 20176.00</td><td>31.75</td><td>54.00</td><td>-22.25</td><td>44.18</td><td>37.95</td><td>23.02</td><td>63.86</td><td>-9.54</td><td>100 346 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13290.00	52.98	74.00	-21.02	37.43	39.80	18.61	43.05	0.19	100 342 Peak	2 13290.00	41.82	54.00	-12.18	26.27	39.80	18.61	43.05	0.19	100 342 Average	3 13370.00	52.94	74.00	-21.06	37.19	39.94	18.67	43.05	0.19	145 308 Peak	4 13370.00	41.34	54.00	-12.66	25.59	39.94	18.67	43.05	0.19	145 308 Average	5 13450.00	52.81	88.20	-35.39	36.74	40.20	18.74	43.06	0.19	377 321 Peak	6 13450.00	41.49	68.20	-26.71	25.42	40.20	18.74	43.06	0.19	377 321 Average	7 19935.00	42.61	74.00	-31.39	55.23	37.97	22.90	63.95	-9.54	100 111 Peak	8 19935.00	36.24	54.00	-17.76	48.86	37.97	22.90	63.95	-9.54	100 111 Average	9 20855.00	46.05	74.00	-27.95	58.61	37.91	22.96	63.89	-9.54	200 167 Peak	10 20855.00	41.54	54.00	-12.46	54.10	37.91	22.96	63.89	-9.54	200 167 Average	11 20176.00	42.14	74.00	-31.86	54.57	37.95	23.02	63.86	-9.54	100 346 Peak	12 20176.00	31.75	54.00	-22.25	44.18	37.95	23.02	63.86	-9.54	100 346 Average	Level (dBuV/m) Date: 2026-08-04 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13290.00</td><td>52.80</td><td>74.00</td><td>-21.20</td><td>37.25</td><td>39.80</td><td>18.61</td><td>43.05</td><td>0.19</td><td>255 349 Peak</td></tr><tr><td>2 13290.00</td><td>41.78</td><td>54.00</td><td>-12.22</td><td>26.23</td><td>39.80</td><td>18.61</td><td>43.05</td><td>0.19</td><td>255 349 Average</td></tr><tr><td>3 13370.00</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>37.80</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>296 337 Peak</td></tr><tr><td>4 13370.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>27.13</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>296 337 Average</td></tr><tr><td>5 13450.00</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>39.47</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>286 349 Peak</td></tr><tr><td>6 13450.00</td><td>43.66</td><td>68.20</td><td>-24.54</td><td>27.59</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>286 349 Average</td></tr><tr><td>7 19935.00</td><td>41.72</td><td>74.00</td><td>-32.28</td><td>54.34</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>100 49 Peak</td></tr><tr><td>8 19935.00</td><td>32.05</td><td>54.00</td><td>-21.95</td><td>44.67</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>100 49 Average</td></tr><tr><td>9 20855.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>50.67</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>100 337 Peak</td></tr><tr><td>10 20855.00</td><td>42.26</td><td>54.00</td><td>-11.74</td><td>54.02</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>100 337 Average</td></tr><tr><td>11 20175.00</td><td>40.63</td><td>74.00</td><td>-33.37</td><td>53.07</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54</td><td>100 73 Peak</td></tr><tr><td>12 20175.00</td><td>32.46</td><td>54.00</td><td>-21.54</td><td>44.90</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54</td><td>100 73 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13290.00	52.80	74.00	-21.20	37.25	39.80	18.61	43.05	0.19	255 349 Peak	2 13290.00	41.78	54.00	-12.22	26.23	39.80	18.61	43.05	0.19	255 349 Average	3 13370.00	53.55	74.00	-20.45	37.80	39.94	18.67	43.05	0.19	296 337 Peak	4 13370.00	42.88	54.00	-11.12	27.13	39.94	18.67	43.05	0.19	296 337 Average	5 13450.00	55.54	88.20	-32.66	39.47	40.20	18.74	43.06	0.19	286 349 Peak	6 13450.00	43.66	68.20	-24.54	27.59	40.20	18.74	43.06	0.19	286 349 Average	7 19935.00	41.72	74.00	-32.28	54.34	37.97	22.90	63.95	-9.54	100 49 Peak	8 19935.00	32.05	54.00	-21.95	44.67	37.97	22.90	63.95	-9.54	100 49 Average	9 20855.00	46.11	74.00	-27.89	50.67	37.91	22.96	63.89	-9.54	100 337 Peak	10 20855.00	42.26	54.00	-11.74	54.02	37.91	22.96	63.89	-9.54	100 337 Average	11 20175.00	40.63	74.00	-33.37	53.07	37.95	23.02	63.87	-9.54	100 73 Peak	12 20175.00	32.46	54.00	-21.54	44.90	37.95	23.02	63.87	-9.54	100 73 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13290.00	52.98	74.00	-21.02	37.43	39.80	18.61	43.05	0.19	100 342 Peak																																																																																																																																																																																																																																																																																																					
2 13290.00	41.82	54.00	-12.18	26.27	39.80	18.61	43.05	0.19	100 342 Average																																																																																																																																																																																																																																																																																																					
3 13370.00	52.94	74.00	-21.06	37.19	39.94	18.67	43.05	0.19	145 308 Peak																																																																																																																																																																																																																																																																																																					
4 13370.00	41.34	54.00	-12.66	25.59	39.94	18.67	43.05	0.19	145 308 Average																																																																																																																																																																																																																																																																																																					
5 13450.00	52.81	88.20	-35.39	36.74	40.20	18.74	43.06	0.19	377 321 Peak																																																																																																																																																																																																																																																																																																					
6 13450.00	41.49	68.20	-26.71	25.42	40.20	18.74	43.06	0.19	377 321 Average																																																																																																																																																																																																																																																																																																					
7 19935.00	42.61	74.00	-31.39	55.23	37.97	22.90	63.95	-9.54	100 111 Peak																																																																																																																																																																																																																																																																																																					
8 19935.00	36.24	54.00	-17.76	48.86	37.97	22.90	63.95	-9.54	100 111 Average																																																																																																																																																																																																																																																																																																					
9 20855.00	46.05	74.00	-27.95	58.61	37.91	22.96	63.89	-9.54	200 167 Peak																																																																																																																																																																																																																																																																																																					
10 20855.00	41.54	54.00	-12.46	54.10	37.91	22.96	63.89	-9.54	200 167 Average																																																																																																																																																																																																																																																																																																					
11 20176.00	42.14	74.00	-31.86	54.57	37.95	23.02	63.86	-9.54	100 346 Peak																																																																																																																																																																																																																																																																																																					
12 20176.00	31.75	54.00	-22.25	44.18	37.95	23.02	63.86	-9.54	100 346 Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13290.00	52.80	74.00	-21.20	37.25	39.80	18.61	43.05	0.19	255 349 Peak																																																																																																																																																																																																																																																																																																					
2 13290.00	41.78	54.00	-12.22	26.23	39.80	18.61	43.05	0.19	255 349 Average																																																																																																																																																																																																																																																																																																					
3 13370.00	53.55	74.00	-20.45	37.80	39.94	18.67	43.05	0.19	296 337 Peak																																																																																																																																																																																																																																																																																																					
4 13370.00	42.88	54.00	-11.12	27.13	39.94	18.67	43.05	0.19	296 337 Average																																																																																																																																																																																																																																																																																																					
5 13450.00	55.54	88.20	-32.66	39.47	40.20	18.74	43.06	0.19	286 349 Peak																																																																																																																																																																																																																																																																																																					
6 13450.00	43.66	68.20	-24.54	27.59	40.20	18.74	43.06	0.19	286 349 Average																																																																																																																																																																																																																																																																																																					
7 19935.00	41.72	74.00	-32.28	54.34	37.97	22.90	63.95	-9.54	100 49 Peak																																																																																																																																																																																																																																																																																																					
8 19935.00	32.05	54.00	-21.95	44.67	37.97	22.90	63.95	-9.54	100 49 Average																																																																																																																																																																																																																																																																																																					
9 20855.00	46.11	74.00	-27.89	50.67	37.91	22.96	63.89	-9.54	100 337 Peak																																																																																																																																																																																																																																																																																																					
10 20855.00	42.26	54.00	-11.74	54.02	37.91	22.96	63.89	-9.54	100 337 Average																																																																																																																																																																																																																																																																																																					
11 20175.00	40.63	74.00	-33.37	53.07	37.95	23.02	63.87	-9.54	100 73 Peak																																																																																																																																																																																																																																																																																																					
12 20175.00	32.46	54.00	-21.54	44.90	37.95	23.02	63.87	-9.54	100 73 Average																																																																																																																																																																																																																																																																																																					



Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155_6645+6685+6725MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-04  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-04  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL