



Mode	44																																																																																									
	Band Edge																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-22 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1</td><td>7163.05</td><td>63.29</td><td>88.20</td><td>-24.91</td><td>42.39</td><td>36.73</td><td>13.62</td><td>32.45</td><td>3.00</td><td>191</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Peak	1	7163.05	63.29	88.20	-24.91	42.39	36.73	13.62	32.45	3.00	191	360	Peak	Level (dBuV/m) Date: 2026-07-22 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1</td><td>6815.00</td><td>115.67</td><td>-----</td><td>-----</td><td>95.41</td><td>35.85</td><td>13.29</td><td>31.88</td><td>3.00</td><td>191</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Peak	1	6815.00	115.67	-----	-----	95.41	35.85	13.29	31.88	3.00	191	360	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Peak																																																																														
1	7163.05	63.29	88.20	-24.91	42.39	36.73	13.62	32.45	3.00	191	360	Peak																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Peak																																																																														
1	6815.00	115.67	-----	-----	95.41	35.85	13.29	31.88	3.00	191	360	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-07-22 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Average</th></tr><tr><td>1</td><td>7125.06</td><td>53.16</td><td>68.20</td><td>-15.04</td><td>32.42</td><td>36.55</td><td>13.59</td><td>32.40</td><td>3.00</td><td>191</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Average	1	7125.06	53.16	68.20	-15.04	32.42	36.55	13.59	32.40	3.00	191	360	Average	Level (dBuV/m) Date: 2026-07-22 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Average</th></tr><tr><td>1</td><td>6815.00</td><td>112.89</td><td>-----</td><td>-----</td><td>92.63</td><td>35.85</td><td>13.29</td><td>31.88</td><td>3.00</td><td>191</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Average	1	6815.00	112.89	-----	-----	92.63	35.85	13.29	31.88	3.00	191	360	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Average																																																																														
1	7125.06	53.16	68.20	-15.04	32.42	36.55	13.59	32.40	3.00	191	360	Average																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Average																																																																														
1	6815.00	112.89	-----	-----	92.63	35.85	13.29	31.88	3.00	191	360	Average																																																																														



Mode	44																																																																																									
	Band Edge																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-22 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7233.08</td><td>62.37</td><td>88.20</td><td>-25.83</td><td>41.30</td><td>36.93</td><td>13.70</td><td>32.56</td><td>3.00</td><td>173</td><td>0</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7233.08	62.37	88.20	-25.83	41.30	36.93	13.70	32.56	3.00	173	0	Peak	Level (dBuV/m) Date: 2026-07-22 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6815.00</td><td>119.50</td><td>-----</td><td>-----</td><td>99.22</td><td>35.88</td><td>13.33</td><td>31.93</td><td>3.00</td><td>173</td><td>0</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6815.00	119.50	-----	-----	99.22	35.88	13.33	31.93	3.00	173	0	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7233.08	62.37	88.20	-25.83	41.30	36.93	13.70	32.56	3.00	173	0	Peak																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	6815.00	119.50	-----	-----	99.22	35.88	13.33	31.93	3.00	173	0	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-07-22 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7133.25</td><td>52.42</td><td>68.20</td><td>-15.78</td><td>31.63</td><td>36.60</td><td>13.60</td><td>32.41</td><td>3.00</td><td>173</td><td>0</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7133.25	52.42	68.20	-15.78	31.63	36.60	13.60	32.41	3.00	173	0	Average	Level (dBuV/m) Date: 2026-07-22 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6815.00</td><td>116.00</td><td>-----</td><td>-----</td><td>95.92</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>173</td><td>0</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6815.00	116.00	-----	-----	95.92	35.80	13.36	32.00	3.00	173	0	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7133.25	52.42	68.20	-15.78	31.63	36.60	13.60	32.41	3.00	173	0	Average																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	6815.00	116.00	-----	-----	95.92	35.80	13.36	32.00	3.00	173	0	Average																																																																														









Mode	44																																																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz																																																																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																												
Peak	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13550.00</td><td>52.35</td><td>88.20</td><td>-35.85</td><td>36.29</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>254 56 Peak</td></tr><tr><td>2 13550.00</td><td>42.17</td><td>68.20</td><td>-26.03</td><td>26.11</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>254 56 Average</td></tr><tr><td>3 13630.00</td><td>54.16</td><td>68.20</td><td>-34.04</td><td>38.52</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>400 290 Peak</td></tr><tr><td>4 13630.00</td><td>43.33</td><td>68.20</td><td>-24.87</td><td>27.69</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>400 290 Average</td></tr><tr><td>5 13710.00</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>37.94</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>205 309 Peak</td></tr><tr><td>6 13710.00</td><td>43.15</td><td>68.20</td><td>-25.05</td><td>27.64</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>205 309 Average</td></tr><tr><td>7 20325.00</td><td>42.98</td><td>74.00</td><td>-31.02</td><td>55.25</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>100 42 Peak</td></tr><tr><td>8 20325.00</td><td>36.61</td><td>54.00</td><td>-17.39</td><td>48.88</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>100 42 Average</td></tr><tr><td>9 20445.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>58.49</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>294 0 Peak</td></tr><tr><td>10 20445.00</td><td>41.92</td><td>54.00</td><td>-12.08</td><td>54.03</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>294 0 Average</td></tr><tr><td>11 20565.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>54.63</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>200 266 Peak</td></tr><tr><td>12 20565.00</td><td>32.14</td><td>54.00</td><td>-21.86</td><td>44.20</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>200 266 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13550.00	52.35	88.20	-35.85	36.29	40.20	18.81	43.14	0.19	254 56 Peak	2 13550.00	42.17	68.20	-26.03	26.11	40.20	18.81	43.14	0.19	254 56 Average	3 13630.00	54.16	68.20	-34.04	38.52	39.84	18.88	43.26	0.18	400 290 Peak	4 13630.00	43.33	68.20	-24.87	27.69	39.84	18.88	43.26	0.18	400 290 Average	5 13710.00	53.45	88.20	-34.75	37.94	39.78	18.94	43.38	0.17	205 309 Peak	6 13710.00	43.15	68.20	-25.05	27.64	39.78	18.94	43.38	0.17	205 309 Average	7 20325.00	42.98	74.00	-31.02	55.25	38.00	23.10	63.83	-9.54	100 42 Peak	8 20325.00	36.61	54.00	-17.39	48.88	38.00	23.10	63.83	-9.54	100 42 Average	9 20445.00	46.38	74.00	-27.62	58.49	38.00	23.16	63.81	-9.54	294 0 Peak	10 20445.00	41.92	54.00	-12.08	54.03	38.00	23.16	63.81	-9.54	294 0 Average	11 20565.00	42.57	74.00	-31.43	54.63	38.00	23.22	63.74	-9.54	200 266 Peak	12 20565.00	32.14	54.00	-21.86	44.20	38.00	23.22	63.74	-9.54	200 266 Average	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13550.00</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>36.88</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>210 12 Peak</td></tr><tr><td>2 13550.00</td><td>42.38</td><td>68.20</td><td>-25.82</td><td>26.32</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>210 12 Average</td></tr><tr><td>3 13630.00</td><td>53.58</td><td>68.20</td><td>-34.62</td><td>37.94</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>251 344 Peak</td></tr><tr><td>4 13630.00</td><td>46.21</td><td>68.20</td><td>-21.99</td><td>30.57</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>251 344 Average</td></tr><tr><td>5 13710.00</td><td>55.21</td><td>88.20</td><td>-32.99</td><td>39.70</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>245 6 Peak</td></tr><tr><td>6 13710.00</td><td>45.59</td><td>68.20</td><td>-22.61</td><td>30.08</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>245 6 Average</td></tr><tr><td>7 20325.00</td><td>41.93</td><td>74.00</td><td>-32.07</td><td>54.20</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>123 360 Peak</td></tr><tr><td>8 20325.00</td><td>32.27</td><td>54.00</td><td>-21.73</td><td>44.54</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>123 360 Average</td></tr><tr><td>9 20445.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>50.67</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>100 16 Peak</td></tr><tr><td>10 20445.00</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>54.78</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>100 16 Average</td></tr><tr><td>11 20565.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>53.19</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>300 325 Peak</td></tr><tr><td>12 20565.00</td><td>32.87</td><td>54.00</td><td>-21.13</td><td>44.93</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>300 325 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13550.00	52.94	88.20	-35.26	36.88	40.20	18.81	43.14	0.19	210 12 Peak	2 13550.00	42.38	68.20	-25.82	26.32	40.20	18.81	43.14	0.19	210 12 Average	3 13630.00	53.58	68.20	-34.62	37.94	39.84	18.88	43.26	0.18	251 344 Peak	4 13630.00	46.21	68.20	-21.99	30.57	39.84	18.88	43.26	0.18	251 344 Average	5 13710.00	55.21	88.20	-32.99	39.70	39.78	18.94	43.38	0.17	245 6 Peak	6 13710.00	45.59	68.20	-22.61	30.08	39.78	18.94	43.38	0.17	245 6 Average	7 20325.00	41.93	74.00	-32.07	54.20	38.00	23.10	63.83	-9.54	123 360 Peak	8 20325.00	32.27	54.00	-21.73	44.54	38.00	23.10	63.83	-9.54	123 360 Average	9 20445.00	46.56	74.00	-27.44	50.67	38.00	23.16	63.81	-9.54	100 16 Peak	10 20445.00	42.67	54.00	-11.33	54.78	38.00	23.16	63.81	-9.54	100 16 Average	11 20565.00	41.13	74.00	-32.87	53.19	38.00	23.22	63.74	-9.54	300 325 Peak	12 20565.00	32.87	54.00	-21.13	44.93	38.00	23.22	63.74	-9.54	300 325 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13550.00	52.35	88.20	-35.85	36.29	40.20	18.81	43.14	0.19	254 56 Peak																																																																																																																																																																																																																																																																																																					
2 13550.00	42.17	68.20	-26.03	26.11	40.20	18.81	43.14	0.19	254 56 Average																																																																																																																																																																																																																																																																																																					
3 13630.00	54.16	68.20	-34.04	38.52	39.84	18.88	43.26	0.18	400 290 Peak																																																																																																																																																																																																																																																																																																					
4 13630.00	43.33	68.20	-24.87	27.69	39.84	18.88	43.26	0.18	400 290 Average																																																																																																																																																																																																																																																																																																					
5 13710.00	53.45	88.20	-34.75	37.94	39.78	18.94	43.38	0.17	205 309 Peak																																																																																																																																																																																																																																																																																																					
6 13710.00	43.15	68.20	-25.05	27.64	39.78	18.94	43.38	0.17	205 309 Average																																																																																																																																																																																																																																																																																																					
7 20325.00	42.98	74.00	-31.02	55.25	38.00	23.10	63.83	-9.54	100 42 Peak																																																																																																																																																																																																																																																																																																					
8 20325.00	36.61	54.00	-17.39	48.88	38.00	23.10	63.83	-9.54	100 42 Average																																																																																																																																																																																																																																																																																																					
9 20445.00	46.38	74.00	-27.62	58.49	38.00	23.16	63.81	-9.54	294 0 Peak																																																																																																																																																																																																																																																																																																					
10 20445.00	41.92	54.00	-12.08	54.03	38.00	23.16	63.81	-9.54	294 0 Average																																																																																																																																																																																																																																																																																																					
11 20565.00	42.57	74.00	-31.43	54.63	38.00	23.22	63.74	-9.54	200 266 Peak																																																																																																																																																																																																																																																																																																					
12 20565.00	32.14	54.00	-21.86	44.20	38.00	23.22	63.74	-9.54	200 266 Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13550.00	52.94	88.20	-35.26	36.88	40.20	18.81	43.14	0.19	210 12 Peak																																																																																																																																																																																																																																																																																																					
2 13550.00	42.38	68.20	-25.82	26.32	40.20	18.81	43.14	0.19	210 12 Average																																																																																																																																																																																																																																																																																																					
3 13630.00	53.58	68.20	-34.62	37.94	39.84	18.88	43.26	0.18	251 344 Peak																																																																																																																																																																																																																																																																																																					
4 13630.00	46.21	68.20	-21.99	30.57	39.84	18.88	43.26	0.18	251 344 Average																																																																																																																																																																																																																																																																																																					
5 13710.00	55.21	88.20	-32.99	39.70	39.78	18.94	43.38	0.17	245 6 Peak																																																																																																																																																																																																																																																																																																					
6 13710.00	45.59	68.20	-22.61	30.08	39.78	18.94	43.38	0.17	245 6 Average																																																																																																																																																																																																																																																																																																					
7 20325.00	41.93	74.00	-32.07	54.20	38.00	23.10	63.83	-9.54	123 360 Peak																																																																																																																																																																																																																																																																																																					
8 20325.00	32.27	54.00	-21.73	44.54	38.00	23.10	63.83	-9.54	123 360 Average																																																																																																																																																																																																																																																																																																					
9 20445.00	46.56	74.00	-27.44	50.67	38.00	23.16	63.81	-9.54	100 16 Peak																																																																																																																																																																																																																																																																																																					
10 20445.00	42.67	54.00	-11.33	54.78	38.00	23.16	63.81	-9.54	100 16 Average																																																																																																																																																																																																																																																																																																					
11 20565.00	41.13	74.00	-32.87	53.19	38.00	23.22	63.74	-9.54	300 325 Peak																																																																																																																																																																																																																																																																																																					
12 20565.00	32.87	54.00	-21.13	44.93	38.00	23.22	63.74	-9.54	300 325 Average																																																																																																																																																																																																																																																																																																					



Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH165+173+181_6775+6815+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



	45																																																																																																																			
Mode	Band Edge																																																																																																																			
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz																																																																																																																			
ANT	MIMO																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-17  PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7148.90</td><td>63.78</td><td>88.20</td><td>-24.42</td><td>42.91</td><td>36.69</td><td>13.61</td><td>32.43</td><td>3.00</td><td>178</td><td>360</td><td>Peak</td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2026-07-17  PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>117.20</td><td>-----</td><td>-----</td><td>97.25</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>178</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>6685.00</td><td>106.58</td><td>-----</td><td>-----</td><td>86.26</td><td>35.87</td><td>13.20</td><td>31.75</td><td>3.00</td><td>178</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>6855.00</td><td>101.32</td><td>-----</td><td>-----</td><td>81.16</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>178</td><td>360</td><td>Peak</td></tr></table> </td>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7148.90	63.78	88.20	-24.42	42.91	36.69	13.61	32.43	3.00	178	360	Peak	Level (dBuV/m) Date: 2026-07-17  PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>117.20</td><td>-----</td><td>-----</td><td>97.25</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>178</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>6685.00</td><td>106.58</td><td>-----</td><td>-----</td><td>86.26</td><td>35.87</td><td>13.20</td><td>31.75</td><td>3.00</td><td>178</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>6855.00</td><td>101.32</td><td>-----</td><td>-----</td><td>81.16</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>178</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	117.20	-----	-----	97.25	35.45	13.04	31.54	3.00	178	360	Peak	2	6685.00	106.58	-----	-----	86.26	35.87	13.20	31.75	3.00	178	360	Peak	3	6855.00	101.32	-----	-----	81.16	35.80	13.36	32.00	3.00	178	360	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	7148.90	63.78	88.20	-24.42	42.91	36.69	13.61	32.43	3.00	178	360	Peak																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	6545.00	117.20	-----	-----	97.25	35.45	13.04	31.54	3.00	178	360	Peak																																																																																																								
2	6685.00	106.58	-----	-----	86.26	35.87	13.20	31.75	3.00	178	360	Peak																																																																																																								
3	6855.00	101.32	-----	-----	81.16	35.80	13.36	32.00	3.00	178	360	Peak																																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-17  AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7133.25</td><td>54.69</td><td>68.20</td><td>-13.51</td><td>33.90</td><td>36.60</td><td>13.60</td><td>32.41</td><td>3.00</td><td>178</td><td>360</td><td>Average</td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2026-07-17  AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>112.77</td><td>-----</td><td>-----</td><td>92.82</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>178</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>6685.00</td><td>102.67</td><td>-----</td><td>-----</td><td>82.35</td><td>35.87</td><td>13.20</td><td>31.75</td><td>3.00</td><td>178</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>6855.00</td><td>98.77</td><td>-----</td><td>-----</td><td>78.61</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>178</td><td>360</td><td>Average</td></tr></table> </td>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7133.25	54.69	68.20	-13.51	33.90	36.60	13.60	32.41	3.00	178	360	Average	Level (dBuV/m) Date: 2026-07-17  AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6545.00</td><td>112.77</td><td>-----</td><td>-----</td><td>92.82</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>178</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>6685.00</td><td>102.67</td><td>-----</td><td>-----</td><td>82.35</td><td>35.87</td><td>13.20</td><td>31.75</td><td>3.00</td><td>178</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>6855.00</td><td>98.77</td><td>-----</td><td>-----</td><td>78.61</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>178</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6545.00	112.77	-----	-----	92.82	35.45	13.04	31.54	3.00	178	360	Average	2	6685.00	102.67	-----	-----	82.35	35.87	13.20	31.75	3.00	178	360	Average	3	6855.00	98.77	-----	-----	78.61	35.80	13.36	32.00	3.00	178	360	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	7133.25	54.69	68.20	-13.51	33.90	36.60	13.60	32.41	3.00	178	360	Average																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	6545.00	112.77	-----	-----	92.82	35.45	13.04	31.54	3.00	178	360	Average																																																																																																								
2	6685.00	102.67	-----	-----	82.35	35.87	13.20	31.75	3.00	178	360	Average																																																																																																								
3	6855.00	98.77	-----	-----	78.61	35.80	13.36	32.00	3.00	178	360	Average																																																																																																								



		45																																																																																																																		
Mode	Band Edge																																																																																																																			
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz																																																																																																																			
ANT	MIMO																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-17 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7149.64</td><td>63.80</td><td>88.20</td><td>-24.40</td><td>42.93</td><td>36.70</td><td>13.61</td><td>32.44</td><td>3.00</td><td>188</td><td>0</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7149.64	63.80	88.20	-24.40	42.93	36.70	13.61	32.44	3.00	188	0	Peak	Level (dBuV/m) Date: 2026-07-17 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>116.97</td><td>-----</td><td>-----</td><td>97.01</td><td>35.46</td><td>13.04</td><td>31.54</td><td>3.00</td><td>188</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>6685.00</td><td>121.28</td><td>-----</td><td>-----</td><td>100.96</td><td>35.87</td><td>13.20</td><td>31.75</td><td>3.00</td><td>188</td><td>0</td><td>Peak</td></tr><tr><td>3</td><td>6855.00</td><td>117.16</td><td>-----</td><td>-----</td><td>96.99</td><td>35.81</td><td>13.36</td><td>32.00</td><td>3.00</td><td>188</td><td>0</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6545.00	116.97	-----	-----	97.01	35.46	13.04	31.54	3.00	188	0	Peak	2	6685.00	121.28	-----	-----	100.96	35.87	13.20	31.75	3.00	188	0	Peak	3	6855.00	117.16	-----	-----	96.99	35.81	13.36	32.00	3.00	188	0	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	7149.64	63.80	88.20	-24.40	42.93	36.70	13.61	32.44	3.00	188	0	Peak																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	6545.00	116.97	-----	-----	97.01	35.46	13.04	31.54	3.00	188	0	Peak																																																																																																								
2	6685.00	121.28	-----	-----	100.96	35.87	13.20	31.75	3.00	188	0	Peak																																																																																																								
3	6855.00	117.16	-----	-----	96.99	35.81	13.36	32.00	3.00	188	0	Peak																																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-17 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.25</td><td>53.41</td><td>68.20</td><td>-14.79</td><td>32.62</td><td>36.60</td><td>13.60</td><td>32.41</td><td>3.00</td><td>188</td><td>0</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7133.25	53.41	68.20	-14.79	32.62	36.60	13.60	32.41	3.00	188	0	Average	Level (dBuV/m) Date: 2026-07-17 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>113.35</td><td>-----</td><td>-----</td><td>93.40</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>188</td><td>0</td><td>Average</td></tr><tr><td>2</td><td>6685.00</td><td>113.41</td><td>-----</td><td>-----</td><td>93.09</td><td>35.87</td><td>13.20</td><td>31.75</td><td>3.00</td><td>188</td><td>0</td><td>Average</td></tr><tr><td>3</td><td>6855.00</td><td>114.29</td><td>-----</td><td>-----</td><td>94.13</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>188</td><td>0</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6545.00	113.35	-----	-----	93.40	35.45	13.04	31.54	3.00	188	0	Average	2	6685.00	113.41	-----	-----	93.09	35.87	13.20	31.75	3.00	188	0	Average	3	6855.00	114.29	-----	-----	94.13	35.80	13.36	32.00	3.00	188	0	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	7133.25	53.41	68.20	-14.79	32.62	36.60	13.60	32.41	3.00	188	0	Average																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	6545.00	113.35	-----	-----	93.40	35.45	13.04	31.54	3.00	188	0	Average																																																																																																								
2	6685.00	113.41	-----	-----	93.09	35.87	13.20	31.75	3.00	188	0	Average																																																																																																								
3	6855.00	114.29	-----	-----	94.13	35.80	13.36	32.00	3.00	188	0	Average																																																																																																								





Mode	45																																																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																																																													
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz																																																																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m 8BHA9170_1230_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13090.00</td><td>50.99</td><td>88.20</td><td>-37.21</td><td>35.80</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>300 38 Peak</td></tr><tr><td>2 13090.00</td><td>40.61</td><td>68.20</td><td>-27.59</td><td>25.42</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>300 38 Average</td></tr><tr><td>3 13370.00</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>35.72</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>100 303 Peak</td></tr><tr><td>4 13370.00</td><td>41.38</td><td>54.00</td><td>-12.62</td><td>25.63</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>100 303 Average</td></tr><tr><td>5 13710.00</td><td>51.89</td><td>88.20</td><td>-36.31</td><td>36.38</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>200 310 Peak</td></tr><tr><td>6 13710.00</td><td>42.97</td><td>68.20</td><td>-25.23</td><td>27.46</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>200 310 Average</td></tr><tr><td>7 19635.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>52.84</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>300 71 Peak</td></tr><tr><td>8 19635.00</td><td>30.82</td><td>54.00</td><td>-23.18</td><td>43.81</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>300 71 Average</td></tr><tr><td>9 20855.00</td><td>41.86</td><td>74.00</td><td>-32.14</td><td>54.42</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200 290 Peak</td></tr><tr><td>10 20855.00</td><td>34.63</td><td>54.00</td><td>-19.37</td><td>47.19</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200 290 Average</td></tr><tr><td>11 20565.00</td><td>41.14</td><td>74.00</td><td>-32.86</td><td>53.20</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>270 305 Peak</td></tr><tr><td>12 20565.00</td><td>34.99</td><td>54.00</td><td>-19.01</td><td>47.05</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>270 305 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13090.00	50.99	88.20	-37.21	35.80	39.60	18.45	43.04	0.18	300 38 Peak	2 13090.00	40.61	68.20	-27.59	25.42	39.60	18.45	43.04	0.18	300 38 Average	3 13370.00	51.47	74.00	-22.53	35.72	39.94	18.67	43.05	0.19	100 303 Peak	4 13370.00	41.38	54.00	-12.62	25.63	39.94	18.67	43.05	0.19	100 303 Average	5 13710.00	51.89	88.20	-36.31	36.38	39.78	18.94	43.38	0.17	200 310 Peak	6 13710.00	42.97	68.20	-25.23	27.46	39.78	18.94	43.38	0.17	200 310 Average	7 19635.00	39.85	74.00	-34.15	52.84	38.00	22.74	64.19	-9.54	300 71 Peak	8 19635.00	30.82	54.00	-23.18	43.81	38.00	22.74	64.19	-9.54	300 71 Average	9 20855.00	41.86	74.00	-32.14	54.42	37.91	22.96	63.89	-9.54	200 290 Peak	10 20855.00	34.63	54.00	-19.37	47.19	37.91	22.96	63.89	-9.54	200 290 Average	11 20565.00	41.14	74.00	-32.86	53.20	38.00	23.22	63.74	-9.54	270 305 Peak	12 20565.00	34.99	54.00	-19.01	47.05	38.00	23.22	63.74	-9.54	270 305 Average	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m 8BHA9170_1230_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13090.00</td><td>50.47</td><td>88.20</td><td>-37.73</td><td>35.28</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>137 0 Peak</td></tr><tr><td>2 13090.00</td><td>41.09</td><td>68.20</td><td>-27.11</td><td>25.90</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td><td>137 0 Average</td></tr><tr><td>3 13370.00</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>35.05</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>300 351 Peak</td></tr><tr><td>4 13370.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>26.76</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>300 351 Average</td></tr><tr><td>5 13710.00</td><td>55.57</td><td>88.20</td><td>-32.63</td><td>40.06</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>250 9 Peak</td></tr><tr><td>6 13710.00</td><td>45.11</td><td>68.20</td><td>-23.09</td><td>29.60</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>250 9 Average</td></tr><tr><td>7 19635.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>52.85</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>200 148 Peak</td></tr><tr><td>8 19635.00</td><td>30.03</td><td>54.00</td><td>-23.97</td><td>43.02</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td><td>200 148 Average</td></tr><tr><td>9 20855.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>53.60</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>100 290 Peak</td></tr><tr><td>10 20855.00</td><td>33.32</td><td>54.00</td><td>-20.68</td><td>45.08</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>100 290 Average</td></tr><tr><td>11 20565.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>54.23</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>272 0 Peak</td></tr><tr><td>12 20565.00</td><td>34.81</td><td>54.00</td><td>-19.19</td><td>46.87</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>272 0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13090.00	50.47	88.20	-37.73	35.28	39.60	18.45	43.04	0.18	137 0 Peak	2 13090.00	41.09	68.20	-27.11	25.90	39.60	18.45	43.04	0.18	137 0 Average	3 13370.00	50.80	74.00	-23.20	35.05	39.94	18.67	43.05	0.19	300 351 Peak	4 13370.00	42.51	54.00	-11.49	26.76	39.94	18.67	43.05	0.19	300 351 Average	5 13710.00	55.57	88.20	-32.63	40.06	39.78	18.94	43.38	0.17	250 9 Peak	6 13710.00	45.11	68.20	-23.09	29.60	39.78	18.94	43.38	0.17	250 9 Average	7 19635.00	39.86	74.00	-34.14	52.85	38.00	22.74	64.19	-9.54	200 148 Peak	8 19635.00	30.03	54.00	-23.97	43.02	38.00	22.74	64.19	-9.54	200 148 Average	9 20855.00	41.04	74.00	-32.96	53.60	37.91	22.96	63.89	-9.54	100 290 Peak	10 20855.00	33.32	54.00	-20.68	45.08	37.91	22.96	63.89	-9.54	100 290 Average	11 20565.00	42.17	74.00	-31.83	54.23	38.00	23.22	63.74	-9.54	272 0 Peak	12 20565.00	34.81	54.00	-19.19	46.87	38.00	23.22	63.74	-9.54	272 0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13090.00	50.99	88.20	-37.21	35.80	39.60	18.45	43.04	0.18	300 38 Peak																																																																																																																																																																																																																																																																																																					
2 13090.00	40.61	68.20	-27.59	25.42	39.60	18.45	43.04	0.18	300 38 Average																																																																																																																																																																																																																																																																																																					
3 13370.00	51.47	74.00	-22.53	35.72	39.94	18.67	43.05	0.19	100 303 Peak																																																																																																																																																																																																																																																																																																					
4 13370.00	41.38	54.00	-12.62	25.63	39.94	18.67	43.05	0.19	100 303 Average																																																																																																																																																																																																																																																																																																					
5 13710.00	51.89	88.20	-36.31	36.38	39.78	18.94	43.38	0.17	200 310 Peak																																																																																																																																																																																																																																																																																																					
6 13710.00	42.97	68.20	-25.23	27.46	39.78	18.94	43.38	0.17	200 310 Average																																																																																																																																																																																																																																																																																																					
7 19635.00	39.85	74.00	-34.15	52.84	38.00	22.74	64.19	-9.54	300 71 Peak																																																																																																																																																																																																																																																																																																					
8 19635.00	30.82	54.00	-23.18	43.81	38.00	22.74	64.19	-9.54	300 71 Average																																																																																																																																																																																																																																																																																																					
9 20855.00	41.86	74.00	-32.14	54.42	37.91	22.96	63.89	-9.54	200 290 Peak																																																																																																																																																																																																																																																																																																					
10 20855.00	34.63	54.00	-19.37	47.19	37.91	22.96	63.89	-9.54	200 290 Average																																																																																																																																																																																																																																																																																																					
11 20565.00	41.14	74.00	-32.86	53.20	38.00	23.22	63.74	-9.54	270 305 Peak																																																																																																																																																																																																																																																																																																					
12 20565.00	34.99	54.00	-19.01	47.05	38.00	23.22	63.74	-9.54	270 305 Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																																																																					
1 13090.00	50.47	88.20	-37.73	35.28	39.60	18.45	43.04	0.18	137 0 Peak																																																																																																																																																																																																																																																																																																					
2 13090.00	41.09	68.20	-27.11	25.90	39.60	18.45	43.04	0.18	137 0 Average																																																																																																																																																																																																																																																																																																					
3 13370.00	50.80	74.00	-23.20	35.05	39.94	18.67	43.05	0.19	300 351 Peak																																																																																																																																																																																																																																																																																																					
4 13370.00	42.51	54.00	-11.49	26.76	39.94	18.67	43.05	0.19	300 351 Average																																																																																																																																																																																																																																																																																																					
5 13710.00	55.57	88.20	-32.63	40.06	39.78	18.94	43.38	0.17	250 9 Peak																																																																																																																																																																																																																																																																																																					
6 13710.00	45.11	68.20	-23.09	29.60	39.78	18.94	43.38	0.17	250 9 Average																																																																																																																																																																																																																																																																																																					
7 19635.00	39.86	74.00	-34.14	52.85	38.00	22.74	64.19	-9.54	200 148 Peak																																																																																																																																																																																																																																																																																																					
8 19635.00	30.03	54.00	-23.97	43.02	38.00	22.74	64.19	-9.54	200 148 Average																																																																																																																																																																																																																																																																																																					
9 20855.00	41.04	74.00	-32.96	53.60	37.91	22.96	63.89	-9.54	100 290 Peak																																																																																																																																																																																																																																																																																																					
10 20855.00	33.32	54.00	-20.68	45.08	37.91	22.96	63.89	-9.54	100 290 Average																																																																																																																																																																																																																																																																																																					
11 20565.00	42.17	74.00	-31.83	54.23	38.00	23.22	63.74	-9.54	272 0 Peak																																																																																																																																																																																																																																																																																																					
12 20565.00	34.81	54.00	-19.19	46.87	38.00	23.22	63.74	-9.54	272 0 Average																																																																																																																																																																																																																																																																																																					





Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+147+181_6545+6685+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL





Mode	46																																																																																																																																																																																																																																																																																																																																																						
	Harmonic																																																																																																																																																																																																																																																																																																																																																						
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135+143_6545+6585+6625+6665MHz																																																																																																																																																																																																																																																																																																																																																						
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2026-08-07  Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBH9170_1230_251105 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13090.00</td><td>51.32</td><td>88.20</td><td>-36.88</td><td>36.13</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>2 13090.00</td><td>43.04</td><td>68.20</td><td>-25.16</td><td>27.05</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>3 13170.00</td><td>50.88</td><td>68.20</td><td>-37.32</td><td>35.48</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td></tr><tr><td>4 13170.00</td><td>42.76</td><td>68.20</td><td>-25.44</td><td>27.36</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td></tr><tr><td>5 13250.00</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>36.28</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td></tr><tr><td>6 13250.00</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>27.42</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td></tr><tr><td>7 13330.00</td><td>51.81</td><td>74.00</td><td>-22.19</td><td>36.17</td><td>39.86</td><td>18.64</td><td>43.05</td><td>0.19</td></tr><tr><td>8 13330.00</td><td>40.79</td><td>54.00</td><td>-13.21</td><td>25.15</td><td>39.86</td><td>18.64</td><td>43.05</td><td>0.19</td></tr><tr><td>9 19635.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>55.16</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>10 19635.00</td><td>36.36</td><td>54.00</td><td>-17.64</td><td>49.35</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>11 19755.00</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>56.31</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td></tr><tr><td>12 19755.00</td><td>36.21</td><td>54.00</td><td>-17.79</td><td>49.14</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td></tr><tr><td>13 19875.00</td><td>39.73</td><td>74.00</td><td>-34.27</td><td>52.46</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td></tr><tr><td>14 19875.00</td><td>31.96</td><td>54.00</td><td>-22.04</td><td>44.69</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td></tr><tr><td>15 19995.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>56.52</td><td>38.09</td><td>22.93</td><td>63.90</td><td>-9.54</td></tr><tr><td>16 19995.00</td><td>37.78</td><td>54.00</td><td>-16.22</td><td>50.20</td><td>38.09</td><td>22.93</td><td>63.90</td><td>-9.54</td></tr></table> Level (dBuV/m) Date: 2026-08-07  Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBH9170_1230_251105 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13090.00</td><td>52.86</td><td>88.20</td><td>-35.34</td><td>37.67</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>2 13090.00</td><td>44.15</td><td>68.20</td><td>-24.05</td><td>28.96</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>3 13170.00</td><td>51.68</td><td>88.20</td><td>-36.52</td><td>36.28</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td></tr><tr><td>4 13170.00</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>29.10</td><td>39.76</td><td>18.51</td><td>43.05</td><td>0.18</td></tr><tr><td>5 13250.00</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>35.90</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td></tr><tr><td>6 13250.00</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>25.59</td><td>39.80</td><td>18.58</td><td>43.05</td><td>0.19</td></tr><tr><td>7 13330.00</td><td>51.50</td><td>74.00</td><td>-22.42</td><td>35.94</td><td>39.86</td><td>18.64</td><td>43.05</td><td>0.19</td></tr><tr><td>8 13330.00</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>26.65</td><td>39.86</td><td>18.64</td><td>43.05</td><td>0.19</td></tr><tr><td>9 19635.00</td><td>40.08</td><td>74.00</td><td>-33.92</td><td>53.07</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>10 19635.00</td><td>34.31</td><td>54.00</td><td>-19.69</td><td>47.30</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>11 19755.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>56.27</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td></tr><tr><td>12 19755.00</td><td>36.97</td><td>54.00</td><td>-17.03</td><td>49.90</td><td>37.91</td><td>22.80</td><td>64.10</td><td>-9.54</td></tr><tr><td>13 19875.00</td><td>39.53</td><td>74.00</td><td>-34.47</td><td>52.26</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td></tr><tr><td>14 19875.00</td><td>33.61</td><td>54.00</td><td>-20.39</td><td>46.34</td><td>37.95</td><td>22.86</td><td>64.00</td><td>-9.54</td></tr><tr><td>15 19995.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>58.28</td><td>38.09</td><td>22.93</td><td>63.90</td><td>-9.54</td></tr><tr><td>16 19995.00</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>53.27</td><td>38.09</td><td>22.93</td><td>63.90</td><td>-9.54</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13090.00	51.32	88.20	-36.88	36.13	39.60	18.45	43.04	0.18	2 13090.00	43.04	68.20	-25.16	27.05	39.60	18.45	43.04	0.18	3 13170.00	50.88	68.20	-37.32	35.48	39.76	18.51	43.05	0.18	4 13170.00	42.76	68.20	-25.44	27.36	39.76	18.51	43.05	0.18	5 13250.00	51.80	74.00	-22.20	36.28	39.80	18.58	43.05	0.19	6 13250.00	42.94	54.00	-11.06	27.42	39.80	18.58	43.05	0.19	7 13330.00	51.81	74.00	-22.19	36.17	39.86	18.64	43.05	0.19	8 13330.00	40.79	54.00	-13.21	25.15	39.86	18.64	43.05	0.19	9 19635.00	42.17	74.00	-31.83	55.16	38.00	22.74	64.19	-9.54	10 19635.00	36.36	54.00	-17.64	49.35	38.00	22.74	64.19	-9.54	11 19755.00	43.38	74.00	-30.62	56.31	37.91	22.80	64.10	-9.54	12 19755.00	36.21	54.00	-17.79	49.14	37.91	22.80	64.10	-9.54	13 19875.00	39.73	74.00	-34.27	52.46	37.95	22.86	64.00	-9.54	14 19875.00	31.96	54.00	-22.04	44.69	37.95	22.86	64.00	-9.54	15 19995.00	44.10	74.00	-29.90	56.52	38.09	22.93	63.90	-9.54	16 19995.00	37.78	54.00	-16.22	50.20	38.09	22.93	63.90	-9.54	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13090.00	52.86	88.20	-35.34	37.67	39.60	18.45	43.04	0.18	2 13090.00	44.15	68.20	-24.05	28.96	39.60	18.45	43.04	0.18	3 13170.00	51.68	88.20	-36.52	36.28	39.76	18.51	43.05	0.18	4 13170.00	44.50	68.20	-23.70	29.10	39.76	18.51	43.05	0.18	5 13250.00	51.42	74.00	-22.58	35.90	39.80	18.58	43.05	0.19	6 13250.00	41.11	54.00	-12.89	25.59	39.80	18.58	43.05	0.19	7 13330.00	51.50	74.00	-22.42	35.94	39.86	18.64	43.05	0.19	8 13330.00	42.29	54.00	-11.71	26.65	39.86	18.64	43.05	0.19	9 19635.00	40.08	74.00	-33.92	53.07	38.00	22.74	64.19	-9.54	10 19635.00	34.31	54.00	-19.69	47.30	38.00	22.74	64.19	-9.54	11 19755.00	43.34	74.00	-30.66	56.27	37.91	22.80	64.10	-9.54	12 19755.00	36.97	54.00	-17.03	49.90	37.91	22.80	64.10	-9.54	13 19875.00	39.53	74.00	-34.47	52.26	37.95	22.86	64.00	-9.54	14 19875.00	33.61	54.00	-20.39	46.34	37.95	22.86	64.00	-9.54	15 19995.00	45.86	74.00	-28.14	58.28	38.09	22.93	63.90	-9.54	16 19995.00	40.85	54.00	-13.15	53.27	38.09	22.93	63.90	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																															
1 13090.00	51.32	88.20	-36.88	36.13	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																															
2 13090.00	43.04	68.20	-25.16	27.05	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																															
3 13170.00	50.88	68.20	-37.32	35.48	39.76	18.51	43.05	0.18																																																																																																																																																																																																																																																																																																																																															
4 13170.00	42.76	68.20	-25.44	27.36	39.76	18.51	43.05	0.18																																																																																																																																																																																																																																																																																																																																															
5 13250.00	51.80	74.00	-22.20	36.28	39.80	18.58	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
6 13250.00	42.94	54.00	-11.06	27.42	39.80	18.58	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
7 13330.00	51.81	74.00	-22.19	36.17	39.86	18.64	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
8 13330.00	40.79	54.00	-13.21	25.15	39.86	18.64	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
9 19635.00	42.17	74.00	-31.83	55.16	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																															
10 19635.00	36.36	54.00	-17.64	49.35	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																															
11 19755.00	43.38	74.00	-30.62	56.31	37.91	22.80	64.10	-9.54																																																																																																																																																																																																																																																																																																																																															
12 19755.00	36.21	54.00	-17.79	49.14	37.91	22.80	64.10	-9.54																																																																																																																																																																																																																																																																																																																																															
13 19875.00	39.73	74.00	-34.27	52.46	37.95	22.86	64.00	-9.54																																																																																																																																																																																																																																																																																																																																															
14 19875.00	31.96	54.00	-22.04	44.69	37.95	22.86	64.00	-9.54																																																																																																																																																																																																																																																																																																																																															
15 19995.00	44.10	74.00	-29.90	56.52	38.09	22.93	63.90	-9.54																																																																																																																																																																																																																																																																																																																																															
16 19995.00	37.78	54.00	-16.22	50.20	38.09	22.93	63.90	-9.54																																																																																																																																																																																																																																																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																															
1 13090.00	52.86	88.20	-35.34	37.67	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																															
2 13090.00	44.15	68.20	-24.05	28.96	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																															
3 13170.00	51.68	88.20	-36.52	36.28	39.76	18.51	43.05	0.18																																																																																																																																																																																																																																																																																																																																															
4 13170.00	44.50	68.20	-23.70	29.10	39.76	18.51	43.05	0.18																																																																																																																																																																																																																																																																																																																																															
5 13250.00	51.42	74.00	-22.58	35.90	39.80	18.58	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
6 13250.00	41.11	54.00	-12.89	25.59	39.80	18.58	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
7 13330.00	51.50	74.00	-22.42	35.94	39.86	18.64	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
8 13330.00	42.29	54.00	-11.71	26.65	39.86	18.64	43.05	0.19																																																																																																																																																																																																																																																																																																																																															
9 19635.00	40.08	74.00	-33.92	53.07	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																															
10 19635.00	34.31	54.00	-19.69	47.30	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																															
11 19755.00	43.34	74.00	-30.66	56.27	37.91	22.80	64.10	-9.54																																																																																																																																																																																																																																																																																																																																															
12 19755.00	36.97	54.00	-17.03	49.90	37.91	22.80	64.10	-9.54																																																																																																																																																																																																																																																																																																																																															
13 19875.00	39.53	74.00	-34.47	52.26	37.95	22.86	64.00	-9.54																																																																																																																																																																																																																																																																																																																																															
14 19875.00	33.61	54.00	-20.39	46.34	37.95	22.86	64.00	-9.54																																																																																																																																																																																																																																																																																																																																															
15 19995.00	45.86	74.00	-28.14	58.28	38.09	22.93	63.90	-9.54																																																																																																																																																																																																																																																																																																																																															
16 19995.00	40.85	54.00	-13.15	53.27	38.09	22.93	63.90	-9.54																																																																																																																																																																																																																																																																																																																																															





Mode	46	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+127+135+143_6545+6585+6625+6665MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	47																																																																																																																																																																																																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																							
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155+163_6645+6685+6725+6765MHz																																																																																																																																																																																																																																																																																																																																																																																																																							
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-08-07  Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13290.00</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>35.87</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td><td>100</td><td>338 Peak</td></tr><tr><td>2 13290.00</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>26.68</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td><td>100</td><td>338 Average</td></tr><tr><td>3 13370.00</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>36.73</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>150</td><td>60 Peak</td></tr><tr><td>4 13370.00</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>26.88</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>150</td><td>60 Average</td></tr><tr><td>5 13450.00</td><td>52.91</td><td>88.20</td><td>-35.29</td><td>36.84</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>250</td><td>58 Peak</td></tr><tr><td>6 13450.00</td><td>42.33</td><td>68.20</td><td>-25.87</td><td>26.26</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>250</td><td>58 Average</td></tr><tr><td>7 13530.00</td><td>51.45</td><td>88.20</td><td>-36.75</td><td>35.40</td><td>40.16</td><td>18.80</td><td>43.10</td><td>0.19</td><td>250</td><td>308 Peak</td></tr><tr><td>8 13530.00</td><td>41.81</td><td>68.20</td><td>-26.39</td><td>25.76</td><td>40.16</td><td>18.80</td><td>43.10</td><td>0.19</td><td>250</td><td>308 Average</td></tr><tr><td>9 19935.00</td><td>42.70</td><td>74.00</td><td>-31.30</td><td>55.32</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>200</td><td>243 Peak</td></tr><tr><td>10 19935.00</td><td>36.49</td><td>54.00</td><td>-17.51</td><td>49.11</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>200</td><td>243 Average</td></tr><tr><td>11 20855.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>56.57</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200</td><td>301 Peak</td></tr><tr><td>12 20855.00</td><td>36.69</td><td>54.00</td><td>-17.31</td><td>49.25</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200</td><td>301 Average</td></tr><tr><td>13 20175.00</td><td>39.08</td><td>74.00</td><td>-34.92</td><td>51.52</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54</td><td>200</td><td>360 Peak</td></tr><tr><td>14 20175.00</td><td>32.46</td><td>54.00</td><td>-21.54</td><td>44.90</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54</td><td>200</td><td>360 Average</td></tr><tr><td>15 20295.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>56.56</td><td>38.00</td><td>23.08</td><td>63.84</td><td>-9.54</td><td>200</td><td>277 Peak</td></tr><tr><td>16 20295.00</td><td>38.71</td><td>54.00</td><td>-15.29</td><td>51.01</td><td>38.00</td><td>23.08</td><td>63.84</td><td>-9.54</td><td>200</td><td>277 Average</td></tr></table> Level (dBuV/m) Date: 2026-08-07  Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1230_251105 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13290.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>36.01</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td><td>300</td><td>22 Peak</td></tr><tr><td>2 13290.00</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>27.39</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td><td>300</td><td>22 Average</td></tr><tr><td>3 13370.00</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>36.80</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>250</td><td>59 Peak</td></tr><tr><td>4 13370.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>27.33</td><td>39.94</td><td>18.67</td><td>43.05</td><td>0.19</td><td>250</td><td>59 Average</td></tr><tr><td>5 13450.00</td><td>51.35</td><td>88.20</td><td>-36.85</td><td>35.28</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>250</td><td>58 Peak</td></tr><tr><td>6 13450.00</td><td>41.46</td><td>68.20</td><td>-26.74</td><td>25.39</td><td>40.20</td><td>18.74</td><td>43.06</td><td>0.19</td><td>250</td><td>58 Average</td></tr><tr><td>7 13530.00</td><td>52.44</td><td>88.20</td><td>-35.76</td><td>36.39</td><td>40.16</td><td>18.80</td><td>43.10</td><td>0.19</td><td>250</td><td>347 Peak</td></tr><tr><td>8 13530.00</td><td>43.65</td><td>68.20</td><td>-24.55</td><td>27.68</td><td>40.16</td><td>18.80</td><td>43.10</td><td>0.19</td><td>250</td><td>347 Average</td></tr><tr><td>9 19935.00</td><td>40.79</td><td>74.00</td><td>-33.21</td><td>53.41</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>219</td><td>360 Peak</td></tr><tr><td>10 19935.00</td><td>33.49</td><td>54.00</td><td>-20.51</td><td>46.11</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td><td>219</td><td>360 Average</td></tr><tr><td>11 20855.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>56.10</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200</td><td>242 Peak</td></tr><tr><td>12 20855.00</td><td>36.66</td><td>54.00</td><td>-17.34</td><td>49.22</td><td>37.91</td><td>22.96</td><td>63.89</td><td>-9.54</td><td>200</td><td>242 Average</td></tr><tr><td>13 20175.00</td><td>41.31</td><td>74.00</td><td>-32.69</td><td>53.75</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54</td><td>100</td><td>29 Peak</td></tr><tr><td>14 20175.00</td><td>35.44</td><td>54.00</td><td>-18.56</td><td>47.88</td><td>37.95</td><td>23.02</td><td>63.87</td><td>-9.54</td><td>100</td><td>29 Average</td></tr><tr><td>15 20295.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>56.77</td><td>38.00</td><td>23.08</td><td>63.84</td><td>-9.54</td><td>152</td><td>10 Peak</td></tr><tr><td>16 20295.00</td><td>39.77</td><td>54.00</td><td>-14.23</td><td>52.07</td><td>38.00</td><td>23.08</td><td>63.84</td><td>-9.54</td><td>152</td><td>10 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13290.00	51.42	74.00	-22.58	35.87	39.00	18.61	43.05	0.19	100	338 Peak	2 13290.00	42.23	54.00	-11.77	26.68	39.00	18.61	43.05	0.19	100	338 Average	3 13370.00	52.48	74.00	-21.52	36.73	39.94	18.67	43.05	0.19	150	60 Peak	4 13370.00	42.63	54.00	-11.37	26.88	39.94	18.67	43.05	0.19	150	60 Average	5 13450.00	52.91	88.20	-35.29	36.84	40.20	18.74	43.06	0.19	250	58 Peak	6 13450.00	42.33	68.20	-25.87	26.26	40.20	18.74	43.06	0.19	250	58 Average	7 13530.00	51.45	88.20	-36.75	35.40	40.16	18.80	43.10	0.19	250	308 Peak	8 13530.00	41.81	68.20	-26.39	25.76	40.16	18.80	43.10	0.19	250	308 Average	9 19935.00	42.70	74.00	-31.30	55.32	37.97	22.90	63.95	-9.54	200	243 Peak	10 19935.00	36.49	54.00	-17.51	49.11	37.97	22.90	63.95	-9.54	200	243 Average	11 20855.00	44.01	74.00	-29.99	56.57	37.91	22.96	63.89	-9.54	200	301 Peak	12 20855.00	36.69	54.00	-17.31	49.25	37.91	22.96	63.89	-9.54	200	301 Average	13 20175.00	39.08	74.00	-34.92	51.52	37.95	23.02	63.87	-9.54	200	360 Peak	14 20175.00	32.46	54.00	-21.54	44.90	37.95	23.02	63.87	-9.54	200	360 Average	15 20295.00	44.26	74.00	-29.74	56.56	38.00	23.08	63.84	-9.54	200	277 Peak	16 20295.00	38.71	54.00	-15.29	51.01	38.00	23.08	63.84	-9.54	200	277 Average	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13290.00	51.56	74.00	-22.44	36.01	39.00	18.61	43.05	0.19	300	22 Peak	2 13290.00	42.94	54.00	-11.06	27.39	39.00	18.61	43.05	0.19	300	22 Average	3 13370.00	52.55	74.00	-21.45	36.80	39.94	18.67	43.05	0.19	250	59 Peak	4 13370.00	43.08	54.00	-10.92	27.33	39.94	18.67	43.05	0.19	250	59 Average	5 13450.00	51.35	88.20	-36.85	35.28	40.20	18.74	43.06	0.19	250	58 Peak	6 13450.00	41.46	68.20	-26.74	25.39	40.20	18.74	43.06	0.19	250	58 Average	7 13530.00	52.44	88.20	-35.76	36.39	40.16	18.80	43.10	0.19	250	347 Peak	8 13530.00	43.65	68.20	-24.55	27.68	40.16	18.80	43.10	0.19	250	347 Average	9 19935.00	40.79	74.00	-33.21	53.41	37.97	22.90	63.95	-9.54	219	360 Peak	10 19935.00	33.49	54.00	-20.51	46.11	37.97	22.90	63.95	-9.54	219	360 Average	11 20855.00	43.54	74.00	-30.46	56.10	37.91	22.96	63.89	-9.54	200	242 Peak	12 20855.00	36.66	54.00	-17.34	49.22	37.91	22.96	63.89	-9.54	200	242 Average	13 20175.00	41.31	74.00	-32.69	53.75	37.95	23.02	63.87	-9.54	100	29 Peak	14 20175.00	35.44	54.00	-18.56	47.88	37.95	23.02	63.87	-9.54	100	29 Average	15 20295.00	44.47	74.00	-29.53	56.77	38.00	23.08	63.84	-9.54	152	10 Peak	16 20295.00	39.77	54.00	-14.23	52.07	38.00	23.08	63.84	-9.54	152	10 Average	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																																																																																																
1 13290.00	51.42	74.00	-22.58	35.87	39.00	18.61	43.05	0.19	100	338 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
2 13290.00	42.23	54.00	-11.77	26.68	39.00	18.61	43.05	0.19	100	338 Average																																																																																																																																																																																																																																																																																																																																																																																																														
3 13370.00	52.48	74.00	-21.52	36.73	39.94	18.67	43.05	0.19	150	60 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
4 13370.00	42.63	54.00	-11.37	26.88	39.94	18.67	43.05	0.19	150	60 Average																																																																																																																																																																																																																																																																																																																																																																																																														
5 13450.00	52.91	88.20	-35.29	36.84	40.20	18.74	43.06	0.19	250	58 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
6 13450.00	42.33	68.20	-25.87	26.26	40.20	18.74	43.06	0.19	250	58 Average																																																																																																																																																																																																																																																																																																																																																																																																														
7 13530.00	51.45	88.20	-36.75	35.40	40.16	18.80	43.10	0.19	250	308 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
8 13530.00	41.81	68.20	-26.39	25.76	40.16	18.80	43.10	0.19	250	308 Average																																																																																																																																																																																																																																																																																																																																																																																																														
9 19935.00	42.70	74.00	-31.30	55.32	37.97	22.90	63.95	-9.54	200	243 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
10 19935.00	36.49	54.00	-17.51	49.11	37.97	22.90	63.95	-9.54	200	243 Average																																																																																																																																																																																																																																																																																																																																																																																																														
11 20855.00	44.01	74.00	-29.99	56.57	37.91	22.96	63.89	-9.54	200	301 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
12 20855.00	36.69	54.00	-17.31	49.25	37.91	22.96	63.89	-9.54	200	301 Average																																																																																																																																																																																																																																																																																																																																																																																																														
13 20175.00	39.08	74.00	-34.92	51.52	37.95	23.02	63.87	-9.54	200	360 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
14 20175.00	32.46	54.00	-21.54	44.90	37.95	23.02	63.87	-9.54	200	360 Average																																																																																																																																																																																																																																																																																																																																																																																																														
15 20295.00	44.26	74.00	-29.74	56.56	38.00	23.08	63.84	-9.54	200	277 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
16 20295.00	38.71	54.00	-15.29	51.01	38.00	23.08	63.84	-9.54	200	277 Average																																																																																																																																																																																																																																																																																																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																																																																																																
1 13290.00	51.56	74.00	-22.44	36.01	39.00	18.61	43.05	0.19	300	22 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
2 13290.00	42.94	54.00	-11.06	27.39	39.00	18.61	43.05	0.19	300	22 Average																																																																																																																																																																																																																																																																																																																																																																																																														
3 13370.00	52.55	74.00	-21.45	36.80	39.94	18.67	43.05	0.19	250	59 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
4 13370.00	43.08	54.00	-10.92	27.33	39.94	18.67	43.05	0.19	250	59 Average																																																																																																																																																																																																																																																																																																																																																																																																														
5 13450.00	51.35	88.20	-36.85	35.28	40.20	18.74	43.06	0.19	250	58 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
6 13450.00	41.46	68.20	-26.74	25.39	40.20	18.74	43.06	0.19	250	58 Average																																																																																																																																																																																																																																																																																																																																																																																																														
7 13530.00	52.44	88.20	-35.76	36.39	40.16	18.80	43.10	0.19	250	347 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
8 13530.00	43.65	68.20	-24.55	27.68	40.16	18.80	43.10	0.19	250	347 Average																																																																																																																																																																																																																																																																																																																																																																																																														
9 19935.00	40.79	74.00	-33.21	53.41	37.97	22.90	63.95	-9.54	219	360 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
10 19935.00	33.49	54.00	-20.51	46.11	37.97	22.90	63.95	-9.54	219	360 Average																																																																																																																																																																																																																																																																																																																																																																																																														
11 20855.00	43.54	74.00	-30.46	56.10	37.91	22.96	63.89	-9.54	200	242 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
12 20855.00	36.66	54.00	-17.34	49.22	37.91	22.96	63.89	-9.54	200	242 Average																																																																																																																																																																																																																																																																																																																																																																																																														
13 20175.00	41.31	74.00	-32.69	53.75	37.95	23.02	63.87	-9.54	100	29 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
14 20175.00	35.44	54.00	-18.56	47.88	37.95	23.02	63.87	-9.54	100	29 Average																																																																																																																																																																																																																																																																																																																																																																																																														
15 20295.00	44.47	74.00	-29.53	56.77	38.00	23.08	63.84	-9.54	152	10 Peak																																																																																																																																																																																																																																																																																																																																																																																																														
16 20295.00	39.77	54.00	-14.23	52.07	38.00	23.08	63.84	-9.54	152	10 Average																																																																																																																																																																																																																																																																																																																																																																																																														



Mode	47	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH139+147+155+163_6645+6685+6725+6765MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10G ~18G Avg	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-06  Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	48																																																																																									
	Band Edge																																																																																									
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz																																																																																									
ANT	MIMO																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-07-22 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7145.17</td><td>64.31</td><td>88.20</td><td>-23.89</td><td>43.46</td><td>36.67</td><td>13.61</td><td>32.43</td><td>3.00</td><td></td><td>178</td><td>357</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7145.17	64.31	88.20	-23.89	43.46	36.67	13.61	32.43	3.00		178	357	Peak	Level (dBuV/m) Date: 2026-07-22 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6795.00</td><td>117.23</td><td>-----</td><td>-----</td><td>96.98</td><td>35.87</td><td>13.33</td><td>31.95</td><td>3.00</td><td></td><td>178</td><td>357</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6795.00	117.23	-----	-----	96.98	35.87	13.33	31.95	3.00		178	357	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 7145.17	64.31	88.20	-23.89	43.46	36.67	13.61	32.43	3.00		178	357	Peak																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6795.00	117.23	-----	-----	96.98	35.87	13.33	31.95	3.00		178	357	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-07-22 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.06</td><td>52.90</td><td>68.20</td><td>-15.30</td><td>32.16</td><td>36.55</td><td>13.59</td><td>32.40</td><td>3.00</td><td></td><td>178</td><td>357</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.06	52.90	68.20	-15.30	32.16	36.55	13.59	32.40	3.00		178	357	Average	Level (dBuV/m) Date: 2026-07-22 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6795.00</td><td>113.24</td><td>-----</td><td>-----</td><td>92.99</td><td>35.87</td><td>13.33</td><td>31.95</td><td>3.00</td><td></td><td>178</td><td>357</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6795.00	113.24	-----	-----	92.99	35.87	13.33	31.95	3.00		178	357	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 7125.06	52.90	68.20	-15.30	32.16	36.55	13.59	32.40	3.00		178	357	Average																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 6795.00	113.24	-----	-----	92.99	35.87	13.33	31.95	3.00		178	357	Average																																																																														



Mode	48																																																																															
	Band Edge																																																																															
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz																																																																															
ANT	MIMO																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7166.03</td><td>62.41</td><td>88.20</td><td>-25.79</td><td>41.51</td><td>36.73</td><td>13.63</td><td>32.46</td><td>3.00</td><td></td><td>179</td><td>0</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7166.03	62.41	88.20	-25.79	41.51	36.73	13.63	32.46	3.00		179	0	Peak	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6795.00</td><td>118.09</td><td>-----</td><td>-----</td><td>-----</td><td>97.84</td><td>35.87</td><td>13.33</td><td>31.95</td><td>3.00</td><td>179</td><td>0</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6795.00	118.09	-----	-----	-----	97.84	35.87	13.33	31.95	3.00	179	0	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 7166.03	62.41	88.20	-25.79	41.51	36.73	13.63	32.46	3.00		179	0	Peak																																																																				
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 6795.00	118.09	-----	-----	-----	97.84	35.87	13.33	31.95	3.00	179	0	Peak																																																																				
Avg	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7141.45</td><td>52.27</td><td>68.20</td><td>-15.93</td><td>31.44</td><td>36.65</td><td>13.60</td><td>32.42</td><td>3.00</td><td></td><td>179</td><td>0</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7141.45	52.27	68.20	-15.93	31.44	36.65	13.60	32.42	3.00		179	0	Average	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6795.00</td><td>114.42</td><td>-----</td><td>-----</td><td>-----</td><td>94.17</td><td>35.87</td><td>13.33</td><td>31.95</td><td>3.00</td><td>179</td><td>0</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 6795.00	114.42	-----	-----	-----	94.17	35.87	13.33	31.95	3.00	179	0	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 7141.45	52.27	68.20	-15.93	31.44	36.65	13.60	32.42	3.00		179	0	Average																																																																				
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 6795.00	114.42	-----	-----	-----	94.17	35.87	13.33	31.95	3.00	179	0	Average																																																																				



Mode	48																																																																																																																																																																																																																																																																																																																																																																																																																						
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																						
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz																																																																																																																																																																																																																																																																																																																																																																																																																						
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBH49170_1230_251105 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 13470.00</td><td>52.26</td><td>88.20</td><td>-35.94</td><td>36.22</td><td>40.16</td><td>18.75</td><td>43.06</td><td>0.19</td><td>149</td><td>59 Peak</td></tr><tr><td>2 13470.00</td><td>41.65</td><td>68.20</td><td>-26.55</td><td>25.61</td><td>40.16</td><td>18.75</td><td>43.06</td><td>0.19</td><td>149</td><td>59 Average</td></tr><tr><td>3 13550.00</td><td>53.21</td><td>88.20</td><td>-34.99</td><td>37.15</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>100</td><td>54 Peak</td></tr><tr><td>4 13550.00</td><td>41.55</td><td>68.20</td><td>-26.65</td><td>25.49</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>100</td><td>54 Average</td></tr><tr><td>5 13630.00</td><td>53.58</td><td>88.20</td><td>-34.62</td><td>37.94</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>100</td><td>332 Peak</td></tr><tr><td>6 13630.00</td><td>41.39</td><td>68.20</td><td>-26.81</td><td>25.75</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>100</td><td>332 Average</td></tr><tr><td>7 13710.00</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>37.83</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>321</td><td>297 Peak</td></tr><tr><td>8 13710.00</td><td>41.77</td><td>68.20</td><td>-26.43</td><td>26.26</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>321</td><td>297 Average</td></tr><tr><td>9 20205.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>57.10</td><td>37.91</td><td>23.04</td><td>63.06</td><td>-9.54</td><td>100</td><td>83 Peak</td></tr><tr><td>10 20205.00</td><td>37.07</td><td>54.00</td><td>-16.93</td><td>49.52</td><td>37.91</td><td>23.04</td><td>63.06</td><td>-9.54</td><td>100</td><td>83 Average</td></tr><tr><td>11 20325.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>55.61</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>100</td><td>89 Peak</td></tr><tr><td>12 20325.00</td><td>33.42</td><td>54.00</td><td>-20.58</td><td>45.69</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>100</td><td>89 Average</td></tr><tr><td>13 20445.00</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>53.98</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>300</td><td>353 Peak</td></tr><tr><td>14 20445.00</td><td>30.94</td><td>54.00</td><td>-23.06</td><td>43.85</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>300</td><td>353 Average</td></tr><tr><td>15 20565.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>53.28</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>300</td><td>282 Peak</td></tr><tr><td>16 20565.00</td><td>30.25</td><td>54.00</td><td>-23.75</td><td>42.31</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>300</td><td>282 Average</td></tr></table> Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBH49170_1230_251105 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 13470.00</td><td>53.62</td><td>88.20</td><td>-34.58</td><td>37.58</td><td>40.16</td><td>18.75</td><td>43.06</td><td>0.19</td><td>290</td><td>341 Peak</td></tr><tr><td>2 13470.00</td><td>41.77</td><td>68.20</td><td>-26.43</td><td>25.73</td><td>40.16</td><td>18.75</td><td>43.06</td><td>0.19</td><td>290</td><td>341 Average</td></tr><tr><td>3 13550.00</td><td>54.64</td><td>88.20</td><td>-33.56</td><td>38.58</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>203</td><td>6 Peak</td></tr><tr><td>4 13550.00</td><td>44.94</td><td>68.20</td><td>-23.26</td><td>28.88</td><td>40.20</td><td>18.81</td><td>43.14</td><td>0.19</td><td>203</td><td>6 Average</td></tr><tr><td>5 13630.00</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>38.20</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>174</td><td>309 Peak</td></tr><tr><td>6 13630.00</td><td>42.38</td><td>68.20</td><td>-25.82</td><td>26.74</td><td>39.84</td><td>18.88</td><td>43.26</td><td>0.18</td><td>174</td><td>309 Average</td></tr><tr><td>7 13710.00</td><td>55.02</td><td>88.20</td><td>-33.18</td><td>39.51</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>205</td><td>344 Peak</td></tr><tr><td>8 13710.00</td><td>46.23</td><td>68.20</td><td>-21.97</td><td>30.72</td><td>39.78</td><td>18.94</td><td>43.38</td><td>0.17</td><td>205</td><td>344 Average</td></tr><tr><td>9 20205.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>56.76</td><td>37.91</td><td>23.04</td><td>63.06</td><td>-9.54</td><td>300</td><td>360 Peak</td></tr><tr><td>10 20205.00</td><td>35.58</td><td>54.00</td><td>-18.42</td><td>48.03</td><td>37.91</td><td>23.04</td><td>63.06</td><td>-9.54</td><td>300</td><td>360 Average</td></tr><tr><td>11 20325.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>57.13</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>192</td><td>360 Peak</td></tr><tr><td>12 20325.00</td><td>36.79</td><td>54.00</td><td>-17.21</td><td>49.06</td><td>38.00</td><td>23.10</td><td>63.83</td><td>-9.54</td><td>192</td><td>360 Average</td></tr><tr><td>13 20445.00</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>54.70</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>300</td><td>52 Peak</td></tr><tr><td>14 20445.00</td><td>33.69</td><td>54.00</td><td>-20.31</td><td>45.80</td><td>38.00</td><td>23.16</td><td>63.81</td><td>-9.54</td><td>300</td><td>52 Average</td></tr><tr><td>15 20565.00</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>55.21</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>275</td><td>0 Peak</td></tr><tr><td>16 20565.00</td><td>36.25</td><td>54.00</td><td>-17.75</td><td>48.31</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td><td>275</td><td>0 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 13470.00	52.26	88.20	-35.94	36.22	40.16	18.75	43.06	0.19	149	59 Peak	2 13470.00	41.65	68.20	-26.55	25.61	40.16	18.75	43.06	0.19	149	59 Average	3 13550.00	53.21	88.20	-34.99	37.15	40.20	18.81	43.14	0.19	100	54 Peak	4 13550.00	41.55	68.20	-26.65	25.49	40.20	18.81	43.14	0.19	100	54 Average	5 13630.00	53.58	88.20	-34.62	37.94	39.84	18.88	43.26	0.18	100	332 Peak	6 13630.00	41.39	68.20	-26.81	25.75	39.84	18.88	43.26	0.18	100	332 Average	7 13710.00	53.34	88.20	-34.86	37.83	39.78	18.94	43.38	0.17	321	297 Peak	8 13710.00	41.77	68.20	-26.43	26.26	39.78	18.94	43.38	0.17	321	297 Average	9 20205.00	44.65	74.00	-29.35	57.10	37.91	23.04	63.06	-9.54	100	83 Peak	10 20205.00	37.07	54.00	-16.93	49.52	37.91	23.04	63.06	-9.54	100	83 Average	11 20325.00	43.34	74.00	-30.66	55.61	38.00	23.10	63.83	-9.54	100	89 Peak	12 20325.00	33.42	54.00	-20.58	45.69	38.00	23.10	63.83	-9.54	100	89 Average	13 20445.00	41.87	74.00	-32.13	53.98	38.00	23.16	63.81	-9.54	300	353 Peak	14 20445.00	30.94	54.00	-23.06	43.85	38.00	23.16	63.81	-9.54	300	353 Average	15 20565.00	41.22	74.00	-32.78	53.28	38.00	23.22	63.74	-9.54	300	282 Peak	16 20565.00	30.25	54.00	-23.75	42.31	38.00	23.22	63.74	-9.54	300	282 Average	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 13470.00	53.62	88.20	-34.58	37.58	40.16	18.75	43.06	0.19	290	341 Peak	2 13470.00	41.77	68.20	-26.43	25.73	40.16	18.75	43.06	0.19	290	341 Average	3 13550.00	54.64	88.20	-33.56	38.58	40.20	18.81	43.14	0.19	203	6 Peak	4 13550.00	44.94	68.20	-23.26	28.88	40.20	18.81	43.14	0.19	203	6 Average	5 13630.00	53.84	88.20	-34.36	38.20	39.84	18.88	43.26	0.18	174	309 Peak	6 13630.00	42.38	68.20	-25.82	26.74	39.84	18.88	43.26	0.18	174	309 Average	7 13710.00	55.02	88.20	-33.18	39.51	39.78	18.94	43.38	0.17	205	344 Peak	8 13710.00	46.23	68.20	-21.97	30.72	39.78	18.94	43.38	0.17	205	344 Average	9 20205.00	44.31	74.00	-29.69	56.76	37.91	23.04	63.06	-9.54	300	360 Peak	10 20205.00	35.58	54.00	-18.42	48.03	37.91	23.04	63.06	-9.54	300	360 Average	11 20325.00	44.86	74.00	-29.14	57.13	38.00	23.10	63.83	-9.54	192	360 Peak	12 20325.00	36.79	54.00	-17.21	49.06	38.00	23.10	63.83	-9.54	192	360 Average	13 20445.00	42.59	74.00	-31.41	54.70	38.00	23.16	63.81	-9.54	300	52 Peak	14 20445.00	33.69	54.00	-20.31	45.80	38.00	23.16	63.81	-9.54	300	52 Average	15 20565.00	43.15	74.00	-30.85	55.21	38.00	23.22	63.74	-9.54	275	0 Peak	16 20565.00	36.25	54.00	-17.75	48.31	38.00	23.22	63.74	-9.54	275	0 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																																																																																																																																																																															
1 13470.00	52.26	88.20	-35.94	36.22	40.16	18.75	43.06	0.19	149	59 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
2 13470.00	41.65	68.20	-26.55	25.61	40.16	18.75	43.06	0.19	149	59 Average																																																																																																																																																																																																																																																																																																																																																																																																													
3 13550.00	53.21	88.20	-34.99	37.15	40.20	18.81	43.14	0.19	100	54 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
4 13550.00	41.55	68.20	-26.65	25.49	40.20	18.81	43.14	0.19	100	54 Average																																																																																																																																																																																																																																																																																																																																																																																																													
5 13630.00	53.58	88.20	-34.62	37.94	39.84	18.88	43.26	0.18	100	332 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
6 13630.00	41.39	68.20	-26.81	25.75	39.84	18.88	43.26	0.18	100	332 Average																																																																																																																																																																																																																																																																																																																																																																																																													
7 13710.00	53.34	88.20	-34.86	37.83	39.78	18.94	43.38	0.17	321	297 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
8 13710.00	41.77	68.20	-26.43	26.26	39.78	18.94	43.38	0.17	321	297 Average																																																																																																																																																																																																																																																																																																																																																																																																													
9 20205.00	44.65	74.00	-29.35	57.10	37.91	23.04	63.06	-9.54	100	83 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
10 20205.00	37.07	54.00	-16.93	49.52	37.91	23.04	63.06	-9.54	100	83 Average																																																																																																																																																																																																																																																																																																																																																																																																													
11 20325.00	43.34	74.00	-30.66	55.61	38.00	23.10	63.83	-9.54	100	89 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
12 20325.00	33.42	54.00	-20.58	45.69	38.00	23.10	63.83	-9.54	100	89 Average																																																																																																																																																																																																																																																																																																																																																																																																													
13 20445.00	41.87	74.00	-32.13	53.98	38.00	23.16	63.81	-9.54	300	353 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
14 20445.00	30.94	54.00	-23.06	43.85	38.00	23.16	63.81	-9.54	300	353 Average																																																																																																																																																																																																																																																																																																																																																																																																													
15 20565.00	41.22	74.00	-32.78	53.28	38.00	23.22	63.74	-9.54	300	282 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
16 20565.00	30.25	54.00	-23.75	42.31	38.00	23.22	63.74	-9.54	300	282 Average																																																																																																																																																																																																																																																																																																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																																																																																																																																																																															
1 13470.00	53.62	88.20	-34.58	37.58	40.16	18.75	43.06	0.19	290	341 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
2 13470.00	41.77	68.20	-26.43	25.73	40.16	18.75	43.06	0.19	290	341 Average																																																																																																																																																																																																																																																																																																																																																																																																													
3 13550.00	54.64	88.20	-33.56	38.58	40.20	18.81	43.14	0.19	203	6 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
4 13550.00	44.94	68.20	-23.26	28.88	40.20	18.81	43.14	0.19	203	6 Average																																																																																																																																																																																																																																																																																																																																																																																																													
5 13630.00	53.84	88.20	-34.36	38.20	39.84	18.88	43.26	0.18	174	309 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
6 13630.00	42.38	68.20	-25.82	26.74	39.84	18.88	43.26	0.18	174	309 Average																																																																																																																																																																																																																																																																																																																																																																																																													
7 13710.00	55.02	88.20	-33.18	39.51	39.78	18.94	43.38	0.17	205	344 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
8 13710.00	46.23	68.20	-21.97	30.72	39.78	18.94	43.38	0.17	205	344 Average																																																																																																																																																																																																																																																																																																																																																																																																													
9 20205.00	44.31	74.00	-29.69	56.76	37.91	23.04	63.06	-9.54	300	360 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
10 20205.00	35.58	54.00	-18.42	48.03	37.91	23.04	63.06	-9.54	300	360 Average																																																																																																																																																																																																																																																																																																																																																																																																													
11 20325.00	44.86	74.00	-29.14	57.13	38.00	23.10	63.83	-9.54	192	360 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
12 20325.00	36.79	54.00	-17.21	49.06	38.00	23.10	63.83	-9.54	192	360 Average																																																																																																																																																																																																																																																																																																																																																																																																													
13 20445.00	42.59	74.00	-31.41	54.70	38.00	23.16	63.81	-9.54	300	52 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
14 20445.00	33.69	54.00	-20.31	45.80	38.00	23.16	63.81	-9.54	300	52 Average																																																																																																																																																																																																																																																																																																																																																																																																													
15 20565.00	43.15	74.00	-30.85	55.21	38.00	23.22	63.74	-9.54	275	0 Peak																																																																																																																																																																																																																																																																																																																																																																																																													
16 20565.00	36.25	54.00	-17.75	48.31	38.00	23.22	63.74	-9.54	275	0 Average																																																																																																																																																																																																																																																																																																																																																																																																													



Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH157+165+173+181_6735+6775+6815+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



		49																																																																																																																																		
Mode	Band Edge																																																																																																																																			
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz																																																																																																																																			
ANT	MIMO																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7145.92</td><td>63.89</td><td>88.20</td><td>-24.31</td><td>43.03</td><td>36.68</td><td>13.61</td><td>32.43</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7145.92	63.89	88.20	-24.31	43.03	36.68	13.61	32.43	3.00	177	360	Peak	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6545.00</td><td>116.09</td><td>-----</td><td>-----</td><td>96.04</td><td>35.55</td><td>13.06</td><td>31.56</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>6645.00</td><td>95.41</td><td>-----</td><td>-----</td><td>75.14</td><td>35.80</td><td>13.15</td><td>31.68</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>6745.00</td><td>116.63</td><td>-----</td><td>-----</td><td>96.40</td><td>35.81</td><td>13.26</td><td>31.84</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr><tr><td>4</td><td>6855.00</td><td>105.46</td><td>-----</td><td>-----</td><td>85.27</td><td>35.85</td><td>13.37</td><td>32.03</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6545.00	116.09	-----	-----	96.04	35.55	13.06	31.56	3.00	177	360	Peak	2	6645.00	95.41	-----	-----	75.14	35.80	13.15	31.68	3.00	177	360	Peak	3	6745.00	116.63	-----	-----	96.40	35.81	13.26	31.84	3.00	177	360	Peak	4	6855.00	105.46	-----	-----	85.27	35.85	13.37	32.03	3.00	177	360	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																												
1	7145.92	63.89	88.20	-24.31	43.03	36.68	13.61	32.43	3.00	177	360	Peak																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																												
1	6545.00	116.09	-----	-----	96.04	35.55	13.06	31.56	3.00	177	360	Peak																																																																																																																								
2	6645.00	95.41	-----	-----	75.14	35.80	13.15	31.68	3.00	177	360	Peak																																																																																																																								
3	6745.00	116.63	-----	-----	96.40	35.81	13.26	31.84	3.00	177	360	Peak																																																																																																																								
4	6855.00	105.46	-----	-----	85.27	35.85	13.37	32.03	3.00	177	360	Peak																																																																																																																								
Avg	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7125.06</td><td>53.07</td><td>68.20</td><td>-15.13</td><td>32.33</td><td>36.55</td><td>13.59</td><td>32.40</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.06	53.07	68.20	-15.13	32.33	36.55	13.59	32.40	3.00	177	360	Average	Level (dBuV/m) Date: 2026-07-22 Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6545.00</td><td>107.74</td><td>-----</td><td>-----</td><td>87.69</td><td>35.55</td><td>13.06</td><td>31.56</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>6645.00</td><td>95.24</td><td>-----</td><td>-----</td><td>74.97</td><td>35.80</td><td>13.15</td><td>31.68</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>6745.00</td><td>112.90</td><td>-----</td><td>-----</td><td>92.67</td><td>35.81</td><td>13.26</td><td>31.84</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr><tr><td>4</td><td>6855.00</td><td>101.66</td><td>-----</td><td>-----</td><td>81.50</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6545.00	107.74	-----	-----	87.69	35.55	13.06	31.56	3.00	177	360	Average	2	6645.00	95.24	-----	-----	74.97	35.80	13.15	31.68	3.00	177	360	Average	3	6745.00	112.90	-----	-----	92.67	35.81	13.26	31.84	3.00	177	360	Average	4	6855.00	101.66	-----	-----	81.50	35.80	13.36	32.00	3.00	177	360	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																												
1	7125.06	53.07	68.20	-15.13	32.33	36.55	13.59	32.40	3.00	177	360	Average																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																												
1	6545.00	107.74	-----	-----	87.69	35.55	13.06	31.56	3.00	177	360	Average																																																																																																																								
2	6645.00	95.24	-----	-----	74.97	35.80	13.15	31.68	3.00	177	360	Average																																																																																																																								
3	6745.00	112.90	-----	-----	92.67	35.81	13.26	31.84	3.00	177	360	Average																																																																																																																								
4	6855.00	101.66	-----	-----	81.50	35.80	13.36	32.00	3.00	177	360	Average																																																																																																																								



Mode	49																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz																																																																																																																																
ANT	MIMO																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak	Level (dBuV/m) Date: 2026-07-22 PEAK_BE(UNII)_6E Site : 03CH20-HY Condition : PEAK_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7194.34</td><td>62.91</td><td>88.20</td><td>-25.29</td><td>41.97</td><td>36.79</td><td>13.65</td><td>32.50</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7194.34	62.91	88.20	-25.29	41.97	36.79	13.65	32.50	3.00	177	360	Peak	Level (dBuV/m) Date: 2026-07-22 PEAK(UNII)_6E Site : 03CH20-HY Condition : PEAK(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>115.57</td><td>-----</td><td>-----</td><td>95.52</td><td>35.55</td><td>13.06</td><td>31.56</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>6645.00</td><td>115.14</td><td>-----</td><td>-----</td><td>94.87</td><td>35.80</td><td>13.15</td><td>31.68</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>6745.00</td><td>117.27</td><td>-----</td><td>-----</td><td>97.04</td><td>35.81</td><td>13.26</td><td>31.84</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr><tr><td>4</td><td>6855.00</td><td>117.70</td><td>-----</td><td>-----</td><td>97.51</td><td>35.85</td><td>13.37</td><td>32.03</td><td>3.00</td><td>177</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6545.00	115.57	-----	-----	95.52	35.55	13.06	31.56	3.00	177	360	Peak	2	6645.00	115.14	-----	-----	94.87	35.80	13.15	31.68	3.00	177	360	Peak	3	6745.00	117.27	-----	-----	97.04	35.81	13.26	31.84	3.00	177	360	Peak	4	6855.00	117.70	-----	-----	97.51	35.85	13.37	32.03	3.00	177	360	Peak
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	7194.34	62.91	88.20	-25.29	41.97	36.79	13.65	32.50	3.00	177	360	Peak																																																																																																																					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	6545.00	115.57	-----	-----	95.52	35.55	13.06	31.56	3.00	177	360	Peak																																																																																																																					
2	6645.00	115.14	-----	-----	94.87	35.80	13.15	31.68	3.00	177	360	Peak																																																																																																																					
3	6745.00	117.27	-----	-----	97.04	35.81	13.26	31.84	3.00	177	360	Peak																																																																																																																					
4	6855.00	117.70	-----	-----	97.51	35.85	13.37	32.03	3.00	177	360	Peak																																																																																																																					
Avg	Level (dBuV/m) Date: 2026-07-22 AVG_BE(UNII)_6E Site : 03CH20-HY Condition : AVG_BE(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7156.35</td><td>52.42</td><td>68.20</td><td>-15.78</td><td>31.54</td><td>36.71</td><td>13.62</td><td>32.45</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7156.35	52.42	68.20	-15.78	31.54	36.71	13.62	32.45	3.00	177	360	Average	Level (dBuV/m) Date: 2026-07-22 AVG(UNII)_6E Site : 03CH20-HY Condition : AVG(UNII)_6E 3m HF_91200_02360_251105 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6545.00</td><td>107.76</td><td>-----</td><td>-----</td><td>87.81</td><td>35.45</td><td>13.04</td><td>31.54</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>6645.00</td><td>111.46</td><td>-----</td><td>-----</td><td>91.19</td><td>35.80</td><td>13.15</td><td>31.68</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>6745.00</td><td>114.50</td><td>-----</td><td>-----</td><td>94.27</td><td>35.81</td><td>13.26</td><td>31.84</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr><tr><td>4</td><td>6855.00</td><td>111.50</td><td>-----</td><td>-----</td><td>91.34</td><td>35.80</td><td>13.36</td><td>32.00</td><td>3.00</td><td>177</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6545.00	107.76	-----	-----	87.81	35.45	13.04	31.54	3.00	177	360	Average	2	6645.00	111.46	-----	-----	91.19	35.80	13.15	31.68	3.00	177	360	Average	3	6745.00	114.50	-----	-----	94.27	35.81	13.26	31.84	3.00	177	360	Average	4	6855.00	111.50	-----	-----	91.34	35.80	13.36	32.00	3.00	177	360	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	7156.35	52.42	68.20	-15.78	31.54	36.71	13.62	32.45	3.00	177	360	Average																																																																																																																					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																					
1	6545.00	107.76	-----	-----	87.81	35.45	13.04	31.54	3.00	177	360	Average																																																																																																																					
2	6645.00	111.46	-----	-----	91.19	35.80	13.15	31.68	3.00	177	360	Average																																																																																																																					
3	6745.00	114.50	-----	-----	94.27	35.81	13.26	31.84	3.00	177	360	Average																																																																																																																					
4	6855.00	111.50	-----	-----	91.34	35.80	13.36	32.00	3.00	177	360	Average																																																																																																																					



Mode	49																																																																																																																																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																																																																																																																																							
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz																																																																																																																																																																																																																																																																																																																																																							
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBH49170_1230_251105 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13090.00</td><td>53.28</td><td>88.20</td><td>-34.92</td><td>38.09</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>2 13090.00</td><td>44.24</td><td>68.20</td><td>-23.96</td><td>29.05</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>3 13290.00</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>38.01</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td></tr><tr><td>4 13290.00</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>27.59</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td></tr><tr><td>5 13490.00</td><td>52.29</td><td>88.20</td><td>-35.91</td><td>36.27</td><td>40.12</td><td>18.77</td><td>43.06</td><td>0.19</td></tr><tr><td>6 13490.00</td><td>41.43</td><td>68.20</td><td>-26.77</td><td>25.41</td><td>40.12</td><td>18.77</td><td>43.06</td><td>0.19</td></tr><tr><td>7 13710.00</td><td>53.17</td><td>88.20</td><td>-35.03</td><td>37.66</td><td>39.78</td><td>18.94</td><td>43.30</td><td>0.17</td></tr><tr><td>8 13710.00</td><td>42.23</td><td>68.20</td><td>-25.97</td><td>26.72</td><td>39.78</td><td>18.94</td><td>43.30</td><td>0.17</td></tr><tr><td>9 19635.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>58.26</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>10 19635.00</td><td>37.27</td><td>54.00</td><td>-16.73</td><td>50.26</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>11 19935.00</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>55.71</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td></tr><tr><td>12 19935.00</td><td>33.69</td><td>54.00</td><td>-20.31</td><td>46.31</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td></tr><tr><td>13 20235.00</td><td>41.54</td><td>74.00</td><td>-32.46</td><td>53.91</td><td>37.97</td><td>23.05</td><td>63.85</td><td>-9.54</td></tr><tr><td>14 20235.00</td><td>30.59</td><td>54.00</td><td>-23.41</td><td>42.96</td><td>37.97</td><td>23.05</td><td>63.85</td><td>-9.54</td></tr><tr><td>15 20565.00</td><td>40.88</td><td>74.00</td><td>-33.12</td><td>52.94</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td></tr><tr><td>16 20565.00</td><td>29.98</td><td>54.00</td><td>-24.02</td><td>42.04</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13090.00	53.28	88.20	-34.92	38.09	39.60	18.45	43.04	0.18	2 13090.00	44.24	68.20	-23.96	29.05	39.60	18.45	43.04	0.18	3 13290.00	53.56	74.00	-20.44	38.01	39.00	18.61	43.05	0.19	4 13290.00	43.14	54.00	-10.86	27.59	39.00	18.61	43.05	0.19	5 13490.00	52.29	88.20	-35.91	36.27	40.12	18.77	43.06	0.19	6 13490.00	41.43	68.20	-26.77	25.41	40.12	18.77	43.06	0.19	7 13710.00	53.17	88.20	-35.03	37.66	39.78	18.94	43.30	0.17	8 13710.00	42.23	68.20	-25.97	26.72	39.78	18.94	43.30	0.17	9 19635.00	45.27	74.00	-28.73	58.26	38.00	22.74	64.19	-9.54	10 19635.00	37.27	54.00	-16.73	50.26	38.00	22.74	64.19	-9.54	11 19935.00	43.09	74.00	-30.91	55.71	37.97	22.90	63.95	-9.54	12 19935.00	33.69	54.00	-20.31	46.31	37.97	22.90	63.95	-9.54	13 20235.00	41.54	74.00	-32.46	53.91	37.97	23.05	63.85	-9.54	14 20235.00	30.59	54.00	-23.41	42.96	37.97	23.05	63.85	-9.54	15 20565.00	40.88	74.00	-33.12	52.94	38.00	23.22	63.74	-9.54	16 20565.00	29.98	54.00	-24.02	42.04	38.00	23.22	63.74	-9.54	Level (dBuV/m) Date: 2026-08-07 Site : 03CH20-HY Condition: PEAK(UNII)_6E 1m BBH49170_1230_251105 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13090.00</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>38.47</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>2 13090.00</td><td>44.43</td><td>68.20</td><td>-23.77</td><td>29.24</td><td>39.60</td><td>18.45</td><td>43.04</td><td>0.18</td></tr><tr><td>3 13290.00</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>38.33</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td></tr><tr><td>4 13290.00</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>29.11</td><td>39.00</td><td>18.61</td><td>43.05</td><td>0.19</td></tr><tr><td>5 13490.00</td><td>53.37</td><td>88.20</td><td>-34.83</td><td>37.35</td><td>40.12</td><td>18.77</td><td>43.06</td><td>0.19</td></tr><tr><td>6 13490.00</td><td>41.74</td><td>68.20</td><td>-26.46</td><td>25.72</td><td>40.12</td><td>18.77</td><td>43.06</td><td>0.19</td></tr><tr><td>7 13710.00</td><td>56.04</td><td>88.20</td><td>-32.16</td><td>40.53</td><td>39.78</td><td>18.94</td><td>43.30</td><td>0.17</td></tr><tr><td>8 13710.00</td><td>47.27</td><td>68.20</td><td>-20.93</td><td>31.76</td><td>39.78</td><td>18.94</td><td>43.30</td><td>0.17</td></tr><tr><td>9 19635.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>56.45</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>10 19635.00</td><td>33.65</td><td>54.00</td><td>-20.35</td><td>46.64</td><td>38.00</td><td>22.74</td><td>64.19</td><td>-9.54</td></tr><tr><td>11 19935.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>56.83</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td></tr><tr><td>12 19935.00</td><td>36.34</td><td>54.00</td><td>-17.66</td><td>48.96</td><td>37.97</td><td>22.90</td><td>63.95</td><td>-9.54</td></tr><tr><td>13 20235.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>54.91</td><td>37.97</td><td>23.05</td><td>63.85</td><td>-9.54</td></tr><tr><td>14 20235.00</td><td>33.48</td><td>54.00</td><td>-20.52</td><td>45.85</td><td>37.97</td><td>23.05</td><td>63.85</td><td>-9.54</td></tr><tr><td>15 20565.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>55.24</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td></tr><tr><td>16 20565.00</td><td>36.31</td><td>54.00</td><td>-17.69</td><td>48.37</td><td>38.00</td><td>23.22</td><td>63.74</td><td>-9.54</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13090.00	53.66	88.20	-34.54	38.47	39.60	18.45	43.04	0.18	2 13090.00	44.43	68.20	-23.77	29.24	39.60	18.45	43.04	0.18	3 13290.00	53.88	74.00	-20.12	38.33	39.00	18.61	43.05	0.19	4 13290.00	44.66	54.00	-9.34	29.11	39.00	18.61	43.05	0.19	5 13490.00	53.37	88.20	-34.83	37.35	40.12	18.77	43.06	0.19	6 13490.00	41.74	68.20	-26.46	25.72	40.12	18.77	43.06	0.19	7 13710.00	56.04	88.20	-32.16	40.53	39.78	18.94	43.30	0.17	8 13710.00	47.27	68.20	-20.93	31.76	39.78	18.94	43.30	0.17	9 19635.00	43.46	74.00	-30.54	56.45	38.00	22.74	64.19	-9.54	10 19635.00	33.65	54.00	-20.35	46.64	38.00	22.74	64.19	-9.54	11 19935.00	44.21	74.00	-29.79	56.83	37.97	22.90	63.95	-9.54	12 19935.00	36.34	54.00	-17.66	48.96	37.97	22.90	63.95	-9.54	13 20235.00	42.54	74.00	-31.46	54.91	37.97	23.05	63.85	-9.54	14 20235.00	33.48	54.00	-20.52	45.85	37.97	23.05	63.85	-9.54	15 20565.00	43.18	74.00	-30.82	55.24	38.00	23.22	63.74	-9.54	16 20565.00	36.31	54.00	-17.69	48.37	38.00	23.22	63.74	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																																
1 13090.00	53.28	88.20	-34.92	38.09	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																																
2 13090.00	44.24	68.20	-23.96	29.05	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																																
3 13290.00	53.56	74.00	-20.44	38.01	39.00	18.61	43.05	0.19																																																																																																																																																																																																																																																																																																																																																
4 13290.00	43.14	54.00	-10.86	27.59	39.00	18.61	43.05	0.19																																																																																																																																																																																																																																																																																																																																																
5 13490.00	52.29	88.20	-35.91	36.27	40.12	18.77	43.06	0.19																																																																																																																																																																																																																																																																																																																																																
6 13490.00	41.43	68.20	-26.77	25.41	40.12	18.77	43.06	0.19																																																																																																																																																																																																																																																																																																																																																
7 13710.00	53.17	88.20	-35.03	37.66	39.78	18.94	43.30	0.17																																																																																																																																																																																																																																																																																																																																																
8 13710.00	42.23	68.20	-25.97	26.72	39.78	18.94	43.30	0.17																																																																																																																																																																																																																																																																																																																																																
9 19635.00	45.27	74.00	-28.73	58.26	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																																
10 19635.00	37.27	54.00	-16.73	50.26	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																																
11 19935.00	43.09	74.00	-30.91	55.71	37.97	22.90	63.95	-9.54																																																																																																																																																																																																																																																																																																																																																
12 19935.00	33.69	54.00	-20.31	46.31	37.97	22.90	63.95	-9.54																																																																																																																																																																																																																																																																																																																																																
13 20235.00	41.54	74.00	-32.46	53.91	37.97	23.05	63.85	-9.54																																																																																																																																																																																																																																																																																																																																																
14 20235.00	30.59	54.00	-23.41	42.96	37.97	23.05	63.85	-9.54																																																																																																																																																																																																																																																																																																																																																
15 20565.00	40.88	74.00	-33.12	52.94	38.00	23.22	63.74	-9.54																																																																																																																																																																																																																																																																																																																																																
16 20565.00	29.98	54.00	-24.02	42.04	38.00	23.22	63.74	-9.54																																																																																																																																																																																																																																																																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																																																																																																																																
1 13090.00	53.66	88.20	-34.54	38.47	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																																
2 13090.00	44.43	68.20	-23.77	29.24	39.60	18.45	43.04	0.18																																																																																																																																																																																																																																																																																																																																																
3 13290.00	53.88	74.00	-20.12	38.33	39.00	18.61	43.05	0.19																																																																																																																																																																																																																																																																																																																																																
4 13290.00	44.66	54.00	-9.34	29.11	39.00	18.61	43.05	0.19																																																																																																																																																																																																																																																																																																																																																
5 13490.00	53.37	88.20	-34.83	37.35	40.12	18.77	43.06	0.19																																																																																																																																																																																																																																																																																																																																																
6 13490.00	41.74	68.20	-26.46	25.72	40.12	18.77	43.06	0.19																																																																																																																																																																																																																																																																																																																																																
7 13710.00	56.04	88.20	-32.16	40.53	39.78	18.94	43.30	0.17																																																																																																																																																																																																																																																																																																																																																
8 13710.00	47.27	68.20	-20.93	31.76	39.78	18.94	43.30	0.17																																																																																																																																																																																																																																																																																																																																																
9 19635.00	43.46	74.00	-30.54	56.45	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																																
10 19635.00	33.65	54.00	-20.35	46.64	38.00	22.74	64.19	-9.54																																																																																																																																																																																																																																																																																																																																																
11 19935.00	44.21	74.00	-29.79	56.83	37.97	22.90	63.95	-9.54																																																																																																																																																																																																																																																																																																																																																
12 19935.00	36.34	54.00	-17.66	48.96	37.97	22.90	63.95	-9.54																																																																																																																																																																																																																																																																																																																																																
13 20235.00	42.54	74.00	-31.46	54.91	37.97	23.05	63.85	-9.54																																																																																																																																																																																																																																																																																																																																																
14 20235.00	33.48	54.00	-20.52	45.85	37.97	23.05	63.85	-9.54																																																																																																																																																																																																																																																																																																																																																
15 20565.00	43.18	74.00	-30.82	55.24	38.00	23.22	63.74	-9.54																																																																																																																																																																																																																																																																																																																																																
16 20565.00	36.31	54.00	-17.69	48.37	38.00	23.22	63.74	-9.54																																																																																																																																																																																																																																																																																																																																																



Mode	49	
	Harmonic	
	U-NII-7_6.525-6.875_Proprietary_CH119+139+159+181_6545+6645+6745+6855MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
7G ~8G Avg	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL
	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-08-05 Site : 03CH20-HY Condition: AVG(UNII)_6E 3m HF_91280_02360_251105 VERTICAL



Mode	50											
	LF											
	U-NII-5_5.925-6.425_Proprietary_CH3+11_5965+6005MHz											
ANT	MIMO											
Pol.	Horizontal						Vertical					
QP/ Peak	</											



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
Proprietary radio 6G	100.00	-	-	10Hz

