

Radiated Spurious Emission

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the emissions below the noise floor will not be recorded in the report.

Because the Margin is relatively large, only one worst point is recorded in the report.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes. EUT stand-up position (Z axis), lie-down position (X, Y axis). Receiver antenna polarization (Horizontal and Vertical), the worst emission was found in position and the worst case and worst Antenna was recorded.

LTE	Y axis, Horizontal polarization
-----	---------------------------------

LTE Band 2 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	3755.50	-64.43	2.60	12.50	Horizontal	-54.53	-13.00	41.53	1
	3	5632.50	-62.19	3.30	12.50	Horizontal	-52.99	-13.00	39.99	25
	4	7510.00	-55.91	4.20	12.20	Horizontal	-47.91	-13.00	34.91	75
	5	9387.50	-53.70	4.30	11.10	Horizontal	-46.90	-13.00	33.90	3
	6	11265.00	-52.51	5.90	11.90	Horizontal	-46.51	-13.00	33.51	123
	7	13142.50	-50.95	5.70	14.00	Horizontal	-42.65	-13.00	29.65	86
	8	15020.00	-53.83	5.80	13.10	Horizontal	-46.53	-13.00	33.53	175
	9	16897.50	-51.34	6.10	14.60	Horizontal	-42.84	-13.00	29.84	36
	10	18775.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 4 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	3460.50	-75.28	2.70	12.70	Horizontal	-65.28	-13.00	52.28	134
	3	5191.50	-67.81	3.20	12.50	Horizontal	-58.51	-13.00	45.51	89
	4	6930.00	-67.24	4.20	11.80	Horizontal	-59.64	-13.00	46.64	87
	5	8662.50	-62.63	4.40	12.50	Horizontal	-54.53	-13.00	41.53	76
	6	10380.00	-63.00	4.70	11.30	Horizontal	-56.40	-13.00	43.40	45
	7	12110.00	-62.96	5.20	13.80	Horizontal	-54.36	-13.00	41.36	67
	8	13840.00	-57.29	5.70	11.30	Horizontal	-51.69	-13.00	38.69	34
	9	15570.00	-69.57	6.10	16.80	Horizontal	-58.87	-13.00	45.87	76
	10	17300.00	-59.60	6.10	14.20	Horizontal	-51.50	-13.00	38.50	1

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 5 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1668.60	-58.15	1.70	8.70	Horizontal	-53.30	-13.00	40.30	36
	3	2503.30	-67.18	2.30	12.00	Horizontal	-59.63	-13.00	46.63	241
	4	3337.50	-65.41	2.70	12.70	Horizontal	-57.56	-13.00	44.56	87
	5	4171.88	-61.04	3.00	12.50	Horizontal	-53.69	-13.00	40.69	99
	6	5006.25	-58.04	3.40	12.50	Horizontal	-51.09	-13.00	38.09	7
	7	5840.63	-59.09	3.40	12.80	Horizontal	-51.84	-13.00	38.84	76
	8	6675.00	-56.47	4.10	11.50	Horizontal	-51.22	-13.00	38.22	65
	9	7509.38	-53.49	4.20	12.20	Horizontal	-47.64	-13.00	34.64	54
	10	8343.75	-52.88	4.30	12.50	Horizontal	-46.83	-13.00	33.83	66

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 7 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	5052.20	-61.28	3.40	12.50	Horizontal	-52.18	-25.00	27.18	78
	3	7578.30	-56.30	4.40	12.20	Horizontal	-48.50	-25.00	23.50	35
	4	10104.40	-54.62	4.70	11.30	Horizontal	-48.02	-25.00	23.02	37
	5	12630.50	-53.89	5.40	13.20	Horizontal	-46.09	-25.00	21.09	38
	6	15156.60	-55.04	6.10	13.10	Horizontal	-48.04	-25.00	23.04	38
	7	17745.00	-55.49	6.10	14.20	Horizontal	-47.39	-25.00	22.39	87
	8	20208.80	--	--	--	--	--	--	--	--
	9	22734.90	--	--	--	--	--	--	--	--
	10	25261.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 12 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1410.60	--	--	--	--	--	--	--	--
	3	2115.90	--	--	--	--	--	--	--	--
	4	2820.00	-65.45	2.30	13.10	Horizontal	-56.70	-13.00	43.70	38
	5	3525.00	--	--	--	--	--	--	--	--
	6	4230.00	-57.49	3.30	12.50	Horizontal	-50.24	-13.00	37.24	36
	7	4935.00	--	--	--	--	--	--	--	--
	8	5640.00	--	--	--	--	--	--	--	--
	9	6345.00	--	--	--	--	--	--	--	--
	10	7050.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 13 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1559.76	-61.12	1.70	8.70	Horizontal	-54.12	-40.00	14.12	65
	3	2339.40	-67.18	2.10	12.00	Horizontal	-59.43	-13.00	46.43	20
	4	3118.00	-66.55	2.30	13.10	Horizontal	-57.90	-13.00	44.90	85
	5	3897.50	-61.92	2.90	12.50	Horizontal	-54.47	-13.00	41.47	32
	6	4677.00	-60.18	3.10	12.50	Horizontal	-52.93	-13.00	39.93	15
	7	5456.50	-57.08	3.30	12.50	Horizontal	-50.03	-13.00	37.03	20
	8	6236.00	-59.67	3.50	12.80	Horizontal	-52.52	-13.00	39.52	32
	9	7015.50	-57.37	4.20	11.80	Horizontal	-51.92	-13.00	38.92	65
	10	7795.00	-53.94	4.40	12.30	Horizontal	-48.19	-13.00	35.19	214

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 14 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1581.00	-63.92	1.70	8.70	Horizontal	-59.07	-40.00	19.07	85
	3	2371.50	-68.40	2.10	12.00	Horizontal	-60.65	-40.00	20.65	65
	4	3162.00	--	--	--	--	--	--	--	--
	5	3952.50	-58.38	2.90	12.50	Horizontal	-50.93	-13.00	37.93	32
	6	4743.00	--	--	--	--	--	--	--	--
	7	5533.50	--	--	--	--	--	--	--	--
	8	6324.00	--	--	--	--	--	--	--	--
	9	7114.50	--	--	--	--	--	--	--	--
	10	7905.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 17 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1415.00	--	--	--	--	--	--	--	--
	3	2122.50	--	--	--	--	--	--	--	--
	4	2830.00	-21.45	2.50	13.10	Horizontal	-13.00	43.37	278	-13.00
	5	3537.50	--	--	--	--	--	--	--	--
	6	4245.00	-20.05	3.30	12.50	Horizontal	-13.00	36.93	15	-13.00
	7	4952.50	--	--	--	--	--	--	--	--
	8	5660.00	--	--	--	--	--	--	--	--
	9	6367.50	--	--	--	--	--	--	--	--
	10	7075.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 25 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	3760.00	--	--	--	--	--	--	--	--
	3	5640.00	--	--	--	--	--	--	--	--
	4	7520.00	--	--	--	--	--	--	--	--
	5	9400.00	--	--	--	--	--	--	--	--
	6	11280.00	--	--	--	--	--	--	--	--
	7	13160.00	-50.82	5.70	14.00	Horizontal	-42.52	-13.00	29.52	175
	8	15040.00	--	--	--	--	--	--	--	--
	9	16920.00	--	--	--	--	--	--	--	--
	10	18800.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 26 (824 ~ 849) CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1668.00	-58.39	1.70	8.70	Horizontal	-53.54	-13.00	40.54	11
	3	2502.00	-67.27	2.30	12.00	Horizontal	-59.72	-13.00	46.72	214
	4	3336.00	--	--	--	--	--	--	--	--
	5	4170.00	-52.78	3.00	12.50	Horizontal	-45.43	-13.00	32.43	36
	6	5004.00	--	--	--	--	--	--	--	--
	7	5838.00	--	--	--	--	--	--	--	--
	8	6672.00	--	--	--	--	--	--	--	--
	9	7506.00	--	--	--	--	--	--	--	--
	10	8340.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 26 (814 ~ 824) CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1633.00	-59.37	1.70	8.70	Horizontal	-54.52	-13.00	41.52	36
	3	2449.50	-67.99	2.30	12.00	Horizontal	-60.44	-13.00	47.44	11
	4	3266.00	--	--	--	--	--	--	--	--
	5	4082.50	--	--	--	--	--	--	--	--
	6	4899.00	-56.26	3.10	12.50	Horizontal	-49.01	-13.00	36.01	14
	7	5715.50	--	--	--	--	--	--	--	--
	8	6532.00	--	--	--	--	--	--	--	--
	9	7348.50	--	--	--	--	--	--	--	--
	10	8165.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 30 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	4615.00	--	--	--	--	--	--	--	--
	3	6922.50	--	--	--	--	--	--	--	--
	4	9230.00	-54.94	4.30	11.60	Horizontal	-47.64	-40.00	7.64	14
	5	11537.50	--	--	--	--	--	--	--	--
	6	13845.00	--	--	--	--	--	--	--	--
	7	16152.50	--	--	--	--	--	--	--	--
	8	18460.00	--	--	--	--	--	--	--	--
	9	20767.50	--	--	--	--	--	--	--	--
	10	23075.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 38 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	5185.00	--	--	--	--	--	--	--	--
	3	7777.50	-53.39	4.40	12.30	Horizontal	-45.49	-25.00	20.49	14
	4	10370.00	--	--	--	--	--	--	--	--
	5	12962.50	--	--	--	--	--	--	--	--
	6	15555.00	--	--	--	--	--	--	--	--
	7	18147.50	--	--	--	--	--	--	--	--
	8	20740.00	--	--	--	--	--	--	--	--
	9	23332.50	--	--	--	--	--	--	--	--
	10	25925.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 41 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	5181.00	--	--	--	--	--	--	--	--
	3	7771.50	-53.14	4.40	12.30	Horizontal	-45.24	-25.00	20.24	90
	4	10362.00	--	--	--	--	--	--	--	--
	5	13952.50	--	--	--	--	--	--	--	--
	6	15543.00	--	--	--	--	--	--	--	--
	7	18133.50	--	--	--	--	--	--	--	--
	8	20653.20	--	--	--	--	--	--	--	--
	9	23234.85	--	--	--	--	--	--	--	--
	10	25816.50	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 42 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	6995.00	--	--	--	--	--	--	--	--
	3	10492.50	-54.64	5.1	13.00	Horizontal	-46.74	-13.00	33.74	14
	4	13900.00	--	--	--	--	--	--	--	--
	5	17487.50	--	--	--	--	--	--	--	--
	6	20985.00	--	--	--	--	--	--	--	--
	7	24482.50	--	--	--	--	--	--	--	--
	8	27980.00	--	--	--	--	--	--	--	--
	9	31477.50	--	--	--	--	--	--	--	--
	10	34975.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 43 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	7395.00	-55.92	2.50	11.35	Horizontal	-47.07	-13.00	34.07	17
	3	11092.50	--	--	--	--	--	--	--	--
	4	14790.00	--	--	--	--	--	--	--	--
	5	18487.50	--	--	--	--	--	--	--	--
	6	22185.00	--	--	--	--	--	--	--	--
	7	25882.50	--	--	--	--	--	--	--	--
	8	29580.00	--	--	--	--	--	--	--	--
	9	33277.50	--	--	--	--	--	--	--	--
	10	36975.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 48 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	7245.00	-57.10	2.50	11.35	Horizontal	-48.25	-13.00	35.25	165
	3	10867.50	--	--	--	--	--	--	--	--
	4	14490.00	--	--	--	--	--	--	--	--
	5	18112.50	--	--	--	--	--	--	--	--
	6	21735.00	--	--	--	--	--	--	--	--
	7	25357.50	--	--	--	--	--	--	--	--
	8	28980.00	--	--	--	--	--	--	--	--
	9	32602.50	--	--	--	--	--	--	--	--
	10	36225.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 66 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	3486.00	--	--	--	--	--	--	--	--
	3	5229.00	--	--	--	--	--	--	--	--
	4	6972.00	--	--	--	--	--	--	--	--
	5	8715.00	--	--	--	--	--	--	--	--
	6	10458.00	--	--	--	--	--	--	--	--
	7	12201.00	--	--	--	--	--	--	--	--
	8	13944.00	-60.29	5.70	13.20	Horizontal	-52.79	-13.00	39.79	47
	9	15687.00	--	--	--	--	--	--	--	--
	10	17430.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 70 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	3400.00	-54.96	2.70	12.70	Horizontal	-44.96	-13.00	31.96	1
	3	5100.00	-51.80	3.20	12.50	Horizontal	-42.50	-13.00	29.50	25
	4	6800.00	-55.12	4.20	11.80	Horizontal	-47.52	-13.00	34.52	75
	5	8500.00	-53.25	4.40	12.50	Horizontal	-45.15	-13.00	32.15	3
	6	10200.00	-54.58	4.70	11.80	Horizontal	-47.48	-13.00	34.48	123
	7	11900.00	-53.71	5.20	13.80	Horizontal	-45.11	-13.00	32.11	86
	8	13600.00	-51.03	5.70	13.20	Horizontal	-43.53	-13.00	30.53	175
	9	15300.00	-55.10	6.10	16.80	Horizontal	-44.40	-13.00	31.40	36
	10	17000.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 71 CH-Middle

Band width	Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	Result Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
5MHz	2	1356.66	-64.35	1.70	8.70	Horizontal	-59.495	-13.00	46.50	185
	3	2034.00	--	--	--	--	--	--	--	--
	4	2712.00	--	--	--	--	--	--	--	--
	5	3390.00	--	--	--	--	--	--	--	--
	6	4068.00	-58.93	3.30	12.50	Horizontal	-51.88	-13.00	38.88	17
	7	4746.00	--	--	--	--	--	--	--	--
	8	5424.00	--	--	--	--	--	--	--	--
	9	6102.00	--	--	--	--	--	--	--	--
	10	6780.00	--	--	--	--	--	--	--	--

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.