

ANNEX A: Test Result

1. Unwanted Emission

The radiated emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in lie-down position (Z axis) and the loop antenna is vertical, the others are vertical and horizontal. and the worst case was recorded.


1.1. Wi-Fi 6GHz

The following graphs display the maximum values of horizontal and vertical by software.


Blue trace uses the peak detection, Green trace uses the average detection.

A symbol ($\text{dB } \mu\text{V/m}$) in the test plot below means ($\text{dB}\mu\text{V/m}$)


The signal beyond the limit is carrier.




802.11ax20 CH1




802.11ax20 CH93




802.11ax20 CH97




802.11ax20 CH113




802.11ax20 CH117




802.11ax20 CH181




802.11ax20 CH185




802.11ax20 CH189




802.11ax20 CH233




802.11ax40 CH3




802.11ax40 CH91




802.11ax40 CH99




802.11ax40 CH115




802.11ax40 CH123




802.11ax40 CH179




802.11ax40 CH187




802.11ax40 CH195




802.11ax40 CH227




802.11ax80 CH7




802.11ax80 CH8




802.11ax80 CH103




802.11ax80 CH119




802.11ax80 CH135




802.11ax80 CH167




802.11ax80 CH183




802.11ax80 CH199




802.11ax80 CH215




802.11ax160 CH15




802.11ax160 CH79




802.11ax160 CH111



802.11ax160 CH143



802.11ax160 CH175



802.11ax160 CH207

Result of RE

Test result

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier.
The Radiates Emission from 9kHz to 9kHz to 30MHz and 18GHz to 40GHz are more than 20dB below the limit are not reported.

Remark:

1. **Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)**
2. **Margin = Limit – Quasi-Peak/ MAX Peak/ Average**
3. **A symbol (dB μ V/m) in the test plot below means (dB μ V/m)**
A symbol (dB μ V/m) in the test plot below means (dB μ V/m)
A symbol (dB V/m) in the test plot below means (dB μ V/m)
4. **The following graphs display the maximum values of horizontal and vertical by software.**
5. **For below 1GHz**


 QP Level @Spectrum Overview H
  QP Level @Spectrum Overview V
  QP Level @Final Results
  QP Limit

For above 1GHz

 PK Level @Spectrum Overview H
  PK Level @Spectrum Overview V
  PK Level @Final Results
  PK Limit
 AVG Level @Spectrum Overview H
  AVG Level @Spectrum Overview V
  AVG Level @Final Results
  AVG Limit

Continuous TX mode:


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Radiates Emission from 30MHz to 1GHz

Frequency (MHz)	Quasi-Peak (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
32.543750	28.42	40.00	11.58	100.0	V	10.0	17.6
37.275000	30.30	40.00	9.70	100.0	V	16.0	19.0
46.370000	23.89	40.00	16.11	110.0	V	82.0	21.2
155.122500	22.26	43.50	21.24	210.0	H	69.0	15.9
173.317500	21.20	43.50	22.30	122.0	H	274.0	19.6
256.010000	24.56	46.00	21.44	100.0	H	121.0	20.4

802.11ax HE20 CH1




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.250000	42.03	---	68.20	26.17	500.0	200.0	V	239.0	-8.4
1413.000000	---	31.12	54.00	22.88	500.0	100.0	H	0.0	-7.5
1705.250000	---	32.40	54.00	21.60	500.0	100.0	V	55.0	-6.0
1891.625000	44.83	---	68.20	23.37	500.0	100.0	V	165.0	-5.1
2671.250000	46.72	---	68.20	21.48	500.0	200.0	V	296.0	-1.8
2722.875000	---	35.47	54.00	18.53	500.0	100.0	V	0.0	-1.5
3393.125000	49.66	---	68.20	18.54	500.0	200.0	V	254.0	1.3
3982.875000	---	39.09	54.00	14.91	500.0	200.0	V	287.0	3.2
4497.375000	50.24	---	68.20	17.96	500.0	100.0	H	225.0	3.8
5087.125000	---	40.06	54.00	13.94	500.0	100.0	H	53.0	5.1
7682.375000	---	40.47	54.00	13.53	500.0	100.0	H	351.0	7.5
7888.875000	52.09	---	68.20	16.11	500.0	200.0	V	0.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8980.000000	43.25	---	68.20	24.95	500.0	100.0	H	337.0	-1.3
9156.250000	---	31.82	54.00	22.18	500.0	100.0	V	116.0	-1.1
9442.500000	---	32.95	54.00	21.05	500.0	200.0	H	161.0	-0.4
9703.750000	44.51	---	68.20	23.69	500.0	200.0	H	291.0	-0.7
10502.500000	42.76	---	68.20	25.44	500.0	200.0	H	79.0	-1.0
11931.250000	---	32.40	54.00	21.60	500.0	200.0	V	248.0	0.1
13325.000000	---	33.21	54.00	20.79	500.0	200.0	V	301.0	2.3
13506.250000	44.39	---	68.20	23.81	500.0	200.0	H	27.0	2.7
15215.000000	47.21	---	68.20	20.99	500.0	200.0	H	161.0	5.4
15580.000000	---	36.86	54.00	17.14	500.0	200.0	H	234.0	6.4
17687.500000	51.26	---	68.20	16.94	500.0	200.0	V	60.0	10.3
18000.000000	---	39.73	54.00	14.27	500.0	200.0	H	171.0	11.2

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH49




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.000000	41.65	---	68.20	26.55	500.0	200.0	V	349.0	-8.4
1413.875000	---	31.02	54.00	22.98	500.0	200.0	V	335.0	-7.5
1699.125000	---	32.44	54.00	21.56	500.0	200.0	V	292.0	-6.0
1877.625000	44.61	---	68.20	23.59	500.0	200.0	V	264.0	-5.1
2501.500000	46.68	---	68.20	21.52	500.0	200.0	V	241.0	-2.1
2803.375000	---	35.46	54.00	18.54	500.0	100.0	V	133.0	-1.2
3434.250000	49.69	---	68.20	18.51	500.0	200.0	H	26.0	1.5
3955.750000	---	38.82	54.00	15.18	500.0	200.0	V	136.0	2.9
4434.375000	50.34	---	68.20	17.86	500.0	100.0	V	119.0	3.5
5085.375000	---	39.76	54.00	14.24	500.0	100.0	V	37.0	5.1
7635.125000	---	40.25	54.00	13.75	500.0	100.0	V	239.0	7.2
7836.375000	53.10	---	68.20	15.10	500.0	100.0	V	294.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8977.500000	43.12	---	68.20	25.08	500.0	100.0	H	240.0	-1.3
9022.500000	---	31.53	54.00	22.47	500.0	100.0	H	49.0	-1.3
9435.000000	---	32.91	54.00	21.09	500.0	200.0	H	292.0	-0.5
9655.000000	44.06	---	68.20	24.14	500.0	200.0	H	36.0	-0.5
10588.750000	43.24	---	68.20	24.96	500.0	200.0	H	282.0	-0.9
11921.250000	---	32.37	54.00	21.63	500.0	200.0	H	50.0	0.1
13347.500000	---	32.90	54.00	21.10	500.0	200.0	V	280.0	2.4
13692.500000	44.45	---	68.20	23.75	500.0	200.0	H	45.0	3.1
14685.000000	47.79	---	68.20	20.41	500.0	100.0	H	342.0	4.9
15610.000000	---	36.85	54.00	17.15	500.0	100.0	H	230.0	6.5
17363.750000	50.79	---	68.20	17.41	500.0	200.0	H	135.0	9.6
18000.000000	---	39.73	54.00	14.27	500.0	200.0	V	83.0	11.2

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH93




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	41.55	---	68.20	26.65	500.0	200.0	H	352.0	-8.2
1383.250000	---	31.06	54.00	22.94	500.0	100.0	H	296.0	-7.7
1698.250000	---	32.36	54.00	21.64	500.0	100.0	V	136.0	-6.0
1945.000000	44.87	---	68.20	23.33	500.0	100.0	V	27.0	-4.7
2511.125000	47.34	---	68.20	20.86	500.0	200.0	V	75.0	-2.1
2742.125000	---	35.39	54.00	18.61	500.0	200.0	H	70.0	-1.5
3515.625000	49.27	---	68.20	18.93	500.0	200.0	V	309.0	1.8
3995.125000	---	38.77	54.00	15.23	500.0	200.0	H	281.0	3.2
4449.250000	50.14	---	68.20	18.06	500.0	100.0	H	188.0	3.5
5085.375000	---	39.92	54.00	14.08	500.0	200.0	H	239.0	5.1
7640.375000	---	40.27	54.00	13.73	500.0	200.0	H	75.0	7.2
7991.250000	52.14	---	68.20	16.06	500.0	200.0	V	202.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8991.250000	43.18	---	68.20	25.02	500.0	100.0	V	9.0	-1.3
9092.500000	---	32.30	54.00	21.70	500.0	200.0	V	127.0	-1.2
9437.500000	---	33.30	54.00	20.70	500.0	100.0	H	0.0	-0.5
9716.250000	44.85	---	68.20	23.35	500.0	200.0	V	225.0	-0.7
10561.250000	42.50	---	68.20	25.70	500.0	200.0	V	198.0	-0.9
11642.500000	---	32.47	54.00	21.53	500.0	100.0	V	109.0	-0.4
13330.000000	---	33.54	54.00	20.46	500.0	200.0	V	0.0	2.3
13710.000000	44.57	---	68.20	23.63	500.0	200.0	V	136.0	3.2
15326.250000	48.14	---	68.20	20.06	500.0	100.0	V	91.0	5.7
15606.250000	---	36.91	54.00	17.09	500.0	100.0	V	53.0	6.5
15872.500000	---	36.13	54.00	17.87	500.0	100.0	H	28.0	6.6
16552.500000	48.65	---	68.20	19.55	500.0	100.0	H	278.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH97



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1285.250000	41.66	---	68.20	26.54	500.0	200.0	H	79.0	-8.3
1412.125000	---	31.11	54.00	22.89	500.0	200.0	H	112.0	-7.5
1686.875000	---	32.33	54.00	21.67	500.0	100.0	H	224.0	-6.0
1968.625000	44.62	---	68.20	23.58	500.0	100.0	H	28.0	-4.7
2496.250000	---	35.32	54.00	18.68	500.0	200.0	H	154.0	-2.1
2500.625000	46.97	---	68.20	21.23	500.0	100.0	H	138.0	-2.1
3390.500000	49.71	---	68.20	18.49	500.0	200.0	H	46.0	1.2
3921.625000	---	38.69	54.00	15.31	500.0	100.0	V	149.0	2.6
4443.125000	50.13	---	68.20	18.07	500.0	200.0	H	126.0	3.5
5084.500000	---	39.77	54.00	14.23	500.0	200.0	V	171.0	5.1
7586.125000	---	40.56	54.00	13.44	500.0	200.0	H	93.0	7.1
7964.125000	52.08	---	68.20	16.12	500.0	200.0	H	275.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8933.750000	43.17	---	68.20	25.03	500.0	100.0	V	74.0	-1.3
9097.500000	---	32.08	54.00	21.92	500.0	200.0	H	265.0	-1.2
9448.750000	---	32.91	54.00	21.09	500.0	200.0	V	92.0	-0.3
9513.750000	44.50	---	68.20	23.70	500.0	200.0	H	274.0	-0.1
10535.000000	42.48	---	68.20	25.72	500.0	100.0	H	246.0	-1.0
11650.000000	---	32.18	54.00	21.82	500.0	100.0	V	1.0	-0.3
13350.000000	---	33.44	54.00	20.56	500.0	100.0	V	147.0	2.4
13668.750000	44.84	---	68.20	23.36	500.0	200.0	H	118.0	3.1
15303.750000	47.17	---	68.20	21.03	500.0	200.0	H	209.0	5.6
15602.500000	---	36.93	54.00	17.07	500.0	100.0	V	82.0	6.5
15845.000000	---	35.97	54.00	18.03	500.0	100.0	H	237.0	6.7
16580.000000	47.92	---	68.20	20.28	500.0	100.0	V	192.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH105




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1265.125000	41.87	---	68.20	26.33	500.0	100.0	V	187.0	-8.5
1411.250000	---	30.99	54.00	23.01	500.0	100.0	V	182.0	-7.5
1693.000000	---	32.52	54.00	21.48	500.0	200.0	H	125.0	-6.0
1784.875000	44.54	---	68.20	23.66	500.0	100.0	V	99.0	-5.5
2451.625000	46.81	---	68.20	21.39	500.0	200.0	H	70.0	-2.3
2743.000000	---	35.56	54.00	18.44	500.0	200.0	V	57.0	-1.5
3526.125000	49.54	---	68.20	18.66	500.0	200.0	H	134.0	1.7
3985.500000	---	38.56	54.00	15.44	500.0	100.0	H	244.0	3.2
4425.625000	50.71	---	68.20	17.49	500.0	200.0	V	268.0	3.5
5085.375000	---	39.84	54.00	14.16	500.0	100.0	H	248.0	5.1
7643.000000	---	40.20	54.00	13.80	500.0	200.0	V	359.0	7.2
7896.750000	52.44	---	68.20	15.76	500.0	100.0	V	122.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8980.000000	42.97	---	68.20	25.23	500.0	100.0	V	115.0	-1.3
9087.500000	---	31.97	54.00	22.03	500.0	200.0	H	0.0	-1.2
9455.000000	---	32.92	54.00	21.08	500.0	200.0	V	142.0	-0.3
9505.000000	44.11	---	68.20	24.09	500.0	100.0	H	293.0	0.0
10516.250000	41.66	---	68.20	26.54	500.0	200.0	H	265.0	-1.0
11871.250000	---	32.22	54.00	21.78	500.0	100.0	H	17.0	0.0
13357.500000	---	33.25	54.00	20.75	500.0	200.0	H	109.0	2.4
13721.250000	44.73	---	68.20	23.47	500.0	100.0	V	34.0	3.3
15261.250000	47.60	---	68.20	20.60	500.0	200.0	H	320.0	5.6
15542.500000	---	36.77	54.00	17.23	500.0	100.0	V	52.0	6.2
15845.000000	---	36.10	54.00	17.90	500.0	100.0	H	85.0	6.7
16542.500000	48.34	---	68.20	19.86	500.0	100.0	H	329.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH113




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1286.125000	41.82	---	68.20	26.38	500.0	200.0	H	0.0	-8.3
1306.250000	---	30.80	54.00	23.20	500.0	200.0	H	349.0	-8.1
1684.250000	---	32.37	54.00	21.63	500.0	100.0	H	72.0	-6.0
1953.750000	44.26	---	68.20	23.94	500.0	200.0	H	100.0	-4.7
2636.250000	47.21	---	68.20	20.99	500.0	100.0	H	86.0	-2.0
2824.375000	---	35.55	54.00	18.45	500.0	100.0	H	245.0	-1.2
3534.000000	49.70	---	68.20	18.50	500.0	100.0	H	135.0	1.7
3995.125000	---	38.57	54.00	15.43	500.0	100.0	V	19.0	3.2
4440.500000	50.38	---	68.20	17.82	500.0	100.0	V	294.0	3.5
4636.500000	---	39.52	54.00	14.48	500.0	200.0	V	164.0	4.1
7545.000000	---	40.18	54.00	13.82	500.0	100.0	H	2.0	7.1
7891.500000	52.52	---	68.20	15.68	500.0	200.0	H	228.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8991.250000	44.19	---	68.20	24.01	500.0	200.0	V	155.0	-1.3
9096.250000	---	31.91	54.00	22.09	500.0	200.0	H	79.0	-1.2
9436.250000	---	33.05	54.00	20.95	500.0	200.0	H	0.0	-0.5
9637.500000	44.06	---	68.20	24.14	500.0	200.0	H	278.0	-0.6
10506.250000	42.11	---	68.20	26.09	500.0	200.0	H	169.0	-1.0
11865.000000	---	32.36	54.00	21.64	500.0	200.0	H	341.0	0.0
13327.500000	---	33.30	54.00	20.70	500.0	200.0	V	219.0	2.3
13693.750000	44.44	---	68.20	23.76	500.0	100.0	V	119.0	3.2
15050.000000	47.88	---	68.20	20.32	500.0	100.0	H	329.0	5.2
15567.500000	---	37.05	54.00	16.95	500.0	100.0	V	287.0	6.4
16042.500000	---	35.49	54.00	18.51	500.0	100.0	H	101.0	6.9
16473.750000	48.80	---	68.20	19.40	500.0	200.0	H	79.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH117



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	41.36	---	68.20	26.84	500.0	200.0	H	141.0	-8.6
1391.125000	---	31.10	54.00	22.90	500.0	100.0	V	138.0	-7.6
1709.625000	---	32.28	54.00	21.72	500.0	100.0	V	276.0	-5.9
1987.875000	44.90	---	68.20	23.30	500.0	100.0	V	262.0	-4.6
2563.625000	47.01	---	68.20	21.19	500.0	200.0	H	249.0	-2.1
2806.000000	---	35.39	54.00	18.61	500.0	100.0	V	276.0	-1.2
3511.250000	50.09	---	68.20	18.11	500.0	200.0	H	287.0	1.8
3985.500000	---	38.87	54.00	15.13	500.0	200.0	V	265.0	3.2
4409.000000	50.32	---	68.20	17.88	500.0	100.0	H	56.0	3.6
4934.875000	---	39.72	54.00	14.28	500.0	100.0	H	101.0	4.6
7649.125000	---	40.10	54.00	13.90	500.0	200.0	V	34.0	7.3
7928.250000	52.52	---	68.20	15.68	500.0	200.0	H	0.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8995.000000	43.43	---	68.20	24.77	500.0	200.0	H	23.0	-1.3
9095.000000	---	32.04	54.00	21.96	500.0	200.0	V	267.0	-1.2
9436.250000	---	32.93	54.00	21.07	500.0	100.0	V	297.0	-0.5
9526.250000	44.20	---	68.20	24.00	500.0	200.0	V	267.0	-0.2
10540.000000	42.19	---	68.20	26.01	500.0	100.0	H	0.0	-0.9
11925.000000	---	32.28	54.00	21.72	500.0	100.0	H	260.0	0.1
13330.000000	---	33.10	54.00	20.90	500.0	200.0	H	329.0	2.3
13713.750000	44.78	---	68.20	23.42	500.0	200.0	H	0.0	3.3
15282.500000	47.84	---	68.20	20.36	500.0	200.0	V	0.0	5.6
15608.750000	---	36.77	54.00	17.23	500.0	200.0	V	313.0	6.5
15867.500000	---	36.16	54.00	17.84	500.0	200.0	H	33.0	6.7
16403.750000	48.91	---	68.20	19.29	500.0	200.0	H	139.0	7.8

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH157




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	42.13	---	68.20	26.07	500.0	100.0	V	325.0	-8.2
1387.625000	---	30.96	54.00	23.04	500.0	100.0	V	289.0	-7.7
1709.625000	---	32.32	54.00	21.68	500.0	200.0	H	84.0	-5.9
1803.250000	44.97	---	68.20	23.23	500.0	100.0	H	289.0	-5.4
2609.125000	47.06	---	68.20	21.14	500.0	200.0	H	147.0	-2.0
2827.000000	---	35.40	54.00	18.60	500.0	100.0	H	210.0	-1.1
3436.875000	50.25	---	68.20	17.95	500.0	200.0	H	121.0	1.5
3959.250000	---	38.58	54.00	15.42	500.0	100.0	H	168.0	2.9
4499.125000	50.69	---	68.20	17.51	500.0	200.0	V	164.0	3.8
5084.500000	---	39.51	54.00	14.49	500.0	100.0	H	256.0	5.1
7593.125000	---	40.24	54.00	13.76	500.0	100.0	V	215.0	7.1
7957.125000	51.69	---	68.20	16.51	500.0	100.0	H	0.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8983.750000	43.12	---	68.20	25.08	500.0	100.0	H	333.0	-1.3
9032.500000	---	31.89	54.00	22.11	500.0	200.0	H	8.0	-1.3
9437.500000	---	33.16	54.00	20.84	500.0	200.0	V	273.0	-0.5
9657.500000	44.59	---	68.20	23.61	500.0	100.0	V	163.0	-0.6
10591.250000	42.24	---	68.20	25.96	500.0	200.0	V	301.0	-0.9
11646.250000	---	32.27	54.00	21.73	500.0	100.0	V	254.0	-0.4
13328.750000	---	33.56	54.00	20.44	500.0	100.0	V	47.0	2.3
13462.500000	44.95	---	68.20	23.25	500.0	100.0	V	199.0	2.6
15175.000000	47.66	---	68.20	20.54	500.0	100.0	V	20.0	5.3
15573.750000	---	36.95	54.00	17.05	500.0	200.0	V	64.0	6.4
16025.000000	---	35.65	54.00	18.35	500.0	200.0	H	314.0	6.9
16475.000000	48.17	---	68.20	20.03	500.0	100.0	V	218.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH181




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	42.49	---	68.20	25.71	500.0	100.0	H	71.0	-8.2
1413.875000	---	30.95	54.00	23.05	500.0	100.0	V	332.0	-7.5
1707.875000	---	32.32	54.00	21.68	500.0	200.0	H	336.0	-5.9
1919.625000	44.80	---	68.20	23.40	500.0	100.0	V	205.0	-4.9
2612.625000	46.64	---	68.20	21.56	500.0	100.0	H	281.0	-2.0
2786.750000	---	35.35	54.00	18.65	500.0	200.0	H	38.0	-1.3
3520.875000	49.22	---	68.20	18.98	500.0	200.0	V	108.0	1.7
3981.125000	---	38.62	54.00	15.38	500.0	200.0	V	130.0	3.1
4430.000000	50.29	---	68.20	17.91	500.0	200.0	H	198.0	3.5
4937.500000	---	40.05	54.00	13.95	500.0	100.0	H	139.0	4.6
7643.000000	---	40.12	54.00	13.88	500.0	200.0	H	29.0	7.2
7834.625000	52.43	---	68.20	15.77	500.0	200.0	V	223.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8536.250000	44.08	---	68.20	24.12	500.0	100.0	H	2.0	-1.8
9092.500000	---	31.99	54.00	22.01	500.0	100.0	H	104.0	-1.2
9437.500000	---	33.28	54.00	20.72	500.0	200.0	H	113.0	-0.5
9570.000000	44.32	---	68.20	23.88	500.0	200.0	V	284.0	-0.5
10536.250000	41.88	---	68.20	26.32	500.0	100.0	H	149.0	-1.0
11645.000000	---	32.39	54.00	21.61	500.0	200.0	H	167.0	-0.4
13335.000000	---	33.07	54.00	20.93	500.0	100.0	V	1.0	2.3
13568.750000	44.74	---	68.20	23.46	500.0	100.0	H	278.0	2.9
15178.750000	47.55	---	68.20	20.65	500.0	100.0	V	0.0	5.3
15616.250000	---	36.97	54.00	17.03	500.0	200.0	V	112.0	6.5
16003.750000	---	36.37	54.00	17.63	500.0	200.0	V	177.0	6.9
16546.250000	48.50	---	68.20	19.70	500.0	200.0	V	131.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH185




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.375000	42.20	---	68.20	26.00	500.0	100.0	V	278.0	-8.6
1411.250000	---	30.91	54.00	23.09	500.0	100.0	H	155.0	-7.5
1707.875000	---	32.24	54.00	21.76	500.0	100.0	V	0.0	-5.9
1901.250000	45.16	---	68.20	23.04	500.0	200.0	H	348.0	-5.0
2582.875000	46.79	---	68.20	21.41	500.0	200.0	V	9.0	-2.0
2726.375000	---	35.61	54.00	18.39	500.0	100.0	H	107.0	-1.5
3501.625000	49.36	---	68.20	18.84	500.0	100.0	H	186.0	1.8
3979.375000	---	38.60	54.00	15.40	500.0	100.0	H	312.0	3.1
4500.000000	50.05	---	68.20	18.15	500.0	200.0	H	271.0	3.8
4949.750000	---	39.84	54.00	14.16	500.0	100.0	H	141.0	4.6
7664.875000	---	40.28	54.00	13.72	500.0	200.0	V	24.0	7.4
7898.500000	52.02	---	68.20	16.18	500.0	100.0	H	195.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8973.750000	42.74	---	68.20	25.46	500.0	100.0	H	193.0	-1.3
9098.750000	---	31.80	54.00	22.20	500.0	100.0	H	166.0	-1.2
9445.000000	---	32.87	54.00	21.13	500.0	200.0	H	354.0	-0.4
9508.750000	44.49	---	68.20	23.71	500.0	200.0	V	9.0	-0.1
10511.250000	41.51	---	68.20	26.69	500.0	200.0	V	238.0	-1.0
11206.250000	---	32.37	54.00	21.63	500.0	200.0	H	220.0	-0.6
13342.500000	---	33.19	54.00	20.81	500.0	100.0	V	159.0	2.3
13733.750000	45.00	---	68.20	23.20	500.0	100.0	V	124.0	3.3
15232.500000	47.71	---	68.20	20.49	500.0	200.0	V	270.0	5.5
15557.500000	---	36.84	54.00	17.16	500.0	100.0	V	89.0	6.3
16026.250000	---	35.59	54.00	18.41	500.0	100.0	H	211.0	6.9
16481.250000	48.76	---	68.20	19.44	500.0	200.0	V	177.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH189




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.750000	41.19	---	68.20	27.01	500.0	200.0	H	0.0	-8.5
1375.375000	---	30.84	54.00	23.16	500.0	200.0	H	14.0	-7.7
1720.125000	---	32.19	54.00	21.81	500.0	100.0	V	168.0	-5.9
1927.500000	44.51	---	68.20	23.69	500.0	100.0	H	50.0	-4.8
2465.625000	46.54	---	68.20	21.66	500.0	100.0	V	109.0	-2.3
2792.000000	---	35.51	54.00	18.49	500.0	200.0	H	298.0	-1.3
3538.375000	49.17	---	68.20	19.03	500.0	200.0	V	50.0	1.7
3979.375000	---	38.64	54.00	15.36	500.0	200.0	V	156.0	3.1
4427.375000	50.35	---	68.20	17.85	500.0	200.0	V	187.0	3.5
4969.000000	---	40.50	54.00	13.50	500.0	100.0	H	137.0	4.5
7417.250000	---	40.33	54.00	13.67	500.0	100.0	H	302.0	7.2
7909.000000	52.88	---	68.20	15.32	500.0	100.0	H	243.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8983.750000	42.75	---	68.20	25.45	500.0	100.0	H	352.0	-1.3
9045.000000	---	31.94	54.00	22.06	500.0	200.0	V	333.0	-1.3
9438.750000	---	32.69	54.00	21.31	500.0	200.0	H	295.0	-0.4
9542.500000	44.36	---	68.20	23.84	500.0	100.0	H	238.0	-0.2
10546.250000	41.73	---	68.20	26.47	500.0	100.0	V	253.0	-0.9
11671.250000	---	32.24	54.00	21.76	500.0	200.0	H	276.0	-0.3
13351.250000	---	33.21	54.00	20.79	500.0	100.0	V	244.0	2.4
13732.500000	45.01	---	68.20	23.19	500.0	100.0	V	67.0	3.3
15345.000000	47.58	---	68.20	20.62	500.0	200.0	V	49.0	5.7
15613.750000	---	36.69	54.00	17.31	500.0	100.0	H	257.0	6.5
16075.000000	---	34.78	54.00	19.22	500.0	200.0	H	257.0	6.9
16997.500000	49.24	---	68.20	18.96	500.0	100.0	V	0.0	8.9

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH209




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.000000	41.47	---	68.20	26.73	500.0	200.0	V	207.0	-8.3
1412.125000	---	31.08	54.00	22.92	500.0	200.0	H	1.0	-7.5
1686.875000	---	32.28	54.00	21.72	500.0	200.0	H	227.0	-6.0
1977.375000	44.62	---	68.20	23.58	500.0	100.0	H	16.0	-4.7
2484.875000	---	35.21	54.00	18.79	500.0	100.0	V	209.0	-2.2
2501.500000	46.52	---	68.20	21.68	500.0	100.0	V	0.0	-2.1
3480.625000	49.56	---	68.20	18.64	500.0	200.0	V	156.0	1.7
3983.750000	---	38.65	54.00	15.35	500.0	200.0	V	211.0	3.2
4435.250000	49.70	---	68.20	18.50	500.0	200.0	H	102.0	3.5
5069.625000	---	41.32	54.00	12.68	500.0	100.0	H	142.0	5.0
7689.375000	---	40.08	54.00	13.92	500.0	200.0	H	241.0	7.5
7964.125000	52.19	---	68.20	16.01	500.0	200.0	H	80.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8996.250000	43.44	---	68.20	24.76	500.0	200.0	H	194.0	-1.3
9096.250000	---	32.19	54.00	21.81	500.0	100.0	H	338.0	-1.2
9326.250000	---	35.26	54.00	18.74	500.0	200.0	H	242.0	-1.0
9551.250000	44.20	---	68.20	24.00	500.0	200.0	V	242.0	-0.3
10510.000000	41.77	---	68.20	26.43	500.0	200.0	V	187.0	-1.0
11746.250000	---	32.08	54.00	21.92	500.0	100.0	V	344.0	-0.3
13348.750000	---	33.24	54.00	20.76	500.0	200.0	V	315.0	2.4
13698.750000	44.44	---	68.20	23.76	500.0	200.0	V	350.0	3.2
15322.500000	47.34	---	68.20	20.86	500.0	100.0	H	190.0	5.7
15592.500000	---	36.75	54.00	17.25	500.0	200.0	V	269.0	6.5
16002.500000	---	35.40	54.00	18.60	500.0	200.0	H	345.0	6.9
16545.000000	48.32	---	68.20	19.88	500.0	100.0	V	107.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE20 CH233




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	42.05	---	68.20	26.15	500.0	200.0	H	259.0	-8.2
1386.750000	---	31.05	54.00	22.95	500.0	100.0	V	356.0	-7.7
1680.750000	---	32.53	54.00	21.47	500.0	100.0	V	0.0	-6.0
1919.625000	45.51	---	68.20	22.69	500.0	100.0	V	123.0	-4.9
2588.125000	46.89	---	68.20	21.31	500.0	100.0	V	341.0	-2.0
2729.000000	---	35.22	54.00	18.78	500.0	200.0	V	48.0	-1.5
3550.625000	49.29	---	68.20	18.91	500.0	100.0	V	305.0	1.7
3988.125000	---	38.82	54.00	15.18	500.0	200.0	H	100.0	3.2
4475.500000	50.98	---	68.20	17.22	500.0	100.0	V	114.0	3.7
5087.125000	---	39.59	54.00	14.41	500.0	200.0	H	341.0	5.1
7543.250000	---	40.11	54.00	13.89	500.0	100.0	V	287.0	7.1
7881.875000	51.88	---	68.20	16.32	500.0	100.0	V	291.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8995.000000	42.82	---	68.20	25.38	500.0	100.0	V	106.0	-1.3
9033.750000	---	31.91	54.00	22.09	500.0	200.0	H	57.0	-1.3
9486.250000	---	33.42	54.00	20.58	500.0	200.0	V	239.0	0.0
9507.500000	44.22	---	68.20	23.98	500.0	100.0	H	237.0	-0.1
10572.500000	42.86	---	68.20	25.34	500.0	200.0	V	174.0	-0.9
11925.000000	---	32.07	54.00	21.93	500.0	100.0	V	161.0	0.1
13328.750000	---	33.02	54.00	20.98	500.0	100.0	V	216.0	2.3
13713.750000	44.48	---	68.20	23.72	500.0	100.0	V	5.0	3.3
15311.250000	47.93	---	68.20	20.27	500.0	200.0	V	101.0	5.6
15581.250000	---	36.75	54.00	17.25	500.0	100.0	V	97.0	6.4
15848.750000	---	36.07	54.00	17.93	500.0	100.0	V	24.0	6.7
16476.250000	48.71	---	68.20	19.49	500.0	100.0	V	170.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH3




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1267.750000	41.64	---	68.20	26.56	500.0	100.0	V	336.0	-8.5
1392.000000	---	30.95	54.00	23.05	500.0	200.0	V	85.0	-7.6
1696.500000	---	32.53	54.00	21.47	500.0	100.0	H	10.0	-6.0
1977.375000	45.73	---	68.20	22.47	500.0	200.0	H	307.0	-4.7
2470.875000	46.58	---	68.20	21.62	500.0	200.0	V	135.0	-2.3
2825.250000	---	35.22	54.00	18.78	500.0	100.0	H	130.0	-1.2
3321.375000	49.56	---	68.20	18.64	500.0	200.0	V	151.0	0.9
3962.750000	---	38.47	54.00	15.53	500.0	200.0	V	126.0	2.9
4425.625000	50.37	---	68.20	17.83	500.0	100.0	V	341.0	3.5
5107.250000	---	39.92	54.00	14.08	500.0	200.0	H	338.0	5.1
7676.250000	---	40.10	54.00	13.90	500.0	200.0	V	23.0	7.5
7979.000000	51.84	---	68.20	16.36	500.0	100.0	H	57.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8995.000000	43.44	---	68.20	24.76	500.0	100.0	H	120.0	-1.3
9035.000000	---	31.63	54.00	22.37	500.0	200.0	V	56.0	-1.3
9441.250000	---	32.96	54.00	21.04	500.0	100.0	H	294.0	-0.4
10027.500000	43.81	---	68.20	24.39	500.0	100.0	V	282.0	-0.8
10585.000000	42.09	---	68.20	26.11	500.0	200.0	V	301.0	-0.9
11942.500000	---	32.02	54.00	21.98	500.0	200.0	H	212.0	0.1
12265.000000	---	32.60	54.00	21.40	500.0	100.0	V	352.0	0.2
13026.250000	43.82	---	68.20	24.38	500.0	100.0	V	91.0	1.5
15011.250000	46.96	---	68.20	21.24	500.0	200.0	V	29.0	5.2
15608.750000	---	36.23	54.00	17.77	500.0	100.0	V	190.0	6.5
15932.500000	---	35.14	54.00	18.86	500.0	200.0	H	184.0	6.7
16475.000000	48.10	---	68.20	20.10	500.0	100.0	H	176.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH51




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	41.96	---	68.20	26.24	500.0	100.0	H	41.0	-8.2
1392.000000	---	31.17	54.00	22.83	500.0	200.0	H	29.0	-7.6
1679.875000	---	32.23	54.00	21.77	500.0	100.0	V	128.0	-6.0
1933.625000	44.44	---	68.20	23.76	500.0	200.0	H	123.0	-4.8
2501.500000	46.46	---	68.20	21.74	500.0	200.0	H	313.0	-2.1
2743.875000	---	35.25	54.00	18.75	500.0	200.0	H	101.0	-1.5
3491.125000	49.43	---	68.20	18.77	500.0	200.0	V	54.0	1.7
3983.750000	---	38.48	54.00	15.52	500.0	100.0	V	0.0	3.2
4500.000000	50.05	---	68.20	18.15	500.0	200.0	H	271.0	3.8
5107.250000	---	39.57	54.00	14.43	500.0	100.0	H	299.0	5.1
7552.875000	---	40.15	54.00	13.85	500.0	100.0	H	45.0	7.1
7994.750000	51.66	---	68.20	16.54	500.0	100.0	H	125.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8983.750000	42.90	---	68.20	25.30	500.0	100.0	H	195.0	-1.3
9083.750000	---	31.62	54.00	22.38	500.0	200.0	V	182.0	-1.2
9433.750000	---	32.70	54.00	21.30	500.0	200.0	H	302.0	-0.5
9553.750000	44.08	---	68.20	24.12	500.0	100.0	H	4.0	-0.3
10502.500000	41.98	---	68.20	26.22	500.0	100.0	V	51.0	-1.0
11923.750000	---	32.30	54.00	21.70	500.0	100.0	V	338.0	0.1
12257.500000	---	33.22	54.00	20.78	500.0	200.0	V	356.0	0.2
13731.250000	44.09	---	68.20	24.11	500.0	100.0	H	101.0	3.3
15276.250000	47.53	---	68.20	20.67	500.0	100.0	H	13.0	5.6
15718.750000	---	36.19	54.00	17.81	500.0	200.0	V	210.0	6.7
15917.500000	---	35.35	54.00	18.65	500.0	100.0	H	40.0	6.7
16418.750000	48.50	---	68.20	19.70	500.0	200.0	H	49.0	7.9

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH91




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.000000	42.04	---	68.20	26.16	500.0	100.0	V	230.0	-8.5
1409.500000	---	30.87	54.00	23.13	500.0	200.0	V	303.0	-7.5
1708.750000	---	32.27	54.00	21.73	500.0	200.0	V	128.0	-5.9
1987.875000	45.21	---	68.20	22.99	500.0	100.0	H	76.0	-4.6
2686.125000	46.66	---	68.20	21.54	500.0	100.0	V	262.0	-1.7
2785.875000	---	35.30	54.00	18.70	500.0	200.0	V	346.0	-1.4
3551.500000	49.13	---	68.20	19.07	500.0	200.0	H	147.0	1.7
3948.750000	---	38.40	54.00	15.60	500.0	200.0	V	21.0	2.8
4478.125000	50.01	---	68.20	18.19	500.0	100.0	H	309.0	3.7
4934.875000	---	39.50	54.00	14.50	500.0	100.0	H	343.0	4.6
7559.875000	---	40.02	54.00	13.98	500.0	200.0	V	200.0	7.1
7915.125000	52.49	---	68.20	15.71	500.0	100.0	V	313.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8982.500000	43.03	---	68.20	25.17	500.0	100.0	V	349.0	-1.3
9095.000000	---	31.59	54.00	22.41	500.0	100.0	V	339.0	-1.2
9462.500000	---	33.03	54.00	20.97	500.0	100.0	V	102.0	-0.2
9848.750000	44.12	---	68.20	24.08	500.0	200.0	V	358.0	-0.4
10497.500000	42.39	---	68.20	25.81	500.0	100.0	V	0.0	-1.0
11917.500000	---	32.44	54.00	21.56	500.0	200.0	H	0.0	0.2
12267.500000	---	32.61	54.00	21.39	500.0	100.0	V	175.0	0.2
13721.250000	44.94	---	68.20	23.26	500.0	200.0	H	37.0	3.3
15233.750000	47.66	---	68.20	20.54	500.0	100.0	V	329.0	5.5
15546.250000	---	36.15	54.00	17.85	500.0	100.0	V	44.0	6.3
16041.250000	---	35.86	54.00	18.14	500.0	200.0	V	265.0	6.9
16783.750000	47.85	---	68.20	20.35	500.0	100.0	V	311.0	8.7

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH99




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.000000	41.91	---	68.20	26.29	500.0	200.0	V	18.0	-8.3
1406.875000	---	30.94	54.00	23.06	500.0	200.0	H	0.0	-7.5
1682.500000	---	32.47	54.00	21.53	500.0	100.0	H	60.0	-6.0
1919.625000	45.15	---	68.20	23.05	500.0	100.0	V	163.0	-4.9
2584.625000	46.66	---	68.20	21.54	500.0	100.0	H	358.0	-2.0
2827.000000	---	35.50	54.00	18.50	500.0	200.0	V	140.0	-1.1
3507.750000	49.37	---	68.20	18.83	500.0	200.0	V	340.0	1.8
3993.375000	---	38.48	54.00	15.52	500.0	200.0	V	3.0	3.2
4454.500000	50.39	---	68.20	17.81	500.0	200.0	V	11.0	3.6
4520.125000	---	39.73	54.00	14.27	500.0	100.0	H	51.0	3.8
7646.500000	---	40.12	54.00	13.88	500.0	200.0	V	323.0	7.2
7897.625000	52.08	---	68.20	16.12	500.0	200.0	V	54.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8977.500000	43.50	---	68.20	24.70	500.0	200.0	V	252.0	-1.3
9000.000000	---	31.90	54.00	22.10	500.0	100.0	V	86.0	-1.3
9436.250000	---	32.88	54.00	21.12	500.0	200.0	H	127.0	-0.5
9625.000000	44.31	---	68.20	23.89	500.0	100.0	H	222.0	-0.6
10593.750000	42.58	---	68.20	25.62	500.0	100.0	V	129.0	-0.9
11923.750000	---	32.29	54.00	21.71	500.0	100.0	V	334.0	0.1
13356.250000	---	32.91	54.00	21.09	500.0	200.0	V	334.0	2.4
13522.500000	44.75	---	68.20	23.45	500.0	100.0	H	9.0	2.8
15147.500000	47.19	---	68.20	21.01	500.0	100.0	H	174.0	5.2
15553.750000	---	35.97	54.00	18.03	500.0	100.0	H	101.0	6.3
16043.750000	---	35.32	54.00	18.68	500.0	200.0	H	27.0	6.9
16643.750000	47.92	---	68.20	20.28	500.0	200.0	V	94.0	8.2

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH107




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	42.36	---	68.20	25.84	500.0	100.0	H	353.0	-8.3
1413.875000	---	30.97	54.00	23.03	500.0	100.0	H	0.0	-7.5
1708.750000	---	32.19	54.00	21.81	500.0	100.0	H	38.0	-5.9
1896.000000	44.55	---	68.20	23.65	500.0	200.0	H	49.0	-5.0
2682.625000	46.33	---	68.20	21.87	500.0	200.0	V	130.0	-1.8
2743.000000	---	35.28	54.00	18.72	500.0	100.0	V	281.0	-1.5
3471.875000	49.63	---	68.20	18.57	500.0	100.0	V	14.0	1.7
3989.875000	---	38.48	54.00	15.52	500.0	100.0	V	211.0	3.2
4432.625000	50.37	---	68.20	17.83	500.0	200.0	H	0.0	3.5
4970.750000	---	39.46	54.00	14.54	500.0	100.0	V	324.0	4.5
7429.500000	---	40.16	54.00	13.84	500.0	100.0	V	316.0	7.1
7915.125000	51.99	---	68.20	16.21	500.0	200.0	V	139.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8925.000000	43.12	---	68.20	25.08	500.0	100.0	H	351.0	-1.3
9000.000000	---	31.70	54.00	22.30	500.0	200.0	V	138.0	-1.3
9442.500000	---	32.71	54.00	21.29	500.0	200.0	H	11.0	-0.4
9532.500000	43.94	---	68.20	24.26	500.0	100.0	V	268.0	-0.2
10491.250000	42.03	---	68.20	26.17	500.0	200.0	V	329.0	-1.0
11925.000000	---	32.02	54.00	21.98	500.0	200.0	V	203.0	0.1
13345.000000	---	32.54	54.00	21.46	500.0	200.0	H	156.0	2.3
13663.750000	44.24	---	68.20	23.96	500.0	100.0	V	294.0	3.1
15290.000000	47.61	---	68.20	20.59	500.0	100.0	V	249.0	5.6
15608.750000	---	36.23	54.00	17.77	500.0	100.0	H	281.0	6.5
15918.750000	---	35.24	54.00	18.76	500.0	100.0	H	213.0	6.7
16560.000000	48.57	---	68.20	19.63	500.0	200.0	H	175.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH115




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.000000	41.75	---	68.20	26.45	500.0	200.0	V	235.0	-8.4
1392.875000	---	31.20	54.00	22.80	500.0	100.0	V	34.0	-7.6
1709.625000	---	32.52	54.00	21.48	500.0	100.0	H	22.0	-5.9
1889.875000	44.38	---	68.20	23.82	500.0	100.0	V	122.0	-5.1
2497.125000	---	35.45	54.00	18.55	500.0	200.0	V	25.0	-2.1
2671.250000	47.21	---	68.20	20.99	500.0	200.0	V	191.0	-1.8
3412.375000	49.17	---	68.20	19.03	500.0	100.0	V	89.0	1.4
3988.125000	---	38.53	54.00	15.47	500.0	100.0	V	62.0	3.2
4435.250000	50.17	---	68.20	18.03	500.0	200.0	V	67.0	3.5
5109.000000	---	39.48	54.00	14.52	500.0	200.0	H	20.0	5.1
7643.875000	---	40.12	54.00	13.88	500.0	200.0	V	85.0	7.2
7931.750000	51.99	---	68.20	16.21	500.0	200.0	V	34.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9000.000000	---	32.00	54.00	22.00	500.0	100.0	V	175.0	-1.3
9000.000000	43.53	---	68.20	24.67	500.0	200.0	H	61.0	-1.3
9457.500000	---	32.76	54.00	21.24	500.0	100.0	H	61.0	-0.2
9547.500000	43.94	---	68.20	24.26	500.0	200.0	H	243.0	-0.2
10536.250000	41.86	---	68.20	26.35	500.0	100.0	H	179.0	-1.0
11966.250000	---	32.19	54.00	21.81	500.0	200.0	V	78.0	0.0
13325.000000	---	32.76	54.00	21.24	500.0	100.0	H	152.0	2.3
13697.500000	44.15	---	68.20	24.05	500.0	200.0	H	125.0	3.2
15160.000000	47.06	---	68.20	21.14	500.0	200.0	H	275.0	5.2
15572.500000	---	36.26	54.00	17.74	500.0	100.0	V	0.0	6.4
15870.000000	---	35.94	54.00	18.06	500.0	100.0	H	96.0	6.7
16403.750000	49.00	---	68.20	19.20	500.0	200.0	V	324.0	7.8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH123




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	41.82	---	68.20	26.38	500.0	200.0	H	197.0	-8.4
1391.125000	---	30.92	54.00	23.08	500.0	200.0	H	325.0	-7.6
1697.375000	---	32.43	54.00	21.57	500.0	100.0	H	310.0	-6.0
1931.000000	44.35	---	68.20	23.85	500.0	200.0	H	333.0	-4.8
2537.375000	46.94	---	68.20	21.26	500.0	200.0	V	155.0	-2.2
2788.500000	---	35.50	54.00	18.50	500.0	200.0	V	0.0	-1.3
3510.375000	49.60	---	68.20	18.60	500.0	100.0	V	124.0	1.8
3978.500000	---	38.53	54.00	15.47	500.0	200.0	V	213.0	3.1
4430.000000	49.77	---	68.20	18.43	500.0	200.0	H	325.0	3.5
5107.250000	---	39.55	54.00	14.45	500.0	100.0	V	307.0	5.1
7685.000000	---	40.26	54.00	13.74	500.0	200.0	H	87.0	7.5
7919.500000	51.83	---	68.20	16.37	500.0	100.0	H	16.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8935.000000	43.30	---	68.20	24.90	500.0	100.0	H	43.0	-1.3
9097.500000	---	31.56	54.00	22.44	500.0	200.0	V	139.0	-1.2
9437.500000	---	32.90	54.00	21.10	500.0	200.0	V	130.0	-0.5
9541.250000	44.20	---	68.20	24.00	500.0	100.0	H	25.0	-0.2
10545.000000	42.10	---	68.20	26.10	500.0	200.0	V	313.0	-0.9
11931.250000	---	32.23	54.00	21.77	500.0	100.0	H	309.0	0.1
12253.750000	---	32.54	54.00	21.46	500.0	200.0	V	230.0	0.2
13696.250000	44.37	---	68.20	23.83	500.0	100.0	V	30.0	3.2
15260.000000	47.43	---	68.20	20.77	500.0	200.0	V	104.0	5.5
15613.750000	---	36.43	54.00	17.57	500.0	100.0	V	351.0	6.5
15877.500000	---	35.06	54.00	18.94	500.0	100.0	H	0.0	6.6
16576.250000	47.93	---	68.20	20.27	500.0	100.0	H	71.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH155




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	41.73	---	68.20	26.47	500.0	200.0	H	283.0	-8.2
1389.375000	---	30.89	54.00	23.11	500.0	100.0	V	243.0	-7.6
1679.875000	---	32.34	54.00	21.66	500.0	200.0	V	131.0	-6.0
1902.125000	45.14	---	68.20	23.06	500.0	200.0	H	125.0	-5.0
2650.250000	46.52	---	68.20	21.68	500.0	200.0	H	134.0	-2.0
2800.750000	---	35.22	54.00	18.78	500.0	200.0	H	195.0	-1.2
3575.125000	49.44	---	68.20	18.76	500.0	200.0	V	70.0	1.7
3988.125000	---	38.58	54.00	15.42	500.0	100.0	H	22.0	3.2
4430.000000	50.28	---	68.20	17.92	500.0	200.0	V	1.0	3.5
5088.875000	---	39.59	54.00	14.41	500.0	100.0	H	0.0	5.1
7643.000000	---	40.14	54.00	13.86	500.0	100.0	V	94.0	7.2
7918.625000	52.07	---	68.20	16.13	500.0	100.0	V	243.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8981.250000	43.49	---	68.20	24.71	500.0	100.0	H	334.0	-1.3
9032.500000	---	31.64	54.00	22.36	500.0	200.0	V	45.0	-1.3
9442.500000	---	32.88	54.00	21.12	500.0	200.0	H	68.0	-0.4
10140.000000	43.78	---	68.20	24.42	500.0	100.0	V	21.0	-1.0
10542.500000	41.90	---	68.20	26.30	500.0	200.0	H	115.0	-0.9
11650.000000	---	32.17	54.00	21.83	500.0	200.0	V	126.0	-0.3
12853.750000	44.18	---	68.20	24.02	500.0	100.0	V	207.0	0.9
13353.750000	---	33.06	54.00	20.94	500.0	200.0	H	320.0	2.4
15182.500000	47.91	---	68.20	20.29	500.0	100.0	H	269.0	5.3
15586.250000	---	36.46	54.00	17.54	500.0	100.0	H	179.0	6.5
15868.750000	---	35.69	54.00	18.31	500.0	200.0	H	252.0	6.7
16420.000000	48.43	---	68.20	19.77	500.0	100.0	H	0.0	7.9

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH179




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	41.78	---	68.20	26.42	500.0	100.0	H	321.0	-8.2
1412.125000	---	30.88	54.00	23.12	500.0	200.0	H	285.0	-7.5
1690.375000	---	32.42	54.00	21.58	500.0	100.0	H	113.0	-6.0
1971.250000	44.29	---	68.20	23.91	500.0	200.0	H	248.0	-4.7
2507.625000	47.06	---	68.20	21.14	500.0	100.0	V	74.0	-2.1
2727.250000	---	35.62	54.00	18.38	500.0	100.0	V	165.0	-1.5
3388.750000	49.40	---	68.20	18.80	500.0	100.0	H	40.0	1.2
3952.250000	---	38.60	54.00	15.40	500.0	200.0	V	359.0	2.8
4498.250000	49.75	---	68.20	18.45	500.0	100.0	V	147.0	3.8
5087.125000	---	39.61	54.00	14.39	500.0	100.0	V	286.0	5.1
7645.625000	---	40.11	54.00	13.89	500.0	200.0	V	68.0	7.2
7849.500000	51.79	---	68.20	16.41	500.0	100.0	V	96.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8982.500000	43.44	---	68.20	24.76	500.0	100.0	H	16.0	-1.3
9030.000000	---	31.64	54.00	22.36	500.0	200.0	V	68.0	-1.3
9453.750000	---	32.97	54.00	21.03	500.0	100.0	H	134.0	-0.3
9781.250000	44.33	---	68.20	23.87	500.0	200.0	H	215.0	-0.5
10540.000000	41.77	---	68.20	26.43	500.0	200.0	H	258.0	-0.9
11913.750000	---	32.12	54.00	21.88	500.0	200.0	V	288.0	0.2
13311.250000	---	32.78	54.00	21.22	500.0	200.0	V	49.0	2.3
13727.500000	44.65	---	68.20	23.55	500.0	100.0	V	240.0	3.3
15186.250000	47.52	---	68.20	20.68	500.0	100.0	V	278.0	5.3
15593.750000	---	36.12	54.00	17.88	500.0	200.0	H	50.0	6.5
15848.750000	---	35.71	54.00	18.29	500.0	200.0	V	214.0	6.7
16543.750000	48.04	---	68.20	20.16	500.0	100.0	H	281.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH187




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	41.84	---	68.20	26.36	500.0	100.0	H	107.0	-8.4
1388.500000	---	31.03	54.00	22.97	500.0	200.0	H	294.0	-7.6
1695.625000	---	32.62	54.00	21.38	500.0	100.0	V	70.0	-6.0
1985.250000	44.67	---	68.20	23.53	500.0	100.0	V	336.0	-4.6
2645.000000	46.53	---	68.20	21.67	500.0	100.0	H	359.0	-2.0
2708.000000	---	35.36	54.00	18.64	500.0	100.0	V	64.0	-1.6
3561.125000	48.89	---	68.20	19.31	500.0	200.0	H	258.0	1.7
3921.625000	---	38.65	54.00	15.35	500.0	100.0	V	162.0	2.6
4402.875000	50.31	---	68.20	17.89	500.0	100.0	V	353.0	3.6
4974.250000	---	39.84	54.00	14.16	500.0	100.0	H	135.0	4.5
7546.750000	---	40.12	54.00	13.88	500.0	200.0	V	0.0	7.1
7895.000000	51.99	---	68.20	16.21	500.0	100.0	H	126.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8988.750000	43.45	---	68.20	24.75	500.0	100.0	V	105.0	-1.3
9023.750000	---	31.63	54.00	22.37	500.0	200.0	H	326.0	-1.3
9432.500000	---	32.73	54.00	21.27	500.0	100.0	H	0.0	-0.5
10042.500000	43.78	---	68.20	24.42	500.0	200.0	V	122.0	-0.6
10576.250000	42.07	---	68.20	26.13	500.0	200.0	H	311.0	-0.9
11870.000000	---	32.15	54.00	21.85	500.0	200.0	V	61.0	0.0
12247.500000	---	32.86	54.00	21.15	500.0	100.0	H	254.0	0.3
12901.250000	44.12	---	68.20	24.08	500.0	200.0	H	115.0	0.9
15277.500000	47.42	---	68.20	20.78	500.0	100.0	H	124.0	5.6
15606.250000	---	36.17	54.00	17.83	500.0	200.0	H	52.0	6.5
15868.750000	---	35.72	54.00	18.28	500.0	100.0	V	196.0	6.7
16537.500000	48.73	---	68.20	19.47	500.0	200.0	H	277.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH195




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	41.23	---	68.20	26.97	500.0	200.0	H	280.0	-8.2
1386.750000	---	30.91	54.00	23.09	500.0	100.0	V	317.0	-7.7
1689.500000	---	32.29	54.00	21.71	500.0	200.0	V	198.0	-6.0
1912.625000	44.45	---	68.20	23.75	500.0	200.0	V	143.0	-4.9
2504.125000	46.59	---	68.20	21.61	500.0	100.0	H	16.0	-2.1
2823.500000	---	35.39	54.00	18.61	500.0	100.0	V	102.0	-1.2
3527.875000	48.99	---	68.20	19.21	500.0	200.0	V	225.0	1.7
3998.625000	---	38.45	54.00	15.55	500.0	200.0	V	28.0	3.2
4430.875000	50.05	---	68.20	18.15	500.0	200.0	H	210.0	3.5
4998.750000	---	39.42	54.00	14.58	500.0	100.0	H	140.0	4.4
7552.000000	---	40.17	54.00	13.83	500.0	200.0	V	189.0	7.1
7886.250000	51.87	---	68.20	16.33	500.0	200.0	H	123.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8972.500000	43.12	---	68.20	25.08	500.0	100.0	V	332.0	-1.3
9028.750000	---	31.79	54.00	22.21	500.0	200.0	H	137.0	-1.3
9460.000000	---	32.74	54.00	21.26	500.0	100.0	V	0.0	-0.2
10106.250000	44.23	---	68.20	23.97	500.0	200.0	H	91.0	-0.9
10527.500000	42.64	---	68.20	25.57	500.0	200.0	V	35.0	-1.0
11946.250000	---	32.13	54.00	21.87	500.0	100.0	H	190.0	0.1
13356.250000	---	32.66	54.00	21.34	500.0	100.0	V	35.0	2.4
13673.750000	44.30	---	68.20	23.90	500.0	200.0	H	137.0	3.1
15235.000000	47.20	---	68.20	21.00	500.0	200.0	V	81.0	5.5
15567.500000	---	36.13	54.00	17.87	500.0	100.0	H	333.0	6.4
15915.000000	---	35.27	54.00	18.73	500.0	200.0	H	35.0	6.6
16545.000000	48.04	---	68.20	20.16	500.0	100.0	H	359.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH211




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	42.76	---	68.20	25.44	500.0	200.0	V	47.0	-8.2
1413.875000	---	31.35	54.00	22.65	500.0	100.0	V	268.0	-7.5
1683.375000	---	32.23	54.00	21.77	500.0	100.0	V	0.0	-6.0
1975.625000	44.60	---	68.20	23.60	500.0	200.0	H	2.0	-4.7
2637.125000	47.28	---	68.20	20.92	500.0	200.0	H	239.0	-2.0
2776.250000	---	35.18	54.00	18.82	500.0	100.0	V	0.0	-1.4
3555.875000	49.56	---	68.20	18.64	500.0	200.0	V	245.0	1.7
3994.250000	---	38.88	54.00	15.12	500.0	200.0	V	184.0	3.2
4456.250000	50.76	---	68.20	17.44	500.0	200.0	V	29.0	3.6
5088.000000	---	40.88	54.00	13.12	500.0	100.0	H	139.0	5.1
7427.750000	---	40.35	54.00	13.65	500.0	100.0	V	356.0	7.1
7965.000000	52.50	---	68.20	15.70	500.0	200.0	H	0.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8981.250000	42.87	---	68.20	25.33	500.0	100.0	V	146.0	-1.3
9031.250000	---	31.81	54.00	22.19	500.0	200.0	V	230.0	-1.3
9461.250000	---	32.72	54.00	21.28	500.0	200.0	V	339.0	-0.2
9553.750000	43.76	---	68.20	24.44	500.0	200.0	H	126.0	-0.3
10587.500000	42.04	---	68.20	26.16	500.0	100.0	H	144.0	-0.9
11925.000000	---	32.18	54.00	21.82	500.0	200.0	H	153.0	0.1
13333.750000	---	32.70	54.00	21.30	500.0	100.0	V	55.0	2.3
13713.750000	44.18	---	68.20	24.02	500.0	100.0	V	330.0	3.3
15311.250000	47.05	---	68.20	21.15	500.0	200.0	H	107.0	5.6
15567.500000	---	36.03	54.00	17.97	500.0	100.0	V	266.0	6.4
15873.750000	---	35.83	54.00	18.17	500.0	100.0	V	266.0	6.6
16928.750000	49.79	---	68.20	18.41	500.0	100.0	V	156.0	8.8

Radiates Emission from 8GHz to 18GHz

802.11ax HE40 CH227




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.125000	41.65	---	68.20	26.55	500.0	200.0	H	242.0	-8.4
1413.000000	---	31.06	54.00	22.94	500.0	200.0	H	44.0	-7.5
1697.375000	---	32.29	54.00	21.71	500.0	100.0	H	3.0	-6.0
1988.750000	44.32	---	68.20	23.88	500.0	200.0	H	0.0	-4.6
2588.125000	46.45	---	68.20	21.75	500.0	200.0	V	40.0	-2.0
2714.125000	---	35.39	54.00	18.61	500.0	200.0	H	44.0	-1.5
3533.125000	49.38	---	68.20	18.82	500.0	100.0	H	171.0	1.7
3992.500000	---	38.56	54.00	15.44	500.0	100.0	V	113.0	3.2
4424.750000	49.76	---	68.20	18.45	500.0	200.0	V	276.0	3.5
5109.875000	---	39.63	54.00	14.37	500.0	100.0	V	201.0	5.1
7523.125000	---	40.01	54.00	13.99	500.0	200.0	H	69.0	7.0
7949.250000	52.04	---	68.20	16.16	500.0	100.0	H	268.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8491.250000	---	31.65	54.00	22.35	500.0	100.0	H	121.0	-1.8
8978.750000	42.94	---	68.20	25.26	500.0	200.0	V	100.0	-1.3
9451.250000	---	32.79	54.00	21.21	500.0	200.0	V	322.0	-0.3
9782.500000	43.90	---	68.20	24.30	500.0	100.0	V	267.0	-0.5
10520.000000	41.92	---	68.20	26.28	500.0	100.0	H	55.0	-1.0
11931.250000	---	32.14	54.00	21.86	500.0	200.0	H	337.0	0.1
12848.750000	44.84	---	68.20	23.36	500.0	100.0	H	234.0	0.9
13348.750000	---	32.65	54.00	21.35	500.0	200.0	V	118.0	2.4
15260.000000	47.72	---	68.20	20.48	500.0	100.0	H	0.0	5.5
15595.000000	---	36.14	54.00	17.86	500.0	100.0	V	132.0	6.5
16005.000000	---	35.18	54.00	18.82	500.0	200.0	H	276.0	6.9
16735.000000	48.88	---	68.20	19.32	500.0	200.0	V	303.0	8.5

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH7




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1287.875000	41.46	---	68.20	26.74	500.0	200.0	H	54.0	-8.3
1381.500000	---	30.86	54.00	23.14	500.0	100.0	V	164.0	-7.7
1707.875000	---	32.16	54.00	21.84	500.0	100.0	H	185.0	-5.9
1917.000000	44.44	---	68.20	23.76	500.0	200.0	H	333.0	-4.9
2683.500000	46.58	---	68.20	21.62	500.0	100.0	V	6.0	-1.8
2722.875000	---	35.43	54.00	18.57	500.0	100.0	V	106.0	-1.5
3497.250000	49.01	---	68.20	19.19	500.0	100.0	V	142.0	1.8
3983.750000	---	38.67	54.00	15.33	500.0	200.0	V	62.0	3.2
4431.750000	49.71	---	68.20	18.49	500.0	200.0	V	10.0	3.5
5086.250000	---	39.50	54.00	14.50	500.0	100.0	V	34.0	5.1
7646.500000	---	40.03	54.00	13.97	500.0	200.0	V	143.0	7.2
7955.375000	51.88	---	68.20	16.32	500.0	100.0	V	98.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8970.000000	43.28	---	68.20	24.92	500.0	200.0	H	345.0	-1.3
9033.750000	---	31.80	54.00	22.20	500.0	100.0	V	250.0	-1.3
9452.500000	---	32.82	54.00	21.18	500.0	200.0	V	222.0	-0.3
9513.750000	44.29	---	68.20	23.91	500.0	200.0	H	55.0	-0.1
10516.250000	42.37	---	68.20	25.83	500.0	200.0	V	296.0	-1.0
11647.500000	---	32.16	54.00	21.84	500.0	100.0	H	172.0	-0.3
12263.750000	---	32.57	54.00	21.43	500.0	200.0	V	43.0	0.2
13725.000000	44.00	---	68.20	24.20	500.0	100.0	V	231.0	3.3
15292.500000	47.24	---	68.20	20.96	500.0	100.0	V	38.0	5.6
15651.250000	---	36.20	54.00	17.80	500.0	200.0	H	55.0	6.5
16023.750000	---	35.18	54.00	18.82	500.0	100.0	H	136.0	6.9
16650.000000	48.05	---	68.20	20.15	500.0	100.0	V	176.0	8.3

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH55




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1293.125000	41.95	---	68.20	26.25	500.0	100.0	H	351.0	-8.2
1413.875000	---	30.96	54.00	23.04	500.0	200.0	H	17.0	-7.5
1696.500000	---	32.14	54.00	21.86	500.0	200.0	V	202.0	-6.0
1974.750000	44.88	---	68.20	23.32	500.0	100.0	V	199.0	-4.7
2621.375000	49.22	---	68.20	18.98	500.0	100.0	H	186.0	-2.0
2823.500000	---	35.35	54.00	18.65	500.0	200.0	H	114.0	-1.2
3319.625000	49.32	---	68.20	18.88	500.0	100.0	V	314.0	0.9
3980.250000	---	38.61	54.00	15.39	500.0	200.0	V	40.0	3.1
4496.500000	49.90	---	68.20	18.30	500.0	100.0	V	102.0	3.8
5086.250000	---	39.57	54.00	14.43	500.0	200.0	V	236.0	5.1
7683.250000	---	40.11	54.00	13.89	500.0	200.0	V	219.0	7.5
7973.750000	52.03	---	68.20	16.17	500.0	100.0	H	204.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8471.250000	---	31.67	54.00	22.33	500.0	100.0	H	205.0	-1.9
8537.500000	43.24	---	68.20	24.96	500.0	200.0	H	214.0	-1.8
9456.250000	---	33.13	54.00	20.87	500.0	100.0	H	97.0	-0.2
9567.500000	43.75	---	68.20	24.45	500.0	200.0	V	357.0	-0.5
10562.500000	42.41	---	68.20	25.79	500.0	200.0	H	282.0	-0.9
11941.250000	---	32.18	54.00	21.82	500.0	200.0	V	168.0	0.1
12305.000000	---	32.52	54.00	21.48	500.0	100.0	H	115.0	0.2
13711.250000	44.12	---	68.20	24.08	500.0	200.0	V	168.0	3.2
15235.000000	47.56	---	68.20	20.64	500.0	200.0	H	222.0	5.5
15525.000000	---	36.04	54.00	17.96	500.0	100.0	H	51.0	6.1
15931.250000	---	35.19	54.00	18.81	500.0	100.0	H	214.0	6.7
16563.750000	48.71	---	68.20	19.49	500.0	100.0	H	214.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH87




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1260.750000	41.84	---	68.20	26.36	500.0	200.0	H	0.0	-8.5
1412.125000	---	30.87	54.00	23.13	500.0	100.0	H	304.0	-7.5
1694.750000	---	32.24	54.00	21.76	500.0	100.0	H	298.0	-6.0
1984.375000	44.36	---	68.20	23.84	500.0	200.0	V	74.0	-4.6
2555.750000	46.60	---	68.20	21.60	500.0	100.0	H	304.0	-2.1
2710.625000	---	35.16	54.00	18.84	500.0	100.0	V	271.0	-1.6
3428.125000	49.75	---	68.20	18.45	500.0	200.0	H	168.0	1.5
3980.250000	---	38.68	54.00	15.32	500.0	100.0	V	311.0	3.1
4498.250000	50.28	---	68.20	17.92	500.0	100.0	V	227.0	3.8
5106.375000	---	39.54	54.00	14.46	500.0	200.0	V	296.0	5.1
7410.250000	---	40.10	54.00	13.90	500.0	200.0	H	267.0	7.2
7957.125000	52.47	---	68.20	15.73	500.0	100.0	H	192.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8983.750000	43.29	---	68.20	24.91	500.0	100.0	H	13.0	-1.3
9000.000000	---	31.82	54.00	22.18	500.0	200.0	V	114.0	-1.3
9458.750000	---	32.82	54.00	21.18	500.0	200.0	V	352.0	-0.2
9543.750000	44.02	---	68.20	24.18	500.0	100.0	V	253.0	-0.2
10588.750000	42.25	---	68.20	25.95	500.0	100.0	H	4.0	-0.9
11578.750000	---	32.21	54.00	21.79	500.0	100.0	V	288.0	-0.5
12266.250000	---	32.62	54.00	21.38	500.0	200.0	H	68.0	0.2
13662.500000	44.18	---	68.20	24.02	500.0	100.0	V	152.0	3.1
15153.750000	47.58	---	68.20	20.62	500.0	100.0	V	48.0	5.2
15590.000000	---	36.25	54.00	17.75	500.0	200.0	H	76.0	6.5
16028.750000	---	35.74	54.00	18.26	500.0	100.0	H	59.0	6.9
16465.000000	48.17	---	68.20	20.03	500.0	200.0	H	247.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH103




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.625000	41.21	---	68.20	26.99	500.0	200.0	H	5.0	-8.2
1410.375000	---	30.75	54.00	23.25	500.0	200.0	H	242.0	-7.5
1709.625000	---	32.64	54.00	21.36	500.0	200.0	H	251.0	-5.9
1930.125000	44.85	---	68.20	23.35	500.0	200.0	V	86.0	-4.8
2504.125000	46.62	---	68.20	21.58	500.0	200.0	V	94.0	-2.1
2713.250000	---	35.61	54.00	18.39	500.0	200.0	V	14.0	-1.5
3538.375000	49.28	---	68.20	18.92	500.0	200.0	V	0.0	1.7
3960.125000	---	38.59	54.00	15.41	500.0	100.0	H	58.0	2.9
4499.125000	49.74	---	68.20	18.46	500.0	100.0	V	17.0	3.8
4699.500000	---	39.49	54.00	14.52	500.0	200.0	V	255.0	4.4
7405.000000	---	40.18	54.00	13.82	500.0	200.0	H	38.0	7.2
7812.750000	51.97	---	68.20	16.23	500.0	100.0	V	118.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8926.250000	43.74	---	68.20	24.46	500.0	100.0	H	339.0	-1.3
9027.500000	---	31.72	54.00	22.28	500.0	200.0	H	44.0	-1.3
9438.750000	---	32.98	54.00	21.02	500.0	200.0	H	143.0	-0.4
10022.500000	44.39	---	68.20	23.81	500.0	100.0	V	340.0	-0.8
10523.750000	42.17	---	68.20	26.04	500.0	100.0	H	205.0	-1.0
11758.750000	---	32.23	54.00	21.77	500.0	100.0	H	339.0	-0.3
12256.250000	---	32.64	54.00	21.36	500.0	100.0	H	44.0	0.2
13712.500000	44.64	---	68.20	23.56	500.0	200.0	H	143.0	3.2
15300.000000	48.16	---	68.20	20.04	500.0	100.0	H	0.0	5.6
15606.250000	---	36.16	54.00	17.84	500.0	200.0	H	301.0	6.5
16082.500000	---	34.77	54.00	19.23	500.0	100.0	V	105.0	6.9
16423.750000	48.46	---	68.20	19.74	500.0	200.0	V	357.0	7.9

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH119




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	41.62	---	68.20	26.58	500.0	100.0	V	266.0	-8.5
1413.875000	---	31.04	54.00	22.96	500.0	100.0	V	6.0	-7.5
1694.750000	---	32.32	54.00	21.68	500.0	100.0	V	283.0	-6.0
1724.500000	44.71	---	68.20	23.49	500.0	200.0	V	198.0	-5.9
2683.500000	46.54	---	68.20	21.66	500.0	100.0	V	205.0	-1.8
2721.125000	---	35.35	54.00	18.65	500.0	100.0	V	117.0	-1.5
3534.000000	49.29	---	68.20	18.91	500.0	100.0	V	195.0	1.7
3987.250000	---	38.63	54.00	15.37	500.0	200.0	H	290.0	3.2
4432.625000	49.96	---	68.20	18.24	500.0	100.0	H	190.0	3.5
5083.625000	---	39.89	54.00	14.11	500.0	200.0	V	101.0	5.1
7684.125000	---	40.07	54.00	13.93	500.0	100.0	H	3.0	7.5
7801.375000	52.17	---	68.20	16.03	500.0	200.0	V	75.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8996.250000	43.38	---	68.20	24.82	500.0	100.0	V	107.0	-1.3
9022.500000	---	31.57	54.00	22.43	500.0	200.0	V	115.0	-1.3
9455.000000	---	32.94	54.00	21.06	500.0	200.0	H	74.0	-0.3
9546.250000	44.36	---	68.20	23.84	500.0	200.0	V	69.0	-0.2
10513.750000	42.04	---	68.20	26.16	500.0	100.0	H	348.0	-1.0
11550.000000	---	32.11	54.00	21.89	500.0	100.0	H	101.0	-0.5
12266.250000	---	32.85	54.00	21.15	500.0	100.0	H	201.0	0.2
13720.000000	44.62	---	68.20	23.58	500.0	100.0	H	46.0	3.3
15190.000000	47.77	---	68.20	20.43	500.0	200.0	H	83.0	5.3
15600.000000	---	36.31	54.00	17.69	500.0	100.0	V	99.0	6.5
15918.750000	---	35.25	54.00	18.75	500.0	100.0	H	238.0	6.7
16581.250000	48.40	---	68.20	19.80	500.0	200.0	V	225.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH135




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1263.375000	41.64	---	68.20	26.56	500.0	200.0	V	266.0	-8.5
1387.625000	---	30.63	54.00	23.37	500.0	100.0	H	312.0	-7.7
1682.500000	---	32.14	54.00	21.86	500.0	100.0	H	0.0	-6.0
1760.375000	44.05	---	68.20	24.15	500.0	200.0	V	31.0	-5.7
2612.625000	46.38	---	68.20	21.82	500.0	100.0	V	0.0	-2.0
2825.250000	---	35.49	54.00	18.51	500.0	200.0	V	4.0	-1.2
3520.875000	49.13	---	68.20	19.07	500.0	200.0	H	276.0	1.7
3981.125000	---	38.77	54.00	15.23	500.0	200.0	H	233.0	3.1
4406.375000	49.52	---	68.20	18.68	500.0	200.0	H	250.0	3.6
5047.750000	---	39.35	54.00	14.65	500.0	200.0	H	0.0	4.8
7410.250000	---	39.97	54.00	14.03	500.0	100.0	H	191.0	7.2
7965.875000	51.72	---	68.20	16.48	500.0	200.0	V	197.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8993.750000	42.99	---	68.20	25.21	500.0	100.0	V	64.0	-1.3
9068.750000	---	31.73	54.00	22.27	500.0	100.0	V	233.0	-1.2
9460.000000	---	33.08	54.00	20.92	500.0	100.0	V	22.0	-0.2
9505.000000	44.01	---	68.20	24.19	500.0	200.0	H	243.0	0.0
10523.750000	43.22	---	68.20	24.98	500.0	100.0	H	290.0	-1.0
11646.250000	---	32.37	54.00	21.63	500.0	100.0	H	69.0	-0.4
12267.500000	---	32.89	54.00	21.11	500.0	100.0	H	114.0	0.2
13671.250000	44.55	---	68.20	23.65	500.0	200.0	H	275.0	3.1
15253.750000	47.17	---	68.20	21.03	500.0	200.0	H	224.0	5.5
15560.000000	---	36.21	54.00	17.79	500.0	200.0	H	303.0	6.3
16022.500000	---	35.82	54.00	18.18	500.0	100.0	V	71.0	6.9
16655.000000	49.77	---	68.20	18.43	500.0	200.0	V	357.0	8.3

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH151



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.375000	41.39	---	68.20	26.81	500.0	100.0	V	255.0	-8.6
1411.250000	---	30.92	54.00	23.08	500.0	200.0	V	22.0	-7.5
1694.750000	---	32.75	54.00	21.25	500.0	100.0	H	130.0	-6.0
1732.375000	44.66	---	68.20	23.54	500.0	100.0	H	112.0	-5.8
2619.625000	46.88	---	68.20	21.32	500.0	200.0	H	20.0	-2.0
2741.250000	---	35.24	54.00	18.76	500.0	200.0	V	356.0	-1.5
3487.625000	49.63	---	68.20	18.57	500.0	200.0	V	39.0	1.7
3959.250000	---	38.61	54.00	15.39	500.0	100.0	V	124.0	2.9
4404.625000	49.86	---	68.20	18.34	500.0	200.0	V	150.0	3.6
4670.625000	---	39.64	54.00	14.36	500.0	100.0	V	13.0	4.3
7729.625000	---	40.05	54.00	13.95	500.0	200.0	H	303.0	7.5
7916.000000	52.14	---	68.20	16.06	500.0	100.0	H	158.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8985.000000	43.33	---	68.20	24.87	500.0	100.0	V	45.0	-1.3
9027.500000	---	31.69	54.00	22.31	500.0	200.0	V	308.0	-1.3
9441.250000	---	32.93	54.00	21.07	500.0	100.0	H	247.0	-0.4
9501.250000	44.67	---	68.20	23.53	500.0	100.0	V	0.0	0.0
10557.500000	41.90	---	68.20	26.30	500.0	100.0	H	307.0	-0.9
11650.000000	---	32.33	54.00	21.67	500.0	200.0	V	30.0	-0.3
13337.500000	---	32.82	54.00	21.18	500.0	200.0	H	231.0	2.3
13683.750000	45.18	---	68.20	23.02	500.0	100.0	H	272.0	3.1
15181.250000	47.67	---	68.20	20.53	500.0	100.0	V	0.0	5.3
15606.250000	---	36.19	54.00	17.81	500.0	200.0	H	354.0	6.5
16011.250000	---	35.13	54.00	18.87	500.0	100.0	H	109.0	6.9
16542.500000	48.26	---	68.20	19.94	500.0	200.0	H	54.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH167




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	42.29	---	68.20	25.91	500.0	200.0	H	234.0	-8.2
1371.000000	---	30.77	54.00	23.23	500.0	100.0	V	180.0	-7.7
1700.875000	---	32.14	54.00	21.86	500.0	100.0	V	110.0	-6.0
1942.375000	44.76	---	68.20	23.44	500.0	100.0	H	67.0	-4.7
2575.875000	46.25	---	68.20	21.95	500.0	100.0	V	92.0	-2.0
2827.000000	---	35.16	54.00	18.84	500.0	200.0	H	111.0	-1.1
3470.125000	49.14	---	68.20	19.06	500.0	100.0	V	14.0	1.6
3991.625000	---	38.39	54.00	15.61	500.0	200.0	H	137.0	3.2
4427.375000	50.22	---	68.20	17.98	500.0	100.0	H	337.0	3.5
5088.875000	---	39.43	54.00	14.57	500.0	200.0	V	251.0	5.1
7642.125000	---	40.19	54.00	13.82	500.0	100.0	V	207.0	7.2
7839.000000	51.69	---	68.20	16.51	500.0	200.0	V	274.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8996.250000	43.34	---	68.20	24.86	500.0	100.0	H	241.0	-1.3
9030.000000	---	31.78	54.00	22.22	500.0	100.0	V	0.0	-1.3
9457.500000	---	32.82	54.00	21.18	500.0	200.0	V	6.0	-0.2
9531.250000	43.84	---	68.20	24.36	500.0	200.0	H	275.0	-0.2
10507.500000	43.17	---	68.20	25.03	500.0	100.0	V	169.0	-1.0
11950.000000	---	32.26	54.00	21.74	500.0	100.0	V	236.0	0.0
13351.250000	---	32.77	54.00	21.23	500.0	200.0	H	46.0	2.4
13717.500000	44.60	---	68.20	23.60	500.0	200.0	H	338.0	3.3
15278.750000	47.33	---	68.20	20.87	500.0	200.0	H	192.0	5.6
15638.750000	---	36.27	54.00	17.73	500.0	100.0	V	196.0	6.5
15926.250000	---	35.40	54.00	18.60	500.0	100.0	H	65.0	6.7
16737.500000	49.11	---	68.20	19.09	500.0	200.0	V	215.0	8.5

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH183




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1270.375000	41.40	---	68.20	26.80	500.0	200.0	V	0.0	-8.4
1412.125000	---	30.67	54.00	23.33	500.0	100.0	V	48.0	-7.5
1720.125000	---	32.31	54.00	21.69	500.0	100.0	H	0.0	-5.9
1861.875000	43.98	---	68.20	24.22	500.0	100.0	H	358.0	-5.2
2560.125000	46.94	---	68.20	21.26	500.0	200.0	V	0.0	-2.1
2731.625000	---	35.13	54.00	18.87	500.0	200.0	H	46.0	-1.5
3553.250000	49.30	---	68.20	18.90	500.0	200.0	V	251.0	1.7
3984.625000	---	38.80	54.00	15.20	500.0	100.0	V	161.0	3.2
4456.250000	50.04	---	68.20	18.16	500.0	100.0	V	66.0	3.6
5109.875000	---	39.67	54.00	14.33	500.0	200.0	V	216.0	5.1
7553.750000	---	39.85	54.00	14.15	500.0	100.0	V	152.0	7.1
7965.875000	51.56	---	68.20	16.64	500.0	100.0	V	207.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8983.750000	43.18	---	68.20	25.02	500.0	200.0	H	93.0	-1.3
9000.000000	---	31.74	54.00	22.26	500.0	200.0	H	30.0	-1.3
9446.250000	---	33.06	54.00	20.94	500.0	100.0	V	197.0	-0.4
10102.500000	44.10	---	68.20	24.10	500.0	100.0	V	9.0	-0.9
10555.000000	42.87	---	68.20	25.33	500.0	100.0	H	0.0	-0.9
11911.250000	---	32.12	54.00	21.88	500.0	200.0	V	215.0	0.2
12261.250000	---	32.66	54.00	21.34	500.0	100.0	H	11.0	0.2
13722.500000	44.10	---	68.20	24.10	500.0	100.0	H	93.0	3.3
15296.250000	47.48	---	68.20	20.72	500.0	100.0	H	48.0	5.6
15720.000000	---	36.31	54.00	17.69	500.0	200.0	V	81.0	6.7
16013.750000	---	35.20	54.00	18.80	500.0	200.0	H	225.0	6.9
16583.750000	48.57	---	68.20	19.63	500.0	100.0	V	215.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH199



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	41.38	---	68.20	26.82	500.0	200.0	V	270.0	-8.5
1413.000000	---	30.82	54.00	23.18	500.0	200.0	H	177.0	-7.5
1695.625000	---	32.42	54.00	21.58	500.0	100.0	V	316.0	-6.0
1980.875000	43.93	---	68.20	24.27	500.0	100.0	V	115.0	-4.7
2509.375000	46.99	---	68.20	21.21	500.0	200.0	H	194.0	-2.1
2730.750000	---	35.15	54.00	18.85	500.0	200.0	V	142.0	-1.5
3486.750000	49.35	---	68.20	18.85	500.0	100.0	V	62.0	1.7
3990.750000	---	38.75	54.00	15.25	500.0	200.0	V	0.0	3.2
4499.125000	49.87	---	68.20	18.33	500.0	100.0	H	281.0	3.8
5088.875000	---	39.67	54.00	14.33	500.0	200.0	V	337.0	5.1
7644.750000	---	39.94	54.00	14.06	500.0	100.0	H	334.0	7.2
7923.875000	51.92	---	68.20	16.28	500.0	200.0	H	317.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8996.250000	44.74	---	68.20	23.46	500.0	100.0	H	232.0	-1.3
9033.750000	---	32.13	54.00	21.87	500.0	100.0	H	11.0	-1.3
9450.000000	---	33.16	54.00	20.84	500.0	200.0	H	356.0	-0.3
9507.500000	44.10	---	68.20	24.10	500.0	200.0	H	273.0	-0.1
10598.750000	42.74	---	68.20	25.46	500.0	200.0	H	301.0	-0.8
11931.250000	---	32.16	54.00	21.84	500.0	100.0	H	173.0	0.1
13330.000000	---	32.69	54.00	21.31	500.0	200.0	V	271.0	2.3
13676.250000	44.30	---	68.20	23.90	500.0	100.0	V	298.0	3.1
15278.750000	47.27	---	68.20	20.93	500.0	100.0	V	84.0	5.6
15567.500000	---	36.20	54.00	17.80	500.0	100.0	H	214.0	6.4
16011.250000	---	35.67	54.00	18.33	500.0	200.0	V	116.0	6.9
16366.250000	47.98	---	68.20	20.22	500.0	100.0	V	315.0	7.7

Radiates Emission from 8GHz to 18GHz

802.11ax HE80 CH215




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	41.31	---	68.20	26.89	500.0	200.0	H	72.0	-8.2
1408.625000	---	30.82	54.00	23.18	500.0	200.0	V	0.0	-7.5
1691.250000	---	32.24	54.00	21.76	500.0	100.0	H	38.0	-6.0
1918.750000	44.50	---	68.20	23.70	500.0	200.0	V	71.0	-4.9
2684.375000	46.80	---	68.20	21.40	500.0	100.0	V	214.0	-1.7
2807.750000	---	35.53	54.00	18.47	500.0	200.0	H	186.0	-1.2
3498.125000	49.21	---	68.20	18.99	500.0	100.0	H	239.0	1.8
3960.125000	---	38.71	54.00	15.29	500.0	200.0	V	27.0	2.9
4406.375000	50.17	---	68.20	18.03	500.0	100.0	V	346.0	3.6
5083.625000	---	39.62	54.00	14.38	500.0	200.0	V	249.0	5.1
7645.625000	---	39.88	54.00	14.12	500.0	200.0	H	38.0	7.2
7915.125000	52.15	---	68.20	16.05	500.0	200.0	V	196.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9000.000000	43.56	---	68.20	24.64	500.0	100.0	V	21.0	-1.3
9031.250000	---	31.94	54.00	22.06	500.0	200.0	V	208.0	-1.3
9446.250000	---	32.89	54.00	21.11	500.0	200.0	V	208.0	-0.4
9517.500000	44.25	---	68.20	23.95	500.0	100.0	V	357.0	-0.1
10566.250000	42.66	---	68.20	25.54	500.0	200.0	V	278.0	-0.9
11922.500000	---	32.23	54.00	21.77	500.0	100.0	V	199.0	0.1
12268.750000	---	32.90	54.00	21.10	500.0	100.0	H	282.0	0.2
13520.000000	44.21	---	68.20	23.99	500.0	100.0	H	224.0	2.8
15282.500000	47.60	---	68.20	20.60	500.0	100.0	H	240.0	5.6
15586.250000	---	36.31	54.00	17.69	500.0	200.0	H	0.0	6.5
15872.500000	---	36.29	54.00	17.71	500.0	200.0	H	5.0	6.6
16428.750000	47.88	---	68.20	20.32	500.0	200.0	H	149.0	7.9

Radiates Emission from 8GHz to 18GHz

802.11ax HE160 CH15




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	41.36	---	68.20	26.84	500.0	200.0	V	93.0	-8.3
1392.000000	---	31.07	54.00	22.93	500.0	200.0	H	57.0	-7.6
1679.875000	---	32.19	54.00	21.81	500.0	100.0	H	0.0	-6.0
1941.500000	44.81	---	68.20	23.39	500.0	200.0	H	30.0	-4.7
2683.500000	46.36	---	68.20	21.84	500.0	100.0	H	161.0	-1.8
2704.500000	---	35.19	54.00	18.81	500.0	200.0	H	294.0	-1.6
3436.000000	49.37	---	68.20	18.83	500.0	200.0	H	153.0	1.5
3947.000000	---	38.58	54.00	15.42	500.0	100.0	H	307.0	2.8
4499.125000	49.76	---	68.20	18.44	500.0	100.0	V	216.0	3.8
5108.125000	---	39.57	54.00	14.44	500.0	100.0	V	318.0	5.1
7424.250000	---	40.02	54.00	13.98	500.0	200.0	V	190.0	7.2
7930.875000	51.66	---	68.20	16.54	500.0	200.0	V	251.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8973.750000	43.01	---	68.20	25.19	500.0	100.0	H	92.0	-1.3
9035.000000	---	31.55	54.00	22.45	500.0	200.0	H	0.0	-1.3
9436.250000	---	32.87	54.00	21.13	500.0	200.0	V	36.0	-0.5
9708.750000	43.76	---	68.20	24.44	500.0	200.0	H	315.0	-0.7
10566.250000	42.01	---	68.20	26.19	500.0	200.0	V	109.0	-0.9
11868.750000	---	31.99	54.00	22.01	500.0	100.0	H	19.0	0.0
12231.250000	---	32.62	54.00	21.38	500.0	200.0	V	348.0	0.3
13673.750000	44.43	---	68.20	23.77	500.0	100.0	V	285.0	3.1
15280.000000	47.34	---	68.20	20.86	500.0	100.0	V	0.0	5.6
15608.750000	---	36.32	54.00	17.68	500.0	200.0	V	244.0	6.5
16090.000000	---	35.15	54.00	18.85	500.0	100.0	H	276.0	6.9
16596.250000	48.42	---	68.20	19.78	500.0	100.0	H	92.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE160 CH47




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.375000	42.13	---	68.20	26.07	500.0	200.0	V	320.0	-8.3
1412.125000	---	30.78	54.00	23.22	500.0	100.0	H	258.0	-7.5
1689.500000	---	32.27	54.00	21.73	500.0	200.0	H	258.0	-6.0
1924.000000	44.42	---	68.20	23.78	500.0	100.0	V	0.0	-4.9
2463.875000	46.60	---	68.20	21.60	500.0	100.0	H	173.0	-2.3
2792.875000	---	35.41	54.00	18.59	500.0	200.0	H	128.0	-1.3
3331.000000	49.34	---	68.20	18.86	500.0	200.0	H	217.0	0.9
3991.625000	---	38.56	54.00	15.44	500.0	100.0	H	103.0	3.2
4493.875000	49.89	---	68.20	18.31	500.0	100.0	H	24.0	3.9
5086.250000	---	39.38	54.00	14.62	500.0	200.0	H	67.0	5.1
7428.625000	---	39.96	54.00	14.04	500.0	100.0	H	312.0	7.1
7917.750000	51.80	---	68.20	16.40	500.0	200.0	H	258.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8487.500000	---	31.48	54.00	22.52	500.0	100.0	V	341.0	-1.8
8967.500000	43.86	---	68.20	24.34	500.0	100.0	V	78.0	-1.3
9456.250000	---	32.83	54.00	21.17	500.0	100.0	H	212.0	-0.2
9771.250000	43.63	---	68.20	24.57	500.0	200.0	V	323.0	-0.5
10582.500000	42.18	---	68.20	26.02	500.0	200.0	V	14.0	-0.9
11912.500000	---	31.97	54.00	22.03	500.0	100.0	H	0.0	0.2
13361.250000	---	32.53	54.00	21.47	500.0	100.0	V	117.0	2.4
13681.250000	43.97	---	68.20	24.23	500.0	200.0	H	83.0	3.1
14888.750000	47.62	---	68.20	20.58	500.0	100.0	V	359.0	5.0
15603.750000	---	36.31	54.00	17.69	500.0	200.0	H	83.0	6.5
15863.750000	---	35.26	54.00	18.74	500.0	100.0	H	163.0	6.7
16480.000000	48.16	---	68.20	20.04	500.0	200.0	V	0.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE160 CH79




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1267.750000	41.79	---	68.20	26.41	500.0	200.0	H	0.0	-8.5
1392.875000	---	30.59	54.00	23.41	500.0	100.0	V	268.0	-7.6
1680.750000	---	32.24	54.00	21.76	500.0	100.0	V	206.0	-6.0
1805.000000	44.70	---	68.20	23.50	500.0	100.0	V	354.0	-5.4
2628.375000	46.56	---	68.20	21.64	500.0	200.0	V	0.0	-2.0
2819.125000	---	35.40	54.00	18.60	500.0	100.0	H	327.0	-1.2
3467.500000	48.92	---	68.20	19.28	500.0	200.0	V	293.0	1.6
3999.500000	---	38.41	54.00	15.59	500.0	100.0	H	39.0	3.2
4404.625000	49.53	---	68.20	18.67	500.0	200.0	V	329.0	3.6
4949.750000	---	39.38	54.00	14.62	500.0	200.0	H	317.0	4.6
7411.125000	---	40.33	54.00	13.67	500.0	200.0	H	0.0	7.2
7839.000000	51.72	---	68.20	16.48	500.0	100.0	V	81.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8982.500000	43.46	---	68.20	24.74	500.0	200.0	H	83.0	-1.3
9035.000000	---	31.67	54.00	22.33	500.0	200.0	H	57.0	-1.3
9441.250000	---	33.08	54.00	20.92	500.0	100.0	V	222.0	-0.4
9655.000000	43.59	---	68.20	24.61	500.0	100.0	V	347.0	-0.5
10518.750000	42.18	---	68.20	26.02	500.0	200.0	V	44.0	-1.0
11932.500000	---	32.05	54.00	21.95	500.0	200.0	V	123.0	0.1
13340.000000	---	32.91	54.00	21.09	500.0	100.0	H	247.0	2.3
13533.750000	44.62	---	68.20	23.58	500.0	200.0	H	164.0	2.8
15287.500000	47.44	---	68.20	20.76	500.0	200.0	H	48.0	5.6
15552.500000	---	36.04	54.00	17.96	500.0	100.0	V	302.0	6.3
16023.750000	---	35.20	54.00	18.80	500.0	100.0	H	313.0	6.9
16460.000000	48.89	---	68.20	19.31	500.0	100.0	V	275.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE160 CH111




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1247.625000	40.92	---	68.20	27.28	500.0	200.0	V	352.0	-8.6
1408.625000	---	31.10	54.00	22.90	500.0	100.0	H	330.0	-7.5
1699.125000	---	32.28	54.00	21.72	500.0	100.0	H	78.0	-6.0
1766.500000	44.81	---	68.20	23.39	500.0	200.0	V	321.0	-5.7
2620.500000	47.44	---	68.20	20.76	500.0	200.0	H	1.0	-2.0
2788.500000	---	35.27	54.00	18.73	500.0	200.0	H	162.0	-1.3
3508.625000	49.17	---	68.20	19.03	500.0	100.0	V	60.0	1.8
3991.625000	---	38.45	54.00	15.55	500.0	200.0	V	285.0	3.2
4403.750000	50.02	---	68.20	18.18	500.0	200.0	H	326.0	3.6
5086.250000	---	39.47	54.00	14.53	500.0	100.0	V	60.0	5.1
7405.875000	---	40.07	54.00	13.93	500.0	100.0	H	120.0	7.2
7895.875000	51.66	---	68.20	16.54	500.0	200.0	H	128.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8973.750000	42.52	---	68.20	25.68	500.0	100.0	H	274.0	-1.3
9123.750000	---	31.53	54.00	22.47	500.0	200.0	V	30.0	-1.2
9312.500000	---	33.73	54.00	20.27	500.0	200.0	V	181.0	-1.0
9640.000000	43.97	---	68.20	24.23	500.0	200.0	H	175.0	-0.6
10533.750000	43.09	---	68.20	25.11	500.0	100.0	H	156.0	-1.0
11867.500000	---	32.02	54.00	21.98	500.0	200.0	H	30.0	0.0
12231.250000	---	32.83	54.00	21.17	500.0	100.0	V	297.0	0.3
13685.000000	43.91	---	68.20	24.29	500.0	100.0	H	138.0	3.1
15128.750000	47.63	---	68.20	20.57	500.0	100.0	H	0.0	5.2
15617.500000	---	36.22	54.00	17.78	500.0	200.0	H	120.0	6.5
16028.750000	---	35.74	54.00	18.26	500.0	100.0	H	129.0	6.9
16573.750000	47.86	---	68.20	20.34	500.0	200.0	H	334.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE160 CH143




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1259.875000	41.94	---	68.20	26.26	500.0	200.0	H	12.0	-8.5
1342.125000	---	30.77	54.00	23.23	500.0	100.0	V	203.0	-8.0
1679.875000	---	32.14	54.00	21.86	500.0	100.0	H	65.0	-6.0
1920.500000	45.16	---	68.20	23.04	500.0	100.0	V	265.0	-4.9
2496.250000	---	35.20	54.00	18.80	500.0	100.0	H	0.0	-2.1
2644.125000	46.46	---	68.20	21.74	500.0	100.0	H	81.0	-2.0
3494.625000	49.12	---	68.20	19.08	500.0	200.0	H	116.0	1.8
3980.250000	---	38.51	54.00	15.49	500.0	200.0	H	168.0	3.1
4472.875000	49.53	---	68.20	18.67	500.0	100.0	H	38.0	3.7
5084.500000	---	39.40	54.00	14.60	500.0	200.0	H	287.0	5.1
7595.750000	---	39.89	54.00	14.11	500.0	200.0	V	185.0	7.1
7999.125000	52.03	---	68.20	16.17	500.0	100.0	V	20.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8980.000000	43.47	---	68.20	24.73	500.0	200.0	H	25.0	-1.3
9026.250000	---	31.63	54.00	22.37	500.0	200.0	H	133.0	-1.3
9312.500000	---	33.07	54.00	20.93	500.0	100.0	V	177.0	-1.0
9551.250000	44.09	---	68.20	24.11	500.0	100.0	H	60.0	-0.3
10578.750000	42.04	---	68.20	26.16	500.0	200.0	V	211.0	-0.9
11653.750000	---	32.20	54.00	21.80	500.0	200.0	H	60.0	-0.3
13345.000000	---	32.81	54.00	21.19	500.0	100.0	H	133.0	2.3
13587.500000	44.58	---	68.20	23.62	500.0	200.0	V	319.0	3.0
14938.750000	47.02	---	68.20	21.18	500.0	200.0	H	69.0	5.1
15638.750000	---	36.19	54.00	17.81	500.0	200.0	H	33.0	6.5
16023.750000	---	35.21	54.00	18.79	500.0	200.0	H	0.0	6.9
16477.500000	47.85	---	68.20	20.35	500.0	100.0	V	301.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax HE160 CH175




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1265.125000	41.51	---	68.20	26.69	500.0	100.0	V	81.0	-8.5
1394.625000	---	30.67	54.00	23.33	500.0	100.0	V	49.0	-7.6
1695.625000	---	32.17	54.00	21.83	500.0	200.0	V	297.0	-6.0
1933.625000	43.95	---	68.20	24.25	500.0	100.0	H	27.0	-4.8
2680.000000	46.72	---	68.20	21.48	500.0	200.0	V	280.0	-1.8
2817.375000	---	35.22	54.00	18.78	500.0	200.0	H	122.0	-1.2
3440.375000	49.59	---	68.20	18.61	500.0	200.0	V	226.0	1.5
3991.625000	---	38.56	54.00	15.44	500.0	100.0	H	114.0	3.2
4497.375000	49.84	---	68.20	18.36	500.0	200.0	H	27.0	3.8
5088.000000	---	39.47	54.00	14.53	500.0	100.0	H	132.0	5.1
7554.625000	---	40.03	54.00	13.97	500.0	100.0	H	18.0	7.1
7947.500000	51.64	---	68.20	16.56	500.0	200.0	H	358.0	7.6

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8987.500000	43.55	---	68.20	24.65	500.0	200.0	H	0.0	-1.3
9026.250000	---	31.66	54.00	22.34	500.0	100.0	H	25.0	-1.3
9312.500000	---	33.56	54.00	20.44	500.0	100.0	V	191.0	-1.0
9532.500000	44.21	---	68.20	23.99	500.0	100.0	V	255.0	-0.2
10572.500000	42.30	---	68.20	25.90	500.0	200.0	V	173.0	-0.9
11920.000000	---	32.07	54.00	21.93	500.0	100.0	H	170.0	0.1
12306.250000	---	32.62	54.00	21.38	500.0	200.0	V	34.0	0.2
13693.750000	44.36	---	68.20	23.84	500.0	100.0	H	251.0	3.2
15295.000000	47.99	---	68.20	20.21	500.0	200.0	H	34.0	5.6
15605.000000	---	36.24	54.00	17.76	500.0	100.0	H	88.0	6.5
16073.750000	---	35.18	54.00	18.82	500.0	200.0	H	34.0	6.9
16530.000000	48.56	---	68.20	19.64	500.0	200.0	H	303.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax HE160 CH207




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	41.46	---	68.20	26.74	500.0	200.0	V	14.0	-8.2
1394.625000	---	30.85	54.00	23.15	500.0	100.0	V	322.0	-7.6
1580.125000	---	32.17	54.00	21.83	500.0	100.0	H	67.0	-6.6
1931.875000	44.29	---	68.20	23.91	500.0	100.0	H	289.0	-4.8
2510.250000	46.06	---	68.20	22.14	500.0	100.0	V	234.0	-2.1
2789.375000	---	35.46	54.00	18.54	500.0	100.0	H	67.0	-1.3
3595.250000	49.12	---	68.20	19.08	500.0	200.0	V	103.0	1.8
3925.125000	---	38.36	54.00	15.64	500.0	200.0	H	49.0	2.7
4407.250000	49.75	---	68.20	18.45	500.0	100.0	V	304.0	3.6
4934.875000	---	39.42	54.00	14.58	500.0	200.0	V	136.0	4.6
7545.875000	---	39.95	54.00	14.05	500.0	200.0	H	289.0	7.1
7910.750000	51.78	---	68.20	16.42	500.0	100.0	V	353.0	7.7

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8921.250000	42.95	---	68.20	25.25	500.0	100.0	V	240.0	-1.3
9033.750000	---	31.81	54.00	22.19	500.0	200.0	V	313.0	-1.3
9312.500000	---	33.30	54.00	20.70	500.0	100.0	V	177.0	-1.0
9547.500000	44.32	---	68.20	23.88	500.0	100.0	H	129.0	-0.2
10598.750000	42.08	---	68.20	26.12	500.0	200.0	H	156.0	-0.8
11930.000000	---	32.14	54.00	21.86	500.0	200.0	V	222.0	0.1
13351.250000	---	32.82	54.00	21.18	500.0	100.0	V	231.0	2.4
13693.750000	43.83	---	68.20	24.37	500.0	200.0	H	12.0	3.2
15296.250000	47.32	---	68.20	20.88	500.0	200.0	V	115.0	5.6
15565.000000	---	36.24	54.00	17.76	500.0	100.0	H	103.0	6.4
16025.000000	---	35.51	54.00	18.49	500.0	200.0	H	138.0	6.9
16935.000000	49.71	---	68.20	18.49	500.0	100.0	V	177.0	8.8

Radiates Emission from 8GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 6GHz


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.168	48.54	65.06	16.52	23.94	55.06	31.11	20.89	L1	9.000	1.000
0.375	28.49	58.39	29.90	11.15	48.39	37.24	20.90	L1	9.000	1.000
1.322	24.19	56.00	31.81	17.84	46.00	28.16	19.94	L1	9.000	1.000
3.651	23.46	56.00	32.54	15.65	46.00	30.35	19.44	L1	9.000	1.000
8.522	29.92	60.00	30.08	22.49	50.00	27.51	19.41	L1	9.000	1.000
18.672	32.16	60.00	27.84	25.88	50.00	24.12	19.62	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.168	48.55	65.06	16.51	23.72	55.06	31.34	20.90	N	9.000	1.000
0.314	33.78	59.86	26.08	13.75	49.86	36.11	20.94	N	9.000	1.000
0.803	28.40	56.00	27.60	19.00	46.00	27.00	20.34	N	9.000	1.000
2.434	22.87	56.00	33.13	16.43	46.00	29.57	19.57	N	9.000	1.000
5.588	25.50	60.00	34.50	17.52	50.00	32.48	19.41	N	9.000	1.000
17.196	33.00	60.00	27.00	26.67	50.00	23.33	19.61	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz