


802.11ax (HE80) CH42




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1245.000000	39.69	---	68.20	28.51	500.0	100.0	V	0.0	-8.6
1411.250000	---	29.34	54.00	24.66	500.0	200.0	V	81.0	-7.5
1691.250000	---	30.47	54.00	23.53	500.0	100.0	V	352.0	-6.0
1913.500000	42.67	---	68.20	25.53	500.0	200.0	H	47.0	-4.9
2575.000000	45.41	---	68.20	22.79	500.0	200.0	V	8.0	-2.0
2784.125000	---	34.68	54.00	19.32	500.0	200.0	H	205.0	-1.4
3476.250000	49.69	---	68.20	18.51	500.0	200.0	V	272.0	1.7
3986.375000	---	38.61	54.00	15.39	500.0	200.0	V	0.0	3.2
4437.000000	47.97	---	68.20	20.23	500.0	100.0	V	20.0	3.5
4873.625000	---	37.52	54.00	16.48	500.0	200.0	V	0.0	4.2
6946.500000	56.67	---	68.20	11.53	500.0	100.0	V	140.0	7.1
7682.375000	---	40.06	54.00	13.94	500.0	200.0	V	0.0	7.5

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8938.750000	42.69	---	68.20	25.51	500.0	100.0	H	224.0	-1.3
9128.750000	---	31.45	54.00	22.55	500.0	200.0	H	260.0	-1.2
9445.000000	---	32.85	54.00	21.15	500.0	100.0	H	0.0	-0.4
9647.500000	44.92	---	68.20	23.28	500.0	100.0	H	242.0	-0.5
10537.500000	42.66	---	68.20	25.54	500.0	100.0	V	29.0	-1.0
11966.250000	---	31.99	54.00	22.01	500.0	200.0	H	82.0	0.0
12253.750000	---	32.73	54.00	21.27	500.0	200.0	V	20.0	0.2
13631.250000	43.90	---	68.20	24.30	500.0	200.0	H	278.0	3.0
15312.500000	47.05	---	68.20	21.15	500.0	100.0	V	208.0	5.6
15606.250000	---	36.71	54.00	17.29	500.0	200.0	H	13.0	6.5
15830.000000	---	35.56	54.00	18.44	500.0	100.0	V	3.0	6.7
16452.500000	48.10	---	68.20	20.10	500.0	200.0	H	32.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH58




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1265.125000	40.04	---	68.20	28.16	500.0	200.0	V	358.0	-8.5
1413.875000	---	29.47	54.00	24.53	500.0	200.0	V	253.0	-7.5
1682.500000	---	30.54	54.00	23.46	500.0	200.0	H	62.0	-6.0
1784.000000	44.51	---	68.20	23.69	500.0	200.0	H	71.0	-5.5
2589.875000	46.30	---	68.20	21.90	500.0	100.0	H	289.0	-2.0
2825.250000	---	34.75	54.00	19.25	500.0	200.0	V	262.0	-1.2
3440.375000	49.47	---	68.20	18.73	500.0	200.0	H	176.0	1.5
3984.625000	---	38.75	54.00	15.25	500.0	200.0	H	0.0	3.2
5354.875000	60.02	---	74.00	13.98	500.0	100.0	V	155.0	5.2
5354.875000	---	49.26	54.00	4.74	500.0	100.0	V	155.0	5.2
7053.250000	56.52	---	68.20	11.68	500.0	100.0	V	147.0	6.9
7410.250000	---	40.16	54.00	13.84	500.0	100.0	V	67.0	7.2

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8918.750000	42.49	---	68.20	25.71	500.0	200.0	V	7.0	-1.3
9033.750000	---	31.68	54.00	22.32	500.0	100.0	H	265.0	-1.3
9437.500000	---	32.63	54.00	21.37	500.0	100.0	V	138.0	-0.5
9837.500000	44.63	---	68.20	23.57	500.0	200.0	H	320.0	-0.4
10557.500000	42.86	---	68.20	25.34	500.0	100.0	H	156.0	-0.9
11743.750000	---	31.93	54.00	22.07	500.0	100.0	V	36.0	-0.3
13345.000000	---	32.86	54.00	21.14	500.0	100.0	V	27.0	2.3
13611.250000	44.10	---	68.20	24.10	500.0	100.0	H	138.0	3.0
15258.750000	47.20	---	68.20	21.00	500.0	200.0	H	256.0	5.5
15577.500000	---	36.99	54.00	17.01	500.0	200.0	H	347.0	6.4
16020.000000	---	35.10	54.00	18.90	500.0	200.0	V	202.0	6.9
16536.250000	49.24	---	68.20	18.96	500.0	100.0	H	111.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH106




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1262.500000	39.93	---	68.20	28.27	500.0	200.0	V	9.0	-8.5
1411.250000	---	29.33	54.00	24.67	500.0	100.0	V	264.0	-7.5
1617.750000	52.09	---	74.00	21.91	500.0	200.0	V	211.0	-6.3
1707.000000	---	30.68	54.00	23.32	500.0	100.0	V	213.0	-5.9
2673.000000	46.05	---	68.20	22.15	500.0	100.0	H	27.0	-1.8
2815.625000	---	34.86	54.00	19.14	500.0	100.0	H	70.0	-1.2
3541.000000	49.71	---	68.20	18.49	500.0	200.0	H	351.0	1.7
3959.250000	---	38.57	54.00	15.43	500.0	200.0	H	119.0	2.9
5450.250000	---	47.42	54.00	6.58	500.0	200.0	V	133.0	5.2
5468.625000	61.91	---	68.20	6.29	500.0	200.0	V	133.0	5.4
6818.750000	52.89	---	68.20	15.31	500.0	100.0	V	115.0	6.8
7630.750000	---	40.27	54.00	13.73	500.0	100.0	V	273.0	7.2

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8847.500000	42.88	---	68.20	25.32	500.0	200.0	V	225.0	-1.4
9122.500000	---	31.34	54.00	22.66	500.0	100.0	V	272.0	-1.2
9443.750000	---	32.70	54.00	21.30	500.0	200.0	V	272.0	-0.4
9640.000000	44.50	---	68.20	23.70	500.0	100.0	H	87.0	-0.6
10541.250000	43.35	---	68.20	24.85	500.0	200.0	V	225.0	-0.9
11881.250000	---	32.09	54.00	21.91	500.0	100.0	V	206.0	0.0
13325.000000	---	32.82	54.00	21.18	500.0	100.0	H	310.0	2.3
13725.000000	44.61	---	68.20	23.59	500.0	200.0	V	141.0	3.3
15345.000000	47.54	---	68.20	20.66	500.0	100.0	H	350.0	5.7
15608.750000	---	36.84	54.00	17.16	500.0	100.0	H	234.0	6.5
16005.000000	---	35.21	54.00	18.79	500.0	200.0	V	48.0	6.9
16458.750000	48.73	---	68.20	19.47	500.0	200.0	H	0.0	8.0

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH122




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	40.25	---	68.20	27.95	500.0	100.0	V	304.0	-8.4
1387.625000	---	29.34	54.00	24.66	500.0	200.0	V	188.0	-7.7
1720.125000	---	30.30	54.00	23.70	500.0	100.0	H	146.0	-5.9
1927.500000	43.02	---	68.20	25.18	500.0	100.0	H	0.0	-4.8
2669.500000	46.01	---	68.20	22.19	500.0	100.0	V	241.0	-1.9
2727.250000	---	35.02	54.00	18.98	500.0	100.0	V	286.0	-1.5
3575.125000	49.38	---	68.20	18.82	500.0	100.0	V	26.0	1.7
3976.750000	---	38.72	54.00	15.28	500.0	100.0	V	339.0	3.1
5235.000000	49.91	---	68.20	18.29	500.0	200.0	V	62.0	5.3
5451.125000	---	38.90	54.00	15.10	500.0	200.0	V	134.0	5.3
6827.500000	52.31	---	68.20	15.89	500.0	100.0	H	0.0	6.8
7321.875000	---	40.22	54.00	13.78	500.0	100.0	H	8.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8976.250000	47.55	---	68.20	20.65	500.0	200.0	V	219.0	-1.3
9095.000000	---	31.92	54.00	22.08	500.0	100.0	V	310.0	-1.2
9435.000000	---	32.69	54.00	21.31	500.0	100.0	V	80.0	-0.5
9508.750000	44.46	---	68.20	23.74	500.0	200.0	H	61.0	-0.1
10540.000000	42.68	---	68.20	25.52	500.0	200.0	V	238.0	-0.9
11926.250000	---	32.11	54.00	21.89	500.0	100.0	V	73.0	0.1
13356.250000	---	32.82	54.00	21.18	500.0	100.0	V	274.0	2.4
13710.000000	43.96	---	68.20	24.24	500.0	200.0	H	303.0	3.2
15182.500000	46.89	---	68.20	21.31	500.0	200.0	H	116.0	5.3
15603.750000	---	37.00	54.00	17.01	500.0	200.0	H	268.0	6.5
15911.250000	---	34.36	54.00	19.64	500.0	100.0	H	342.0	6.6
16492.500000	49.19	---	68.20	19.01	500.0	200.0	H	70.0	8.1

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH138




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1295.750000	40.45	---	68.20	27.75	500.0	100.0	V	294.0	-8.2
1412.125000	---	29.26	54.00	24.74	500.0	200.0	V	272.0	-7.5
1691.250000	---	30.57	54.00	23.43	500.0	200.0	H	247.0	-6.0
1848.750000	42.90	---	68.20	25.30	500.0	100.0	V	84.0	-5.2
2639.750000	45.71	---	68.20	22.49	500.0	100.0	V	312.0	-2.0
2827.000000	---	34.90	54.00	19.10	500.0	200.0	V	0.0	-1.1
3527.875000	49.74	---	68.20	18.46	500.0	100.0	V	41.0	1.7
3955.750000	---	38.67	54.00	15.33	500.0	200.0	H	4.0	2.9
4059.875000	---	38.71	54.00	15.29	500.0	100.0	V	70.0	3.4
5242.000000	50.17	---	68.20	18.03	500.0	100.0	V	277.0	5.3
6627.125000	51.89	---	68.20	16.31	500.0	100.0	V	258.0	6.6
7406.750000	---	40.21	54.00	13.79	500.0	100.0	V	347.0	7.2

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8965.000000	42.60	---	68.20	25.60	500.0	100.0	V	265.0	-1.3
9103.750000	---	41.91	54.00	12.09	500.0	200.0	V	219.0	-1.2
9437.500000	---	32.95	54.00	21.05	500.0	200.0	H	266.0	-0.5
9647.500000	45.14	---	68.20	23.06	500.0	200.0	H	193.0	-0.5
10536.250000	41.91	---	68.20	26.29	500.0	200.0	H	29.0	-1.0
11583.750000	---	32.08	54.00	21.92	500.0	100.0	V	256.0	-0.5
13335.000000	---	33.16	54.00	20.84	500.0	100.0	V	78.0	2.3
13670.000000	44.44	---	68.20	23.76	500.0	100.0	H	126.0	3.1
15203.750000	47.47	---	68.20	20.73	500.0	200.0	H	82.0	5.4
15611.250000	---	36.87	54.00	17.13	500.0	200.0	V	238.0	6.5
16023.750000	---	35.19	54.00	18.81	500.0	100.0	V	146.0	6.9
16446.250000	48.14	---	68.20	20.06	500.0	200.0	H	284.0	7.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE80) CH155




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.15	---	68.20	28.05	500.0	200.0	H	0.0	-8.2
1410.375000	---	29.18	54.00	24.82	500.0	100.0	H	308.0	-7.5
1690.375000	---	30.77	54.00	23.23	500.0	100.0	H	147.0	-6.0
1789.250000	43.19	---	68.20	25.01	500.0	100.0	H	334.0	-5.5
2659.875000	46.01	---	68.20	22.19	500.0	100.0	V	199.0	-1.9
2708.875000	---	35.01	54.00	18.99	500.0	200.0	H	219.0	-1.6
3378.250000	49.72	---	68.20	18.48	500.0	100.0	H	81.0	1.1
3989.875000	---	38.61	54.00	15.39	500.0	200.0	V	167.0	3.2
5051.250000	---	38.66	54.00	15.34	500.0	200.0	V	321.0	4.8
5563.125000	50.09	---	68.20	18.11	500.0	200.0	H	112.0	5.5
6690.125000	52.67	---	68.20	15.53	500.0	100.0	H	44.0	6.5
7463.625000	---	40.17	54.00	13.83	500.0	200.0	H	60.0	7.0

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8898.750000	43.38	---	68.20	24.82	500.0	200.0	V	256.0	-1.4
9096.250000	---	31.48	54.00	22.52	500.0	100.0	H	64.0	-1.2
9238.750000	47.67	---	68.20	20.53	500.0	200.0	V	227.0	-1.0
9441.250000	---	32.78	54.00	21.22	500.0	200.0	H	62.0	-0.4
10501.250000	42.16	---	68.20	26.04	500.0	200.0	H	334.0	-1.0
11550.000000	---	32.79	54.00	21.21	500.0	100.0	H	236.0	-0.5
13340.000000	---	32.94	54.00	21.06	500.0	100.0	V	47.0	2.3
13685.000000	44.23	---	68.20	23.97	500.0	100.0	V	154.0	3.1
15057.500000	47.23	---	68.20	20.97	500.0	100.0	H	257.0	5.1
15648.750000	---	36.79	54.00	17.21	500.0	100.0	H	275.0	6.5
16016.250000	---	35.11	54.00	18.89	500.0	200.0	H	81.0	6.9
16423.750000	48.68	---	68.20	19.52	500.0	100.0	V	127.0	7.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE160) CH50




Final Result

Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	40.15	---	68.20	28.05	500.0	200.0	H	232.0	-8.4
1311.500000	---	29.48	54.00	24.52	500.0	100.0	H	103.0	-8.1
1695.625000	---	30.38	54.00	23.62	500.0	100.0	V	72.0	-6.0
1898.625000	42.65	---	68.20	25.55	500.0	100.0	V	135.0	-5.0
2677.375000	45.38	---	68.20	22.82	500.0	200.0	V	324.0	-1.8
2815.625000	---	34.89	54.00	19.11	500.0	100.0	H	179.0	-1.2
3324.000000	49.75	---	68.20	18.45	500.0	200.0	V	262.0	0.9
3990.750000	---	38.68	54.00	15.32	500.0	200.0	H	0.0	3.2
5354.875000	---	48.89	54.00	5.11	500.0	100.0	V	135.0	5.2
5403.875000	60.25	---	74.00	13.75	500.0	200.0	V	235.0	5.1
7000.750000	57.48	---	68.20	10.72	500.0	100.0	V	135.0	7.0
7411.125000	---	40.29	54.00	13.71	500.0	200.0	H	135.0	7.2

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8886.250000	43.57	---	68.20	24.63	500.0	100.0	V	237.0	-1.4
9156.250000	---	31.60	54.00	22.40	500.0	200.0	H	12.0	-1.1
9447.500000	---	32.70	54.00	21.30	500.0	200.0	H	12.0	-0.4
9510.000000	44.42	---	68.20	23.78	500.0	200.0	V	295.0	-0.1
10597.500000	42.75	---	68.20	25.45	500.0	200.0	H	0.0	-0.8
11765.000000	---	32.20	54.00	21.80	500.0	200.0	H	193.0	-0.3
12912.500000	44.50	---	68.20	23.70	500.0	200.0	H	84.0	1.0
13356.250000	---	33.14	54.00	20.86	500.0	200.0	V	250.0	2.4
14631.250000	47.26	---	68.20	20.94	500.0	100.0	H	255.0	4.9
15575.000000	---	36.97	54.00	17.03	500.0	200.0	V	220.0	6.4
16168.750000	---	36.26	54.00	17.74	500.0	200.0	H	345.0	7.2
16416.250000	48.79	---	68.20	19.41	500.0	100.0	H	199.0	7.9

Radiates Emission from 8GHz to 18GHz

802.11ax (HE160) CH114




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1276.500000	39.98	---	68.20	28.22	500.0	200.0	V	93.0	-8.4
1393.750000	---	29.07	54.00	24.93	500.0	200.0	H	148.0	-7.6
1708.750000	---	30.67	54.00	23.33	500.0	100.0	H	8.0	-5.9
1875.875000	42.66	---	68.20	25.54	500.0	200.0	V	0.0	-5.1
2666.875000	45.65	---	68.20	22.55	500.0	100.0	H	165.0	-1.9
2813.875000	---	34.78	54.00	19.22	500.0	200.0	V	51.0	-1.2
3472.750000	49.97	---	68.20	18.23	500.0	200.0	V	46.0	1.7
3987.250000	---	38.61	54.00	15.39	500.0	100.0	V	141.0	3.2
5449.375000	---	47.97	54.00	6.03	500.0	200.0	V	126.0	5.2
5469.500000	57.76	---	68.20	10.44	500.0	200.0	V	152.0	5.4
6833.625000	52.32	---	68.20	15.88	500.0	100.0	V	97.0	6.8
7409.375000	---	40.35	54.00	13.65	500.0	200.0	V	117.0	7.2

Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Final Result


Frequency (MHz)	MaxPeak (dBµgV/m)	Average (dBµgV/m)	Limit (dBµgV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8978.750000	43.45	---	68.20	24.75	500.0	200.0	V	9.0	-1.3
9033.750000	---	31.80	54.00	22.20	500.0	100.0	H	73.0	-1.3
9432.500000	---	32.68	54.00	21.32	500.0	200.0	V	93.0	-0.5
9653.750000	44.58	---	68.20	23.62	500.0	200.0	H	109.0	-0.5
10512.500000	41.97	---	68.20	26.23	500.0	100.0	V	305.0	-1.0
11916.250000	---	32.05	54.00	21.95	500.0	100.0	V	22.0	0.2
13313.750000	---	33.01	54.00	20.99	500.0	200.0	V	102.0	2.3
13707.500000	44.72	---	68.20	23.49	500.0	200.0	H	208.0	3.2
15190.000000	47.97	---	68.20	20.23	500.0	100.0	H	73.0	5.3
15612.500000	---	37.17	54.00	16.83	500.0	200.0	V	111.0	6.5
15866.250000	---	35.31	54.00	18.69	500.0	200.0	V	18.0	6.7
16446.250000	49.06	---	68.20	19.14	500.0	200.0	H	285.0	7.9

Radiates Emission from 8GHz to 18GHz

2. Conducted Emission

2.1. Wi-Fi 5GHz


During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.170	48.65	64.95	16.29	21.60	54.95	33.34	20.89	L1	9.000	1.000
0.456	32.93	56.77	23.84	23.56	46.77	23.21	20.82	L1	9.000	1.000
1.307	24.05	56.00	31.95	16.51	46.00	29.49	19.95	L1	9.000	1.000
4.241	24.83	56.00	31.17	18.19	46.00	27.81	19.42	L1	9.000	1.000
8.297	28.63	60.00	31.37	22.03	50.00	27.97	19.41	L1	9.000	1.000
17.009	33.18	60.00	26.82	26.93	50.00	23.07	19.57	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.168	48.66	65.06	16.40	23.45	55.06	31.61	20.90	N	9.000	1.000
0.512	30.91	56.00	25.09	22.04	46.00	23.96	20.78	N	9.000	1.000
1.716	23.48	56.00	32.52	15.76	46.00	30.24	19.75	N	9.000	1.000
4.074	22.00	56.00	34.00	14.85	46.00	31.15	19.43	N	9.000	1.000
9.314	30.88	60.00	29.12	23.68	50.00	26.32	19.43	N	9.000	1.000
18.004	32.66	60.00	27.34	26.38	50.00	23.62	19.64	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz