



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-10.10	0.00	-4.09	-1.00	Pass
6725	-10.97	0.00	-4.96	-1.00	Pass
6845	-10.92	0.00	-4.91	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-10.71	0.00	-4.70	-1.00	Pass
7005	-10.44	0.00	-4.43	-1.00	Pass
7085	-10.96	0.00	-4.95	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-10.10	0.00	-4.09	-1.00	Pass
6165	-9.99	0.00	-3.98	-1.00	Pass
6405	-11.43	0.00	-5.42	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-9.20	0.00	-3.19	-1.00	Pass
6485	-11.40	0.00	-5.39	-1.00	Pass
6525	-9.46	0.00	-3.45	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-11.46	0.00	-5.45	-1.00	Pass
6725	-9.50	0.00	-3.49	-1.00	Pass
6845	-10.28	0.00	-4.27	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-10.16	0.00	-4.15	-1.00	Pass
7005	-10.61	0.00	-4.60	-1.00	Pass
7085	-9.95	0.00	-3.94	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.21	-1.00	Pass
6165	-1.36	-1.00	Pass
6405	-1.31	-1.00	Pass
6445	-1.05	-1.00	Pass
6485	-1.25	-1.00	Pass
6525	-1.02	-1.00	Pass
6565	-1.71	-1.00	Pass
6725	-1.15	-1.00	Pass
6845	-1.57	-1.00	Pass
6885	-1.41	-1.00	Pass
7005	-1.50	-1.00	Pass
7085	-1.41	-1.00	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-9.93	0.00	-3.92	-1.00	Pass
6145	-10.86	0.00	-4.85	-1.00	Pass
6385	-11.00	0.00	-4.99	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-11.24	0.00	-5.23	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-9.87	0.00	-3.86	-1.00	Pass
6705	-11.13	0.00	-5.12	-1.00	Pass
6865	-10.63	0.00	-4.62	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-11.31	0.00	-5.30	-1.00	Pass
7025	-10.59	0.00	-4.58	-1.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-11.59	0.00	-5.58	-1.00	Pass
6145	-9.88	0.00	-3.87	-1.00	Pass
6385	-9.40	0.00	-3.39	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-9.16	0.00	-3.15	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-11.59	0.00	-5.58	-1.00	Pass
6705	-9.55	0.00	-3.54	-1.00	Pass
6865	-9.82	0.00	-3.81	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.44	0.00	-4.43	-1.00	Pass
7025	-10.37	0.00	-4.36	-1.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.66	-1.00	Pass
6145	-1.32	-1.00	Pass
6385	-1.11	-1.00	Pass
6465	-1.06	-1.00	Pass
6545	-1.63	-1.00	Pass
6705	-1.25	-1.00	Pass
6865	-1.19	-1.00	Pass
6945	-1.83	-1.00	Pass
7025	-1.46	-1.00	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-9.71	0.00	-3.70	-1.00	Pass
6185	-9.89	0.00	-3.88	-1.00	Pass
6345	-9.89	0.00	-3.88	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-9.67	0.00	-3.66	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-9.34	0.00	-3.33	-1.00	Pass
6825	-10.15	0.00	-4.14	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-10.12	0.00	-4.11	-1.00	Pass




Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-10.99	0.00	-4.98	-1.00	Pass
6185	-11.08	0.00	-5.07	-1.00	Pass
6345	-11.32	0.00	-5.31	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-11.12	0.00	-5.11	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-11.13	0.00	-5.12	-1.00	Pass
6825	-10.71	0.00	-4.70	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-10.10	0.00	-4.09	-1.00	Pass



Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.28	-1.00	Pass
6185	-1.42	-1.00	Pass
6345	-1.53	-1.00	Pass
6505	-1.31	-1.00	Pass
6665	-1.12	-1.00	Pass
6825	-1.40	-1.00	Pass
6985	-1.09	-1.00	Pass

APPENDIX H - IN-BAND EMISSION (MASK)