

**Dongguan Xinxwang Coil Technology Co.,
Ltd.**

Dongguan CityXinwang Coil Technology Co., Ltd

**Address (Add): 6th Floor, Building 2, No.92 Xinxing Road, Hengtang Industrial
Zone, Tangxia Town, Dongguan City**

Add: Room 601, Building 2, No. 92, Xinxing Road, Hengtang Industrial Zone, Tangxia Town, Dongguan City

Tel: 13662722286

portraiture (Fax) :

product specification acknowledgement

SPECIFICATON APPROVAL

customer name :

CUSTOMER Shenzhen Huir Wireless Technology Co., Ltd.

CUSTOMER

Shenzhen Huir Wireless Technology Co., Ltd.

Customer product name:

Product Name ofCustomer

C400-MPP coil

Our product name (material):


Our Product Mame ofOurs (Material) C400-MPP Coil

admit :

APPROVED

Approved: Format: Date:

Approved: Format:

Specification Specification content		CISTOME P/N: Customer Product Name	C400-MPP coil	
		PARTNUMBER: Manufacturer part number		
1.Dimensions (mm) 			A	18±0.1
			B	19±1
			C	39±1
			D	43.5±1
			E	20±2
			F	2-3.5
			G	Total thickness 2.6MAX
			H	The thickness of the magnetic disk is 0.9±0.1
			I	7±1
			J	
			k	
			L	
			M	
			N	
			O	
			R	
			Q	
			P	

APPROVED BY admit	CHECKED BY examine	PREPARED BY fabrication	DATE date	PAGE page number
		Wang Xingwang	2025-11-7	2 of 4

Specifcation specification CONTENT	CUSTOMERP/ N: Customer Product Name	C400-MPP coil
	PARTNUMBER : Manufacturer part number	

5.Winding details:

Wdy.NO. winding	Start begin	Finis h finish	Turns number of turns	Wire Dia Wire diameter	Wdg.TyepeSprad/lose loose tight winding method	Wdg.Directi on direction of winding	Turns/Layer Number of layers/number of turns per layer
1	S	F	11TS	0.08*80P	Cryosheet	anticloc kwise	1 layer /11TS

6.ELECTRICAL CHARACTERISTICS:

PARAMETERS	UNIN	LIMTI
Inductance ls@100KHz/1v	UH	7.4UH±10%
Q @100KHz/1v		60MIN
DCR @100KHz/1v	mΩ	85MAX

APPROVED BY admit	CHECKED BY examine	PREPARED BY fabrication	DATE date	PAGE page number
		Wang Xingwang	2025-11-7	3 of 4

MATERIAL LIST bill of material		CUSTOMER P/N: Customer Name	C400-MPP coil
		PARTNUMBER: Manufacturer part number	

NO.	Material name Material name	Description Product Name Description	Manufacturer manufacturer	Material material quality	
1	hot air stranded wire	0.08*80P		99.95% purple copper	
2	lead-free tin strip	high temperature			
3	high temperature adhesive	Golden Finger 8mm			
4	glue	resin glue			
5	magnetic sheet	43.5*5.3*0.9MM		Ferrite. Manganese-zinc PC40	
6	double faced adhesive tape	hand tear position adhesive			
7	pearl wool	270*380*55			
8	carton	280*390*190			
9	drivepipe	1.0*18			
APPROVED BY admit		CHECKED BY examine	PREPARED BY fabrication	DATE date	PAGE page number
			Wang Xingwang	2025-11-7	4 of 4