

## TEST REPORT

**Product** : LED Video Light  
**Trade mark** : Godox  
**Model/Type reference** : VL150, VLC150  
**Serial Number** : N/A  
**Report Number** : EED32M00004501  
**FCC ID** : 2ABYN003  
**Date of Issue** : May 29, 2020  
**Test Standards** : 47 CFR Part 15Subpart C  
**Test result** : PASS

Prepared for:

**Godox Photo Equipment Co., Ltd .**  
**1st to 4th Floor, Building 2/1st to 4th Floor, Building 4,**  
**Yaochuan Industrial Zone, Tangwei Community,**  
**Fuhai Street, Baoan District, Shenzhen, China**

Prepared by:

**Centre Testing International Group Co., Ltd.**  
**Hongwei Industrial Zone, Bao'an 70 District,**  
**Shenzhen, Guangdong, China**  
**TEL: +86-755-3368 3668**  
**FAX: +86-755-3368 3385**

Tested By:

*mark.chen.*

Mark Chen

Compiled by:

*sunlight sun*

Sunlight Sun

Reviewed by:

*Ware Xin*

Ware Xin

Approved by:

*Sam Chuang*

Sam Chuang

Date:

May 29, 2020

Check No.:2447612317



## 2 Version

| Version No. | Date         | Description |
|-------------|--------------|-------------|
| 00          | May 29, 2020 | Original    |
|             |              |             |
|             |              |             |

### 3 Test Summary

| Test Item                                                                | Test Requirement                                  | Test method      | Result |
|--------------------------------------------------------------------------|---------------------------------------------------|------------------|--------|
| <b>Antenna Requirement</b>                                               | 47 CFR Part 15Subpart C Section 15.203/15.247 (c) | ANSI C63.10-2013 | PASS   |
| <b>AC Power Line Conducted Emission</b>                                  | 47 CFR Part 15Subpart C Section 15.207            | ANSI C63.10-2013 | PASS   |
| <b>Conducted Peak Output Power</b>                                       | 47 CFR Part 15Subpart C Section 15.247 (b)(3)     | ANSI C63.10-2013 | PASS   |
| <b>6dB Occupied Bandwidth</b>                                            | 47 CFR Part 15Subpart C Section 15.247 (a)(2)     | ANSI C63.10-2013 | PASS   |
| <b>Power Spectral Density</b>                                            | 47 CFR Part 15Subpart C Section 15.247 (e)        | ANSI C63.10-2013 | PASS   |
| <b>Band-edge for RF Conducted Emissions</b>                              | 47 CFR Part 15Subpart C Section 15.247(d)         | ANSI C63.10-2013 | PASS   |
| <b>RF Conducted Spurious Emissions</b>                                   | 47 CFR Part 15Subpart C Section 15.247(d)         | ANSI C63.10-2013 | PASS   |
| <b>Radiated Spurious Emissions</b>                                       | 47 CFR Part 15Subpart C Section 15.205/15.209     | ANSI C63.10-2013 | PASS   |
| <b>Restricted bands around fundamental frequency (Radiated Emission)</b> | 47 CFR Part 15Subpart C Section 15.205/15.209     | ANSI C63.10-2013 | PASS   |

**Remark:**

Test according to ANSI C63.4-2014 & ANSI C63.10-2013.

The tested sample(s) and the sample information are provided by the client.

Model No.: VL150, VLC150

Only the model VL150 was tested, The product model of our LED video light/ LED Video Light is: VL150.

Because the product can be divided into three parts: LED light, control box and adapter, the separate model of the control box is: VLC150, in which the Bluetooth wireless module of the product is embedded in the control box VLC150.


## 4 Content

|                                                                       |           |
|-----------------------------------------------------------------------|-----------|
| <b>1 COVER PAGE</b>                                                   | <b>1</b>  |
| <b>2 VERSION</b>                                                      | <b>2</b>  |
| <b>3 TEST SUMMARY</b>                                                 | <b>3</b>  |
| <b>4 CONTENT</b>                                                      | <b>4</b>  |
| <b>5 TEST REQUIREMENT</b>                                             | <b>5</b>  |
| 5.1 TEST SETUP                                                        | 5         |
| 5.1.1 For Conducted test setup                                        | 5         |
| 5.1.2 For Radiated Emissions test setup                               | 5         |
| 5.1.3 For Conducted Emissions test setup                              | 6         |
| 5.2 TEST ENVIRONMENT                                                  | 6         |
| 5.3 TEST CONDITION                                                    | 6         |
| <b>6 GENERAL INFORMATION</b>                                          | <b>7</b>  |
| 6.1 CLIENT INFORMATION                                                | 7         |
| 6.2 GENERAL DESCRIPTION OF EUT                                        | 7         |
| 6.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD                 | 8         |
| 6.4 DESCRIPTION OF SUPPORT UNITS                                      | 8         |
| 6.5 TEST LOCATION                                                     | 9         |
| 6.6 DEVIATION FROM STANDARDS                                          | 9         |
| 6.7 ABNORMALITIES FROM STANDARD CONDITIONS                            | 9         |
| 6.8 OTHER INFORMATION REQUESTED BY THE CUSTOMER                       | 9         |
| 6.9 MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, $k=2$ )           | 9         |
| <b>7 EQUIPMENT LIST</b>                                               | <b>10</b> |
| <b>8 RADIO TECHNICAL REQUIREMENTS SPECIFICATION</b>                   | <b>13</b> |
| EUT DUTY CYCLE                                                        | 14        |
| Appendix A): 6dB Occupied Bandwidth                                   | 15        |
| Appendix B): Conducted Peak Output Power                              | 19        |
| Appendix C): Band-edge for RF Conducted Emissions                     | 22        |
| Appendix D): RF Conducted Spurious Emissions                          | 24        |
| Appendix E): Power Spectral Density                                   | 28        |
| Appendix F): Antenna Requirement                                      | 31        |
| Appendix G): AC Power Line Conducted Emission                         | 33        |
| Appendix H): Restricted bands around fundamental frequency (Radiated) | 36        |
| Appendix I) Radiated Spurious Emissions                               | 45        |
| <b>PHOTOGRAPHS OF TEST SETUP</b>                                      | <b>49</b> |
| <b>PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS</b>                      | <b>52</b> |

## 5 Test Requirement

### 5.1 Test setup

#### 5.1.1 For Conducted test setup



#### 5.1.2 For Radiated Emissions test setup

Radiated Emissions setup:




Figure 1. Below 30MHz




Figure 2. 30MHz to 1GHz





Figure 3. Above 1GHz



### 5.1.3 For Conducted Emissions test setup

#### Conducted Emissions setup



## 5.2 Test Environment

| Operating Environment: |           |
|------------------------|-----------|
| Temperature:           | 23.0 °C   |
| Humidity:              | 54 % RH   |
| Atmospheric Pressure:  | 1010 mbar |

## 5.3 Test Condition

Test channel:

| Test Mode          | Tx/Rx                                                                                    | RF Channel |            |            |
|--------------------|------------------------------------------------------------------------------------------|------------|------------|------------|
|                    |                                                                                          | Low(L)     | Middle(M)  | High(H)    |
| GFSK               | 2402MHz ~2480 MHz                                                                        | Channel 1  | Channel 20 | Channel 40 |
|                    |                                                                                          | 2402MHz    | 2440MHz    | 2480MHz    |
| Transmitting mode: | Keep the EUT in transmitting mode with all kind of modulation and all kind of data rate. |            |            |            |

## 6 General Information

### 6.1 Client Information

|                          |                                                                                                                                                       |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applicant:               | Godox Photo Equipment Co., Ltd .                                                                                                                      |
| Address of Applicant:    | 1st to 4th Floor, Building 2/1st to 4th Floor, Building 4, Yaochuan Industrial Zone, Tangwei Community, Fuhai Street, Baoan District, Shenzhen, China |
| Manufacturer:            | Godox Photo Equipment Co., Ltd .                                                                                                                      |
| Address of Manufacturer: | 1st to 4th Floor, Building 2/1st to 4th Floor, Building 4, Yaochuan Industrial Zone, Tangwei Community, Fuhai Street, Baoan District, Shenzhen, China |
| Factory:                 | Godox Photo Equipment Co., Ltd .                                                                                                                      |
| Address of Factory:      | 1st to 4th Floor, Building 2/1st to 4th Floor, Building 4, Yaochuan Industrial Zone, Tangwei Community, Fuhai Street, Baoan District, Shenzhen, China |

### 6.2 General Description of EUT

|                                  |                                        |                                                  |
|----------------------------------|----------------------------------------|--------------------------------------------------|
| Product Name:                    | LED Video Light                        |                                                  |
| Model No.(EUT):                  | VL150, VLC150                          |                                                  |
| Test Model No:                   | VL150                                  |                                                  |
| Trade mark:                      | Godox                                  |                                                  |
| EUT Supports Radios application: | BT 4.1 Single mode, 2402MHz to 2480MHz |                                                  |
| Power Supply:                    | Adapter                                | Input:AC100V-240V(50/60HZ)/2A Output:DC16.8V 10A |
|                                  | Lithium Battery                        | DC14.4V                                          |
| Sample Received Date:            | Jan. 06, 2020                          |                                                  |
| Sample tested Date:              | Jan. 06, 2020 to Apr. 01, 2020         |                                                  |

### 6.3 Product Specification subjective to this standard

|                                     |                                           |         |           |         |           |         |           |
|-------------------------------------|-------------------------------------------|---------|-----------|---------|-----------|---------|-----------|
| Operation Frequency:                | 2402MHz~2480MHz                           |         |           |         |           |         |           |
| Bluetooth Version:                  | 4.1                                       |         |           |         |           |         |           |
| Modulation Technique:               | DSSS                                      |         |           |         |           |         |           |
| Modulation Type:                    | GFSK                                      |         |           |         |           |         |           |
| Number of Channel:                  | 40                                        |         |           |         |           |         |           |
| Test Power Grade:                   | Default                                   |         |           |         |           |         |           |
| Test Software of EUT:               | Setup_SmartRF_Studio_7-2.6.1.exe          |         |           |         |           |         |           |
| Antenna Type and Gain:              | Type: external whip antenna<br>Gain:5 dBi |         |           |         |           |         |           |
| Test Voltage:                       | DC 3.3V                                   |         |           |         |           |         |           |
| Operation Frequency each of channel |                                           |         |           |         |           |         |           |
| Channel                             | Frequency                                 | Channel | Frequency | Channel | Frequency | Channel | Frequency |
| 1                                   | 2402MHz                                   | 11      | 2422MHz   | 21      | 2442MHz   | 31      | 2462MHz   |
| 2                                   | 2404MHz                                   | 12      | 2424MHz   | 22      | 2444MHz   | 32      | 2464MHz   |
| 3                                   | 2406MHz                                   | 13      | 2426MHz   | 23      | 2446MHz   | 33      | 2466MHz   |
| 4                                   | 2408MHz                                   | 14      | 2428MHz   | 24      | 2448MHz   | 34      | 2468MHz   |
| 5                                   | 2410MHz                                   | 15      | 2430MHz   | 25      | 2450MHz   | 35      | 2470MHz   |
| 6                                   | 2412MHz                                   | 16      | 2432MHz   | 26      | 2452MHz   | 36      | 2472MHz   |
| 7                                   | 2414MHz                                   | 17      | 2434MHz   | 27      | 2454MHz   | 37      | 2474MHz   |
| 8                                   | 2416MHz                                   | 18      | 2436MHz   | 28      | 2456MHz   | 38      | 2476MHz   |
| 9                                   | 2418MHz                                   | 19      | 2438MHz   | 29      | 2458MHz   | 39      | 2478MHz   |
| 10                                  | 2420MHz                                   | 20      | 2440MHz   | 30      | 2460MHz   | 40      | 2480MHz   |

### 6.4 Description of Support Units

The EUT has been tested with associated equipment below.

1) support equipment

| Description | Manufacturer | Model No. | Certification | Supplied by |
|-------------|--------------|-----------|---------------|-------------|
| Notebook    | DELL         | DELL 3490 | CE&FCC        | DELL        |
|             |              |           |               |             |
|             |              |           |               |             |
|             |              |           |               |             |



## 6.5 Test Location

All tests were performed at:

Centre Testing International Group Co., Ltd

Building C, Hongwei Industrial Park Block 70, Bao'an District, Shenzhen, China

Telephone: +86 (0) 755 33683668 Fax: +86 (0) 755 33683385

No tests were sub-contracted.

FCC Designation No.: CN1164

## 6.6 Deviation from Standards

None.

## 6.7 Abnormalities from Standard Conditions

None.

## 6.8 Other Information Requested by the Customer

None.

## 6.9 Measurement Uncertainty (95% confidence levels, k=2)

| No. | Item                            | Measurement Uncertainty |
|-----|---------------------------------|-------------------------|
| 1   | Radio Frequency                 | $7.9 \times 10^{-8}$    |
| 2   | RF power, conducted             | 0.46dB (30MHz-1GHz)     |
|     |                                 | 0.55dB (1GHz-18GHz)     |
| 3   | Radiated Spurious emission test | 4.3dB (30MHz-1GHz)      |
|     |                                 | 4.5dB (1GHz-12.75GHz)   |
| 4   | Conduction emission             | 3.5dB (9kHz to 150kHz)  |
|     |                                 | 3.1dB (150kHz to 30MHz) |
| 5   | Temperature test                | 0.64°C                  |
| 6   | Humidity test                   | 3.8%                    |
| 7   | DC power voltages               | 0.026%                  |

## 7 Equipment List

| RF test system                      |                   |                              |               |                          |                            |
|-------------------------------------|-------------------|------------------------------|---------------|--------------------------|----------------------------|
| Equipment                           | Manufacturer      | Mode No.                     | Serial Number | Cal. Date (mm-dd-yyyy)   | Cal. Due date (mm-dd-yyyy) |
| Spectrum Analyzer                   | Keysight          | N9010A                       | MY54510339    | 03-01-2019<br>02-17-2020 | 02-29-2020<br>02-16-2021   |
| Signal Generator                    | Keysight          | N5182B                       | MY53051549    | 03-01-2019<br>02-17-2020 | 02-29-2020<br>02-16-2021   |
| Temperature/<br>Humidity Indicator  | biaozhi           | HM10                         | 1804186       | 07-26-2019               | 07-25-2020                 |
| High-pass filter                    | Sinoscite         | FL3CX03WG18N<br>M12-0398-002 | ---           | ---                      | ---                        |
| High-pass filter                    | MICRO-<br>TRONICS | SPA-F-63029-4                | ---           | ---                      | ---                        |
| DC Power                            | Keysight          | E3642A                       | MY56376072    | 03-01-2019<br>02-17-2020 | 02-29-2020<br>02-16-2021   |
| PC-1                                | Lenovo            | R4960d                       | ---           | ---                      | ---                        |
| BT&WI-FI<br>Automatic control       | R&S               | OSP120                       | 101374        | 03-01-2019<br>02-17-2020 | 02-29-2020<br>02-16-2021   |
| RF control unit                     | JS Tonscend       | JS0806-2                     | 158060006     | 03-01-2019<br>02-17-2020 | 02-29-2020<br>02-16-2021   |
| BT&WI-FI<br>Automatic test software | JS Tonscend       | JS1120-3                     | ---           | ---                      | ---                        |

| Conducted disturbance Test         |              |           |               |                        |                            |
|------------------------------------|--------------|-----------|---------------|------------------------|----------------------------|
| Equipment                          | Manufacturer | Model No. | Serial Number | Cal. date (mm-dd-yyyy) | Cal. Due date (mm-dd-yyyy) |
| Receiver                           | R&S          | ESCI      | 100435        | 05-20-2019             | 05-19-2020                 |
| Temperature/<br>Humidity Indicator | Defu         | TH128     | /             | 06-14-2019             | 06-13-2020                 |
| LISN                               | R&S          | ENV216    | 100098        | 05-08-2019             | 05-07-2020                 |
| Barometer                          | changchun    | DYM3      | 1188          | 06-20-2019             | 06-19-2020                 |

| 3M Semi/full-anechoic Chamber    |                  |                   |               |                        |                            |
|----------------------------------|------------------|-------------------|---------------|------------------------|----------------------------|
| Equipment                        | Manufacturer     | Model No.         | Serial Number | Cal. date (mm-dd-yyyy) | Cal. Due date (mm-dd-yyyy) |
| 3M Chamber & Accessory Equipment | TDK              | SAC-3             | ---           | 05-24-2019             | 05-23-2022                 |
| TRILOG Broadband Antenna         | Schwarzbeck      | VULB9163          | 9163-618      | 07-26-2019             | 07-25-2020                 |
| Loop Antenna                     | Schwarzbeck      | FMZB 1519B        | 1519B-076     | 04-25-2018             | 04-24-2021                 |
| Receiver                         | R&S              | ESCI7             | 100938-003    | 10-21-2019             | 10-20-2020                 |
| Multi device Controller          | maturo           | NCD/070/107 11112 | ---           | ---                    | ---                        |
| Temperature/ Humidity Indicator  | Shanghai qixiang | HM10              | 1804298       | 07-26-2019             | 07-25-2020                 |
| Cable line                       | Fulai(7M)        | SF106             | 5219/6A       | ---                    | ---                        |
| Cable line                       | Fulai(6M)        | SF106             | 5220/6A       | ---                    | ---                        |
| Cable line                       | Fulai(3M)        | SF106             | 5216/6A       | ---                    | ---                        |
| Cable line                       | Fulai(3M)        | SF106             | 5217/6A       | ---                    | ---                        |

| 3M full-anechoic Chamber       |              |                   |               |                          |                            |
|--------------------------------|--------------|-------------------|---------------|--------------------------|----------------------------|
| Equipment                      | Manufacturer | Model No.         | Serial Number | Cal. date (mm-dd-yyyy)   | Cal. Due date (mm-dd-yyyy) |
| RSE Automatic test software    | JS Tonscend  | JS36-RSE          | 10166         | 06-19-2019               | 06-18-2020                 |
| Receiver                       | Keysight     | N9038A            | MY57290136    | 03-27-2019<br>03-05-2020 | 03-26-2020<br>03-04-2021   |
| Spectrum Analyzer              | Keysight     | N9020B            | MY57111112    | 03-27-2019<br>03-05-2020 | 03-26-2020<br>03-04-2021   |
| Spectrum Analyzer              | Keysight     | N9030B            | MY57140871    | 03-27-2019<br>03-05-2020 | 03-26-2020<br>03-04-2021   |
| TRILOG Broadband Antenna       | Schwarzbeck  | VULB 9163         | 9163-1148     | 04-25-2018               | 04-24-2021                 |
| Horn Antenna                   | Schwarzbeck  | BBHA 9170         | 9170-832      | 04-25-2018               | 04-24-2021                 |
| Horn Antenna                   | ETS-LINDGREN | 3117              | 00057407      | 07-10-2018               | 07-09-2021                 |
| Preamplifier                   | EMCI         | EMC184055SE       | 980596        | 05-22-2019               | 05-21-2020                 |
| Preamplifier                   | EMCI         | EMC001330         | 980563        | 05-08-2019               | 05-07-2020                 |
| Preamplifier                   | JS Tonscend  | 980380            | EMC051845 SE  | 01-16-2019<br>01-09-2020 | 01-15-2020<br>01-08-2021   |
| Temperature/Humidity Indicator | biaozhi      | GM1360            | EE1186631     | 04-30-2019               | 04-29-2020                 |
| Fully Anechoic Chamber         | TDK          | FAC-3             | ---           | 01-17-2018               | 01-16-2021                 |
| Filter bank                    | JS Tonscend  | JS0806-F          | 188060094     | 04-10-2018               | 04-09-2021                 |
| Cable line                     | Times        | SFT205-NMSM-2.50M | 394812-0001   | ---                      | ---                        |
| Cable line                     | Times        | SFT205-NMSM-2.50M | 394812-0002   | ---                      | ---                        |
| Cable line                     | Times        | SFT205-NMSM-2.50M | 394812-0003   | ---                      | ---                        |
| Cable line                     | Times        | SFT205-NMSM-2.50M | 393495-0001   | ---                      | ---                        |
| Cable line                     | Times        | EMC104-NMNM-1000  | SN160710      | ---                      | ---                        |
| Cable line                     | Times        | SFT205-NMSM-3.00M | 394813-0001   | ---                      | ---                        |
| Cable line                     | Times        | SFT205-NMNM-1.50M | 381964-0001   | ---                      | ---                        |
| Cable line                     | Times        | SFT205-NMSM-7.00M | 394815-0001   | ---                      | ---                        |
| Cable line                     | Times        | HF160-KMKM-3.00M  | 393493-0001   | ---                      | ---                        |

## 8 Radio Technical Requirements Specification

### Reference documents for testing:

| No. | Identity         | Document Title                                                     |
|-----|------------------|--------------------------------------------------------------------|
| 1   | FCC Part15C      | Subpart C-Intentional Radiators                                    |
| 2   | ANSI C63.10-2013 | American National Standard for Testing Unlicensed Wireless Devices |


### Test Results List:

| Test Requirement                  | Test method | Test item                                                         | Verdict | Note        |
|-----------------------------------|-------------|-------------------------------------------------------------------|---------|-------------|
| Part15C Section 15.247 (a)(2)     | ANSI C63.10 | 6dB Occupied Bandwidth                                            | PASS    | Appendix A) |
| Part15C Section 15.247 (b)(3)     | ANSI C63.10 | Conducted Peak Output Power                                       | PASS    | Appendix B) |
| Part15C Section 15.247(d)         | ANSI C63.10 | Band-edge for RF Conducted Emissions                              | PASS    | Appendix C) |
| Part15C Section 15.247(d)         | ANSI C63.10 | RF Conducted Spurious Emissions                                   | PASS    | Appendix D) |
| Part15C Section 15.247 (e)        | ANSI C63.10 | Power Spectral Density                                            | PASS    | Appendix E) |
| Part15C Section 15.203/15.247 (c) | ANSI C63.10 | Antenna Requirement                                               | PASS    | Appendix F) |
| Part15C Section 15.207            | ANSI C63.10 | AC Power Line Conducted Emission                                  | PASS    | Appendix G) |
| Part15C Section 15.205/15.209     | ANSI C63.10 | Restricted bands around fundamental frequency (Radiated Emission) | PASS    | Appendix H) |
| Part15C Section 15.205/15.209     | ANSI C63.10 | Radiated Spurious Emissions                                       | PASS    | Appendix I) |



## EUT DUTY CYCLE

| Duty Cycle    |           |            |               |
|---------------|-----------|------------|---------------|
| Configuration | TX ON(ms) | TX ALL(ms) | Duty Cycle(%) |
| BLE           | 1.000     | 1.000      | 100%          |



## Appendix A): 6dB Occupied Bandwidth

### Test Limit

According to §15.247(a)(2) and RSS-247 section 5.2(a)

### 6 dB Bandwidth :

|       |                          |
|-------|--------------------------|
| Limit | Shall be at least 500kHz |
|-------|--------------------------|


**Occupied Bandwidth(99%)** : For reporting purposes only.

### Test Procedure

Test method Refer as KDB 558074 D01 v04, section 8.1 and ANSI 63.10:2013 clause 6.9.2 & 6.9.3.

1. The EUT RF output connected to the spectrum analyzer by RF cable.
2. Setting maximum power transmit of EUT
3. SA set RBW = 100kHz, VBW = 300kHz and Detector = Peak, to measurement 6 dB Bandwidth.
4. SA set RBW = 30kHz, VBW = 100kHz and Detector = Peak, to measurement 99% Bandwidth.
5. Measure and record the result of 6 dB Bandwidth and 99% Bandwidth. in the test report.

### Test Setup



**Test Result**

**6dB Bandwidth**

| Mode | Channel | 6dB Bandwidth [MHz] | Verdict |
|------|---------|---------------------|---------|
| BLE  | LCH     | 0.7172              | PASS    |
| BLE  | MCH     | 0.7207              | PASS    |
| BLE  | HCH     | 0.7331              | PASS    |

**99%OBW**

| Mode | Channel | 99% OBW[MHz] | Verdict |
|------|---------|--------------|---------|
| BLE  | LCH     | 1.0468       | PASS    |
| BLE  | MCH     | 1.0569       | PASS    |
| BLE  | HCH     | 1.0534       | PASS    |


## Test Graphs

### 6dB Bandwidth



**99%OBW**

Graphs

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LCH |  <p>Center Freq 2.402000000 GHz</p> <p>Ref Offset 19.6 dB<br/>Ref 10.00 dBm</p> <p>Center 2.402 GHz<br/>#Res BW 30 kHz</p> <p>#VBW 100 kHz<br/>Span 3 MHz<br/>Sweep 3.2 ms</p> <p>Occupied Bandwidth 1.0468 MHz</p> <p>Total Power 4.47 dBm</p> <p>Transmit Freq Error 58.497 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 626.4 kHz</p> <p>x dB -6.00 dB</p>   |
| MCH |  <p>Center Freq 2.440000000 GHz</p> <p>Ref Offset 19.77 dB<br/>Ref 10.00 dBm</p> <p>Center 2.44 GHz<br/>#Res BW 30 kHz</p> <p>#VBW 100 kHz<br/>Span 3 MHz<br/>Sweep 3.2 ms</p> <p>Occupied Bandwidth 1.0569 MHz</p> <p>Total Power -0.29 dBm</p> <p>Transmit Freq Error 56.614 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 676.2 kHz</p> <p>x dB -6.00 dB</p> |
| HCH |  <p>Center Freq 2.480000000 GHz</p> <p>Ref Offset 19.77 dB<br/>Ref 0.00 dBm</p> <p>Center 2.48 GHz<br/>#Res BW 30 kHz</p> <p>#VBW 100 kHz<br/>Span 3 MHz<br/>Sweep 3.2 ms</p> <p>Occupied Bandwidth 1.0534 MHz</p> <p>Total Power 1.36 dBm</p> <p>Transmit Freq Error 59.372 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 698.3 kHz</p> <p>x dB -6.00 dB</p>  |



## Appendix B): Conducted Peak Output Power

### Test Limit

According to §15.247(b) and RSS-247 section 5.4(d)

### Peak output power :

For systems using digital modulation in the 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt(30 dBm), base on the use of antennas with directional gain not exceed 6 dBi If transmitting antennas of directional gain greater than 6dBi are used the peak output power the conducted output power from the intentional radiator shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. In case of point-to-point operation, the limit has to be reduced by 1dB for every 3 dB that the directional gain of the antenna exceeds 6 dBi.


|       |                                                                                                                                                                                                                       |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Limit | <input checked="" type="checkbox"/> Antenna not exceed 6 dBi : 30dBm<br><input type="checkbox"/> Antenna with DG greater than 6 dBi<br>[ Limit = 30 – (DG – 6) ]<br><input type="checkbox"/> Point-to-point operation |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Test Procedure

Test method Refer as KDB 558074 D01 v04, section 9.1.2.

1. The EUT RF output connected to spectrum analyzer by RF cable.
2. Setting maximum power transmit of EUT.
3. Spectrum analyzer settings are as follows:
  - a) Set the  $RBW \geq DTS$  bandwidth.
  - b) Set  $VBW \geq [3 \times RBW]$ .
  - c) Set  $span \geq [3 \times RBW]$ .
  - d) Sweep time = auto couple.
  - e) Detector = peak.
  - f) Trace mode = max hold.
  - g) Allow trace to fully stabilize.
  - h) Use peak marker function to determine the peak amplitude level
4. Measure and record the result in the test report.


### Test Setup



**Test Result**

| Mode | Channel | Conduct Peak Power[dBm] | Verdict |
|------|---------|-------------------------|---------|
| BLE  | LCH     | -3.363                  | PASS    |
| BLE  | MCH     | -3.518                  | PASS    |
| BLE  | HCH     | -6.121                  | PASS    |

## Test Graphs



## Appendix C): Band-edge for RF Conducted Emissions

### Test Limit

According to §15.247(d) and RSS-247 section 5.5

In any 100 kHz bandwidth outside the authorized frequency band,

Non-restricted bands shall be attenuated at least 20 dB/30 dB relative to the maximum PSD level in 100 kHz by RF conducted or a radiated measurement which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

### Test Procedure

Test method Refer as KDB 558074 D01 v04, Section 11.

1. EUT RF output port connected to the SA by RF cable, and the path loss was compensated to result.
2. SA setting, RBW=100kHz, VBW=300kHz, Detector=Peak, Trace mode = max hold, SWT = Auto.
3. In any 100 kHz bandwidth outside the authorized frequency band, shall be attenuated at least 20 dB relative to the maximum in-band peak PSD level in 100 kHz when conducted power procedure is used. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.


### Test Setup



## Result Table

| Mode | Channel | Carrier Power[dBm] | Max.Spurious Level [dBm] | Limit [dBm] | Verdict |
|------|---------|--------------------|--------------------------|-------------|---------|
| BLE  | LCH     | -3.824             | -59.152                  | -23.82      | PASS    |
| BLE  | HCH     | -7.128             | -59.085                  | -27.13      | PASS    |

## Test Graphs





## **Appendix D): RF Conducted Spurious Emissions**

### **Test Limit**

According to §15.247(d) and RSS-247 section 5.5

In any 100 kHz bandwidth outside the authorized frequency band,


Non-restricted bands shall be attenuated at least 20 dB/30 dB relative to the maximum PSD level in 100 kHz by RF conducted or a radiated measurement which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

### **Test Procedure**

Test method Refer as KDB 558074 D01 v04, Section 11.

1. EUT RF output port connected to the SA by RF cable, and the path loss was compensated to result.
2. SA setting, RBW=100kHz, VBW=300kHz, Detector=Peak, Trace mode = max hold, SWT = Auto.
3. In any 100 kHz bandwidth outside the authorized frequency band, shall be attenuated at least 20 dB relative to the maximum in-band peak PSD level in 100 kHz when conducted power procedure is used. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.


### **Test Setup**





## Result Table

| Mode | Channel | Pref [dBm] | Puw[dBm] | Verdict |
|------|---------|------------|----------|---------|
| BLE  | LCH     | -4.187     | <Limit   | PASS    |
| BLE  | MCH     | -9         | <Limit   | PASS    |
| BLE  | HCH     | -7.037     | <Limit   | PASS    |

## Test Graphs







## Appendix E): Power Spectral Density

### Test Limit

According to §15.247(e) and RSS-247 section 5.2(b)

For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission.

|       |                                                                                                                                                                                                                       |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Limit | <input checked="" type="checkbox"/> Antenna not exceed 6 dBi : 8dBm<br><input type="checkbox"/> Antenna with DG greater than 6 dBi<br>[ Limit = 8 – (DG – 6) ]<br><input type="checkbox"/> Point-to-point operation : |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


### Test Procedure

Test method Refer as KDB 558074 D01 v04, Section 10.2

1. The EUT RF output connected to the spectrum analyzer by RF cable.
2. Setting maximum power transmit of EUT
3. SA set RBW = 3kHz, VBW = 10kHz, Span = 1.5 times DTS Bandwidth (6 dB BW), Detector = Peak, Sweep Time = Auto and Trace = Max hold.
4. The path loss and Duty Factor were compensated to the results for each measurement by SA.
5. Mark the maximum level.

Measure and record the result of power spectral density. in the test report.

### Test Setup





**Result Table**

| Mode | Channel | PSD [dBm] | Verdict |
|------|---------|-----------|---------|
| BLE  | LCH     | -14.546   | PASS    |
| BLE  | MCH     | -16.786   | PASS    |
| BLE  | HCH     | -16.982   | PASS    |

## Test Graphs



## Appendix F): Antenna Requirement



### 15.203 requirement:


An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

### 15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### EUT Antenna:





The antenna type is external whip antenna with reverse SMA connector. It is compliant with the requirement for 15.203  
The best case gain of the antenna is 5 dBi.



## Appendix G): AC Power Line Conducted Emission

| Test Procedure:       | <p>Test frequency range :150KHz-30MHz</p> <p>1)The mains terminal disturbance voltage test was conducted in a shielded room.</p> <p>2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.</p> <p>3)The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,</p> <p>4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.</p> <p>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.</p> |                       |              |  |            |         |          |           |           |       |    |    |      |    |    |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------|--|------------|---------|----------|-----------|-----------|-------|----|----|------|----|----|
| Limit:                | <table><tr><th rowspan="2">Frequency range (MHz)</th><th colspan="2">Limit (dBμV)</th></tr><tr><th>Quasi-peak</th><th>Average</th></tr><tr><td>0.15-0.5</td><td>66 to 56*</td><td>56 to 46*</td></tr><tr><td>0.5-5</td><td>56</td><td>46</td></tr><tr><td>5-30</td><td>60</td><td>50</td></tr></table> <p>* The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.</p> <p>NOTE : The lower limit is applicable at the transition frequency</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Frequency range (MHz) | Limit (dBμV) |  | Quasi-peak | Average | 0.15-0.5 | 66 to 56* | 56 to 46* | 0.5-5 | 56 | 46 | 5-30 | 60 | 50 |
| Frequency range (MHz) | Limit (dBμV)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |              |  |            |         |          |           |           |       |    |    |      |    |    |
|                       | Quasi-peak                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Average               |              |  |            |         |          |           |           |       |    |    |      |    |    |
| 0.15-0.5              | 66 to 56*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 56 to 46*             |              |  |            |         |          |           |           |       |    |    |      |    |    |
| 0.5-5                 | 56                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 46                    |              |  |            |         |          |           |           |       |    |    |      |    |    |
| 5-30                  | 60                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 50                    |              |  |            |         |          |           |           |       |    |    |      |    |    |

### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.




**Product** : LED Video Light

**Model/Type reference** : VL150

**Temperature** : 24°C


**Humidity** : 52%

Live line:



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV | Limit<br>dBuV | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|--------------------------|---------------|--------------|----------|---------|
| 1   |     | 0.1675       | 36.52                    | 9.99                    | 46.51                    | 55.08         | -8.57        | AVG      |         |
| 2   | *   | 0.1853       | 49.50                    | 10.01                   | 59.51                    | 64.24         | -4.73        | QP       |         |
| 3   |     | 0.2505       | 28.26                    | 10.06                   | 38.32                    | 51.74         | -13.42       | AVG      |         |
| 4   |     | 0.3613       | 36.84                    | 10.04                   | 46.88                    | 58.70         | -11.82       | QP       |         |
| 5   |     | 0.4490       | 24.04                    | 10.00                   | 34.04                    | 46.89         | -12.85       | AVG      |         |
| 6   |     | 0.7873       | 30.94                    | 9.88                    | 40.82                    | 56.00         | -15.18       | QP       |         |
| 7   |     | 0.9996       | 18.69                    | 9.91                    | 28.60                    | 46.00         | -17.40       | AVG      |         |
| 8   |     | 1.1779       | 28.54                    | 9.90                    | 38.44                    | 56.00         | -17.56       | QP       |         |
| 9   |     | 1.8286       | 27.62                    | 9.84                    | 37.46                    | 56.00         | -18.54       | QP       |         |
| 10  |     | 2.5807       | 23.14                    | 9.83                    | 32.97                    | 46.00         | -13.03       | AVG      |         |
| 11  |     | 4.0274       | 25.87                    | 9.83                    | 35.70                    | 46.00         | -10.30       | AVG      |         |
| 12  |     | 4.0918       | 27.50                    | 9.83                    | 37.33                    | 56.00         | -18.67       | QP       |         |

Neutral line:



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV | Limit<br>dBuV | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|--------------------------|---------------|--------------|----------|---------|
| 1   |     | 0.1500       | 49.84                    | 9.97                    | 59.81                    | 66.00         | -6.19        | QP       |         |
| 2   |     | 0.1675       | 38.32                    | 9.99                    | 48.31                    | 55.08         | -6.77        | AVG      |         |
| 3   | *   | 0.1901       | 49.00                    | 10.01                   | 59.01                    | 64.03         | -5.02        | QP       |         |
| 4   |     | 0.2480       | 29.49                    | 10.06                   | 39.55                    | 51.82         | -12.27       | AVG      |         |
| 5   |     | 0.3519       | 34.78                    | 10.05                   | 44.83                    | 58.92         | -14.09       | QP       |         |
| 6   |     | 0.4466       | 23.25                    | 10.00                   | 33.25                    | 46.94         | -13.69       | AVG      |         |
| 7   |     | 0.4490       | 32.95                    | 10.00                   | 42.95                    | 56.89         | -13.94       | QP       |         |
| 8   |     | 0.8129       | 19.13                    | 9.91                    | 29.04                    | 46.00         | -16.96       | AVG      |         |
| 9   |     | 0.8173       | 29.51                    | 9.91                    | 39.42                    | 56.00         | -16.58       | QP       |         |
| 10  |     | 1.8000       | 18.57                    | 9.85                    | 28.42                    | 46.00         | -17.58       | AVG      |         |
| 11  |     | 2.5400       | 28.21                    | 9.83                    | 38.04                    | 56.00         | -17.96       | QP       |         |
| 12  |     | 3.7000       | 25.73                    | 9.83                    | 35.56                    | 46.00         | -10.44       | AVG      |         |

Notes:

1. The following Quasi-Peak and Average measurements were performed on the EUT:
2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.


## Appendix H): Restricted bands around fundamental frequency (Radiated)

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                    |                  |        |            |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------|--------|------------|
| Receiver Setup: | Frequency                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Detector           | RBW              | VBW    | Remark     |
|                 | 30MHz-1GHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Quasi-peak         | 120kHz           | 300kHz | Quasi-peak |
|                 | Above 1GHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Peak               | 1MHz             | 3MHz   | Peak       |
|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Peak               | 1MHz             | 10Hz   | Average    |
| Test Procedure: | <p><b>Below 1GHz test procedure as below:</b></p> <p>Test method Refer as KDB 558074 D01 v04, Section 12.1</p> <ol style="list-style-type: none"> <li>The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.</li> <li>The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.</li> <li>For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable was turned from 0 degrees to 360 degrees to find the maximum reading.</li> <li>The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</li> <li>Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel</li> </ol> <p><b>Above 1GHz test procedure as below:</b></p> <ol style="list-style-type: none"> <li>Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber change form table 0.8 meter to 1.5 meter( Above 18GHz the distance is 1 meter and table is 1.5 meter).</li> <li>. Test the EUT in the lowest channel , the Highest channel</li> <li>The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is worse case.</li> <li>Repeat above procedures until all frequencies measured was complete.</li> </ol> |                    |                  |        |            |
| Limit:          | Frequency                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Limit (dBμV/m @3m) | Remark           |        |            |
|                 | 30MHz-88MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 40.0               | Quasi-peak Value |        |            |
|                 | 88MHz-216MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 43.5               | Quasi-peak Value |        |            |
|                 | 216MHz-960MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 46.0               | Quasi-peak Value |        |            |
|                 | 960MHz-1GHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 54.0               | Quasi-peak Value |        |            |
|                 | Above 1GHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 54.0               | Average Value    |        |            |
|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 74.0               | Peak Value       |        |            |

**Test plot as follows:**

|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2402 |
| Remark: | PK                    |          |      |

**Test Graph**




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 47.37          | 49.87          | 74.00          | 24.13       | Pass   | Horizontal |
| 2  | 2402.2892   | 32.26           | 13.31           | -43.12          | 78.30          | 80.75          | 74.00          | -6.75       | Pass   | Horizontal |



|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2402 |
| Remark: | PK                    |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 48.68          | 51.18          | 74.00          | 22.82       | Pass   | Vertical |
| 2  | 2401.8205   | 32.26           | 13.31           | -43.12          | 83.56          | 86.01          | 74.00          | -12.01      | Pass   | Vertical |



|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2402 |
| Remark: | AV                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 36.15          | 38.65          | 54.00          | 15.35       | Pass   | Horizontal |
| 2  | 2402.0801   | 32.26           | 13.31           | -43.12          | 76.70          | 79.15          | 54.00          | -25.15      | Pass   | Horizontal |

|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2402 |
| Remark: | AV                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2390.0000   | 32.25           | 13.37           | -43.12          | 36.40          | 38.90          | 54.00          | 15.10       | Pass   | Vertical |
| 2  | 2402.0865   | 32.26           | 13.31           | -43.12          | 82.93          | 85.38          | 54.00          | -31.38      | Pass   | Vertical |

|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2480 |
| Remark: | PK                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2480.3630   | 32.37           | 13.39           | -43.10          | 72.15          | 74.81          | 74.00          | -0.81       | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 49.01          | 51.66          | 74.00          | 22.34       | Pass   | Horizontal |

|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2480 |
| Remark: | PK                    |          |      |


### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2480.3630   | 32.37           | 13.39           | -43.10          | 77.49          | 80.15          | 74.00          | -6.15       | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 48.57          | 51.22          | 74.00          | 22.78       | Pass   | Vertical |

|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2480 |
| Remark: | AV                    |          |      |

### Test Graph




| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|------------|
| 1  | 2480.0851   | 32.37           | 13.39           | -43.10          | 71.22          | 73.88          | 54.00          | -19.88      | Pass   | Horizontal |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 36.19          | 38.84          | 54.00          | 15.16       | Pass   | Horizontal |



|         |                       |          |      |
|---------|-----------------------|----------|------|
| Mode:   | BLE GFSK Transmitting | Channel: | 2480 |
| Remark: | AV                    |          |      |

### Test Graph



| NO | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB] | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity |
|----|-------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|
| 1  | 2480.0851   | 32.37           | 13.39           | -43.10          | 76.63          | 79.29          | 54.00          | -25.29      | Pass   | Vertical |
| 2  | 2483.5000   | 32.38           | 13.38           | -43.11          | 36.23          | 38.88          | 54.00          | 15.12       | Pass   | Vertical |

### Note:

1) Through Pre-scan Non-hopping transmitting mode and charge+transmitter mode with all kind of data type, find the DH5 of data type is the worse case of GFSK modulation type in charge + transmitter mode.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading - Correct Factor

Correct Factor = Preamplifier Factor - Antenna Factor - Cable Factor

## Appendix I) Radiated Spurious Emissions

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                   |                                  |                |            |                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------|----------------|------------|--------------------------|
| Receiver Setup:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Frequency         | Detector                         | RBW            | VBW        | Remark                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.009MHz-0.090MHz | Peak                             | 10kHz          | 30kHz      | Peak                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.009MHz-0.090MHz | Average                          | 10kHz          | 30kHz      | Average                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.090MHz-0.110MHz | Quasi-peak                       | 10kHz          | 30kHz      | Quasi-peak               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.110MHz-0.490MHz | Peak                             | 10kHz          | 30kHz      | Peak                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.110MHz-0.490MHz | Average                          | 10kHz          | 30kHz      | Average                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.490MHz -30MHz   | Quasi-peak                       | 10kHz          | 30kHz      | Quasi-peak               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 30MHz-1GHz        | Quasi-peak                       | 120kHz         | 300kHz     | Quasi-peak               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Above 1GHz        | Peak                             | 1MHz           | 3MHz       | Peak                     |
| Peak                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                   | 1MHz                             | 10Hz           | Average    |                          |
| Test Procedure:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                   |                                  |                |            |                          |
| Below 1GHz test procedure as below:<br>Test method Refer as KDB 558074 D01 v04, Section 12.1<br>a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.<br>b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.<br>c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.<br>d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable was turned from 0 degrees to 360 degrees to find the maximum reading.<br>e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.<br>f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. |                   |                                  |                |            |                          |
| Above 1GHz test procedure as below:<br>g. Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber and change form table 0.8 meter to 1.5 meter( Above 18GHz the distance is 1 meter and table is 1.5 meter).<br>h. Test the EUT in the lowest channel ,the middle channel ,the Highest channel<br>i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is worse case.<br>j. Repeat above procedures until all frequencies measured was complete.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                   |                                  |                |            |                          |
| Limit:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Frequency         | Field strength (microvolt/meter) | Limit (dBμV/m) | Remark     | Measurement distance (m) |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.009MHz-0.490MHz | 2400/F(kHz)                      | -              | -          | 300                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0.490MHz-1.705MHz | 24000/F(kHz)                     | -              | -          | 30                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1.705MHz-30MHz    | 30                               | -              | -          | 30                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 30MHz-88MHz       | 100                              | 40.0           | Quasi-peak | 3                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 88MHz-216MHz      | 150                              | 43.5           | Quasi-peak | 3                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 216MHz-960MHz     | 200                              | 46.0           | Quasi-peak | 3                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 960MHz-1GHz       | 500                              | 54.0           | Quasi-peak | 3                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Above 1GHz        | 500                              | 54.0           | Average    | 3                        |
| Note: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                   |                                  |                |            |                          |

# Radiated Spurious Emissions test Data: Radiated Emission below 1GHz

| Mode: |             |                 | BLE GFSK Transmitting |                 |                |                |                | Channel:    |        | 2440     |        |
|-------|-------------|-----------------|-----------------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO    | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB]       | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1     | 144.6655    | 7.36            | 1.42                  | -32.00          | 57.91          | 34.69          | 43.50          | 8.81        | Pass   | H        | PK     |
| 2     | 192.7823    | 10.21           | 1.63                  | -31.95          | 50.74          | 30.63          | 43.50          | 12.87       | Pass   | H        | PK     |
| 3     | 360.0270    | 14.52           | 2.27                  | -31.84          | 43.77          | 28.72          | 46.00          | 17.28       | Pass   | H        | PK     |
| 4     | 467.9988    | 16.49           | 2.58                  | -31.87          | 41.72          | 28.92          | 46.00          | 17.08       | Pass   | H        | PK     |
| 5     | 610.0210    | 19.08           | 2.96                  | -32.06          | 40.21          | 30.19          | 46.00          | 15.81       | Pass   | H        | PK     |
| 6     | 974.9715    | 22.55           | 3.75                  | -30.95          | 36.64          | 31.99          | 54.00          | 22.01       | Pass   | H        | PK     |
| 7     | 44.2604     | 13.07           | 0.75                  | -31.66          | 50.67          | 32.83          | 40.00          | 7.17        | Pass   | V        | PK     |
| 8     | 108.3838    | 10.92           | 1.23                  | -32.05          | 41.85          | 21.95          | 43.50          | 21.55       | Pass   | V        | PK     |
| 9     | 144.6655    | 7.36            | 1.42                  | -32.00          | 51.97          | 28.75          | 43.50          | 14.75       | Pass   | V        | PK     |
| 10    | 360.0270    | 14.52           | 2.27                  | -31.84          | 46.28          | 31.23          | 46.00          | 14.77       | Pass   | V        | PK     |
| 11    | 649.9890    | 19.40           | 3.10                  | -32.07          | 37.03          | 27.46          | 46.00          | 18.54       | Pass   | V        | PK     |
| 12    | 974.9715    | 22.55           | 3.75                  | -30.95          | 36.16          | 31.51          | 54.00          | 22.49       | Pass   | V        | PK     |

**Transmitter Emission above 1GHz**

| Mode: |             |                 | BLE GFSK Transmitting |                 |                |                |                | Channel:    |        | 2402     |        |
|-------|-------------|-----------------|-----------------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO    | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB]       | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1     | 1798.0798   | 30.37           | 3.32                  | -42.72          | 59.67          | 50.64          | 74.00          | 23.36       | Pass   | H        | PK     |
| 2     | 2987.7988   | 33.18           | 4.51                  | -43.10          | 53.61          | 48.20          | 74.00          | 25.80       | Pass   | H        | PK     |
| 3     | 4804.0000   | 34.50           | 4.55                  | -42.80          | 55.84          | 52.09          | 74.00          | 21.91       | Pass   | H        | PK     |
| 4     | 7206.0000   | 36.31           | 5.81                  | -42.16          | 51.54          | 51.50          | 74.00          | 22.50       | Pass   | H        | PK     |
| 5     | 9608.0000   | 37.64           | 6.63                  | -42.10          | 46.08          | 48.25          | 74.00          | 25.75       | Pass   | H        | PK     |
| 6     | 12010.0000  | 39.31           | 7.60                  | -41.90          | 46.20          | 51.21          | 74.00          | 22.79       | Pass   | H        | PK     |
| 7     | 2199.9200   | 31.98           | 3.65                  | -43.16          | 57.98          | 50.45          | 74.00          | 23.55       | Pass   | V        | PK     |
| 8     | 3064.0043   | 33.23           | 4.80                  | -43.11          | 49.96          | 44.88          | 74.00          | 29.12       | Pass   | V        | PK     |
| 9     | 4804.0000   | 34.50           | 4.55                  | -42.80          | 57.86          | 54.11          | 74.00          | 19.89       | Pass   | V        | PK     |
| 10    | 7206.0000   | 36.31           | 5.81                  | -42.16          | 55.41          | 55.37          | 74.00          | 18.63       | Pass   | V        | PK     |
| 11    | 9608.0000   | 37.64           | 6.63                  | -42.10          | 46.60          | 48.77          | 74.00          | 25.23       | Pass   | V        | PK     |
| 12    | 12010.0000  | 39.31           | 7.60                  | -41.90          | 46.80          | 51.81          | 74.00          | 22.19       | Pass   | V        | PK     |

| Mode: |             |                 | BLE GFSK Transmitting |                 |                |                |                | Channel:    |        | 2440     |        |
|-------|-------------|-----------------|-----------------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO    | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB]       | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1     | 1999.5000   | 31.70           | 3.47                  | -43.20          | 57.71          | 49.68          | 74.00          | 24.32       | Pass   | H        | PK     |
| 2     | 2845.1845   | 32.95           | 4.23                  | -43.10          | 56.21          | 50.29          | 74.00          | 23.71       | Pass   | H        | PK     |
| 3     | 4880.0000   | 34.50           | 4.80                  | -42.80          | 55.76          | 52.26          | 74.00          | 21.74       | Pass   | H        | PK     |
| 4     | 7320.0000   | 36.42           | 5.85                  | -42.14          | 52.80          | 52.93          | 74.00          | 21.07       | Pass   | H        | PK     |
| 5     | 9760.0000   | 37.70           | 6.73                  | -42.10          | 46.57          | 48.90          | 74.00          | 25.10       | Pass   | H        | PK     |
| 6     | 12200.0000  | 39.42           | 7.67                  | -41.90          | 45.62          | 50.81          | 74.00          | 23.19       | Pass   | H        | PK     |
| 7     | 1894.0894   | 31.00           | 3.42                  | -42.94          | 55.87          | 47.35          | 74.00          | 26.65       | Pass   | V        | PK     |
| 8     | 2198.7199   | 31.98           | 3.65                  | -43.16          | 56.78          | 49.25          | 74.00          | 24.75       | Pass   | V        | PK     |
| 9     | 4881.1254   | 34.50           | 4.80                  | -42.80          | 59.64          | 56.14          | 74.00          | 17.86       | Pass   | V        | PK     |
| 10    | 7321.2881   | 36.42           | 5.85                  | -42.13          | 59.69          | 59.83          | 74.00          | 14.17       | Pass   | V        | PK     |
| 11    | 9764.0000   | 37.71           | 6.71                  | -42.10          | 48.03          | 50.35          | 74.00          | 23.65       | Pass   | V        | PK     |
| 12    | 12205.0000  | 39.42           | 7.67                  | -41.89          | 45.82          | 51.02          | 74.00          | 22.98       | Pass   | V        | PK     |
| 13    | 4881.0767   | 34.50           | 4.80                  | -42.80          | 46.73          | 43.23          | 54.00          | 10.77       | Pass   | V        | AV     |
| 14    | 7321.2395   | 36.42           | 5.85                  | -42.14          | 47.25          | 47.38          | 54.00          | 6.62        | Pass   | V        | AV     |

| Mode: |             |                 | BLE GFSK Transmitting |                 |                |                |                | Channel:    |        | 2480     |        |
|-------|-------------|-----------------|-----------------------|-----------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO    | Freq. [MHz] | Ant Factor [dB] | Cable loss [dB]       | Pream gain [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1     | 1996.4997   | 31.68           | 3.47                  | -43.20          | 57.78          | 49.73          | 74.00          | 24.27       | Pass   | H        | PK     |
| 2     | 2950.3950   | 33.12           | 4.40                  | -43.10          | 51.64          | 46.06          | 74.00          | 27.94       | Pass   | H        | PK     |
| 3     | 4960.0000   | 34.50           | 4.82                  | -42.80          | 56.09          | 52.61          | 74.00          | 21.39       | Pass   | H        | PK     |
| 4     | 7440.0000   | 36.54           | 5.85                  | -42.11          | 53.04          | 53.32          | 74.00          | 20.68       | Pass   | H        | PK     |
| 5     | 9920.0000   | 37.77           | 6.79                  | -42.10          | 46.91          | 49.37          | 74.00          | 24.63       | Pass   | H        | PK     |
| 6     | 12400.0000  | 39.54           | 7.86                  | -41.90          | 48.39          | 53.89          | 74.00          | 20.11       | Pass   | H        | PK     |
| 7     | 1597.4597   | 29.04           | 3.07                  | -42.90          | 58.16          | 47.37          | 74.00          | 26.63       | Pass   | V        | PK     |
| 8     | 2192.5193   | 31.97           | 3.65                  | -43.16          | 56.88          | 49.34          | 74.00          | 24.66       | Pass   | V        | PK     |
| 9     | 4960.0000   | 34.50           | 4.82                  | -42.80          | 59.79          | 56.31          | 74.00          | 17.69       | Pass   | V        | PK     |
| 10    | 7440.0000   | 36.54           | 5.85                  | -42.11          | 58.27          | 58.55          | 74.00          | 15.45       | Pass   | V        | PK     |
| 11    | 9920.0000   | 37.77           | 6.79                  | -42.10          | 46.10          | 48.56          | 74.00          | 25.44       | Pass   | V        | PK     |
| 12    | 12400.0000  | 39.54           | 7.86                  | -41.90          | 47.50          | 53.00          | 74.00          | 21.00       | Pass   | V        | PK     |
| 13    | 4961.0812   | 34.50           | 4.82                  | -42.80          | 46.79          | 43.31          | 54.00          | 10.69       | Pass   | V        | AV     |
| 14    | 7440.2471   | 36.54           | 5.85                  | -42.11          | 51.84          | 52.12          | 54.00          | 1.88        | Pass   | V        | AV     |

**Note:**

1) Through Pre-scan Non-hopping transmitting mode and charge+transmitter mode with all kind of data type, find the DH5 of data type is the worse case of GFSK modulation type in charge + transmitter mode.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading - Correct Factor

Correct Factor = Preamplifier Factor - Antenna Factor - Cable Factor

3) Scan from 9kHz to 25GHz, the disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.