

FCC Test Report

Report No.: AGC02787260301FR01

FCC ID : 2ABYN098

APPLICATION PURPOSE : Original Equipment

PRODUCT DESIGNATION : Master Headset

BRAND NAME : 

MODEL NAME : SkyTalk-M

APPLICANT : GODOX PHOTO EQUIPMENT CO.,LTD

DATE OF ISSUE : 24 Apr. 2026

STANDARD(S) : FCC Part 15 Subpart D §15.323

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	24 Apr. 2026	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Table of Contents

1. General Information	5
2. Product Information	6
2.1 Product Technical Description	6
2.2 Test Frequency List	6
2.3 Related Submittal(S) / Grant (S)	7
2.4 Test Methodology	7
2.5 Automatic Discontinuation of Transmission	7
2.6 Digital Modulation Techniques	8
2.7 Special Accessories	8
2.8 Equipment Modifications	8
2.9 Antenna Requirement.....	8
3. Test Environment	9
3.1 Address of The Test Laboratory	9
3.2 Test Facility	9
3.3 Environmental Conditions	10
3.4 Measurement Uncertainty	10
3.5 List of Equipment Used	11
4. System Test Configuration.....	13
4.1 EUT Configuration.....	13
4.2 EUT Exercise.....	13
4.3 Configuration of Tested System	13
4.4 Equipment Used in Tested System.....	13
4.5 Summary of Test Results	14
5. Description of Test Modes	15
6. 26dB Emission Bandwidth & 99% Occupied Bandwidth.....	16
6.1 Provisions Applicable	16
6.2 Measurement Procedure.....	16
6.3 Measurement Setup (Block Diagram of Configuration)	16
6.4 Measurement Result	17
7. Peak Transmit Power and Antenna Gain	21
7.1 Provisions Applicable	21
7.2 Measurement Procedure.....	21
7.3 Measurement Setup (Block Diagram of Configuration)	21
7.4 Measurement Result	22
8. Power Spectral Density	26
8.1 Provisions Applicable	26
8.2 Measurement Procedure.....	26
8.2 Measurement Setup (Block Diagram of Configuration)	26
8.3 Measurement Result	27
9. In-Band Unwanted Emissions	31

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9.1 Provisions Applicable	31
9.2 Measurement Procedure.....	31
9.3 Measurement Setup (Block Diagram of Configuration)	31
9.4 Measurement Result	32
10. Out-of-Band Unwanted Emissions.....	35
10.1 Provisions Applicable	35
10.2 Measurement Procedure.....	35
10.3 Measurement Setup (Block Diagram of Configuration)	35
10.4 Measurement Result	36
11. Radiated Emission	50
11.1 Limits of Radiated Emission Test	50
11.2 Measurement Procedure	50
11.3 Measurement Setup (Block Diagram of Configuration)	52
11.4 Measurement Result	53
12. AC Power Line Conducted Emission.....	69
12.1 Limits of Line Conducted Emission Test	69
12.2 Measurement Setup (Block Diagram of Configuration)	69
12.3 Preliminary Procedure of Line Conducted Emission Test	70
12.4 Final Procedure of Line Conducted Emission Test	70
12.5 Measurement Result	70
13. Carrier Frequency Stability	73
13.1 Provisions Applicable	73
13.2 Measurement Procedure.....	73
13.3 Measurement Setup (Block Diagram of Configuration)	73
13.4 Measurement Result	74
14. Specific Requirements for UPCS Device.....	77
14.1 Monitoring Time Requirements	77
14.2 Lowest Monitoring Threshold Requirements	78
14.3 Acknowledgements and Transmission Duration Requirements	79
14.4 Least Interfered Channel (LIC) Selection Requirements.....	80
14.5 Random Waiting Requirements	82
14.6 Monitoring Bandwidth Requirements	83
14.7 Monitoring Antenna Requirements.....	84
14.8 Dual Access Criteria Check Requirements	85
14.9 Alternative Monitoring Interval for Co-Located Devices Requirements	86
14.10 Frame Repetition Stability And Period And Jitter	87
Appendix I: Photographs of Test Setup.....	89
Appendix II: Photographs of Test EUT	89

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

1. General Information

Applicant	GODOX PHOTO EQUIPMENT CO.,LTD
Address	1st to 4th Floor, Building 2/1st to 4th Floor, Building 4, Yaochuan Industrial Zone, Tangwei Community, Fuhai Street, Baoan District, Shenzhen, 518103 China
Manufacturer	GODOX Photo Equipment Co.,Ltd.
Address	4th Floor of Building 1, 1st to 4th Floor of Building 2, 4th Floor of Building 3,1st to 4th Floor of Building 4, Yaochuan Industrial Zone, Tangwei Community, Fuhai Street, Bao'an District, Shenzhen 518103,China
Factory	GODOX Photo Equipment Co.,Ltd.
Address	4th Floor of Building 1, 1st to 4th Floor of Building 2, 4th Floor of Building 3,1st to 4th Floor of Building 4, Yaochuan Industrial Zone, Tangwei Community, Fuhai Street, Bao'an District, Shenzhen 518103,China
Product Designation	Master Headset
Brand Name	
Test Model	SkyTalk-M
Series Model	N/A
Difference Description	N/A
Date of receipt of test item	10 Mar. 2026
Date of Test	16 Mar. 2026~24 Apr. 2026
Deviation from Standard	No any deviation from the test method
Condition of Test Sample	Normal
Test Result	Pass
Test Report Form No	AGCER-FCC-DECT-V1

Note: The test results of this report relate only to the tested sample identified in this report.

Prepared By



Bibo Zhang

(Project Engineer)

24 Apr. 2026

Reviewed By



Jack Gui

(Reviewer)

24 Apr. 2026

Approved By



Angela Li

(Authorized Officer)

24 Apr. 2026

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

2. Product Information

2.1 Product Technical Description

Equipment Type	Portable Part (FP)*
Frequency Band	1920 MHz to 1930 MHz
Operation Frequency Range	1921.536 MHz to 1928.448 MHz
Hardware Version	20230721H54
Software Version	V1.0
Type of Modulation	Digital (Gaussian Frequency Shift Keying)
Modulation Technique	GFSK
Number of channels	5 RF Channels, $5 \times 12 = 60$ TDMA Duplex Channels
Channel Separation	1728 kHz
Emission Designator	F7D
Maximum Transmitter Power	17.05dBm
Antenna Designation	Ant 1: Rod Ant 2: PCB
Antenna Gain	Ant 1: -0.88dBi Ant 2: -0.33dBi
Power Supply	Input: DC5V 600mA Li-ion Battery: 3.8V 760mAh 2.888Wh
Test Sample Number	260310164

Note: "*" indicates that this device is Hybrid Part (HyP) (a PP with capability to act as a FP to provide PP to PP communication).

2.2 Test Frequency List

Frequency Band	Channel Number	Frequency
1920~1930MHz	0	1928.448 MHz
	1	1926.720 MHz
	2	1924.992 MHz
	3	1923.264 MHz
	4	1921.536 MHz

Note: All channels operation in the 1920-1930 MHz band, meeting the requirement of FCC 47 CFR Part 15.303

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

2.3 Related Submittal(S) / Grant (S)

This submittal(s) (test report) is intended for FCC ID: 2ABYN098, filing to comply with Part 2, Part 15 of the Federal Communication Commission rules.

2.4 Test Methodology

The tests were performed according to following standards:

No.	Identity	Document Title
1	FCC 47 CFR Part 2	Frequency allocations and radio treaty matters; general rules and regulations
2	FCC 47 CFR Part 15	Radio Frequency Devices
3	ANSI C63.4-2014	American National Standard for Methods of Measurement of Radio- Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz
4	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices
5	ANSI C63.17-2013	American National Standard Methods of Measurement of the Electromagnetic and Operational Compatibility of Unlicensed Personal Communications Services (UPCS) Devices

2.5 Automatic Discontinuation of Transmission

Does the EUT transmit Control and Signaling Information?

☒ Yes	☐ No
---	-----------------------------

Type of EUT:

☐ Initiating Device	☒ Responding Device
--	---

The following tests simulate the reaction of the EUT in case of either absence of information to transmit or operational failure after a connection with the companion device is established.

No.	Test	EUT Reaction	Results
1	Power removed: EUT	A	Pass
2	Switch Off: EUT	N/A	Pass
3	Hook-On: EUT	N/A	Pass
4	Power Removed: Companion Device	B	Pass
5	Switch Off: Companion Device	B	Pass
6	Hook-On: Companion Device	B	Pass

Note:

A - Connection breakdown, Cease of all transmissions
B - Connection breakdown, EUT transmits control and signaling information
C - Connection breakdown, Companion Device transmits control and signaling information
N/A : Not Applicable (EUT does not have On/Off switch and cannot perform Hook-On)

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2.6 Digital Modulation Techniques

The test sample is an isochronous digital modulated device that operates in 1920-1930 MHz band. This device bases on DECT technology described in European Standards EN 300 175-2 and EN 300 175-3, now operating in frequency channels mentioned above.

The operating modes are MC/TDMA/TDD (Multi carrier / Time Division Multiple Access / Time Division Duplex) using Digital GFSK (Gaussian Frequency Shift Keying) modulation.

For further details see operational description provided by manufacturer.

2.7 Special Accessories

Not available for this EUT intended for grant.

2.8 Equipment Modifications

Not available for this EUT intended for grant.

2.9 Antenna Requirement

Standard Requirement
15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.
EUT Antenna 1: The prototype uses an antenna with a non-standard interface, and users are not allowed to replace it at will. The gain of the antenna is -0.88dBi.
EUT Antenna 2: The non-detachable antenna inside the device cannot be replaced by the user at will. The gain of the antenna is -0.33dBi.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3. Test Environment

3.1 Address of The Test Laboratory

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd.
Address: 101 & 201, Building 19(B5), Junfeng Industrial Park, Chongqing Road, P.R.C.

3.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5488

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to follow CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories.)

A2LA-Lab Cert. No.: 5054.02

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to follow ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

FCC-Registration No.: 975832

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

IC-Registration No.: 24842(CAB identifier: CN0063)

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

3.3 Environmental Conditions

	Normal Conditions	Extreme Conditions
Temperature range (°C)	15 - 35	0 - 40
Relative humidity range	20 % - 75 %	20 % - 75 %
Pressure range (kPa)	86 - 106	86 - 106
Power supply	DC 3.8V	LV DC 3.42V/HV DC4.18V

Note: The Extreme Temperature and Extreme Voltages declared by the manufacturer.

3.4 Measurement Uncertainty

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95%.

Item	Measurement Uncertainty
Uncertainty of Conducted Emission for AC Port	$U_c = \pm 2.9 \text{ dB}$
Uncertainty of Radiated Emission below 1GHz	$U_c = \pm 3.9 \text{ dB}$
Uncertainty of Radiated Emission above 1GHz	$U_c = \pm 4.9 \text{ dB}$
Uncertainty of total RF power, conducted	$U_c = \pm 0.8 \text{ dB}$
Uncertainty of RF power density, conducted	$U_c = \pm 2.6 \text{ dB}$
Uncertainty of spurious emissions, conducted	$U_c = \pm 2 \%$
Uncertainty of Occupied Channel Bandwidth	$U_c = \pm 2 \%$

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3.5 List of Equipment Used

● RF Conducted Test System							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-ER-E036	Spectrum Analyzer	Agilent	N9020A	MY49100060	2025-05-08	2026-05-07
☒	AGC-ER-E075	Small Environmental Tester	SH-242	ESPEC	93008290	2024-07-24	2026-07-23
☒	AGC-ER-E037	Signal Generator	Agilent	N5182A	MY50140530	2025-05-08	2026-05-07
☒	AGC-ER-E033	RF Test Plat (DECT)	RTX	RTX-2012-HS-RF	N/A	2024-07-24	2026-07-23
☒	--	RF Connection Cable	N/A	1#	N/A	Each time	N/A
☒	--	RF Connection Cable	N/A	2#	N/A	Each time	N/A

● Radiated Spurious Emission							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-EM-E116	EMI Test Receiver	R&S	ESCI	100034	2025-05-08	2026-05-07
☒	AGC-EM-E061	Spectrum Analyzer	Agilent	N9010A	MY53470504	2025-05-08	2026-05-07
☒	AGC-EM-E086	Loop Antenna	ZHINAN	ZN30900C	18051	2026-01-14	2028-01-13
☒	AGC-EM-E005	Wideband Antenna	SCHWARZBECK	VULB9168	VULB9168-494	2025-03-24	2027-03-23
☒	AGC-EM-E102	Broadband Ridged Horn Antenna	ETS	3117	00154520	2025-05-18	2026-05-17
☒	AGC-EM-E146	Pre-amplifier	ETS	3117-PA	00246148	2024-07-24	2026-07-23
☒	AGC-EM-A116	Band Stop Filter (1850-1950MHz)	MICRO-TRONICS	BRC50720	N/A	2025-05-21	2026-05-20
☒	AGC-EM-A091	High Pass Filter 2 (1200-18000MHz)	N/A	N/A	N/A	2025-05-16	2026-05-15
☒	AGC-EM-A138	6dB Attenuator	Eeatsheep	LM-XX-6-5W	N/A	N/A	N/A
☐	AGC-EM-A139	6dB Attenuator	Eeatsheep	LM-XX-6-5W	N/A	N/A	N/A

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

● AC Power Line Conducted Emission							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-EM-A171	Attenuator	Mini-Circuits	UNAT-10A+	N/A	2026-01-13	2028-01-12
☒	AGC-EM-E023	Artificial Mains Network	R&S	ESH2-Z5	100086	2025-05-08	2026-05-07
☒	AGC-EM-E116	Test Receiver	R&S	ESCI	100034	2025-05-08	2026-05-07

● Test Software					
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Version Information
☒	AGC-EM-S011	RSE Test System	Tonscend	TS ⁺ Ver2.1(JS36-RSE)	4.0.0.0
☒	AGC-EM-S003	RE Test System	FARA	EZ-EMC	V.RA-03A
☒	AGC-EM-S001	CE Test System	R&S	ES-K1	V1.71

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

4. System Test Configuration

4.1 EUT Configuration


The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

4.2 EUT Exercise


The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

4.3 Configuration of Tested System

Radiated Emission Configure:



Conducted Emission Configure:



4.4 Equipment Used in Tested System

The following peripheral devices and interface cables were connected during the measurement:

☒ Test Accessories Come From The Manufacturer

Item	Equipment	Mfr/Brand	Model/Type No.	Note
E-1	Notebook	DELL	Inspiron 3501	N/A
C-1	USB cable	N/A	N/A	N/A

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

4.5 Summary of Test Results

No.	FCC Rules	Description of Test	Reference Method	Result
1	§15.203, §15.317	Antenna Equipment	Declaration & Visual inspection	Pass
2	§15.323 (c)(e)	Specific Requirements for Upcs Device	ANSI C63.17-2013 Clause 6.2, 7.3, 7.5, 8.1, 8.2, 8.3, 8.4 and Paragraph 4	Pass
3	§15.303	Channel Frequency	Declaration	Pass
4	§15.319 (b)	Digital Modulation Techniques	Declaration	Pass
5	§15.319 (f)	Automatic Discontinuation of Transmission	Manual evaluation	Pass
6	§15.319(c)(e), §15.31(e)	Peak Transmit Power and Antenna Gain	ANSI C63.17-2013 Clause 6.1.2	Pass
7	§15.323 (a)	26dB Emission Bandwidth & 99% Occupied Bandwidth	ANSI C63.17-2013 Clause 6.1.3 or 7.4	Pass
8	§15.319 (d)	Power Spectral Density	ANSI C63.17-2013 Clause 6.1.5	Pass
9	§15.323 (d)	In-Band Emission	ANSI C63.17-2013 Clause 6.1.6.1	Pass
10	§15.323 (d)	Out-of-Band Emission	ANSI C63.17-2013 Clause 6.1.6.2	Pass
11	§15.323 (f)	Carrier Frequency Stability	ANSI C63.17-2013 Clause 6.2.1	Pass
12	§15.319(g), §15.323(d) §15.209(a), §15.109(a)	Radiated Emission	ANSI C63.10-2013 Clause 11.11 & Clause 11.12	Pass
13	§15.207, §15.315	AC Power Line Conducted Emission	ANSI C63.10-2013 Section 6.2	Pass

Note:

- 1) N/A: In this whole report not applicable.
- 2) Not required if the Conducted Out-of-Band Emissions test is passed, and assessed in the FCC 47 CFR Part 15B test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5. Description of Test Modes

Summary table of Test Cases	
Test Item	Modulation
	DECT- Portable Part /GFSK
Radiated & Conducted Test Cases	Mode 1: UPCS TX CH00_1928.448 MHz (Connect the adapter) Mode 2: UPCS TX CH02_1924.992 MHz (Connect the adapter) Mode 3: UPCS TX CH04_1921.536 MHz (Connect the adapter) Mode 4: Normal Pairing Communication (GAP Mode)+ + AC/DC Adapter
AC Conducted Emission	Mode 1: Normal Pairing Communication (GAP Mode) + Battery + AC/DC Adapter

Note:

1. Only the result of the worst case was recorded in the report, if no other cases.
2. The battery is full-charged during the test.
3. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
4. For Conducted Test method, a temporary antenna connector is provided by the manufacture.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

6. 26dB Emission Bandwidth & 99% Occupied Bandwidth

6.1 Provisions Applicable

Please refer to FCC 47 CFR Part 15.319(c) & 15.319(e) for specification details:


Operation shall be contained within the 1920–1930 MHz band. The emission bandwidth shall be less than 2.5 MHz. The power level shall be as specified in § 15.319(c), but in no event shall the emission bandwidth be less than 50 kHz

6.2 Measurement Procedure

The testing follows the ANSI C63.17-2013 Section 6.1.2

1. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.
2. The EUT shall transmit in a burst mode (shall not be configured to transmit continuously) so that transient effects associated with the burst edges are captured by the emission bandwidth measurement.
3. Use the following spectrum analyzer settings:
 - a) Set RBW: Approximately 1% of the emission bandwidth (a rough estimate may be obtained from peak power level measurement, or use manufacturer's declared value).
 - b) Set the video bandwidth (VBW) $\geq 3 \times$ RBW.
 - c) Center frequency: Nominal center frequency of channel.
 - d) Span: $\geq 2 \times$ the expected emission bandwidth.
 - e) Sweep time: Coupled to frequency span and RBW.
 - f) Amplitude scale: Log.
 - g) Detection: Peak detection with maximum hold enabled.
4. Record the maximum level of the modulated carrier. Find the two furthest frequencies above and below the frequency of the maximum level of the modulated carrier where the signal level is 26 dB below the peak level of the carrier. The difference in frequency between these two frequencies is the emission bandwidth

6.3 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6.4 Measurement Result


- For Antenna 1

Channel	Left frequency	Right frequency	26dB BW(MHz)	Limit
Low	1920.828	1922.238	1.410	50KHz~2.5MHz
Mid	1924.284	1925.694	1.410	
High	1927.74	1929.15	1.410	
AVG	\	\	1.410	

- For Antenna 2


Channel	Left frequency	Right frequency	26dB BW(MHz)	Limit
Low	1920.828	1922.238	1.410	50KHz~2.5MHz
Mid	1924.284	1925.694	1.410	
High	1927.74	1929.15	1.410	
AVG	\	\	1.410	

Test Graphs of Occupied Bandwidth and -26dB Bandwidth




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test_Graph_UPCS_ANT1_CH02_GFSK_EBW




Test_Graph_UPCS_ANT1_CH04_GFSK_EBW




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Antenna 2


Test_Graph_UPCS_ANT2_CH00_GFSK_EBW



Test_Graph_UPCS_ANT2_CH02_GFSK_EBW



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

7. Peak Transmit Power and Antenna Gain

7.1 Provisions Applicable

Please refer to FCC 47 CFR Part 15.319(c) & 15.319(e) for specification details:

Peak transmit power shall not exceed 100 microwatts multiplied by the square root of the emission bandwidth in hertz. Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage. The measurement results shall be properly adjusted for any instrument limitations, such as detector response times, limited resolution bandwidth capability when compared to the emission bandwidth, sensitivity, etc., so as to obtain a true peak measurement for the emission in question over the full bandwidth of the channel.


The peak transmit power shall be reduced by the amount in decibels that the maximum directional gain of the antenna exceeds 3 dBi.

7.2 Measurement Procedure

The testing follows the ANSI C63.17-2013 Section 6.1.2

RBW	≥ Emission bandwidth
Video bandwidth	≥ RBW
Span	Span Zero
Center frequency	Nominal center frequency of transmit carrier
Amplitude scale	Log (linear may be used if analyzer has sufficient linear dynamic range and accuracy)
Detection	Peak detection
Trigger Video	Trigger Video
Sweep rate	Sufficiently rapid to permit the transmit pulse to be resolved accurately

7.3 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

7.4 Measurement Result

● For Antenna 1

Calculation of Peak Transmit Power Limit ($P_{\max}$):		
☒	$P_{\max} = 5 \cdot \log_{10} B - 10$	When $G_A \leq 3\text{dBi}$
☐	$P_{\max} = 5 \cdot \log_{10} B - 10 \text{ dBm} - (G_A - 3\text{dBi})$	When $G_A > 3\text{dBi}$
Where,	G_A	= EUT Gain: -0.88 dBi
	B	= Measured Emission Bandwidth (Hz)
Calculation of EIRP Limit:		
☐	EIRP_{EUT}	$\leq P_{\max} + g, G_A > g (g=3\text{dBi})$
☒	EIRP_{EUT}	$\leq P_{\max} + G_A, G_A \leq g (g=3\text{dBi})$

Carrier Channel	Frequency (MHz)	Measured Peak Output Power (dBm)	Limit (uW)	Limit (dBm)
Low	1921.536	17	118743	20.75
Mid	1924.992	17.02	118743	20.75
High	1928.448	17.05	118743	20.75
EBWLow Channel=	1410000			Hz
EBWMid Channel=	1410000			Hz
EBWHigh Channel=	1410000			Hz
Note:Peak Transmitter Power Limit=100 (EBW) 1/2μW				


● For Antenna 2

Calculation of Peak Transmit Power Limit ($P_{\max}$):		
☒	$P_{\max} = 5 \cdot \log_{10} B - 10$	When $G_A \leq 3\text{dBi}$
☐	$P_{\max} = 5 \cdot \log_{10} B - 10 \text{ dBm} - (G_A - 3\text{dBi})$	When $G_A > 3\text{dBi}$
Where,	G_A	= EUT Gain: -0.33 dBi
	B	= Measured Emission Bandwidth (Hz)
Calculation of EIRP Limit:		
☐	EIRP_{EUT}	$\leq P_{\max} + g, G_A > g (g=3\text{dBi})$
☒	EIRP_{EUT}	$\leq P_{\max} + G_A, G_A \leq g (g=3\text{dBi})$


Carrier Channel	Frequency (MHz)	Measured Peak Output Power (dBm)	Limit (uW)	Limit (dBm)
Low	1921.536	16.38	118743	20.75
Mid	1924.992	16.34	118743	20.75
High	1928.448	17.68	118743	20.75
EBWLow Channel=	1410000			Hz
EBWMid Channel=	1410000			Hz
EBWHigh Channel=	1410000			Hz
Note:Peak Transmitter Power Limit=100（EBW） 1/2μW				

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Graphs of Peak Transmit Power Antenna 1



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Antenna 2




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test_Graph_UPCS_ANT2_CH02_GFSK_Peak Power



Test_Graph_UPCS_ANT2_CH04_GFSK_Peak Power



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8. Power Spectral Density

8.1 Provisions Applicable

Please refer to FCC 47 CFR Part 15.319(d) for specification details:


Power spectral density shall not exceed 3 milliwatts in any 3 kHz bandwidth as measured with a spectrum analyzer having a resolution bandwidth of 3 kHz.

8.2 Measurement Procedure

The testing follows the ANSI C63.17-2013 Section 6.1.5

RBW	3 kHz
Video bandwidth	$\geq 3 \times \text{RBW}$
Span	Span Zero
Center frequency	Nominal center frequency of transmit carrier
Amplitude scale	RMS
Detection	Sample detection and averaged for a minimum of 100 sweeps
Trigger Video	External or internal
Sweep Time	For burst signals, sufficient to include essentially all of the maximum length burst at the output of a 3 kHz filter (e.g., maximum input burst duration plus 600 μ s). For continuous signals, 20ms.

8.2 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8.3 Measurement Result

- For Antenna 1

Carrier Channel	Frequency (MHz)	Measured Peak Power Spectral Density (dBm)	Limit(mw)	Limit(dBm)
Low	1921.536	-2.86	3	4.77
Mid	1924.992	-2.88		
High	1928.448	-3.19		

- For Antenna 2

Carrier Channel	Frequency (MHz)	Measured Peak Power Spectral Density (dBm)	Limit(mw)	Limit(dBm)
Low	1921.536	-6.13	3	4.77
Mid	1924.992	-6.11		
High	1928.448	-6.03		


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Graphs of Power Spectral Density




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9. In-Band Unwanted Emissions

9.1 Provisions Applicable

Please refer to FCC 47 CFR Part 15.323(d) for specification details:


Emissions inside the band must comply with the following emission mask: In the bands between 1B and 2B measured from the center of the emission bandwidth the total power emitted by the device shall be at least 30 dB below the transmit power permitted for that device; in the bands between 2B and 3B measured from the center of the emission bandwidth the total power emitted by an intentional radiator shall be at least 50 dB below the transmit power permitted for that radiator; in the bands between 3B and the band edge the total power emitted by an intentional radiator in the measurement bandwidth shall be at least 60 dB below the transmit power permitted for that radiator. B" is defined as the emission bandwidth of the device in hertz. Compliance with the emission limits is based on the use of measurement instrumentation employing peak detector function with an instrument resolution bandwidth approximately equal to 1.0 percent of the emission bandwidth of the device under measurement.

9.2 Measurement Procedure

The testing follows the ANSI C63.17-2013 Section 6.1.6.1

RBW	Approximately 1% of the Emission bandwidth (B)
Video bandwidth	$\geq 3 \times \text{RBW}$
Span	Approximately equal to 3.5 B
Center frequency	Nominal center frequency of transmit carrier
Detection	Peak detection and max hold enabled
Amplitude scale	Log
Sweep Time	The sweep time shall be sufficiently slow that the swept frequency rate shall not exceed one RBW per three transmit bursts.
Number of sweeps	Sufficient to stabilize the trace


9.3 Measurement Setup (Block Diagram of Configuration)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9.4 Measurement Result

Test Graphs of In-Band Unwanted Emissions



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the designated Testing/Inspection Stamp is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

10. Out-of-Band Unwanted Emissions

10.1 Provisions Applicable

Please refer to FCC 47 CFR Part 15.323(d) for specification details:


- a) In the region between the band edges and 1.25 MHz below and above the lower and the upper band edges, respectively, the measured emission level shall not exceed -9.5 dBm.
- b) In the region between 1.25 and 2.5 MHz below and above the lower and the upper band edges, respectively, the measured emission level shall not exceed -29.5 dBm.
- c) In the region at 2.5 MHz or greater below and above the lower and upper band edges, respectively, the measured emission level shall not exceed -39.5 dBm.

10.2 Measurement Procedure

The testing follows the ANSI C63.17-2013 Section 6.1.6.2

RBW	Approximately 1% of the Emission bandwidth (B)
Video bandwidth	$\geq 3 \times \text{RBW}$
Span	Approximately equal to $3.5 B$
Center frequency	Nominal center frequency of transmit carrier
Detection	Peak detection and max hold enabled
Amplitude scale	Log
Sweep Time	The sweep time shall be sufficiently slow that the swept frequency rate shall not exceed one RBW per three transmit bursts.
Number of sweeps	Sufficient to stabilize the trace

10.3 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

10.4 Measurement Result


ANT1

Test Channel	Frequency (MHz)	Range (MHz)	Reading Frequency (MHz)	Reading Level (dBm)	Additional offset (dB)	Result (dBm)	Limits (dBm)	Result
0	1928.448	1935-20000	3519.3	-46.55	4.26	-42.29	-39.5	PASS
2	1924.992	1935-20000	16264.8	-53.91	4.26	-49.65	-39.5	PASS
4	1921.536	1935-20000	16549.6	-53.75	4.26	-49.49	-39.5	PASS


Note:

The 1dB offset is the maximum offset within the main frequency band. The maximum offset within the range of 1935 MHz to 20 GHz is 5.26 dB. The additional offset has been calculated to compensate for this difference. The test results below 1935 MHz can be viewed in the test graph.


Test Graphs of Out-of-Band Unwanted Emissions



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

ANT2


Test Channel	Frequency (MHz)	Range (MHz)	Reading Frequency (MHz)	Reading Level (dBm)	Additional offset (dB)	Result (dBm)	Limits (dBm)	Result
0	1928.448	1935-20000	2618.8	-47.46	4.81	-42.65	-39.5	PASS
2	1924.992	1935-20000	16593.4	-53.55	4.81	-48.74	-39.5	PASS
4	1921.536	1935-20000	1963	-53.21	4.81	-48.4	-39.5	PASS

Note:

The 1dB offset is the maximum offset within the main frequency band. The maximum offset within the range of 1935 MHz to 20 GHz is 5.81 dB. The additional offset has been calculated to compensate for this difference. The test results below 1935 MHz can be viewed in the test graph.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

11. Radiated Emission

11.1 Limits of Radiated Emission Test

15.209 Limit in the below table has to be followed

Frequencies (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009~0.490	2400/F(kHz)	300
0.490~1.705	24000/F(kHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
Above 960	500	3

- The lower limit shall apply at the transition frequencies.
- Emission level (dBuV/m) = 20 log Emission level (uV/m).
- For frequencies above 1000 MHz, the field strength limits are based on average detector, however, the peak field strength of any emission shall not exceed the maximum permitted average limits, specified above by more than 20 dB under any condition of modulation.

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

11.2 Measurement Procedure

- The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

reference ground plane.

7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High - Low scan is not required in this case.

The following table is the setting of spectrum analyzer and receiver.


Spectrum Parameter	Setting
Start ~Stop Frequency	9kHz~150kHz/RB 200Hz for QP
Start ~Stop Frequency	150kHz~30MHz/RB 9kHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120kHz for QP
Start ~Stop Frequency	1GHz~26.5GHz 1MHz/3MHz for Peak, 1MHz/3MHz for Average

Receiver Parameter	Setting
Start ~Stop Frequency	9kHz~150kHz/RB 200Hz for QP
Start ~Stop Frequency	150kHz~30MHz/RB 9kHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120kHz for QP


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

11.3 Measurement Setup (Block Diagram of Configuration)


Radiated Emission Test Setup 9kHz-30MHz



Radiated Emission Test Setup 30MHz-1000MHz



Radiated Emission Test Setup Above 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


11.4 Measurement Result

Radiated Emission Below 30MHz

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.

Radiated Emission Test Results at 30MHz-1GHz


Temperature:	23.1℃	Relative Humidity:	60%
Test Voltage:	DC 3.8V	Phase:	Horizontal
Test Mode:	TX Mode of ANT 1		



Frequency [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
68.6310	19.25	-26.06	40.00	20.75	peak	Horizontal
83.2298	19.05	-28.07	40.00	20.95	peak	Horizontal
191.0738	23.71	-24.31	43.50	19.79	peak	Horizontal
270.3748	23.10	-21.92	46.00	22.9	peak	Horizontal
308.9126	26.68	-20.96	46.00	19.32	peak	Horizontal
962.1622	28.61	-11.47	54.00	25.39	peak	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Temperature:	23.1℃	Relative Humidity:	60%
Test Voltage:	DC 3.8V	Phase:	Vertical
Test Mode:	TX Mode of ANT 1		



Frequency [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
67.2022	32.08	-23.15	40.00	7.92	peak	Vertical
130.3789	27.81	-22.50	43.50	15.69	peak	Vertical
140.3421	27.40	-21.36	43.50	16.1	peak	Vertical
193.0945	26.74	-23.52	43.50	16.76	peak	Vertical
435.5898	28.68	-17.56	46.00	17.32	peak	Vertical
986.0716	30.64	-9.24	54.00	23.36	peak	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Temperature:	23.1℃	Relative Humidity:	60%
Test Voltage:	DC 3.8V	Phase:	Horizontal
Test Mode:	TX Mode of ANT 2		



Frequency [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
67.2022	17.34	-26.07	40.00	22.66	peak	Horizontal
83.2297	19.09	-28.07	40.00	20.91	peak	Horizontal
193.0945	24.65	-24.40	43.50	18.85	peak	Horizontal
270.3747	24.05	-21.92	46.00	21.95	peak	Horizontal
311.0867	26.85	-20.87	46.00	19.15	peak	Horizontal
945.4397	29.29	-11.38	46.00	16.71	peak	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Temperature:	23.1℃	Relative Humidity:	60%
Test Voltage:	DC 3.8V	Phase:	Vertical
Test Mode:	TX Mode of ANT 2		



Frequency [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
67.2022	31.35	-23.15	40.00	8.65	peak	Vertical
128.5629	23.28	-22.69	43.50	20.22	peak	Vertical
140.3420	23.86	-21.36	43.50	19.64	peak	Vertical
192.4185	26.62	-23.47	43.50	16.88	peak	Vertical
434.0650	28.23	-17.62	46.00	17.77	peak	Vertical
932.2714	30.09	-9.29	46.00	15.91	peak	Vertical

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. All test modes had been pre-tested. The mode 3(Antenna 1) is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Above 1GHz

GFSK-Low-ANT 1

Horizontal

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1873.500	48.06	-0.11	74.0	25.94	Peak	64.20	100	Horizontal	Pass
1**	1873.500	37.31	-0.11	54.0	16.69	AV	64.20	100	Horizontal	Pass
2	2966.500	46.60	5.30	74.0	27.40	Peak	14.70	100	Horizontal	Pass
2**	2966.500	36.50	5.30	54.0	17.50	AV	14.70	100	Horizontal	Pass
3	3843.000	45.01	-10.26	74.0	28.99	Peak	1.10	100	Horizontal	Pass
3**	3843.000	40.07	-10.26	54.0	13.93	AV	1.10	100	Horizontal	Pass
4	8399.750	52.30	-1.41	74.0	21.70	Peak	339.90	100	Horizontal	Pass
4**	8399.750	39.69	-1.41	54.0	14.31	AV	339.90	100	Horizontal	Pass
5	11345.000	52.41	2.13	74.0	21.59	Peak	167.20	100	Horizontal	Pass
5**	11345.000	41.61	2.13	54.0	12.39	AV	167.20	100	Horizontal	Pass
6	14405.750	55.93	6.95	74.0	18.07	Peak	179.10	100	Horizontal	Pass
6**	14405.750	45.51	6.95	54.0	8.49	AV	179.10	100	Horizontal	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Vertical

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No .	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1839.500	47.29	-0.21	74.0	26.71	Peak	265.80	100	Vertical	Pass
1**	1839.500	31.90	-0.21	54.0	22.10	AV	265.80	100	Vertical	Pass
2	2253.000	47.66	2.16	74.0	26.34	Peak	240.50	100	Vertical	Pass
2**	2253.000	36.54	2.16	54.0	17.46	AV	240.50	100	Vertical	Pass
3	3855.000	45.16	-10.17	74.0	28.84	Peak	227.20	100	Vertical	Pass
3**	3855.000	33.76	-10.17	54.0	20.24	AV	227.20	100	Vertical	Pass
4	5588.000	48.57	-4.82	74.0	25.43	Peak	316.10	100	Vertical	Pass
4**	5588.000	37.00	-4.82	54.0	17.00	AV	316.10	100	Vertical	Pass
5	8383.250	53.87	-1.22	74.0	20.13	Peak	269.90	100	Vertical	Pass
5**	8383.250	41.18	-1.22	54.0	12.82	AV	269.90	100	Vertical	Pass
6	13993.250	56.72	8.37	74.0	17.28	Peak	259.50	100	Vertical	Pass
6**	13993.250	45.73	8.37	54.0	8.27	AV	259.50	100	Vertical	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd


Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

GFSK-Mid-ANT 1

Horizontal

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No .	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1835.500	47.84	-0.27	74.0	26.16	Peak	46.00	100	Horizontal	Pass
1**	1835.500	32.01	-0.27	54.0	21.99	AV	46.00	100	Horizontal	Pass
2	2957.500	46.71	5.25	74.0	27.29	Peak	150.20	100	Horizontal	Pass
2**	2957.500	36.26	5.25	54.0	17.74	AV	150.20	100	Horizontal	Pass
3	3849.000	43.64	-10.22	74.0	30.36	Peak	280.00	100	Horizontal	Pass
3**	3849.000	38.50	-10.22	54.0	15.50	AV	280.00	100	Horizontal	Pass
4	8905.750	51.66	1.55	74.0	22.34	Peak	157.60	100	Horizontal	Pass
4**	8905.750	40.66	1.55	54.0	13.34	AV	157.60	100	Horizontal	Pass
5	10671.250	52.45	1.34	74.0	21.55	Peak	66.10	100	Horizontal	Pass
5**	10671.250	42.00	1.34	54.0	12.00	AV	66.10	100	Horizontal	Pass
6	13968.500	55.62	8.06	74.0	18.38	Peak	146.40	100	Horizontal	Pass
6**	13968.500	45.26	8.06	54.0	8.74	AV	146.40	100	Horizontal	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Vertical

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G




No .	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1741.000	43.05	-0.60	74.0	30.95	Peak	188.40	100	Vertical	Pass
1**	1741.000	30.25	-0.60	54.0	23.75	AV	188.40	100	Vertical	Pass
2	2797.500	48.47	4.73	74.0	25.53	Peak	334.60	100	Vertical	Pass
2**	2797.500	39.45	4.73	54.0	14.55	AV	334.60	100	Vertical	Pass
3	3850.000	44.12	-10.21	74.0	29.88	Peak	153.90	100	Vertical	Pass
3**	3850.000	38.38	-10.21	54.0	15.62	AV	153.90	100	Vertical	Pass
4	5595.000	48.50	-4.83	74.0	25.50	Peak	4.20	100	Vertical	Pass
4**	5595.000	36.77	-4.83	54.0	17.23	AV	4.20	100	Vertical	Pass
5	8391.500	54.61	-1.31	74.0	19.39	Peak	82.20	100	Vertical	Pass
5**	8391.500	41.14	-1.31	54.0	12.86	AV	82.20	100	Vertical	Pass
6	13971.250	57.65	8.09	74.0	16.35	Peak	258.80	100	Vertical	Pass
6**	13971.250	46.29	8.09	54.0	7.71	AV	258.80	100	Vertical	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

GFSK-High-ANT 1

Horizontal

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G




No .	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1873.000	45.34	-0.11	74.0	28.66	Peak	70.80	100	Horizontal	Pass
1**	1873.000	35.54	-0.11	54.0	18.46	AV	70.80	100	Horizontal	Pass
2	2847.500	46.61	4.98	74.0	27.39	Peak	341.40	100	Horizontal	Pass
2**	2847.500	35.55	4.98	54.0	18.45	AV	341.40	100	Horizontal	Pass
3	3858.000	42.87	-10.15	74.0	31.13	Peak	125.20	100	Horizontal	Pass
3**	3858.000	34.09	-10.15	54.0	19.91	AV	125.20	100	Horizontal	Pass
4	8397.000	54.06	-1.38	74.0	19.94	Peak	263.60	100	Horizontal	Pass
4**	8397.000	41.30	-1.38	54.0	12.70	AV	263.60	100	Horizontal	Pass
5	13949.250	55.34	7.82	74.0	18.66	Peak	334.60	100	Horizontal	Pass
5**	13949.250	45.17	7.82	54.0	8.83	AV	334.60	100	Horizontal	Pass
6	17714.000	54.97	5.99	74.0	19.03	Peak	316.00	100	Horizontal	Pass
6**	17714.000	44.24	5.99	54.0	9.76	AV	316.00	100	Horizontal	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Vertical

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G




No .	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1846.500	45.58	-0.11	74.0	28.42	Peak	268.50	100	Vertical	Pass
1**	1846.500	32.84	-0.11	54.0	21.16	AV	268.50	100	Vertical	Pass
2	2633.000	48.59	3.79	74.0	25.41	Peak	297.10	100	Vertical	Pass
2**	2633.000	43.39	3.79	54.0	10.61	AV	297.10	100	Vertical	Pass
3	3856.000	43.57	-10.16	74.0	30.43	Peak	150.90	100	Vertical	Pass
3**	3856.000	38.29	-10.16	54.0	15.71	AV	150.90	100	Vertical	Pass
4	5820.000	52.72	-3.94	74.0	21.28	Peak	2.20	100	Vertical	Pass
4**	5820.000	44.85	-3.94	54.0	9.15	AV	2.20	100	Vertical	Pass
5	8372.250	53.87	-1.09	74.0	20.13	Peak	257.70	100	Vertical	Pass
5**	8372.250	41.43	-1.09	54.0	12.57	AV	257.70	100	Vertical	Pass
6	13979.500	57.60	8.19	74.0	16.40	Peak	253.20	100	Vertical	Pass
6**	13979.500	46.31	8.19	54.0	7.69	AV	253.20	100	Vertical	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

GFSK-Low-ANT 2

Horizontal

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1734.500	47.56	-0.66	74.0	26.44	Peak	52.30	100	Horizontal	Pass
1**	1734.500	40.24	-0.66	54.0	13.76	AV	52.30	100	Horizontal	Pass
2	2521.500	53.54	3.32	74.0	20.46	Peak	235.00	100	Horizontal	Pass
2**	2521.500	46.87	3.32	54.0	7.13	AV	235.00	100	Horizontal	Pass
3	3842.000	45.83	-10.27	74.0	28.17	Peak	352.30	100	Horizontal	Pass
3**	3842.000	40.05	-10.27	54.0	13.95	AV	352.30	100	Horizontal	Pass
4	8377.750	52.81	-1.15	74.0	21.19	Peak	250.20	100	Horizontal	Pass
4**	8377.750	41.59	-1.15	54.0	12.41	AV	250.20	100	Horizontal	Pass
5	14199.500	55.73	6.96	74.0	18.27	Peak	227.90	100	Horizontal	Pass
5**	14199.500	45.14	6.96	54.0	8.86	AV	227.90	100	Horizontal	Pass
6	16990.750	55.40	5.49	74.0	18.60	Peak	112.20	100	Horizontal	Pass
6**	16990.750	44.28	5.49	54.0	9.72	AV	112.20	100	Horizontal	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Vertical

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1750.000	46.10	-0.52	74.0	27.90	Peak	205.80	100	Vertical	Pass
1**	1750.000	36.86	-0.52	54.0	17.14	AV	205.80	100	Vertical	Pass
2	2319.000	49.12	2.43	74.0	24.88	Peak	316.80	100	Vertical	Pass
2**	2319.000	34.22	2.43	54.0	19.78	AV	316.80	100	Vertical	Pass
3	3843.000	43.45	-10.26	74.0	30.55	Peak	6.90	100	Vertical	Pass
3**	3843.000	37.93	-10.26	54.0	16.07	AV	6.90	100	Vertical	Pass
4	5588.000	48.99	-4.82	74.0	25.01	Peak	315.00	100	Vertical	Pass
4**	5588.000	37.00	-4.82	54.0	17.00	AV	315.00	100	Vertical	Pass
5	8372.250	55.31	-1.09	74.0	18.69	Peak	251.80	100	Vertical	Pass
5**	8372.250	42.75	-1.09	54.0	11.25	AV	251.80	100	Vertical	Pass
6	13987.750	58.53	8.30	74.0	15.47	Peak	255.90	100	Vertical	Pass
6**	13987.750	46.92	8.30	54.0	7.08	AV	255.90	100	Vertical	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

GFSK-Mid-ANT 2

Horizontal

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1835.000	44.59	-0.27	74.0	29.41	Peak	149.10	100	Horizontal	Pass
1**	1835.000	32.44	-0.27	54.0	21.56	AV	149.10	100	Horizontal	Pass
2	2342.500	46.62	2.68	74.0	27.38	Peak	244.20	100	Horizontal	Pass
2**	2342.500	34.06	2.68	54.0	19.94	AV	244.20	100	Horizontal	Pass
3	3850.000	46.52	-10.21	74.0	27.48	Peak	358.10	100	Horizontal	Pass
3**	3850.000	43.63	-10.21	54.0	10.37	AV	358.10	100	Horizontal	Pass
4	8817.750	51.25	0.39	74.0	22.75	Peak	28.60	100	Horizontal	Pass
4**	8817.750	40.54	0.39	54.0	13.46	AV	28.60	100	Horizontal	Pass
5	11257.000	52.14	2.43	74.0	21.86	Peak	139.80	100	Horizontal	Pass
5**	11257.000	41.78	2.43	54.0	12.22	AV	139.80	100	Horizontal	Pass
6	14414.000	56.21	6.89	74.0	17.79	Peak	210.00	100	Horizontal	Pass
6**	14414.000	45.74	6.89	54.0	8.26	AV	210.00	100	Horizontal	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Vertical

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No .	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1966.500	46.07	0.12	74.0	27.93	Peak	358.30	100	Vertical	Pass
1**	1966.500	37.67	0.12	54.0	16.33	AV	358.30	100	Vertical	Pass
2	2526.000	52.96	3.36	74.0	21.04	Peak	86.90	100	Vertical	Pass
2**	2526.000	45.19	3.36	54.0	8.81	AV	86.90	100	Vertical	Pass
3	3839.000	43.55	-10.30	74.0	30.45	Peak	167.90	100	Vertical	Pass
3**	3839.000	31.27	-10.30	54.0	22.73	AV	167.90	100	Vertical	Pass
4	5585.000	47.51	-4.81	74.0	26.49	Peak	253.70	100	Vertical	Pass
4**	5585.000	37.03	-4.81	54.0	16.97	AV	253.70	100	Vertical	Pass
5	8372.250	56.08	-1.09	74.0	17.92	Peak	250.60	100	Vertical	Pass
5**	8372.250	43.52	-1.09	54.0	10.48	AV	250.60	100	Vertical	Pass
6	13965.750	61.23	8.02	74.0	12.77	Peak	127.80	100	Vertical	Pass
6**	13965.750	48.94	8.02	54.0	5.06	AV	127.80	100	Vertical	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd


Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

GFSK-High-ANT 2

Horizontal

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No .	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1748.000	46.24	-0.54	74.0	27.76	Peak	309.00	100	Horizontal	Pass
1**	1748.000	34.40	-0.54	54.0	19.60	AV	309.00	100	Horizontal	Pass
2	2925.500	46.81	5.06	74.0	27.19	Peak	138.60	100	Horizontal	Pass
2**	2925.500	36.57	5.06	54.0	17.43	AV	138.60	100	Horizontal	Pass
3	3855.000	44.94	-10.17	74.0	29.06	Peak	3.60	100	Horizontal	Pass
3**	3855.000	35.69	-10.17	54.0	18.31	AV	3.60	100	Horizontal	Pass
4	8380.500	52.97	-1.18	74.0	21.03	Peak	250.60	100	Horizontal	Pass
4**	8380.500	40.54	-1.18	54.0	13.46	AV	250.60	100	Horizontal	Pass
5	11141.500	53.22	2.30	74.0	20.78	Peak	2.40	100	Horizontal	Pass
5**	11141.500	41.89	2.30	54.0	12.11	AV	2.40	100	Horizontal	Pass
6	13946.500	57.72	7.78	74.0	16.28	Peak	90.60	100	Horizontal	Pass
6**	13946.500	45.07	7.78	54.0	8.93	AV	90.60	100	Horizontal	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Vertical

RE_FCC Test Case_FCC 15C 1GHz-18GHz - 2.4G



No	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1837.500	48.23	-0.24	74.0	25.77	Peak	76.40	100	Vertical	Pass
1**	1837.500	31.95	-0.24	54.0	22.05	AV	76.40	100	Vertical	Pass
2	2797.500	52.06	4.73	74.0	21.94	Peak	312.50	100	Vertical	Pass
2**	2797.500	39.97	4.73	54.0	14.03	AV	312.50	100	Vertical	Pass
3	3835.000	43.42	-10.33	74.0	30.58	Peak	235.30	100	Vertical	Pass
3**	3835.000	33.21	-10.33	54.0	20.79	AV	235.30	100	Vertical	Pass
4	5598.000	48.39	-4.84	74.0	25.61	Peak	315.00	100	Vertical	Pass
4**	5598.000	37.29	-4.84	54.0	16.71	AV	315.00	100	Vertical	Pass
5	8388.750	54.45	-1.28	74.0	19.55	Peak	254.80	100	Vertical	Pass
5**	8388.750	43.16	-1.28	54.0	10.84	AV	254.80	100	Vertical	Pass
6	13974.000	58.79	8.12	74.0	15.21	Peak	169.60	100	Vertical	Pass
6**	13974.000	46.26	8.12	54.0	7.74	AV	169.60	100	Vertical	Pass

RESULT: PASS

Note:

1. The amplitude of other spurious emissions from 1G to 20 GHz which are attenuated more than 20 dB below the permissible value need not be reported.
2. Factor = Antenna Factor + Cable loss - Amplifier gain, Margin=Measure result-Limit.
3. The "Factor" value can be calculated automatically by software of measurement system.
4. All test modes had been pre-tested. Antenna 1 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

12. AC Power Line Conducted Emission


12.1 Limits of Line Conducted Emission Test

Frequency	Maximum RF Line Voltage	
	Q.P. (dBμV)	Average (dBμV)
150kHz~500kHz	66-56	56-46
500kHz~5MHz	56	46
5MHz~30MHz	60	50

Note:

1. The lower limit shall apply at the transition frequency.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

12.2 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

12.3 Preliminary Procedure of Line Conducted Emission Test

1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
2. Support equipment, if needed, was placed as per ANSI C63.10.
3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
4. All support equipment received AC120V/60Hz power from a LISN, if any.
5. The EUT received DC 5V power from adapter which received AC120V/60Hz power from a LISN.
6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
8. During the above scans, the emissions were maximized by cable manipulation.
9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4 Final Procedure of Line Conducted Emission Test


1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less – 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
3. The test data of the worst case condition(s) was reported on the Summary Data page.

12.5 Measurement Result

Remark: The data only records the worst data under the transmission status of antenna 1

AC Power Line Conducted Emission Test

Temperature:	25.1℃	Relative Humidity:	59%
Test Voltage:	AC 120V/60Hz	Phase:	L
Test Mode:	Mode 1		




Frequency[MHz]	Level[dBμV]	Factor[dB]	Limit[dBμV]	Margin[dB]	Detector
0.474000	25.3	10.3	56.4	31.1	QP
0.678000	24.2	10.3	56.0	31.8	QP
0.778000	28.3	10.3	56.0	27.7	QP
1.238000	26.0	10.4	56.0	30.0	QP
3.754000	28.7	10.6	56.0	27.3	QP
3.786000	27.2	10.6	56.0	28.8	QP
0.290000	23.9	10.3	50.5	26.6	AV
0.778000	23.5	10.3	46.0	22.5	AV
1.098000	20.3	10.4	46.0	25.7	AV
3.374000	14.5	10.6	46.0	31.5	AV
3.498000	15.7	10.6	46.0	30.3	AV
3.786000	17.4	10.6	46.0	28.6	AV

Remark:

1. All readings are Quasi-Peak and Average values
2. Margin = Result (Result =Reading + Factor)–Limit
3. Factor=LISN factor+Cable loss+Limiter (10dB)

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Temperature:	25.1℃	Relative Humidity:	59%
Test Voltage:	AC 120V/60Hz	Phase:	N
Test Mode:	Mode 1		



Frequency[MHz]	Level[dBμV]	Factor[dB]	Limit[dBμV]	Margin[dB]	Detector
0.514000	24.4	10.3	56.0	31.6	QP
1.182000	25.8	10.4	56.0	30.2	QP
3.722000	28.0	10.6	56.0	28.0	QP
4.106000	23.4	10.7	56.0	32.6	QP
4.138000	25.4	10.7	56.0	30.6	QP
4.410000	25.4	10.7	56.0	30.6	QP
0.290000	24.0	10.3	50.5	26.5	AV
0.458000	21.2	10.3	46.7	25.5	AV
1.194000	20.3	10.4	46.0	25.7	AV
3.790000	17.7	10.6	46.0	28.3	AV
4.958000	15.1	10.8	46.0	30.9	AV
7.314000	12.4	11.5	50.0	37.6	AV

Remark:

1. All readings are Quasi-Peak and Average values
2. Margin = Result (Result = Reading + Factor) – Limit
3. Factor = LISN factor + Cable loss + Limiter (10dB)

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

13. Carrier Frequency Stability

13.1 Provisions Applicable


Please refer to FCC 47 CFR Part 15.319(c) & 15.319(e) for specification details:

The frequency stability of the carrier frequency of the intentional radiator shall be maintained within ± 10 ppm over 1 hour or the interval between channel access monitoring, whichever is shorter. The frequency stability shall be maintained over a temperature variation of -20° to $+45^{\circ}\text{C}$ at normal supply voltage, and over a variation in the primary supply voltage of 85 percent to 115 percent of the rated supply voltage at a temperature of 20°C . For equipment that is capable only of operating from a battery, the frequency stability tests shall be performed using a new battery without any further requirement to vary supply voltage.

13.2 Measurement Procedure

The testing follows the ANSI C63.17-2013 Section 6.2.1

13.3 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

13.4 Measurement Result

Antenna 1

Low Channel					
Reference Frequency (MHz)	Voltage (V)	Temperature (°C)	Frequency (MHz)	Deviation (ppm)	Limit (ppm)
1921.536	3.8	50	1921.52583	5.29	±10
		40	1921.52421	6.14	
		30	1921.52471	5.88	
		20	1921.53522	0.41	
		10	1921.53543	0.30	
		0	1921.53721	-0.63	
		-10	1921.54939	-6.97	
		-20	1921.54397	-4.15	
	3.23	20	1921.54268	-3.48	
	4.37	20	1921.54689	-5.67	

Mid Channel					
Reference Frequency (MHz)	Voltage (V)	Temperature (°C)	Frequency (MHz)	Deviation (ppm)	Limit (ppm)
1924.992	3.8	50	1924.99416	-1.12	±10
		40	1924.99516	-1.64	
		30	1924.99733	-2.77	
		20	1925.00382	-6.14	
		10	1924.99958	-3.94	
		0	1924.99923	-3.76	
		-10	1924.98642	2.90	
		-20	1924.98456	3.86	
	3.23	20	1924.98740	2.39	
	4.37	20	1924.98537	3.44	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

High Channel					
Reference Frequency (MHz)	Voltage (V)	Temperature (°C)	Frequency (MHz)	Deviation (ppm)	Limit (ppm)
1928.448	3.8	50	1928.44306	2.56	±10
		40	1928.44159	3.32	
		30	1928.43878	4.78	
		20	1928.44326	2.46	
		10	1928.44848	-0.25	
		0	1928.45160	-1.87	
		-10	1928.44515	1.48	
		-20	1928.45114	-1.63	
	3.23	20	1928.45098	-1.55	
	4.37	20	1928.44985	-0.96	

Antenna 2

Low Channel					
Reference Frequency (MHz)	Voltage (V)	Temperature (°C)	Frequency (MHz)	Deviation (ppm)	Limit (ppm)
1921.536	3.8	50	1921.52571	5.36	±10
		40	1921.52372	6.39	
		30	1921.52544	5.50	
		20	1921.53641	-0.21	
		10	1921.53587	0.07	
		0	1921.53751	-0.79	
		-10	1921.54703	-5.74	
		-20	1921.54688	-5.66	
	3.23	20	1921.54701	-5.73	
	4.37	20	1921.54514	-4.76	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Mid Channel					
Reference Frequency (MHz)	Voltage (V)	Temperature (°C)	Frequency (MHz)	Deviation (ppm)	Limit(ppm)
1924.992	3.8	50	1924.99405	-1.06	±10
		40	1924.99778	-3.00	
		30	1924.99235	-0.18	
		20	1924.99990	-4.10	
		10	1924.99908	-3.68	
		0	1924.99941	-3.85	
		-10	1924.98391	4.20	
		-20	1924.98577	3.24	
	3.23	20	1924.98836	1.89	
	4.37	20	1924.98719	2.50	

High Channel					
Reference Frequency (MHz)	Voltage (V)	Temperature (°C)	Frequency (MHz)	Deviation (ppm)	Limit(ppm)
1928.448	3.8	50	1928.44560	1.24	±10
		40	1928.44174	3.25	
		30	1928.44271	2.74	
		20	1928.43820	5.08	
		10	1928.44689	0.58	
		0	1928.45047	-1.28	
		-10	1928.44780	0.10	
		-20	1928.44855	-0.29	
	3.23	20	1928.45154	-1.84	
	4.37	20	1928.45004	-1.06	

Note 1: Max Dev. (ppm) = [(Max. Diff. - Min. Diff.) / Average Mean Carrier Freq.]*10⁶

Note 2: Difference (kHz) = Measured Carrier Freq. - Carrier Freq.

Note 3: Deviation (ppm) = [Difference (MHz) / Carrier Freq.] x 10⁶

Note 4: Set the Measured Carrier Frequency (MHz) T = +20°C as Ref Level

Note 5: Difference (kHz) = Measured Carrier Freq. T = -20°C - Measured Carrier Freq. T = +20°C or Measured Carrier Freq. T = +45°C - Measured Carrier Freq. T = +20°C

Note 6: Deviation (ppm) = [Difference (MHz) / Carrier Freq.] x 10⁶.

Note 7: Carrier frequency offset error only records the worst mode data (antenna 1)

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

14. Specific Requirements for UPCS Device

14.1 Monitoring Time Requirements


According to the requirements of FCC Part 15.323(c)(1) as follows:

Immediately prior to initiating transmission, devices must monitor the combined time and spectrum window in which they intend to transmit. For a period of at least 10 milliseconds for systems designed to use a 10 milliseconds or shorter frame period or at least 20 milliseconds for systems designed to use a 20 milliseconds frame period.

14.1.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 7.3.4, 7.5

14.1.2 Measurement Setup



13.1.2 Measurement Result

Initial transmit channel and Interferer level	Final transmit Channel	Results
Apply the interference on f1 at level TU+UM, and no interference on f2. Initiate transmission and verify the transmission on f2.	f2	Pass
Apply the interference on f2 at level TU+UM, at the same time, no interference on f1. After about 20ms, initiate transmission and verify the transmission on f1.	f1	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

14.2 Lowest Monitoring Threshold Requirements

According to the requirements of FCC Part 15.323(c)(2) as follows:

The monitoring threshold must not be more than 30 dB above the thermal noise power for a bandwidth equivalent to the emission bandwidth used by the device.

14.2.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 7.3.1

14.2.2 Measurement Result

Not Applicable

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

14.3 Acknowledgements and Transmission Duration Requirements

According to the requirements of FCC Part 15.323(c)(3)(4) as follows:

Occupation of the same combined time and spectrum windows by a device or group of cooperating devices continuously over a period of time longer than 8 hours is not permitted without repeating the access criteria.

Once access to specific combined time and spectrum windows is obtained an acknowledgement from a system participant must be received by the initiating transmitter within one second or transmission must cease.

Periodic acknowledgements must be received at least every 30 seconds or transmission must cease. Channels used exclusively for control and signaling information may transmit continuously for 30 seconds without receiving an acknowledgement, at which time the access criteria must be repeated.

14.3.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 8.2.1& 8.2.2.

14.3.2 Measurement Result

Test ref. to ANSI C63.17 clause 8.2.1	Observation	Verdict
Initial transmission without acknowledgements	Not applicable for EUT that transmits control and signaling information	N/A
Transmission time after loss of acknowledgements	10.0	Pass

Test ref. to ANSI C63.17 clause 8.2.2	Observation	Verdict
Transmission duration on same time and frequency window	Only for initiating device that controls which time slot is used	N/A

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

14.4 Least Interfered Channel (LIC) Selection Requirements

According to the requirements of FCC Part 15.323(c)(5) as follows:

Occupation of the same combined time and spectrum windows by a device or group of cooperating devices
If access to spectrum is not available as determined by the above, and a minimum of 40 duplex system access channels are defined for the system, the time and spectrum windows with the lowest power level below a monitoring threshold of 50 dB above the thermal noise power determined for the emission bandwidth may be accessed.

Calculation of monitoring threshold limits for isochroous devices:

Lowest threshold: $TL = -174 + 10\log_{10}B + \mu + P_{MAX} - P_{EUT}(\text{dBm})$

Upper threshold: $TU = -174 + 10\log_{10}B + \mu + P_{MAX} - P_{EUT}(\text{dBm})$

Where: B=Emission bandwidth (Hz)

μ =dB the threshold may exceed thermal noise (30 for TL& 50 for TU)

$P_{MAX} = 5 * \log_{10}B - 10(\text{dBm})$

P_{EUT} =Transmitted power (dBm)

● For Antenna 1

Monitor Threshold	B (MHz)	M_U (dB)	P_{MAX} (dBm)	P_{EUT} (dBm)	Threshold (dBm)
TL	1.41	30	20.746	17.05	-78.81
TU	1.41	50	20.746	17.05	-58.81

● For Antenna 2

Monitor Threshold	B (MHz)	M_U (dB)	P_{MAX} (dBm)	P_{EUT} (dBm)	Threshold (dBm)
TL	1.41	30	20.746	17.68	-79.44
TU	1.41	50	20.746	17.68	-59.44

The EUT must not transmit until the interference level is less than or equal to: Measured Threshold Level $\leq$ TU

Where: TU=Upper threshold level

14.4.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 7.3.2& 7.3.3& 7.3.4.

14.4.2 Measurement Result

● For Antenna 1

Monitor threshold	Measured Threshold Level	Limit (dBm)
Lowest Threshold (dBm)	N/A	-78.81
Upper Threshold (dBm)	N/A	-58.81

● For Antenna 2

Monitor threshold	Measured Threshold Level	Limit (dBm)
Lowest Threshold (dBm)	N/A	-79.44
Upper Threshold (dBm)	N/A	-59.44

Note: N/A Not applicable - EUT which supports at least of 40 duplex system access channels and implements Least Interfered Channel (LIC) algorithm is permitted to use an upper monitoring threshold.

14.5 Random Waiting Requirements

According to the requirements of FCC Part 15.323(c)(6) as follows:

If the selected combined time and spectrum windows are unavailable, the device may either monitor and select different windows or seek to use the same window after waiting an amount of time, randomly chosen from a uniform random distribution between 10 and 150 milliseconds, commencing when the channel becomes available.

14.5.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 8.1.3.

14.5.2 Measurement Result

Not Applicable

Note: The manufacturer declares that this provision is not utilized by the EUT.

14.6 Monitoring Bandwidth Requirements

According to the requirements of FCC Part 15.323(c)(7) as follows:

The monitoring system bandwidth must be equal to or greater than the occupied bandwidth of the intended transmission. Note: Testing of the monitoring system bandwidth is not required if the designed bandwidth from the manufacturer is available and given in the test report.

The maximum reaction time of the monitor shall be less than $50 \cdot \sqrt{1.25/EBW \text{ or } OBW[\text{MHz}]}$ μs for signals at the applicable threshold level but shall not be required to be less than 50 μs .

If a signal of 6 dB or more above the threshold level is detected, the maximum reaction time shall be $35 \cdot \sqrt{1.25/EBW \text{ or } OBW[\text{MHz}]}$ μs but shall not be required to be less than 35 μs .

14.6.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 7.5.

14.6.2 Measurement Result

● For Antenna 1

Test pulse width Equation(μs)	B(bandwidth)(MHz)	Pulse width(μs)	Limit(Largest)(μs)
$50(1.25/B)^{1/2}$	1.410	47.078	50
$35(1.25/B)^{1/2}$	1.410	32.954	35

● For Antenna 2

Test pulse width Equation(μs)	B(bandwidth)(MHz)	Pulse width(μs)	Limit(Largest)(μs)
$50(1.25/B)^{1/2}$	1.410	47.078	50
$35(1.25/B)^{1/2}$	1.410	32.954	35

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

14.7 Monitoring Antenna Requirements

According to the requirements of FCC Part 15.323(c)(8)(9) as follows:

The monitoring system shall use the same antenna used for transmission, or an antenna that yields equivalent reception at that location.

14.7.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 paragraph 4.

14.7.2 Measurement Result

Not Applicable

Note: The antenna of the EUT used for transmission is the same interior antenna that used for monitoring.

14.8 Dual Access Criteria Check Requirements

According to the requirements of FCC Part 15.323(c)(10) as follows:

A device initiating a communication (hereafter called an initiating device) may attempt to establish a duplex connection by monitoring both its intended transmit and receive time and spectrum windows.

If both the intended transmit and receive time and spectrum windows meet the access criteria, then the initiating device can initiate a transmission in the intended transmit time and spectrum window.

If the power detected by the responding device can be decoded as a duplex connection signal from the initiating device, then the responding device may immediately begin transmitting in the receive time and spectrum window monitored by the initiating device.

14.8.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 8.3.1&8.3.2.

14.8.2 Measurement Result

EUT that do NOT implements the LIC procedure:

Test ref. to ANSI C63.17 clause 8.3.1	Observation	Verdict
b) EUT is restricted to a single carrier f_1 for TDMA systems. The Test is Pass if EUT can transmit	EUT can transmit	Pass
c) d) Interference at level $T_L + U_M$ on all timeslots except one receive slot where interference is at least 10 dB below T_L	No connection possible	N/A
e) f) Interference at level $T_L + U_M$ on all timeslots except one transmit slot where interference is at least 10 dB below T_L	No connection possible	N/A

EUTs that implements the LIC procedure:

Test ref. to ANSI C63.17 clause 8.3.1	Observation	Verdict
b) EUT is restricted to a single carrier f_1 for TDMA systems. The Test is Pass if EUT can transmit	EUT can transmit	Pass
c) d) Transmission on interference-free receive time/spectrum window	Connected on the target Rx window and its duplex mate.	Pass
e) f) Transmission on interference-free transmit time/spectrum window	Connected on the target Tx window and its duplex mate.	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

14.9 Alternative Monitoring Interval for Co-Located Devices Requirements

According to the requirements of FCC Part 15.323(c)(11) as follows:

An initiating device that is prevented from monitoring during its intended transmit window due to monitoring system blocking from the transmissions of a co-located (within 1 m) transmitter of the same system, may monitor the portions of the time and spectrum window in which they are to receive over a period of at least 10 ms.

The monitored time and spectrum window must total at least 50% of the 10 ms frame interval and the monitored spectrum must be within 1.25 MHz of the centre frequency of channel(s) already occupied by that device or co-located cooperating devices.

If the access criteria are met for the intended receive time and spectrum window under the above conditions, then transmission in the intended transmit window by the initiating device may commence.

14.9.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 8.4.

14.9.2 Measurement Result

Not Applicable

Note: The manufacturer declares that this provision is not utilized by the EUT.

14.10 Frame Repetition Stability And Period And Jitter


According to the requirements of FCC Part 15.323(c)(13) as follows:

The frame period (a set of consecutive time slots in which the position of each time slot can be identified by reference to a synchronizing source) of an intentional radiator operating in this band shall be 20 milliseconds or 10 milliseconds/X where X is a positive whole number. Each device that implements time division for the purposes of maintaining a duplex connection on a given frequency carrier shall maintain a frame repetition rate with a frequency stability of at least 50 parts per million (ppm). Each device which further divides access in time in order to support multiple communication links on a given frequency carrier shall maintain a frame repetition rate with a frequency stability of at least 10 ppm. The jitter (time-related, abrupt, spurious variations in the duration of the frame interval) introduced at the two ends of such a communication link shall not exceed 25 microseconds for any two consecutive transmissions. Transmissions shall be continuous in every time and spectrum window during the frame period defined for the device.

14.10.1 Measurement Procedure

For detailed test methods, please refer to ANSI C63.17-2013 Clause 6.2.2&6.2.3

14.10.2 Measurement Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

14.10.3 Measurement Result

● For Antenna 1

Channel	Standard Deviation(ppm)	Frame Repetition	The limit of Frame Repetition Stability(ppm)	Verdict
Middle	0.8297	2.4891	±10	Pass

Channel	Frame Period(ms)	Max Jitter(μs)	3xStandard Deviation of Jitter(μs)	Limit(μs)		Verdict
				Max Jitter	3 times St.Dev.of Jitter	
Middle	10.0000	-0.5000	2.4891	25	12.5	Pass

● For Antenna 2

Channel	Standard Deviation(ppm)	Frame Repetition	The limit of Frame Repetition Stability(ppm)	Verdict
Middle	0.5710	1.7130	±10	Pass

Channel	Frame Period(ms)	Max Jitter(μs)	3xStandard Deviation of Jitter(μs)	Limit(μs)		Verdict
				Max Jitter	3 times St.Dev.of Jitter	
Middle	10.0000	-0.5000	1.7130	25	12.5	Pass

Max Jitter= $(1/(\text{Frame Period} + \text{Pk-Pk})/2) - (1/\text{Frame Period})$. When Pk-Pk and Frame period are in Hz. 3x St.Dev. Jitter $3 \times (1/(\text{Frame Period} + \text{St. Dev})) - (1/\text{St.Dev}) \times 10^6$

Appendix I: Photographs of Test Setup

Refer to the Report No.: AGC02787260301AP01

Appendix II: Photographs of Test EUT

Refer to the Report No.: AGC02787260301AP02

-----End of Report-----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the “Company”) solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the “Clients”).
2. Any report issued by Company as a result of this application for testing services (the “Report”) shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>