


## Occupied Bandwidth


| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation           | RB    | OBW (MHz) | 26dB OBW (MHz) |
|---------|-----------|-----------------|--------|------------|----------------------|-------|-----------|----------------|
| 25      | 15        | 5               | 392500 | 1882.5     | DFT-s-OFDM PI/2 BPSK | 25@0  | 4.4839    | 5.046          |
| 25      | 15        | 5               | 392500 | 1882.5     | DFT-s-OFDM QPSK      | 25@0  | 4.4661    | 5.033          |
| 25      | 15        | 5               | 392500 | 1882.5     | CP-OFDM QPSK         | 25@0  | 4.4741    | 5.056          |
| 25      | 15        | 5               | 392500 | 1882.5     | CP-OFDM 16 QAM       | 25@0  | 4.4824    | 5.167          |
| 25      | 15        | 5               | 392500 | 1882.5     | CP-OFDM 64 QAM       | 25@0  | 4.4674    | 5.091          |
| 25      | 15        | 5               | 392500 | 1882.5     | CP-OFDM 256 QAM      | 25@0  | 4.4816    | 5.037          |
| 25      | 15        | 10              | 392500 | 1882.5     | DFT-s-OFDM PI/2 BPSK | 50@0  | 8.8993    | 9.539          |
| 25      | 15        | 10              | 392500 | 1882.5     | DFT-s-OFDM QPSK      | 50@0  | 8.9238    | 9.697          |
| 25      | 15        | 10              | 392500 | 1882.5     | CP-OFDM QPSK         | 52@0  | 9.2831    | 10.14          |
| 25      | 15        | 10              | 392500 | 1882.5     | CP-OFDM 16 QAM       | 52@0  | 9.3011    | 9.982          |
| 25      | 15        | 10              | 392500 | 1882.5     | CP-OFDM 64 QAM       | 52@0  | 9.2613    | 9.974          |
| 25      | 15        | 10              | 392500 | 1882.5     | CP-OFDM 256 QAM      | 52@0  | 9.285     | 10.03          |
| 25      | 15        | 15              | 392500 | 1882.5     | DFT-s-OFDM PI/2 BPSK | 75@0  | 13.39     | 14.3           |
| 25      | 15        | 15              | 392500 | 1882.5     | DFT-s-OFDM QPSK      | 75@0  | 13.383    | 14.34          |
| 25      | 15        | 15              | 392500 | 1882.5     | CP-OFDM QPSK         | 79@0  | 14.08     | 14.87          |
| 25      | 15        | 15              | 392500 | 1882.5     | CP-OFDM 16 QAM       | 79@0  | 14.091    | 15.01          |
| 25      | 15        | 15              | 392500 | 1882.5     | CP-OFDM 64 QAM       | 79@0  | 14.111    | 15.0           |
| 25      | 15        | 15              | 392500 | 1882.5     | CP-OFDM 256 QAM      | 79@0  | 14.091    | 15.0           |
| 25      | 15        | 20              | 392500 | 1882.5     | DFT-s-OFDM PI/2 BPSK | 100@0 | 17.886    | 18.68          |
| 25      | 15        | 20              | 392500 | 1882.5     | DFT-s-OFDM QPSK      | 100@0 | 17.868    | 18.87          |
| 25      | 15        | 20              | 392500 | 1882.5     | CP-OFDM QPSK         | 106@0 | 18.894    | 19.95          |
| 25      | 15        | 20              | 392500 | 1882.5     | CP-OFDM 16 QAM       | 106@0 | 18.911    | 19.96          |
| 25      | 15        | 20              | 392500 | 1882.5     | CP-OFDM 64 QAM       | 106@0 | 18.907    | 19.88          |
| 25      | 15        | 20              | 392500 | 1882.5     | CP-OFDM 256 QAM      | 106@0 | 18.933    | 19.95          |
| 25      | 15        | 25              | 392500 | 1882.5     | DFT-s-OFDM PI/2 BPSK | 128@0 | 22.849    | 23.82          |

|    |    |    |        |        |                         |       |        |       |
|----|----|----|--------|--------|-------------------------|-------|--------|-------|
| 25 | 15 | 25 | 392500 | 1882.5 | DFT-s-OFDM<br>QPSK      | 128@0 | 22.883 | 23.95 |
| 25 | 15 | 25 | 392500 | 1882.5 | CP-OFDM<br>QPSK         | 133@0 | 23.741 | 24.89 |
| 25 | 15 | 25 | 392500 | 1882.5 | CP-OFDM 16<br>QAM       | 133@0 | 23.727 | 24.85 |
| 25 | 15 | 25 | 392500 | 1882.5 | CP-OFDM 64<br>QAM       | 133@0 | 23.768 | 24.82 |
| 25 | 15 | 25 | 392500 | 1882.5 | CP-OFDM 256<br>QAM      | 133@0 | 23.74  | 24.81 |
| 25 | 15 | 30 | 392500 | 1882.5 | DFT-s-OFDM<br>PI/2 BPSK | 160@0 | 28.692 | 29.6  |
| 25 | 15 | 30 | 392500 | 1882.5 | DFT-s-OFDM<br>QPSK      | 160@0 | 28.54  | 29.78 |
| 25 | 15 | 30 | 392500 | 1882.5 | CP-OFDM<br>QPSK         | 160@0 | 28.537 | 29.74 |
| 25 | 15 | 30 | 392500 | 1882.5 | CP-OFDM 16<br>QAM       | 160@0 | 28.52  | 29.82 |
| 25 | 15 | 30 | 392500 | 1882.5 | CP-OFDM 64<br>QAM       | 160@0 | 28.532 | 29.67 |
| 25 | 15 | 30 | 392500 | 1882.5 | CP-OFDM 256<br>QAM      | 160@0 | 28.568 | 29.71 |
| 25 | 15 | 40 | 392500 | 1882.5 | DFT-s-OFDM<br>PI/2 BPSK | 216@0 | 38.541 | 40.07 |
| 25 | 15 | 40 | 392500 | 1882.5 | DFT-s-OFDM<br>QPSK      | 216@0 | 38.448 | 40.06 |
| 25 | 15 | 40 | 392500 | 1882.5 | CP-OFDM<br>QPSK         | 216@0 | 38.525 | 40.0  |
| 25 | 15 | 40 | 392500 | 1882.5 | CP-OFDM 16<br>QAM       | 216@0 | 38.548 | 39.98 |
| 25 | 15 | 40 | 392500 | 1882.5 | CP-OFDM 64<br>QAM       | 216@0 | 38.579 | 39.98 |
| 25 | 15 | 40 | 392500 | 1882.5 | CP-OFDM 256<br>QAM      | 216@0 | 38.531 | 39.88 |


N25(5M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N25(5M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(5M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(5M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N25(5M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N25(5M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N25(10M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N25(10M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(10M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(10M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N25(10M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N25(10M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N25(15M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N25(15M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(15M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(15M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N25(15M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N25(15M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N25(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N25(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(20M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(20M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N25(20M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N25(20M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N25(25M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N25(25M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(25M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(25M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N25(25M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N25(25M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N25(30M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N25(30M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(30M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(30M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH




N25(30M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH




N25(30M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




N25(40M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N25(40M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(40M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N25(40M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



N25(40M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



N25(40M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH




## Conducted Spurious Emissions


| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB  | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|-----------------|-----|-----------|---------|
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 5               | 392500 | 1882.5     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 25      | 15        | 5               | 392500 | 1882.5     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 5               | 392500 | 1882.5     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 25      | 15        | 5               | 392500 | 1882.5     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 20              | 392500 | 1882.5     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 25      | 15        | 20              | 392500 | 1882.5     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 20              | 392500 | 1882.5     | DFT-s-OFDM QPSK | 1@0 | see graph | ---     |
| 25      | 15        | 20              | 392500 | 1882.5     | DFT-s-OFDM QPSK | 1@0 | see graph | PASS    |
| 25      | 15        | 20              | 397000 | 1905.0     | DFT-s-OFDM BPSK | 1@0 | see graph | ---     |
| 25      | 15        | 20              | 397000 | 1905.0     | DFT-s-OFDM BPSK | 1@0 | see graph | PASS    |

|    |    |    |        |        |                    |     |           |      |
|----|----|----|--------|--------|--------------------|-----|-----------|------|
| 25 | 15 | 20 | 397000 | 1905.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 25 | 15 | 20 | 397000 | 1905.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 25 | 15 | 40 | 390000 | 1870.0 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 25 | 15 | 40 | 390000 | 1870.0 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 25 | 15 | 40 | 390000 | 1870.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 25 | 15 | 40 | 390000 | 1870.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 25 | 15 | 40 | 392500 | 1882.5 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 25 | 15 | 40 | 392500 | 1882.5 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 25 | 15 | 40 | 392500 | 1882.5 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 25 | 15 | 40 | 392500 | 1882.5 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |
| 25 | 15 | 40 | 395000 | 1895.0 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | ---  |
| 25 | 15 | 40 | 395000 | 1895.0 | DFT-s-OFDM<br>BPSK | 1@0 | see graph | PASS |
| 25 | 15 | 40 | 395000 | 1895.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | ---  |
| 25 | 15 | 40 | 395000 | 1895.0 | DFT-s-OFDM<br>QPSK | 1@0 | see graph | PASS |


# N25(5M)\_DFT-s- OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




# N25(5M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




# N25(5M)\_DFT-s- OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



# N25(5M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




# N25(5M)\_DFT-s- OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




# N25(5M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




N25(20M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N25(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N25(20M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N25(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




N25(20M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH




N25(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




N25(40M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N25(40M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH



N25(40M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Mid\_CH



N25(40M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH



N25(40M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_High\_CH



N25(40M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Conducted Band Edge

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Result    | Verdict |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------|---------|
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM BPSK | 25@0  | see graph | PASS    |
| 25      | 15        | 5               | 386500 | 1852.5     | DFT-s-OFDM QPSK | 25@0  | see graph | PASS    |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM BPSK | 1@24  | see graph | PASS    |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM QPSK | 1@24  | see graph | PASS    |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM BPSK | 25@0  | see graph | PASS    |
| 25      | 15        | 5               | 398500 | 1912.5     | DFT-s-OFDM QPSK | 25@0  | see graph | PASS    |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM BPSK | 100@0 | see graph | PASS    |
| 25      | 15        | 20              | 388000 | 1860.0     | DFT-s-OFDM QPSK | 100@0 | see graph | PASS    |
| 25      | 15        | 20              | 397000 | 1905.0     | DFT-s-OFDM BPSK | 1@105 | see graph | PASS    |
| 25      | 15        | 20              | 397000 | 1905.0     | DFT-s-OFDM QPSK | 1@105 | see graph | PASS    |
| 25      | 15        | 20              | 397000 | 1905.0     | DFT-s-OFDM BPSK | 100@0 | see graph | PASS    |
| 25      | 15        | 20              | 397000 | 1905.0     | DFT-s-OFDM QPSK | 100@0 | see graph | PASS    |
| 25      | 15        | 40              | 390000 | 1870.0     | DFT-s-OFDM BPSK | 1@0   | see graph | PASS    |
| 25      | 15        | 40              | 390000 | 1870.0     | DFT-s-OFDM QPSK | 1@0   | see graph | PASS    |
| 25      | 15        | 40              | 390000 | 1870.0     | DFT-s-OFDM BPSK | 216@0 | see graph | PASS    |
| 25      | 15        | 40              | 390000 | 1870.0     | DFT-s-OFDM QPSK | 216@0 | see graph | PASS    |
| 25      | 15        | 40              | 395000 | 1895.0     | DFT-s-OFDM BPSK | 1@215 | see graph | PASS    |
| 25      | 15        | 40              | 395000 | 1895.0     | DFT-s-OFDM QPSK | 1@215 | see graph | PASS    |
| 25      | 15        | 40              | 395000 | 1895.0     | DFT-s-OFDM BPSK | 216@0 | see graph | PASS    |
| 25      | 15        | 40              | 395000 | 1895.0     | DFT-s-OFDM QPSK | 216@0 | see graph | PASS    |


N25(5M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N25(5M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N25(5M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




N25(5M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N25(5M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




N25(5M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




N25(5M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH




N25(5M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




N25(20M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N25(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N25(20M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_Low\_CH




N25(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N25(20M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH




N25(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH




N25(20M)\_DFT-s-  
OFDM\_BPSK\_Outer\_Full\_High\_CH




N25(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_High\_CH




N25(40M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH




N25(40M)\_DFT-s-  
OFDM\_BPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP\_ PASS




### N25(40M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




### N25(40M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH\_CHP \_PASS




### N25(40M)\_DFT-s- OFDM\_BPSK\_Outer\_Full\_Low\_CH




### N25(40M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_Low\_CH




### N25(40M)\_DFT-s- OFDM\_BPSK\_Edge\_1RB\_Right\_High\_CH



### N25(40M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH



# N25(40M)\_DFT-s- OFDM\_QPSK\_Edge\_1RB\_Right\_High\_CH CHP \_PASS



# N25(40M)\_DFT-s- OFDM\_BPSK\_Outer\_Full\_High\_CH



# N25(40M)\_DFT-s- OFDM\_QPSK\_Outer\_Full\_High\_CH



## FR1 N66(ANT3)

### Conducted Output Power and EIRP (gain=-2.0dBi)

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation        | RB  | Conducted Power (dBm) | EIRP (dBm) | EIRP (W) |
|---------|-----------|-----------------|--------|------------|-------------------|-----|-----------------------|------------|----------|
| 66      | 15        | 5               | 422500 | 1712.5     | DFT-s-OFDM QPSK   | 1@1 | 23.89                 | 21.89      | 0.1545   |
| 66      | 15        | 5               | 422500 | 1712.5     | DFT-s-OFDM 16 QAM | 1@1 | 22.93                 | 20.93      | 0.1239   |
| 66      | 15        | 5               | 429000 | 1745       | DFT-s-OFDM QPSK   | 1@1 | 23.77                 | 21.77      | 0.1503   |
| 66      | 15        | 5               | 429000 | 1745       | DFT-s-OFDM 16 QAM | 1@1 | 22.33                 | 20.33      | 0.1079   |
| 66      | 15        | 5               | 435500 | 1777.5     | DFT-s-OFDM QPSK   | 1@1 | 23.78                 | 21.78      | 0.1507   |
| 66      | 15        | 5               | 435500 | 1777.5     | DFT-s-OFDM 16 QAM | 1@1 | 22.76                 | 20.76      | 0.1191   |
| 66      | 15        | 10              | 423000 | 1715       | DFT-s-OFDM QPSK   | 1@1 | 23.72                 | 21.72      | 0.1486   |
| 66      | 15        | 10              | 423000 | 1715       | DFT-s-OFDM 16 QAM | 1@1 | 22.75                 | 20.75      | 0.1189   |
| 66      | 15        | 10              | 429000 | 1745       | DFT-s-OFDM QPSK   | 1@1 | 23.74                 | 21.74      | 0.1493   |
| 66      | 15        | 10              | 429000 | 1745       | DFT-s-OFDM 16 QAM | 1@1 | 22.79                 | 20.79      | 0.1199   |
| 66      | 15        | 10              | 435000 | 1775       | DFT-s-OFDM QPSK   | 1@1 | 23.74                 | 21.74      | 0.1493   |
| 66      | 15        | 10              | 435000 | 1775       | DFT-s-OFDM 16 QAM | 1@1 | 22.76                 | 20.76      | 0.1191   |
| 66      | 15        | 15              | 423500 | 1717.5     | DFT-s-OFDM QPSK   | 1@1 | 24.03                 | 22.03      | 0.1596   |
| 66      | 15        | 15              | 423500 | 1717.5     | DFT-s-OFDM 16 QAM | 1@1 | 23.07                 | 21.07      | 0.1279   |
| 66      | 15        | 15              | 429000 | 1745       | DFT-s-OFDM QPSK   | 1@1 | 23.9                  | 21.9       | 0.1549   |
| 66      | 15        | 15              | 429000 | 1745       | DFT-s-OFDM 16 QAM | 1@1 | 23.02                 | 21.02      | 0.1265   |
| 66      | 15        | 15              | 434500 | 1772.5     | DFT-s-OFDM QPSK   | 1@1 | 23.8                  | 21.8       | 0.1514   |
| 66      | 15        | 15              | 434500 | 1772.5     | DFT-s-OFDM 16 QAM | 1@1 | 22.76                 | 20.76      | 0.1191   |
| 66      | 15        | 20              | 424000 | 1720       | DFT-s-OFDM QPSK   | 1@1 | 24.01                 | 22.01      | 0.1589   |
| 66      | 15        | 20              | 424000 | 1720       | DFT-s-OFDM 16 QAM | 1@1 | 23.09                 | 21.09      | 0.1285   |
| 66      | 15        | 20              | 429000 | 1745       | DFT-s-OFDM QPSK   | 1@1 | 23.91                 | 21.91      | 0.1552   |
| 66      | 15        | 20              | 429000 | 1745       | DFT-s-OFDM 16 QAM | 1@1 | 22.57                 | 20.57      | 0.1140   |
| 66      | 15        | 20              | 434000 | 1770       | DFT-s-OFDM QPSK   | 1@1 | 23.9                  | 21.9       | 0.1549   |
| 66      | 15        | 20              | 434000 | 1770       | DFT-s-OFDM 16 QAM | 1@1 | 22.83                 | 20.83      | 0.1211   |
| 66      | 15        | 30              | 425000 | 1725       | DFT-s-OFDM QPSK   | 1@1 | 24.04                 | 22.04      | 0.1600   |
| 66      | 15        | 30              | 425000 | 1725       | DFT-s-OFDM 16 QAM | 1@1 | 23.02                 | 21.02      | 0.1265   |
| 66      | 15        | 30              | 429000 | 1745       | DFT-s-OFDM QPSK   | 1@1 | 23.97                 | 21.97      | 0.1574   |
| 66      | 15        | 30              | 429000 | 1745       | DFT-s-OFDM        | 1@1 | 22.62                 | 20.62      | 0.1153   |

|    |    |    |        |      |                         |        |       |       |        |
|----|----|----|--------|------|-------------------------|--------|-------|-------|--------|
|    |    |    |        |      | 16 QAM                  |        |       |       |        |
| 66 | 15 | 30 | 433000 | 1765 | DFT-s-OFDM<br>QPSK      | 1@1    | 23.92 | 21.92 | 0.1556 |
| 66 | 15 | 30 | 433000 | 1765 | DFT-s-OFDM<br>16 QAM    | 1@1    | 22.95 | 20.95 | 0.1245 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>PI/2 BPSK | 108@54 | 22.48 | 20.48 | 0.1117 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 22.46 | 20.46 | 0.1112 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>PI/2 BPSK | 1@214  | 22.31 | 20.31 | 0.1074 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>QPSK      | 108@54 | 24.01 | 22.01 | 0.1589 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>QPSK      | 1@1    | 23.87 | 21.87 | 0.1538 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>QPSK      | 1@214  | 24.1  | 22.1  | 0.1622 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>16 QAM    | 108@54 | 23.03 | 21.03 | 0.1268 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>16 QAM    | 1@1    | 23    | 21    | 0.1259 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>16 QAM    | 1@214  | 22.94 | 20.94 | 0.1242 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>64 QAM    | 108@54 | 21.53 | 19.53 | 0.0897 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>64 QAM    | 1@1    | 21.59 | 19.59 | 0.0910 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>64 QAM    | 1@214  | 21.45 | 19.45 | 0.0881 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>256 QAM   | 108@54 | 19.45 | 17.45 | 0.0556 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>256 QAM   | 1@1    | 19.23 | 17.23 | 0.0528 |
| 66 | 15 | 40 | 426000 | 1730 | DFT-s-OFDM<br>256 QAM   | 1@214  | 19.27 | 17.27 | 0.0533 |
| 66 | 15 | 40 | 426000 | 1730 | CP-OFDM<br>QPSK         | 108@54 | 22.49 | 20.49 | 0.1119 |
| 66 | 15 | 40 | 426000 | 1730 | CP-OFDM<br>QPSK         | 1@1    | 22.61 | 20.61 | 0.1151 |
| 66 | 15 | 40 | 426000 | 1730 | CP-OFDM<br>QPSK         | 1@214  | 22.43 | 20.43 | 0.1104 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>PI/2 BPSK | 108@54 | 22.39 | 20.39 | 0.1094 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 22.42 | 20.42 | 0.1102 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>PI/2 BPSK | 1@214  | 22.33 | 20.33 | 0.1079 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>QPSK      | 108@54 | 23.91 | 21.91 | 0.1552 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>QPSK      | 1@1    | 23.92 | 21.92 | 0.1556 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>QPSK      | 1@214  | 23.96 | 21.96 | 0.1570 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>16 QAM    | 108@54 | 22.96 | 20.96 | 0.1247 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>16 QAM    | 1@1    | 23.07 | 21.07 | 0.1279 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>16 QAM    | 1@214  | 22.96 | 20.96 | 0.1247 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>64 QAM    | 108@54 | 21.44 | 19.44 | 0.0879 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>64 QAM    | 1@1    | 21.55 | 19.55 | 0.0902 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>64 QAM    | 1@214  | 21.46 | 19.46 | 0.0883 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>256 QAM   | 108@54 | 19.23 | 17.23 | 0.0528 |

|    |    |    |        |      |                         |        |       |       |        |
|----|----|----|--------|------|-------------------------|--------|-------|-------|--------|
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>256 QAM   | 1@1    | 19.23 | 17.23 | 0.0528 |
| 66 | 15 | 40 | 429000 | 1745 | DFT-s-OFDM<br>256 QAM   | 1@214  | 19.31 | 17.31 | 0.0538 |
| 66 | 15 | 40 | 429000 | 1745 | CP-OFDM<br>QPSK         | 108@54 | 22.35 | 20.35 | 0.1084 |
| 66 | 15 | 40 | 429000 | 1745 | CP-OFDM<br>QPSK         | 1@1    | 22.57 | 20.57 | 0.1140 |
| 66 | 15 | 40 | 429000 | 1745 | CP-OFDM<br>QPSK         | 1@214  | 22.13 | 20.13 | 0.1030 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>PI/2 BPSK | 108@54 | 22.32 | 20.32 | 0.1076 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>PI/2 BPSK | 1@1    | 22.2  | 20.2  | 0.1047 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>PI/2 BPSK | 1@214  | 22.28 | 20.28 | 0.1067 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>QPSK      | 108@54 | 23.86 | 21.86 | 0.1535 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>QPSK      | 1@1    | 23.79 | 21.79 | 0.1510 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>QPSK      | 1@214  | 23.87 | 21.87 | 0.1538 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>16 QAM    | 108@54 | 22.88 | 20.88 | 0.1225 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>16 QAM    | 1@1    | 22.9  | 20.9  | 0.1230 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>16 QAM    | 1@214  | 22.88 | 20.88 | 0.1225 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>64 QAM    | 108@54 | 21.35 | 19.35 | 0.0861 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>64 QAM    | 1@1    | 21.36 | 19.36 | 0.0863 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>64 QAM    | 1@214  | 21.38 | 19.38 | 0.0867 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>256 QAM   | 108@54 | 19.29 | 17.29 | 0.0536 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>256 QAM   | 1@1    | 19.09 | 17.09 | 0.0512 |
| 66 | 15 | 40 | 432000 | 1760 | DFT-s-OFDM<br>256 QAM   | 1@214  | 19.24 | 17.24 | 0.0530 |
| 66 | 15 | 40 | 432000 | 1760 | CP-OFDM<br>QPSK         | 108@54 | 22.33 | 20.33 | 0.1079 |
| 66 | 15 | 40 | 432000 | 1760 | CP-OFDM<br>QPSK         | 1@1    | 22.4  | 20.4  | 0.1096 |
| 66 | 15 | 40 | 432000 | 1760 | CP-OFDM<br>QPSK         | 1@214  | 22.41 | 20.41 | 0.1099 |


## Frequency Stability

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation      | RB    | Deviation (ppm) | Verdict | Environment |
|---------|-----------|-----------------|--------|------------|-----------------|-------|-----------------|---------|-------------|
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00512         | PASS    | NV          |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00268         | PASS    | LV          |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00661         | PASS    | HV          |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00279         | PASS    | -30°C       |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00609         | PASS    | -20°C       |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00044         | PASS    | -10°C       |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00422         | PASS    | 0°C         |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00282         | PASS    | 10°C        |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00031         | PASS    | 20°C        |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00055         | PASS    | 30°C        |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00343         | PASS    | 40°C        |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK | 100@0 | 0.00635         | PASS    | 50°C        |


## Peak to Average Radio

| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation              | RB    | Result (dB) | Limit (dB) | Verdict |
|---------|-----------|-----------------|--------|------------|-------------------------|-------|-------------|------------|---------|
| 66      | 15        | 20              | 424000 | 1720.0     | DFT-s-OFDM<br>PI/2 BPSK | 100@0 | 4.64        | 13         | PASS    |
| 66      | 15        | 20              | 424000 | 1720.0     | DFT-s-OFDM<br>PI/2 BPSK | 1@0   | 4.4         | 13         | PASS    |
| 66      | 15        | 20              | 424000 | 1720.0     | DFT-s-OFDM<br>QPSK      | 100@0 | 5.74        | 13         | PASS    |
| 66      | 15        | 20              | 424000 | 1720.0     | DFT-s-OFDM<br>QPSK      | 1@0   | 6.67        | 13         | PASS    |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM<br>PI/2 BPSK | 100@0 | 4.63        | 13         | PASS    |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM<br>PI/2 BPSK | 1@0   | 4.16        | 13         | PASS    |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM<br>QPSK      | 100@0 | 5.82        | 13         | PASS    |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM<br>QPSK      | 1@0   | 6.3         | 13         | PASS    |
| 66      | 15        | 20              | 434000 | 1770.0     | DFT-s-OFDM<br>PI/2 BPSK | 100@0 | 4.67        | 13         | PASS    |
| 66      | 15        | 20              | 434000 | 1770.0     | DFT-s-OFDM<br>PI/2 BPSK | 1@0   | 4.45        | 13         | PASS    |
| 66      | 15        | 20              | 434000 | 1770.0     | DFT-s-OFDM<br>QPSK      | 100@0 | 5.56        | 13         | PASS    |
| 66      | 15        | 20              | 434000 | 1770.0     | DFT-s-OFDM<br>QPSK      | 1@0   | 6.46        | 13         | PASS    |

N66(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Low\_CH




N66(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Low\_CH




N66(20M)\_DFT-s-  
OFDM\_QPSK\_Edge\_1RB\_Left\_Low\_CH




N66(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N66(20M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_Mid\_CH




N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Outer\_Full\_High\_CH



N66(20M)\_DFT-s-OFDM\_PI\_2-BPSK\_Edge\_1RB\_Left\_High\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Outer\_Full\_High\_CH



N66(20M)\_DFT-s-OFDM\_QPSK\_Edge\_1RB\_Left\_High\_CH




## Occupied Bandwidth


| NR Band | SCS (kHz) | Bandwidth (MHz) | Arfcn  | Freq (MHz) | Modulation           | RB    | OBW (MHz) | 26dB OBW (MHz) |
|---------|-----------|-----------------|--------|------------|----------------------|-------|-----------|----------------|
| 66      | 15        | 5               | 429000 | 1745.0     | DFT-s-OFDM PI/2 BPSK | 25@0  | 4.4865    | 5.07           |
| 66      | 15        | 5               | 429000 | 1745.0     | DFT-s-OFDM QPSK      | 25@0  | 4.4729    | 5.042          |
| 66      | 15        | 5               | 429000 | 1745.0     | CP-OFDM QPSK         | 25@0  | 4.4759    | 5.145          |
| 66      | 15        | 5               | 429000 | 1745.0     | CP-OFDM 16 QAM       | 25@0  | 4.4893    | 5.215          |
| 66      | 15        | 5               | 429000 | 1745.0     | CP-OFDM 64 QAM       | 25@0  | 4.4614    | 5.044          |
| 66      | 15        | 5               | 429000 | 1745.0     | CP-OFDM 256 QAM      | 25@0  | 4.4782    | 5.042          |
| 66      | 15        | 10              | 429000 | 1745.0     | DFT-s-OFDM PI/2 BPSK | 50@0  | 8.8976    | 9.536          |
| 66      | 15        | 10              | 429000 | 1745.0     | DFT-s-OFDM QPSK      | 50@0  | 8.9176    | 9.666          |
| 66      | 15        | 10              | 429000 | 1745.0     | CP-OFDM QPSK         | 52@0  | 9.2818    | 10.15          |
| 66      | 15        | 10              | 429000 | 1745.0     | CP-OFDM 16 QAM       | 52@0  | 9.2845    | 9.953          |
| 66      | 15        | 10              | 429000 | 1745.0     | CP-OFDM 64 QAM       | 52@0  | 9.271     | 9.938          |
| 66      | 15        | 10              | 429000 | 1745.0     | CP-OFDM 256 QAM      | 52@0  | 9.2713    | 9.968          |
| 66      | 15        | 15              | 429000 | 1745.0     | DFT-s-OFDM PI/2 BPSK | 75@0  | 13.379    | 14.26          |
| 66      | 15        | 15              | 429000 | 1745.0     | DFT-s-OFDM QPSK      | 75@0  | 13.408    | 14.3           |
| 66      | 15        | 15              | 429000 | 1745.0     | CP-OFDM QPSK         | 79@0  | 14.082    | 15.0           |
| 66      | 15        | 15              | 429000 | 1745.0     | CP-OFDM 16 QAM       | 79@0  | 14.098    | 14.99          |
| 66      | 15        | 15              | 429000 | 1745.0     | CP-OFDM 64 QAM       | 79@0  | 14.11     | 14.92          |
| 66      | 15        | 15              | 429000 | 1745.0     | CP-OFDM 256 QAM      | 79@0  | 14.076    | 14.98          |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM PI/2 BPSK | 100@0 | 17.881    | 18.84          |
| 66      | 15        | 20              | 429000 | 1745.0     | DFT-s-OFDM QPSK      | 100@0 | 17.858    | 19.01          |
| 66      | 15        | 20              | 429000 | 1745.0     | CP-OFDM QPSK         | 106@0 | 18.905    | 20.02          |
| 66      | 15        | 20              | 429000 | 1745.0     | CP-OFDM 16 QAM       | 106@0 | 18.908    | 19.87          |
| 66      | 15        | 20              | 429000 | 1745.0     | CP-OFDM 64 QAM       | 106@0 | 18.909    | 19.93          |
| 66      | 15        | 20              | 429000 | 1745.0     | CP-OFDM 256 QAM      | 106@0 | 18.937    | 19.96          |
| 66      | 15        | 30              | 429000 | 1745.0     | DFT-s-OFDM PI/2 BPSK | 160@0 | 28.58     | 29.66          |

|    |    |    |        |        |                         |       |        |       |
|----|----|----|--------|--------|-------------------------|-------|--------|-------|
| 66 | 15 | 30 | 429000 | 1745.0 | DFT-s-OFDM<br>QPSK      | 160@0 | 28.503 | 29.63 |
| 66 | 15 | 30 | 429000 | 1745.0 | CP-OFDM<br>QPSK         | 160@0 | 28.517 | 29.58 |
| 66 | 15 | 30 | 429000 | 1745.0 | CP-OFDM 16<br>QAM       | 160@0 | 28.544 | 29.76 |
| 66 | 15 | 30 | 429000 | 1745.0 | CP-OFDM 64<br>QAM       | 160@0 | 28.534 | 29.73 |
| 66 | 15 | 30 | 429000 | 1745.0 | CP-OFDM 256<br>QAM      | 160@0 | 28.534 | 29.73 |
| 66 | 15 | 40 | 429000 | 1745.0 | DFT-s-OFDM<br>PI/2 BPSK | 216@0 | 38.542 | 39.98 |
| 66 | 15 | 40 | 429000 | 1745.0 | DFT-s-OFDM<br>QPSK      | 216@0 | 38.427 | 40.03 |
| 66 | 15 | 40 | 429000 | 1745.0 | CP-OFDM<br>QPSK         | 216@0 | 38.535 | 40.01 |
| 66 | 15 | 40 | 429000 | 1745.0 | CP-OFDM 16<br>QAM       | 216@0 | 38.562 | 40.05 |
| 66 | 15 | 40 | 429000 | 1745.0 | CP-OFDM 64<br>QAM       | 216@0 | 38.519 | 40.02 |
| 66 | 15 | 40 | 429000 | 1745.0 | CP-OFDM 256<br>QAM      | 216@0 | 38.486 | 39.97 |


N66(5M)\_DFT-s-OFDM\_PI\_2-  
BPSK\_Outer\_Full\_Mid\_CH




N66(5M)\_DFT-s-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH




N66(5M)\_CP-  
OFDM\_QPSK\_Outer\_Full\_Mid\_CH



N66(5M)\_CP-OFDM\_16  
QAM\_Outer\_Full\_Mid\_CH



N66(5M)\_CP-OFDM\_64  
QAM\_Outer\_Full\_Mid\_CH



N66(5M)\_CP-OFDM\_256  
QAM\_Outer\_Full\_Mid\_CH

