





Mode	41											
	Harmonic											
	UNII-6-7_6425-6875_802.11be EHT160_CH111_Full_6505MHz											
ANT	CDD 9+15											
Pol.	Horizontal						Vertical					
Peak Avg	Data: 17 Level (dBuV/m)											



Mode	42																																																																																							
	Harmonic																																																																																							
	UNII-6-7_5925-6425_802.11be EHT320_CH95_Full_6425MHz																																																																																							
ANT	CDD 9+15																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Data: 17 Level (dBuV/m) Date: 2023-09-28  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 12850.00</td><td>48.02</td><td>-40.18</td><td>88.20</td><td>58.40</td><td>39.83</td><td>13.51</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 12850.00	48.02	-40.18	88.20	58.40	39.83	13.51	63.72	---	---	Peak	Data: 18 Level (dBuV/m) Date: 2023-09-28  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 12850.00</td><td>48.78</td><td>-39.42</td><td>88.20</td><td>59.16</td><td>39.83</td><td>13.51</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 12850.00	48.78	-39.42	88.20	59.16	39.83	13.51	63.72	---	---	Peak
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 * 12850.00	48.02	-40.18	88.20	58.40	39.83	13.51	63.72	---	---	Peak																																																																														
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 * 12850.00	48.78	-39.42	88.20	59.16	39.83	13.51	63.72	---	---	Peak																																																																														







Mode	43																																																																																					
	Harmonic																																																																																					
	UNII-6-7_6425-6875_802.11be EHT320_CH127_Full_6585MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg	Data: 17 Date: 2023-09-27 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 * 13170.00</td><td>49.33</td><td>-38.87</td><td>88.20</td><td>59.51</td><td>40.00</td><td>13.61</td><td>63.79</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 13170.00	49.33	-38.87	88.20	59.51	40.00	13.61	63.79	---	---	Peak	Data: 18 Date: 2023-09-28 <table><thead><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 * 13170.00</td><td>50.07</td><td>-38.13</td><td>88.20</td><td>60.25</td><td>40.00</td><td>13.61</td><td>63.79</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 13170.00	50.07	-38.13	88.20	60.25	40.00	13.61	63.79	---	---	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																															
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 * 13170.00	49.33	-38.87	88.20	59.51	40.00	13.61	63.79	---	---	Peak																																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 * 13170.00	50.07	-38.13	88.20	60.25	40.00	13.61	63.79	---	---	Peak																																																																												







		44																																																																								
Mode		Band Edge																																																																								
		UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 26/0_5955MHz																																																																								
ANT		CDD 9+15																																																																								
Pol.		Horizontal					Fundamental																																																																			
Peak	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5874.70</td><td>53.87</td><td>88.20</td><td>-34.33</td><td>40.40</td><td>36.52</td><td>10.33</td><td>33.38 100 15 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5874.70	53.87	88.20	-34.33	40.40	36.52	10.33	33.38 100 15 Peak	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5955.00</td><td>105.23</td><td>-----</td><td>-----</td><td>91.42</td><td>36.64</td><td>10.50</td><td>33.33 100 15 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5955.00	105.23	-----	-----	91.42	36.64	10.50	33.33 100 15 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5874.70	53.87	88.20	-34.33	40.40	36.52	10.33	33.38 100 15 Peak																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5955.00	105.23	-----	-----	91.42	36.64	10.50	33.33 100 15 Peak																																																																			
Avg	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5908.16</td><td>42.55</td><td>68.20</td><td>-25.65</td><td>28.94</td><td>36.57</td><td>10.40</td><td>33.36 100 15 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5908.16	42.55	68.20	-25.65	28.94	36.57	10.40	33.36 100 15 Average	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5955.00</td><td>96.03</td><td>-----</td><td>-----</td><td>82.22</td><td>36.64</td><td>10.50</td><td>33.33 100 15 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5955.00	96.03	-----	-----	82.22	36.64	10.50	33.33 100 15 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5908.16	42.55	68.20	-25.65	28.94	36.57	10.40	33.36 100 15 Average																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1 5955.00	96.03	-----	-----	82.22	36.64	10.50	33.33 100 15 Average																																																																			







		44																																																																																							
Mode		Band Edge																																																																																							
		UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 26/0_5955MHz																																																																																							
ANT		CDD 9+15																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.42</td><td>54.00</td><td>88.20</td><td>-34.20</td><td>40.61</td><td>36.49</td><td>10.29</td><td>33.39</td><td>100</td><td>102</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5853.42	54.00	88.20	-34.20	40.61	36.49	10.29	33.39	100	102	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.49</td><td>-----</td><td>-----</td><td>80.68</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>102</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	94.49	-----	-----	80.68	36.64	10.50	33.33	100	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5853.42	54.00	88.20	-34.20	40.61	36.49	10.29	33.39	100	102	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	94.49	-----	-----	80.68	36.64	10.50	33.33	100	102	Peak																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.96</td><td>42.38</td><td>68.20</td><td>-25.82</td><td>28.74</td><td>36.58</td><td>10.41</td><td>33.35</td><td>100</td><td>102</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5910.96	42.38	68.20	-25.82	28.74	36.58	10.41	33.35	100	102	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.86</td><td>-----</td><td>-----</td><td>72.05</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>102</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	85.86	-----	-----	72.05	36.64	10.50	33.33	100	102
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5910.96	42.38	68.20	-25.82	28.74	36.58	10.41	33.35	100	102	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	85.86	-----	-----	72.05	36.64	10.50	33.33	100	102	Average																																																																														







		45																																																																													
Mode		Band Edge																																																																													
		UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 52/37_5955MHz																																																																													
ANT		CDD 9+15																																																																													
Pol.		Horizontal					Fundamental																																																																								
Peak	 Level (dBuV/m) Date: 2023-09-13 1 5910.96 53.19 88.20 -35.01 39.55 36.58 10.41 33.35 100 14 Peak					 Level (dBuV/m) Date: 2023-09-13 1 5955.00 103.59 ----- 89.78 36.64 10.50 33.33 100 14 Peak																																																																									
	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5910.96</td><td>53.19</td><td>88.20</td><td>-35.01</td><td>39.55</td><td>36.58</td><td>10.41</td><td>33.35</td><td>100</td><td>14 Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5910.96	53.19	88.20	-35.01	39.55	36.58	10.41	33.35	100	14 Peak	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>103.59</td><td>-----</td><td>-----</td><td>89.78</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>14 Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	103.59	-----	-----	89.78	36.64	10.50	33.33	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1 5910.96	53.19	88.20	-35.01	39.55	36.58	10.41	33.35	100	14 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1 5955.00	103.59	-----	-----	89.78	36.64	10.50	33.33	100	14 Peak																																																																						
Avg	 Level (dBuV/m) Date: 2023-09-13 1 5910.26 42.34 68.20 -25.86 28.71 36.57 10.41 33.35 100 14 Average					 Level (dBuV/m) Date: 2023-09-13 1 5955.00 96.30 ----- 82.49 36.64 10.50 33.33 100 14 Average																																																																									
	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5910.26</td><td>42.34</td><td>68.20</td><td>-25.86</td><td>28.71</td><td>36.57</td><td>10.41</td><td>33.35</td><td>100</td><td>14 Average</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5910.26	42.34	68.20	-25.86	28.71	36.57	10.41	33.35	100	14 Average	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>96.30</td><td>-----</td><td>-----</td><td>82.49</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>14 Average</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	96.30	-----	-----	82.49	36.64	10.50	33.33	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1 5910.26	42.34	68.20	-25.86	28.71	36.57	10.41	33.35	100	14 Average																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1 5955.00	96.30	-----	-----	82.49	36.64	10.50	33.33	100	14 Average																																																																						







		45																																																																																					
Mode		Band Edge																																																																																					
		UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 52/37_5955MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-09-13  PEAK(U-NI)_6E					Level (dBuV/m) Date: 2023-09-13  PEAK(U-NI)_6E																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5878.76</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>39.77</td><td>36.53</td><td>10.34</td><td>33.37</td><td>100</td><td>101 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5878.76	53.27	88.20	-34.93	39.77	36.53	10.34	33.37	100	101 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>93.34</td><td>-----</td><td>-----</td><td>79.53</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>101 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	93.34	-----	-----	79.53	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5878.76	53.27	88.20	-34.93	39.77	36.53	10.34	33.37	100	101 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	93.34	-----	-----	79.53	36.64	10.50	33.33	100	101 Peak																																																																													
Avg	Level (dBuV/m) Date: 2023-09-13  AVG(U-NI)_6E					Level (dBuV/m) Date: 2023-09-13  AVG(U-NI)_6E																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.54</td><td>42.12</td><td>68.20</td><td>-26.08</td><td>28.49</td><td>36.57</td><td>10.41</td><td>33.35</td><td>100</td><td>101 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5910.54	42.12	68.20	-26.08	28.49	36.57	10.41	33.35	100	101 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.64</td><td>-----</td><td>-----</td><td>71.83</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>101 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	85.64	-----	-----	71.83	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5910.54	42.12	68.20	-26.08	28.49	36.57	10.41	33.35	100	101 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	85.64	-----	-----	71.83	36.64	10.50	33.33	100	101 Average																																																																													







		46																																																																																					
Mode		Band Edge																																																																																					
		UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 106/53_5955MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Horizontal					Fundamental																																																																																
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5887.44</td><td>53.24</td><td>88.20</td><td>-34.96</td><td>39.71</td><td>36.54</td><td>10.36</td><td>33.37</td><td>100</td><td>15 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5887.44	53.24	88.20	-34.96	39.71	36.54	10.36	33.37	100	15 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.48</td><td>-----</td><td>-----</td><td>89.67</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>15 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	103.48	-----	-----	89.67	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5887.44	53.24	88.20	-34.96	39.71	36.54	10.36	33.37	100	15 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	103.48	-----	-----	89.67	36.64	10.50	33.33	100	15 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.84</td><td>42.38</td><td>68.20</td><td>-25.82</td><td>28.75</td><td>36.57</td><td>10.41</td><td>33.35</td><td>100</td><td>15 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5909.84	42.38	68.20	-25.82	28.75	36.57	10.41	33.35	100	15 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.02</td><td>-----</td><td>-----</td><td>82.21</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>15 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	96.02	-----	-----	82.21	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5909.84	42.38	68.20	-25.82	28.75	36.57	10.41	33.35	100	15 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	96.02	-----	-----	82.21	36.64	10.50	33.33	100	15 Average																																																																													







		46																																																																																					
Mode		Band Edge																																																																																					
		UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 106/53_5955MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.92</td><td>53.22</td><td>88.20</td><td>-34.98</td><td>39.58</td><td>36.58</td><td>10.41</td><td>33.35</td><td>100</td><td>101 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.92	53.22	88.20	-34.98	39.58	36.58	10.41	33.35	100	101 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.66</td><td>-----</td><td>-----</td><td>80.85</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>101 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.66	-----	-----	80.85	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5912.92	53.22	88.20	-34.98	39.58	36.58	10.41	33.35	100	101 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	94.66	-----	-----	80.85	36.64	10.50	33.33	100	101 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.26</td><td>42.17</td><td>68.20</td><td>-26.03</td><td>28.54</td><td>36.57</td><td>10.41</td><td>33.35</td><td>100</td><td>101 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5910.26	42.17	68.20	-26.03	28.54	36.57	10.41	33.35	100	101 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.13</td><td>-----</td><td>-----</td><td>71.32</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>101 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.13	-----	-----	71.32	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5910.26	42.17	68.20	-26.03	28.54	36.57	10.41	33.35	100	101 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	85.13	-----	-----	71.32	36.64	10.50	33.33	100	101 Average																																																																													







Mode	47																																																																																																	
	Band Edge																																																																																																	
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 26/8_7095MHz																																																																																																	
ANT	CDD 9+15																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.84</td><td>52.79</td><td>88.20</td><td>-35.41</td><td>39.44</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>56 Peak</td></tr><tr><td>2</td><td>7301.94</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>39.40</td><td>36.24</td><td>10.18</td><td>33.38</td><td>100</td><td>56 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7132.84	52.79	88.20	-35.41	39.44	36.61	10.19	33.45	100	56 Peak	2	7301.94	52.44	74.00	-21.56	39.40	36.24	10.18	33.38	100	56 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.65</td><td>-----</td><td>-----</td><td>84.22</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>56 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	97.65	-----	-----	84.22	36.69	10.20	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7132.84	52.79	88.20	-35.41	39.44	36.61	10.19	33.45	100	56 Peak																																																																																								
2	7301.94	52.44	74.00	-21.56	39.40	36.24	10.18	33.38	100	56 Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	97.65	-----	-----	84.22	36.69	10.20	33.46	100	56 Peak																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.87</td><td>42.38</td><td>68.20</td><td>-25.82</td><td>29.01</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>56 Average</td></tr><tr><td>2</td><td>7264.91</td><td>41.43</td><td>54.00</td><td>-12.57</td><td>28.32</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>56 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.87	42.38	68.20	-25.82	29.01	36.62	10.20	33.45	100	56 Average	2	7264.91	41.43	54.00	-12.57	28.32	36.32	10.18	33.39	100	56 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.37</td><td>-----</td><td>-----</td><td>75.94</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>56 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.37	-----	-----	75.94	36.69	10.20	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.87	42.38	68.20	-25.82	29.01	36.62	10.20	33.45	100	56 Average																																																																																								
2	7264.91	41.43	54.00	-12.57	28.32	36.32	10.18	33.39	100	56 Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	89.37	-----	-----	75.94	36.69	10.20	33.46	100	56 Average																																																																																								







Mode	47																																																																																																		
	Band Edge																																																																																																		
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 26/8_7095MHz																																																																																																		
ANT	CDD 9+15																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2023-09-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.08</td><td>52.95</td><td>88.20</td><td>-35.25</td><td>39.80</td><td>36.38</td><td>10.18</td><td>33.41</td><td>100</td><td>120 Peak</td></tr><tr><td>2</td><td>7270.79</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>39.39</td><td>36.30</td><td>10.18</td><td>33.39</td><td>100</td><td>120 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7236.08	52.95	88.20	-35.25	39.80	36.38	10.18	33.41	100	120 Peak	2	7270.79	52.48	74.00	-21.52	39.39	36.30	10.18	33.39	100	120 Peak	 Level (dBuV/m) Date: 2023-09-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.93</td><td>-----</td><td>-----</td><td>76.50</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>120 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.93	-----	-----	76.50	36.69	10.20	33.46	100	120 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7236.08	52.95	88.20	-35.25	39.80	36.38	10.18	33.41	100	120 Peak																																																																																									
2	7270.79	52.48	74.00	-21.52	39.39	36.30	10.18	33.39	100	120 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7095.00	89.93	-----	-----	76.50	36.69	10.20	33.46	100	120 Peak																																																																																									
Avg	 Level (dBuV/m) Date: 2023-09-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.41</td><td>42.27</td><td>68.20</td><td>-25.93</td><td>28.90</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>120 Average</td></tr><tr><td>2</td><td>7266.30</td><td>41.33</td><td>54.00</td><td>-12.67</td><td>28.23</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>120 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.41	42.27	68.20	-25.93	28.90	36.62	10.20	33.45	100	120 Average	2	7266.30	41.33	54.00	-12.67	28.23	36.31	10.18	33.39	100	120 Average	 Level (dBuV/m) Date: 2023-09-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.09</td><td>-----</td><td>-----</td><td>68.66</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>120 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	82.09	-----	-----	68.66	36.69	10.20	33.46	100	120 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.41	42.27	68.20	-25.93	28.90	36.62	10.20	33.45	100	120 Average																																																																																									
2	7266.30	41.33	54.00	-12.67	28.23	36.31	10.18	33.39	100	120 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7095.00	82.09	-----	-----	68.66	36.69	10.20	33.46	100	120 Average																																																																																									







		48																																																																																																
Mode		Band Edge																																																																																																
		UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 52/40_7095MHz																																																																																																
ANT		CDD 9+15																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7136.85</td><td>52.44</td><td>88.20</td><td>-35.76</td><td>39.10</td><td>36.60</td><td>10.19</td><td>33.45</td><td>100</td><td>58 Peak</td></tr><tr><td>2</td><td>7288.59</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>38.69</td><td>36.27</td><td>10.18</td><td>33.38</td><td>100</td><td>58 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7136.85	52.44	88.20	-35.76	39.10	36.60	10.19	33.45	100	58 Peak	2	7288.59	51.76	74.00	-22.24	38.69	36.27	10.18	33.38	100	58 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>96.21</td><td>-----</td><td>-----</td><td>82.78</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>58 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	96.21	-----	-----	82.78	36.69	10.20	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7136.85	52.44	88.20	-35.76	39.10	36.60	10.19	33.45	100	58 Peak																																																																																								
2	7288.59	51.76	74.00	-22.24	38.69	36.27	10.18	33.38	100	58 Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	96.21	-----	-----	82.78	36.69	10.20	33.46	100	58 Peak																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>42.14</td><td>68.20</td><td>-26.06</td><td>28.77</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>58 Average</td></tr><tr><td>2</td><td>7268.16</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>28.08</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>58 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	42.14	68.20	-26.06	28.77	36.62	10.20	33.45	100	58 Average	2	7268.16	41.18	54.00	-12.82	28.08	36.31	10.18	33.39	100	58 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>89.74</td><td>-----</td><td>-----</td><td>76.31</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>58 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.74	-----	-----	76.31	36.69	10.20	33.46	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.00	42.14	68.20	-26.06	28.77	36.62	10.20	33.45	100	58 Average																																																																																								
2	7268.16	41.18	54.00	-12.82	28.08	36.31	10.18	33.39	100	58 Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7095.00	89.74	-----	-----	76.31	36.69	10.20	33.46	100	58 Average																																																																																								







Mode	48																																																																																																
	Band Edge																																																																																																
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 52/40_7095MHz																																																																																																
ANT	CDD 9+15																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7158.65</td><td>53.28</td><td>88.20</td><td>-34.92</td><td>39.98</td><td>36.55</td><td>10.19</td><td>33.44</td><td>260</td><td>322 Peak</td></tr><tr><td>2</td><td>7264.56</td><td>52.07</td><td>74.00</td><td>-21.93</td><td>38.96</td><td>36.32</td><td>10.18</td><td>33.39</td><td>260</td><td>322 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7158.65	53.28	88.20	-34.92	39.98	36.55	10.19	33.44	260	322 Peak	2	7264.56	52.07	74.00	-21.93	38.96	36.32	10.18	33.39	260	322 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>89.32</td><td>-----</td><td>75.89</td><td>36.69</td><td>10.20</td><td>33.46</td><td>260</td><td>322 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.32	-----	75.89	36.69	10.20	33.46	260
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7158.65	53.28	88.20	-34.92	39.98	36.55	10.19	33.44	260	322 Peak																																																																																							
2	7264.56	52.07	74.00	-21.93	38.96	36.32	10.18	33.39	260	322 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	89.32	-----	75.89	36.69	10.20	33.46	260	322 Peak																																																																																								
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.87</td><td>42.12</td><td>68.20</td><td>-26.08</td><td>28.75</td><td>36.62</td><td>10.20</td><td>33.45</td><td>260</td><td>322 Average</td></tr><tr><td>2</td><td>7265.84</td><td>41.20</td><td>54.00</td><td>-12.80</td><td>28.09</td><td>36.32</td><td>10.18</td><td>33.39</td><td>260</td><td>322 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.87	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	260	322 Average	2	7265.84	41.20	54.00	-12.80	28.09	36.32	10.18	33.39	260	322 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>81.66</td><td>-----</td><td>68.23</td><td>36.69</td><td>10.20</td><td>33.46</td><td>260</td><td>322 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	81.66	-----	68.23	36.69	10.20	33.46	260
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7125.87	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	260	322 Average																																																																																							
2	7265.84	41.20	54.00	-12.80	28.09	36.32	10.18	33.39	260	322 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	81.66	-----	68.23	36.69	10.20	33.46	260	322 Average																																																																																								







		49																																																																																																	
Mode		Band Edge																																																																																																	
		UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 106/54_7095MHz																																																																																																	
ANT		CDD 9+15																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	 Level (dBuV/m) Date: 2023-09-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.40</td><td>52.56</td><td>88.20</td><td>-35.64</td><td>39.21</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>59 Peak</td></tr><tr><td>2</td><td>7276.58</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>39.57</td><td>36.29</td><td>10.18</td><td>33.39</td><td>100</td><td>59 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.40	52.56	88.20	-35.64	39.21	36.61	10.19	33.45	100	59 Peak	2	7276.58	52.65	74.00	-21.35	39.57	36.29	10.18	33.39	100	59 Peak	 Level (dBuV/m) Date: 2023-09-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>98.40</td><td>-----</td><td>-----</td><td>84.97</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>59 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	98.40	-----	-----	84.97	36.69	10.20	33.46	100	59 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7132.40	52.56	88.20	-35.64	39.21	36.61	10.19	33.45	100	59 Peak																																																																																									
2	7276.58	52.65	74.00	-21.35	39.57	36.29	10.18	33.39	100	59 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	98.40	-----	-----	84.97	36.69	10.20	33.46	100	59 Peak																																																																																									
Avg	 Level (dBuV/m) Date: 2023-09-20 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.34</td><td>42.12</td><td>68.20</td><td>-26.08</td><td>28.75</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>59 Average</td></tr><tr><td>2</td><td>7263.98</td><td>41.61</td><td>54.00</td><td>-12.39</td><td>28.50</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>59 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.34	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	100	59 Average	2	7263.98	41.61	54.00	-12.39	28.50	36.32	10.18	33.39	100	59 Average	 Level (dBuV/m) Date: 2023-09-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.92</td><td>-----</td><td>-----</td><td>76.49</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>59 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.92	-----	-----	76.49	36.69	10.20	33.46	100	59 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7126.34	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	100	59 Average																																																																																									
2	7263.98	41.61	54.00	-12.39	28.50	36.32	10.18	33.39	100	59 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	89.92	-----	-----	76.49	36.69	10.20	33.46	100	59 Average																																																																																									



Mode	49																																																																																																			
	Band Edge																																																																																																			
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 106/54_7095MHz																																																																																																			
ANT	CDD 9+15																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	 Date: 2023-09-15					 Date: 2023-09-15																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7213.39</td><td>53.21</td><td>88.20</td><td>-34.99</td><td>40.01</td><td>36.43</td><td>10.18</td><td>33.41</td><td>268</td><td>320 Peak</td></tr><tr><td>2</td><td>7257.44</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>38.77</td><td>36.33</td><td>10.18</td><td>33.40</td><td>268</td><td>320 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7213.39	53.21	88.20	-34.99	40.01	36.43	10.18	33.41	268	320 Peak	2	7257.44	51.88	74.00	-22.12	38.77	36.33	10.18	33.40	268	320 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.43</td><td>-----</td><td>-----</td><td>75.00</td><td>36.69</td><td>10.20</td><td>33.46</td><td>268</td><td>320 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.43	-----	-----	75.00	36.69	10.20	33.46	268
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7213.39	53.21	88.20	-34.99	40.01	36.43	10.18	33.41	268	320 Peak																																																																																										
2	7257.44	51.88	74.00	-22.12	38.77	36.33	10.18	33.40	268	320 Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	88.43	-----	-----	75.00	36.69	10.20	33.46	268	320 Peak																																																																																										
Avg	 Date: 2023-09-15					 Date: 2023-09-15																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.41</td><td>42.09</td><td>68.20</td><td>-26.11</td><td>28.72</td><td>36.62</td><td>10.20</td><td>33.45</td><td>268</td><td>320 Average</td></tr><tr><td>2</td><td>7266.77</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>28.01</td><td>36.31</td><td>10.18</td><td>33.39</td><td>268</td><td>320 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.41	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	268	320 Average	2	7266.77	41.11	54.00	-12.89	28.01	36.31	10.18	33.39	268	320 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.46</td><td>-----</td><td>-----</td><td>68.03</td><td>36.69</td><td>10.20</td><td>33.46</td><td>268</td><td>320 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	81.46	-----	-----	68.03	36.69	10.20	33.46	268
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.41	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	268	320 Average																																																																																										
2	7266.77	41.11	54.00	-12.89	28.01	36.31	10.18	33.39	268	320 Average																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	81.46	-----	-----	68.03	36.69	10.20	33.46	268	320 Average																																																																																										







		50																																																																																		
Mode		Band Edge																																																																																		
		UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 52+26 38+1_5955MHz																																																																																		
ANT		CDD 9+15																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.08</td><td>53.67</td><td>88.20</td><td>-34.53</td><td>40.03</td><td>36.58</td><td>10.41</td><td>33.35</td><td>100</td><td>15</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5912.08	53.67	88.20	-34.53	40.03	36.58	10.41	33.35	100	15	Peak	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.10</td><td>-----</td><td>-----</td><td>91.29</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>15</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	105.10	-----	-----	91.29	36.64	10.50	33.33	100	15	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5912.08	53.67	88.20	-34.53	40.03	36.58	10.41	33.35	100	15	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5955.00	105.10	-----	-----	91.29	36.64	10.50	33.33	100	15	Peak																																																																									
Avg	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5910.96</td><td>42.71</td><td>68.20</td><td>-25.49</td><td>29.07</td><td>36.58</td><td>10.41</td><td>33.35</td><td>100</td><td>15</td><td>Average</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5910.96	42.71	68.20	-25.49	29.07	36.58	10.41	33.35	100	15	Average	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.43</td><td>-----</td><td>-----</td><td>82.62</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>15</td><td>Average</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	96.43	-----	-----	82.62	36.64	10.50	33.33	100	15	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5910.96	42.71	68.20	-25.49	29.07	36.58	10.41	33.35	100	15	Average																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5955.00	96.43	-----	-----	82.62	36.64	10.50	33.33	100	15	Average																																																																									







Mode	50																																																																																											
	Band Edge																																																																																											
	UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 52+26 38+1_5955MHz																																																																																											
ANT	CDD 9+15																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2023-09-14 PEAK(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5863.50</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>39.92</td><td>36.51</td><td>10.31</td><td>33.38</td><td>391</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5863.50	53.36	88.20	-34.84	39.92	36.51	10.31	33.38	391	42	Peak	Level (dBuV/m) Date: 2023-09-14 PEAK(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.69</td><td>-----</td><td>-----</td><td>85.88</td><td>36.64</td><td>10.50</td><td>33.33</td><td>391</td><td>42</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	99.69	-----	-----	85.88	36.64	10.50	33.33	391	42	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5863.50	53.36	88.20	-34.84	39.92	36.51	10.31	33.38	391	42	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5955.00	99.69	-----	-----	85.88	36.64	10.50	33.33	391	42	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2023-09-14 AVG(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.00</td><td>42.32</td><td>68.20</td><td>-25.88</td><td>28.69</td><td>36.57</td><td>10.41</td><td>33.35</td><td>391</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5909.00	42.32	68.20	-25.88	28.69	36.57	10.41	33.35	391	42	Average	Level (dBuV/m) Date: 2023-09-14 AVG(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.66</td><td>-----</td><td>-----</td><td>76.85</td><td>36.64</td><td>10.50</td><td>33.33</td><td>391</td><td>42</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	90.66	-----	-----	76.85	36.64	10.50	33.33	391	42	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5909.00	42.32	68.20	-25.88	28.69	36.57	10.41	33.35	391	42	Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5955.00	90.66	-----	-----	76.85	36.64	10.50	33.33	391	42	Average																																																																																	







		51																																																																																					
Mode		Band Edge																																																																																					
		UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 106+26 53+4_5955MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Horizontal					Fundamental																																																																																
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5835.50</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>40.04</td><td>36.47</td><td>10.25</td><td>33.40</td><td>100</td><td>34 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5835.50	53.36	88.20	-34.84	40.04	36.47	10.25	33.40	100	34 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.60</td><td>-----</td><td>-----</td><td>93.79</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>34 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	107.60	-----	-----	93.79	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5835.50	53.36	88.20	-34.84	40.04	36.47	10.25	33.40	100	34 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	107.60	-----	-----	93.79	36.64	10.50	33.33	100	34 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.98</td><td>42.69</td><td>68.20</td><td>-25.51</td><td>29.06</td><td>36.57</td><td>10.41</td><td>33.35</td><td>100</td><td>34 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5909.98	42.69	68.20	-25.51	29.06	36.57	10.41	33.35	100	34 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>97.68</td><td>-----</td><td>-----</td><td>83.87</td><td>36.64</td><td>10.50</td><td>33.33</td><td>100</td><td>34 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	97.68	-----	-----	83.87	36.64	10.50	33.33	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5909.98	42.69	68.20	-25.51	29.06	36.57	10.41	33.35	100	34 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	97.68	-----	-----	83.87	36.64	10.50	33.33	100	34 Average																																																																													







		51																																																																																					
Mode		Band Edge																																																																																					
		UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 106+26_53+4_5955MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.98</td><td>53.20</td><td>88.20</td><td>-35.00</td><td>39.57</td><td>36.57</td><td>10.41</td><td>33.35</td><td>391</td><td>41 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5909.98	53.20	88.20	-35.00	39.57	36.57	10.41	33.35	391	41 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.93</td><td>-----</td><td>-----</td><td>87.12</td><td>36.64</td><td>10.50</td><td>33.33</td><td>391</td><td>41 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	100.93	-----	-----	87.12	36.64	10.50	33.33	391
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5909.98	53.20	88.20	-35.00	39.57	36.57	10.41	33.35	391	41 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	100.93	-----	-----	87.12	36.64	10.50	33.33	391	41 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.42</td><td>42.35</td><td>68.20</td><td>-25.85</td><td>28.72</td><td>36.57</td><td>10.41</td><td>33.35</td><td>391</td><td>41 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5909.42	42.35	68.20	-25.85	28.72	36.57	10.41	33.35	391	41 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.13</td><td>-----</td><td>-----</td><td>78.32</td><td>36.64</td><td>10.50</td><td>33.33</td><td>391</td><td>41 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	92.13	-----	-----	78.32	36.64	10.50	33.33	391
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5909.42	42.35	68.20	-25.85	28.72	36.57	10.41	33.35	391	41 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5955.00	92.13	-----	-----	78.32	36.64	10.50	33.33	391	41 Average																																																																													







		52																																																																																																	
Mode		Band Edge																																																																																																	
		UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 52+26 39+7_7095MHz																																																																																																	
ANT		CDD 9+15																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7220.51</td><td>52.95</td><td>88.20</td><td>-35.25</td><td>39.77</td><td>36.41</td><td>10.18</td><td>33.41</td><td>100</td><td>56 Peak</td></tr><tr><td>2</td><td>7306.84</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>38.91</td><td>36.22</td><td>10.18</td><td>33.38</td><td>100</td><td>56 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7220.51	52.95	88.20	-35.25	39.77	36.41	10.18	33.41	100	56 Peak	2	7306.84	51.93	74.00	-22.07	38.91	36.22	10.18	33.38	100	56 Peak	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.30</td><td>-----</td><td>-----</td><td>83.87</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>56 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	97.30	-----	-----	83.87	36.69	10.20	33.46	100	56 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7220.51	52.95	88.20	-35.25	39.77	36.41	10.18	33.41	100	56 Peak																																																																																									
2	7306.84	51.93	74.00	-22.07	38.91	36.22	10.18	33.38	100	56 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7095.00	97.30	-----	-----	83.87	36.69	10.20	33.46	100	56 Peak																																																																																									
Avg	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>42.10</td><td>68.20</td><td>-26.10</td><td>28.73</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>56 Average</td></tr><tr><td>2</td><td>7266.30</td><td>41.09</td><td>54.00</td><td>-12.91</td><td>27.99</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>56 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	42.10	68.20	-26.10	28.73	36.62	10.20	33.45	100	56 Average	2	7266.30	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	56 Average	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.39</td><td>-----</td><td>-----</td><td>75.96</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>56 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	89.39	-----	-----	75.96	36.69	10.20	33.46	100	56 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.00	42.10	68.20	-26.10	28.73	36.62	10.20	33.45	100	56 Average																																																																																									
2	7266.30	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	56 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7095.00	89.39	-----	-----	75.96	36.69	10.20	33.46	100	56 Average																																																																																									







		52																																																																																											
Mode		Band Edge																																																																																											
		UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 52+26 39+7_7095MHz																																																																																											
ANT		CDD 9+15																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-09-14. The plot shows a red limit line and a blue measured signal. Two peaks are labeled: 1 at 7173.34 MHz and 2 at 7286.37 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-09-14. The plot shows a red limit line and a blue measured signal. One peak is labeled: 1 at 7095.00 MHz.																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7173.34	53.38	88.20	-34.82	40.10	36.52	10.19	33.43	100	123 Peak	2	7286.37	51.79	74.00	-22.21	38.73	36.27	10.18	33.39	100	123 Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	88.03	-----	-----	74.60	36.69	10.20	33.46	100	123 Peak				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7173.34	53.38	88.20	-34.82	40.10	36.52	10.19	33.43	100	123 Peak																																																																																			
2	7286.37	51.79	74.00	-22.21	38.73	36.27	10.18	33.39	100	123 Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7095.00	88.03	-----	-----	74.60	36.69	10.20	33.46	100	123 Peak																																																																																			
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-09-14. The plot shows a red limit line and a blue measured signal. Two peaks are labeled: 1 at 7126.80 MHz and 2 at 7267.23 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-09-14. The plot shows a red limit line and a blue measured signal. One peak is labeled: 1 at 7095.00 MHz.																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.80	42.05	68.20	-26.15	28.68	36.62	10.20	33.45	100	123 Average	2	7267.23	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	123 Average		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	78.68	-----	-----	65.25	36.69	10.20	33.46	100	123 Average				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7126.80	42.05	68.20	-26.15	28.68	36.62	10.20	33.45	100	123 Average																																																																																			
2	7267.23	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	123 Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7095.00	78.68	-----	-----	65.25	36.69	10.20	33.46	100	123 Average																																																																																			



		53																																																																																																								
Mode		Band Edge																																																																																																								
		UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 106+26 54+4_7095MHz																																																																																																								
ANT		CDD 9+15																																																																																																								
Pol.	Horizontal										Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2023-09-14 										Level (dBuV/m) Date: 2023-09-14 																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7133.73</td><td>52.70</td><td>88.20</td><td>-35.50</td><td>39.35</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>61 Peak</td></tr><tr><td>2</td><td>7303.28</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>38.49</td><td>36.23</td><td>10.18</td><td>33.38</td><td>100</td><td>61 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7133.73	52.70	88.20	-35.50	39.35	36.61	10.19	33.45	100	61 Peak	2	7303.28	51.52	74.00	-22.48	38.49	36.23	10.18	33.38	100	61 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>99.68</td><td>-----</td><td>-----</td><td>86.25</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>61 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	99.68	-----	-----	86.25	36.69	10.20	33.46	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7133.73	52.70	88.20	-35.50	39.35	36.61	10.19	33.45	100	61 Peak																																																																																																
2	7303.28	51.52	74.00	-22.48	38.49	36.23	10.18	33.38	100	61 Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7095.00	99.68	-----	-----	86.25	36.69	10.20	33.46	100	61 Peak																																																																																																
Avg	Level (dBuV/m) Date: 2023-09-14 										Level (dBuV/m) Date: 2023-09-14 																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7126.80</td><td>42.18</td><td>68.20</td><td>-26.02</td><td>28.81</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>61 Average</td></tr><tr><td>2</td><td>7265.84</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>28.03</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>61 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7126.80	42.18	68.20	-26.02	28.81	36.62	10.20	33.45	100	61 Average	2	7265.84	41.14	54.00	-12.86	28.03	36.32	10.18	33.39	100	61 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.20</td><td>-----</td><td>-----</td><td>77.77</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>61 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	91.20	-----	-----	77.77	36.69	10.20	33.46	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7126.80	42.18	68.20	-26.02	28.81	36.62	10.20	33.45	100	61 Average																																																																																																
2	7265.84	41.14	54.00	-12.86	28.03	36.32	10.18	33.39	100	61 Average																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7095.00	91.20	-----	-----	77.77	36.69	10.20	33.46	100	61 Average																																																																																																







Mode	53																																																																																																
	Band Edge																																																																																																
	UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 106+26 54+4_7095MHz																																																																																																
ANT	CDD 9+15																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7187.58</td><td>52.53</td><td>88.20</td><td>-35.67</td><td>39.28</td><td>36.49</td><td>10.18</td><td>33.42</td><td>100</td><td>121 Peak</td></tr><tr><td>2</td><td>7272.57</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>39.28</td><td>36.30</td><td>10.18</td><td>33.39</td><td>100</td><td>121 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7187.58	52.53	88.20	-35.67	39.28	36.49	10.18	33.42	100	121 Peak	2	7272.57	52.37	74.00	-21.63	39.28	36.30	10.18	33.39	100	121 Peak	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.15</td><td>-----</td><td>-----</td><td>76.72</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>121 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	90.15	-----	-----	76.72	36.69	10.20	33.46	100	121 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7187.58	52.53	88.20	-35.67	39.28	36.49	10.18	33.42	100	121 Peak																																																																																							
2	7272.57	52.37	74.00	-21.63	39.28	36.30	10.18	33.39	100	121 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7095.00	90.15	-----	-----	76.72	36.69	10.20	33.46	100	121 Peak																																																																																							
Avg	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7126.34</td><td>42.06</td><td>68.20</td><td>-26.14</td><td>28.69</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>121 Average</td></tr><tr><td>2</td><td>7264.91</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>27.96</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>121 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7126.34	42.06	68.20	-26.14	28.69	36.62	10.20	33.45	100	121 Average	2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	121 Average	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.29</td><td>-----</td><td>-----</td><td>68.86</td><td>36.69</td><td>10.20</td><td>33.46</td><td>100</td><td>121 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	82.29	-----	-----	68.86	36.69	10.20	33.46	100	121 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7126.34	42.06	68.20	-26.14	28.69	36.62	10.20	33.45	100	121 Average																																																																																							
2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	121 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7095.00	82.29	-----	-----	68.86	36.69	10.20	33.46	100	121 Average																																																																																							







		54									
Mode		Band Edge									
		UNII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242 ④_5985MHz									
ANT		CDD 9+15									
Pol.		Horizontal					Fundamental				
Peak	Date: 2023-09-14 Level (dBuV/m)										



		54																																																																																						
Mode		Band Edge																																																																																						
		UNII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242 ④_5985MHz																																																																																						
ANT		CDD 9+15																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>41.19</td><td>36.59</td><td>10.44</td><td>33.35</td><td>100</td><td>78 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.96	54.87	88.20	-33.33	41.19	36.59	10.44	33.35	100	78 Peak	 Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>94.97</td><td>-----</td><td>-----</td><td>81.03</td><td>36.68</td><td>10.57</td><td>33.31</td><td>100</td><td>78 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	94.97	-----	-----	81.03	36.68	10.57	33.31	100	78 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5924.96	54.87	88.20	-33.33	41.19	36.59	10.44	33.35	100	78 Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5985.00	94.97	-----	-----	81.03	36.68	10.57	33.31	100	78 Peak																																																																														
Avg	 Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.72</td><td>43.14</td><td>68.20</td><td>-25.06</td><td>29.47</td><td>36.59</td><td>10.43</td><td>33.35</td><td>100</td><td>78 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5922.72	43.14	68.20	-25.06	29.47	36.59	10.43	33.35	100	78 Average	 Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>86.28</td><td>-----</td><td>-----</td><td>72.34</td><td>36.68</td><td>10.57</td><td>33.31</td><td>100</td><td>78 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	86.28	-----	-----	72.34	36.68	10.57	33.31	100	78 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5922.72	43.14	68.20	-25.06	29.47	36.59	10.43	33.35	100	78 Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5985.00	86.28	-----	-----	72.34	36.68	10.57	33.31	100	78 Average																																																																														



		55																																																																																									
Mode		Band Edge																																																																																									
		UNII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242①_7025MHz																																																																																									
ANT		CDD 9+15																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7209.83</td><td>53.20</td><td>88.20</td><td>-35.00</td><td>40.00</td><td>36.44</td><td>10.18</td><td>33.42</td><td>100 60 Peak</td></tr><tr><td>2 7280.58</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>38.66</td><td>36.28</td><td>10.18</td><td>33.39</td><td>100 60 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 7209.83	53.20	88.20	-35.00	40.00	36.44	10.18	33.42	100 60 Peak	2 7280.58	51.73	74.00	-22.27	38.66	36.28	10.18	33.39	100 60 Peak	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>95.67</td><td>-----</td><td>-----</td><td>82.09</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100 60 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 7025.00	95.67	-----	-----	82.09	36.85	10.22	33.49	100 60 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 7209.83	53.20	88.20	-35.00	40.00	36.44	10.18	33.42	100 60 Peak																																																																																			
2 7280.58	51.73	74.00	-22.27	38.66	36.28	10.18	33.39	100 60 Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 7025.00	95.67	-----	-----	82.09	36.85	10.22	33.49	100 60 Peak																																																																																			
Avg	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7127.27</td><td>42.17</td><td>68.20</td><td>-26.03</td><td>28.80</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100 60 Average</td></tr><tr><td>2 7264.91</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>28.07</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100 60 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 7127.27	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100 60 Average	2 7264.91	41.18	54.00	-12.82	28.07	36.32	10.18	33.39	100 60 Average	 Level (dBuV/m) Date: 2023-09-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>86.19</td><td>-----</td><td>-----</td><td>72.61</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100 60 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 7025.00	86.19	-----	-----	72.61	36.85	10.22	33.49	100 60 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 7127.27	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100 60 Average																																																																																			
2 7264.91	41.18	54.00	-12.82	28.07	36.32	10.18	33.39	100 60 Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 7025.00	86.19	-----	-----	72.61	36.85	10.22	33.49	100 60 Average																																																																																			



Mode	55																																																																																										
	Band Edge																																																																																										
	UNII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242①_7025MHz																																																																																										
ANT	CDD 9+15																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2023-09-14 PEAK(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.29</td><td>52.52</td><td>88.20</td><td>-35.68</td><td>39.17</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>95 Peak</td></tr><tr><td>2</td><td>7330.87</td><td>52.25</td><td>74.00</td><td>-21.75</td><td>39.27</td><td>36.17</td><td>10.18</td><td>33.37</td><td>100</td><td>95 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7133.29	52.52	88.20	-35.68	39.17	36.61	10.19	33.45	100	95 Peak	2	7330.87	52.25	74.00	-21.75	39.27	36.17	10.18	33.37	100	95 Peak	Level (dBuV/m) Date: 2023-09-14 PEAK(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>86.66</td><td>-----</td><td>-----</td><td>73.08</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100</td><td>95 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	86.66	-----	-----	73.08	36.85	10.22	33.49	100	95 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7133.29	52.52	88.20	-35.68	39.17	36.61	10.19	33.45	100	95 Peak																																																																																	
2	7330.87	52.25	74.00	-21.75	39.27	36.17	10.18	33.37	100	95 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7025.00	86.66	-----	-----	73.08	36.85	10.22	33.49	100	95 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2023-09-14 AVG(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.27</td><td>42.00</td><td>68.20</td><td>-26.20</td><td>28.63</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>95 Average</td></tr><tr><td>2</td><td>7268.16</td><td>41.03</td><td>54.00</td><td>-12.97</td><td>27.93</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>95 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7127.27	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	95 Average	2	7268.16	41.03	54.00	-12.97	27.93	36.31	10.18	33.39	100	95 Average	Level (dBuV/m) Date: 2023-09-14 AVG(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>78.07</td><td>-----</td><td>-----</td><td>64.49</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100</td><td>95 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	78.07	-----	-----	64.49	36.85	10.22	33.49	100	95 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7127.27	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	95 Average																																																																																	
2	7268.16	41.03	54.00	-12.97	27.93	36.31	10.18	33.39	100	95 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7025.00	78.07	-----	-----	64.49	36.85	10.22	33.49	100	95 Average																																																																																	







		56																																																																																																		
Mode		Band Edge																																																																																																		
		UNII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484④_6025MHz																																																																																																		
ANT		CDD 9+15																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak		Level (dBuV/m) Date: 2023-09-14 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 PEAK(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5862.80</td><td>57.57</td><td>88.20</td><td>-30.63</td><td>44.13</td><td>36.51</td><td>10.31</td><td>33.38</td><td>107</td><td>34 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5862.80	57.57	88.20	-30.63	44.13	36.51	10.31	33.38	107	34 Peak		Level (dBuV/m) Date: 2023-09-14 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 PEAK(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>98.92</td><td>-----</td><td>-----</td><td>84.93</td><td>36.71</td><td>10.59</td><td>33.31</td><td>107</td><td>34 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	98.92	-----	-----	84.93	36.71	10.59	33.31	107	34 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	5862.80	57.57	88.20	-30.63	44.13	36.51	10.31	33.38	107	34 Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	6025.00	98.92	-----	-----	84.93	36.71	10.59	33.31	107	34 Peak																																																																																										
Avg		Level (dBuV/m) Date: 2023-09-14 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 AVG(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.00</td><td>47.73</td><td>68.20</td><td>-20.47</td><td>34.28</td><td>36.51</td><td>10.32</td><td>33.38</td><td>107</td><td>34 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5867.00	47.73	68.20	-20.47	34.28	36.51	10.32	33.38	107	34 Average		Level (dBuV/m) Date: 2023-09-14 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 AVG(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.30</td><td>-----</td><td>-----</td><td>76.31</td><td>36.71</td><td>10.59</td><td>33.31</td><td>107</td><td>34 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	90.30	-----	-----	76.31	36.71	10.59	33.31	107	34 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	5867.00	47.73	68.20	-20.47	34.28	36.51	10.32	33.38	107	34 Average																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	6025.00	90.30	-----	-----	76.31	36.71	10.59	33.31	107	34 Average																																																																																										







		56									
Mode	Band Edge										
	UNII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484④_6025MHz										
ANT	CDD 9+15										
Pol.											
Peak	Vertical										
	Level (dBuV/m) Date: 2023-09-14										







		57																																																																																																										
Mode		Band Edge																																																																																																										
		UNII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484①_6985MHz																																																																																																										
ANT		CDD 9+15																																																																																																										
Pol.	Horizontal										Fundamental																																																																																																	
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.73</td><td>55.31</td><td>88.20</td><td>-32.89</td><td>41.96</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>58 Peak</td></tr><tr><td>2</td><td>7261.45</td><td>52.21</td><td>74.00</td><td>-21.79</td><td>39.11</td><td>36.32</td><td>10.18</td><td>33.40</td><td>100</td><td>58 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7133.73	55.31	88.20	-32.89	41.96	36.61	10.19	33.45	100	58 Peak	2	7261.45	52.21	74.00	-21.79	39.11	36.32	10.18	33.40	100	58 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>92.83</td><td>-----</td><td>-----</td><td>79.21</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>58 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	92.83	-----	-----	79.21	36.90	10.22	33.50	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	7133.73	55.31	88.20	-32.89	41.96	36.61	10.19	33.45	100	58 Peak																																																																																																		
2	7261.45	52.21	74.00	-21.79	39.11	36.32	10.18	33.40	100	58 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	6985.00	92.83	-----	-----	79.21	36.90	10.22	33.50	100	58 Peak																																																																																																		
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.80</td><td>43.21</td><td>68.20</td><td>-24.99</td><td>29.84</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>58 Average</td></tr><tr><td>2</td><td>7266.30</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>28.11</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>58 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.80	43.21	68.20	-24.99	29.84	36.62	10.20	33.45	100	58 Average	2	7266.30	41.21	54.00	-12.79	28.11	36.31	10.18	33.39	100	58 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.95</td><td>-----</td><td>-----</td><td>69.33</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>58 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	82.95	-----	-----	69.33	36.90	10.22	33.50	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	7126.80	43.21	68.20	-24.99	29.84	36.62	10.20	33.45	100	58 Average																																																																																																		
2	7266.30	41.21	54.00	-12.79	28.11	36.31	10.18	33.39	100	58 Average																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	6985.00	82.95	-----	-----	69.33	36.90	10.22	33.50	100	58 Average																																																																																																		







		57																																																																																																	
Mode		Band Edge																																																																																																	
		UNII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484①_6985MHz																																																																																																	
ANT		CDD 9+15																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7150.64</td><td>52.57</td><td>88.20</td><td>-35.63</td><td>39.25</td><td>36.57</td><td>10.19</td><td>33.44</td><td>100</td><td>97 Peak</td></tr><tr><td>2</td><td>7254.33</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>38.41</td><td>36.34</td><td>10.18</td><td>33.40</td><td>100</td><td>97 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7150.64	52.57	88.20	-35.63	39.25	36.57	10.19	33.44	100	97 Peak	2	7254.33	51.53	74.00	-22.47	38.41	36.34	10.18	33.40	100	97 Peak	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>84.15</td><td>-----</td><td>-----</td><td>70.53</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>97 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	84.15	-----	-----	70.53	36.90	10.22	33.50	100	97 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7150.64	52.57	88.20	-35.63	39.25	36.57	10.19	33.44	100	97 Peak																																																																																									
2	7254.33	51.53	74.00	-22.47	38.41	36.34	10.18	33.40	100	97 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6985.00	84.15	-----	-----	70.53	36.90	10.22	33.50	100	97 Peak																																																																																									
Avg	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.34</td><td>42.09</td><td>68.20</td><td>-26.11</td><td>28.72</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>97 Average</td></tr><tr><td>2</td><td>7265.84</td><td>41.10</td><td>54.00</td><td>-12.90</td><td>27.99</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>97 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.34	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	100	97 Average	2	7265.84	41.10	54.00	-12.90	27.99	36.32	10.18	33.39	100	97 Average	 Level (dBuV/m) Date: 2023-09-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>74.67</td><td>-----</td><td>-----</td><td>61.05</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>97 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	74.67	-----	-----	61.05	36.90	10.22	33.50	100	97 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7126.34	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	100	97 Average																																																																																									
2	7265.84	41.10	54.00	-12.90	27.99	36.32	10.18	33.39	100	97 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6985.00	74.67	-----	-----	61.05	36.90	10.22	33.50	100	97 Average																																																																																									







		58																																																																																					
Mode		Band Edge - L																																																																																					
		UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484⑥_6025MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Horizontal					Fundamental																																																																																
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.22</td><td>65.90</td><td>88.20</td><td>-22.30</td><td>53.45</td><td>36.17</td><td>9.81</td><td>33.53</td><td>138</td><td>57 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.22	65.90	88.20	-22.30	53.45	36.17	9.81	33.53	138	57 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.53</td><td>-----</td><td>-----</td><td>79.52</td><td>36.74</td><td>10.63</td><td>33.36</td><td>138</td><td>57 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.53	-----	-----	79.52	36.74	10.63	33.36	138
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5624.22	65.90	88.20	-22.30	53.45	36.17	9.81	33.53	138	57 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6105.00	93.53	-----	-----	79.52	36.74	10.63	33.36	138	57 Peak																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.58</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>41.42</td><td>36.57</td><td>10.40</td><td>33.36</td><td>138</td><td>57 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.58	55.03	68.20	-13.17	41.42	36.57	10.40	33.36	138	57 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>83.60</td><td>-----</td><td>-----</td><td>69.59</td><td>36.74</td><td>10.63</td><td>33.36</td><td>138</td><td>57 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.60	-----	-----	69.59	36.74	10.63	33.36	138
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5907.58	55.03	68.20	-13.17	41.42	36.57	10.40	33.36	138	57 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6105.00	83.60	-----	-----	69.59	36.74	10.63	33.36	138	57 Average																																																																													







		58																																																																																																
Mode		Band Edge - L																																																																																																
		UNII-5_5925-6425_802.11n HT320_CH31_Large RU 996*2+484⑥_6025MHz																																																																																																
ANT		CDD 9+15																																																																																																
Pol.	Vertical										Fundamental																																																																																							
Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>63.29</td><td>88.20</td><td>-24.91</td><td>49.60</td><td>36.60</td><td>10.44</td><td>33.35</td><td>143</td><td>83</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5925.00	63.29	88.20	-24.91	49.60	36.60	10.44	33.35	143	83	Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>87.98</td><td>-----</td><td>-----</td><td>73.97</td><td>36.74</td><td>10.63</td><td>33.36</td><td>143</td><td>83</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6105.00	87.98	-----	-----	73.97	36.74	10.63	33.36	143	83	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5925.00	63.29	88.20	-24.91	49.60	36.60	10.44	33.35	143	83	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	6105.00	87.98	-----	-----	73.97	36.74	10.63	33.36	143	83	Peak																																																																																							
Avg	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>51.87</td><td>68.20</td><td>-16.33</td><td>38.18</td><td>36.60</td><td>10.44</td><td>33.35</td><td>143</td><td>83</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5925.00	51.87	68.20	-16.33	38.18	36.60	10.44	33.35	143	83	Average	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>79.17</td><td>-----</td><td>-----</td><td>65.16</td><td>36.74</td><td>10.63</td><td>33.36</td><td>143</td><td>83</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6105.00	79.17	-----	-----	65.16	36.74	10.63	33.36	143	83	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	5925.00	51.87	68.20	-16.33	38.18	36.60	10.44	33.35	143	83	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
1	6105.00	79.17	-----	-----	65.16	36.74	10.63	33.36	143	83	Average																																																																																							







Mode	59																																																																																																		
	Band Edge																																																																																																		
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484⑦_6905MHz																																																																																																		
ANT	CDD 9+15																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.61</td><td>57.72</td><td>88.20</td><td>-30.48</td><td>44.35</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>59 Peak</td></tr><tr><td>2</td><td>7307.28</td><td>52.08</td><td>74.00</td><td>-21.92</td><td>39.06</td><td>36.22</td><td>10.18</td><td>33.38</td><td>100</td><td>59 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.61	57.72	88.20	-30.48	44.35	36.62	10.20	33.45	100	59 Peak	2	7307.28	52.08	74.00	-21.92	39.06	36.22	10.18	33.38	100	59 Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>90.55</td><td>-----</td><td>-----</td><td>76.93</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>59 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	90.55	-----	-----	76.93	36.90	10.24	33.52	100	59 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7126.61	57.72	88.20	-30.48	44.35	36.62	10.20	33.45	100	59 Peak																																																																																									
2	7307.28	52.08	74.00	-21.92	39.06	36.22	10.18	33.38	100	59 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	90.55	-----	-----	76.93	36.90	10.24	33.52	100	59 Peak																																																																																									
Avg	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.06</td><td>44.13</td><td>68.20</td><td>-24.07</td><td>30.78</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>59 Average</td></tr><tr><td>2</td><td>7250.03</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>28.22</td><td>36.35</td><td>10.18</td><td>33.40</td><td>100</td><td>59 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7130.06	44.13	68.20	-24.07	30.78	36.61	10.19	33.45	100	59 Average	2	7250.03	41.35	54.00	-12.65	28.22	36.35	10.18	33.40	100	59 Average	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.09</td><td>-----</td><td>-----</td><td>66.47</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>59 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	80.09	-----	-----	66.47	36.90	10.24	33.52	100	59 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7130.06	44.13	68.20	-24.07	30.78	36.61	10.19	33.45	100	59 Average																																																																																									
2	7250.03	41.35	54.00	-12.65	28.22	36.35	10.18	33.40	100	59 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	80.09	-----	-----	66.47	36.90	10.24	33.52	100	59 Average																																																																																									







Mode	59																																																																																																		
	Band Edge																																																																																																		
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484⑦_6905MHz																																																																																																		
ANT	CDD 9+15																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7142.63</td><td>53.70</td><td>88.20</td><td>-34.50</td><td>40.36</td><td>36.59</td><td>10.19</td><td>33.44</td><td>100</td><td>98 Peak</td></tr><tr><td>2</td><td>7283.25</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>39.35</td><td>36.28</td><td>10.18</td><td>33.39</td><td>100</td><td>98 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7142.63	53.70	88.20	-34.50	40.36	36.59	10.19	33.44	100	98 Peak	2	7283.25	52.42	74.00	-21.58	39.35	36.28	10.18	33.39	100	98 Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>81.38</td><td>-----</td><td>-----</td><td>67.76</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>98 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	81.38	-----	-----	67.76	36.90	10.24	33.52	100	98 Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7142.63	53.70	88.20	-34.50	40.36	36.59	10.19	33.44	100	98 Peak																																																																																									
2	7283.25	52.42	74.00	-21.58	39.35	36.28	10.18	33.39	100	98 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	81.38	-----	-----	67.76	36.90	10.24	33.52	100	98 Peak																																																																																									
Avg	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.41</td><td>42.97</td><td>68.20</td><td>-25.23</td><td>29.60</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>98 Average</td></tr><tr><td>2</td><td>7266.77</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>27.97</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>98 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.41	42.97	68.20	-25.23	29.60	36.62	10.20	33.45	100	98 Average	2	7266.77	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	98 Average	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>71.86</td><td>-----</td><td>-----</td><td>58.24</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>98 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	71.86	-----	-----	58.24	36.90	10.24	33.52	100	98 Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.41	42.97	68.20	-25.23	29.60	36.62	10.20	33.45	100	98 Average																																																																																									
2	7266.77	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	98 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	71.86	-----	-----	58.24	36.90	10.24	33.52	100	98 Average																																																																																									





=

Mode	60																																																																																										
	Band Edge - L																																																																																										
	UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3④_6025MHz																																																																																										
ANT	CDD 9+15																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.83</td><td>67.43</td><td>88.20</td><td>-20.77</td><td>54.96</td><td>36.18</td><td>9.81</td><td>33.52</td><td>111</td><td>35</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.83	67.43	88.20	-20.77	54.96	36.18	9.81	33.52	111	35	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>94.57</td><td>-----</td><td>-----</td><td>80.56</td><td>36.74</td><td>10.63</td><td>33.36</td><td>111</td><td>35</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	94.57	-----	-----	80.56	36.74	10.63	33.36	111	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5625.83	67.43	88.20	-20.77	54.96	36.18	9.81	33.52	111	35	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6105.00	94.57	-----	-----	80.56	36.74	10.63	33.36	111	35	Peak																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.03</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>37.08</td><td>36.18</td><td>9.81</td><td>33.52</td><td>111</td><td>35</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.03	49.55	68.20	-18.65	37.08	36.18	9.81	33.52	111	35	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>85.59</td><td>-----</td><td>-----</td><td>71.58</td><td>36.74</td><td>10.63</td><td>33.36</td><td>111</td><td>35</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	85.59	-----	-----	71.58	36.74	10.63	33.36	111	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5625.03	49.55	68.20	-18.65	37.08	36.18	9.81	33.52	111	35	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6105.00	85.59	-----	-----	71.58	36.74	10.63	33.36	111	35	Average																																																																																







		60																																																																																								
Mode		Band Edge - L																																																																																								
		UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3④_6025MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.02</td><td>57.84</td><td>88.20</td><td>-30.36</td><td>44.19</td><td>36.58</td><td>10.42</td><td>33.35</td><td>104</td><td>118</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.02	57.84	88.20	-30.36	44.19	36.58	10.42	33.35	104	118	Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.18</td><td>-----</td><td>-----</td><td>75.17</td><td>36.74</td><td>10.63</td><td>33.36</td><td>104</td><td>118</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	89.18	-----	-----	75.17	36.74	10.63	33.36	104	118	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5914.02	57.84	88.20	-30.36	44.19	36.58	10.42	33.35	104	118	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	89.18	-----	-----	75.17	36.74	10.63	33.36	104	118	Peak																																																																															
Avg	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>43.35</td><td>68.20</td><td>-24.85</td><td>29.66</td><td>36.60</td><td>10.44</td><td>33.35</td><td>104</td><td>118</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	43.35	68.20	-24.85	29.66	36.60	10.44	33.35	104	118	Average	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>79.52</td><td>-----</td><td>-----</td><td>65.51</td><td>36.74</td><td>10.63</td><td>33.36</td><td>104</td><td>118</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	79.52	-----	-----	65.51	36.74	10.63	33.36	104	118	Average
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5925.00	43.35	68.20	-24.85	29.66	36.60	10.44	33.35	104	118	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	79.52	-----	-----	65.51	36.74	10.63	33.36	104	118	Average																																																																															







		61																																																										
Mode		Band Edge																																																										
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3①_6905MHz																																																										
ANT		CDD 9+15																																																										
Pol.		Horizontal					Fundamental																																																					
Peak																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.28</td><td>58.78</td><td>88.20</td><td>-29.42</td><td>45.42</td><td>36.62</td><td>10.19</td><td>33.45</td><td>100</td><td>53 Peak</td></tr><tr><td>2</td><td>7265.90</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>39.23</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>53 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7129.28	58.78	88.20	-29.42	45.42	36.62	10.19	33.45	100	53 Peak	2	7265.90	52.34	74.00	-21.66	39.23	36.32	10.18	33.39	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7129.28	58.78	88.20	-29.42	45.42	36.62	10.19	33.45	100	53 Peak																																																		
2	7265.90	52.34	74.00	-21.66	39.23	36.32	10.18	33.39	100	53 Peak																																																		
Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.66</td><td>43.24</td><td>68.20</td><td>-24.96</td><td>29.88</td><td>36.62</td><td>10.19</td><td>33.45</td><td>100</td><td>53 Average</td></tr><tr><td>2</td><td>7252.35</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>28.16</td><td>36.34</td><td>10.18</td><td>33.40</td><td>100</td><td>53 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7128.66	43.24	68.20	-24.96	29.88	36.62	10.19	33.45	100	53 Average	2	7252.35	41.28	54.00	-12.72	28.16	36.34	10.18	33.40	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																			
1	7128.66	43.24	68.20	-24.96	29.88	36.62	10.19	33.45	100	53 Average																																																		
2	7252.35	41.28	54.00	-12.72	28.16	36.34	10.18	33.40	100	53 Average																																																		







		61																																																																																																	
Mode		Band Edge																																																																																																	
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3①_6905MHz																																																																																																	
ANT		CDD 9+15																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.61</td><td>52.82</td><td>88.20</td><td>-35.38</td><td>39.45</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>96 Peak</td></tr><tr><td>2</td><td>7266.34</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>39.46</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>96 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.61	52.82	88.20	-35.38	39.45	36.62	10.20	33.45	100	96 Peak	2	7266.34	52.56	74.00	-21.44	39.46	36.31	10.18	33.39	100	96 Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.05</td><td>-----</td><td>-----</td><td>66.43</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>96 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	80.05	-----	-----	66.43	36.90	10.24	33.52	100	96 Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7126.61	52.82	88.20	-35.38	39.45	36.62	10.20	33.45	100	96 Peak																																																																																									
2	7266.34	52.56	74.00	-21.44	39.46	36.31	10.18	33.39	100	96 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	80.05	-----	-----	66.43	36.90	10.24	33.52	100	96 Peak																																																																																									
Avg	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.34</td><td>42.22</td><td>68.20</td><td>-25.98</td><td>28.85</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>96 Average</td></tr><tr><td>2</td><td>7267.23</td><td>41.09</td><td>54.00</td><td>-12.91</td><td>27.99</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>96 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.34	42.22	68.20	-25.98	28.85	36.62	10.20	33.45	100	96 Average	2	7267.23	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	96 Average	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>69.95</td><td>-----</td><td>-----</td><td>56.33</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>96 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	69.95	-----	-----	56.33	36.90	10.24	33.52	100	96 Average
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7126.34	42.22	68.20	-25.98	28.85	36.62	10.20	33.45	100	96 Average																																																																																									
2	7267.23	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	96 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	69.95	-----	-----	56.33	36.90	10.24	33.52	100	96 Average																																																																																									







Mode	62																																																																																									
	Band Edge - L																																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484⑧_6025MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.03</td><td>72.85</td><td>88.20</td><td>-15.35</td><td>60.38</td><td>36.18</td><td>9.81</td><td>33.52</td><td>108</td><td>35</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.03	72.85	88.20	-15.35	60.38	36.18	9.81	33.52	108	35	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>94.14</td><td>-----</td><td>-----</td><td>80.13</td><td>36.74</td><td>10.63</td><td>33.36</td><td>108</td><td>35</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	94.14	-----	-----	80.13	36.74	10.63	33.36	108	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5625.03	72.85	88.20	-15.35	60.38	36.18	9.81	33.52	108	35	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	94.14	-----	-----	80.13	36.74	10.63	33.36	108	35	Peak																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.03</td><td>50.21</td><td>68.20</td><td>-17.99</td><td>37.74</td><td>36.18</td><td>9.81</td><td>33.52</td><td>108</td><td>35</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.03	50.21	68.20	-17.99	37.74	36.18	9.81	33.52	108	35	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>85.49</td><td>-----</td><td>-----</td><td>71.48</td><td>36.74</td><td>10.63</td><td>33.36</td><td>108</td><td>35</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	85.49	-----	-----	71.48	36.74	10.63	33.36	108	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5625.03	50.21	68.20	-17.99	37.74	36.18	9.81	33.52	108	35	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	85.49	-----	-----	71.48	36.74	10.63	33.36	108	35	Average																																																																															







		62																																																																																							
Mode		Band Edge - L																																																																																							
		UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484⑧_6025MHz																																																																																							
ANT		CDD 9+15																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.03</td><td>60.83</td><td>88.20</td><td>-27.37</td><td>48.36</td><td>36.18</td><td>9.81</td><td>33.52</td><td>100</td><td>109</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.03	60.83	88.20	-27.37	48.36	36.18	9.81	33.52	100	109	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>87.93</td><td>-----</td><td>-----</td><td>73.92</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>109</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	87.93	-----	-----	73.92	36.74	10.63	33.36	100	109
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5625.03	60.83	88.20	-27.37	48.36	36.18	9.81	33.52	100	109	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	87.93	-----	-----	73.92	36.74	10.63	33.36	100	109	Peak																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.41</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>30.20</td><td>36.58</td><td>10.41</td><td>33.35</td><td>100</td><td>109</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5912.41	43.84	68.20	-24.36	30.20	36.58	10.41	33.35	100	109	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>78.86</td><td>-----</td><td>-----</td><td>64.85</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>109</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	78.86	-----	-----	64.85	36.74	10.63	33.36	100	109
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5912.41	43.84	68.20	-24.36	30.20	36.58	10.41	33.35	100	109	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	78.86	-----	-----	64.85	36.74	10.63	33.36	100	109	Average																																																																														







		63																																																						
Mode		Band Edge																																																						
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484①_6905MHz																																																						
ANT		CDD 9+15																																																						
Pol.	Horizontal										Fundamental																																													
Peak	Level (dBuV/m) Date: 2023-09-15  PEAK(U-NI)_6E Freq Level Limit Line Margin Read Level Ant Factor Cable Preamp Loss Factor APos TPos Remark <table><tr><td>1</td><td>7131.95</td><td>59.32</td><td>88.20</td><td>-28.88</td><td>45.97</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>59</td><td>Peak</td></tr><tr><td>2</td><td>7319.74</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>39.35</td><td>36.20</td><td>10.18</td><td>33.37</td><td>100</td><td>59</td><td>Peak</td></tr></table>										1	7131.95	59.32	88.20	-28.88	45.97	36.61	10.19	33.45	100	59	Peak	2	7319.74	52.36	74.00	-21.64	39.35	36.20	10.18	33.37	100	59	Peak	Level (dBuV/m) Date: 2023-09-15  PEAK(U-NI)_6E Freq Level Limit Line Margin Read Level Ant Factor Cable Preamp Loss Factor APos TPos Remark <table><tr><td>1</td><td>6905.00</td><td>88.49</td><td>-----</td><td>-----</td><td>74.87</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>59</td><td>Peak</td></tr></table>										1	6905.00	88.49	-----	-----	74.87	36.90	10.24	33.52	100	59	Peak
	1	7131.95	59.32	88.20	-28.88	45.97	36.61	10.19	33.45	100	59	Peak																																												
2	7319.74	52.36	74.00	-21.64	39.35	36.20	10.18	33.37	100	59	Peak																																													
1	6905.00	88.49	-----	-----	74.87	36.90	10.24	33.52	100	59	Peak																																													
Avg	Level (dBuV/m) Date: 2023-09-15  AVG(U-NI)_6E Freq Level Limit Line Margin Read Level Ant Factor Cable Preamp Loss Factor APos TPos Remark <table><tr><td>1</td><td>7126.80</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>30.70</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>59</td><td>Average</td></tr><tr><td>2</td><td>7262.58</td><td>41.36</td><td>54.00</td><td>-12.64</td><td>28.25</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>59</td><td>Average</td></tr></table>										1	7126.80	44.07	68.20	-24.13	30.70	36.62	10.20	33.45	100	59	Average	2	7262.58	41.36	54.00	-12.64	28.25	36.32	10.18	33.39	100	59	Average	Level (dBuV/m) Date: 2023-09-15  AVG(U-NI)_6E Freq Level Limit Line Margin Read Level Ant Factor Cable Preamp Loss Factor APos TPos Remark <table><tr><td>1</td><td>6905.00</td><td>78.65</td><td>-----</td><td>-----</td><td>65.03</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>59</td><td>Average</td></tr></table>										1	6905.00	78.65	-----	-----	65.03	36.90	10.24	33.52	100	59	Average
	1	7126.80	44.07	68.20	-24.13	30.70	36.62	10.20	33.45	100	59	Average																																												
2	7262.58	41.36	54.00	-12.64	28.25	36.32	10.18	33.39	100	59	Average																																													
1	6905.00	78.65	-----	-----	65.03	36.90	10.24	33.52	100	59	Average																																													







		63																																																																																								
Mode		Band Edge																																																																																								
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484①_6905MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7125.72</td><td>52.27</td><td>88.20</td><td>-35.93</td><td>38.90</td><td>36.62</td><td>10.20</td><td>33.45</td></tr><tr><td>2</td><td>7266.34</td><td>51.82</td><td>74.00</td><td>-22.18</td><td>38.72</td><td>36.31</td><td>10.18</td><td>33.39</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.72	52.27	88.20	-35.93	38.90	36.62	10.20	33.45	2	7266.34	51.82	74.00	-22.18	38.72	36.31	10.18	33.39	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6905.00</td><td>79.44</td><td>-----</td><td>-----</td><td>65.82</td><td>36.90</td><td>10.24</td><td>33.52</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	79.44	-----	-----	65.82	36.90	10.24
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	7125.72	52.27	88.20	-35.93	38.90	36.62	10.20	33.45																																																																																		
2	7266.34	51.82	74.00	-22.18	38.72	36.31	10.18	33.39																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	6905.00	79.44	-----	-----	65.82	36.90	10.24	33.52																																																																																		
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7127.27</td><td>42.04</td><td>68.20</td><td>-26.16</td><td>28.67</td><td>36.62</td><td>10.20</td><td>33.45</td></tr><tr><td>2</td><td>7265.37</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>27.95</td><td>36.32</td><td>10.18</td><td>33.39</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7127.27	42.04	68.20	-26.16	28.67	36.62	10.20	33.45	2	7265.37	41.06	54.00	-12.94	27.95	36.32	10.18	33.39	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6905.00</td><td>70.88</td><td>-----</td><td>-----</td><td>57.26</td><td>36.90</td><td>10.24</td><td>33.52</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	70.88	-----	-----	57.26	36.90	10.24
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	7127.27	42.04	68.20	-26.16	28.67	36.62	10.20	33.45																																																																																		
2	7265.37	41.06	54.00	-12.94	27.95	36.32	10.18	33.39																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	6905.00	70.88	-----	-----	57.26	36.90	10.24	33.52																																																																																		







Mode	64																																																																																								
	Band Edge																																																																																								
	UNII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M ④_5985MHz																																																																																								
ANT	CDD 9+15																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.54</td><td>55.69</td><td>88.20</td><td>-32.51</td><td>42.04</td><td>36.58</td><td>10.42</td><td>33.35</td><td>100</td><td>35</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.54	55.69	88.20	-32.51	42.04	36.58	10.42	33.35	100	35	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>101.15</td><td>-----</td><td>-----</td><td>87.21</td><td>36.68</td><td>10.57</td><td>33.31</td><td>100</td><td>35</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.15	-----	-----	87.21	36.68	10.57	33.31	100	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5917.54	55.69	88.20	-32.51	42.04	36.58	10.42	33.35	100	35	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	101.15	-----	-----	87.21	36.68	10.57	33.31	100	35	Peak																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.28</td><td>43.79</td><td>68.20</td><td>-24.41</td><td>30.11</td><td>36.59</td><td>10.44</td><td>33.35</td><td>100</td><td>35</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.28	43.79	68.20	-24.41	30.11	36.59	10.44	33.35	100	35	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.95</td><td>-----</td><td>-----</td><td>79.01</td><td>36.68</td><td>10.57</td><td>33.31</td><td>100</td><td>35</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.95	-----	-----	79.01	36.68	10.57	33.31	100	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5923.28	43.79	68.20	-24.41	30.11	36.59	10.44	33.35	100	35	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	92.95	-----	-----	79.01	36.68	10.57	33.31	100	35	Average																																																																														







		64																																																																															
Mode		Band Edge																																																																															
		UNII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M④_5985MHz																																																																															
ANT		CDD 9+15																																																																															
Pol.		Vertical					Fundamental																																																																										
Peak																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5910.12</td><td>53.46</td><td>88.20</td><td>-34.74</td><td>39.83</td><td>36.57</td><td>10.41</td><td>33.35</td><td>100 77 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5910.12	53.46	88.20	-34.74	39.83	36.57	10.41	33.35	100 77 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5985.00</td><td>96.39</td><td>-----</td><td>-----</td><td>82.45</td><td>36.68</td><td>10.57</td><td>33.31</td><td>100 77 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5985.00	96.39	-----	-----	82.45	36.68	10.57	33.31
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5910.12	53.46	88.20	-34.74	39.83	36.57	10.41	33.35	100 77 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5985.00	96.39	-----	-----	82.45	36.68	10.57	33.31	100 77 Peak																																																																									
Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5909.56</td><td>42.47</td><td>68.20</td><td>-25.73</td><td>28.84</td><td>36.57</td><td>10.41</td><td>33.35</td><td>100 77 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5909.56	42.47	68.20	-25.73	28.84	36.57	10.41	33.35	100 77 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5985.00</td><td>85.97</td><td>-----</td><td>-----</td><td>72.03</td><td>36.68</td><td>10.57</td><td>33.31</td><td>100 77 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5985.00	85.97	-----	-----	72.03	36.68	10.57	33.31
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5909.56	42.47	68.20	-25.73	28.84	36.57	10.41	33.35	100 77 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5985.00	85.97	-----	-----	72.03	36.68	10.57	33.31	100 77 Average																																																																									



		65																																																																																																												
Mode		Band Edge																																																																																																												
		UNII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M①_7025MHz																																																																																																												
ANT		CDD 9+15																																																																																																												
Pol.	Horizontal										Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2023-09-15  PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7130.62</td><td>53.78</td><td>88.20</td><td>-34.42</td><td>40.43</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>46</td><td>Peak</td></tr><tr><td>2</td><td>7331.31</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>39.32</td><td>36.17</td><td>10.18</td><td>33.37</td><td>100</td><td>46</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7130.62	53.78	88.20	-34.42	40.43	36.61	10.19	33.45	100	46	Peak	2	7331.31	52.30	74.00	-21.70	39.32	36.17	10.18	33.37	100	46	Peak	Level (dBuV/m) Date: 2023-09-15  PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>92.99</td><td>-----</td><td>-----</td><td>79.41</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100</td><td>46</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7025.00	92.99	-----	-----	79.41	36.85	10.22	33.49	100	46	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																						
1	7130.62	53.78	88.20	-34.42	40.43	36.61	10.19	33.45	100	46	Peak																																																																																																			
2	7331.31	52.30	74.00	-21.70	39.32	36.17	10.18	33.37	100	46	Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																						
1	7025.00	92.99	-----	-----	79.41	36.85	10.22	33.49	100	46	Peak																																																																																																			
Avg	Level (dBuV/m) Date: 2023-09-15  AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>42.59</td><td>68.20</td><td>-25.61</td><td>29.22</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>46</td><td>Average</td></tr><tr><td>2</td><td>7266.77</td><td>41.10</td><td>54.00</td><td>-12.90</td><td>28.00</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>46</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.00	42.59	68.20	-25.61	29.22	36.62	10.20	33.45	100	46	Average	2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	100	46	Average	Level (dBuV/m) Date: 2023-09-15  AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>84.35</td><td>-----</td><td>-----</td><td>70.77</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100</td><td>46</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7025.00	84.35	-----	-----	70.77	36.85	10.22	33.49	100	46	Average
		Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																						
1	7125.00	42.59	68.20	-25.61	29.22	36.62	10.20	33.45	100	46	Average																																																																																																			
2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	100	46	Average																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																						
1	7025.00	84.35	-----	-----	70.77	36.85	10.22	33.49	100	46	Average																																																																																																			







Mode	65																																																																																																				
	Band Edge																																																																																																				
	UNII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M①_7025MHz																																																																																																				
ANT	CDD 9+15																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7143.97</td><td>52.78</td><td>88.20</td><td>-35.42</td><td>39.45</td><td>36.58</td><td>10.19</td><td>33.44</td><td>100</td><td>111</td><td>Peak</td></tr><tr><td>2</td><td>7301.05</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>39.62</td><td>36.24</td><td>10.18</td><td>33.38</td><td>100</td><td>111</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7143.97	52.78	88.20	-35.42	39.45	36.58	10.19	33.44	100	111	Peak	2	7301.05	52.66	74.00	-21.34	39.62	36.24	10.18	33.38	100	111	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>86.44</td><td>-----</td><td>-----</td><td>72.86</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100</td><td>111</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	86.44	-----	-----	72.86	36.85	10.22	33.49	100	111
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1	7143.97	52.78	88.20	-35.42	39.45	36.58	10.19	33.44	100	111	Peak																																																																																										
2	7301.05	52.66	74.00	-21.34	39.62	36.24	10.18	33.38	100	111	Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1	7025.00	86.44	-----	-----	72.86	36.85	10.22	33.49	100	111	Peak																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>42.00</td><td>68.20</td><td>-26.20</td><td>28.63</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>111</td><td>Average</td></tr><tr><td>2</td><td>7268.16</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>27.91</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>111</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.00	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	111	Average	2	7268.16	41.01	54.00	-12.99	27.91	36.31	10.18	33.39	100	111	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>77.83</td><td>-----</td><td>-----</td><td>64.25</td><td>36.85</td><td>10.22</td><td>33.49</td><td>100</td><td>111</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7025.00	77.83	-----	-----	64.25	36.85	10.22	33.49	100	111
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1	7125.00	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	111	Average																																																																																										
2	7268.16	41.01	54.00	-12.99	27.91	36.31	10.18	33.39	100	111	Average																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1	7025.00	77.83	-----	-----	64.25	36.85	10.22	33.49	100	111	Average																																																																																										







Mode	66	
	Band Edge	
	UNII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M④_6025MHz	
ANT	CDD 9+15	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2023-09-15 <	







Mode	66																																																																																								
	Band Edge																																																																																								
	UNII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M④_6025MHz																																																																																								
ANT	CDD 9+15																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.28</td><td>63.60</td><td>88.20</td><td>-24.60</td><td>50.15</td><td>36.51</td><td>10.32</td><td>33.38</td><td>100</td><td>88 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5867.28	63.60	88.20	-24.60	50.15	36.51	10.32	33.38	100	88 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.71</td><td>-----</td><td>-----</td><td>76.72</td><td>36.71</td><td>10.59</td><td>33.31</td><td>100</td><td>88 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.71	-----	-----	76.72	36.71	10.59	33.31	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5867.28	63.60	88.20	-24.60	50.15	36.51	10.32	33.38	100	88 Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6025.00	90.71	-----	-----	76.72	36.71	10.59	33.31	100	88 Peak																																																																															
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>50.05</td><td>68.20</td><td>-18.15</td><td>36.37</td><td>36.59</td><td>10.44</td><td>33.35</td><td>100</td><td>88 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	50.05	68.20	-18.15	36.37	36.59	10.44	33.35	100	88 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>81.81</td><td>-----</td><td>-----</td><td>67.82</td><td>36.71</td><td>10.59</td><td>33.31</td><td>100</td><td>88 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	81.81	-----	-----	67.82	36.71	10.59	33.31	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5924.96	50.05	68.20	-18.15	36.37	36.59	10.44	33.35	100	88 Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6025.00	81.81	-----	-----	67.82	36.71	10.59	33.31	100	88 Average																																																																															







		67																																																																																										
Mode		Band Edge																																																																																										
		UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M①_6985MHz																																																																																										
ANT		CDD 9+15																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7133.73	55.30	88.20	-32.90	41.95	36.61	10.19	33.45	100	55	Peak	2	7313.96	51.95	74.00	-22.05	38.93	36.21	10.18	33.37	100	55	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>91.62</td><td>-----</td><td>-----</td><td>78.00</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>55</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	91.62	-----	-----	78.00	36.90	10.22	33.50	100	55
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	7133.73	55.30	88.20	-32.90	41.95	36.61	10.19	33.45	100	55	Peak																																																																																	
2	7313.96	51.95	74.00	-22.05	38.93	36.21	10.18	33.37	100	55	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6985.00	91.62	-----	-----	78.00	36.90	10.22	33.50	100	55	Peak																																																																																	
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100	55	Average	2	7266.30	40.95	54.00	-13.05	27.85	36.31	10.18	33.39	100	55	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>81.97</td><td>-----</td><td>-----</td><td>68.35</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>55</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	81.97	-----	-----	68.35	36.90	10.22	33.50	100	55
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	7125.00	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100	55	Average																																																																																	
2	7266.30	40.95	54.00	-13.05	27.85	36.31	10.18	33.39	100	55	Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6985.00	81.97	-----	-----	68.35	36.90	10.22	33.50	100	55	Average																																																																																	







Mode	67																																																																																															
	Band Edge																																																																																															
	UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M①_6985MHz																																																																																															
ANT	CDD 9+15																																																																																															
Pol.	Vertical					Fundamental																																																																																										
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7178.68</td><td>52.76</td><td>88.20</td><td>-35.44</td><td>39.50</td><td>36.51</td><td>10.18</td><td>33.43</td><td>100</td><td>118 Peak</td></tr><tr><td>2</td><td>7318.41</td><td>51.98</td><td>74.00</td><td>-22.02</td><td>38.97</td><td>36.20</td><td>10.18</td><td>33.37</td><td>100</td><td>118 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7178.68	52.76	88.20	-35.44	39.50	36.51	10.18	33.43	100	118 Peak	2	7318.41	51.98	74.00	-22.02	38.97	36.20	10.18	33.37	100	118 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.35</td><td>-----</td><td>-----</td><td>68.73</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>118 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6985.00	82.35	-----	-----	68.73	36.90	10.22	33.50	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	7178.68	52.76	88.20	-35.44	39.50	36.51	10.18	33.43	100	118 Peak																																																																																						
2	7318.41	51.98	74.00	-22.02	38.97	36.20	10.18	33.37	100	118 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	6985.00	82.35	-----	-----	68.73	36.90	10.22	33.50	100	118 Peak																																																																																						
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7127.27</td><td>41.90</td><td>68.20</td><td>-26.30</td><td>28.53</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>118 Average</td></tr><tr><td>2</td><td>7269.09</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>27.73</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>118 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7127.27	41.90	68.20	-26.30	28.53	36.62	10.20	33.45	100	118 Average	2	7269.09	40.83	54.00	-13.17	27.73	36.31	10.18	33.39	100	118 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>73.40</td><td>-----</td><td>-----</td><td>59.78</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>118 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6985.00	73.40	-----	-----	59.78	36.90	10.22	33.50	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	7127.27	41.90	68.20	-26.30	28.53	36.62	10.20	33.45	100	118 Average																																																																																						
2	7269.09	40.83	54.00	-13.17	27.73	36.31	10.18	33.39	100	118 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	6985.00	73.40	-----	-----	59.78	36.90	10.22	33.50	100	118 Average																																																																																						



	68																																																																	
Mode	Band Edge																																																																	
	UNII-5_5925-6425802.11be EHT160_CH15_Puncturing 20M⑧_6025MHz																																																																	
ANT	CDD 9+15																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	Level (dBuV/m) Date: 2023-09-15  <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5879.32</td><td>63.38</td><td>88.20</td><td>-24.82</td><td>49.88</td><td>36.53</td><td>10.34</td><td>33.37</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5879.32	63.38	88.20	-24.82	49.88	36.53	10.34	33.37	Level (dBuV/m) Date: 2023-09-15  <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 6025.00</td><td>96.99</td><td>-----</td><td>-----</td><td>83.00</td><td>36.71</td><td>10.59</td><td>33.31</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6025.00	96.99	-----	-----	83.00	36.71	10.59	33.31
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 5879.32	63.38	88.20	-24.82	49.88	36.53	10.34	33.37																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 6025.00	96.99	-----	-----	83.00	36.71	10.59	33.31																																																											
Avg	Level (dBuV/m) Date: 2023-09-15  <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 5922.16</td><td>47.25</td><td>68.20</td><td>-20.95</td><td>33.58</td><td>36.59</td><td>10.43</td><td>33.35</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5922.16	47.25	68.20	-20.95	33.58	36.59	10.43	33.35	Level (dBuV/m) Date: 2023-09-15  <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 6025.00</td><td>88.35</td><td>-----</td><td>-----</td><td>74.36</td><td>36.71</td><td>10.59</td><td>33.31</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6025.00	88.35	-----	-----	74.36	36.71	10.59	33.31
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 5922.16	47.25	68.20	-20.95	33.58	36.59	10.43	33.35																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 6025.00	88.35	-----	-----	74.36	36.71	10.59	33.31																																																											







Mode	68																																																																																
	Band Edge																																																																																
	UNII-5_5925-6425_802.11be EHT160_CH15_Puncturing 20M⑧_6025MHz																																																																																
ANT	CDD 9+15																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	Date: 2023-09-15  PEAK(U-NI)_6E					Date: 2023-09-15  PEAK(U-NI)_6E																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5924.40</td><td>55.35</td><td>88.20</td><td>-32.85</td><td>41.67</td><td>36.59</td><td>10.44</td><td>33.35</td><td>100 93 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5924.40	55.35	88.20	-32.85	41.67	36.59	10.44	33.35	100 93 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6025.00</td><td>90.12</td><td>-----</td><td>-----</td><td>76.13</td><td>36.71</td><td>10.59</td><td>33.31</td><td>100 93 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6025.00	90.12	-----	-----	76.13	36.71	10.59	33.31
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5924.40	55.35	88.20	-32.85	41.67	36.59	10.44	33.35	100 93 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 6025.00	90.12	-----	-----	76.13	36.71	10.59	33.31	100 93 Peak																																																																									
Avg	Date: 2023-09-15  AVG(U-NI)_6E					Date: 2023-09-15  AVG(U-NI)_6E																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5924.68</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>29.23</td><td>36.59</td><td>10.44</td><td>33.35</td><td>100 93 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5924.68	42.91	68.20	-25.29	29.23	36.59	10.44	33.35	100 93 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6025.00</td><td>81.56</td><td>-----</td><td>-----</td><td>67.57</td><td>36.71</td><td>10.59</td><td>33.31</td><td>100 93 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6025.00	81.56	-----	-----	67.57	36.71	10.59	33.31
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 5924.68	42.91	68.20	-25.29	29.23	36.59	10.44	33.35	100 93 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1 6025.00	81.56	-----	-----	67.57	36.71	10.59	33.31	100 93 Average																																																																									







Mode	69																																																														
	Band Edge																																																														
	UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M①_6985MHz																																																														
ANT	CDD 9+15																																																														
Pol.	Horizontal																																																														
Peak	Level (dBuV/m) Date: 2023-09-15 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue line representing the measured signal and a red line representing the limit. The limit is 122.5 dBuV/m from 6905 to 7083 MHz, then drops to 87.5 dBuV/m until 7261 MHz, and finally drops to 52.5 dBuV/m. Two peaks are marked with vertical lines and labeled 1 and 2. The date is 2023-09-15. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7135.96</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>39.75</td><td>36.60</td><td>10.19</td><td>33.45</td><td>100</td><td>55</td><td>Peak</td></tr><tr><td>2</td><td>7314.85</td><td>52.13</td><td>74.00</td><td>-21.87</td><td>39.11</td><td>36.21</td><td>10.18</td><td>33.37</td><td>100</td><td>55</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7135.96	53.09	88.20	-35.11	39.75	36.60	10.19	33.45	100	55	Peak	2	7314.85	52.13	74.00	-21.87	39.11	36.21	10.18	33.37	100	55	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7135.96	53.09	88.20	-35.11	39.75	36.60	10.19	33.45	100	55	Peak																																																				
2	7314.85	52.13	74.00	-21.87	39.11	36.21	10.18	33.37	100	55	Peak																																																				
Fundamental	Level (dBuV/m) Date: 2023-09-15 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue line representing the measured signal and a red line representing the limit. The limit is 122.5 dBuV/m from 6905 to 7083 MHz, then drops to 87.5 dBuV/m until 7261 MHz, and finally drops to 52.5 dBuV/m. A peak is marked with a vertical line and labeled 1. The date is 2023-09-15. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>91.02</td><td>-----</td><td>-----</td><td>77.40</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>55</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	91.02	-----	-----	77.40	36.90	10.22	33.50	100	55	Peak												
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	6985.00	91.02	-----	-----	77.40	36.90	10.22	33.50	100	55	Peak																																																				
Avg	Level (dBuV/m) Date: 2023-09-15 Horizontal Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue line representing the measured signal and a red line representing the limit. The limit is 122.5 dBuV/m from 6905 to 7083 MHz, then drops to 87.5 dBuV/m until 7261 MHz, and finally drops to 52.5 dBuV/m. Two peaks are marked with vertical lines and labeled 1 and 2. The date is 2023-09-15. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.87</td><td>42.28</td><td>68.20</td><td>-25.92</td><td>28.91</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>55</td><td>Average</td></tr><tr><td>2</td><td>7265.37</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>27.90</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>55</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.87	42.28	68.20	-25.92	28.91	36.62	10.20	33.45	100	55	Average	2	7265.37	41.01	54.00	-12.99	27.90	36.32	10.18	33.39	100	55	Average
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7125.87	42.28	68.20	-25.92	28.91	36.62	10.20	33.45	100	55	Average																																																				
2	7265.37	41.01	54.00	-12.99	27.90	36.32	10.18	33.39	100	55	Average																																																				
Fundamental	Level (dBuV/m) Date: 2023-09-15 Fundamental Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue line representing the measured signal and a red line representing the limit. The limit is 122.5 dBuV/m from 6905 to 7083 MHz, then drops to 87.5 dBuV/m until 7261 MHz, and finally drops to 52.5 dBuV/m. A peak is marked with a vertical line and labeled 1. The date is 2023-09-15. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>81.31</td><td>-----</td><td>-----</td><td>67.69</td><td>36.90</td><td>10.22</td><td>33.50</td><td>100</td><td>55</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	81.31	-----	-----	67.69	36.90	10.22	33.50	100	55	Average												
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	6985.00	81.31	-----	-----	67.69	36.90	10.22	33.50	100	55	Average																																																				







		69																																																																																								
Mode		Band Edge																																																																																								
		UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M①_6985MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7174.23</td><td>52.62</td><td>88.20</td><td>-35.58</td><td>39.34</td><td>36.52</td><td>10.19</td><td>33.43</td></tr><tr><td>2</td><td>7273.02</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>38.32</td><td>36.30</td><td>10.18</td><td>33.39</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7174.23	52.62	88.20	-35.58	39.34	36.52	10.19	33.43	2	7273.02	51.41	74.00	-22.59	38.32	36.30	10.18	33.39	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6985.00</td><td>82.04</td><td>-----</td><td>-----</td><td>68.42</td><td>36.90</td><td>10.22</td><td>33.50</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	82.04	-----	-----	68.42	36.90	10.22
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	7174.23	52.62	88.20	-35.58	39.34	36.52	10.19	33.43																																																																																		
2	7273.02	51.41	74.00	-22.59	38.32	36.30	10.18	33.39																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	6985.00	82.04	-----	-----	68.42	36.90	10.22	33.50																																																																																		
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7126.34</td><td>41.90</td><td>68.20</td><td>-26.30</td><td>28.53</td><td>36.62</td><td>10.20</td><td>33.45</td></tr><tr><td>2</td><td>7250.03</td><td>40.90</td><td>54.00</td><td>-13.10</td><td>27.77</td><td>36.35</td><td>10.18</td><td>33.40</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.34	41.90	68.20	-26.30	28.53	36.62	10.20	33.45	2	7250.03	40.90	54.00	-13.10	27.77	36.35	10.18	33.40	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6985.00</td><td>73.13</td><td>-----</td><td>-----</td><td>59.51</td><td>36.90</td><td>10.22</td><td>33.50</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	73.13	-----	-----	59.51	36.90	10.22
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	7126.34	41.90	68.20	-26.30	28.53	36.62	10.20	33.45																																																																																		
2	7250.03	40.90	54.00	-13.10	27.77	36.35	10.18	33.40																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	6985.00	73.13	-----	-----	59.51	36.90	10.22	33.50																																																																																		



		70																																																																																															
Mode		Band Edge																																																																																															
		UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40M⑥_6105MHz																																																																																															
ANT		CDD 9+15																																																																																															
Pol.	Horizontal										Fundamental																																																																																						
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.24</td><td>67.04</td><td>88.20</td><td>-21.16</td><td>53.39</td><td>36.58</td><td>10.42</td><td>33.35</td><td>100</td><td>31 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5917.24	67.04	88.20	-21.16	53.39	36.58	10.42	33.35	100	31 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>95.84</td><td>-----</td><td>-----</td><td>81.83</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>31 Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	95.84	-----	-----	81.83	36.74	10.63	33.36	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5917.24	67.04	88.20	-21.16	53.39	36.58	10.42	33.35	100	31 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	6105.00	95.84	-----	-----	81.83	36.74	10.63	33.36	100	31 Peak																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.05</td><td>54.80</td><td>68.20</td><td>-13.40</td><td>41.14</td><td>36.59</td><td>10.42</td><td>33.35</td><td>100</td><td>31 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5918.05	54.80	68.20	-13.40	41.14	36.59	10.42	33.35	100	31 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>86.75</td><td>-----</td><td>-----</td><td>72.74</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>31 Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	86.75	-----	-----	72.74	36.74	10.63	33.36	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5918.05	54.80	68.20	-13.40	41.14	36.59	10.42	33.35	100	31 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	6105.00	86.75	-----	-----	72.74	36.74	10.63	33.36	100	31 Average																																																																																							







		70																																																																																		
Mode		Band Edge																																																																																		
		UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40M⑥_6105MHz																																																																																		
ANT		CDD 9+15																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.83	60.04	88.20	-28.16	47.57	36.18	9.81	33.52	100	85	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>88.79</td><td>-----</td><td>-----</td><td>74.78</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>85</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	88.79	-----	-----	74.78	36.74	10.63	33.36	100	85
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5625.83	60.04	88.20	-28.16	47.57	36.18	9.81	33.52	100	85	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	6105.00	88.79	-----	-----	74.78	36.74	10.63	33.36	100	85	Peak																																																																									
Avg																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5925.00	48.82	68.20	-19.38	35.12	36.60	10.44	33.34	100	85	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>79.76</td><td>-----</td><td>-----</td><td>65.75</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>85</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	79.76	-----	-----	65.75	36.74	10.63	33.36	100	85
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5925.00	48.82	68.20	-19.38	35.12	36.60	10.44	33.34	100	85	Average																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	6105.00	79.76	-----	-----	65.75	36.74	10.63	33.36	100	85	Average																																																																									







Mode	71																																																																																										
	Band Edge																																																																																										
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M⑦_6905MHz																																																																																										
ANT	CDD 9+15																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2023-09-15 PEAK(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.39</td><td>59.51</td><td>88.20</td><td>-28.69</td><td>46.15</td><td>36.62</td><td>10.19</td><td>33.45</td><td>100</td><td>56 Peak</td></tr><tr><td>2</td><td>7272.13</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>38.57</td><td>36.30</td><td>10.18</td><td>33.39</td><td>100</td><td>56 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.39	59.51	88.20	-28.69	46.15	36.62	10.19	33.45	100	56 Peak	2	7272.13	51.66	74.00	-22.34	38.57	36.30	10.18	33.39	100	56 Peak	Level (dBuV/m) Date: 2023-09-15 PEAK(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>89.17</td><td>-----</td><td>-----</td><td>75.55</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>56 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	89.17	-----	-----	75.55	36.90	10.24	33.52	100	56 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7128.39	59.51	88.20	-28.69	46.15	36.62	10.19	33.45	100	56 Peak																																																																																	
2	7272.13	51.66	74.00	-22.34	38.57	36.30	10.18	33.39	100	56 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6905.00	89.17	-----	-----	75.55	36.90	10.24	33.52	100	56 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2023-09-15 AVG(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.34</td><td>48.04</td><td>68.20</td><td>-20.16</td><td>34.67</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>56 Average</td></tr><tr><td>2</td><td>7250.03</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>28.43</td><td>36.35</td><td>10.18</td><td>33.40</td><td>100</td><td>56 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.34	48.04	68.20	-20.16	34.67	36.62	10.20	33.45	100	56 Average	2	7250.03	41.56	54.00	-12.44	28.43	36.35	10.18	33.40	100	56 Average	Level (dBuV/m) Date: 2023-09-15 AVG(U-NI)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.68</td><td>-----</td><td>-----</td><td>66.06</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>56 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.68	-----	-----	66.06	36.90	10.24	33.52	100	56 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7126.34	48.04	68.20	-20.16	34.67	36.62	10.20	33.45	100	56 Average																																																																																	
2	7250.03	41.56	54.00	-12.44	28.43	36.35	10.18	33.40	100	56 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6905.00	79.68	-----	-----	66.06	36.90	10.24	33.52	100	56 Average																																																																																	



	71																																																																																																					
Mode	Band Edge																																																																																																					
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M⑦_6905MHz																																																																																																					
ANT	CDD 9+15																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.39</td><td>54.87</td><td>88.20</td><td>-33.33</td><td>41.51</td><td>36.62</td><td>10.19</td><td>33.45</td><td>100</td><td>122</td><td>Peak</td></tr><tr><td>2</td><td>7265.90</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>38.77</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>122</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7128.39	54.87	88.20	-33.33	41.51	36.62	10.19	33.45	100	122	Peak	2	7265.90	51.88	74.00	-22.12	38.77	36.32	10.18	33.39	100	122	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>80.59</td><td>-----</td><td>-----</td><td>66.97</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>122</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	80.59	-----	-----	66.97	36.90	10.24	33.52	100	122
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7128.39	54.87	88.20	-33.33	41.51	36.62	10.19	33.45	100	122	Peak																																																																																											
2	7265.90	51.88	74.00	-22.12	38.77	36.32	10.18	33.39	100	122	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	80.59	-----	-----	66.97	36.90	10.24	33.52	100	122	Peak																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.27</td><td>44.22</td><td>68.20</td><td>-23.98</td><td>30.85</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>122</td><td>Average</td></tr><tr><td>2</td><td>7264.91</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>27.96</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>122</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7127.27	44.22	68.20	-23.98	30.85	36.62	10.20	33.45	100	122	Average	2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	122	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>71.72</td><td>-----</td><td>-----</td><td>58.10</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>122</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	71.72	-----	-----	58.10	36.90	10.24	33.52	100	122
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7127.27	44.22	68.20	-23.98	30.85	36.62	10.20	33.45	100	122	Average																																																																																											
2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	122	Average																																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	71.72	-----	-----	58.10	36.90	10.24	33.52	100	122	Average																																																																																											







		72																																																																																							
Mode		Band Edge																																																																																							
		UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M④_6105MHz																																																																																							
ANT		CDD 9+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.85</td><td>63.48</td><td>88.20</td><td>-24.72</td><td>49.81</td><td>36.59</td><td>10.43</td><td>33.35</td><td>100</td><td>35</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5918.85	63.48	88.20	-24.72	49.81	36.59	10.43	33.35	100	35	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>95.34</td><td>-----</td><td>-----</td><td>81.33</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>35</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	95.34	-----	-----	81.33	36.74	10.63	33.36	100	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5918.85	63.48	88.20	-24.72	49.81	36.59	10.43	33.35	100	35	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	95.34	-----	-----	81.33	36.74	10.63	33.36	100	35	Peak																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.03</td><td>48.56</td><td>68.20</td><td>-19.64</td><td>36.09</td><td>36.18</td><td>9.81</td><td>33.52</td><td>100</td><td>35</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>86.00</td><td>-----</td><td>-----</td><td>71.99</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>35</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	86.00	-----	-----	71.99	36.74	10.63	33.36	100	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6105.00	86.00	-----	-----	71.99	36.74	10.63	33.36	100	35	Average																																																																														







Mode	72	
	Band Edge	
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M ④_6105MHz	
ANT	CDD 9+15	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2023-09-15 1 5915.63 60.72 88.20 -27.48 47.07 36.58 10.42 33.35 100 82 Peak	Level (dBuV/m) Date: 2023-09-15 1 6105.00 87.96 ----- 73.95 36.74 10.63 33.36 100 82 Peak
	Level (dBuV/m) Date: 2023-09-15 1 5905.17 44.90 68.20 -23.30 31.29 36.57 10.40 33.36 100 82 Average	Level (dBuV/m) Date: 2023-09-15 1 6105.00 78.60 ----- 64.59 36.74 10.63 33.36 100 82 Average







		73																																																																																																										
Mode			Band Edge																																																																																																									
			UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M①_6905MHz																																																																																																									
ANT			CDD 9+15																																																																																																									
Pol.	Horizontal										Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2023-09-15  PEAK(U-NI)_6E																				Level (dBuV/m) Date: 2023-09-15  PEAK(U-NI)_6E																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7210.27</td><td>56.40</td><td>88.20</td><td>-31.80</td><td>43.20</td><td>36.44</td><td>10.18</td><td>33.42</td><td>100</td><td>56 Peak</td></tr><tr><td>2</td><td>7268.12</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>38.59</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>56 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7210.27	56.40	88.20	-31.80	43.20	36.44	10.18	33.42	100	56 Peak	2	7268.12	51.69	74.00	-22.31	38.59	36.31	10.18	33.39	100	56 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>87.20</td><td>-----</td><td>-----</td><td>73.58</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>56 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	87.20	-----	-----	73.58	36.90	10.24	33.52	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	7210.27	56.40	88.20	-31.80	43.20	36.44	10.18	33.42	100	56 Peak																																																																																																		
2	7268.12	51.69	74.00	-22.31	38.59	36.31	10.18	33.39	100	56 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	6905.00	87.20	-----	-----	73.58	36.90	10.24	33.52	100	56 Peak																																																																																																		
Avg	Level (dBuV/m) Date: 2023-09-15  AVG(U-NI)_6E																				Level (dBuV/m) Date: 2023-09-15  AVG(U-NI)_6E																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.41</td><td>42.81</td><td>68.20</td><td>-25.39</td><td>29.44</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>56 Average</td></tr><tr><td>2</td><td>7250.49</td><td>41.20</td><td>54.00</td><td>-12.80</td><td>28.07</td><td>36.35</td><td>10.18</td><td>33.40</td><td>100</td><td>56 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.41	42.81	68.20	-25.39	29.44	36.62	10.20	33.45	100	56 Average	2	7250.49	41.20	54.00	-12.80	28.07	36.35	10.18	33.40	100	56 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.59</td><td>-----</td><td>-----</td><td>64.97</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>56 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	78.59	-----	-----	64.97	36.90	10.24	33.52	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	7125.41	42.81	68.20	-25.39	29.44	36.62	10.20	33.45	100	56 Average																																																																																																		
2	7250.49	41.20	54.00	-12.80	28.07	36.35	10.18	33.40	100	56 Average																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	6905.00	78.59	-----	-----	64.97	36.90	10.24	33.52	100	56 Average																																																																																																		



		73																																																																																																			
Mode		Band Edge																																																																																																			
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M①_6905MHz																																																																																																			
ANT		CDD 9+15																																																																																																			
Pol.		Vertical					Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7153.31</td><td>52.26</td><td>88.20</td><td>-35.94</td><td>38.95</td><td>36.56</td><td>10.19</td><td>33.44</td><td>100</td><td>109</td><td>Peak</td></tr><tr><td>2</td><td>7309.95</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>38.53</td><td>36.22</td><td>10.18</td><td>33.38</td><td>100</td><td>109</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7153.31	52.26	88.20	-35.94	38.95	36.56	10.19	33.44	100	109	Peak	2	7309.95	51.55	74.00	-22.45	38.53	36.22	10.18	33.38	100	109	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>79.88</td><td>-----</td><td>-----</td><td>66.26</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>109</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	79.88	-----	-----	66.26	36.90	10.24	33.52	100	109
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7153.31	52.26	88.20	-35.94	38.95	36.56	10.19	33.44	100	109	Peak																																																																																										
2	7309.95	51.55	74.00	-22.45	38.53	36.22	10.18	33.38	100	109	Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	6905.00	79.88	-----	-----	66.26	36.90	10.24	33.52	100	109	Peak																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7129.59</td><td>42.02</td><td>68.20</td><td>-26.18</td><td>28.67</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>109</td><td>Average</td></tr><tr><td>2</td><td>7267.23</td><td>41.00</td><td>54.00</td><td>-13.00</td><td>27.90</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>109</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7129.59	42.02	68.20	-26.18	28.67	36.61	10.19	33.45	100	109	Average	2	7267.23	41.00	54.00	-13.00	27.90	36.31	10.18	33.39	100	109	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>70.19</td><td>-----</td><td>-----</td><td>56.57</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>109</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	70.19	-----	-----	56.57	36.90	10.24	33.52	100	109
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7129.59	42.02	68.20	-26.18	28.67	36.61	10.19	33.45	100	109	Average																																																																																										
2	7267.23	41.00	54.00	-13.00	27.90	36.31	10.18	33.39	100	109	Average																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	6905.00	70.19	-----	-----	56.57	36.90	10.24	33.52	100	109	Average																																																																																										







		74																																																																																																	
Mode		Band Edge																																																																																																	
		UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M⑧_6105MHz																																																																																																	
ANT		CDD 9+15																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2023-09-15 										Level (dBuV/m) Date: 2023-09-15 																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5847.21</td><td>58.21</td><td>88.20</td><td>-29.99</td><td>44.83</td><td>36.49</td><td>10.28</td><td>33.39</td><td>100</td><td>35</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5847.21	58.21	88.20	-29.99	44.83	36.49	10.28	33.39	100	35	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>94.83</td><td>-----</td><td>-----</td><td>80.82</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>35</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.83	-----	-----	80.82	36.74	10.63	33.36	100	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5847.21	58.21	88.20	-29.99	44.83	36.49	10.28	33.39	100	35	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6105.00	94.83	-----	-----	80.82	36.74	10.63	33.36	100	35	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2023-09-15 										Level (dBuV/m) Date: 2023-09-15 																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.03</td><td>48.56</td><td>68.20</td><td>-19.64</td><td>36.09</td><td>36.18</td><td>9.81</td><td>33.52</td><td>100</td><td>35</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>85.65</td><td>-----</td><td>-----</td><td>71.64</td><td>36.74</td><td>10.63</td><td>33.36</td><td>100</td><td>35</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	85.65	-----	-----	71.64	36.74	10.63	33.36	100	35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6105.00	85.65	-----	-----	71.64	36.74	10.63	33.36	100	35	Average																																																																																								







		74									
Mode	Band Edge										
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M⑧_6105MHz										
ANT	CDD 9+15										
Pol.											
Peak	Vertical										
	Fundamental										
Peak											



		75																																																																																																										
Mode		Band Edge																																																																																																										
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M 1_6905MHz																																																																																																										
ANT		CDD 9+15																																																																																																										
Pol.	Horizontal										Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2023-09-15  PEAK(U-NII)_6E										Level (dBuV/m) Date: 2023-09-15  PEAK(U-NII)_6E																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7192.03</td><td>59.31</td><td>88.20</td><td>-28.89</td><td>46.07</td><td>36.48</td><td>10.18</td><td>33.42</td><td>100</td><td>61 Peak</td></tr><tr><td>2</td><td>7275.69</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>39.62</td><td>36.29</td><td>10.18</td><td>33.39</td><td>100</td><td>61 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7192.03	59.31	88.20	-28.89	46.07	36.48	10.18	33.42	100	61 Peak	2	7275.69	52.70	74.00	-21.30	39.62	36.29	10.18	33.39	100	61 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>88.28</td><td>-----</td><td>-----</td><td>74.66</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>61 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	88.28	-----	-----	74.66	36.90	10.24	33.52	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	7192.03	59.31	88.20	-28.89	46.07	36.48	10.18	33.42	100	61 Peak																																																																																																		
2	7275.69	52.70	74.00	-21.30	39.62	36.29	10.18	33.39	100	61 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	6905.00	88.28	-----	-----	74.66	36.90	10.24	33.52	100	61 Peak																																																																																																		
Avg	Level (dBuV/m) Date: 2023-09-15  AVG(U-NII)_6E										Level (dBuV/m) Date: 2023-09-15  AVG(U-NII)_6E																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.06</td><td>43.31</td><td>68.20</td><td>-24.89</td><td>29.96</td><td>36.61</td><td>10.19</td><td>33.45</td><td>100</td><td>61 Average</td></tr><tr><td>2</td><td>7250.49</td><td>41.37</td><td>54.00</td><td>-12.63</td><td>28.24</td><td>36.35</td><td>10.18</td><td>33.40</td><td>100</td><td>61 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7130.06	43.31	68.20	-24.89	29.96	36.61	10.19	33.45	100	61 Average	2	7250.49	41.37	54.00	-12.63	28.24	36.35	10.18	33.40	100	61 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.76</td><td>-----</td><td>-----</td><td>65.14</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>61 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	78.76	-----	-----	65.14	36.90	10.24	33.52	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	7130.06	43.31	68.20	-24.89	29.96	36.61	10.19	33.45	100	61 Average																																																																																																		
2	7250.49	41.37	54.00	-12.63	28.24	36.35	10.18	33.40	100	61 Average																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																			
1	6905.00	78.76	-----	-----	65.14	36.90	10.24	33.52	100	61 Average																																																																																																		







		75																																																																																																				
Mode		Band Edge																																																																																																				
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M①_6905MHz																																																																																																				
ANT		CDD 9+15																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7215.61</td><td>52.32</td><td>88.20</td><td>-35.88</td><td>39.12</td><td>36.43</td><td>10.18</td><td>33.41</td><td>100</td><td>117</td><td>Peak</td></tr><tr><td>2</td><td>7319.74</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>39.64</td><td>36.20</td><td>10.18</td><td>33.37</td><td>100</td><td>117</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7215.61	52.32	88.20	-35.88	39.12	36.43	10.18	33.41	100	117	Peak	2	7319.74	52.65	74.00	-21.35	39.64	36.20	10.18	33.37	100	117	Peak	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.75</td><td>-----</td><td>-----</td><td>65.13</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>117</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	78.75	-----	-----	65.13	36.90	10.24	33.52	100	117	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7215.61	52.32	88.20	-35.88	39.12	36.43	10.18	33.41	100	117	Peak																																																																																											
2	7319.74	52.65	74.00	-21.35	39.64	36.20	10.18	33.37	100	117	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	78.75	-----	-----	65.13	36.90	10.24	33.52	100	117	Peak																																																																																											
Avg	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.73</td><td>41.98</td><td>68.20</td><td>-26.22</td><td>28.61</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>117</td><td>Average</td></tr><tr><td>2</td><td>7265.84</td><td>40.98</td><td>54.00</td><td>-13.02</td><td>27.87</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>117</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7127.73	41.98	68.20	-26.22	28.61	36.62	10.20	33.45	100	117	Average	2	7265.84	40.98	54.00	-13.02	27.87	36.32	10.18	33.39	100	117	Average	 Date: 2023-09-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>69.85</td><td>-----</td><td>-----</td><td>56.23</td><td>36.90</td><td>10.24</td><td>33.52</td><td>100</td><td>117</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	69.85	-----	-----	56.23	36.90	10.24	33.52	100	117	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7127.73	41.98	68.20	-26.22	28.61	36.62	10.20	33.45	100	117	Average																																																																																											
2	7265.84	40.98	54.00	-13.02	27.87	36.32	10.18	33.39	100	117	Average																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	69.85	-----	-----	56.23	36.90	10.24	33.52	100	117	Average																																																																																											







Mode	76																																																																																																																																																																			
	LF																																																																																																																																																																			
	UNII-8_6875-7125_802.11a_CH31																																																																																																																																																																			
ANT	CDD 9+15																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																		
Peak	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>24.58</td><td>40.00</td><td>-15.42</td><td>31.17</td><td>24.70</td><td>0.54</td><td>31.83 --- Peak</td></tr><tr><td>2</td><td>144.46</td><td>24.11</td><td>43.50</td><td>-19.39</td><td>36.92</td><td>17.40</td><td>1.23</td><td>31.44 --- Peak</td></tr><tr><td>3</td><td>208.48</td><td>25.75</td><td>43.50</td><td>-17.75</td><td>40.59</td><td>14.97</td><td>1.47</td><td>31.28 --- Peak</td></tr><tr><td>4</td><td>343.31</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>34.75</td><td>20.26</td><td>1.96</td><td>31.06 --- Peak</td></tr><tr><td>5</td><td>593.57</td><td>27.12</td><td>46.00</td><td>-18.88</td><td>29.66</td><td>25.90</td><td>2.55</td><td>30.99 --- Peak</td></tr><tr><td>6</td><td>947.62</td><td>31.86</td><td>46.00</td><td>-14.14</td><td>28.72</td><td>30.72</td><td>3.23</td><td>30.81 --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.97	24.58	40.00	-15.42	31.17	24.70	0.54	31.83 --- Peak	2	144.46	24.11	43.50	-19.39	36.92	17.40	1.23	31.44 --- Peak	3	208.48	25.75	43.50	-17.75	40.59	14.97	1.47	31.28 --- Peak	4	343.31	25.91	46.00	-20.09	34.75	20.26	1.96	31.06 --- Peak	5	593.57	27.12	46.00	-18.88	29.66	25.90	2.55	30.99 --- Peak	6	947.62	31.86	46.00	-14.14	28.72	30.72	3.23	30.81 --- Peak	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>26.58</td><td>40.00</td><td>-13.42</td><td>32.75</td><td>25.20</td><td>0.53</td><td>31.90 --- Peak</td></tr><tr><td>2</td><td>142.52</td><td>20.48</td><td>43.50</td><td>-23.02</td><td>33.32</td><td>17.40</td><td>1.22</td><td>31.46 --- Peak</td></tr><tr><td>3</td><td>205.57</td><td>21.31</td><td>43.50</td><td>-22.19</td><td>36.07</td><td>15.07</td><td>1.46</td><td>31.29 --- Peak</td></tr><tr><td>4</td><td>600.36</td><td>27.73</td><td>46.00</td><td>-18.27</td><td>30.27</td><td>25.90</td><td>2.56</td><td>31.00 --- Peak</td></tr><tr><td>5</td><td>808.91</td><td>30.60</td><td>46.00</td><td>-15.40</td><td>30.36</td><td>28.20</td><td>2.96</td><td>30.92 --- Peak</td></tr><tr><td>6</td><td>941.80</td><td>32.71</td><td>46.00</td><td>-13.29</td><td>29.92</td><td>30.42</td><td>3.22</td><td>30.85 --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.00	26.58	40.00	-13.42	32.75	25.20	0.53	31.90 --- Peak	2	142.52	20.48	43.50	-23.02	33.32	17.40	1.22	31.46 --- Peak	3	205.57	21.31	43.50	-22.19	36.07	15.07	1.46	31.29 --- Peak	4	600.36	27.73	46.00	-18.27	30.27	25.90	2.56	31.00 --- Peak	5	808.91	30.60	46.00	-15.40	30.36	28.20	2.96	30.92 --- Peak	6	941.80	32.71	46.00	-13.29	29.92	30.42	3.22	30.85 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																												
1	30.97	24.58	40.00	-15.42	31.17	24.70	0.54	31.83 --- Peak																																																																																																																																																												
2	144.46	24.11	43.50	-19.39	36.92	17.40	1.23	31.44 --- Peak																																																																																																																																																												
3	208.48	25.75	43.50	-17.75	40.59	14.97	1.47	31.28 --- Peak																																																																																																																																																												
4	343.31	25.91	46.00	-20.09	34.75	20.26	1.96	31.06 --- Peak																																																																																																																																																												
5	593.57	27.12	46.00	-18.88	29.66	25.90	2.55	30.99 --- Peak																																																																																																																																																												
6	947.62	31.86	46.00	-14.14	28.72	30.72	3.23	30.81 --- Peak																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																												
1	30.00	26.58	40.00	-13.42	32.75	25.20	0.53	31.90 --- Peak																																																																																																																																																												
2	142.52	20.48	43.50	-23.02	33.32	17.40	1.22	31.46 --- Peak																																																																																																																																																												
3	205.57	21.31	43.50	-22.19	36.07	15.07	1.46	31.29 --- Peak																																																																																																																																																												
4	600.36	27.73	46.00	-18.27	30.27	25.90	2.56	31.00 --- Peak																																																																																																																																																												
5	808.91	30.60	46.00	-15.40	30.36	28.20	2.96	30.92 --- Peak																																																																																																																																																												
6	941.80	32.71	46.00	-13.29	29.92	30.42	3.22	30.85 --- Peak																																																																																																																																																												





		77																																																																																																			
Mode		Band Edge																																																																																																			
		UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																																			
ANT		CDD 9+15																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>74.35</td><td>88.20</td><td>-13.85</td><td>60.98</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>49</td><td>Peak</td></tr><tr><td>2</td><td>7253.44</td><td>51.90</td><td>74.00</td><td>-22.10</td><td>38.78</td><td>36.34</td><td>10.18</td><td>33.40</td><td>100</td><td>49</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	74.35	88.20	-13.85	60.98	36.62	10.20	33.45	100	49	Peak	2	7253.44	51.90	74.00	-22.10	38.78	36.34	10.18	33.40	100	49	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>88.56</td><td>-----</td><td>-----</td><td>75.16</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>49</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	88.56	-----	-----	75.16	36.65	10.20	33.45	100	49
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7125.00	74.35	88.20	-13.85	60.98	36.62	10.20	33.45	100	49	Peak																																																																																										
2	7253.44	51.90	74.00	-22.10	38.78	36.34	10.18	33.40	100	49	Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7115.00	88.56	-----	-----	75.16	36.65	10.20	33.45	100	49	Peak																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>62.87</td><td>68.20</td><td>-5.33</td><td>49.50</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>49</td><td>Average</td></tr><tr><td>2</td><td>7266.30</td><td>41.13</td><td>54.00</td><td>-12.87</td><td>28.03</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>49</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	62.87	68.20	-5.33	49.50	36.62	10.20	33.45	100	49	Average	2	7266.30	41.13	54.00	-12.87	28.03	36.31	10.18	33.39	100	49	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>81.87</td><td>-----</td><td>-----</td><td>68.47</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>49</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.87	-----	-----	68.47	36.65	10.20	33.45	100	49
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7125.00	62.87	68.20	-5.33	49.50	36.62	10.20	33.45	100	49	Average																																																																																										
2	7266.30	41.13	54.00	-12.87	28.03	36.31	10.18	33.39	100	49	Average																																																																																										
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7115.00	81.87	-----	-----	68.47	36.65	10.20	33.45	100	49	Average																																																																																										







		77																																																																																																																	
Mode		Band Edge																																																																																																																	
		UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																																																	
ANT		CDD 9+15																																																																																																																	
Pol.		Vertical					Fundamental																																																																																																												
Peak		Level (dBuV/m) Date: 2023-09-15  PEAK(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>63.25</td><td>88.20</td><td>-24.95</td><td>49.88</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>345</td><td>Peak</td></tr><tr><td>2</td><td>7289.93</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>38.74</td><td>36.26</td><td>10.18</td><td>33.38</td><td>100</td><td>345</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	63.25	88.20	-24.95	49.88	36.62	10.20	33.45	100	345	Peak	2	7289.93	51.80	74.00	-22.20	38.74	36.26	10.18	33.38	100	345	Peak	Level (dBuV/m) Date: 2023-09-13  PEAK(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>79.76</td><td>-----</td><td>-----</td><td>66.36</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>345</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	79.76	-----	-----	66.36	36.65	10.20	33.45	100	345	Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7125.00	63.25	88.20	-24.95	49.88	36.62	10.20	33.45	100	345	Peak																																																																																																								
2	7289.93	51.80	74.00	-22.20	38.74	36.26	10.18	33.38	100	345	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7115.00	79.76	-----	-----	66.36	36.65	10.20	33.45	100	345	Peak																																																																																																								
Avg		Level (dBuV/m) Date: 2023-09-13  AVG(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>52.50</td><td>68.20</td><td>-15.70</td><td>39.13</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>345</td><td>Average</td></tr><tr><td>2</td><td>7265.37</td><td>41.08</td><td>54.00</td><td>-12.92</td><td>27.97</td><td>36.32</td><td>10.18</td><td>33.39</td><td>100</td><td>345</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	52.50	68.20	-15.70	39.13	36.62	10.20	33.45	100	345	Average	2	7265.37	41.08	54.00	-12.92	27.97	36.32	10.18	33.39	100	345	Average	Level (dBuV/m) Date: 2023-09-13  AVG(U-NI)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>73.55</td><td>-----</td><td>-----</td><td>60.15</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>345</td><td>Average</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.55	-----	-----	60.15	36.65	10.20	33.45	100	345	Average
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7125.00	52.50	68.20	-15.70	39.13	36.62	10.20	33.45	100	345	Average																																																																																																								
2	7265.37	41.08	54.00	-12.92	27.97	36.32	10.18	33.39	100	345	Average																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7115.00	73.55	-----	-----	60.15	36.65	10.20	33.45	100	345	Average																																																																																																								







Mode	77																																																																																																									
	Harmonic																																																																																																									
	UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																																									
ANT	CDD 9+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>43.65</td><td>41.04</td><td>13.98</td><td>50.75</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	47.92	88.20	-40.28	43.65	41.04	13.98	50.75	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14230.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>43.00</td><td>41.04</td><td>13.98</td><td>50.75</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14230.00	47.27	88.20	-40.93	43.00	41.04	13.98	50.75	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 14230.00	47.92	88.20	-40.28	43.65	41.04	13.98	50.75	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 14230.00	47.27	88.20	-40.93	43.00	41.04	13.98	50.75	---	---	Peak																																																																																																





Mode	78																																																																																															
	Band Edge																																																																																															
	UNII-8_6875-7125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																															
ANT	CDD 9+15																																																																																															
Pol.	Horizontal					Fundamental																																																																																										
Peak	Date: 2023-09-20  PEAK(U-NI)_6E					Date: 2023-09-15  PEAK(U-NI)_6E																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>71.60</td><td>88.20</td><td>-16.60</td><td>58.23</td><td>36.62</td><td>10.20</td><td>33.45</td><td>110</td><td>58 Peak</td></tr><tr><td>2</td><td>7339.77</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>40.06</td><td>36.15</td><td>10.18</td><td>33.36</td><td>110</td><td>58 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.00	71.60	88.20	-16.60	58.23	36.62	10.20	33.45	110	58 Peak	2	7339.77	53.03	74.00	-20.97	40.06	36.15	10.18	33.36	110	58 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>82.98</td><td>-----</td><td>-----</td><td>69.58</td><td>36.65</td><td>10.20</td><td>33.45</td><td>110</td><td>58 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7115.00	82.98	-----	-----	69.58	36.65	10.20	33.45	110
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	7125.00	71.60	88.20	-16.60	58.23	36.62	10.20	33.45	110	58 Peak																																																																																						
2	7339.77	53.03	74.00	-20.97	40.06	36.15	10.18	33.36	110	58 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	7115.00	82.98	-----	-----	69.58	36.65	10.20	33.45	110	58 Peak																																																																																						
Avg	Date: 2023-09-15  AVG(U-NI)_6E					Date: 2023-09-15  AVG(U-NI)_6E																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.75</td><td>68.20</td><td>-5.45</td><td>49.38</td><td>36.62</td><td>10.20</td><td>33.45</td><td>110</td><td>58 Average</td></tr><tr><td>2</td><td>7267.70</td><td>41.04</td><td>54.00</td><td>-12.96</td><td>27.94</td><td>36.31</td><td>10.18</td><td>33.39</td><td>110</td><td>58 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.00	62.75	68.20	-5.45	49.38	36.62	10.20	33.45	110	58 Average	2	7267.70	41.04	54.00	-12.96	27.94	36.31	10.18	33.39	110	58 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>75.06</td><td>-----</td><td>-----</td><td>61.66</td><td>36.65</td><td>10.20</td><td>33.45</td><td>110</td><td>58 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7115.00	75.06	-----	-----	61.66	36.65	10.20	33.45	110
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	7125.00	62.75	68.20	-5.45	49.38	36.62	10.20	33.45	110	58 Average																																																																																						
2	7267.70	41.04	54.00	-12.96	27.94	36.31	10.18	33.39	110	58 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																								
1	7115.00	75.06	-----	-----	61.66	36.65	10.20	33.45	110	58 Average																																																																																						







Mode	78																																																																																																	
	Band Edge																																																																																																	
	UNII-8_6875-7125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																	
ANT	CDD 9+15																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>65.48</td><td>88.20</td><td>-22.72</td><td>52.11</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>118 Peak</td></tr><tr><td>2</td><td>7316.63</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>38.38</td><td>36.20</td><td>10.18</td><td>33.37</td><td>100</td><td>118 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	65.48	88.20	-22.72	52.11	36.62	10.20	33.45	100	118 Peak	2	7316.63	51.39	74.00	-22.61	38.38	36.20	10.18	33.37	100	118 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>74.48</td><td>-----</td><td>-----</td><td>61.08</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>118 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	74.48	-----	-----	61.08	36.65	10.20	33.45	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.00	65.48	88.20	-22.72	52.11	36.62	10.20	33.45	100	118 Peak																																																																																								
2	7316.63	51.39	74.00	-22.61	38.38	36.20	10.18	33.37	100	118 Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7115.00	74.48	-----	-----	61.08	36.65	10.20	33.45	100	118 Peak																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>56.05</td><td>68.20</td><td>-12.15</td><td>42.68</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>118 Average</td></tr><tr><td>2</td><td>7268.16</td><td>40.93</td><td>54.00</td><td>-13.07</td><td>27.83</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>118 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118 Average	2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>66.34</td><td>-----</td><td>-----</td><td>52.94</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>118 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	66.34	-----	-----	52.94	36.65	10.20	33.45	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118 Average																																																																																								
2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118 Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7115.00	66.34	-----	-----	52.94	36.65	10.20	33.45	100	118 Average																																																																																								



Mode	78																																																																																																												
	Harmonic																																																																																																												
	UNII-8_6875-7125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																												
ANT	CDD 9+15																																																																																																												
Pol.	Horizontal							Vertical																																																																																																					
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1 14230.00</td><td>47.63</td><td>88.20</td><td>-40.57</td><td>43.36</td><td>41.04</td><td>13.98</td><td>50.75</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	47.63	88.20	-40.57	43.36	41.04	13.98	50.75							---	---								Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1 14230.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>43.43</td><td>41.04</td><td>13.98</td><td>50.75</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	47.70	88.20	-40.50	43.43	41.04	13.98	50.75							---	---							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1 14230.00	47.63	88.20	-40.57	43.36	41.04	13.98	50.75																																																																																																						
						---	---																																																																																																						
							Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1 14230.00	47.70	88.20	-40.50	43.43	41.04	13.98	50.75																																																																																																						
						---	---																																																																																																						
							Peak																																																																																																						



		79																																																																																																
Mode		Band Edge																																																																																																
		UNII-8_6875-7125_802.11be EHT20_CH233_Single RU RU 26/8_7115MHz																																																																																																
ANT		CDD 9+15																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>72.76</td><td>88.20</td><td>-15.44</td><td>59.39</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>22 Peak</td></tr><tr><td>2</td><td>7279.25</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>39.16</td><td>36.29</td><td>10.18</td><td>33.39</td><td>100</td><td>22 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	72.76	88.20	-15.44	59.39	36.62	10.20	33.45	100	22 Peak	2	7279.25	52.24	74.00	-21.76	39.16	36.29	10.18	33.39	100	22 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>80.44</td><td>-----</td><td>-----</td><td>67.04</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>22 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	80.44	-----	-----	67.04	36.65	10.20	33.45	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.00	72.76	88.20	-15.44	59.39	36.62	10.20	33.45	100	22 Peak																																																																																								
2	7279.25	52.24	74.00	-21.76	39.16	36.29	10.18	33.39	100	22 Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7115.00	80.44	-----	-----	67.04	36.65	10.20	33.45	100	22 Peak																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>56.05</td><td>68.20</td><td>-12.15</td><td>42.68</td><td>36.62</td><td>10.20</td><td>33.45</td><td>100</td><td>118 Average</td></tr><tr><td>2</td><td>7268.16</td><td>40.93</td><td>54.00</td><td>-13.07</td><td>27.83</td><td>36.31</td><td>10.18</td><td>33.39</td><td>100</td><td>118 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118 Average	2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>73.08</td><td>-----</td><td>-----</td><td>59.68</td><td>36.65</td><td>10.20</td><td>33.45</td><td>100</td><td>22 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	73.08	-----	-----	59.68	36.65	10.20	33.45	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118 Average																																																																																								
2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118 Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	7115.00	73.08	-----	-----	59.68	36.65	10.20	33.45	100	22 Average																																																																																								



Mode	79																																																																																																		
	Band Edge																																																																																																		
	UNII-8_6875-7125_802.11be EHT20_CH233_Single RU RU 26/8_7115MHz																																																																																																		
ANT	CDD 9+15																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>66.47</td><td>88.20</td><td>-21.73</td><td>53.10</td><td>36.62</td><td>10.20</td><td>33.45</td><td>337</td><td>324 Peak</td></tr><tr><td>2</td><td>7311.29</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>39.61</td><td>36.22</td><td>10.18</td><td>33.38</td><td>337</td><td>324 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	66.47	88.20	-21.73	53.10	36.62	10.20	33.45	337	324 Peak	2	7311.29	52.63	74.00	-21.37	39.61	36.22	10.18	33.38	337	324 Peak	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.12</td><td>-----</td><td>-----</td><td>62.72</td><td>36.65</td><td>10.20</td><td>33.45</td><td>337</td><td>324 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	76.12	-----	-----	62.72	36.65	10.20	33.45	337	324 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.00	66.47	88.20	-21.73	53.10	36.62	10.20	33.45	337	324 Peak																																																																																									
2	7311.29	52.63	74.00	-21.37	39.61	36.22	10.18	33.38	337	324 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7115.00	76.12	-----	-----	62.72	36.65	10.20	33.45	337	324 Peak																																																																																									
Avg	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>57.32</td><td>68.20</td><td>-10.88</td><td>43.95</td><td>36.62</td><td>10.20</td><td>33.45</td><td>337</td><td>324 Average</td></tr><tr><td>2</td><td>7266.77</td><td>41.10</td><td>54.00</td><td>-12.90</td><td>28.00</td><td>36.31</td><td>10.18</td><td>33.39</td><td>337</td><td>324 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.00	57.32	68.20	-10.88	43.95	36.62	10.20	33.45	337	324 Average	2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	337	324 Average	Level (dBuV/m) Date: 2023-09-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>68.07</td><td>-----</td><td>-----</td><td>54.67</td><td>36.65</td><td>10.20</td><td>33.45</td><td>337</td><td>324 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	68.07	-----	-----	54.67	36.65	10.20	33.45	337	324 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7125.00	57.32	68.20	-10.88	43.95	36.62	10.20	33.45	337	324 Average																																																																																									
2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	337	324 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7115.00	68.07	-----	-----	54.67	36.65	10.20	33.45	337	324 Average																																																																																									