



Mode	96									
	Harmonic									
	UNII-5_5925-6425_802.11be EHT80_CH39_Full_6145MHz									
ANT	CDD 9+15									
Pol.	Horizontal					Vertical				
Peak Avg	Data: 5 Level (dBuV/m) Date: 2023-09-28									



Mode	97															
	Harmonic															
	UNII-5_5925-6425_802.11be EHT80_CH87_Full_6385MHz															
ANT	CDD 9+15															
Pol.	Horizontal								Vertical							
Peak Avg	Data: 5 Level (dBuV/m) </															





Mode	99																																																																																							
	Harmonic																																																																																							
	UNII-7_6525-6875_802.11be EHT80_CH135_Full_6625MHz																																																																																							
ANT	CDD 9+15																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Data: 5 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 Frequency (MHz) 7200 13760 20320 26880 33440 40000 PEAK(U-NII)_GE AVG(U-NII)_GE					Data: 6 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 Frequency (MHz) 7200 13760 20320 26880 33440 40000 PEAK(U-NII)_GE AVG(U-NII)_GE																																																																																		
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 13250.00</td><td>48.92</td><td>-25.08</td><td>74.00</td><td>59.03</td><td>40.05</td><td>13.64</td><td>63.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 13250.00	48.92	-25.08	74.00	59.03	40.05	13.64	63.80	---	---	Peak	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 13250.00</td><td>49.11</td><td>-24.89</td><td>74.00</td><td>59.22</td><td>40.05</td><td>13.64</td><td>63.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 13250.00	49.11	-24.89	74.00	59.22	40.05	13.64	63.80	---	---	Peak
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 * 13250.00	48.92	-25.08	74.00	59.03	40.05	13.64	63.80	---	---	Peak																																																																														
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																	
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 * 13250.00	49.11	-24.89	74.00	59.22	40.05	13.64	63.80	---	---	Peak																																																																														



Mode	100																																																																									
	Harmonic																																																																									
	UNII-7_6525-6875_802.11be EHT80_CH151_Full_6705MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg	Data: 5 Date: 2023-09-28 Level (dBuV/m) Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 * 13410.00</td><td>48.04</td><td>-40.16</td><td>88.20</td><td>58.03</td><td>40.15</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 * 13410.00	48.04	-40.16	88.20	58.03	40.15	13.68	63.82	---	---	Peak	Data: 6 Date: 2023-09-28 Level (dBuV/m) Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 * 13410.00</td><td>47.81</td><td>-40.39</td><td>88.20</td><td>57.80</td><td>40.15</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 * 13410.00	47.81	-40.39	88.20	57.80	40.15	13.68	63.82	---	---	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																				
1 * 13410.00	48.04	-40.16	88.20	58.03	40.15	13.68	63.82	---	---	Peak																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Line	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																				
1 * 13410.00	47.81	-40.39	88.20	57.80	40.15	13.68	63.82	---	---	Peak																																																																



Mode	101																																																																							
	Harmonic																																																																							
	UNII-7_6525-6875_802.11be EHT80_CH167_Full_6785MHz																																																																							
ANT	CDD 9+15																																																																							
Pol.	Horizontal								Vertical																																																															
Peak Avg	Data: 5 Level (dBuV/m) Date: 2023-09-28  <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 13570.00</td><td>48.68</td><td>-39.52</td><td>88.20</td><td>58.56</td><td>40.24</td><td>13.73</td><td>63.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 * 13570.00	48.68	-39.52	88.20	58.56	40.24	13.73	63.85	---	---	Peak	Data: 6 Level (dBuV/m) Date: 2023-09-28  <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 13570.00</td><td>48.90</td><td>-39.30</td><td>88.20</td><td>58.78</td><td>40.24</td><td>13.73</td><td>63.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 * 13570.00	48.90	-39.30	88.20	58.78	40.24	13.73	63.85	---	---	Peak
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																															
1 * 13570.00	48.68	-39.52	88.20	58.56	40.24	13.73	63.85	---	---	Peak																																																														
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1 * 13570.00	48.90	-39.30	88.20	58.78	40.24	13.73	63.85	---	---	Peak																																																														





Mode	103															
	Harmonic															
	UNII-5_5925-6425_802.11be EHT160_CH47_Full_6185MHz															
ANT	CDD 9+15															
Pol.	Horizontal								Vertical							
Peak Avg	Data: 5 Level (dBuV/m) Date: 2023-09-28 <															



Mode	104																																																																																	
	Harmonic																																																																																	
	UNII-5_5925-6425_802.11be EHT160_CH79_Full_6345MHz																																																																																	
ANT	CDD 9+15																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	Data: 5 Level (dBuV/m) Date: 2023-09-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7200 13760. 20320. 26880. 33440. 40000 Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 12690.00</td><td>47.43</td><td>-26.57</td><td>74.00</td><td>57.89</td><td>39.75</td><td>13.46</td><td>63.67</td><td>--- --- Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 * 12690.00	47.43	-26.57	74.00	57.89	39.75	13.46	63.67	--- --- Peak	Data: 6 Level (dBuV/m) Date: 2023-09-28 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7200 13760. 20320. 26880. 33440. 40000 Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 12690.00</td><td>47.48</td><td>-26.52</td><td>74.00</td><td>57.94</td><td>39.75</td><td>13.46</td><td>63.67</td><td>--- --- Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 * 12690.00	47.48	-26.52	74.00	57.94	39.75	13.46	63.67	--- --- Peak
		Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos																																																																										
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																									
	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 * 12690.00	47.43	-26.57	74.00	57.89	39.75	13.46	63.67	--- --- Peak																																																																										
	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos																																																																											
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 * 12690.00	47.48	-26.52	74.00	57.94	39.75	13.46	63.67	--- --- Peak																																																																										




Mode	105																																																																															
	Harmonic																																																																															
	UNII-7_6525-6875_802.11be EHT160_CH143_Full_6665MHz																																																																															
ANT	CDD 9+15																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Data: 5 Date: 2023-09-28  <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 * 13330.00</td><td>47.66</td><td>-26.34</td><td>74.00</td><td>57.71</td><td>40.10</td><td>13.66</td><td>63.81</td></tr></table>								Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13330.00	47.66	-26.34	74.00	57.71	40.10	13.66	63.81	Data: 6 Date: 2023-09-28  <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 * 13330.00</td><td>48.15</td><td>-25.85</td><td>74.00</td><td>58.20</td><td>40.10</td><td>13.66</td><td>63.81</td></tr></table>								Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13330.00	48.15	-25.85	74.00	58.20	40.10	13.66	63.81
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																									
1 * 13330.00	47.66	-26.34	74.00	57.71	40.10	13.66	63.81																																																																									
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																									
1 * 13330.00	48.15	-25.85	74.00	58.20	40.10	13.66	63.81																																																																									

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
9/15	802.11a	98.97	-	-	10Hz
9/15	802.11be EHT20	100	-	-	10Hz
9/15	802.11be EHT40	100	-	-	10Hz
9/15	802.11be EHT80	100	-	-	10Hz
9/15	802.11be EHT160	100	-	-	10Hz
9/15	802.11be EHT320	98.04	-	-	10Hz


802.11a



Date: 7.SEP.2023 00:32:32




802.11be EHT20



Date: 7.SEP.2023 00:56:31


802.11be EHT40



Date: 7.SEP.2023 01:13:49




802.11be EHT80



Date: 7.SEP.2023 01:31:12


802.11be EHT160



Date: 7.SEP.2023 01:45:25



802.11be EHT320



Date: 7.SEP.2023 01:56:57