





DFT-s-OFDM Module 1

NR Band n258A / 50MHz / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




NR Band n258A / 50MHz / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







DFT-s-OFDM Module 1

NR Band n258A / 100MHz / BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




NR Band n258A / 100MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







DFT-s-OFDM Module 1

NR Band n258A / 100MHz / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





NR Band n258A / 100MHz / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




**DFT-s-OFDM Module 1****NR Band n258A / 200MHz / BPSK****Middle Band Edge / Full RB**


intentionally blank

NR Band n258A / 200MHz / QPSK**Middle Band Edge / Full RB**

intentionally blank

**DFT-s-OFDM Module 1****NR Band n258A / 200MHz / 16QAM****Middle Band Edge / Full RB**

intentionally blank



NR Band n258A / 200MHz / 64QAM**Middle Band Edge / Full RB**

intentionally blank

Spurious Emission

There is no significant spurious emission signal found for frequency started from 30MHz up to 18GHz.


Only the noise floor is reported.





Spurious emission between 18GHz to 40GHz worst case plot is reported as following.


AG0 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG0 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG0 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG0 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG0+1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG0+1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG0+1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.




AG0+1 DFT-s-OFDM Module 1



Remark: In band and out of band frequencies are omitted.



There is no significant spurious emission signal found for frequency started from 40GHz up to 100GHz.
Only the noise floor is reported.




Remark: Offset = Antenna Factor (dB/m) + Cable Loss (dB) + 107 + 20log (D) – 104.8
= 42.3 + 2 + 107 + 20log(1) – 104.8 = 46.5 (dB)




NR Band n258A

(60GHz-90GHz)



Remark: Offset = Antenna Factor (dB/m) + Cable Loss (dB) + 107 + 20log (D) – 104.8
= 45.4 + 2 + 107 + 20log(1) – 104.8 = 49.6 (dB)

NR Band n258A
(90GHz-100GHz)


Remark: Offset = Antenna Factor (dB/m) + Cable Loss (dB) + 107 + 20log (D) – 104.8
 = 47.2 + 2 + 107 + 20log(1) – 104.8 = 51.4 (dB)

Frequency Stability

Test Conditions		NR Band n258a / Middle Channel			Limit
Temperature (°C)	Voltage (Volt)	CW tone			Note 2.
		Frequency (GHz)	Deviation (kHz)	Deviation (ppm)	Result
50	Normal Voltage	24.35018332	-183.320	7.529	Pass
40	Normal Voltage	24.3500979	-97.900	4.021	
30	Normal Voltage	24.35004695	-46.950	1.928	
20(Ref.)	Normal Voltage	24.35	0.000	0.000	
10	Normal Voltage	24.34996354	36.460	1.497	
0	Normal Voltage	24.34994106	58.940	2.421	
-10	Normal Voltage	24.34991858	81.420	3.344	
-20	Normal Voltage	24.34989361	106.390	4.369	
-30	Normal Voltage	24.34988511	114.890	4.718	
20	Maximum Voltage	24.3500005	-0.500	0.021	
20	Normal Voltage	24.349995	5.000	0.205	
20	Battery End Point	24.34999301	6.990	0.287	

Note:

1. Normal Voltage =7.74 V. ; Battery End Point (BEP) =7.2 V. ; Maximum Voltage =8.9 V.
2. The frequency fundamental emissions stay within the operation band.



NR Band n258A Module 2

Occupied Bandwidth

AG0


Mode	DFT-s-OFDM Module 2 NR Band n258A : 99%OBW(MHz)											
BW	50MHz				100MHz				200MHz			
Mod.	BPSK	QPSK	16QAM	64QAM	BPSK	QPSK	16QAM	64QAM	BPSK	QPSK	16QAM	64QAM
Lowest CH	45.00	45.51	45.14	45.32	89.96	90.20	90.18	90.38	-	-	-	-
Middle CH	45.03	45.51	45.14	45.32	90.11	90.25	90.29	90.51	189.05	189.01	188.73	189.14
Highest CH	45.25	45.48	45.21	45.39	89.91	90.20	89.90	90.07	-	-	-	-




DFT-s-OFDM Module 2

NR Band n258A


Lowest Channel / 50MHz / BPSK




Lowest Channel / 50MHz / QPSK




Middle Channel / 50MHz / BPSK




Middle Channel / 50MHz / QPSK









Highest Channel / 50MHz / BPSK



Highest Channel / 50MHz / QPSK




DFT-s-OFDM Module 2
NR Band n258A
Lowest Channel / 50MHz / 16QAM

Lowest Channel / 50MHz / 64QAM

Middle Channel / 50MHz / 16QAM

Middle Channel / 50MHz / 64QAM

Highest Channel / 50MHz / 16QAM

Highest Channel / 50MHz / 64QAM





DFT-s-OFDM Module 2

NR Band n258A


Lowest Channel / 100MHz / BPSK




Lowest Channel / 100MHz / QPSK




Middle Channel / 100MHz / BPSK




Middle Channel / 100MHz / QPSK



Highest Channel / 100MHz / BPSK



Highest Channel / 100MHz / QPSK







DFT-s-OFDM Module 2

NR Band n258A


Lowest Channel / 100MHz / 16QAM




Lowest Channel / 100MHz / 64QAM




Middle Channel / 100MHz / 16QAM




Middle Channel / 100MHz / 64QAM



Highest Channel / 100MHz / 16QAM




Highest Channel / 100MHz / 64QAM





DFT-s-OFDM Module 2



**AG1**


Mode	DFT-s-OFDM Module 2 NR Band n258A : 99%OBW(MHz)											
BW	50MHz				100MHz				200MHz			
Mod.	BPSK	QPSK	16QAM	64QAM	BPSK	QPSK	16QAM	64QAM	BPSK	QPSK	16QAM	64QAM
Lowest CH	45.37	45.35	45.16	45.26	90.00	90.17	90.62	90.13	-	-	-	-
Middle CH	45.41	45.26	45.36	45.22	90.15	90.28	90.77	90.33	188.72	188.84	189.52	188.66
Highest CH	45.44	45.27	45.34	45.22	89.87	90.02	90.49	89.98	-	-	-	-




DFT-s-OFDM Module 2

NR Band n258A


Lowest Channel / 50MHz / BPSK




Lowest Channel / 50MHz / QPSK




Middle Channel / 50MHz / BPSK




Middle Channel / 50MHz / QPSK



Highest Channel / 50MHz / BPSK



Highest Channel / 50MHz / QPSK







DFT-s-OFDM Module 2

NR Band n258A


Lowest Channel / 50MHz / 16QAM




Lowest Channel / 50MHz / 64QAM




Middle Channel / 50MHz / 16QAM



Middle Channel / 50MHz / 64QAM



Highest Channel / 50MHz / 16QAM



Highest Channel / 50MHz / 64QAM

