



FCC RF Test Report

APPLICANT : OnePlus Technology (Shenzhen) Co., Ltd
EQUIPMENT : Smart Phone
BRAND NAME : ONEPLUS
MODEL NAME : GM1925
FCC ID : 2ABZ2-GM1925
STANDARD : 47 CFR Part 2, 27(M)
CLASSIFICATION : PCS Licensed Transmitter Held to Ear (PCE)

The product was received on Apr. 22, 2019 and completely tested on May 22, 2019. We, Sporton International (Shenzhen) Inc., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (Shenzhen) Inc., the test report shall not be reproduced except in full.

Derreck Chen

Reviewed by: Derreck Chen / Supervisor

Eric Shih

Approved by: Eric Shih / Manager



Sporton International (ShenZhen) Inc.

1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055
People's Republic of China



TABLE OF CONTENTS

REVISION HISTORY.....	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant.....	5
1.2 Product Feature of Equipment Under Test.....	5
1.3 Product Specification of Equipment Under Test.....	6
1.4 Modification of EUT	6
1.5 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator	7
1.6 Testing Location	9
1.7 Applicable Standards.....	9
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	10
2.1 Test Mode.....	10
2.2 Connection Diagram of Test System.....	11
2.3 Support Unit used in test configuration and system	11
2.4 Measurement Results Explanation Example.....	11
2.5 Frequency List of Low/Middle/High Channels	12
3 CONDUCTED TEST ITEMS	15
3.1 Measuring Instruments	15
3.2 Test Setup	15
3.3 Test Result of Conducted Test	15
3.4 Conducted Output Power and ERP/EIRP	16
3.5 Peak-to-Average Ratio	17
3.6 Occupied Bandwidth.....	18
3.7 Conducted Band Edge	19
3.8 Conducted Spurious Emission	20
3.9 Frequency Stability	21
4 RADIATED TEST ITEMS	22
4.1 Measuring Instruments	22
4.2 Test Setup	22
4.3 Test Result of Radiated Test	22
4.4 Radiated Spurious Emission	23
5 LIST OF MEASURING EQUIPMENT	24
6 UNCERTAINTY OF EVALUATION	25
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG942205E	Rev. 01	Initial issue of report	Jun. 10, 2019

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	Reporting Only	PASS	-
	§24.232(c) §27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 7) (Band 41)	EIRP < 2Watt	PASS	-
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	Reporting Only	PASS	-
3.7	§27.53(m)(4)	Conducted Band Edge Measurement (Band 7) (Band 41)	§27.53(m)(4)	PASS	-
3.8	§2.1051 §27.53(m)(4)	Conducted Spurious Emission (Band 7) (Band 41)	< 55+10log ₁₀ (P[Watts])	PASS	-
3.9	§2.1055 §22.355	Frequency Stability Temperature & Voltage	< 2.5 ppm for Part 22	PASS	-
	§2.1055 §24.235 §27.54		Within Authorized Band		
4.4	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7) (Band 41)	< 55+10log ₁₀ (P[Watts])	PASS	Under limit 12.18 dB at 7789.05 MHz



1 General Description

1.1 Applicant

OnePlus Technology (Shenzhen) Co., Ltd

18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe Avenue North, Futian District, Shenzhen

1.2 Product Feature of Equipment Under Test

Product Feature	
Equipment	Smart Phone
Brand Name	ONEPLUS
Model Name	GM1925
FCC ID	2ABZ2-GM1925
EUT supports Radios application	GSM/CDMA/WCDMA/LTE/5G NR WLAN 2.4GHz 802.11b/g/n HT20/HT40 WLAN 5GHz 802.11a/n HT20/HT40 WLAN 5GHz 802.11ac VHT20/VHT40/VHT80 Bluetooth BR / EDR / LE NFC/GNSS
IMEI Code	Conducted: 990013610020807 for B7C 990013610020732 for B41C Radiation: 990013610030707
HW Version	31
SW Version	9.5.5.GM25CC
EUT Stage	Production Unit

1.3 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx Frequency	LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz
Rx Frequency	LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz
Bandwidth	LTE Band 7 : 5MHz/ 10MHz / 15MHz / 20MHz LTE Band 41 : 5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	Bottom Antenna: Band 7C_CA: 23.56 dBm Band 41C_CA: 22.67 dBm
Antenna Gain	Bottom Antenna: LTE Band 7 : -0.50 dBi LTE Band 41 : -0.50 dBi
Type of Modulation	QPSK / 16QAM / 64QAM

1.4 Modification of EUT

No modifications are made to the EUT during all test items.



1.5 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

LTE Band 7 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
10MHz+20MHz	28M2G7D	-	0.1982	28M1W7D	-	0.1600
15MHz+15MHz	28M8G7D	-	0.1972	28M7W7D	-	0.1611
15MHz+20MHz	32M9G7D	-	0.2000	32M9W7D	-	0.1592
15MHz+10MHz	23M6G7D	-	0.1986	23M5W7D	-	0.1618
20MHz+10MHz	28M2G7D	-	0.1972	28M1W7D	-	0.1592
20MHz+15MHz	33M1G7D	-	0.2023	32M9W7D	-	0.1618
20MHz+20MHz	37M9G7D	-	0.1888	37M8W7D	-	0.1556
LTE Band 7 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)		Maximum EIRP(W)		
10MHz+20MHz	27M9W7D	-		0.0989		
15MHz+15MHz	28M5W7D	-		0.1005		
15MHz+20MHz	32M8W7D	-		0.1005		
15MHz+10MHz	23M5W7D	-		0.1012		
20MHz+10MHz	27M9W7D	-		0.1009		
20MHz+15MHz	32M9W7D	-		0.1002		
20MHz+20MHz	37M6W7D	-		0.0975		



LTE Band 41 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
5MHz+20MHz	23M3G7D	-	0.1626	23M3W7D	-	0.1291
10MHz+20MHz	28M1G7D	-	0.1603	28M1W7D	-	0.1268
10MHz+15MHz	23M5G7D	-	0.1614	23M5W7D	-	0.1288
15MHz+15MHz	28M7G7D	-	0.1611	28M7W7D	-	0.1306
15MHz+20MHz	32M9G7D	-	0.1626	32M9W7D	-	0.1324
15MHz+10MHz	23M6G7D	-	0.1637	23M6W7D	-	0.1306
20MHz+5MHz	23M3G7D	-	0.1574	23M4W7D	-	0.1211
20MHz+10MHz	28M1G7D	-	0.1648	28M2W7D	-	0.1303
20MHz+15MHz	32M9G7D	-	0.1622	32M9W7D	-	0.1318
20MHz+20MHz	37M7G7D	-	0.1549	37M8W7D	-	0.1239
LTE Band 41 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)		Maximum EIRP(W)		
5MHz+20MHz	23M3W7D	-		0.0820		
10MHz+20MHz	28M1W7D	-		0.0809		
10MHz+15MHz	23M5W7D	-		0.0817		
15MHz+15MHz	28M6W7D	-		0.0813		
15MHz+20MHz	33M0W7D	-		0.0820		
15MHz+10MHz	23M5W7D	-		0.0830		
20MHz+5MHz	23M4W7D	-		0.0764		
20MHz+10MHz	28M1W7D	-		0.0834		
20MHz+15MHz	32M8W7D	-		0.0841		
20MHz+20MHz	37M8W7D	-		0.0774		



1.6 Testing Location

Sporton International (Shenzhen) Inc. is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International (Shenzhen) Inc.		
Test Site Location	1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055 People's Republic of China TEL: +86-755-86379589 FAX: +86-755-86379595		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	TH01-SZ	CN1256	421272

Test Firm	Sporton International (Shenzhen) Inc.		
Test Site Location	No. 3 Bldg the third floor of south, Shahe River west, Fengzeyuan Warehouse, Nanshan Shenzhen, 518055 People's Republic of China TEL: +86-755-33202398		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH02-SZ	CN1256	421272

1.7 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- 47 CFR Part 2, 27(M)
- ANSI C63.26-2015
- FCC KDB 971168 D01 Power Meas License Digital Systems v03r01
- FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test


2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)										Modulation			RB #			Test Channel		
		20+20	20+15	15+20	20+10	10+20	20+5	5+20	15+15	15+10	10+15	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
26dB and 99% Bandwidth	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v			v	v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v		v	v		v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v		v
Conducted Spurious Emission	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v		v	v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v		v	v	v	v
E.I.R.P.	7C_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v			v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v	v	v	v			v	v	v
Radiated Spurious Emission	7C_CA	v	v	v	v	v			v	v		v			v			v	v	v
	41C_CA	v	v	v	v	v	v	v	v	v	v	v			v			v	v	v
Note	1. The mark "v" means that this configuration is chosen for testing 2. The mark "-" means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.																			

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	DC Power Supply	GW	GPS-3030D	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 5.0 dB and 10dB attenuator.

Example :

$$\begin{aligned}
 \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\
 &= 5.0 + 10 = 15.0 \text{ (dB)}
 \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 7C_CA Channel and Frequency List					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	20850	21001	21152
		Frequency	2510.0	2525.1	2540.2
	SCC	Channel	21048	21199	21350
		Frequency	2529.8	2544.9	2560.0
20 + 15	PCC	Channel	20850	21026	21201
		Frequency	2510.0	2527.6	2545.1
	SCC	Channel	21021	21197	21372
		Frequency	2527.1	2544.7	2562.2
15 + 20	PCC	Channel	20828	21003	21179
		Frequency	2507.8	2525.3	2542.9
	SCC	Channel	20999	21174	21350
		Frequency	2524.9	2542.4	2560.0
20 + 10	PCC	Channel	20850	21051	21251
		Frequency	2510.0	2530.1	2550.1
	SCC	Channel	20994	21195	21395
		Frequency	2524.4	2544.5	2564.5
10 + 20	PCC	Channel	20805	21006	21206
		Frequency	2505.5	2525.6	2545.6
	SCC	Channel	20949	21150	21350
		Frequency	2519.9	2540.0	2560.0
15 + 15	PCC	Channel	20825	21025	21225
		Frequency	2507.5	2527.5	2547.5
	SCC	Channel	20975	21175	21375
		Frequency	2522.5	2542.5	2562.5
15 + 10	PCC	Channel	20825	21051	21277
		Frequency	2507.5	2530.1	2552.7
	SCC	Channel	20945	21171	21397
		Frequency	2519.5	2542.1	2564.7



LTE Band 41C_CA Channel and Frequency List					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	39750	40521	41292
		Frequency	2506.0	2583.1	2660.2
	SCC	Channel	39948	40719	41490
		Frequency	2525.8	2602.9	2680.0
20 + 15	PCC	Channel	39750	40546	41341
		Frequency	2506.0	2585.6	2665.1
	SCC	Channel	39921	40717	41512
		Frequency	2523.1	2602.7	2682.2
15 + 20	PCC	Channel	39728	40523	41319
		Frequency	2503.8	2593.3	2662.9
	SCC	Channel	39899	40694	41490
		Frequency	2520.9	2600.4	2680.0
20 + 10	PCC	Channel	39750	40571	41391
		Frequency	2506.0	2588.1	2670.1
	SCC	Channel	39894	40715	41535
		Frequency	2520.4	2602.5	2684.5
10 + 20	PCC	Channel	39705	40526	41346
		Frequency	2501.5	2583.6	2665.6
	SCC	Channel	39849	40670	41490
		Frequency	2515.9	2598.0	2680.0



LTE Band 41C_CA Channel and Frequency List					
20 + 5	PCC	Channel	39750	40595	41440
		Frequency	2506.0	2590.5	2675.0
	SCC	Channel	39867	40712	41557
		Frequency	2517.7	2602.2	2686.7
5 + 20	PCC	Channel	39683	40528	41373
		Frequency	2499.3	2583.8	2668.3
	SCC	Channel	39800	40645	41490
		Frequency	2511.0	2595.5	2680.0
15 + 15	PCC	Channel	39725	40545	41365
		Frequency	2503.5	2585.5	2667.5
	SCC	Channel	39875	40695	41515
		Frequency	2518.5	2600.5	2682.5
10 + 15	PCC	Channel	39703	40549	41395
		Frequency	2501.3	2585.9	2670.5
	SCC	Channel	39823	40669	41515
		Frequency	2513.3	2597.9	2682.5
15 + 10	PCC	Channel	39725	40571	41417
		Frequency	2503.5	2588.1	2672.7
	SCC	Channel	39845	40691	41537
		Frequency	2515.5	2600.1	2684.7

3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.2 Test Setup


3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.



3.4 Conducted Output Power and ERP/EIRP

3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The EIRP of mobile transmitters must not exceed 2 Watts for Band 7 and Band 41.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.3.4 (CCDF).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

27.53(m)(4)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
5. Beyond the 1 MHz band from the band edge, RBW=1MHz was used
6. Set spectrum analyzer with RMS detector.
7. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
8. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

$$= P(W) - [43 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)} = -13\text{dBm}.$$

9. For LTE Band 7, 41, the other 40 dB, and 55 dB have additionally applied same calculation above.

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7 ,41:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13$ dBm.
11. For Band 7, 41
The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [55 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[55 + 10\log(P)]$ (dB)
 $= -25$ dBm.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5
2. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.

3.9.4 Test Results

Refer to report No.: FG942205D.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test from 30MHz to 1GHz



4.2.2 For radiated test above 1GHz



4.3 Test Result of Radiated Test

Please refer to Appendix B.

4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10. $EIRP \text{ (dBm)} = S.G. \text{ Power} - Tx \text{ Cable Loss} + Tx \text{ Antenna Gain}$
11. $ERP \text{ (dBm)} = EIRP - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$

13. For Band 7, 41:

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 18, 2019	May 11, 2019~ May 18, 2019	Apr. 17, 2020	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhonggroup	LP-150U	H2014081803	-40~+150°C	Dec. 22, 2018	May 11, 2019~ May 18, 2019	Dec. 21, 2019	Conducted (TH01-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150213	10Hz~44GHz	Apr. 19, 2019	May 21, 2019~ May 22, 2019	Apr. 18, 2020	Radiation (03CH02-SZ)
Bilog Antenna	TeseQ	CBL6112D	35407	30MHz~2GHz	Jun. 05, 2018	May 21, 2019~ May 22, 2019	Jun. 04, 2019	Radiation (03CH02-SZ)
Double Ridge Horn Antenna	SCHWARZBECK	BBHA9120D	9120D-1355	1GHz~18GHz	Jan. 07, 2019	May 21, 2019~ May 22, 2019	Jan. 06, 2020	Radiation (03CH02-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 30, 2018	May 21, 2019~ May 22, 2019	Jul. 29, 2019	Radiation (03CH02-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Mar. 30, 2019	May 21, 2019~ May 22, 2019	Mar. 29, 2020	Radiation (03CH02-SZ)
LF Amplifier	Burgeon	BPA-530	102211	0.01~3000Mhz	Oct. 20, 2018	May 21, 2019~ May 22, 2019	Oct. 19, 2019	Radiation (03CH02-SZ)
HF Amplifier	Agilent	8449B	3008A01023	1GHz~26.5GHz	Oct. 20, 2018	May 21, 2019~ May 22, 2019	Oct. 19, 2019	Radiation (03CH02-SZ)
AC Power Source	Chroma	61601	616010002470	N/A	NCR	May 21, 2019~ May 22, 2019	NCR	Radiation (03CH02-SZ)
Turn Table	Chaintek	T-200	N/A	0~360 degree	NCR	May 21, 2019~ May 22, 2019	NCR	Radiation (03CH02-SZ)
Antenna Mast	Chaintek	MBS-400	N/A	1 m~4 m	NCR	May 21, 2019~ May 22, 2019	NCR	Radiation (03CH02-SZ)

6 Uncertainty of Evaluation

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage $K=2$ to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.5 dB
---	--------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.3 dB
---	--------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.7 dB
---	--------

Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power)

CA_7C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21048	QPSK	100	0	100	0	200	21.12
			1	0	1	99	2	14.54
			1	0	1	0	2	16.91
			1	99	1	0	2	23.24
			100	0	1	99	101	19.61
		16QAM	100	0	100	0	200	20.03
			1	0	1	99	2	14.8
			1	0	1	0	2	17.26
			1	99	1	0	2	21.59
			100	0	1	99	101	19.52
		64QAM	100	0	100	0	200	20.07
			1	0	1	99	2	14.6
			1	0	1	0	2	17.1
			1	99	1	0	2	20.25
			100	0	1	99	101	19.64



21001	21199	QPSK	100	0	100	0	200	21.2
			1	0	1	99	2	14.51
			1	0	1	0	2	17.06
			1	99	1	0	2	23.26
			100	0	1	99	101	19.63
		16QAM	100	0	100	0	200	20.2
			1	0	1	99	2	15.13
			1	0	1	0	2	17.65
			1	99	1	0	2	22.42
			100	0	1	99	101	19.72
		64QAM	100	0	100	0	200	20.2
			1	0	1	99	2	14.79
			1	0	1	0	2	17.35
			1	99	1	0	2	20.39
			100	0	1	99	101	19.75
21152	21350	QPSK	100	0	100	0	200	21.21
			1	0	1	99	2	14.59
			1	0	1	0	2	17.06
			1	99	1	0	2	23.25
			100	0	1	99	101	19.6
		16QAM	100	0	100	0	200	20.17
			1	0	1	99	2	15.04
			1	0	1	0	2	17.6
			1	99	1	0	2	22.27
			100	0	1	99	101	19.65
		64QAM	100	0	100	0	200	20.3
			1	0	1	99	2	14.85
			1	0	1	0	2	17.43
			1	99	1	0	2	20.5
			100	0	1	99	101	19.8



CA_7C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21021	QPSK	1	99	1	0	2	23.2
		16QAM	1	99	1	0	2	22.29
		64QAM	1	99	1	0	2	20.23
21026	21197	QPSK	1	99	1	0	2	23.43
		16QAM	1	99	1	0	2	22.5
		64QAM	1	99	1	0	2	20.47
21201	21372	QPSK	1	99	1	0	2	23.56
		16QAM	1	99	1	0	2	22.59
		64QAM	1	99	1	0	2	20.51
Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20828	20999	QPSK	1	74	1	0	2	23.35
		16QAM	1	74	1	0	2	22.4
		64QAM	1	74	1	0	2	20.42
21003	21174	QPSK	1	74	1	0	2	23.42
		16QAM	1	74	1	0	2	22.47
		64QAM	1	74	1	0	2	20.52
21179	21350	QPSK	1	74	1	0	2	23.51
		16QAM	1	74	1	0	2	22.52
		64QAM	1	74	1	0	2	20.57



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured
Channel	Channel		RB Size	RB offset	RB Size	RB offset		Power (dBm)
20850	20994	QPSK	1	99	1	0	2	23.38
		16QAM	1	99	1	0	2	22.28
		64QAM	1	99	1	0	2	20.4
21051	21195	QPSK	1	99	1	0	2	23.45
		16QAM	1	99	1	0	2	22.41
		64QAM	1	99	1	0	2	20.54
21251	21395	QPSK	1	99	1	0	1	23
		16QAM	1	99	1	0	2	22.52
		64QAM	1	99	1	0	2	20.52
Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured
Channel	Channel		RB Size	RB offset	RB Size	RB offset		Power (dBm)
20805	20949	QPSK	1	49	1	0	2	23.32
		16QAM	1	49	1	0	2	22.51
		64QAM	1	49	1	0	2	20.42
21006	21150	QPSK	1	49	1	0	2	23.39
		16QAM	1	49	1	0	2	22.54
		64QAM	1	49	1	0	2	20.45
21206	21350	QPSK	1	49	1	0	2	23.47
		16QAM	1	49	1	0	2	22.54
		64QAM	1	49	1	0	2	20.45



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20975	QPSK	1	74	1	0	1	23.44
		16QAM	1	74	1	0	1	22.51
		64QAM	1	74	1	0	1	20.52
21025	21175	QPSK	1	74	1	0	1	23.29
		16QAM	1	74	1	0	1	22.53
		64QAM	1	74	1	0	1	20.37
21225	21375	QPSK	1	74	1	0	1	23.45
		16QAM	1	74	1	0	1	22.57
		64QAM	1	74	1	0	1	20.45
Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20945	QPSK	1	74	1	0	1	23.43
		16QAM	1	74	1	0	1	22.48
		64QAM	1	74	1	0	1	20.55
21051	21171	QPSK	1	74	1	0	1	23.22
		16QAM	1	74	1	0	1	22.59
		64QAM	1	74	1	0	1	20.47
21277	21397	QPSK	1	74	1	0	1	23.48
		16QAM	1	74	1	0	1	22.47
		64QAM	1	74	1	0	1	20.35



CA_41C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39948	QPSK	100	0	100	0	200	19.95
			1	0	1	99	2	13.34
			1	0	1	0	2	15.6
			1	99	1	0	2	21.9
			100	0	1	99	101	18.28
		16QAM	100	0	100	0	200	18.94
			1	0	1	99	2	13.48
			1	0	1	0	2	15.77
			1	99	1	0	2	20.87
			100	0	1	99	101	18.39
		64QAM	100	0	100	0	200	18.71
			1	0	1	99	2	13.17
			1	0	1	0	2	15.38
			1	99	1	0	2	18.57
			100	0	1	99	101	18.13



40521	40719	QPSK	100	0	100	0	200	20.41
			1	0	1	99	2	13.6
			1	0	1	0	2	16.27
			1	99	1	0	2	22.4
			100	0	1	99	101	18.83
		16QAM	100	0	100	0	200	19.5
			1	0	1	99	2	13.75
			1	0	1	0	2	16.3
			1	99	1	0	2	21.43
			100	0	1	99	101	18.85
		64QAM	100	0	100	0	200	19.39
			1	0	1	99	2	13.56
			1	0	1	0	2	16.19
			1	99	1	0	2	18.59
			100	0	1	99	101	18.99
41292	41490	QPSK	100	0	100	0	200	19.99
			1	0	1	99	2	13.41
			1	0	1	0	2	15.73
			1	99	1	0	2	21.76
			100	0	1	99	101	18.56
		16QAM	100	0	100	0	200	18.83
			1	0	1	99	2	13.44
			1	0	1	0	2	15.74
			1	99	1	0	2	20.66
			100	0	1	99	101	18.5
		64QAM	100	0	100	0	200	18.75
			1	0	1	99	2	13.61
			1	0	1	0	2	15.7
			1	99	1	0	2	18.6
			100	0	1	99	101	18.47

CA_41C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39921	QPSK	1	99	1	0	1	22.18
		16QAM	1	99	1	0	1	21.16
		64QAM	1	99	1	0	1	19.08
40546	40717	QPSK	1	99	1	0	2	22.6
		16QAM	1	99	1	0	1	21.7
		64QAM	1	99	1	0	1	19.75
41344	41515	QPSK	1	99	1	0	2	22.14
		16QAM	1	99	1	0	1	21.18
		64QAM	1	99	1	0	1	19.08

Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39725	39896	QPSK	1	74	1	0	2	21.89
		16QAM	1	74	1	0	2	20.96
		64QAM	1	74	1	0	2	18.83
40523	40694	QPSK	1	74	1	0	2	22.61
		16QAM	1	74	1	0	2	21.72
		64QAM	1	74	1	0	2	19.64
41319	41490	QPSK	1	74	1	0	2	21.88
		16QAM	1	74	1	0	2	20.9
		64QAM	1	74	1	0	2	18.78



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39894	QPSK	1	99	1	0	2	21.97
		16QAM	1	99	1	0	2	20.97
		64QAM	1	99	1	0	2	19
40571	40715	QPSK	1	99	1	0	1	22.67
		16QAM	1	99	1	0	2	21.65
		64QAM	1	99	1	0	2	19.71
41396	41540	QPSK	1	99	1	0	2	22.35
		16QAM	1	99	1	0	2	21.29
		64QAM	1	99	1	0	2	19.29

Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39700	39844	QPSK	1	49	1	D	2	21.74
		16QAM	1	49	1	0	2	20.67
		64QAM	1	49	1	0	2	18.67
40526	40670	QPSK	1	49	1	0	2	22.55
		16QAM	1	49	1	0	2	21.53
		64QAM	1	49	1	0	2	19.58
41346	41490	QPSK	1	49	1	0	2	21.83
		16QAM	1	49	1	0	2	20.74
		64QAM	1	49	1	0	2	18.72



Combination 20MHz+5MHz (100RB+25RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39867	QPSK	1	99	1	0	2	21.79
		16QAM	1	99	1	0	2	20.75
		64QAM	1	99	1	0	2	18.79
40595	40712	QPSK	1	99	1	0	2	22.04
		16QAM	1	99	1	0	2	21.07
		64QAM	1	99	1	0	2	19.33
41448	41565	QPSK	1	99	1	0	2	22.47
		16QAM	1	99	1	0	2	21.33
		64QAM	1	99	1	0	2	19.33

Combination 5MHz+20MHz (25RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39675	39792	QPSK	1	24	1	0	2	21.73
		16QAM	1	24	1	0	2	20.7
		64QAM	1	24	1	0	2	18.61
40528	40645	QPSK	1	24	1	0	2	22.61
		16QAM	1	24	1	0	2	21.61
		64QAM	1	24	1	0	2	19.64
41373	41490	QPSK	1	24	1	0	2	22.02
		16QAM	1	24	1	0	2	21.02
		64QAM	1	24	1	0	2	18.95



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39725	39875	QPSK	1	74	1	0	2	21.97
		16QAM	1	74	1	0	2	21.02
		64QAM	1	74	1	0	2	18.98
40545	40695	QPSK	1	74	1	0	2	22.57
		16QAM	1	74	1	0	2	21.66
		64QAM	1	74	1	0	2	19.6
41169	41319	QPSK	1	74	1	0	2	22.09
		16QAM	1	74	1	0	2	21.19
		64QAM	1	74	1	0	2	19.01

Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39725	39845	QPSK	1	74	1	0	2	21.95
		16QAM	1	74	1	0	2	20.9
		64QAM	1	74	1	0	2	18.89
40571	40691	QPSK	1	74	1	0	2	22.64
		16QAM	1	74	1	0	2	21.66
		64QAM	1	74	1	0	2	19.69
41169	41289	QPSK	1	74	1	0	2	22.17
		16QAM	1	74	1	0	2	21.11
		64QAM	1	74	1	0	2	19.09



Combination 10MHz+15MHz (50RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39700	39820	QPSK	1	49	1	0	2	21.79
		16QAM	1	49	1	0	2	20.76
		64QAM	1	49	1	0	2	18.73
40549	40669	QPSK	1	49	1	0	2	22.58
		16QAM	1	49	1	0	2	21.6
		64QAM	1	49	1	0	2	19.62
41346	41466	QPSK	1	49	1	0	2	22.01
		16QAM	1	49	1	0	2	21.03
		64QAM	1	49	1	0	2	19.01

**ERP/EIRP**

LTE Band 7 CA (GT - LC = -0.50 dB) QPSK									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.44	23.29	23.45	23.32	23.39	23.47	23.38	23.45	23.00
Conducted Power (Watts)	0.2208	0.2133	0.2213	0.2148	0.2183	0.2223	0.2178	0.2213	0.1995
EIRP(dBm)	22.94	22.79	22.95	22.82	22.89	22.97	22.88	22.95	22.50
EIRP(Watts)	0.1968	0.1901	0.1972	0.1914	0.1945	0.1982	0.1941	0.1972	0.1778

LTE Band 7 CA (GT - LC = -0.50 dB) QPSK									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.35	23.42	23.51	23.20	23.43	23.56	23.24	23.26	23.25
Conducted Power (Watts)	0.2163	0.2198	0.2244	0.2089	0.2203	0.2270	0.2109	0.2118	0.2113
EIRP(dBm)	22.85	22.92	23.01	22.70	22.93	23.06	22.74	22.76	22.75
EIRP(Watts)	0.1928	0.1959	0.2000	0.1862	0.1963	0.2023	0.1879	0.1888	0.1884



LTE Band 7 CA (GT - LC = -0.50 dB) 16QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.51	22.53	22.57	22.51	22.54	22.54	22.28	22.41	22.52
Conducted Power (Watts)	0.1782	0.1791	0.1807	0.1782	0.1795	0.1795	0.1690	0.1742	0.1786
EIRP(dBm)	22.01	22.03	22.07	22.01	22.04	22.04	21.78	21.91	22.02
EIRP(Watts)	0.1589	0.1596	0.1611	0.1589	0.1600	0.1600	0.1507	0.1552	0.1592

LTE Band 7 CA (GT - LC = -0.50 dB) 16QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.40	22.47	22.52	22.29	22.50	22.59	21.59	22.42	22.27
Conducted Power (Watts)	0.1738	0.1766	0.1786	0.1694	0.1778	0.1816	0.1442	0.1746	0.1687
EIRP(dBm)	21.90	21.97	22.02	21.79	22.00	22.09	21.09	21.92	21.77
EIRP(Watts)	0.1549	0.1574	0.1592	0.1510	0.1585	0.1618	0.1285	0.1556	0.1503

LTE Band 7 CA (GT - LC = -0.50 dB) 64QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.52	20.37	20.45	20.42	20.45	20.45	20.40	20.54	20.52
Conducted Power (Watts)	0.1127	0.1089	0.1109	0.1102	0.1109	0.1109	0.1096	0.1132	0.1127
EIRP(dBm)	20.02	19.87	19.95	19.92	19.95	19.95	19.90	20.04	20.02
EIRP(Watts)	0.1005	0.0971	0.0989	0.0982	0.0989	0.0989	0.0977	0.1009	0.1005

LTE Band 7 CA (GT - LC = -0.50 dB) 64QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.42	20.52	20.57	20.23	20.47	20.51	20.25	20.39	20.30
Conducted Power (Watts)	0.1102	0.1127	0.1140	0.1054	0.1114	0.1125	0.1059	0.1094	0.1072
EIRP(dBm)	19.92	20.02	20.07	19.73	19.97	20.01	19.75	19.89	19.80
EIRP(Watts)	0.0982	0.1005	0.1016	0.0940	0.0993	0.1002	0.0944	0.0975	0.0955



LTE Band 7 CA (GT - LC = -0.50 dB) QPSK			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.43	23.22	23.48
Conducted Power (Watts)	0.2203	0.2099	0.2228
EIRP(dBm)	22.93	22.72	22.98
EIRP(Watts)	0.1963	0.1871	0.1986

LTE Band 7 CA (GT - LC = -0.50 dB) 16QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.48	22.59	22.47
Conducted Power (Watts)	0.1770	0.1816	0.1766
EIRP(dBm)	21.98	22.09	21.97
EIRP(Watts)	0.1578	0.1618	0.1574

LTE Band 7 CA (GT - LC = -0.50 dB) 64QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.55	20.47	20.35
Conducted Power (Watts)	0.1135	0.1114	0.1084
EIRP(dBm)	20.05	19.97	19.85
EIRP(Watts)	0.1012	0.0993	0.0966



LTE Band 41 CA (GT - LC = -0.50 dB) QPSK									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.97	22.57	22.09	21.73	22.61	22.02	21.79	22.04	22.47
Conducted Power (Watts)	0.1574	0.1807	0.1618	0.1489	0.1824	0.1592	0.1510	0.1600	0.1766
EIRP(dBm)	21.47	22.0700	21.59	21.23	22.11	21.52	21.29	21.54	21.97
EIRP(Watts)	0.1403	0.1611	0.1442	0.1327	0.1626	0.1419	0.1346	0.1426	0.1574

LTE Band 41 CA (GT - LC = -0.50 dB) QPSK									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.74	22.55	21.83	21.97	22.67	22.35	21.89	22.6100	21.88
Conducted Power (Watts)	0.1493	0.1799	0.1524	0.1574	0.1849	0.1718	0.1545	0.1824	0.1542
EIRP(dBm)	21.24	22.05	21.33	21.47	22.17	21.85	21.39	22.11	21.38
EIRP(Watts)	0.1330	0.1603	0.1358	0.1403	0.1648	0.1531	0.1377	0.1626	0.1374



LTE Band 41 CA (GT - LC = -0.50 dB) QPSK						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.18	22.60	22.14	21.90	22.40	21.76
Conducted Power (Watts)	0.1652	0.1820	0.1637	0.1549	0.1738	0.1500
EIRP(dBm)	21.68	22.10	21.64	21.40	21.90	21.26
EIRP(Watts)	0.1472	0.1622	0.1459	0.1380	0.1549	0.1337

LTE Band 41 CA (GT - LC = -0.50 dB) QPSK						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.95	22.64	22.17	21.79	22.58	22.01
Conducted Power (Watts)	0.1567	0.1837	0.1648	0.1510	0.1811	0.1589
EIRP(dBm)	21.45	22.14	21.67	21.29	22.08	21.51
EIRP(Watts)	0.1396	0.1637	0.1469	0.1346	0.1614	0.1416



LTE Band 41 CA (GT - LC = -0.50 dB) 16QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.02	21.66	21.19	20.70	21.61	21.02	20.75	21.07	21.33
Conducted Power (Watts)	0.1265	0.1466	0.1315	0.1175	0.1449	0.1265	0.1189	0.1279	0.1358
EIRP(dBm)	20.52	21.16	20.69	20.20	21.11	20.52	20.25	20.57	20.83
EIRP(Watts)	0.1127	0.1306	0.1172	0.1047	0.1291	0.1127	0.1059	0.1140	0.1211

LTE Band 41 CA (GT - LC = -0.50 dB) 16QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.67	21.53	20.74	20.97	21.65	21.29	20.96	21.72	20.90
Conducted Power (Watts)	0.1167	0.1422	0.1186	0.1250	0.1462	0.1346	0.1247	0.1486	0.1230
EIRP(dBm)	20.17	21.03	20.24	20.47	21.15	20.79	20.46	21.22	20.40
EIRP(Watts)	0.1040	0.1268	0.1057	0.1114	0.1303	0.1199	0.1112	0.1324	0.1096

LTE Band 41 CA (GT - LC = -0.50 dB) 16QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.1600	21.7000	21.1800	20.8700	21.4300	20.6600
Conducted Power (Watts)	0.1306	0.1479	0.1312	0.1222	0.1390	0.1164
EIRP(dBm)	20.6600	21.2000	20.6800	20.3700	20.9300	20.1600
EIRP(Watts)	0.1164	0.1318	0.1169	0.1089	0.1239	0.1038

LTE Band 41 CA (GT - LC = -0.50 dB) 16QAM						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.90	21.66	21.11	20.76	21.60	21.03
Conducted Power (Watts)	0.1230	0.1466	0.1291	0.1191	0.1445	0.1268
EIRP(dBm)	20.40	21.16	20.61	20.26	21.10	20.53
EIRP(Watts)	0.1096	0.1306	0.1151	0.1062	0.1288	0.1130



LTE Band 41 CA (GT - LC = -0.50 dB) 64QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	18.98	19.60	19.01	18.61	19.64	18.95	18.79	19.33	19.33
Conducted Power (Watts)	0.0791	0.0912	0.0796	0.0726	0.0920	0.0785	0.0757	0.0857	0.0857
EIRP(dBm)	18.48	19.10	18.51	18.11	19.14	18.45	18.29	18.8300	18.83
EIRP(Watts)	0.0705	0.0813	0.0710	0.0647	0.0820	0.0700	0.0675	0.0764	0.0764

LTE Band 41 CA (GT - LC = -0.50 dB) 64QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	18.67	19.58	18.72	19.00	19.71	19.29	18.83	19.64	18.78
Conducted Power (Watts)	0.0736	0.0908	0.0745	0.0794	0.0935	0.0849	0.0764	0.0920	0.0755
EIRP(dBm)	18.17	19.08	18.22	18.50	19.21	18.79	18.33	19.14	18.28
EIRP(Watts)	0.0656	0.0809	0.0664	0.0708	0.0834	0.0757	0.0681	0.0820	0.0673

LTE Band 41 CA (GT - LC = -0.50 dB) 64QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.08	19.75	19.08	18.71	19.39	18.75
Conducted Power (Watts)	0.0809	0.0944	0.0809	0.0743	0.0869	0.0750
EIRP(dBm)	18.58	19.25	18.58	18.21	18.89	18.25
EIRP(Watts)	0.0721	0.0841	0.0721	0.0662	0.0774	0.0668



LTE Band 41 CA (GT - LC = -0.50 dB) 64QAM						
Bandwidth	15M+10M			10M+15M		
Channel PCC	39725	40571	41417	39703	40549	41395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39845	40691	41537	39823	40669	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	18.89	19.69	19.09	18.73	19.62	19.01
Conducted Power (Watts)	0.0774	0.0931	0.0811	0.0746	0.0916	0.0796
EIRP(dBm)	18.39	19.19	18.59	18.23	19.12	18.51
EIRP(Watts)	0.0690	0.0830	0.0723	0.0665	0.0817	0.0710

**26dB Bandwidth**

Mode	LTE Band 7 : 26dB BW(MHz)			
QPSK				
BW	10MHz+20MHz	15MHz+5MHz	15MHz+10MHz	15MHz+15MHz
Lowest CH	30.09	-	25.674	30.749
Middle CH	30.03	-	25.774	30.869
Highest CH	30.03	-	25.724	30.929
BW	15MHz+20MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Lowest CH	35.175	30.33	35.315	40.2
Middle CH	35.245	30.39	35.524	40.28
Highest CH	35.175	30.39	35.524	40.28

Mode	LTE Band 7 : 26dB BW(MHz)			
16QAM				
BW	10MHz+20MHz	15MHz+5MHz	15MHz+10MHz	15MHz+15MHz
Lowest CH	29.91	-	25.724	30.629
Middle CH	29.97	-	25.774	30.869
Highest CH	29.97	-	25.724	30.869
BW	15MHz+20MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Lowest CH	35.175	30.09	35.245	40.2
Middle CH	35.175	30.15	35.315	40.2
Highest CH	35.175	30.21	35.175	40.28

Mode	LTE Band 7 : 26dB BW(MHz)			
64QAM				
BW	10MHz+20MHz	15MHz+5MHz	15MHz+10MHz	15MHz+15MHz
Lowest CH	29. 85	-	25.624	30.869
Middle CH	29.97	-	25.674	30.809
Highest CH	30.03	-	25.674	30.809
BW	15MHz+20MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Lowest CH	35.105	30.15	35.315	40.2
Middle CH	35.105	30.15	35.175	40.2
Highest CH	35.105	30.15	35.175	40.12



Mode	LTE Band 41 : 26dB BW(MHz)				
QPSK					
BW	5MHz+20MHz	10MHz+15MHz	10MHz+20MHz	15MHz+10MHz	15MHz+15MHz
Lowest CH	24.825	25.125	29.97	25.375	30.629
Middle CH	24.825	25.175	30.03	25.375	30.749
Highest CH	24.725	25.125	29.85	25.225	30.749
BW	15MHz+20MHz	20MHz+5MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Lowest CH	34.895	24.975	30.15	34.965	40.28
Middle CH	34.895	24.925	30.09	35.105	40.28
Highest CH	34.895	25.025	30.09	35.035	40.28

Mode	LTE Band 41 : 26dB BW(MHz)				
16QAM					
BW	5MHz+20MHz	10MHz+15MHz	10MHz+20MHz	15MHz+10MHz	15MHz+15MHz
Lowest CH	24.725	25.125	29.79	25.225	30.569
Middle CH	24.675	25.075	29.91	25.075	30.629
Highest CH	24.875	25.125	29.91	25.175	30.629
BW	15MHz+20MHz	20MHz+5MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Lowest CH	34.895	24.825	30.09	34.965	40.20
Middle CH	34.825	24.925	30.27	34.965	40.20
Highest CH	34.755	24.825	30.09	34.965	40.04


Mode	LTE Band 41 : 26dB BW(MHz)				
64QAM					
BW	5MHz+20MHz	10MHz+15MHz	10MHz+20MHz	15MHz+10MHz	15MHz+15MHz
Lowest CH	24.775	25.125	29.97	25.175	30.689
Middle CH	24.675	25.125	29.91	25.225	30.689
Highest CH	24.725	25.075	30.03	25.125	30.569
BW	15MHz+20MHz	20MHz+5MHz	20MHz+10MHz	20MHz+15MHz	20MHz+20MHz
Lowest CH	34.825	24.775	30.15	35.105	40.28
Middle CH	34.895	24.825	30.15	35.175	40.28
Highest CH	34.965	24.875	30.03	34.965	40.20




LTE Band 7

QPSK


Lowest Channel / 10MHz+20MHz



Middle Channel / 10MHz+20MHz



Highest Channel / 10MHz+20MHz






LTE Band 7


QPSK

Lowest Channel / 15MHz+10MHz




Date: 14 MAY 2019 13:58:10

Lowest Channel / 15MHz+15MHz




Date: 13 MAY 2019 16:10:51:7

Middle Channel / 15MHz+10MHz




Date: 14 MAY 2019 15:54:06

Middle Channel / 15MHz+15MHz




Date: 12 MAY 2019 14:37:18

Highest Channel / 15MHz+10MHz



Date: 14 MAY 2019 16:18:32

Highest Channel / 15MHz+15MHz




Date: 12 MAY 2019 16:26:34



LTE Band 7


QPSK

Lowest Channel / 15MHz+20MHz




Date: 12 MAY 2019 18:35:17

Lowest Channel / 20MHz+10MHz




Date: 11 MAY 2019 13:58:27

Middle Channel / 15MHz+20MHz




Date: 12 MAY 2019 18:48:11

Middle Channel / 20MHz+10MHz




Date: 11 MAY 2019 14:54:30

Highest Channel / 15MHz+20MHz



Date: 12 MAY 2019 18:55:30

Highest Channel / 20MHz+10MHz




Date: 11 MAY 2019 13:11:41



LTE Band 7


QPSK

Lowest Channel / 20MHz+15MHz




Date: 13 MAY 2019 09:33:47

Lowest Channel / 20MHz+20MHz




Date: 14 MAY 2019 08:06:20

Middle Channel / 20MHz+15MHz




Date: 13 MAY 2019 11:07:46

Middle Channel / 20MHz+20MHz




Date: 14 MAY 2019 10:16:19

Highest Channel / 20MHz+15MHz



Date: 13 MAY 2019 11:12:50

Highest Channel / 20MHz+20MHz




Date: 14 MAY 2019 10:21:09




LTE Band 7

16QAM


Lowest Channel / 10MHz+20MHz



Middle Channel / 10MHz+20MHz



Highest Channel / 10MHz+20MHz







LTE Band 7

16QAM


Lowest Channel / 15MHz+10MHz




Lowest Channel / 15MHz+15MHz




Middle Channel / 15MHz+10MHz




Middle Channel / 15MHz+15MHz



Highest Channel / 15MHz+10MHz



Highest Channel / 15MHz+15MHz






LTE Band 7


16QAM

Lowest Channel / 15MHz+20MHz




Date: 12 MAY 2019 16:48:06

Lowest Channel / 20MHz+10MHz




Date: 11 MAY 2019 14:05:05

Middle Channel / 15MHz+20MHz




Date: 12 MAY 2019 18:37:30

Middle Channel / 20MHz+10MHz




Date: 11 MAY 2019 14:05:19

Highest Channel / 15MHz+20MHz



Date: 12 MAY 2019 18:58:52

Highest Channel / 20MHz+10MHz




Date: 11 MAY 2019 15:18:21




LTE Band 7

16QAM


Lowest Channel / 20MHz+15MHz




Lowest Channel / 20MHz+20MHz




Middle Channel / 20MHz+15MHz




Middle Channel / 20MHz+20MHz



Highest Channel / 20MHz+15MHz



Highest Channel / 20MHz+20MHz







LTE Band 7

64QAM


Lowest Channel / 10MHz+20MHz



Middle Channel / 10MHz+20MHz



Highest Channel / 10MHz+20MHz







LTE Band 7

64QAM


Lowest Channel / 15MHz+10MHz




Lowest Channel / 15MHz+15MHz




Middle Channel / 15MHz+10MHz




Middle Channel / 15MHz+15MHz



Highest Channel / 15MHz+10MHz



Highest Channel / 15MHz+15MHz






LTE Band 7


64QAM

Lowest Channel / 15MHz+20MHz




Date: 12 MAY 2019 17:08:26

Lowest Channel / 20MHz+10MHz




Date: 11 MAY 2019 14:11:45

Middle Channel / 15MHz+20MHz




Date: 12 MAY 2019 18:02:48

Middle Channel / 20MHz+10MHz




Date: 11 MAY 2019 14:11:12

Highest Channel / 15MHz+20MHz



Date: 12 MAY 2019 18:03:35

Highest Channel / 20MHz+10MHz




Date: 11 MAY 2019 15:23:28




LTE Band 7

64QAM


Lowest Channel / 20MHz+15MHz




Lowest Channel / 20MHz+20MHz




Middle Channel / 20MHz+15MHz




Middle Channel / 20MHz+20MHz



Highest Channel / 20MHz+15MHz



Highest Channel / 20MHz+20MHz







LTE Band 41

QPSK


Lowest Channel / 5MHz+20MHz




Lowest Channel / 10MHz+15MHz




Middle Channel / 5MHz+20MHz




Middle Channel / 10MHz+15MHz



Highest Channel / 5MHz+20MHz



Highest Channel / 10MHz+15MHz







LTE Band 41

QPSK


Lowest Channel / 10MHz+20MHz




Lowest Channel / 15MHz+10MHz




Middle Channel / 10MHz+20MHz




Middle Channel / 15MHz+10MHz



Highest Channel / 10MHz+20MHz



Highest Channel / 15MHz+10MHz







LTE Band 41

QPSK


Lowest Channel / 15MHz+15MHz




Lowest Channel / 15MHz+20MHz




Middle Channel / 15MHz+15MHz




Middle Channel / 15MHz+20MHz



Highest Channel / 15MHz+15MHz



Highest Channel / 15MHz+20MHz







LTE Band 41

QPSK


Lowest Channel / 20MHz+5MHz




Lowest Channel / 20MHz+10MHz




Middle Channel / 20MHz+5MHz




Middle Channel / 20MHz+10MHz



Highest Channel / 20MHz+5MHz



Highest Channel / 20MHz+10MHz







LTE Band 41

QPSK


Lowest Channel / 20MHz+15MHz




Lowest Channel / 20MHz+20MHz




Middle Channel / 20MHz+15MHz




Middle Channel / 20MHz+20MHz



Highest Channel / 20MHz+15MHz



Highest Channel / 20MHz+20MHz







LTE Band 41

16QAM


Lowest Channel / 5MHz+20MHz




Lowest Channel / 10MHz+15MHz




Middle Channel / 5MHz+20MHz




Middle Channel / 10MHz+15MHz



Highest Channel / 5MHz+20MHz



Highest Channel / 10MHz+15MHz







LTE Band 41

16QAM


Lowest Channel / 10MHz+20MHz




Lowest Channel / 15MHz+10MHz




Middle Channel / 10MHz+20MHz




Middle Channel / 15MHz+10MHz



Highest Channel / 10MHz+20MHz



Highest Channel / 15MHz+10MHz







LTE Band 41

16QAM


Lowest Channel / 15MHz+15MHz




Lowest Channel / 15MHz+20MHz




Middle Channel / 15MHz+15MHz




Middle Channel / 15MHz+20MHz



Highest Channel / 15MHz+15MHz



Highest Channel / 15MHz+20MHz







LTE Band 41

16QAM


Lowest Channel / 20MHz+5MHz




Lowest Channel / 20MHz+10MHz




Middle Channel / 20MHz+5MHz




Middle Channel / 20MHz+10MHz



Highest Channel / 20MHz+5MHz



Highest Channel / 20MHz+10MHz







LTE Band 41

16QAM


Lowest Channel / 20MHz+15MHz




Lowest Channel / 20MHz+20MHz




Middle Channel / 20MHz+15MHz




Middle Channel / 20MHz+20MHz



Highest Channel / 20MHz+15MHz



Highest Channel / 20MHz+20MHz






LTE Band 41


64QAM

Lowest Channel / 5MHz+20MHz




Date: 13.MAY.2019 01:24:51

Lowest Channel / 10MHz+15MHz




Date: 13.MAY.2019 21:25:06

Middle Channel / 5MHz+20MHz




Date: 13.MAY.2019 01:25:46

Middle Channel / 10MHz+15MHz




Date: 13.MAY.2019 21:33:54

Highest Channel / 5MHz+20MHz



Date: 13.MAY.2019 01:29:19

Highest Channel / 10MHz+15MHz




Date: 13.MAY.2019 22:03:24



LTE Band 41


64QAM

Lowest Channel / 10MHz+20MHz




Date: 13.MAY.2019 23:48:13

Lowest Channel / 15MHz+10MHz




Date: 13.MAY.2019 22:41:14

Middle Channel / 10MHz+20MHz




Date: 14.MAY.2019 00:23:54

Middle Channel / 15MHz+10MHz




Date: 13.MAY.2019 22:59:02

Highest Channel / 10MHz+20MHz



Date: 14.MAY.2019 00:45:51

Highest Channel / 15MHz+10MHz




Date: 13.MAY.2019 23:24:23




LTE Band 41

64QAM


Lowest Channel / 15MHz+15MHz




Lowest Channel / 15MHz+20MHz




Middle Channel / 15MHz+15MHz




Middle Channel / 15MHz+20MHz



Highest Channel / 15MHz+15MHz



Highest Channel / 15MHz+20MHz







LTE Band 41

64QAM


Lowest Channel / 20MHz+5MHz




Lowest Channel / 20MHz+10MHz




Middle Channel / 20MHz+5MHz



Middle Channel / 20MHz+10MHz



Highest Channel / 20MHz+5MHz



Highest Channel / 20MHz+10MHz

