



Mode	138																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE 20_CH233_Full RU_7115MHz																																																																																																						
ANT	CDD 14+15																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>70.01</td><td>88.20</td><td>-18.19</td><td>59.29</td><td>35.47</td><td>8.68</td><td>33.43</td><td>157</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7263.29</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>39.79</td><td>35.45</td><td>8.78</td><td>33.57</td><td>157</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	70.01	88.20	-18.19	59.29	35.47	8.68	33.43	157	0	PEAK	2	7263.29	50.45	74.00	-23.55	39.79	35.45	8.78	33.57	157	0	PEAK	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.91</td><td>-----</td><td>-----</td><td>71.16</td><td>35.48</td><td>8.69</td><td>33.42</td><td>157</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.91	-----	-----	71.16	35.48	8.69	33.42	157	0	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.11	70.01	88.20	-18.19	59.29	35.47	8.68	33.43	157	0	PEAK																																																																																												
2	7263.29	50.45	74.00	-23.55	39.79	35.45	8.78	33.57	157	0	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	81.91	-----	-----	71.16	35.48	8.69	33.42	157	0	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>63.01</td><td>68.20</td><td>-5.19</td><td>52.29</td><td>35.47</td><td>8.68</td><td>33.43</td><td>157</td><td>0</td><td>AVERAGE</td></tr><tr><td>2</td><td>7264.23</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>30.20</td><td>35.45</td><td>8.78</td><td>33.57</td><td>157</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	63.01	68.20	-5.19	52.29	35.47	8.68	33.43	157	0	AVERAGE	2	7264.23	40.86	54.00	-13.14	30.20	35.45	8.78	33.57	157	0	AVERAGE	Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>73.27</td><td>-----</td><td>-----</td><td>62.55</td><td>35.47</td><td>8.68</td><td>33.43</td><td>157</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.27	-----	-----	62.55	35.47	8.68	33.43	157	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.11	63.01	68.20	-5.19	52.29	35.47	8.68	33.43	157	0	AVERAGE																																																																																												
2	7264.23	40.86	54.00	-13.14	30.20	35.45	8.78	33.57	157	0	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	73.27	-----	-----	62.55	35.47	8.68	33.43	157	0	AVERAGE																																																																																												



Mode	138																																																																																			
	Harmonic																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg	Data: 1 Level (dBuV/m) Frequency (MHz) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>14230.00</td><td>44.78</td><td>-43.42</td><td>88.20</td><td>56.55</td><td>39.08</td><td>12.73</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	14230.00	44.78	-43.42	88.20	56.55	39.08	12.73	63.58	---	---	Peak	Data: 2 Level (dBuV/m) Frequency (MHz) <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>14230.00</td><td>45.63</td><td>-42.57</td><td>88.20</td><td>57.40</td><td>39.08</td><td>12.73</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	14230.00	45.63	-42.57	88.20	57.40	39.08	12.73	63.58	---	---	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																													
1	14230.00	44.78	-43.42	88.20	56.55	39.08	12.73	63.58	---	---	Peak																																																																									
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																													
1	14230.00	45.63	-42.57	88.20	57.40	39.08	12.73	63.58	---	---	Peak																																																																									







Mode	139																																																					
	Band Edge																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz																																																					
ANT	CDD 14+15																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Level (dBuV/m) Date: 2024-09-02 PEAK_BE(UNII)_6E Freq Level Limit Line Margin Read Ant Cable Preamp APos TPos Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>64.57</td><td>88.20</td><td>-23.63</td><td>53.85</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>350</td><td>PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7125.01	64.57	88.20	-23.63	53.85	35.47	8.68	33.43	100	350	PEAK	Level (dBuV/m) Date: 2024-09-03 PEAK_BE(UNII)_6E Freq Level Limit Line Margin Read Ant Cable Preamp APos TPos Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>80.03</td><td>-----</td><td>-----</td><td>69.31</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>350</td><td>PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7115.00	80.03	-----	-----	69.31	35.47	8.68	33.43	100	350	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 7125.01	64.57	88.20	-23.63	53.85	35.47	8.68	33.43	100	350	PEAK																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1 7115.00	80.03	-----	-----	69.31	35.47	8.68	33.43	100	350	PEAK																																												
Avg	Level (dBuV/m) Date: 2024-09-02 AVG_BE(UNII)_6E Freq Level Limit Line Margin Read Ant Cable Preamp APos TPos Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.11</td><td>62.31</td><td>68.20</td><td>-5.89</td><td>51.59</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>350</td><td>AVERAGE</td></tr><tr><td>2 7315.22</td><td>40.68</td><td>54.00</td><td>-13.32</td><td>29.92</td><td>35.44</td><td>8.94</td><td>33.62</td><td>100</td><td>350</td><td>AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7125.11	62.31	68.20	-5.89	51.59	35.47	8.68	33.43	100	350	AVERAGE	2 7315.22	40.68	54.00	-13.32	29.92	35.44	8.94	33.62	100	350	AVERAGE																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 7125.11	62.31	68.20	-5.89	51.59	35.47	8.68	33.43	100	350	AVERAGE																																												
2 7315.22	40.68	54.00	-13.32	29.92	35.44	8.94	33.62	100	350	AVERAGE																																												







		139																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz																																																																																																				
ANT	CDD 14+15																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>69.46</td><td>88.20</td><td>-18.74</td><td>58.74</td><td>35.47</td><td>8.68</td><td>33.43</td><td>263</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7303.24</td><td>49.68</td><td>74.00</td><td>-24.32</td><td>38.93</td><td>35.44</td><td>8.91</td><td>33.60</td><td>263</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7125.11	69.46	88.20	-18.74	58.74	35.47	8.68	33.43	263	0	PEAK	2	7303.24	49.68	74.00	-24.32	38.93	35.44	8.91	33.60	263	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.40</td><td>-----</td><td>-----</td><td>70.65</td><td>35.48</td><td>8.69</td><td>33.42</td><td>263</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7115.00	81.40	-----	-----	70.65	35.48	8.69	33.42	263	0	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	7125.11	69.46	88.20	-18.74	58.74	35.47	8.68	33.43	263	0	PEAK																																																																																										
2	7303.24	49.68	74.00	-24.32	38.93	35.44	8.91	33.60	263	0	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	7115.00	81.40	-----	-----	70.65	35.48	8.69	33.42	263	0	PEAK																																																																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>62.62</td><td>68.20</td><td>-5.58</td><td>51.90</td><td>35.47</td><td>8.68</td><td>33.43</td><td>263</td><td>0</td><td>AVERAGE</td></tr><tr><td>2</td><td>7274.57</td><td>40.68</td><td>54.00</td><td>-13.32</td><td>30.01</td><td>35.44</td><td>8.81</td><td>33.58</td><td>263</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7125.11	62.62	68.20	-5.58	51.90	35.47	8.68	33.43	263	0	AVERAGE	2	7274.57	40.68	54.00	-13.32	30.01	35.44	8.81	33.58	263	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>73.16</td><td>68.20</td><td>4.96</td><td>62.44</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>350</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7115.00	73.16	68.20	4.96	62.44	35.47	8.68	33.43	100	350	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	7125.11	62.62	68.20	-5.58	51.90	35.47	8.68	33.43	263	0	AVERAGE																																																																																										
2	7274.57	40.68	54.00	-13.32	30.01	35.44	8.81	33.58	263	0	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	7115.00	73.16	68.20	4.96	62.44	35.47	8.68	33.43	100	350	AVERAGE																																																																																										



Mode	140																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																					
ANT	CDD 14+15																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>69.43</td><td>88.20</td><td>-18.77</td><td>58.71</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>7341.07</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>39.99</td><td>35.43</td><td>9.03</td><td>33.64</td><td>100</td><td>351</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	69.43	88.20	-18.77	58.71	35.47	8.68	33.43	100	351	PEAK	2	7341.07	50.81	74.00	-23.19	39.99	35.43	9.03	33.64	100	351	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>80.13</td><td>-----</td><td>-----</td><td>69.41</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>351</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	80.13	-----	-----	69.41	35.47	8.68	33.43	100	351
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.11	69.43	88.20	-18.77	58.71	35.47	8.68	33.43	100	351	PEAK																																																																																											
2	7341.07	50.81	74.00	-23.19	39.99	35.43	9.03	33.64	100	351	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	80.13	-----	-----	69.41	35.47	8.68	33.43	100	351	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>61.78</td><td>68.20</td><td>-6.42</td><td>51.06</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>351</td><td>AVERAGE</td></tr><tr><td>2</td><td>7269.16</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>30.05</td><td>35.45</td><td>8.80</td><td>33.57</td><td>100</td><td>351</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	61.78	68.20	-6.42	51.06	35.47	8.68	33.43	100	351	AVERAGE	2	7269.16	40.73	54.00	-13.27	30.05	35.45	8.80	33.57	100	351	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>71.78</td><td>-----</td><td>-----</td><td>61.06</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>351</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	71.78	-----	-----	61.06	35.47	8.68	33.43	100	351
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.11	61.78	68.20	-6.42	51.06	35.47	8.68	33.43	100	351	AVERAGE																																																																																											
2	7269.16	40.73	54.00	-13.27	30.05	35.45	8.80	33.57	100	351	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	71.78	-----	-----	61.06	35.47	8.68	33.43	100	351	AVERAGE																																																																																											



		140																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																				
ANT		CDD 14+15																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.34</td><td>69.42</td><td>88.20</td><td>-18.78</td><td>58.70</td><td>35.47</td><td>8.68</td><td>33.43</td><td>216</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7255.06</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>39.52</td><td>35.45</td><td>8.75</td><td>33.56</td><td>216</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.34	69.42	88.20	-18.78	58.70	35.47	8.68	33.43	216	0	PEAK	2	7255.06	50.16	74.00	-23.84	39.52	35.45	8.75	33.56	216	0	PEAK	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.96</td><td>-----</td><td>-----</td><td>71.18</td><td>35.48</td><td>8.71</td><td>33.41</td><td>216</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.96	-----	-----	71.18	35.48	8.71	33.41	216	0	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.34	69.42	88.20	-18.78	58.70	35.47	8.68	33.43	216	0	PEAK																																																																																											
2	7255.06	50.16	74.00	-23.84	39.52	35.45	8.75	33.56	216	0	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	81.96	-----	-----	71.18	35.48	8.71	33.41	216	0	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>62.91</td><td>68.20</td><td>-5.29</td><td>52.19</td><td>35.47</td><td>8.68</td><td>33.43</td><td>216</td><td>0</td><td>AVERAGE</td></tr><tr><td>2</td><td>7306.06</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>30.02</td><td>35.44</td><td>8.91</td><td>33.61</td><td>216</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	62.91	68.20	-5.29	52.19	35.47	8.68	33.43	216	0	AVERAGE	2	7306.06	40.76	54.00	-13.24	30.02	35.44	8.91	33.61	216	0	AVERAGE	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>72.70</td><td>-----</td><td>-----</td><td>61.98</td><td>35.47</td><td>8.68</td><td>33.43</td><td>216</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	72.70	-----	-----	61.98	35.47	8.68	33.43	216	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7125.11	62.91	68.20	-5.29	52.19	35.47	8.68	33.43	216	0	AVERAGE																																																																																											
2	7306.06	40.76	54.00	-13.24	30.02	35.44	8.91	33.61	216	0	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7115.00	72.70	-----	-----	61.98	35.47	8.68	33.43	216	0	AVERAGE																																																																																											



Mode	140																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																	
ANT	CDD 14+15																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>45.20</td><td>88.20</td><td>-43.00</td><td>57.50</td><td>38.55</td><td>12.73</td><td>63.58</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14230.00	45.20	88.20	-43.00	57.50	38.55	12.73	63.58	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>46.23</td><td>88.20</td><td>-41.97</td><td>58.53</td><td>38.55</td><td>12.73</td><td>63.58</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	14230.00	46.23	88.20	-41.97	58.53	38.55	12.73	63.58	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	14230.00	45.20	88.20	-43.00	57.50	38.55	12.73	63.58	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	14230.00	46.23	88.20	-41.97	58.53	38.55	12.73	63.58	--	--	Peak																																																																																							







		141																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_7115MHz																																																																																																							
ANT		CDD 14+15																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																		
Peak		Date: 2024-09-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7125.11</td><td>70.24</td><td>88.20</td><td>-17.96</td><td>59.52</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>354 PEAK</td></tr><tr><td>2 7259.29</td><td>50.23</td><td>74.00</td><td>-23.77</td><td>39.57</td><td>35.45</td><td>8.77</td><td>33.56</td><td>100</td><td>354 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.11	70.24	88.20	-17.96	59.52	35.47	8.68	33.43	100	354 PEAK	2 7259.29	50.23	74.00	-23.77	39.57	35.45	8.77	33.56	100	354 PEAK	Date: 2024-09-03 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7115.00</td><td>79.65</td><td>-----</td><td>-----</td><td>68.93</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>354 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	79.65	-----	-----	68.93	35.47	8.68	33.43	100	354 PEAK
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																	
1 7125.11	70.24	88.20	-17.96	59.52	35.47	8.68	33.43	100	354 PEAK																																																																																																
2 7259.29	50.23	74.00	-23.77	39.57	35.45	8.77	33.56	100	354 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																	
1 7115.00	79.65	-----	-----	68.93	35.47	8.68	33.43	100	354 PEAK																																																																																																
Avg		Date: 2024-09-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7125.11</td><td>62.82</td><td>68.20</td><td>-5.38</td><td>52.10</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>354 AVERAGE</td></tr><tr><td>2 7276.21</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>29.93</td><td>35.44</td><td>8.82</td><td>33.58</td><td>100</td><td>354 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.11	62.82	68.20	-5.38	52.10	35.47	8.68	33.43	100	354 AVERAGE	2 7276.21	40.61	54.00	-13.39	29.93	35.44	8.82	33.58	100	354 AVERAGE	Date: 2024-09-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7115.00</td><td>73.01</td><td>-----</td><td>-----</td><td>62.29</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>354 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	73.01	-----	-----	62.29	35.47	8.68	33.43	100	354 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																	
1 7125.11	62.82	68.20	-5.38	52.10	35.47	8.68	33.43	100	354 AVERAGE																																																																																																
2 7276.21	40.61	54.00	-13.39	29.93	35.44	8.82	33.58	100	354 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																	
1 7115.00	73.01	-----	-----	62.29	35.47	8.68	33.43	100	354 AVERAGE																																																																																																



		141																																																																																																																
Mode		Band Edge																																																																																																																
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_7115MHz																																																																																																																
ANT		CDD 14+15																																																																																																																
Pol.		Vertical					Fundamental																																																																																																											
Peak		Level (dBuV/m) Date: 2024-09-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>70.55</td><td>88.20</td><td>-17.65</td><td>59.83</td><td>35.47</td><td>8.68</td><td>33.43</td><td>263</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7280.68</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>39.26</td><td>35.44</td><td>8.83</td><td>33.58</td><td>263</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	70.55	88.20	-17.65	59.83	35.47	8.68	33.43	263	360	PEAK	2	7280.68	49.95	74.00	-24.05	39.26	35.44	8.83	33.58	263	360	PEAK		Level (dBuV/m) Date: 2024-09-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>82.25</td><td>-----</td><td>-----</td><td>71.53</td><td>35.47</td><td>8.68</td><td>33.43</td><td>263</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.25	-----	-----	71.53	35.47	8.68	33.43	263	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7125.11	70.55	88.20	-17.65	59.83	35.47	8.68	33.43	263	360	PEAK																																																																																																							
2	7280.68	49.95	74.00	-24.05	39.26	35.44	8.83	33.58	263	360	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7115.00	82.25	-----	-----	71.53	35.47	8.68	33.43	263	360	PEAK																																																																																																							
Avg		Level (dBuV/m) Date: 2024-09-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>63.00</td><td>68.20</td><td>-5.20</td><td>52.28</td><td>35.47</td><td>8.68</td><td>33.43</td><td>263</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7275.51</td><td>40.72</td><td>54.00</td><td>-13.28</td><td>30.04</td><td>35.44</td><td>8.82</td><td>33.58</td><td>263</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	63.00	68.20	-5.20	52.28	35.47	8.68	33.43	263	360	AVERAGE	2	7275.51	40.72	54.00	-13.28	30.04	35.44	8.82	33.58	263	360	AVERAGE		Level (dBuV/m) Date: 2024-09-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>73.59</td><td>-----</td><td>-----</td><td>62.87</td><td>35.47</td><td>8.68</td><td>33.43</td><td>263</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.59	-----	-----	62.87	35.47	8.68	33.43	263	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7125.11	63.00	68.20	-5.20	52.28	35.47	8.68	33.43	263	360	AVERAGE																																																																																																							
2	7275.51	40.72	54.00	-13.28	30.04	35.44	8.82	33.58	263	360	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7115.00	73.59	-----	-----	62.87	35.47	8.68	33.43	263	360	AVERAGE																																																																																																							







		142																																																																																																																		
Mode		Band Edge																																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU_7115MHz																																																																																																																		
ANT		CDD 14+15																																																																																																																		
Pol.	Horizontal										Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2024-09-03  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>68.97</td><td>88.20</td><td>-19.23</td><td>58.25</td><td>35.47</td><td>8.68</td><td>33.43</td><td>400</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>7300.65</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>39.76</td><td>35.44</td><td>8.90</td><td>33.60</td><td>400</td><td>309</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.11	68.97	88.20	-19.23	58.25	35.47	8.68	33.43	400	309	PEAK	2	7300.65	50.50	74.00	-23.50	39.76	35.44	8.90	33.60	400	309	PEAK	Level (dBuV/m) Date: 2024-09-03  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>79.65</td><td>-----</td><td>-----</td><td>68.93</td><td>35.47</td><td>8.68</td><td>33.43</td><td>400</td><td>309</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	79.65	-----	-----	68.93	35.47	8.68	33.43	400	309	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7125.11	68.97	88.20	-19.23	58.25	35.47	8.68	33.43	400	309	PEAK																																																																																																									
2	7300.65	50.50	74.00	-23.50	39.76	35.44	8.90	33.60	400	309	PEAK																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7115.00	79.65	-----	-----	68.93	35.47	8.68	33.43	400	309	PEAK																																																																																																									
Avg	Level (dBuV/m) Date: 2024-09-03  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>62.20</td><td>68.20</td><td>-6.00</td><td>51.48</td><td>35.47</td><td>8.68</td><td>33.43</td><td>400</td><td>309</td><td>AVERAGE</td></tr><tr><td>2</td><td>7273.39</td><td>40.65</td><td>54.00</td><td>-13.35</td><td>29.98</td><td>35.44</td><td>8.81</td><td>33.58</td><td>400</td><td>309</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.11	62.20	68.20	-6.00	51.48	35.47	8.68	33.43	400	309	AVERAGE	2	7273.39	40.65	54.00	-13.35	29.98	35.44	8.81	33.58	400	309	AVERAGE	Level (dBuV/m) Date: 2024-09-03  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>72.28</td><td>-----</td><td>-----</td><td>61.56</td><td>35.47</td><td>8.68</td><td>33.43</td><td>400</td><td>309</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	72.28	-----	-----	61.56	35.47	8.68	33.43	400	309	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7125.11	62.20	68.20	-6.00	51.48	35.47	8.68	33.43	400	309	AVERAGE																																																																																																									
2	7273.39	40.65	54.00	-13.35	29.98	35.44	8.81	33.58	400	309	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7115.00	72.28	-----	-----	61.56	35.47	8.68	33.43	400	309	AVERAGE																																																																																																									



		142																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU_7115MHz																																																																																																		
ANT		CDD 14+15																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak		Level (dBuV/m) Date: 2024-09-03 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>68.17</td><td>88.20</td><td>-20.03</td><td>57.45</td><td>35.47</td><td>8.68</td><td>33.43</td><td>316</td><td>9 PEAK</td></tr><tr><td>2</td><td>7347.89</td><td>49.99</td><td>74.00</td><td>-24.01</td><td>39.16</td><td>35.43</td><td>9.05</td><td>33.65</td><td>316</td><td>9 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-03 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>79.99</td><td>-----</td><td>-----</td><td>69.24</td><td>35.48</td><td>8.69</td><td>33.42</td><td>316</td><td>9 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	68.17	88.20	-20.03	57.45	35.47	8.68	33.43	316	9 PEAK	2	7347.89	49.99	74.00	-24.01	39.16	35.43	9.05	33.65	316	9 PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	79.99	-----	-----	69.24	35.48	8.69	33.42	316	9 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.11	68.17	88.20	-20.03	57.45	35.47	8.68	33.43	316	9 PEAK																																																																																										
2	7347.89	49.99	74.00	-24.01	39.16	35.43	9.05	33.65	316	9 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	79.99	-----	-----	69.24	35.48	8.69	33.42	316	9 PEAK																																																																																										
Avg		Level (dBuV/m) Date: 2024-09-03 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>62.40</td><td>68.20</td><td>-5.80</td><td>51.68</td><td>35.47</td><td>8.68</td><td>33.43</td><td>316</td><td>9 AVERAGE</td></tr><tr><td>2</td><td>7313.11</td><td>40.70</td><td>54.00</td><td>-13.30</td><td>29.93</td><td>35.44</td><td>8.94</td><td>33.61</td><td>316</td><td>9 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-09-03 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>72.76</td><td>-----</td><td>-----</td><td>62.04</td><td>35.47</td><td>8.68</td><td>33.43</td><td>316</td><td>9 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	62.40	68.20	-5.80	51.68	35.47	8.68	33.43	316	9 AVERAGE	2	7313.11	40.70	54.00	-13.30	29.93	35.44	8.94	33.61	316	9 AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	72.76	-----	-----	62.04	35.47	8.68	33.43	316	9 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.11	62.40	68.20	-5.80	51.68	35.47	8.68	33.43	316	9 AVERAGE																																																																																										
2	7313.11	40.70	54.00	-13.30	29.93	35.44	8.94	33.61	316	9 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7115.00	72.76	-----	-----	62.04	35.47	8.68	33.43	316	9 AVERAGE																																																																																										







Mode	143																																																																																								
	Band Edge																																																																																								
	Co-location																																																																																								
ANT	1																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>46.18</td><td>30.89</td><td>4.93</td><td>33.51</td><td>378</td><td>194 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.00	48.49	74.00	-25.51	46.18	30.89	4.93	33.51	378	194 Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.89</td><td>74.00</td><td>30.89</td><td>102.67</td><td>30.83</td><td>4.91</td><td>33.52</td><td>378</td><td>194 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.89	74.00	30.89	102.67	30.83	4.91	33.52	378
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2493.00	48.49	74.00	-25.51	46.18	30.89	4.93	33.51	378	194 Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2478.00	104.89	74.00	30.89	102.67	30.83	4.91	33.52	378	194 Peak																																																																															
Avg																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.56</td><td>41.29</td><td>54.00</td><td>-12.71</td><td>39.02</td><td>30.86</td><td>4.92</td><td>33.51</td><td>378</td><td>194 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.56	41.29	54.00	-12.71	39.02	30.86	4.92	33.51	378	194 Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.92</td><td>54.00</td><td>50.92</td><td>102.70</td><td>30.83</td><td>4.91</td><td>33.52</td><td>378</td><td>194 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.92	54.00	50.92	102.70	30.83	4.91	33.52	378
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.56	41.29	54.00	-12.71	39.02	30.86	4.92	33.51	378	194 Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2478.00	104.92	54.00	50.92	102.70	30.83	4.91	33.52	378	194 Average																																																																															

Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored.







Mode	143																																																																																				
	Band Edge																																																																																				
	Co-location																																																																																				
ANT	1																																																																																				
Pol.	Vertical					Fundamental																																																																															
Peak	Level (dBuV/m) Date: 2024-09-01 PEAK_BE_74					Level (dBuV/m) Date: 2024-09-01 PEAK_74																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2486.32</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>47.06</td><td>30.86</td><td>4.92</td><td>33.51</td><td>398</td><td>320 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2486.32	49.33	74.00	-24.67	47.06	30.86	4.92	33.51	398	320 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>97.86</td><td>74.00</td><td>23.86</td><td>95.64</td><td>30.83</td><td>4.91</td><td>33.52</td><td>398</td><td>320 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	97.86	74.00	23.86	95.64	30.83	4.91	33.52	398
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 2486.32	49.33	74.00	-24.67	47.06	30.86	4.92	33.51	398	320 Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 2478.00	97.86	74.00	23.86	95.64	30.83	4.91	33.52	398	320 Peak																																																																												
Avg	Level (dBuV/m) Date: 2024-09-01 AVG_BE_54					Level (dBuV/m) Date: 2024-09-01 AVG_54																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2488.96</td><td>41.43</td><td>54.00</td><td>-12.57</td><td>39.14</td><td>30.87</td><td>4.93</td><td>33.51</td><td>398</td><td>320 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2488.96	41.43	54.00	-12.57	39.14	30.87	4.93	33.51	398	320 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>96.80</td><td>54.00</td><td>42.80</td><td>94.58</td><td>30.83</td><td>4.91</td><td>33.52</td><td>398</td><td>320 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	96.80	54.00	42.80	94.58	30.83	4.91	33.52	398
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 2488.96	41.43	54.00	-12.57	39.14	30.87	4.93	33.51	398	320 Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 2478.00	96.80	54.00	42.80	94.58	30.83	4.91	33.52	398	320 Average																																																																												







Mode	143																																																																																	
	Band Edge																																																																																	
	Co-location																																																																																	
ANT	1																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	 Level (dBuV/m) Date: 2024-09-01 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.17</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>46.24</td><td>30.61</td><td>4.79</td><td>33.57</td><td>367 16 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2389.17	48.07	74.00	-25.93	46.24	30.61	4.79	33.57	367 16 Peak	 Level (dBuV/m) Date: 2024-09-01 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>102.54</td><td>74.00</td><td>28.54</td><td>100.63</td><td>30.64</td><td>4.82</td><td>33.55</td><td>367 16 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2412.00	102.54	74.00	28.54	100.63	30.64	4.82	33.55	367 16 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2389.17	48.07	74.00	-25.93	46.24	30.61	4.79	33.57	367 16 Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2412.00	102.54	74.00	28.54	100.63	30.64	4.82	33.55	367 16 Peak																																																																										
Avg	 Level (dBuV/m) Date: 2024-09-01 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2390.00</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>38.24</td><td>30.61</td><td>4.80</td><td>33.57</td><td>367 16 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2390.00	40.08	54.00	-13.92	38.24	30.61	4.80	33.57	367 16 Average	 Level (dBuV/m) Date: 2024-09-01 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>94.54</td><td>54.00</td><td>40.54</td><td>92.63</td><td>30.64</td><td>4.82</td><td>33.55</td><td>367 16 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2412.00	94.54	54.00	40.54	92.63	30.64	4.82	33.55	367 16 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2390.00	40.08	54.00	-13.92	38.24	30.61	4.80	33.57	367 16 Average																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2412.00	94.54	54.00	40.54	92.63	30.64	4.82	33.55	367 16 Average																																																																										



Mode	143																																																																																										
	Band Edge																																																																																										
	Co-location																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-01  2310 2331. 2352. 2373. 2394. 2415 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2336.04</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>46.21</td><td>30.71</td><td>4.74</td><td>33.60</td><td>366</td><td>268</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2336.04	48.06	74.00	-25.94	46.21	30.71	4.74	33.60	366	268	Peak	Level (dBuV/m) Date: 2024-09-01  1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.13</td><td>74.00</td><td>24.13</td><td>96.22</td><td>30.64</td><td>4.82</td><td>33.55</td><td>366</td><td>268</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	98.13	74.00	24.13	96.22	30.64	4.82	33.55	366	268	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2336.04	48.06	74.00	-25.94	46.21	30.71	4.74	33.60	366	268	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	98.13	74.00	24.13	96.22	30.64	4.82	33.55	366	268	Peak																																																																																
Avg	Level (dBuV/m) Date: 2024-09-01  2310 2331. 2352. 2373. 2394. 2415 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.01</td><td>38.00</td><td>150.00</td><td>-112.00</td><td>36.16</td><td>30.61</td><td>4.80</td><td>33.57</td><td>366</td><td>268</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2390.01	38.00	150.00	-112.00	36.16	30.61	4.80	33.57	366	268	Average	Level (dBuV/m) Date: 2024-09-01  1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>90.11</td><td>54.00</td><td>36.11</td><td>88.20</td><td>30.64</td><td>4.82</td><td>33.55</td><td>366</td><td>268</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	90.11	54.00	36.11	88.20	30.64	4.82	33.55	366	268	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2390.01	38.00	150.00	-112.00	36.16	30.61	4.80	33.57	366	268	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2412.00	90.11	54.00	36.11	88.20	30.64	4.82	33.55	366	268	Peak																																																																																



		143																																																																																													
Mode		Band Edge																																																																																													
		Co-location																																																																																													
ANT		1																																																																																													
Pol.	Horizontal										Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-01  PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7124.83</td><td>57.97</td><td>119.20</td><td>-61.23</td><td>47.25</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>12 Peak</td></tr><tr><td>2</td><td>7329.53</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>38.18</td><td>35.43</td><td>8.99</td><td>33.63</td><td>100</td><td>12 Peak</td></tr></tbody></table>											Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7124.83	57.97	119.20	-61.23	47.25	35.47	8.68	33.43	100	12 Peak	2	7329.53	48.97	74.00	-25.03	38.18	35.43	8.99	33.63	100	12 Peak	Level (dBuV/m) Date: 2024-09-01  PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.63</td><td>119.20</td><td>-35.57</td><td>72.88</td><td>35.48</td><td>8.69</td><td>33.42</td><td>100</td><td>12 Peak</td></tr></tbody></table>											Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.63	119.20	-35.57	72.88	35.48	8.69	33.42	100	12 Peak
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss Factor	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7124.83	57.97	119.20	-61.23	47.25	35.47	8.68	33.43	100	12 Peak																																																																																					
2	7329.53	48.97	74.00	-25.03	38.18	35.43	8.99	33.63	100	12 Peak																																																																																					
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Preamp	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	83.63	119.20	-35.57	72.88	35.48	8.69	33.42	100	12 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2024-09-01  AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>55.26</td><td>68.20</td><td>-12.94</td><td>44.54</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>12 Average</td></tr><tr><td>2</td><td>7270.02</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>30.27</td><td>35.45</td><td>8.80</td><td>33.57</td><td>100</td><td>12 Average</td></tr></tbody></table>											Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	55.26	68.20	-12.94	44.54	35.47	8.68	33.43	100	12 Average	2	7270.02	40.95	54.00	-13.05	30.27	35.45	8.80	33.57	100	12 Average	Level (dBuV/m) Date: 2024-09-01  AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.45</td><td>99.20</td><td>-22.75</td><td>65.70</td><td>35.48</td><td>8.69</td><td>33.42</td><td>100</td><td>12 Average</td></tr></tbody></table>											Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.45	99.20	-22.75	65.70	35.48	8.69	33.42	100	12 Average
		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Preamp	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.00	55.26	68.20	-12.94	44.54	35.47	8.68	33.43	100	12 Average																																																																																					
2	7270.02	40.95	54.00	-13.05	30.27	35.45	8.80	33.57	100	12 Average																																																																																					
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Preamp	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	76.45	99.20	-22.75	65.70	35.48	8.69	33.42	100	12 Average																																																																																					



		143																																																															
Mode	Band Edge																																																																
	Co-location																																																																
ANT	1																																																																
Pol.	Vertical																																																																
Peak	Level (dBuV/m) Date: 2024-09-01																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>71.73</td><td>88.20</td><td>-16.47</td><td>61.01</td><td>35.47</td><td>8.68</td><td>33.43</td><td>396</td><td>22</td><td>Peak</td></tr><tr><td>2</td><td>7304.17</td><td>46.92</td><td>74.00</td><td>-27.08</td><td>36.18</td><td>35.44</td><td>8.91</td><td>33.61</td><td>396</td><td>22</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	71.73	88.20	-16.47	61.01	35.47	8.68	33.43	396	22	Peak	2	7304.17	46.92	74.00	-27.08	36.18	35.44	8.91	33.61	396	22	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7125.00	71.73	88.20	-16.47	61.01	35.47	8.68	33.43	396	22	Peak																																																						
2	7304.17	46.92	74.00	-27.08	36.18	35.44	8.91	33.61	396	22	Peak																																																						
Fundamental	Level (dBuV/m) Date: 2024-09-01																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.09</td><td>119.20</td><td>-38.11</td><td>70.34</td><td>35.48</td><td>8.69</td><td>33.42</td><td>396</td><td>22</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.09	119.20	-38.11	70.34	35.48	8.69	33.42	396	22	Peak												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7115.00	81.09	119.20	-38.11	70.34	35.48	8.69	33.42	396	22	Peak																																																						
Avg	Level (dBuV/m) Date: 2024-09-01																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>61.86</td><td>68.20</td><td>-6.34</td><td>51.14</td><td>35.47</td><td>8.68</td><td>33.43</td><td>396</td><td>22</td><td>Peak</td></tr><tr><td>2</td><td>7303.50</td><td>40.02</td><td>54.00</td><td>-13.98</td><td>29.27</td><td>35.44</td><td>8.91</td><td>33.60</td><td>396</td><td>22</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	61.86	68.20	-6.34	51.14	35.47	8.68	33.43	396	22	Peak	2	7303.50	40.02	54.00	-13.98	29.27	35.44	8.91	33.60	396	22	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7125.00	61.86	68.20	-6.34	51.14	35.47	8.68	33.43	396	22	Peak																																																						
2	7303.50	40.02	54.00	-13.98	29.27	35.44	8.91	33.60	396	22	Average																																																						
Fundamental	Level (dBuV/m) Date: 2024-09-01																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>73.09</td><td>99.20</td><td>-26.11</td><td>62.34</td><td>35.48</td><td>8.69</td><td>33.42</td><td>396</td><td>22</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.09	99.20	-26.11	62.34	35.48	8.69	33.42	396	22	Average												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7115.00	73.09	99.20	-26.11	62.34	35.48	8.69	33.42	396	22	Average																																																						







Mode	143																																																																																																																																																						
	Harmonic																																																																																																																																																						
	Co-location																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	Data: 5 Date: 2024-09-01 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.13</td><td>-34.87</td><td>74.00</td><td>62.35</td><td>34.26</td><td>7.75</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>41.49</td><td>-32.51</td><td>74.00</td><td>64.53</td><td>34.45</td><td>7.80</td><td>65.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>40.90</td><td>-33.10</td><td>74.00</td><td>60.06</td><td>35.41</td><td>9.19</td><td>64.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>14230.00</td><td>47.99</td><td>-40.21</td><td>88.20</td><td>60.30</td><td>38.54</td><td>12.73</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.13	-34.87	74.00	62.35	34.26	7.75	65.23	---	---	Peak	2	4956.00	41.49	-32.51	74.00	64.53	34.45	7.80	65.29	---	---	Peak	3	7434.00	40.90	-33.10	74.00	60.06	35.41	9.19	64.56	---	---	Peak	4	14230.00	47.99	-40.21	88.20	60.30	38.54	12.73	63.58	---	---	Peak	Data: 6 Date: 2024-09-03 <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.33</td><td>-33.67</td><td>74.00</td><td>63.55</td><td>34.26</td><td>7.75</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>41.68</td><td>-32.32</td><td>74.00</td><td>64.72</td><td>34.45</td><td>7.80</td><td>65.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>39.28</td><td>-34.72</td><td>74.00</td><td>59.24</td><td>35.41</td><td>9.19</td><td>64.56</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>14230.00</td><td>49.22</td><td>-38.98</td><td>88.20</td><td>61.53</td><td>38.54</td><td>12.73</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.33	-33.67	74.00	63.55	34.26	7.75	65.23	---	---	Peak	2	4956.00	41.68	-32.32	74.00	64.72	34.45	7.80	65.29	---	---	Peak	3	7434.00	39.28	-34.72	74.00	59.24	35.41	9.19	64.56	---	---	Peak	4	14230.00	49.22	-38.98	88.20	61.53	38.54	12.73	63.58	---	---	Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4824.00	39.13	-34.87	74.00	62.35	34.26	7.75	65.23	---	---	Peak																																																																																																																																												
2	4956.00	41.49	-32.51	74.00	64.53	34.45	7.80	65.29	---	---	Peak																																																																																																																																												
3	7434.00	40.90	-33.10	74.00	60.06	35.41	9.19	64.56	---	---	Peak																																																																																																																																												
4	14230.00	47.99	-40.21	88.20	60.30	38.54	12.73	63.58	---	---	Peak																																																																																																																																												
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4824.00	40.33	-33.67	74.00	63.55	34.26	7.75	65.23	---	---	Peak																																																																																																																																												
2	4956.00	41.68	-32.32	74.00	64.72	34.45	7.80	65.29	---	---	Peak																																																																																																																																												
3	7434.00	39.28	-34.72	74.00	59.24	35.41	9.19	64.56	---	---	Peak																																																																																																																																												
4	14230.00	49.22	-38.98	88.20	61.53	38.54	12.73	63.58	---	---	Peak																																																																																																																																												



Mode	144																																																																													
	Band Edge																																																																													
	Co-location																																																																													
ANT	1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-08-30 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2487.16</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>47.03</td><td>30.87</td><td>4.93</td><td>33.51</td><td>378</td><td>194 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2487.16	49.32	74.00	-24.68	47.03	30.87	4.93	33.51	378	194 Peak	Level (dBuV/m) Date: 2024-08-30 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>105.48</td><td>-----</td><td>-----</td><td>103.26</td><td>30.83</td><td>4.91</td><td>33.52</td><td>378</td><td>194 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	105.48	-----	-----	103.26	30.83	4.91	33.52	378	194 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2487.16	49.32	74.00	-24.68	47.03	30.87	4.93	33.51	378	194 Peak																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2478.00	105.48	-----	-----	103.26	30.83	4.91	33.52	378	194 Peak																																																																					
Avg	Level (dBuV/m) Date: 2024-08-30 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2491.16</td><td>41.71</td><td>54.00</td><td>-12.29</td><td>39.41</td><td>30.88</td><td>4.93</td><td>33.51</td><td>378</td><td>194 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2491.16	41.71	54.00	-12.29	39.41	30.88	4.93	33.51	378	194 Average	Level (dBuV/m) Date: 2024-08-30 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>104.25</td><td>-----</td><td>-----</td><td>102.03</td><td>30.83</td><td>4.91</td><td>33.52</td><td>378</td><td>194 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	104.25	-----	-----	102.03	30.83	4.91	33.52	378	194 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2491.16	41.71	54.00	-12.29	39.41	30.88	4.93	33.51	378	194 Average																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2478.00	104.25	-----	-----	102.03	30.83	4.91	33.52	378	194 Average																																																																					

Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored.



Mode	144																																																																																	
	Band Edge																																																																																	
	Co-location																																																																																	
ANT	1																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-08-30  PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2490.36</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>47.22</td><td>30.88</td><td>4.93</td><td>33.51</td><td>398</td><td>320</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2490.36	49.52	74.00	-24.48	47.22	30.88	4.93	33.51	398	320	Peak	Level (dBuV/m) Date: 2024-08-30  PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>97.85</td><td>-----</td><td>-----</td><td>95.63</td><td>30.83</td><td>4.91</td><td>33.52</td><td>398</td><td>320</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2478.00	97.85	-----	-----	95.63	30.83	4.91	33.52	398	320	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2490.36	49.52	74.00	-24.48	47.22	30.88	4.93	33.51	398	320	Peak																																																																							
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.00	97.85	-----	-----	95.63	30.83	4.91	33.52	398	320	Peak																																																																							
Avg	Level (dBuV/m) Date: 2024-08-30  AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2486.36</td><td>41.59</td><td>54.00</td><td>-12.41</td><td>39.32</td><td>30.86</td><td>4.92</td><td>33.51</td><td>398</td><td>320</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2486.36	41.59	54.00	-12.41	39.32	30.86	4.92	33.51	398	320	Average	Level (dBuV/m) Date: 2024-08-30  AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>96.41</td><td>-----</td><td>-----</td><td>94.19</td><td>30.83</td><td>4.91</td><td>33.52</td><td>398</td><td>320</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2478.00	96.41	-----	-----	94.19	30.83	4.91	33.52	398	320	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2486.36	41.59	54.00	-12.41	39.32	30.86	4.92	33.51	398	320	Average																																																																							
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2478.00	96.41	-----	-----	94.19	30.83	4.91	33.52	398	320	Average																																																																							
Mode	144																																																																																	



	Band Edge																																																																																	
	Co-location																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-08-30 125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 2310 2331. 2352. 2373. 2394. 2415 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>47.06</td><td>30.61</td><td>4.79</td><td>33.57</td><td>367</td><td>16</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.17	48.89	74.00	-25.11	47.06	30.61	4.79	33.57	367	16	Peak	Level (dBuV/m) Date: 2024-08-30 125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.00</td><td>74.00</td><td>28.00</td><td>100.09</td><td>30.64</td><td>4.82</td><td>33.55</td><td>367</td><td>16</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	102.00	74.00	28.00	100.09	30.64	4.82	33.55	367	16	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2389.17	48.89	74.00	-25.11	47.06	30.61	4.79	33.57	367	16	Peak																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2412.00	102.00	74.00	28.00	100.09	30.64	4.82	33.55	367	16	Peak																																																																							
Avg	Level (dBuV/m) Date: 2024-08-30 125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 2310 2331. 2352. 2373. 2394. 2415 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>39.59</td><td>74.00</td><td>-14.41</td><td>37.75</td><td>30.61</td><td>4.80</td><td>33.57</td><td>367</td><td>16</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2390.00	39.59	74.00	-14.41	37.75	30.61	4.80	33.57	367	16	Average	Level (dBuV/m) Date: 2024-08-30 125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.26</td><td>74.00</td><td>40.26</td><td>92.35</td><td>30.64</td><td>4.82</td><td>33.55</td><td>367</td><td>16</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	94.26	74.00	40.26	92.35	30.64	4.82	33.55	367	16	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2390.00	39.59	74.00	-14.41	37.75	30.61	4.80	33.57	367	16	Average																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	2412.00	94.26	74.00	40.26	92.35	30.64	4.82	33.55	367	16	Average																																																																							

Mode	144
------	-----



		Band Edge													
		Co-location													
ANT		1													
Pol.		Vertical													
Fundamental		Fundamental													
Peak	Level (dBuV/m) Date: 2024-08-30														




	144																																																																																																			
Mode	Band Edge																																																																																																			
	Co-location																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Date: 2024-09-03 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>58.85</td><td>88.20</td><td>-29.35</td><td>48.13</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>12</td><td>Peak</td></tr><tr><td>2</td><td>7329.53</td><td>50.97</td><td>74.00</td><td>-23.03</td><td>40.18</td><td>35.43</td><td>8.99</td><td>33.63</td><td>100</td><td>12</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.00	58.85	88.20	-29.35	48.13	35.47	8.68	33.43	100	12	Peak	2	7329.53	50.97	74.00	-23.03	40.18	35.43	8.99	33.63	100	12	Peak	Date: 2024-08-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.87</td><td>119.20</td><td>-35.33</td><td>73.12</td><td>35.48</td><td>8.69</td><td>33.42</td><td>100</td><td>12</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7115.00	83.87	119.20	-35.33	73.12	35.48	8.69	33.42	100	12	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7125.00	58.85	88.20	-29.35	48.13	35.47	8.68	33.43	100	12	Peak																																																																																									
2	7329.53	50.97	74.00	-23.03	40.18	35.43	8.99	33.63	100	12	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7115.00	83.87	119.20	-35.33	73.12	35.48	8.69	33.42	100	12	Peak																																																																																									
Avg	Date: 2024-09-03 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>44.10</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>12</td><td>Average</td></tr><tr><td>2</td><td>7270.02</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>30.18</td><td>35.45</td><td>8.80</td><td>33.57</td><td>100</td><td>12</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7125.00	54.82	68.20	-13.38	44.10	35.47	8.68	33.43	100	12	Average	2	7270.02	40.86	54.00	-13.14	30.18	35.45	8.80	33.57	100	12	Average	Date: 2024-08-30 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.45</td><td>99.20</td><td>-22.75</td><td>65.70</td><td>35.48</td><td>8.69</td><td>33.42</td><td>100</td><td>12</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7115.00	76.45	99.20	-22.75	65.70	35.48	8.69	33.42	100	12	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7125.00	54.82	68.20	-13.38	44.10	35.47	8.68	33.43	100	12	Average																																																																																									
2	7270.02	40.86	54.00	-13.14	30.18	35.45	8.80	33.57	100	12	Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																												
1	7115.00	76.45	99.20	-22.75	65.70	35.48	8.69	33.42	100	12	Average																																																																																									



		144																																																																																																											
Mode		Band Edge																																																																																																											
		Co-location																																																																																																											
ANT		1																																																																																																											
Pol.	Vertical										Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2024-09-03 PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>77.04</td><td>88.20</td><td>-11.16</td><td>66.32</td><td>35.47</td><td>8.68</td><td>33.43</td><td>396</td><td>22 Peak</td></tr><tr><td>2</td><td>7304.17</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>39.50</td><td>35.44</td><td>8.91</td><td>33.61</td><td>396</td><td>22 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	77.04	88.20	-11.16	66.32	35.47	8.68	33.43	396	22 Peak	2	7304.17	50.24	74.00	-23.76	39.50	35.44	8.91	33.61	396	22 Peak	Level (dBuV/m) Date: 2024-08-30 PEAK(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.81</td><td>119.20</td><td>-37.39</td><td>71.06</td><td>35.48</td><td>8.69</td><td>33.42</td><td>396</td><td>22 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.81	119.20	-37.39	71.06	35.48	8.69	33.42	396	22 Peak
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7125.00	77.04	88.20	-11.16	66.32	35.47	8.68	33.43	396	22 Peak																																																																																																			
2	7304.17	50.24	74.00	-23.76	39.50	35.44	8.91	33.61	396	22 Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7115.00	81.81	119.20	-37.39	71.06	35.48	8.69	33.42	396	22 Peak																																																																																																			
Avg	Level (dBuV/m) Date: 2024-09-03 AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.86</td><td>68.20</td><td>-5.34</td><td>52.14</td><td>35.47</td><td>8.68</td><td>33.43</td><td>396</td><td>22 Average</td></tr><tr><td>2</td><td>7303.50</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>29.98</td><td>35.44</td><td>8.91</td><td>33.60</td><td>396</td><td>22 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.86	68.20	-5.34	52.14	35.47	8.68	33.43	396	22 Average	2	7303.50	40.73	54.00	-13.27	29.98	35.44	8.91	33.60	396	22 Average	Level (dBuV/m) Date: 2024-08-30 AVG(U-NI)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>73.80</td><td>99.20</td><td>-25.40</td><td>63.05</td><td>35.48</td><td>8.69</td><td>33.42</td><td>396</td><td>22 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	73.80	99.20	-25.40	63.05	35.48	8.69	33.42	396	22 Average
		Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7125.00	62.86	68.20	-5.34	52.14	35.47	8.68	33.43	396	22 Average																																																																																																			
2	7303.50	40.73	54.00	-13.27	29.98	35.44	8.91	33.60	396	22 Average																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7115.00	73.80	99.20	-25.40	63.05	35.48	8.69	33.42	396	22 Average																																																																																																			

Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored.




Remark: In co-location mode, the signals exceeding the limit are all the fundamental frequency which can be ignored.


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	98.63	-	-	10Hz
11ax HE20/11be EHT20	100.00	-	-	10Hz
11ax HE40/11be EHT40	100.00	-	-	10Hz
11ax HE80/11be EHT80	100.00	-	-	10Hz
11ax HE160/11be EHT160	100.00	-	-	10Hz
11be EHT320	100.00	-	-	10Hz
11be EHT20_106+26_OFDMA_1	94.67	3.2	0.313	1kHz
11be EHT80_Large RU 484+242	93.75	0.9	1.111	3kHz
11be EHT80_Puncturing 20M	99.63	-	-	10Hz
11be EHT160_Large RU 996+484	94.57	0.87	1.149	3KHz
11be EHT160_Puncturing 20M	99.82	-	-	10Hz
11be EHT160_Puncturing 40M	99.63	-	-	10Hz
11be EHT320_Large RU 996x2+484	93.10	0.54	1.852	3KHz
11be EHT320_Large RU 996x3	93.88	0.46	2.174	3KHz
11be EHT320_Large RU 996x3+484	93.18	0.41	2.439	3KHz
11be EHT320_Puncturing 40M	99.82	-	-	10Hz
11be EHT320_Puncturing 80M	99.82	-	-	10Hz
11be EHT320_Puncturing 80M+40M	99.63	-	-	10Hz


802.11a




802.11be EHT20




802.11be EHT40




802.11be EHT80




802.11be EHT160




802.11be EHT320




11be EHT20_106+26_OFDMA_1




11be EHT80_Large RU 484+242




11be EHT80_Puncturing 20M




11be EHT160_Large RU 996+484




11be EHT160_Puncturing 20M




11be EHT160_Puncturing 40M




11be EHT320_Large RU 996x2+484




11be EHT320_Large RU 996x3




11be EHT320_Large RU 996x3+484



11be EHT320_Puncturing 40M



11be EHT320_Puncturing 80M



11be EHT320_Puncturing 80M+40M

