





Mode	3																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																												
ANT	CDD 14+15																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.16</td><td>88.20</td><td>-42.04</td><td>59.22</td><td>38.57</td><td>11.87</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.16	88.20	-42.04	59.22	38.57	11.87	63.50	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.63</td><td>88.20</td><td>-40.57</td><td>60.69</td><td>38.57</td><td>11.87</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.63	88.20	-40.57	60.69	38.57	11.87	63.50	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12830.00	46.16	88.20	-42.04	59.22	38.57	11.87	63.50	--	--	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12830.00	47.63	88.20	-40.57	60.69	38.57	11.87	63.50	--	--	Peak																																																																																		





Mode	4																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH97_6435MHz																																																																																														
ANT	CDD 14+15																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-19  PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2024-08-19  PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>59.94</td><td>38.57</td><td>11.88</td><td>63.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	46.85	88.20	-41.35	59.94	38.57	11.88	63.54	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>60.59</td><td>38.57</td><td>11.88</td><td>63.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	47.50	88.20	-40.70	60.59	38.57	11.88	63.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12870.00	46.85	88.20	-41.35	59.94	38.57	11.88	63.54	--	--	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12870.00	47.50	88.20	-40.70	60.59	38.57	11.88	63.54	--	--	Peak																																																																																				



Mode	5																																																																																															
	Harmonic																																																																																															
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>60.79</td><td>38.59</td><td>11.90</td><td>63.64</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.64	88.20	-40.56	60.79	38.59	11.90	63.64	--	Peak	Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>61.07</td><td>38.59</td><td>11.90</td><td>63.64</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.92	88.20	-40.28	61.07	38.59	11.90	63.64	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq		Level	Line Margin	Level	Factor	Loss	Factor																																																																																									
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12950.00	47.64	88.20	-40.56	60.79	38.59	11.90	63.64	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq		Level	Line Margin	Level	Factor	Loss	Factor																																																																																									
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																																					
1	12950.00	47.92	88.20	-40.28	61.07	38.59	11.90	63.64	--	Peak																																																																																						



Mode	6																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																	
ANT	CDD 14+15																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-08-27 						Level (dBuV/m) Date: 2024-08-27 																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>60.41</td><td>38.60</td><td>11.93</td><td>63.69</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.25	88.20	-40.95	60.41	38.60	11.93	63.69	--	-- Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>60.43</td><td>38.60</td><td>11.93</td><td>63.69</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.27	88.20	-40.93	60.43	38.60	11.93	63.69	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13030.00	47.25	88.20	-40.95	60.41	38.60	11.93	63.69	--	-- Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13030.00	47.27	88.20	-40.93	60.43	38.60	11.93	63.69	--	-- Peak																																																																																								



Mode	7																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13070.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>60.74</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13070.00	47.61	88.20	-40.59	60.74	38.60	11.96	63.69	--	--	Peak		Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13070.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>60.39</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13070.00	47.26	88.20	-40.94	60.39	38.60	11.96	63.69	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13070.00	47.61	88.20	-40.59	60.74	38.60	11.96	63.69	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13070.00	47.26	88.20	-40.94	60.39	38.60	11.96	63.69	--	--	Peak																																																																																																



Mode	8																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																					
ANT	CDD 14+15																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Date: 2024-08-27 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>59.82</td><td>38.60</td><td>12.23</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.03	74.00	-26.97	59.82	38.60	12.23	63.62	--	--	Peak	Date: 2024-08-19 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>60.76</td><td>38.60</td><td>12.23</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.97	74.00	-26.03	60.76	38.60	12.23	63.62	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13390.00	47.03	74.00	-26.97	59.82	38.60	12.23	63.62	--	--	Peak																																																																																											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13390.00	47.97	74.00	-26.03	60.76	38.60	12.23	63.62	--	--	Peak																																																																																											



Mode	9																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13710.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>59.76</td><td>38.56</td><td>12.50</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13710.00	47.30	88.20	-40.90	59.76	38.56	12.50	63.52	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13710.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>59.82</td><td>38.56</td><td>12.50</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13710.00	47.36	88.20	-40.84	59.82	38.56	12.50	63.52	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13710.00	47.30	88.20	-40.90	59.76	38.56	12.50	63.52	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13710.00	47.36	88.20	-40.84	59.82	38.56	12.50	63.52	--	--	Peak																																																																																						



Mode	10																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.37</td><td>88.20</td><td>-40.83</td><td>59.75</td><td>38.54</td><td>12.56</td><td>63.48</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.37	88.20	-40.83	59.75	38.54	12.56	63.48	--	-- Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>59.95</td><td>38.54</td><td>12.56</td><td>63.48</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.57	88.20	-40.63	59.95	38.54	12.56	63.48	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13790.00	47.37	88.20	-40.83	59.75	38.54	12.56	63.48	--	-- Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13790.00	47.57	88.20	-40.63	59.95	38.54	12.56	63.48	--	-- Peak																																																																																				



Mode	11																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>59.18</td><td>38.50</td><td>12.73</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	47.00	88.20	-41.20	59.18	38.50	12.73	63.41	--	--	Peak	Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>59.82</td><td>38.50</td><td>12.73</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	47.64	88.20	-40.56	59.82	38.50	12.73	63.41	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13990.00	47.00	88.20	-41.20	59.18	38.50	12.73	63.41	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13990.00	47.64	88.20	-40.56	59.82	38.50	12.73	63.41	--	--	Peak																																																																																															







Mode	12																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																							
ANT	CDD 14+15																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14190.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>59.32</td><td>38.54</td><td>12.73</td><td>63.55</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	47.04	88.20	-41.16	59.32	38.54	12.73	63.55	--	Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14190.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>59.36</td><td>38.54</td><td>12.73</td><td>63.55</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	47.08	88.20	-41.12	59.36	38.54	12.73	63.55	--	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 14190.00	47.04	88.20	-41.16	59.32	38.54	12.73	63.55	--	Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 14190.00	47.08	88.20	-41.12	59.36	38.54	12.73	63.55	--	Peak																																																																															





		13																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																							
ANT		CDD 14+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5857.63</td><td>51.66</td><td>88.20</td><td>-36.54</td><td>40.18</td><td>35.11</td><td>8.87</td><td>32.50</td><td>381</td><td>42</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5857.63	51.66	88.20	-36.54	40.18	35.11	8.87	32.50	381	42	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.94</td><td>-----</td><td>-----</td><td>72.51</td><td>35.18</td><td>8.75</td><td>32.50</td><td>381</td><td>42</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	83.94	-----	-----	72.51	35.18	8.75	32.50	381	42
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5857.63	51.66	88.20	-36.54	40.18	35.11	8.87	32.50	381	42	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	83.94	-----	-----	72.51	35.18	8.75	32.50	381	42	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.65</td><td>41.61</td><td>68.20</td><td>-26.59</td><td>30.16</td><td>35.15</td><td>8.80</td><td>32.50</td><td>381</td><td>42</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5916.65	41.61	68.20	-26.59	30.16	35.15	8.80	32.50	381	42	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>74.65</td><td>99.20</td><td>-24.55</td><td>63.22</td><td>35.18</td><td>8.75</td><td>32.50</td><td>381</td><td>42</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	74.65	99.20	-24.55	63.22	35.18	8.75	32.50	381	42
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5916.65	41.61	68.20	-26.59	30.16	35.15	8.80	32.50	381	42	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	74.65	99.20	-24.55	63.22	35.18	8.75	32.50	381	42	AVERAGE																																																																														





		13																																																																																				
Mode		Band Edge																																																																																				
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																				
ANT		CDD 14+15																																																																																				
Pol.		Vertical					Fundamental																																																																															
Peak	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5847.49</td><td>50.95</td><td>88.20</td><td>-37.25</td><td>39.46</td><td>35.11</td><td>8.88</td><td>32.50</td><td>300</td><td>342 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5847.49	50.95	88.20	-37.25	39.46	35.11	8.88	32.50	300	342 PEAK	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>87.42</td><td>-----</td><td>-----</td><td>75.99</td><td>35.18</td><td>8.75</td><td>32.50</td><td>300</td><td>342 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	87.42	-----	-----	75.99	35.18	8.75	32.50	300	342 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 5847.49	50.95	88.20	-37.25	39.46	35.11	8.88	32.50	300	342 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 5955.00	87.42	-----	-----	75.99	35.18	8.75	32.50	300	342 PEAK																																																																													
Avg	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5872.45</td><td>41.72</td><td>68.20</td><td>-26.48</td><td>30.25</td><td>35.12</td><td>8.85</td><td>32.50</td><td>300</td><td>342 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5872.45	41.72	68.20	-26.48	30.25	35.12	8.85	32.50	300	342 AVERAGE	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>78.87</td><td>99.20</td><td>-20.33</td><td>67.44</td><td>35.17</td><td>8.76</td><td>32.50</td><td>300</td><td>342 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	78.87	99.20	-20.33	67.44	35.17	8.76	32.50	300	342 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 5872.45	41.72	68.20	-26.48	30.25	35.12	8.85	32.50	300	342 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 5955.00	78.87	99.20	-20.33	67.44	35.17	8.76	32.50	300	342 AVERAGE																																																																													



Mode	13																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>60.51</td><td>38.13</td><td>11.66</td><td>63.15</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>58.60</td><td>41.93</td><td>13.31</td><td>65.94</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11910.00	47.15	74.00	-26.85	60.51	38.13	11.66	63.15	-- -- Peak	2	17865.00	47.90	74.00	-26.10	58.60	41.93	13.31	65.94	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>60.57</td><td>38.13</td><td>11.66</td><td>63.15</td><td>-- -- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>58.49</td><td>41.93</td><td>13.31</td><td>65.94</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11910.00	47.21	74.00	-26.79	60.57	38.13	11.66	63.15	-- -- Peak	2	17865.00	47.79	74.00	-26.21	58.49	41.93	13.31	65.94	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11910.00	47.15	74.00	-26.85	60.51	38.13	11.66	63.15	-- -- Peak																																																																																																	
2	17865.00	47.90	74.00	-26.10	58.60	41.93	13.31	65.94	-- -- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11910.00	47.21	74.00	-26.79	60.57	38.13	11.66	63.15	-- -- Peak																																																																																																	
2	17865.00	47.79	74.00	-26.21	58.49	41.93	13.31	65.94	-- -- Peak																																																																																																	





Mode	14																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6175MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-19  PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2024-08-19  PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>60.85</td><td>38.41</td><td>11.77</td><td>63.13</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12350.00	47.90	74.00	-26.10	60.85	38.41	11.77	63.13	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>60.87</td><td>38.41</td><td>11.77</td><td>63.13</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12350.00	47.92	74.00	-26.08	60.87	38.41	11.77	63.13	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12350.00	47.90	74.00	-26.10	60.85	38.41	11.77	63.13	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12350.00	47.92	74.00	-26.08	60.87	38.41	11.77	63.13	--	--	Peak																																																																																					



Mode	15																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.56</td><td>88.20</td><td>-40.64</td><td>60.62</td><td>38.57</td><td>11.87</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.56	88.20	-40.64	60.62	38.57	11.87	63.50	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>60.57</td><td>38.57</td><td>11.87</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.51	88.20	-40.69	60.57	38.57	11.87	63.50	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	47.56	88.20	-40.64	60.62	38.57	11.87	63.50	--	--	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	47.51	88.20	-40.69	60.57	38.57	11.87	63.50	--	--	Peak																																																																																			



Mode	16																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH97_6435MHz																																																																																																
ANT	CDD 14+15																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-27  PEAK(U-NII)_6E AVG(U-NII)_6E						Level (dBuV/m) Date: 2024-08-27  PEAK(U-NII)_6E AVG(U-NII)_6E																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.10</td><td>88.20</td><td>-41.10</td><td>60.19</td><td>38.57</td><td>11.88</td><td>63.54</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.10	88.20	-41.10	60.19	38.57	11.88	63.54	--	-- Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.12</td><td>88.20</td><td>-41.08</td><td>60.21</td><td>38.57</td><td>11.88</td><td>63.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.12	88.20	-41.08	60.21	38.57	11.88	63.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12870.00	47.10	88.20	-41.10	60.19	38.57	11.88	63.54	--	-- Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12870.00	47.12	88.20	-41.08	60.21	38.57	11.88	63.54	--	-- Peak																																																																																							



Mode	17																																																																																															
	Harmonic																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_6475MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>60.58</td><td>38.59</td><td>11.90</td><td>63.64</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	47.43	88.20	-40.77	60.58	38.59	11.90	63.64	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>60.19</td><td>38.59</td><td>11.90</td><td>63.64</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	47.04	88.20	-41.16	60.19	38.59	11.90	63.64	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12950.00	47.43	88.20	-40.77	60.58	38.59	11.90	63.64	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12950.00	47.04	88.20	-41.16	60.19	38.59	11.90	63.64	--	--	Peak																																																																																					



Mode	18																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_6515MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>47.42</td><td>88.20</td><td>-40.78</td><td>60.58</td><td>38.60</td><td>11.93</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	47.42	88.20	-40.78	60.58	38.60	11.93	63.69	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>60.39</td><td>38.60</td><td>11.93</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	47.23	88.20	-40.97	60.39	38.60	11.93	63.69	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13030.00	47.42	88.20	-40.78	60.58	38.60	11.93	63.69	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13030.00	47.23	88.20	-40.97	60.39	38.60	11.93	63.69	--	--	Peak																																																																																															





Mode	19																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																	
ANT	CDD 14+15																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13070.00</td><td>47.64</td><td>88.20</td><td>-40.56</td><td>60.77</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13070.00	47.64	88.20	-40.56	60.77	38.60	11.96	63.69	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13070.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>60.56</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13070.00	47.43	88.20	-40.77	60.56	38.60	11.96	63.69	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13070.00	47.64	88.20	-40.56	60.77	38.60	11.96	63.69	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13070.00	47.43	88.20	-40.77	60.56	38.60	11.96	63.69	--	--	Peak																																																																																								



Mode	20																																																																																													
	Harmonic																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>59.83</td><td>38.60</td><td>12.23</td><td>63.62</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.04	74.00	-26.96	59.83	38.60	12.23	63.62	--	-- Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>59.88</td><td>38.60</td><td>12.23</td><td>63.62</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.09	74.00	-26.91	59.88	38.60	12.23	63.62	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13390.00	47.04	74.00	-26.96	59.83	38.60	12.23	63.62	--	-- Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13390.00	47.09	74.00	-26.91	59.88	38.60	12.23	63.62	--	-- Peak																																																																																				



Mode	21																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-27  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>59.84</td><td>38.56</td><td>12.50</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.38	88.20	-40.82	59.84	38.56	12.50	63.52	--	--	Peak	Level (dBuV/m) Date: 2024-08-27  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>60.00</td><td>38.56</td><td>12.50</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.54	88.20	-40.66	60.00	38.56	12.50	63.52	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13710.00	47.38	88.20	-40.82	59.84	38.56	12.50	63.52	--	--	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13710.00	47.54	88.20	-40.66	60.00	38.56	12.50	63.52	--	--	Peak																																																																																					







Mode	22																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13790.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>60.25</td><td>38.54</td><td>12.56</td><td>63.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13790.00	47.87	88.20	-40.33	60.25	38.54	12.56	63.48	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13790.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>59.93</td><td>38.54</td><td>12.56</td><td>63.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13790.00	47.55	88.20	-40.65	59.93	38.54	12.56	63.48	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13790.00	47.87	88.20	-40.33	60.25	38.54	12.56	63.48	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13790.00	47.55	88.20	-40.65	59.93	38.54	12.56	63.48	--	--	Peak																																																																																						



Mode	23																																																																																																
	Harmonic																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																																																
ANT	CDD 14+15																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13990.00</td><td>46.27</td><td>88.20</td><td>-41.93</td><td>58.45</td><td>38.50</td><td>12.73</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	46.27	88.20	-41.93	58.45	38.50	12.73	63.41	--	--	Peak	Level (dBuV/m) Date: 2024-08-19 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13990.00</td><td>47.95</td><td>88.20</td><td>-40.25</td><td>60.13</td><td>38.50</td><td>12.73</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13990.00	47.95	88.20	-40.25	60.13	38.50	12.73	63.41	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13990.00	46.27	88.20	-41.93	58.45	38.50	12.73	63.41	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13990.00	47.95	88.20	-40.25	60.13	38.50	12.73	63.41	--	--	Peak																																																																																							





		24																																																																																															
Mode		Band Edge																																																																																															
		U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																															
ANT		CDD 14+15																																																																																															
Pol.		Horizontal										Fundamental																																																																																					
Peak																																																																																																	
		<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7149.06</td><td>50.79</td><td>88.20</td><td>-37.41</td><td>40.12</td><td>35.47</td><td>8.65</td><td>33.45</td><td>123</td><td>340 PEAK</td></tr><tr><td>2</td><td>7265.85</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>39.50</td><td>35.45</td><td>8.79</td><td>33.57</td><td>123</td><td>340 PEAK</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7149.06	50.79	88.20	-37.41	40.12	35.47	8.65	33.45	123	340 PEAK	2	7265.85	50.17	74.00	-23.83	39.50	35.45	8.79	33.57	123	340 PEAK	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.16</td><td>-----</td><td>79.36</td><td>35.48</td><td>8.72</td><td>33.40</td><td>123</td><td>340</td><td>PEAK</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	90.16	-----	79.36	35.48	8.72	33.40	123	340
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7149.06	50.79	88.20	-37.41	40.12	35.47	8.65	33.45	123	340 PEAK																																																																																							
2	7265.85	50.17	74.00	-23.83	39.50	35.45	8.79	33.57	123	340 PEAK																																																																																							
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	90.16	-----	79.36	35.48	8.72	33.40	123	340	PEAK																																																																																							
Avg																																																																																																	
		<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.72</td><td>40.87</td><td>68.20</td><td>-27.33</td><td>30.17</td><td>35.47</td><td>8.67</td><td>33.44</td><td>123</td><td>340 AVERAGE</td></tr><tr><td>2</td><td>7260.50</td><td>40.84</td><td>54.00</td><td>-13.16</td><td>30.18</td><td>35.45</td><td>8.77</td><td>33.56</td><td>123</td><td>340 AVERAGE</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.72	40.87	68.20	-27.33	30.17	35.47	8.67	33.44	123	340 AVERAGE	2	7260.50	40.84	54.00	-13.16	30.18	35.45	8.77	33.56	123	340 AVERAGE	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.13</td><td>-----</td><td>71.33</td><td>35.48</td><td>8.72</td><td>33.40</td><td>123</td><td>340</td><td>AVERAGE</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.13	-----	71.33	35.48	8.72	33.40	123	340
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7131.72	40.87	68.20	-27.33	30.17	35.47	8.67	33.44	123	340 AVERAGE																																																																																							
2	7260.50	40.84	54.00	-13.16	30.18	35.45	8.77	33.56	123	340 AVERAGE																																																																																							
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	82.13	-----	71.33	35.48	8.72	33.40	123	340	AVERAGE																																																																																							







Mode	24																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																			
ANT	CDD 14+15																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E 1 2 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7168.44</td><td>50.52</td><td>88.20</td><td>-37.68</td><td>39.90</td><td>35.47</td><td>8.62</td><td>33.47</td><td>200</td><td>52 PEAK</td></tr><tr><td>2</td><td>7260.75</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>39.59</td><td>35.45</td><td>8.77</td><td>33.56</td><td>200</td><td>52 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7168.44	50.52	88.20	-37.68	39.90	35.47	8.62	33.47	200	52 PEAK	2	7260.75	50.25	74.00	-23.75	39.59	35.45	8.77	33.56	200	52 PEAK	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.25</td><td>-----</td><td>-----</td><td>77.47</td><td>35.48</td><td>8.71</td><td>33.41</td><td>200</td><td>52 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.25	-----	-----	77.47	35.48	8.71	33.41	200	52 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7168.44	50.52	88.20	-37.68	39.90	35.47	8.62	33.47	200	52 PEAK																																																																																										
2	7260.75	50.25	74.00	-23.75	39.59	35.45	8.77	33.56	200	52 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	88.25	-----	-----	77.47	35.48	8.71	33.41	200	52 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E 1 2 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.11</td><td>41.02</td><td>68.20</td><td>-27.18</td><td>30.30</td><td>35.47</td><td>8.68</td><td>33.43</td><td>200</td><td>52 AVERAGE</td></tr><tr><td>2</td><td>7308.95</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>30.01</td><td>35.44</td><td>8.92</td><td>33.61</td><td>200</td><td>52 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.11	41.02	68.20	-27.18	30.30	35.47	8.68	33.43	200	52 AVERAGE	2	7308.95	40.76	54.00	-13.24	30.01	35.44	8.92	33.61	200	52 AVERAGE	Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.85</td><td>-----</td><td>-----</td><td>69.07</td><td>35.48</td><td>8.71</td><td>33.41</td><td>200</td><td>52 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	79.85	-----	-----	69.07	35.48	8.71	33.41	200	52 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7126.11	41.02	68.20	-27.18	30.30	35.47	8.68	33.43	200	52 AVERAGE																																																																																										
2	7308.95	40.76	54.00	-13.24	30.01	35.44	8.92	33.61	200	52 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	79.85	-----	-----	69.07	35.48	8.71	33.41	200	52 AVERAGE																																																																																										







Mode	24																																																																																														
	Harmonic																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																														
ANT	CDD 14+15																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>59.55</td><td>38.54</td><td>12.73</td><td>63.55</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	47.27	88.20	-40.93	59.55	38.54	12.73	63.55	--	--	Peak	Level (dBuV/m) Date: 2024-08-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>47.19</td><td>88.20</td><td>-41.01</td><td>59.47</td><td>38.54</td><td>12.73</td><td>63.55</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	47.19	88.20	-41.01	59.47	38.54	12.73	63.55	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	14190.00	47.27	88.20	-40.93	59.55	38.54	12.73	63.55	--	--	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	14190.00	47.19	88.20	-41.01	59.47	38.54	12.73	63.55	--	--	Peak																																																																																				





Mode	25																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5860.04</td><td>51.85</td><td>88.20</td><td>-36.35</td><td>40.36</td><td>35.12</td><td>8.87</td><td>32.50</td><td>100</td><td>345</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5860.04	51.85	88.20	-36.35	40.36	35.12	8.87	32.50	100	345	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>72.37</td><td>-----</td><td>-----</td><td>60.95</td><td>35.19</td><td>8.73</td><td>32.50</td><td>100</td><td>345</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	72.37	-----	-----	60.95	35.19	8.73	32.50	100	345
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5860.04	51.85	88.20	-36.35	40.36	35.12	8.87	32.50	100	345	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5965.00	72.37	-----	-----	60.95	35.19	8.73	32.50	100	345	PEAK																																																																															
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5831.56</td><td>41.60</td><td>68.20</td><td>-26.60</td><td>30.10</td><td>35.10</td><td>8.90</td><td>32.50</td><td>100</td><td>345</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5831.56	41.60	68.20	-26.60	30.10	35.10	8.90	32.50	100	345	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>64.45</td><td>-----</td><td>-----</td><td>53.03</td><td>35.19</td><td>8.73</td><td>32.50</td><td>100</td><td>345</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	64.45	-----	-----	53.03	35.19	8.73	32.50	100	345
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5831.56	41.60	68.20	-26.60	30.10	35.10	8.90	32.50	100	345	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5965.00	64.45	-----	-----	53.03	35.19	8.73	32.50	100	345	AVERAGE																																																																															





Mode	25																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																	
ANT	CDD 14+15																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-18. The plot shows a red limit line and a blue measured signal. A peak is marked at 5865.16 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5865.16</td><td>51.77</td><td>88.20</td><td>-36.43</td><td>40.29</td><td>35.12</td><td>8.86</td><td>32.50</td><td>100</td><td>96</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5865.16	51.77	88.20	-36.43	40.29	35.12	8.86	32.50	100	96	PEAK	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-18. The plot shows a red limit line and a blue measured signal. A peak is marked at 5965.00 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>76.84</td><td>-----</td><td>-----</td><td>65.41</td><td>35.17</td><td>8.76</td><td>32.50</td><td>100</td><td>96</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5965.00	76.84	-----	-----	65.41	35.17	8.76	32.50	100	96	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5865.16	51.77	88.20	-36.43	40.29	35.12	8.86	32.50	100	96	PEAK																																																																							
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5965.00	76.84	-----	-----	65.41	35.17	8.76	32.50	100	96	PEAK																																																																							
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-18. The plot shows a red limit line and a blue measured signal. A peak is marked at 5880.68 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5880.68</td><td>41.63</td><td>68.20</td><td>-26.57</td><td>30.16</td><td>35.13</td><td>8.84</td><td>32.50</td><td>100</td><td>96</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5880.68	41.63	68.20	-26.57	30.16	35.13	8.84	32.50	100	96	AVERAGE	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-18. The plot shows a red limit line and a blue measured signal. A peak is marked at 5965.00 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>67.48</td><td>-----</td><td>-----</td><td>56.05</td><td>35.17</td><td>8.76</td><td>32.50</td><td>100</td><td>96</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5965.00	67.48	-----	-----	56.05	35.17	8.76	32.50	100	96	AVERAGE
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5880.68	41.63	68.20	-26.57	30.16	35.13	8.84	32.50	100	96	AVERAGE																																																																							
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5965.00	67.48	-----	-----	56.05	35.17	8.76	32.50	100	96	AVERAGE																																																																							





Mode	25																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																																
ANT	CDD 14+15																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>60.41</td><td>38.14</td><td>11.67</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>58.25</td><td>42.04</td><td>13.32</td><td>65.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11930.00	47.06	74.00	-26.94	60.41	38.14	11.67	63.16	--	--	Peak	2	17895.00	47.64	74.00	-26.36	58.25	42.04	13.32	65.97	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>61.31</td><td>38.14</td><td>11.67</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>57.68</td><td>42.04</td><td>13.32</td><td>65.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11930.00	47.96	74.00	-26.04	61.31	38.14	11.67	63.16	--	--	Peak	2	17895.00	47.07	74.00	-26.93	57.68	42.04	13.32	65.97	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11930.00	47.06	74.00	-26.94	60.41	38.14	11.67	63.16	--	--	Peak																																																																																																																						
2	17895.00	47.64	74.00	-26.36	58.25	42.04	13.32	65.97	--	--	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11930.00	47.96	74.00	-26.04	61.31	38.14	11.67	63.16	--	--	Peak																																																																																																																						
2	17895.00	47.07	74.00	-26.93	57.68	42.04	13.32	65.97	--	--	Peak																																																																																																																						



Mode	26																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full RU_6165MHz																																																																																	
ANT	CDD 14+15																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12320.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>60.15</td><td>38.40</td><td>11.77</td><td>63.13</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12320.00	47.19	74.00	-26.81	60.15	38.40	11.77	63.13	--	-- Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12320.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>59.97</td><td>38.40</td><td>11.77</td><td>63.13</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12320.00	47.01	74.00	-26.99	59.97	38.40	11.77	63.13	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	12320.00	47.19	74.00	-26.81	60.15	38.40	11.77	63.13	--	-- Peak																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	12320.00	47.01	74.00	-26.99	59.97	38.40	11.77	63.13	--	-- Peak																																																																								

Mode	27																																																															
	Harmonic																																																															
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																															
ANT	CDD 14+15																																																															
Pol.	Horizontal					Vertical																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-21  Frequency (MHz)					Level (dBuV/m) Date: 2024-08-21  Frequency (MHz)																																																										
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>60.26</td><td>38.56</td><td>11.87</td><td>63.47</td><td>--</td><td>--</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1 12810.00	47.22	88.20	-40.98	60.26	38.56	11.87	63.47	--	--	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>59.87</td><td>38.56</td><td>11.87</td><td>63.47</td><td>--</td><td>--</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1 12810.00	46.83	88.20	-41.37	59.87	38.56	11.87	63.47	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																							
1 12810.00	47.22	88.20	-40.98	60.26	38.56	11.87	63.47	--	--																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																							
1 12810.00	46.83	88.20	-41.37	59.87	38.56	11.87	63.47	--	--																																																							
Peak					Peak																																																											





Mode	28																																																										
	Harmonic																																																										
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																										
ANT	CDD 14+15																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg	Level (dBuV/m) Date: 2024-08-21  PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2024-08-27  PEAK(U-NII)_BE AVG(U-NII)_BE																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12890.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>60.98</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12890.00	47.87	88.20	-40.33	60.98	38.58	11.88	63.57	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1 12890.00	47.87	88.20	-40.33	60.98	38.58	11.88	63.57	--	--	Peak																																																	
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12890.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>60.26</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12890.00	47.15	88.20	-41.05	60.26	38.58	11.88	63.57	--	--	Peak		
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1 12890.00	47.15	88.20	-41.05	60.26	38.58	11.88	63.57	--	--	Peak																																																	



Mode	29																																																																																													
	Harmonic																																																																																													
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>60.71</td><td>38.59</td><td>11.90</td><td>63.66</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.54	88.20	-40.66	60.71	38.59	11.90	63.66	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.60</td><td>88.20</td><td>-40.60</td><td>60.77</td><td>38.59</td><td>11.90</td><td>63.66</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.60	88.20	-40.60	60.77	38.59	11.90	63.66	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12970.00	47.54	88.20	-40.66	60.71	38.59	11.90	63.66	--	--	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12970.00	47.60	88.20	-40.60	60.77	38.59	11.90	63.66	--	--	Peak																																																																																			





Mode	30																																																																																						
	Harmonic																																																																																						
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																						
ANT	CDD 14+15																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-27  PEAK(U-NII)_BE AVG(U-NII)_BE					Level (dBuV/m) Date: 2024-08-27  PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>60.30</td><td>38.60</td><td>12.01</td><td>63.67</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	47.24	88.20	-40.96	60.30	38.60	12.01	63.67	--	-- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>60.06</td><td>38.60</td><td>12.01</td><td>63.67</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	47.00	88.20	-41.20	60.06	38.60	12.01	63.67	--
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13130.00	47.24	88.20	-40.96	60.30	38.60	12.01	63.67	--	-- Peak																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13130.00	47.00	88.20	-41.20	60.06	38.60	12.01	63.67	--	-- Peak																																																																														



Mode	31																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-21 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13370.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>60.75</td><td>38.60</td><td>12.21</td><td>63.63</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13370.00	47.93	74.00	-26.07	60.75	38.60	12.21	63.63	--	--	Peak		Level (dBuV/m) Date: 2024-08-27 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13370.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>60.13</td><td>38.60</td><td>12.21</td><td>63.63</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13370.00	47.31	74.00	-26.69	60.13	38.60	12.21	63.63	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13370.00	47.93	74.00	-26.07	60.75	38.60	12.21	63.63	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13370.00	47.31	74.00	-26.69	60.13	38.60	12.21	63.63	--	--	Peak																																																																																																



Mode	32																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-27  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13690.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>59.75</td><td>38.56</td><td>12.48</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13690.00	47.27	88.20	-40.93	59.75	38.56	12.48	63.52	--	--	Peak		Level (dBuV/m) Date: 2024-08-27  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13690.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>59.62</td><td>38.56</td><td>12.48</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13690.00	47.14	88.20	-41.06	59.62	38.56	12.48	63.52	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13690.00	47.27	88.20	-40.93	59.75	38.56	12.48	63.52	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13690.00	47.14	88.20	-41.06	59.62	38.56	12.48	63.52	--	--	Peak																																																																																																







Mode	33																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13850.00</td><td>47.41</td><td>88.20</td><td>-40.79</td><td>59.73</td><td>38.53</td><td>12.61</td><td>63.46</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13850.00	47.41	88.20	-40.79	59.73	38.53	12.61	63.46	--	--	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13850.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>59.62</td><td>38.53</td><td>12.61</td><td>63.46</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13850.00	47.30	88.20	-40.90	59.62	38.53	12.61	63.46	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13850.00	47.41	88.20	-40.79	59.73	38.53	12.61	63.46	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13850.00	47.30	88.20	-40.90	59.62	38.53	12.61	63.46	--	--	Peak																																																																																						







Mode	34																																																																																										
	Harmonic																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full RU_6965MHz																																																																																										
ANT	CDD 14+15																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz)						Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz)																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>47.17</td><td>88.20</td><td>-41.03</td><td>59.41</td><td>38.51</td><td>12.68</td><td>63.43</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	47.17	88.20	-41.03	59.41	38.51	12.68	63.43	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>47.01</td><td>88.20</td><td>-41.19</td><td>59.25</td><td>38.51</td><td>12.68</td><td>63.43</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	47.01	88.20	-41.19	59.25	38.51	12.68	63.43	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13930.00	47.17	88.20	-41.03	59.41	38.51	12.68	63.43	--	-- Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13930.00	47.01	88.20	-41.19	59.25	38.51	12.68	63.43	--	-- Peak																																																																																	



		35																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																								
ANT		CDD 14+15																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-18  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7192.86</td><td>49.85</td><td>88.20</td><td>-38.35</td><td>39.30</td><td>35.46</td><td>8.59</td><td>33.50</td><td>100</td><td></td><td>319 PEAK</td></tr><tr><td>2</td><td>7307.34</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>39.12</td><td>35.44</td><td>8.92</td><td>33.61</td><td>100</td><td></td><td>319 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7192.86	49.85	88.20	-38.35	39.30	35.46	8.59	33.50	100		319 PEAK	2	7307.34	49.87	74.00	-24.13	39.12	35.44	8.92	33.61	100		319 PEAK	Level (dBuV/m) Date: 2024-08-18  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>88.91</td><td>-----</td><td>-----</td><td>78.09</td><td>35.48</td><td>8.73</td><td>33.39</td><td>100</td><td></td><td>319 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	88.91	-----	-----	78.09	35.48	8.73	33.39	100		319 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7192.86	49.85	88.20	-38.35	39.30	35.46	8.59	33.50	100		319 PEAK																																																																																															
2	7307.34	49.87	74.00	-24.13	39.12	35.44	8.92	33.61	100		319 PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7085.00	88.91	-----	-----	78.09	35.48	8.73	33.39	100		319 PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2024-08-18  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7130.32</td><td>41.20</td><td>68.20</td><td>-27.00</td><td>30.50</td><td>35.47</td><td>8.67</td><td>33.44</td><td>100</td><td></td><td>319 AVERAGE</td></tr><tr><td>2</td><td>7304.16</td><td>40.84</td><td>54.00</td><td>-13.16</td><td>30.10</td><td>35.44</td><td>8.91</td><td>33.61</td><td>100</td><td></td><td>319 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7130.32	41.20	68.20	-27.00	30.50	35.47	8.67	33.44	100		319 AVERAGE	2	7304.16	40.84	54.00	-13.16	30.10	35.44	8.91	33.61	100		319 AVERAGE	Level (dBuV/m) Date: 2024-08-18  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>80.47</td><td>-----</td><td>-----</td><td>69.65</td><td>35.48</td><td>8.73</td><td>33.39</td><td>100</td><td></td><td>319 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	80.47	-----	-----	69.65	35.48	8.73	33.39	100		319 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7130.32	41.20	68.20	-27.00	30.50	35.47	8.67	33.44	100		319 AVERAGE																																																																																															
2	7304.16	40.84	54.00	-13.16	30.10	35.44	8.91	33.61	100		319 AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	7085.00	80.47	-----	-----	69.65	35.48	8.73	33.39	100		319 AVERAGE																																																																																															







		35																																																																																											
Mode		Band Edge																																																																																											
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																											
ANT		CDD 14+15																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a red limit line and a blue measured signal. Two peaks are marked with vertical lines and labeled 1 and 2. The limit line is at 122.5 dBuV/m for frequencies below 7138 MHz and 7244 MHz, and 70.0 dBuV/m in between. The measured signal is around 87.5 dBuV/m at 7085 MHz and drops to around 50 dBuV/m after 7138 MHz.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a red limit line and a blue measured signal. A peak is marked with a vertical line and labeled 1. The limit line is at 122.5 dBuV/m for frequencies below 5960 MHz and 7200 MHz, and 70.0 dBuV/m in between. The measured signal is around 87.5 dBuV/m at 7085 MHz and drops to around 50 dBuV/m after 5960 MHz.																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7202.93	50.26	88.20	-37.94	39.72	35.46	8.59	33.51	315	7 PEAK	2	7301.51	50.20	74.00	-23.80	39.46	35.44	8.90	33.60	315	7 PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	91.56	-----	-----	80.78	35.48	8.71	33.41	315	7 PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7202.93	50.26	88.20	-37.94	39.72	35.46	8.59	33.51	315	7 PEAK																																																																																			
2	7301.51	50.20	74.00	-23.80	39.46	35.44	8.90	33.60	315	7 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	91.56	-----	-----	80.78	35.48	8.71	33.41	315	7 PEAK																																																																																			
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical Average. The plot shows a red limit line and a blue measured signal. Two points are marked with vertical lines and labeled 1 and 2. The limit line is at 122.5 dBuV/m for frequencies below 7138 MHz and 7244 MHz, and 70.0 dBuV/m in between. The measured signal is around 87.5 dBuV/m at 7085 MHz and drops to around 50 dBuV/m after 7138 MHz.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The plot shows a red limit line and a blue measured signal. A point is marked with a vertical line and labeled 1. The limit line is at 122.5 dBuV/m for frequencies below 5960 MHz and 7200 MHz, and 70.0 dBuV/m in between. The measured signal is around 87.5 dBuV/m at 7085 MHz and drops to around 50 dBuV/m after 5960 MHz.																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.40	40.92	68.20	-27.28	30.20	35.47	8.68	33.43	315	7 AVERAGE	2	7272.62	40.77	54.00	-13.23	30.09	35.44	8.81	33.57	315	7 AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	83.52	-----	-----	72.74	35.48	8.71	33.41	315	7 AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7127.40	40.92	68.20	-27.28	30.20	35.47	8.68	33.43	315	7 AVERAGE																																																																																			
2	7272.62	40.77	54.00	-13.23	30.09	35.44	8.81	33.57	315	7 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	83.52	-----	-----	72.74	35.48	8.71	33.41	315	7 AVERAGE																																																																																			



Mode	35																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14170.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>59.80</td><td>38.53</td><td>12.73</td><td>63.53</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14170.00	47.53	88.20	-40.67	59.80	38.53	12.73	63.53	--	--	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14170.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>60.19</td><td>38.53</td><td>12.73</td><td>63.53</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14170.00	47.92	88.20	-40.28	60.19	38.53	12.73	63.53	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 14170.00	47.53	88.20	-40.67	59.80	38.53	12.73	63.53	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 14170.00	47.92	88.20	-40.28	60.19	38.53	12.73	63.53	--	--	Peak																																																																																						





		36																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-18 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5865 5897 5929 5961 5993 6025 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5883.56</td><td>51.14</td><td>88.20</td><td>-37.06</td><td>39.67</td><td>35.13</td><td>8.84</td><td>32.50</td><td>100</td><td>324</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5883.56	51.14	88.20	-37.06	39.67	35.13	8.84	32.50	100	324	PEAK	 Level (dBuV/m) Date: 2024-08-18 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>81.26</td><td>-----</td><td>-----</td><td>69.85</td><td>35.18</td><td>8.73</td><td>32.50</td><td>100</td><td>324</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	81.26	-----	-----	69.85	35.18	8.73	32.50	100	324	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5883.56	51.14	88.20	-37.06	39.67	35.13	8.84	32.50	100	324	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5985.00	81.26	-----	-----	69.85	35.18	8.73	32.50	100	324	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-08-18 122.5 105.0 87.5 70.0 52.5 35.0 17.5 5865 5897 5929 5961 5993 6025 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5891.56</td><td>41.67</td><td>68.20</td><td>-26.53</td><td>30.20</td><td>35.14</td><td>8.83</td><td>32.50</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5891.56	41.67	68.20	-26.53	30.20	35.14	8.83	32.50	100	324	AVERAGE	 Level (dBuV/m) Date: 2024-08-18 122.5 105.0 87.5 70.0 52.5 35.0 17.5 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>72.37</td><td>-----</td><td>-----</td><td>60.96</td><td>35.18</td><td>8.73</td><td>32.50</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	72.37	-----	-----	60.96	35.18	8.73	32.50	100	324	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5891.56	41.67	68.20	-26.53	30.20	35.14	8.83	32.50	100	324	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5985.00	72.37	-----	-----	60.96	35.18	8.73	32.50	100	324	AVERAGE																																																																															





Mode	36	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	CDD 14+15	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-18 1 5872.84 51.34 88.20 -36.86 39.87 35.12 8.85 32.50 400 347 PEAK	Level (dBuV/m) Date: 2024-08-18 1 5985.00 85.47 ----- 74.04 35.17 8.76 32.50 400 347 PEAK
	Level (dBuV/m) Date: 2024-08-18 1 5876.84 41.66 68.20 -26.54 30.18 35.13 8.85 32.50 400 347 AVERAGE	Level (dBuV/m) Date: 2024-08-18 1 5985.00 76.79 ----- 65.36 35.17 8.76 32.50 400 347 AVERAGE



Mode	36																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																										
ANT	CDD 14+15																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11970.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>61.22</td><td>38.18</td><td>11.69</td><td>63.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>57.63</td><td>42.24</td><td>13.33</td><td>66.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 11970.00	47.91	74.00	-26.09	61.22	38.18	11.69	63.18	--	--	Peak	2 17955.00	47.15	74.00	-26.85	57.63	42.24	13.33	66.05	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11970.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>61.23</td><td>38.18</td><td>11.69</td><td>63.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>57.96</td><td>42.24</td><td>13.33</td><td>66.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 11970.00	47.92	74.00	-26.08	61.23	38.18	11.69	63.18	--	--	Peak	2 17955.00	47.48	74.00	-26.52	57.96	42.24	13.33	66.05	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1 11970.00	47.91	74.00	-26.09	61.22	38.18	11.69	63.18	--	--	Peak																																																																																																																	
2 17955.00	47.15	74.00	-26.85	57.63	42.24	13.33	66.05	--	--	Peak																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1 11970.00	47.92	74.00	-26.08	61.23	38.18	11.69	63.18	--	--	Peak																																																																																																																	
2 17955.00	47.48	74.00	-26.52	57.96	42.24	13.33	66.05	--	--	Peak																																																																																																																	



Mode	37																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full RU_6145MHz																																																																																																					
ANT	CDD 14+15																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-08-21 						Level (dBuV/m) Date: 2024-08-21 																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12280.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>60.91</td><td>38.37</td><td>11.76</td><td>63.14</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12280.00	47.90	74.00	-26.10	60.91	38.37	11.76	63.14	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12280.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>60.62</td><td>38.37</td><td>11.76</td><td>63.14</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12280.00	47.61	74.00	-26.39	60.62	38.37	11.76	63.14	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	12280.00	47.90	74.00	-26.10	60.91	38.37	11.76	63.14	--	--	Peak																																																																																											
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	12280.00	47.61	74.00	-26.39	60.62	38.37	11.76	63.14	--	--	Peak																																																																																											



Mode	38																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12770.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>60.45</td><td>38.55</td><td>11.86</td><td>63.43</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12770.00	47.43	88.20	-40.77	60.45	38.55	11.86	63.43	--	--	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12770.00</td><td>47.68</td><td>88.20</td><td>-40.52</td><td>60.70</td><td>38.55</td><td>11.86</td><td>63.43</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12770.00	47.68	88.20	-40.52	60.70	38.55	11.86	63.43	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 12770.00	47.43	88.20	-40.77	60.45	38.55	11.86	63.43	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 12770.00	47.68	88.20	-40.52	60.70	38.55	11.86	63.43	--	--	Peak																																																																																						



Mode	39																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12930.00</td><td>47.06</td><td>88.20</td><td>-41.14</td><td>60.20</td><td>38.59</td><td>11.89</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12930.00	47.06	88.20	-41.14	60.20	38.59	11.89	63.62	--	--	Peak		Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12930.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>60.91</td><td>38.59</td><td>11.89</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12930.00	47.77	88.20	-40.43	60.91	38.59	11.89	63.62	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12930.00	47.06	88.20	-41.14	60.20	38.59	11.89	63.62	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12930.00	47.77	88.20	-40.43	60.91	38.59	11.89	63.62	--	--	Peak																																																																																																





Mode	40																																																																											
	Harmonic																																																																											
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>60.20</td><td>38.60</td><td>12.11</td><td>63.65</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13250.00	47.26	74.00	-26.74	60.20	38.60	12.11	63.65	--	-- Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>60.00</td><td>38.60</td><td>12.11</td><td>63.65</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13250.00	47.06	74.00	-26.94	60.00	38.60	12.11	63.65	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																			
1	13250.00	47.26	74.00	-26.74	60.20	38.60	12.11	63.65	--	-- Peak																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																			
1	13250.00	47.06	74.00	-26.94	60.00	38.60	12.11	63.65	--	-- Peak																																																																		



Mode	41																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13400.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>59.89</td><td>38.60</td><td>12.24</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13400.00	47.11	74.00	-26.89	59.89	38.60	12.24	63.62	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13400.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>59.78</td><td>38.60</td><td>12.24</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13400.00	47.00	74.00	-27.00	59.78	38.60	12.24	63.62	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13400.00	47.11	74.00	-26.89	59.89	38.60	12.24	63.62	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13400.00	47.00	74.00	-27.00	59.78	38.60	12.24	63.62	--	--	Peak																																																																																						







Mode	42																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																																
ANT	CDD 14+15																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-27 						Level (dBuV/m) Date: 2024-08-27 																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13570.00</td><td>47.58</td><td>88.20</td><td>-40.62</td><td>60.18</td><td>38.59</td><td>12.38</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13570.00	47.58	88.20	-40.62	60.18	38.59	12.38	63.57	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13570.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>59.96</td><td>38.59</td><td>12.38</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13570.00	47.36	88.20	-40.84	59.96	38.59	12.38	63.57	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13570.00	47.58	88.20	-40.62	60.18	38.59	12.38	63.57	--	--	Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 13570.00	47.36	88.20	-40.84	59.96	38.59	12.38	63.57	--	--	Peak																																																																																							







Mode	43																																																																															
	Harmonic																																																																															
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																															
ANT	CDD 14+15																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	Date: 2024-08-21 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>13890.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>59.56</td><td>38.52</td><td>12.65</td><td>63.45</td><td>--</td><td>Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	13890.00	47.28	88.20	-40.92	59.56	38.52	12.65	63.45	--	Peak	Date: 2024-08-27 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>13890.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>60.20</td><td>38.52</td><td>12.65</td><td>63.45</td><td>--</td><td>Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	13890.00	47.92	88.20	-40.28	60.20	38.52	12.65	63.45	--	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	13890.00	47.28	88.20	-40.92	59.56	38.52	12.65	63.45	--	Peak																																																																						
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	13890.00	47.92	88.20	-40.28	60.20	38.52	12.65	63.45	--	Peak																																																																						



		44																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																							
ANT		CDD 14+15																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.35</td><td>51.20</td><td>88.20</td><td>-37.00</td><td>40.48</td><td>35.47</td><td>8.68</td><td>33.43</td><td>329</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>7261.28</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>39.41</td><td>35.45</td><td>8.77</td><td>33.56</td><td>329</td><td>80</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.35	51.20	88.20	-37.00	40.48	35.47	8.68	33.43	329	80	PEAK	2	7261.28	50.07	74.00	-23.93	39.41	35.45	8.77	33.56	329	80	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>85.23</td><td>-----</td><td>-----</td><td>74.20</td><td>35.50</td><td>8.84</td><td>33.31</td><td>329</td><td>80</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	85.23	-----	-----	74.20	35.50	8.84	33.31	329	80
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7128.35	51.20	88.20	-37.00	40.48	35.47	8.68	33.43	329	80	PEAK																																																																																														
2	7261.28	50.07	74.00	-23.93	39.41	35.45	8.77	33.56	329	80	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7025.00	85.23	-----	-----	74.20	35.50	8.84	33.31	329	80	PEAK																																																																																														
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7162.80</td><td>41.00</td><td>68.20</td><td>-27.20</td><td>30.37</td><td>35.47</td><td>8.63</td><td>33.47</td><td>329</td><td>80</td><td>AVERAGE</td></tr><tr><td>2</td><td>7274.93</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>30.53</td><td>35.44</td><td>8.82</td><td>33.58</td><td>329</td><td>80</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7162.80	41.00	68.20	-27.20	30.37	35.47	8.63	33.47	329	80	AVERAGE	2	7274.93	41.21	54.00	-12.79	30.53	35.44	8.82	33.58	329	80	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>76.40</td><td>-----</td><td>-----</td><td>65.37</td><td>35.50</td><td>8.84</td><td>33.31</td><td>329</td><td>80</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	76.40	-----	-----	65.37	35.50	8.84	33.31	329	80
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7162.80	41.00	68.20	-27.20	30.37	35.47	8.63	33.47	329	80	AVERAGE																																																																																														
2	7274.93	41.21	54.00	-12.79	30.53	35.44	8.82	33.58	329	80	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7025.00	76.40	-----	-----	65.37	35.50	8.84	33.31	329	80	AVERAGE																																																																																														







		44																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																							
ANT		CDD 14+15																																																																																																							
Pol.		Vertical					Fundamental																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.08</td><td>50.38</td><td>88.20</td><td>-37.82</td><td>39.66</td><td>35.47</td><td>8.68</td><td>33.43</td><td>335</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>7339.28</td><td>50.28</td><td>74.00</td><td>-23.72</td><td>39.47</td><td>35.43</td><td>9.02</td><td>33.64</td><td>335</td><td>358</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.08	50.38	88.20	-37.82	39.66	35.47	8.68	33.43	335	358	PEAK	2	7339.28	50.28	74.00	-23.72	39.47	35.43	9.02	33.64	335	358	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>90.30</td><td>-----</td><td>-----</td><td>79.31</td><td>35.50</td><td>8.82</td><td>33.33</td><td>335</td><td>358</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	90.30	-----	-----	79.31	35.50	8.82	33.33	335	358
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7126.08	50.38	88.20	-37.82	39.66	35.47	8.68	33.43	335	358	PEAK																																																																																														
2	7339.28	50.28	74.00	-23.72	39.47	35.43	9.02	33.64	335	358	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7025.00	90.30	-----	-----	79.31	35.50	8.82	33.33	335	358	PEAK																																																																																														
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7158.58</td><td>41.06</td><td>68.20</td><td>-27.14</td><td>30.41</td><td>35.47</td><td>8.64</td><td>33.46</td><td>335</td><td>358</td><td>AVERAGE</td></tr><tr><td>2</td><td>7272.98</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>30.53</td><td>35.44</td><td>8.81</td><td>33.57</td><td>335</td><td>358</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7158.58	41.06	68.20	-27.14	30.41	35.47	8.64	33.46	335	358	AVERAGE	2	7272.98	41.21	54.00	-12.79	30.53	35.44	8.81	33.57	335	358	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>82.36</td><td>-----</td><td>-----</td><td>71.37</td><td>35.50</td><td>8.82</td><td>33.33</td><td>335</td><td>358</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	82.36	-----	-----	71.37	35.50	8.82	33.33	335	358
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7158.58	41.06	68.20	-27.14	30.41	35.47	8.64	33.46	335	358	AVERAGE																																																																																														
2	7272.98	41.21	54.00	-12.79	30.53	35.44	8.81	33.57	335	358	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7025.00	82.36	-----	-----	71.37	35.50	8.82	33.33	335	358	AVERAGE																																																																																														







Mode	44																																																																																						
	Harmonic																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																						
ANT	CDD 14+15																																																																																						
Pol.	Horizontal										Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>58.98</td><td>38.51</td><td>12.73</td><td>63.44</td><td>--</td><td>-- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	46.78	88.20	-41.42	58.98	38.51	12.73	63.44	--	-- Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.01</td><td>88.20</td><td>-41.19</td><td>59.21</td><td>38.51</td><td>12.73</td><td>63.44</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	47.01	88.20	-41.19	59.21	38.51	12.73	63.44	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	14050.00	46.78	88.20	-41.42	58.98	38.51	12.73	63.44	--	-- Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	14050.00	47.01	88.20	-41.19	59.21	38.51	12.73	63.44	--	-- Peak																																																																													



Mode	45																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																							
ANT	CDD 14+15																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5840.40</td><td>51.07</td><td>88.20</td><td>-37.13</td><td>39.58</td><td>35.10</td><td>8.89</td><td>32.50</td><td>327</td><td>8 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5840.40	51.07	88.20	-37.13	39.58	35.10	8.89	32.50	327	8 PEAK	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>87.25</td><td>-----</td><td>-----</td><td>75.82</td><td>35.18</td><td>8.75</td><td>32.50</td><td>327</td><td>8 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	87.25	-----	-----	75.82	35.18	8.75	32.50	327	8 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5840.40	51.07	88.20	-37.13	39.58	35.10	8.89	32.50	327	8 PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	6025.00	87.25	-----	-----	75.82	35.18	8.75	32.50	327	8 PEAK																																																																														
Avg	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5879.60</td><td>41.74</td><td>68.20</td><td>-26.46</td><td>30.27</td><td>35.13</td><td>8.84</td><td>32.50</td><td>327</td><td>8 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5879.60	41.74	68.20	-26.46	30.27	35.13	8.84	32.50	327	8 AVERAGE	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>78.05</td><td>-----</td><td>-----</td><td>66.57</td><td>35.20</td><td>8.81</td><td>32.53</td><td>327</td><td>8 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	78.05	-----	-----	66.57	35.20	8.81	32.53	327	8 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	5879.60	41.74	68.20	-26.46	30.27	35.13	8.84	32.50	327	8 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	6025.00	78.05	-----	-----	66.57	35.20	8.81	32.53	327	8 AVERAGE																																																																														



		45																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5884.64</td><td>51.96</td><td>88.20</td><td>-36.24</td><td>40.49</td><td>35.13</td><td>8.84</td><td>32.50</td><td>242</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5884.64	51.96	88.20	-36.24	40.49	35.13	8.84	32.50	242	0	PEAK	 Level (dBuV/m) Date: 2024-08-18 1 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>89.08</td><td>-----</td><td>-----</td><td>77.63</td><td>35.20</td><td>8.76</td><td>32.51</td><td>242</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	89.08	-----	-----	77.63	35.20	8.76	32.51	242	0	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5884.64	51.96	88.20	-36.24	40.49	35.13	8.84	32.50	242	0	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6025.00	89.08	-----	-----	77.63	35.20	8.76	32.51	242	0	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5883.80</td><td>41.92</td><td>68.20</td><td>-26.28</td><td>30.45</td><td>35.13</td><td>8.84</td><td>32.50</td><td>242</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5883.80	41.92	68.20	-26.28	30.45	35.13	8.84	32.50	242	0	AVERAGE	 Level (dBuV/m) Date: 2024-08-18 1 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>79.60</td><td>-----</td><td>-----</td><td>68.17</td><td>35.18</td><td>8.75</td><td>32.50</td><td>242</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	79.60	-----	-----	68.17	35.18	8.75	32.50	242	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5883.80	41.92	68.20	-26.28	30.45	35.13	8.84	32.50	242	0	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6025.00	79.60	-----	-----	68.17	35.18	8.75	32.50	242	0	AVERAGE																																																																															



Mode	45																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12050.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>61.02</td><td>38.23</td><td>11.71</td><td>63.19</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12050.00	47.77	74.00	-26.23	61.02	38.23	11.71	63.19	--	--	Peak	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12050.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>61.01</td><td>38.23</td><td>11.71</td><td>63.19</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12050.00	47.76	74.00	-26.24	61.01	38.23	11.71	63.19	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12050.00	47.77	74.00	-26.23	61.02	38.23	11.71	63.19	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12050.00	47.76	74.00	-26.24	61.01	38.23	11.71	63.19	--	--	Peak																																																																																					



Mode	46																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>60.18</td><td>38.43</td><td>11.78</td><td>63.12</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	47.27	74.00	-26.73	60.18	38.43	11.78	63.12	--	--	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>59.95</td><td>38.43</td><td>11.78</td><td>63.12</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	47.04	74.00	-26.96	59.95	38.43	11.78	63.12	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12370.00	47.27	74.00	-26.73	60.18	38.43	11.78	63.12	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12370.00	47.04	74.00	-26.96	59.95	38.43	11.78	63.12	--	--	Peak																																																																																															



Mode	47																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12690.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>59.84</td><td>38.54</td><td>11.84</td><td>63.33</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12690.00	46.89	74.00	-27.11	59.84	38.54	11.84	63.33	--	--	Peak		Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12690.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>59.93</td><td>38.54</td><td>11.84</td><td>63.33</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12690.00	46.98	74.00	-27.02	59.93	38.54	11.84	63.33	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12690.00	46.89	74.00	-27.11	59.84	38.54	11.84	63.33	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12690.00	46.98	74.00	-27.02	59.93	38.54	11.84	63.33	--	--	Peak																																																																																																



Mode	48																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																							
ANT	CDD 14+15																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE					Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>58.40</td><td>38.60</td><td>12.18</td><td>63.63</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13330.00	45.55	74.00	-28.45	58.40	38.60	12.18	63.63	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>59.41</td><td>38.60</td><td>12.18</td><td>63.63</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13330.00	46.56	74.00	-27.44	59.41	38.60	12.18	63.63	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	13330.00	45.55	74.00	-28.45	58.40	38.60	12.18	63.63	--	-- Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	13330.00	46.56	74.00	-27.44	59.41	38.60	12.18	63.63	--	-- Peak																																																																														



		49									
Mode		Band Edge									
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz									
ANT		CDD 14+15									
Pol.		Horizontal					Fundamental				
Peak		Level (dBuV/m) Date: 2024-08-18 <									



		49									
Mode		Band Edge									
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz									
ANT		CDD 14+15									
Pol.		Vertical					Fundamental				
Peak		Level (dBuV/m) Date: 2024-08-18									



Mode	49																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>47.58</td><td>88.20</td><td>-40.62</td><td>59.76</td><td>38.51</td><td>12.72</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	47.58	88.20	-40.62	59.76	38.51	12.72	63.41	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>59.27</td><td>38.51</td><td>12.72</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	47.09	88.20	-41.11	59.27	38.51	12.72	63.41	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13970.00	47.58	88.20	-40.62	59.76	38.51	12.72	63.41	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13970.00	47.09	88.20	-41.11	59.27	38.51	12.72	63.41	--	--	Peak																																																																																						





Mode	50																																																																																															
	Harmonic																																																																																															
	U-NII-7-8_6.525-6.875_802.11ax HE20_CH185_Full RU_6525MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13755.60</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>59.93</td><td>38.55</td><td>12.54</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13755.60	47.52	88.20	-40.68	59.93	38.55	12.54	63.50	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>59.69</td><td>38.55</td><td>12.53</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13750.00	47.27	88.20	-40.93	59.69	38.55	12.53	63.50	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13755.60	47.52	88.20	-40.68	59.93	38.55	12.54	63.50	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13750.00	47.27	88.20	-40.93	59.69	38.55	12.53	63.50	--	--	Peak																																																																																						



Mode	51																																																																																														
	Harmonic																																																																																														
	U-NII-7-8_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																																														
ANT	CDD 14+15																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>59.65</td><td>38.55</td><td>12.55</td><td>63.49</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	47.26	88.20	-40.94	59.65	38.55	12.55	63.49	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>59.92</td><td>38.55</td><td>12.55</td><td>63.49</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	47.53	88.20	-40.67	59.92	38.55	12.55	63.49	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13770.00	47.26	88.20	-40.94	59.65	38.55	12.55	63.49	--	-- Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13770.00	47.53	88.20	-40.67	59.92	38.55	12.55	63.49	--	-- Peak																																																																																					



Mode	52																																																																																																								
	Harmonic																																																																																																								
	U-NII-7-8_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																								
ANT	CDD 14+15																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-08-22  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>47.76</td><td>88.20</td><td>-40.44</td><td>60.21</td><td>38.55</td><td>12.51</td><td>63.51</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	47.76	88.20	-40.44	60.21	38.55	12.51	63.51	--	--	Peak	Level (dBuV/m) Date: 2024-08-22  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>59.76</td><td>38.55</td><td>12.51</td><td>63.51</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	47.31	88.20	-40.89	59.76	38.55	12.51	63.51	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	47.76	88.20	-40.44	60.21	38.55	12.51	63.51	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	47.31	88.20	-40.89	59.76	38.55	12.51	63.51	--	--	Peak																																																																																														



Mode	53																																																																																									
	Harmonic																																																																																									
	U-NII-7-8_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13647.60</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>60.22</td><td>38.57</td><td>12.44</td><td>63.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13647.60	47.69	88.20	-40.51	60.22	38.57	12.44	63.54	--	Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>59.95</td><td>38.57</td><td>12.45</td><td>63.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	47.43	88.20	-40.77	59.95	38.57	12.45	63.54	--	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13647.60	47.69	88.20	-40.51	60.22	38.57	12.44	63.54	--	Peak																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																																
1	13650.00	47.43	88.20	-40.77	59.95	38.57	12.45	63.54	--	Peak																																																																																



Mode	54																																																																																												
	Harmonic																																																																																												
	U-NII-6-7_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																																												
ANT	CDD 14+15																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>60.58</td><td>38.60</td><td>11.94</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	47.43	88.20	-40.77	60.58	38.60	11.94	63.69	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>46.49</td><td>88.20</td><td>-41.71</td><td>59.64</td><td>38.60</td><td>11.94</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	46.49	88.20	-41.71	59.64	38.60	11.94	63.69	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	47.43	88.20	-40.77	60.58	38.60	11.94	63.69	--	--	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	46.49	88.20	-41.71	59.64	38.60	11.94	63.69	--	--	Peak																																																																																		







Mode	55																																																																																													
	Harmonic																																																																																													
	U-NII-6-7_6.425-6.525_802.11ax HE80_CH119_Full RU_6545MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg	Date: 2024-08-22 Horizontal Peak and Average level plots showing Level (dBuV/m) vs Frequency (MHz). The Peak level (red line) is around 87.5 dBuV/m, and the Average level (blue line) is around 46.85 dBuV/m. The frequency range is from 7200 to 18000 MHz. <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>59.95</td><td>38.60</td><td>11.98</td><td>63.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	46.85	88.20	-41.35	59.95	38.60	11.98	63.68	--	--	Peak	Date: 2024-08-22 Vertical Peak and Average level plots showing Level (dBuV/m) vs Frequency (MHz). The Peak level (red line) is around 87.5 dBuV/m, and the Average level (blue line) is around 47.63 dBuV/m. The frequency range is from 7200 to 18000 MHz. <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13090.00</td><td>47.63</td><td>88.20</td><td>-40.57</td><td>60.73</td><td>38.60</td><td>11.98</td><td>63.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	47.63	88.20	-40.57	60.73	38.60	11.98	63.68	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 13090.00	46.85	88.20	-41.35	59.95	38.60	11.98	63.68	--	--	Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 13090.00	47.63	88.20	-40.57	60.73	38.60	11.98	63.68	--	--	Peak																																																																																				



Mode	56																																																																																											
	Harmonic																																																																																											
	U-NII-6-7_6.425-6.525_802.11ax HE160_CH111_Full RU_6505MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>60.41</td><td>38.60</td><td>11.91</td><td>63.70</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13010.00	47.22	88.20	-40.98	60.41	38.60	11.91	63.70	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>60.49</td><td>38.60</td><td>11.91</td><td>63.70</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13010.00	47.30	88.20	-40.90	60.49	38.60	11.91	63.70	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																			
1	13010.00	47.22	88.20	-40.98	60.41	38.60	11.91	63.70	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																			
1	13010.00	47.30	88.20	-40.90	60.49	38.60	11.91	63.70	--	--	Peak																																																																																	







		57																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																
ANT		CDD 14+15																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	Date: 2024-08-27  Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a red line for the limit and a blue line for the measured signal. A peak is labeled 'PEAK_BE(UNII)_6E' at 5955 MHz.					Date: 2024-08-27  Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red line for the limit and a blue line for the measured signal. A peak is labeled 'PEAK_BE(UNII)_6E' at 5955 MHz.																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5869.98	51.52	88.20	-36.68	40.05	35.12	8.85	32.50	100	349	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	81.95	-----	-----	70.52	35.17	8.76	32.50	100	349	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1	5869.98	51.52	88.20	-36.68	40.05	35.12	8.85	32.50	100	349	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1	5955.00	81.95	-----	-----	70.52	35.17	8.76	32.50	100	349	PEAK																																																																							
Avg	Date: 2024-08-27  Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a red line for the limit and a blue line for the measured signal. A peak is labeled 'AVG_BE(UNII)_6E' at 5955 MHz.					Date: 2024-08-27  Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red line for the limit and a blue line for the measured signal. A peak is labeled 'AVG_BE(UNII)_6E' at 5955 MHz.																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5837.61	42.03	68.20	-26.17	30.54	35.10	8.89	32.50	100	349	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	75.76	-----	-----	64.33	35.17	8.76	32.50	100	349	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1	5837.61	42.03	68.20	-26.17	30.54	35.10	8.89	32.50	100	349	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1	5955.00	75.76	-----	-----	64.33	35.17	8.76	32.50	100	349	AVERAGE																																																																							



Mode	57										
	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU_5955MHz										
ANT	CDD 14+15										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m) Date: 2024-08-27 <										







	58																																																																																
Mode	Band Edge																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																
ANT	CDD 14+15																																																																																
Pol.	Horizontal					Fundamental																																																																											
Peak	Date: 2024-08-27  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7173.54</td><td>49.94</td><td>88.20</td><td>-38.26</td><td>39.33</td><td>35.47</td><td>8.62</td><td>33.48</td><td>400</td><td>173 PEAK</td></tr><tr><td>2</td><td>7315.58</td><td>50.10</td><td>74.00</td><td>-23.90</td><td>39.34</td><td>35.44</td><td>8.94</td><td>33.62</td><td>400</td><td>173 PEAK</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7173.54	49.94	88.20	-38.26	39.33	35.47	8.62	33.48	400	173 PEAK	2	7315.58	50.10	74.00	-23.90	39.34	35.44	8.94	33.62	400	173 PEAK	Date: 2024-08-27  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>73.32</td><td>-----</td><td>-----</td><td>62.54</td><td>35.48</td><td>8.71</td><td>33.41</td><td>400</td><td>173 PEAK</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7095.00	73.32	-----	-----	62.54	35.48	8.71	33.41	400	173 PEAK
		Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	7173.54	49.94	88.20	-38.26	39.33	35.47	8.62	33.48	400	173 PEAK																																																																							
2	7315.58	50.10	74.00	-23.90	39.34	35.44	8.94	33.62	400	173 PEAK																																																																							
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	7095.00	73.32	-----	-----	62.54	35.48	8.71	33.41	400	173 PEAK																																																																							
Avg	Date: 2024-08-27  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.54</td><td>40.93</td><td>68.20</td><td>-27.27</td><td>30.36</td><td>35.45</td><td>8.65</td><td>33.53</td><td>400</td><td>173 AVERAGE</td></tr><tr><td>2</td><td>7262.03</td><td>40.91</td><td>54.00</td><td>-13.09</td><td>30.25</td><td>35.45</td><td>8.77</td><td>33.56</td><td>400</td><td>173 AVERAGE</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7224.54	40.93	68.20	-27.27	30.36	35.45	8.65	33.53	400	173 AVERAGE	2	7262.03	40.91	54.00	-13.09	30.25	35.45	8.77	33.56	400	173 AVERAGE	Date: 2024-08-27  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>66.38</td><td>-----</td><td>-----</td><td>55.60</td><td>35.48</td><td>8.71</td><td>33.41</td><td>400</td><td>173 AVERAGE</td></tr></tbody></table>						Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7095.00	66.38	-----	-----	55.60	35.48	8.71	33.41	400	173 AVERAGE
		Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	7224.54	40.93	68.20	-27.27	30.36	35.45	8.65	33.53	400	173 AVERAGE																																																																							
2	7262.03	40.91	54.00	-13.09	30.25	35.45	8.77	33.56	400	173 AVERAGE																																																																							
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Preamp	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	7095.00	66.38	-----	-----	55.60	35.48	8.71	33.41	400	173 AVERAGE																																																																							



Mode	58																																																																																																							
	Band Edge																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																																							
ANT	CDD 14+15																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-27 709571467197724872997350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7191.14</td><td>49.74</td><td>88.20</td><td>-38.46</td><td>39.18</td><td>35.46</td><td>8.59</td><td>33.49</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>7262.03</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>39.41</td><td>35.45</td><td>8.77</td><td>33.56</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7191.14	49.74	88.20	-38.46	39.18	35.46	8.59	33.49	100	119	PEAK	2	7262.03	50.07	74.00	-23.93	39.41	35.45	8.77	33.56	100	119	PEAK	Level (dBuV/m) Date: 2024-08-27 100022403480472059607200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.10</td><td>-----</td><td>-----</td><td>67.32</td><td>35.48</td><td>8.71</td><td>33.41</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	78.10	-----	-----	67.32	35.48	8.71	33.41	100	119	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7191.14	49.74	88.20	-38.46	39.18	35.46	8.59	33.49	100	119	PEAK																																																																																													
2	7262.03	50.07	74.00	-23.93	39.41	35.45	8.77	33.56	100	119	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7095.00	78.10	-----	-----	67.32	35.48	8.71	33.41	100	119	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-08-27 709571467197724872997350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7241.88</td><td>40.82</td><td>68.20</td><td>-27.38</td><td>30.20</td><td>35.45</td><td>8.71</td><td>33.54</td><td>100</td><td>119</td><td>AVERAGE</td></tr><tr><td>2</td><td>7271.46</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>30.15</td><td>35.45</td><td>8.80</td><td>33.57</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7241.88	40.82	68.20	-27.38	30.20	35.45	8.71	33.54	100	119	AVERAGE	2	7271.46	40.83	54.00	-13.17	30.15	35.45	8.80	33.57	100	119	AVERAGE	Level (dBuV/m) Date: 2024-08-27 100022403480472059607200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>69.42</td><td>-----</td><td>-----</td><td>58.64</td><td>35.48</td><td>8.71</td><td>33.41</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	69.42	-----	-----	58.64	35.48	8.71	33.41	100	119	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7241.88	40.82	68.20	-27.38	30.20	35.45	8.71	33.54	100	119	AVERAGE																																																																																													
2	7271.46	40.83	54.00	-13.17	30.15	35.45	8.80	33.57	100	119	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7095.00	69.42	-----	-----	58.64	35.48	8.71	33.41	100	119	AVERAGE																																																																																													





		59																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.78</td><td>50.74</td><td>88.20</td><td>-37.46</td><td>39.29</td><td>35.15</td><td>8.80</td><td>32.50</td><td>260</td><td>205</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5916.78	50.74	88.20	-37.46	39.29	35.15	8.80	32.50	260	205	PEAK	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>73.82</td><td>-----</td><td>-----</td><td>62.39</td><td>35.17</td><td>8.76</td><td>32.50</td><td>260</td><td>205</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	73.82	-----	-----	62.39	35.17	8.76	32.50	260	205	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5916.78	50.74	88.20	-37.46	39.29	35.15	8.80	32.50	260	205	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5955.00	73.82	-----	-----	62.39	35.17	8.76	32.50	260	205	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5840.08</td><td>41.53</td><td>68.20</td><td>-26.67</td><td>30.04</td><td>35.10</td><td>8.89</td><td>32.50</td><td>260</td><td>205</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5840.08	41.53	68.20	-26.67	30.04	35.10	8.89	32.50	260	205	AVERAGE	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>65.88</td><td>-----</td><td>-----</td><td>54.45</td><td>35.17</td><td>8.76</td><td>32.50</td><td>260</td><td>205</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	65.88	-----	-----	54.45	35.17	8.76	32.50	260	205	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5840.08	41.53	68.20	-26.67	30.04	35.10	8.89	32.50	260	205	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5955.00	65.88	-----	-----	54.45	35.17	8.76	32.50	260	205	AVERAGE																																																																															



Mode	59																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																										
ANT	CDD 14+15																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5911.45</td><td>52.71</td><td>88.20</td><td>-35.49</td><td>41.25</td><td>35.15</td><td>8.81</td><td>32.50</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5911.45	52.71	88.20	-35.49	41.25	35.15	8.81	32.50	100	124	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>75.26</td><td>-----</td><td>-----</td><td>63.83</td><td>35.17</td><td>8.76</td><td>32.50</td><td>100</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	75.26	-----	-----	63.83	35.17	8.76	32.50	100	124
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5911.45	52.71	88.20	-35.49	41.25	35.15	8.81	32.50	100	124	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5955.00	75.26	-----	-----	63.83	35.17	8.76	32.50	100	124	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.61</td><td>41.51</td><td>68.20</td><td>-26.69</td><td>30.02</td><td>35.11</td><td>8.88</td><td>32.50</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5850.61	41.51	68.20	-26.69	30.02	35.11	8.88	32.50	100	124	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>67.14</td><td>-----</td><td>-----</td><td>55.71</td><td>35.17</td><td>8.76</td><td>32.50</td><td>100</td><td>124</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	67.14	-----	-----	55.71	35.17	8.76	32.50	100	124
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5850.61	41.51	68.20	-26.69	30.02	35.11	8.88	32.50	100	124	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5955.00	67.14	-----	-----	55.71	35.17	8.76	32.50	100	124	AVERAGE																																																																																



Mode	59																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																																																																																																					
ANT	CDD 14+15																																																																																																																																																																																					
Pol.	Horizontal								Vertical																																																																																																																																																																													
Peak Avg	 Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>60.40</td><td>38.13</td><td>11.66</td><td>63.15</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>57.66</td><td>41.93</td><td>13.31</td><td>65.94</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg	1	11910.00	47.04	74.00	-26.96	60.40	38.13	11.66	63.15	--	--	Peak					Peak	2	17865.00	46.96	74.00	-27.04	57.66	41.93	13.31	65.94	--	--	Peak					Peak	 Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>60.79</td><td>38.13</td><td>11.66</td><td>63.15</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>57.67</td><td>41.93</td><td>13.31</td><td>65.94</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>										Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg	1	11910.00	47.43	74.00	-26.57	60.79	38.13	11.66	63.15	--	--	Peak					Peak	2	17865.00	46.97	74.00	-27.03	57.67	41.93	13.31	65.94	--	--	Peak					Peak
			Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																						
1	11910.00	47.04	74.00	-26.96	60.40	38.13	11.66	63.15	--	--	Peak					Peak																																																																																																																																																																						
2	17865.00	46.96	74.00	-27.04	57.66	41.93	13.31	65.94	--	--	Peak					Peak																																																																																																																																																																						
		Limit		Read		Ant		Cable		Preamp		APos		TPos		Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																							
1	11910.00	47.43	74.00	-26.57	60.79	38.13	11.66	63.15	--	--	Peak					Peak																																																																																																																																																																						
2	17865.00	46.97	74.00	-27.03	57.67	41.93	13.31	65.94	--	--	Peak					Peak																																																																																																																																																																						





Mode	60																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz)						Level (dBuV/m) Date: 2024-08-22 Frequency (MHz)																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>58.10</td><td>38.41</td><td>11.77</td><td>63.13</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12350.00	45.15	74.00	-28.85	58.10	38.41	11.77	63.13	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12350.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>60.44</td><td>38.41</td><td>11.77</td><td>63.13</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12350.00	47.49	74.00	-26.51	60.44	38.41	11.77	63.13	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12350.00	45.15	74.00	-28.85	58.10	38.41	11.77	63.13	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12350.00	47.49	74.00	-26.51	60.44	38.41	11.77	63.13	--	--	Peak																																																																																					



Mode	61																																																																																									
	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>59.93</td><td>38.57</td><td>11.87</td><td>63.50</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.87	88.20	-41.33	59.93	38.57	11.87	63.50	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12826.80</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>60.30</td><td>38.57</td><td>11.87</td><td>63.49</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12826.80	47.25	88.20	-40.95	60.30	38.57	11.87	63.49	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	12830.00	46.87	88.20	-41.33	59.93	38.57	11.87	63.50	--	-- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	12826.80	47.25	88.20	-40.95	60.30	38.57	11.87	63.49	--	-- Peak																																																																																



Mode	62																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH97_6435MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12890.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>60.34</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12890.00	47.23	88.20	-40.97	60.34	38.58	11.88	63.57	--	--	Peak		Level (dBuV/m) Date: 2024-08-22  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12890.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>59.92</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12890.00	46.81	88.20	-41.39	59.92	38.58	11.88	63.57	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12890.00	47.23	88.20	-40.97	60.34	38.58	11.88	63.57	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12890.00	46.81	88.20	-41.39	59.92	38.58	11.88	63.57	--	--	Peak																																																																																																



Mode	63																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12950.00</td><td>47.78</td><td>88.20</td><td>-40.42</td><td>60.93</td><td>38.59</td><td>11.90</td><td>63.64</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12950.00	47.78	88.20	-40.42	60.93	38.59	11.90	63.64	--	--	Peak		Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12950.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>60.69</td><td>38.59</td><td>11.90</td><td>63.64</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12950.00	47.54	88.20	-40.66	60.69	38.59	11.90	63.64	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12950.00	47.78	88.20	-40.42	60.93	38.59	11.90	63.64	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12950.00	47.54	88.20	-40.66	60.69	38.59	11.90	63.64	--	--	Peak																																																																																																



Mode	64																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>60.97</td><td>38.60</td><td>11.93</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	47.81	88.20	-40.39	60.97	38.60	11.93	63.69	--	--	Peak		Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>47.86</td><td>88.20</td><td>-40.34</td><td>61.02</td><td>38.60</td><td>11.93</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	47.86	88.20	-40.34	61.02	38.60	11.93	63.69	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13030.00	47.81	88.20	-40.39	60.97	38.60	11.93	63.69	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13030.00	47.86	88.20	-40.34	61.02	38.60	11.93	63.69	--	--	Peak																																																																																																



Mode	65																																																																																													
	Harmonic																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>60.47</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.34	88.20	-40.86	60.47	38.60	11.96	63.69	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.62</td><td>88.20</td><td>-41.58</td><td>59.75</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.62	88.20	-41.58	59.75	38.60	11.96	63.69	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13070.00	47.34	88.20	-40.86	60.47	38.60	11.96	63.69	--	--	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13070.00	46.62	88.20	-41.58	59.75	38.60	11.96	63.69	--	--	Peak																																																																																			



Mode	66																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>58.96</td><td>38.60</td><td>12.23</td><td>63.62</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.17	74.00	-27.83	58.96	38.60	12.23	63.62	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>58.55</td><td>38.60</td><td>12.23</td><td>63.62</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.76	74.00	-28.24	58.55	38.60	12.23	63.62	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13390.00	46.17	74.00	-27.83	58.96	38.60	12.23	63.62	--	-- Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13390.00	45.76	74.00	-28.24	58.55	38.60	12.23	63.62	--	-- Peak																																																																																						





Mode	67																																																																																														
	Harmonic																																																																																														
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																														
ANT	CDD 14+15																																																																																														
Pol.	Horizontal					Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE					Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>59.62</td><td>38.56</td><td>12.50</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.16	88.20	-41.04	59.62	38.56	12.50	63.52	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>59.60</td><td>38.56</td><td>12.50</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.14	88.20	-41.06	59.60	38.56	12.50	63.52	--	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13710.00	47.16	88.20	-41.04	59.62	38.56	12.50	63.52	--	--	Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13710.00	47.14	88.20	-41.06	59.60	38.56	12.50	63.52	--	--	Peak																																																																																				



Mode	68																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13790.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>59.87</td><td>38.54</td><td>12.56</td><td>63.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	47.49	88.20	-40.71	59.87	38.54	12.56	63.48	--	--	Peak	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13790.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>59.65</td><td>38.54</td><td>12.56</td><td>63.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	47.27	88.20	-40.93	59.65	38.54	12.56	63.48	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13790.00	47.49	88.20	-40.71	59.87	38.54	12.56	63.48	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13790.00	47.27	88.20	-40.93	59.65	38.54	12.56	63.48	--	--	Peak																																																																																															



Mode	69																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>47.05</td><td>88.20</td><td>-41.15</td><td>59.23</td><td>38.50</td><td>12.73</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	47.05	88.20	-41.15	59.23	38.50	12.73	63.41	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13990.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>59.12</td><td>38.50</td><td>12.73</td><td>63.41</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	46.94	88.20	-41.26	59.12	38.50	12.73	63.41	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13990.00	47.05	88.20	-41.15	59.23	38.50	12.73	63.41	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13990.00	46.94	88.20	-41.26	59.12	38.50	12.73	63.41	--	--	Peak																																																																																															



		70																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																								
ANT		CDD 14+15																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak		Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII_6E) Frequency (MHz) 709571467197724872997350 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7185.02</td><td>50.21</td><td>88.20</td><td>-37.99</td><td>39.64</td><td>35.46</td><td>8.60</td><td>33.49</td><td>325 360 PEAK</td></tr><tr><td>2</td><td>7328.58</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>39.16</td><td>35.43</td><td>8.99</td><td>33.63</td><td>325 360 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7185.02	50.21	88.20	-37.99	39.64	35.46	8.60	33.49	325 360 PEAK	2	7328.58	49.95	74.00	-24.05	39.16	35.43	8.99	33.63	325 360 PEAK		Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII_6E) Frequency (MHz) 100022403480472059607200 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.68</td><td>-----</td><td>-----</td><td>71.90</td><td>35.48</td><td>8.71</td><td>33.41</td><td>325 360 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	82.68	-----	-----	71.90	35.48	8.71	33.41	325 360 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7185.02	50.21	88.20	-37.99	39.64	35.46	8.60	33.49	325 360 PEAK																																																																																																	
2	7328.58	49.95	74.00	-24.05	39.16	35.43	8.99	33.63	325 360 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7095.00	82.68	-----	-----	71.90	35.48	8.71	33.41	325 360 PEAK																																																																																																	
Avg		Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII_6E) Frequency (MHz) 709571467197724872997350 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7221.23</td><td>40.63</td><td>68.20</td><td>-27.57</td><td>30.05</td><td>35.46</td><td>8.64</td><td>33.52</td><td>325 360 AVERAGE</td></tr><tr><td>2</td><td>7266.11</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>30.00</td><td>35.45</td><td>8.79</td><td>33.57</td><td>325 360 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7221.23	40.63	68.20	-27.57	30.05	35.46	8.64	33.52	325 360 AVERAGE	2	7266.11	40.67	54.00	-13.33	30.00	35.45	8.79	33.57	325 360 AVERAGE		Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII_6E) Frequency (MHz) 100022403480472059607200 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>75.01</td><td>-----</td><td>-----</td><td>64.23</td><td>35.48</td><td>8.71</td><td>33.41</td><td>325 360 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	75.01	-----	-----	64.23	35.48	8.71	33.41	325 360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7221.23	40.63	68.20	-27.57	30.05	35.46	8.64	33.52	325 360 AVERAGE																																																																																																	
2	7266.11	40.67	54.00	-13.33	30.00	35.45	8.79	33.57	325 360 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1	7095.00	75.01	-----	-----	64.23	35.48	8.71	33.41	325 360 AVERAGE																																																																																																	







		70																																																																																																															
Mode		Band Edge																																																																																																															
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																															
ANT		CDD 14+15																																																																																																															
Pol.		Vertical										Fundamental																																																																																																					
Peak		Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7244.69</td><td>49.73</td><td>88.20</td><td>-38.47</td><td>39.11</td><td>35.45</td><td>8.72</td><td>33.55</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7326.03</td><td>49.77</td><td>74.00</td><td>-24.23</td><td>38.99</td><td>35.43</td><td>8.98</td><td>33.63</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7244.69	49.73	88.20	-38.47	39.11	35.45	8.72	33.55	300	360	PEAK	2	7326.03	49.77	74.00	-24.23	38.99	35.43	8.98	33.63	300	360	PEAK	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.81</td><td>-----</td><td>-----</td><td>76.99</td><td>35.48</td><td>8.73</td><td>33.39</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.81	-----	-----	76.99	35.48	8.73	33.39	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7244.69	49.73	88.20	-38.47	39.11	35.45	8.72	33.55	300	360	PEAK																																																																																																						
2	7326.03	49.77	74.00	-24.23	38.99	35.43	8.98	33.63	300	360	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7095.00	87.81	-----	-----	76.99	35.48	8.73	33.39	300	360	PEAK																																																																																																						
Avg		Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7219.19</td><td>40.79</td><td>68.20</td><td>-27.41</td><td>30.21</td><td>35.46</td><td>8.64</td><td>33.52</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7265.34</td><td>40.71</td><td>54.00</td><td>-13.29</td><td>30.05</td><td>35.45</td><td>8.78</td><td>33.57</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7219.19	40.79	68.20	-27.41	30.21	35.46	8.64	33.52	300	360	AVERAGE	2	7265.34	40.71	54.00	-13.29	30.05	35.45	8.78	33.57	300	360	AVERAGE	Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.79</td><td>-----</td><td>-----</td><td>67.97</td><td>35.48</td><td>8.73</td><td>33.39</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	78.79	-----	-----	67.97	35.48	8.73	33.39	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7219.19	40.79	68.20	-27.41	30.21	35.46	8.64	33.52	300	360	AVERAGE																																																																																																						
2	7265.34	40.71	54.00	-13.29	30.05	35.45	8.78	33.57	300	360	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7095.00	78.79	-----	-----	67.97	35.48	8.73	33.39	300	360	AVERAGE																																																																																																						







Mode	70																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14190.00</td><td>46.20</td><td>88.20</td><td>-42.00</td><td>58.48</td><td>38.54</td><td>12.73</td><td>63.55</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14190.00	46.20	88.20	-42.00	58.48	38.54	12.73	63.55	--	--	Peak		Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 14190.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>59.79</td><td>38.54</td><td>12.73</td><td>63.55</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 14190.00	47.51	88.20	-40.69	59.79	38.54	12.73	63.55	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 14190.00	46.20	88.20	-42.00	58.48	38.54	12.73	63.55	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 14190.00	47.51	88.20	-40.69	59.79	38.54	12.73	63.55	--	--	Peak																																																																																																





		71																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																							
ANT		CDD 14+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-18  PEAK_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-08-18  PEAK_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.72</td><td>51.41</td><td>88.20</td><td>-36.79</td><td>39.93</td><td>35.11</td><td>8.87</td><td>32.50</td><td>174</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.72	51.41	88.20	-36.79	39.93	35.11	8.87	32.50	174	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>76.76</td><td>-----</td><td>-----</td><td>65.33</td><td>35.17</td><td>8.76</td><td>32.50</td><td>174</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	76.76	-----	-----	65.33	35.17	8.76	32.50	174	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5855.72	51.41	88.20	-36.79	39.93	35.11	8.87	32.50	174	0	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5965.00	76.76	-----	-----	65.33	35.17	8.76	32.50	174	0	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2024-08-18  AVG_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-08-18  AVG_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5881.64</td><td>41.41</td><td>68.20</td><td>-26.79</td><td>29.94</td><td>35.13</td><td>8.84</td><td>32.50</td><td>174</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5881.64	41.41	68.20	-26.79	29.94	35.13	8.84	32.50	174	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>68.08</td><td>-----</td><td>-----</td><td>56.65</td><td>35.17</td><td>8.76</td><td>32.50</td><td>174</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	68.08	-----	-----	56.65	35.17	8.76	32.50	174	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5881.64	41.41	68.20	-26.79	29.94	35.13	8.84	32.50	174	0	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5965.00	68.08	-----	-----	56.65	35.17	8.76	32.50	174	0	AVERAGE																																																																														



		71																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5878.28</td><td>51.44</td><td>88.20</td><td>-36.76</td><td>39.97</td><td>35.13</td><td>8.84</td><td>32.50</td><td>354</td><td>212</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5878.28	51.44	88.20	-36.76	39.97	35.13	8.84	32.50	354	212	PEAK	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>72.30</td><td>-----</td><td>-----</td><td>60.88</td><td>35.19</td><td>8.73</td><td>32.50</td><td>354</td><td>212</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	72.30	-----	-----	60.88	35.19	8.73	32.50	354	212	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5878.28	51.44	88.20	-36.76	39.97	35.13	8.84	32.50	354	212	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5965.00	72.30	-----	-----	60.88	35.19	8.73	32.50	354	212	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5886.28</td><td>41.50</td><td>68.20</td><td>-26.70</td><td>30.04</td><td>35.13</td><td>8.83</td><td>32.50</td><td>354</td><td>212</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5886.28	41.50	68.20	-26.70	30.04	35.13	8.83	32.50	354	212	AVERAGE	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>63.51</td><td>-----</td><td>-----</td><td>52.10</td><td>35.19</td><td>8.72</td><td>32.50</td><td>354</td><td>212</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5965.00	63.51	-----	-----	52.10	35.19	8.72	32.50	354	212	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5886.28	41.50	68.20	-26.70	30.04	35.13	8.83	32.50	354	212	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5965.00	63.51	-----	-----	52.10	35.19	8.72	32.50	354	212	AVERAGE																																																																															





		71																																																																																																																				
Mode		Harmonic																																																																																																																				
		U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																				
ANT		CDD 14+15																																																																																																																				
Pol.		Horizontal					Vertical																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-08-22  Level (dBuV/m) Date: 2024-08-22 																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>60.64</td><td>38.14</td><td>11.67</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>56.97</td><td>42.04</td><td>13.32</td><td>65.97</td><td>--</td><td>--</td><td>Peak</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>60.77</td><td>38.14</td><td>11.67</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>57.73</td><td>42.04</td><td>13.32</td><td>65.97</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	47.29	74.00	-26.71	60.64	38.14	11.67	63.16	--	--	Peak	2	17895.00	46.36	74.00	-27.64	56.97	42.04	13.32	65.97	--	--	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	47.42	74.00	-26.58	60.77	38.14	11.67	63.16	--	--	Peak	2	17895.00	47.12	74.00	-26.88	57.73	42.04	13.32	65.97	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11930.00	47.29	74.00	-26.71	60.64	38.14	11.67	63.16	--	--	Peak																																																																																																											
2	17895.00	46.36	74.00	-27.64	56.97	42.04	13.32	65.97	--	--	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11930.00	47.42	74.00	-26.58	60.77	38.14	11.67	63.16	--	--	Peak																																																																																																											
2	17895.00	47.12	74.00	-26.88	57.73	42.04	13.32	65.97	--	--	Peak																																																																																																											



Mode	72																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_Full RU_6165MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12320.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>59.28</td><td>38.40</td><td>11.77</td><td>63.13</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	12320.00	46.32	74.00	-27.68	59.28	38.40	11.77	63.13	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12320.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>59.26</td><td>38.40</td><td>11.77</td><td>63.13</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	12320.00	46.30	74.00	-27.70	59.26	38.40	11.77	63.13	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																			
1	12320.00	46.32	74.00	-27.68	59.28	38.40	11.77	63.13	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																			
1	12320.00	46.30	74.00	-27.70	59.26	38.40	11.77	63.13	--	--	Peak																																																																																	



Mode	73																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12810.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>60.08</td><td>38.56</td><td>11.87</td><td>63.47</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12810.00	47.04	88.20	-41.16	60.08	38.56	11.87	63.47	--	--	Peak		Level (dBuV/m) Date: 2024-08-22  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12810.00</td><td>47.20</td><td>88.20</td><td>-41.00</td><td>60.24</td><td>38.56</td><td>11.87</td><td>63.47</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12810.00	47.20	88.20	-41.00	60.24	38.56	11.87	63.47	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12810.00	47.04	88.20	-41.16	60.08	38.56	11.87	63.47	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12810.00	47.20	88.20	-41.00	60.24	38.56	11.87	63.47	--	--	Peak																																																																																																



Mode	74																																																																																													
	Harmonic																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>60.47</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.36	88.20	-40.84	60.47	38.58	11.88	63.57	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>60.20</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.09	88.20	-41.11	60.20	38.58	11.88	63.57	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12890.00	47.36	88.20	-40.84	60.47	38.58	11.88	63.57	--	--	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12890.00	47.09	88.20	-41.11	60.20	38.58	11.88	63.57	--	--	Peak																																																																																			





Mode	75																																																																																													
	Harmonic																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>60.04</td><td>38.59</td><td>11.90</td><td>63.66</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	46.87	88.20	-41.33	60.04	38.59	11.90	63.66	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>61.04</td><td>38.59</td><td>11.90</td><td>63.66</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.87	88.20	-40.33	61.04	38.59	11.90	63.66	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12970.00	46.87	88.20	-41.33	60.04	38.59	11.90	63.66	--	--	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12970.00	47.87	88.20	-40.33	61.04	38.59	11.90	63.66	--	--	Peak																																																																																			



Mode	76																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																															
ANT	CDD 14+15																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>46.68</td><td>88.20</td><td>-41.52</td><td>59.74</td><td>38.60</td><td>12.01</td><td>63.67</td><td>--</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	46.68	88.20	-41.52	59.74	38.60	12.01	63.67	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>46.10</td><td>88.20</td><td>-42.10</td><td>59.16</td><td>38.60</td><td>12.01</td><td>63.67</td><td>--</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	46.10	88.20	-42.10	59.16	38.60	12.01	63.67	--	-- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13130.00	46.68	88.20	-41.52	59.74	38.60	12.01	63.67	--	-- Peak																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13130.00	46.10	88.20	-42.10	59.16	38.60	12.01	63.67	--	-- Peak																																																																							



Mode	77																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>59.31</td><td>38.60</td><td>12.21</td><td>63.63</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	46.49	74.00	-27.51	59.31	38.60	12.21	63.63	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>58.36</td><td>38.60</td><td>12.21</td><td>63.63</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	45.54	74.00	-28.46	58.36	38.60	12.21	63.63	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	46.49	74.00	-27.51	59.31	38.60	12.21	63.63	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	45.54	74.00	-28.46	58.36	38.60	12.21	63.63	--	--	Peak																																																																																					





Mode	78																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13690.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>60.33</td><td>38.56</td><td>12.48</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13690.00	47.85	88.20	-40.35	60.33	38.56	12.48	63.52	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13690.00</td><td>47.32</td><td>88.20</td><td>-40.88</td><td>59.80</td><td>38.56</td><td>12.48</td><td>63.52</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13690.00	47.32	88.20	-40.88	59.80	38.56	12.48	63.52	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13690.00	47.85	88.20	-40.35	60.33	38.56	12.48	63.52	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13690.00	47.32	88.20	-40.88	59.80	38.56	12.48	63.52	--	--	Peak																																																																																						







Mode	79																																																																																																
	Harmonic																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																																
ANT	CDD 14+15																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>59.91</td><td>38.53</td><td>12.61</td><td>63.46</td><td>--</td><td>-- Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	47.59	88.20	-40.61	59.91	38.53	12.61	63.46	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>60.22</td><td>38.53</td><td>12.61</td><td>63.46</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	47.90	88.20	-40.30	60.22	38.53	12.61	63.46	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13850.00	47.59	88.20	-40.61	59.91	38.53	12.61	63.46	--	-- Peak																																																																																							
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13850.00	47.90	88.20	-40.30	60.22	38.53	12.61	63.46	--	-- Peak																																																																																							







Mode	80																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT40_CH203_Full RU_6965MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13930.00</td><td>46.49</td><td>88.20</td><td>-41.71</td><td>58.73</td><td>38.51</td><td>12.68</td><td>63.43</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13930.00	46.49	88.20	-41.71	58.73	38.51	12.68	63.43	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13930.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>59.21</td><td>38.51</td><td>12.68</td><td>63.43</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13930.00	46.97	88.20	-41.23	59.21	38.51	12.68	63.43	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13930.00	46.49	88.20	-41.71	58.73	38.51	12.68	63.43	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13930.00	46.97	88.20	-41.23	59.21	38.51	12.68	63.43	--	--	Peak																																																																																					



		81																																																																																																					
Mode		Band Edge																																																																																																					
		U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																					
ANT		CDD 14+15																																																																																																					
Pol.		Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>dBuV/m</th><th>Line Margin</th><th>dB</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7232.61</td><td>50.94</td><td>88.20</td><td>-37.26</td><td>40.35</td><td>35.45</td><td>8.68</td><td>33.54</td><td>100</td><td>322</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>7337.55</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>39.58</td><td>35.43</td><td>9.01</td><td>33.64</td><td>100</td><td>322</td><td>PEAK</td><td></td></tr></tbody></table>							Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7232.61	50.94	88.20	-37.26	40.35	35.45	8.68	33.54	100	322	PEAK		2	7337.55	50.38	74.00	-23.62	39.58	35.43	9.01	33.64	100	322	PEAK		 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>dBuV/m</th><th>Line Margin</th><th>dB</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>91.76</td><td>-----</td><td>-----</td><td>80.94</td><td>35.48</td><td>8.73</td><td>33.39</td><td>100</td><td>322</td><td>PEAK</td><td></td></tr></tbody></table>							Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	91.76	-----	-----	80.94	35.48	8.73	33.39	100	322	PEAK	
		Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7232.61	50.94	88.20	-37.26	40.35	35.45	8.68	33.54	100	322	PEAK																																																																																												
2	7337.55	50.38	74.00	-23.62	39.58	35.43	9.01	33.64	100	322	PEAK																																																																																												
	Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7085.00	91.76	-----	-----	80.94	35.48	8.73	33.39	100	322	PEAK																																																																																												
Avg	 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>dBuV/m</th><th>Line Margin</th><th>dB</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7127.40</td><td>41.22</td><td>68.20</td><td>-26.98</td><td>30.50</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100</td><td>322</td><td>AVERAGE</td><td></td></tr><tr><td>2</td><td>7305.22</td><td>40.60</td><td>54.00</td><td>-13.40</td><td>29.86</td><td>35.44</td><td>8.91</td><td>33.61</td><td>100</td><td>322</td><td>AVERAGE</td><td></td></tr></tbody></table>							Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7127.40	41.22	68.20	-26.98	30.50	35.47	8.68	33.43	100	322	AVERAGE		2	7305.22	40.60	54.00	-13.40	29.86	35.44	8.91	33.61	100	322	AVERAGE		 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>dBuV/m</th><th>Line Margin</th><th>dB</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>82.04</td><td>-----</td><td>-----</td><td>71.18</td><td>35.49</td><td>8.75</td><td>33.38</td><td>100</td><td>322</td><td>AVERAGE</td><td></td></tr></tbody></table>							Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	82.04	-----	-----	71.18	35.49	8.75	33.38	100	322	AVERAGE	
		Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7127.40	41.22	68.20	-26.98	30.50	35.47	8.68	33.43	100	322	AVERAGE																																																																																												
2	7305.22	40.60	54.00	-13.40	29.86	35.44	8.91	33.61	100	322	AVERAGE																																																																																												
	Limit Freq	Level MHz	dBuV/m	Line Margin	dB	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7085.00	82.04	-----	-----	71.18	35.49	8.75	33.38	100	322	AVERAGE																																																																																												







		81																																																																																															
Mode		Band Edge																																																																																															
		U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																															
ANT		CDD 14+15																																																																																															
Pol.		Vertical					Fundamental																																																																																										
Peak	 Date: 2024-08-18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7128.46</td><td>50.54</td><td>88.20</td><td>-37.66</td><td>39.82</td><td>35.47</td><td>8.68</td><td>33.43</td><td>154</td><td>0 PEAK</td></tr><tr><td>2</td><td>7257.78</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>40.46</td><td>35.45</td><td>8.76</td><td>33.56</td><td>154</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7128.46	50.54	88.20	-37.66	39.82	35.47	8.68	33.43	154	0 PEAK	2	7257.78	51.11	74.00	-22.89	40.46	35.45	8.76	33.56	154	0 PEAK	 Date: 2024-08-18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>92.92</td><td>-----</td><td>-----</td><td>82.06</td><td>35.49</td><td>8.75</td><td>33.38</td><td>154</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7085.00	92.92	-----	-----	82.06	35.49	8.75	33.38	154	0 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7128.46	50.54	88.20	-37.66	39.82	35.47	8.68	33.43	154	0 PEAK																																																																																							
2	7257.78	51.11	74.00	-22.89	40.46	35.45	8.76	33.56	154	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7085.00	92.92	-----	-----	82.06	35.49	8.75	33.38	154	0 PEAK																																																																																							
Avg	 Date: 2024-08-18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7127.40</td><td>41.13</td><td>68.20</td><td>-27.07</td><td>30.41</td><td>35.47</td><td>8.68</td><td>33.43</td><td>154</td><td>0 AVERAGE</td></tr><tr><td>2</td><td>7270.50</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>30.05</td><td>35.45</td><td>8.80</td><td>33.57</td><td>154</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7127.40	41.13	68.20	-27.07	30.41	35.47	8.68	33.43	154	0 AVERAGE	2	7270.50	40.73	54.00	-13.27	30.05	35.45	8.80	33.57	154	0 AVERAGE	 Date: 2024-08-18 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>83.21</td><td>-----</td><td>-----</td><td>72.36</td><td>35.48</td><td>8.75</td><td>33.38</td><td>154</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7085.00	83.21	-----	-----	72.36	35.48	8.75	33.38	154	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7127.40	41.13	68.20	-27.07	30.41	35.47	8.68	33.43	154	0 AVERAGE																																																																																							
2	7270.50	40.73	54.00	-13.27	30.05	35.45	8.80	33.57	154	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																									
1	7085.00	83.21	-----	-----	72.36	35.48	8.75	33.38	154	0 AVERAGE																																																																																							



Mode	81																																																																																								
	Harmonic																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																								
ANT	CDD 14+15																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE					Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>46.69</td><td>88.20 -41.51</td><td>58.96</td><td>38.53</td><td>12.73</td><td>63.53</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	46.69	88.20 -41.51	58.96	38.53	12.73	63.53	--	--	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>46.78</td><td>88.20 -41.42</td><td>59.05</td><td>38.53</td><td>12.73</td><td>63.53</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	46.78	88.20 -41.42	59.05	38.53	12.73	63.53	--	--
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																															
1	14170.00	46.69	88.20 -41.51	58.96	38.53	12.73	63.53	--	--	Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																															
1	14170.00	46.78	88.20 -41.42	59.05	38.53	12.73	63.53	--	--	Peak																																																																															





Mode	82																																																																																																							
	Band Edge																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																							
ANT	CDD 14+15																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-18  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5872.04</td><td>50.53</td><td>88.20</td><td>-37.67</td><td>39.06</td><td>35.12</td><td>8.85</td><td>32.50</td><td>199</td><td>350</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5872.04	50.53	88.20	-37.67	39.06	35.12	8.85	32.50	199	350	PEAK	Level (dBuV/m) Date: 2024-08-18  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>75.88</td><td>-----</td><td>-----</td><td>64.47</td><td>35.19</td><td>8.72</td><td>32.50</td><td>199</td><td>350</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	75.88	-----	-----	64.47	35.19	8.72	32.50	199	350	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5872.04	50.53	88.20	-37.67	39.06	35.12	8.85	32.50	199	350	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5985.00	75.88	-----	-----	64.47	35.19	8.72	32.50	199	350	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-08-18  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5876.68</td><td>41.40</td><td>68.20</td><td>-26.80</td><td>29.92</td><td>35.13</td><td>8.85</td><td>32.50</td><td>199</td><td>350</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5876.68	41.40	68.20	-26.80	29.92	35.13	8.85	32.50	199	350	AVERAGE	Level (dBuV/m) Date: 2024-08-18  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>68.46</td><td>-----</td><td>-----</td><td>57.03</td><td>35.18</td><td>8.75</td><td>32.50</td><td>199</td><td>350</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	68.46	-----	-----	57.03	35.18	8.75	32.50	199	350	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5876.68	41.40	68.20	-26.80	29.92	35.13	8.85	32.50	199	350	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	5985.00	68.46	-----	-----	57.03	35.18	8.75	32.50	199	350	AVERAGE																																																																																													



Mode	82											
	Band Edge											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz											
ANT	CDD 14+15											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2024-08-18											





Mode	82																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																							
ANT	CDD 14+15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>46.47</td><td>74.00</td><td>-27.53</td><td>59.78</td><td>38.18</td><td>11.69</td><td>63.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>56.36</td><td>42.24</td><td>13.33</td><td>66.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	46.47	74.00	-27.53	59.78	38.18	11.69	63.18	--	--	Peak	2	17955.00	45.88	74.00	-28.12	56.36	42.24	13.33	66.05	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>60.37</td><td>38.18</td><td>11.69</td><td>63.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>56.20</td><td>42.24</td><td>13.33</td><td>66.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	47.06	74.00	-26.94	60.37	38.18	11.69	63.18	--	--	Peak	2	17955.00	45.72	74.00	-28.28	56.20	42.24	13.33	66.05	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11970.00	46.47	74.00	-27.53	59.78	38.18	11.69	63.18	--	--	Peak																																																																																																													
2	17955.00	45.88	74.00	-28.12	56.36	42.24	13.33	66.05	--	--	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11970.00	47.06	74.00	-26.94	60.37	38.18	11.69	63.18	--	--	Peak																																																																																																													
2	17955.00	45.72	74.00	-28.28	56.20	42.24	13.33	66.05	--	--	Peak																																																																																																													



Mode	83																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full RU_6145MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12280.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>59.13</td><td>38.37</td><td>11.76</td><td>63.14</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12280.00	46.12	74.00	-27.88	59.13	38.37	11.76	63.14	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12280.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>58.94</td><td>38.37</td><td>11.76</td><td>63.14</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12280.00	45.93	74.00	-28.07	58.94	38.37	11.76	63.14	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12280.00	46.12	74.00	-27.88	59.13	38.37	11.76	63.14	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12280.00	45.93	74.00	-28.07	58.94	38.37	11.76	63.14	--	--	Peak																																																																																					





Mode	84																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12770.00</td><td>47.73</td><td>88.20</td><td>-40.47</td><td>60.75</td><td>38.55</td><td>11.86</td><td>63.43</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12770.00	47.73	88.20	-40.47	60.75	38.55	11.86	63.43	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12770.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>60.56</td><td>38.55</td><td>11.86</td><td>63.43</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12770.00	47.54	88.20	-40.66	60.56	38.55	11.86	63.43	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12770.00	47.73	88.20	-40.47	60.75	38.55	11.86	63.43	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12770.00	47.54	88.20	-40.66	60.56	38.55	11.86	63.43	--	--	Peak																																																																																					

Mode	85																																																																																			
	Harmonic																																																																																			
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12930.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>60.02</td><td>38.59</td><td>11.89</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12930.00	46.88	88.20	-41.32	60.02	38.59	11.89	63.62	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12930.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>60.65</td><td>38.59</td><td>11.89</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12930.00	47.51	88.20	-40.69	60.65	38.59	11.89	63.62	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12930.00	46.88	88.20	-41.32	60.02	38.59	11.89	63.62	--	--	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12930.00	47.51	88.20	-40.69	60.65	38.59	11.89	63.62	--	--	Peak																																																																									



Mode	86																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13250.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>60.42</td><td>38.60</td><td>12.11</td><td>63.65</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13250.00	47.48	74.00	-26.52	60.42	38.60	12.11	63.65	--	--	Peak		Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13250.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>60.55</td><td>38.60</td><td>12.11</td><td>63.65</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13250.00	47.61	74.00	-26.39	60.55	38.60	12.11	63.65	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13250.00	47.48	74.00	-26.52	60.42	38.60	12.11	63.65	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13250.00	47.61	74.00	-26.39	60.55	38.60	12.11	63.65	--	--	Peak																																																																																																



Mode	87																																																																							
	Harmonic																																																																							
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																							
ANT	CDD 14+15																																																																							
Pol.	Horizontal					Vertical																																																																		
Peak Avg	 Horizontal Peak Spectrum Plot. The y-axis is Level (dBuV/m) from 0 to 140. The x-axis is Frequency (MHz) from 7200 to 18000. A red line shows the peak level, and a blue line shows the average level. A vertical blue line is at 13400 MHz. The date is 2024-08-22.					 Vertical Peak Spectrum Plot. The y-axis is Level (dBuV/m) from 0 to 140. The x-axis is Frequency (MHz) from 7200 to 18000. A red line shows the peak level, and a blue line shows the average level. A vertical blue line is at 13400 MHz. The date is 2024-08-22.																																																																		
	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>13400.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>60.09</td><td>38.60</td><td>12.24</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Apos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	13400.00	47.31	74.00	-26.69	60.09	38.60	12.24	63.62	--	--	Peak	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>13400.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>59.33</td><td>38.60</td><td>12.24</td><td>63.62</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Apos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	13400.00	46.55	74.00	-27.45	59.33	38.60	12.24	63.62	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																													
1	13400.00	47.31	74.00	-26.69	60.09	38.60	12.24	63.62	--	--	Peak																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																													
1	13400.00	46.55	74.00	-27.45	59.33	38.60	12.24	63.62	--	--	Peak																																																													







Mode	88																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																															
ANT	CDD 14+15																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13570.00</td><td>47.28</td><td>88.20 -40.92</td><td>59.88</td><td>38.59</td><td>12.38</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	47.28	88.20 -40.92	59.88	38.59	12.38	63.57	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13570.00</td><td>47.44</td><td>88.20 -40.76</td><td>60.04</td><td>38.59</td><td>12.38</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	47.44	88.20 -40.76	60.04	38.59	12.38	63.57	--	--	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13570.00	47.28	88.20 -40.92	59.88	38.59	12.38	63.57	--	--	Peak																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13570.00	47.44	88.20 -40.76	60.04	38.59	12.38	63.57	--	--	Peak																																																																							



Mode	89																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13890.00</td><td>46.49</td><td>88.20</td><td>-41.71</td><td>58.77</td><td>38.52</td><td>12.65</td><td>63.45</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13890.00	46.49	88.20	-41.71	58.77	38.52	12.65	63.45	--	--	Peak		Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13890.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>59.98</td><td>38.52</td><td>12.65</td><td>63.45</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13890.00	47.70	88.20	-40.50	59.98	38.52	12.65	63.45	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13890.00	46.49	88.20	-41.71	58.77	38.52	12.65	63.45	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13890.00	47.70	88.20	-40.50	59.98	38.52	12.65	63.45	--	--	Peak																																																																																																



Mode	90																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																						
ANT	CDD 14+15																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7143.30</td><td>50.04</td><td>88.20</td><td>-38.16</td><td>39.36</td><td>35.47</td><td>8.66</td><td>33.45</td><td>400</td><td>315</td><td>PEAK</td></tr><tr><td>2</td><td>7315.55</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>39.06</td><td>35.44</td><td>8.94</td><td>33.62</td><td>400</td><td>315</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7143.30	50.04	88.20	-38.16	39.36	35.47	8.66	33.45	400	315	PEAK	2	7315.55	49.82	74.00	-24.18	39.06	35.44	8.94	33.62	400	315	PEAK	 Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>83.10</td><td>-----</td><td>-----</td><td>72.19</td><td>35.49</td><td>8.78</td><td>33.36</td><td>400</td><td>315</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	83.10	-----	-----	72.19	35.49	8.78	33.36	400	315	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7143.30	50.04	88.20	-38.16	39.36	35.47	8.66	33.45	400	315	PEAK																																																																																												
2	7315.55	49.82	74.00	-24.18	39.06	35.44	8.94	33.62	400	315	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	83.10	-----	-----	72.19	35.49	8.78	33.36	400	315	PEAK																																																																																												
Avg	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7227.48</td><td>40.97</td><td>68.20</td><td>-27.23</td><td>30.39</td><td>35.45</td><td>8.66</td><td>33.53</td><td>400</td><td>315</td><td>AVERAGE</td></tr><tr><td>2</td><td>7272.65</td><td>40.70</td><td>54.00</td><td>-13.30</td><td>30.02</td><td>35.44</td><td>8.81</td><td>33.57</td><td>400</td><td>315</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7227.48	40.97	68.20	-27.23	30.39	35.45	8.66	33.53	400	315	AVERAGE	2	7272.65	40.70	54.00	-13.30	30.02	35.44	8.81	33.57	400	315	AVERAGE	 Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>74.79</td><td>-----</td><td>-----</td><td>63.89</td><td>35.49</td><td>8.77</td><td>33.36</td><td>400</td><td>315</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	74.79	-----	-----	63.89	35.49	8.77	33.36	400	315	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7227.48	40.97	68.20	-27.23	30.39	35.45	8.66	33.53	400	315	AVERAGE																																																																																												
2	7272.65	40.70	54.00	-13.30	30.02	35.44	8.81	33.57	400	315	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7025.00	74.79	-----	-----	63.89	35.49	8.77	33.36	400	315	AVERAGE																																																																																												