











Mode	90																																																																																																							
	Band Edge																																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																							
ANT	CDD 14+15																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7138.43</td><td>50.59</td><td>88.20</td><td>-37.61</td><td>39.90</td><td>35.47</td><td>8.66</td><td>33.44</td><td>180</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7313.60</td><td>50.24</td><td>74.00</td><td>-23.76</td><td>39.47</td><td>35.44</td><td>8.94</td><td>33.61</td><td>180</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7138.43	50.59	88.20	-37.61	39.90	35.47	8.66	33.44	180	360	PEAK	2	7313.60	50.24	74.00	-23.76	39.47	35.44	8.94	33.61	180	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>91.90</td><td>-----</td><td>-----</td><td>80.95</td><td>35.49</td><td>8.80</td><td>33.34</td><td>180</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.90	-----	-----	80.95	35.49	8.80	33.34	180	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7138.43	50.59	88.20	-37.61	39.90	35.47	8.66	33.44	180	360	PEAK																																																																																													
2	7313.60	50.24	74.00	-23.76	39.47	35.44	8.94	33.61	180	360	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7025.00	91.90	-----	-----	80.95	35.49	8.80	33.34	180	360	PEAK																																																																																													
Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7172.23</td><td>40.85</td><td>68.20</td><td>-27.35</td><td>30.24</td><td>35.47</td><td>8.62</td><td>33.48</td><td>180</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7262.58</td><td>40.84</td><td>54.00</td><td>-13.16</td><td>30.17</td><td>35.45</td><td>8.78</td><td>33.56</td><td>180</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7172.23	40.85	68.20	-27.35	30.24	35.47	8.62	33.48	180	360	AVERAGE	2	7262.58	40.84	54.00	-13.16	30.17	35.45	8.78	33.56	180	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>82.94</td><td>-----</td><td>-----</td><td>71.90</td><td>35.50</td><td>8.84</td><td>33.30</td><td>180</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	82.94	-----	-----	71.90	35.50	8.84	33.30	180	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7172.23	40.85	68.20	-27.35	30.24	35.47	8.62	33.48	180	360	AVERAGE																																																																																													
2	7262.58	40.84	54.00	-13.16	30.17	35.45	8.78	33.56	180	360	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7025.00	82.94	-----	-----	71.90	35.50	8.84	33.30	180	360	AVERAGE																																																																																													









Mode	90																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14050.00</td><td>45.84</td><td>88.20</td><td>-42.36</td><td>58.04</td><td>38.51</td><td>12.73</td><td>63.44</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14050.00	45.84	88.20	-42.36	58.04	38.51	12.73	63.44	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14050.00</td><td>46.09</td><td>88.20</td><td>-42.11</td><td>58.29</td><td>38.51</td><td>12.73</td><td>63.44</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14050.00	46.09	88.20	-42.11	58.29	38.51	12.73	63.44	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 14050.00	45.84	88.20	-42.36	58.04	38.51	12.73	63.44	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 14050.00	46.09	88.20	-42.11	58.29	38.51	12.73	63.44	--	--	Peak																																																																																						



		91																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																							
ANT		CDD 14+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-18 					Level (dBuV/m) Date: 2024-08-18 																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5880.44</td><td>52.19</td><td>88.20</td><td>-36.01</td><td>40.72</td><td>35.13</td><td>8.84</td><td>32.50</td><td>200</td><td>47</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5880.44	52.19	88.20	-36.01	40.72	35.13	8.84	32.50	200	47	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>85.15</td><td>-----</td><td>-----</td><td>73.66</td><td>35.20</td><td>8.83</td><td>32.54</td><td>200</td><td>47</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	85.15	-----	-----	73.66	35.20	8.83	32.54	200	47
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5880.44	52.19	88.20	-36.01	40.72	35.13	8.84	32.50	200	47	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6025.00	85.15	-----	-----	73.66	35.20	8.83	32.54	200	47	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2024-08-18 					Level (dBuV/m) Date: 2024-08-18 																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5879.04</td><td>41.78</td><td>68.20</td><td>-26.42</td><td>30.31</td><td>35.13</td><td>8.84</td><td>32.50</td><td>200</td><td>47</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5879.04	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	200	47	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>76.78</td><td>-----</td><td>-----</td><td>65.35</td><td>35.18</td><td>8.75</td><td>32.50</td><td>200</td><td>47</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	76.78	-----	-----	65.35	35.18	8.75	32.50	200	47
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5879.04	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	200	47	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6025.00	76.78	-----	-----	65.35	35.18	8.75	32.50	200	47	AVERAGE																																																																														






		91																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																
ANT		CDD 14+15																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line for the signal and a red line for the limit. The signal is below the limit across the frequency range. A peak is marked at 5844.88 MHz.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue line for the signal and a red line for the limit. The signal is below the limit across the frequency range. A peak is marked at 6025.00 MHz.																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5844.88	51.48	88.20	-36.72	39.99	35.11	8.88	32.50	200	2 PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	89.42	-----	-----	77.99	35.18	8.75	32.50	200	2 PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5844.88	51.48	88.20	-36.72	39.99	35.11	8.88	32.50	200	2 PEAK																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	6025.00	89.42	-----	-----	77.99	35.18	8.75	32.50	200	2 PEAK																																																																								
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue line for the signal and a red line for the limit. The signal is below the limit across the frequency range. An average is marked at 5840.96 MHz.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue line for the signal and a red line for the limit. The signal is below the limit across the frequency range. An average is marked at 6025.00 MHz.																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5840.96	41.90	68.20	-26.30	30.41	35.10	8.89	32.50	200	2 AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	79.25	-----	-----	67.82	35.18	8.75	32.50	200	2 AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5840.96	41.90	68.20	-26.30	30.41	35.10	8.89	32.50	200	2 AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	6025.00	79.25	-----	-----	67.82	35.18	8.75	32.50	200	2 AVERAGE																																																																								

Mode	91																																																																																			
	Harmonic																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12050.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>60.94</td><td>38.23</td><td>11.71</td><td>63.19</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12050.00	47.69	74.00	-26.31	60.94	38.23	11.71	63.19	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12050.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>61.02</td><td>38.23</td><td>11.71</td><td>63.19</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12050.00	47.77	74.00	-26.23	61.02	38.23	11.71	63.19	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12050.00	47.69	74.00	-26.31	60.94	38.23	11.71	63.19	--	--	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12050.00	47.77	74.00	-26.23	61.02	38.23	11.71	63.19	--	--	Peak																																																																									



Mode	92																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																		
ANT	CDD 14+15																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>58.02</td><td>38.43</td><td>11.78</td><td>63.12</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	45.11	74.00	-28.89	58.02	38.43	11.78	63.12	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>57.92</td><td>38.43</td><td>11.78</td><td>63.12</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	45.01	74.00	-28.99	57.92	38.43	11.78	63.12	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 12370.00	45.11	74.00	-28.89	58.02	38.43	11.78	63.12	--	--	Peak																																																																																									
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 12370.00	45.01	74.00	-28.99	57.92	38.43	11.78	63.12	--	--	Peak																																																																																									



Mode	93																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>59.52</td><td>38.54</td><td>11.84</td><td>63.33</td><td>--</td><td>-- Peak</td></tr></table> <td colspan="5"> Level (dBuV/m) Date: 2024-08-22  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>59.56</td><td>38.54</td><td>11.84</td><td>63.33</td><td>--</td><td>-- Peak</td></tr></table> </td>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	46.57	74.00	-27.43	59.52	38.54	11.84	63.33	--	-- Peak	Level (dBuV/m) Date: 2024-08-22  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>59.56</td><td>38.54</td><td>11.84</td><td>63.33</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	46.61	74.00	-27.39	59.56	38.54	11.84	63.33	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12690.00	46.57	74.00	-27.43	59.52	38.54	11.84	63.33	--	-- Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12690.00	46.61	74.00	-27.39	59.56	38.54	11.84	63.33	--	-- Peak																																																																																						



Mode	94																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13330.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>59.74</td><td>38.60</td><td>12.18</td><td>63.63</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	13330.00	46.89	74.00	-27.11	59.74	38.60	12.18	63.63	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13330.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>57.74</td><td>38.60</td><td>12.18</td><td>63.63</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	13330.00	44.89	74.00	-29.11	57.74	38.60	12.18	63.63	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	13330.00	46.89	74.00	-27.11	59.74	38.60	12.18	63.63	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	13330.00	44.89	74.00	-29.11	57.74	38.60	12.18	63.63	--	--	Peak																																																																																															



Mode	95																																																																																										
	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																										
ANT	CDD 14+15																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7172.50</td><td>52.65</td><td>88.20</td><td>-35.55</td><td>42.04</td><td>35.47</td><td>8.62</td><td>33.48</td><td>100</td></tr><tr><td>2 7340.63</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>39.64</td><td>35.43</td><td>9.02</td><td>33.64</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7172.50	52.65	88.20	-35.55	42.04	35.47	8.62	33.48	100	2 7340.63	50.45	74.00	-23.55	39.64	35.43	9.02	33.64	100	Level (dBuV/m) Date: 2024-08-18 PEAK_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6985.00</td><td>86.78</td><td>-----</td><td>-----</td><td>75.77</td><td>35.47</td><td>8.84</td><td>33.30</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6985.00	86.78	-----	-----	75.77	35.47	8.84	33.30	100
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 7172.50	52.65	88.20	-35.55	42.04	35.47	8.62	33.48	100																																																																																			
2 7340.63	50.45	74.00	-23.55	39.64	35.43	9.02	33.64	100																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 6985.00	86.78	-----	-----	75.77	35.47	8.84	33.30	100																																																																																			
Avg	Level (dBuV/m) Date: 2024-08-18 AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7172.50</td><td>42.41</td><td>68.20</td><td>-25.79</td><td>31.80</td><td>35.47</td><td>8.62</td><td>33.48</td><td>100</td></tr><tr><td>2 7268.75</td><td>41.21</td><td>54.00</td><td>-12.79</td><td>30.53</td><td>35.45</td><td>8.80</td><td>33.57</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7172.50	42.41	68.20	-25.79	31.80	35.47	8.62	33.48	100	2 7268.75	41.21	54.00	-12.79	30.53	35.45	8.80	33.57	100	Level (dBuV/m) Date: 2024-08-18 AVG_BE(U)NII_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 6985.00</td><td>78.07</td><td>-----</td><td>-----</td><td>67.03</td><td>35.50</td><td>8.84</td><td>33.30</td><td>100</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 6985.00	78.07	-----	-----	67.03	35.50	8.84	33.30	100
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 7172.50	42.41	68.20	-25.79	31.80	35.47	8.62	33.48	100																																																																																			
2 7268.75	41.21	54.00	-12.79	30.53	35.45	8.80	33.57	100																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 6985.00	78.07	-----	-----	67.03	35.50	8.84	33.30	100																																																																																			



		95																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																											
ANT		CDD 14+15																																																																																																											
Pol.		Vertical					Fundamental																																																																																																						
Peak		Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII_6E) Frequency (MHz) 672568506975710072257350 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7140.63</td><td>54.71</td><td>88.20</td><td>-33.49</td><td>44.03</td><td>35.47</td><td>8.66</td><td>33.45</td><td>127</td><td>0 PEAK</td></tr><tr><td>2</td><td>7262.50</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>39.51</td><td>35.45</td><td>8.78</td><td>33.56</td><td>127</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7140.63	54.71	88.20	-33.49	44.03	35.47	8.66	33.45	127	0 PEAK	2	7262.50	50.18	74.00	-23.82	39.51	35.45	8.78	33.56	127	0 PEAK		Level (dBuV/m) Date: 2024-08-18 PEAK_BE(UNII_6E) Frequency (MHz) 100022403480472059607200 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>91.38</td><td>-----</td><td>-----</td><td>80.36</td><td>35.48</td><td>8.84</td><td>33.30</td><td>127</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6985.00	91.38	-----	-----	80.36	35.48	8.84	33.30	127	0 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1	7140.63	54.71	88.20	-33.49	44.03	35.47	8.66	33.45	127	0 PEAK																																																																																																			
2	7262.50	50.18	74.00	-23.82	39.51	35.45	8.78	33.56	127	0 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1	6985.00	91.38	-----	-----	80.36	35.48	8.84	33.30	127	0 PEAK																																																																																																			
Avg		Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII_6E) Frequency (MHz) 672568506975710072257350 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7140.63</td><td>43.10</td><td>68.20</td><td>-25.10</td><td>32.42</td><td>35.47</td><td>8.66</td><td>33.45</td><td>127</td><td>0 AVERAGE</td></tr><tr><td>2</td><td>7278.13</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>30.42</td><td>35.44</td><td>8.83</td><td>33.58</td><td>127</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7140.63	43.10	68.20	-25.10	32.42	35.47	8.66	33.45	127	0 AVERAGE	2	7278.13	41.11	54.00	-12.89	30.42	35.44	8.83	33.58	127	0 AVERAGE		Level (dBuV/m) Date: 2024-08-18 AVG_BE(UNII_6E) Frequency (MHz) 100022403480472059607200 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.43</td><td>-----</td><td>-----</td><td>71.41</td><td>35.48</td><td>8.84</td><td>33.30</td><td>127</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6985.00	82.43	-----	-----	71.41	35.48	8.84	33.30	127	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1	7140.63	43.10	68.20	-25.10	32.42	35.47	8.66	33.45	127	0 AVERAGE																																																																																																			
2	7278.13	41.11	54.00	-12.89	30.42	35.44	8.83	33.58	127	0 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1	6985.00	82.43	-----	-----	71.41	35.48	8.84	33.30	127	0 AVERAGE																																																																																																			







Mode	95																																																																																			
	Harmonic																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>59.45</td><td>38.51</td><td>12.72</td><td>63.41</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.27	88.20	-40.93	59.45	38.51	12.72	63.41	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>59.56</td><td>38.51</td><td>12.72</td><td>63.41</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.38	88.20	-40.82	59.56	38.51	12.72	63.41	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	13970.00	47.27	88.20	-40.93	59.45	38.51	12.72	63.41	--	-- Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	13970.00	47.38	88.20	-40.82	59.56	38.51	12.72	63.41	--	-- Peak																																																																										



Mode	96										
	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz										
ANT	CDD 14+15										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2024-08-19										



Mode	96																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	 Date: 2024-08-19						 Date: 2024-08-19																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.84</td><td>63.20</td><td>88.20</td><td>-25.00</td><td>51.76</td><td>35.15</td><td>8.79</td><td>32.50</td><td>200</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.84	63.20	88.20	-25.00	51.76	35.15	8.79	32.50	200	333	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>91.23</td><td>-----</td><td>-----</td><td>79.72</td><td>35.20</td><td>8.86</td><td>32.55</td><td>200</td><td>333</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.23	-----	-----	79.72	35.20	8.86	32.55	200	333
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5923.84	63.20	88.20	-25.00	51.76	35.15	8.79	32.50	200	333	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	91.23	-----	-----	79.72	35.20	8.86	32.55	200	333	PEAK																																																																															
Avg	 Date: 2024-08-19						 Date: 2024-08-19																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>51.50</td><td>68.20</td><td>-16.70</td><td>40.05</td><td>35.16</td><td>8.79</td><td>32.50</td><td>200</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	51.50	68.20	-16.70	40.05	35.16	8.79	32.50	200	333	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.11</td><td>-----</td><td>-----</td><td>70.67</td><td>35.17</td><td>8.77</td><td>32.50</td><td>200</td><td>333</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.11	-----	-----	70.67	35.17	8.77	32.50	200	333
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5924.96	51.50	68.20	-16.70	40.05	35.16	8.79	32.50	200	333	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	82.11	-----	-----	70.67	35.17	8.77	32.50	200	333	AVERAGE																																																																															



Mode	96																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>58.76</td><td>38.33</td><td>11.74</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	45.67	74.00	-28.33	58.76	38.33	11.74	63.16	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>58.72</td><td>38.33</td><td>11.74</td><td>63.16</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	45.63	74.00	-28.37	58.72	38.33	11.74	63.16	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12210.00	45.67	74.00	-28.33	58.76	38.33	11.74	63.16	--	--	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12210.00	45.63	74.00	-28.37	58.72	38.33	11.74	63.16	--	--	Peak																																																																																			



Mode	97																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12530.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>57.21</td><td>38.51</td><td>11.81</td><td>63.14</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12530.00	44.39	74.00	-29.61	57.21	38.51	11.81	63.14	--	--	Peak		Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12530.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>57.33</td><td>38.51</td><td>11.81</td><td>63.14</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12530.00	44.51	74.00	-29.49	57.33	38.51	11.81	63.14	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12530.00	44.39	74.00	-29.61	57.21	38.51	11.81	63.14	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12530.00	44.51	74.00	-29.49	57.33	38.51	11.81	63.14	--	--	Peak																																																																																																



Mode	98																																																																																													
	Harmonic																																																																																													
	U-NII-7-8_6.525-6.875_802.11a_CH185_Full RU_6525MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>59.69</td><td>38.55</td><td>12.53</td><td>63.50</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.27	88.20	-40.93	59.69	38.55	12.53	63.50	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>46.67</td><td>88.20</td><td>-41.53</td><td>59.09</td><td>38.55</td><td>12.53</td><td>63.50</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	46.67	88.20	-41.53	59.09	38.55	12.53	63.50	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13750.00	47.27	88.20	-40.93	59.69	38.55	12.53	63.50	--	-- Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13750.00	46.67	88.20	-41.53	59.09	38.55	12.53	63.50	--	-- Peak																																																																																				



Mode	99																																																																																															
	Harmonic																																																																																															
	U-NII-7-8_6.525-6.875_802.11be EHT20_CH185_Full RU_6525MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>47.40</td><td>88.20</td><td>-40.80</td><td>59.82</td><td>38.55</td><td>12.53</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13750.00	47.40	88.20	-40.80	59.82	38.55	12.53	63.50	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>59.70</td><td>38.55</td><td>12.53</td><td>63.50</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13750.00	47.28	88.20	-40.92	59.70	38.55	12.53	63.50	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13750.00	47.40	88.20	-40.80	59.82	38.55	12.53	63.50	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13750.00	47.28	88.20	-40.92	59.70	38.55	12.53	63.50	--	--	Peak																																																																																						



Mode	100																																																																																															
	Harmonic																																																																																															
	U-NII-7-8_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13770.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>59.66</td><td>38.55</td><td>12.55</td><td>63.49</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13770.00	47.27	88.20	-40.93	59.66	38.55	12.55	63.49	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13770.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>59.89</td><td>38.55</td><td>12.55</td><td>63.49</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13770.00	47.50	88.20	-40.70	59.89	38.55	12.55	63.49	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13770.00	47.27	88.20	-40.93	59.66	38.55	12.55	63.49	--	--	Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 13770.00	47.50	88.20	-40.70	59.89	38.55	12.55	63.49	--	--	Peak																																																																																						



Mode	101																																																																																								
	Harmonic																																																																																								
	U-NII-7-8_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																																																																								
ANT	CDD 14+15																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE					Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>59.61</td><td>38.55</td><td>12.51</td><td>63.51</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	47.16	88.20	-41.04	59.61	38.55	12.51	63.51	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>45.93</td><td>88.20</td><td>-42.27</td><td>58.38</td><td>38.55</td><td>12.51</td><td>63.51</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	45.93	88.20	-42.27	58.38	38.55	12.51	63.51	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	13730.00	47.16	88.20	-41.04	59.61	38.55	12.51	63.51	--	-- Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	13730.00	45.93	88.20	-42.27	58.38	38.55	12.51	63.51	--	-- Peak																																																																															



Mode	102																																																																																															
	Harmonic																																																																																															
	U-NII-7-8_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.35</td><td>88.20</td><td>-40.85</td><td>59.87</td><td>38.57</td><td>12.45</td><td>63.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	47.35	88.20	-40.85	59.87	38.57	12.45	63.54	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>59.74</td><td>38.57</td><td>12.45</td><td>63.54</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	47.22	88.20	-40.98	59.74	38.57	12.45	63.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13650.00	47.35	88.20	-40.85	59.87	38.57	12.45	63.54	--	-- Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13650.00	47.22	88.20	-40.98	59.74	38.57	12.45	63.54	--	-- Peak																																																																																						



Mode	103																																																																																													
	Harmonic																																																																																													
	U-NII-7-8_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>59.83</td><td>38.60</td><td>12.31</td><td>63.60</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	47.14	88.20	-41.06	59.83	38.60	12.31	63.60	--	-- Peak	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>59.85</td><td>38.60</td><td>12.31</td><td>63.60</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	47.16	88.20	-41.04	59.85	38.60	12.31	63.60	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13490.00	47.14	88.20	-41.06	59.83	38.60	12.31	63.60	--	-- Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13490.00	47.16	88.20	-41.04	59.85	38.60	12.31	63.60	--	-- Peak																																																																																				



Mode	104																																																																																
	Band Edge																																																																																
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																
ANT	CDD 14+15																																																																																
Pol.	Horizontal					Fundamental																																																																											
Peak	Date: 2024-08-19					Date: 2024-08-19																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.24</td><td>52.00</td><td>88.20</td><td>-36.20</td><td>40.52</td><td>35.11</td><td>8.87</td><td>32.50</td><td>145 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5855.24	52.00	88.20	-36.20	40.52	35.11	8.87	32.50	145 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>84.31</td><td>-----</td><td>-----</td><td>73.51</td><td>35.35</td><td>8.75</td><td>33.30</td><td>145 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6905.00	84.31	-----	-----	73.51	35.35	8.75	33.30
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 5855.24	52.00	88.20	-36.20	40.52	35.11	8.87	32.50	145 360 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 6905.00	84.31	-----	-----	73.51	35.35	8.75	33.30	145 360 PEAK																																																																									
Avg	Date: 2024-08-19					Date: 2024-08-19																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5884.40</td><td>41.78</td><td>68.20</td><td>-26.42</td><td>30.31</td><td>35.13</td><td>8.84</td><td>32.50</td><td>145 360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5884.40	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	145 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>73.95</td><td>-----</td><td>-----</td><td>63.15</td><td>35.35</td><td>8.75</td><td>33.30</td><td>145 360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6905.00	73.95	-----	-----	63.15	35.35	8.75	33.30
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 5884.40	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	145 360 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 6905.00	73.95	-----	-----	63.15	35.35	8.75	33.30	145 360 AVERAGE																																																																									



		104																																																																																
Mode		Band Edge																																																																																
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																
ANT		CDD 14+15																																																																																
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-08-19 PEAK_BE(U-NII)_6E 5825 6041. 6257. 6473. 6689. 6905 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5877.92</td><td>52.27</td><td>88.20</td><td>-35.93</td><td>40.80</td><td>35.13</td><td>8.84</td><td>32.50</td><td>315</td><td>360</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5877.92	52.27	88.20	-35.93	40.80	35.13	8.84	32.50	315	360	PEAK	Level (dBuV/m) Date: 2024-08-19 PEAK_BE(U-NII)_6E 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>87.79</td><td>-----</td><td>-----</td><td>76.84</td><td>35.41</td><td>8.84</td><td>33.30</td><td>315</td><td>360</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	87.79	-----	-----	76.84	35.41	8.84	33.30	315	360	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5877.92	52.27	88.20	-35.93	40.80	35.13	8.84	32.50	315	360	PEAK																																																																							
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6905.00	87.79	-----	-----	76.84	35.41	8.84	33.30	315	360	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2024-08-19 AVG_BE(U-NII)_6E 5825 6041. 6257. 6473. 6689. 6905 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5911.40</td><td>41.80</td><td>68.20</td><td>-26.40</td><td>30.34</td><td>35.15</td><td>8.81</td><td>32.50</td><td>315</td><td>360</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5911.40	41.80	68.20	-26.40	30.34	35.15	8.81	32.50	315	360	AVERAGE	Level (dBuV/m) Date: 2024-08-19 AVG_BE(U-NII)_6E 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>78.32</td><td>-----</td><td>-----</td><td>67.53</td><td>35.35</td><td>8.74</td><td>33.30</td><td>315</td><td>360</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	78.32	-----	-----	67.53	35.35	8.74	33.30	315	360	AVERAGE
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5911.40	41.80	68.20	-26.40	30.34	35.15	8.81	32.50	315	360	AVERAGE																																																																							
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6905.00	78.32	-----	-----	67.53	35.35	8.74	33.30	315	360	AVERAGE																																																																							



Mode	104																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>50.75</td><td>88.20</td><td>-37.45</td><td>63.11</td><td>38.54</td><td>12.58</td><td>63.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	50.75	88.20	-37.45	63.11	38.54	12.58	63.48	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>49.71</td><td>88.20</td><td>-38.49</td><td>62.07</td><td>38.54</td><td>12.58</td><td>63.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	49.71	88.20	-38.49	62.07	38.54	12.58	63.48	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	50.75	88.20	-37.45	63.11	38.54	12.58	63.48	--	--	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	49.71	88.20	-38.49	62.07	38.54	12.58	63.48	--	--	Peak																																																																																	



Mode	105																																																																																										
	Harmonic																																																																																										
	U-NII-6-7_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																																																																										
ANT	CDD 14+15																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE						Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>60.17</td><td>38.60</td><td>11.94</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13050.00	47.02	88.20	-41.18	60.17	38.60	11.94	63.69	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>46.08</td><td>88.20</td><td>-42.12</td><td>59.23</td><td>38.60</td><td>11.94</td><td>63.69</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	13050.00	46.08	88.20	-42.12	59.23	38.60	11.94	63.69	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	13050.00	47.02	88.20	-41.18	60.17	38.60	11.94	63.69	--	--	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	13050.00	46.08	88.20	-42.12	59.23	38.60	11.94	63.69	--	--	Peak																																																																																





Mode	106																																																																																												
	Harmonic																																																																																												
	U-NII-6-7_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz																																																																																												
ANT	CDD 14+15																																																																																												
Pol.	Horizontal					Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE					Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII)_BE AVG(U-NII)_BE																																																																																							
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.68</td><td>88.20</td><td>-41.52</td><td>59.81</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.68	88.20	-41.52	59.81	38.60	11.96	63.69	--	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>59.64</td><td>38.60</td><td>11.96</td><td>63.69</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.51	88.20	-41.69	59.64	38.60	11.96	63.69	--
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13070.00	46.68	88.20	-41.52	59.81	38.60	11.96	63.69	--	Peak																																																																																			
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13070.00	46.51	88.20	-41.69	59.64	38.60	11.96	63.69	--	Peak																																																																																			



Mode	107																																																																																															
	Harmonic																																																																																															
	U-NII-6-7_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13010.00</td><td>47.11</td><td>88.20</td><td>-41.09</td><td>60.30</td><td>38.60</td><td>11.91</td><td>63.70</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13010.00	47.11	88.20	-41.09	60.30	38.60	11.91	63.70	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13010.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>60.50</td><td>38.60</td><td>11.91</td><td>63.70</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13010.00	47.31	88.20	-40.89	60.50	38.60	11.91	63.70	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13010.00	47.11	88.20	-41.09	60.30	38.60	11.91	63.70	--	--	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13010.00	47.31	88.20	-40.89	60.50	38.60	11.91	63.70	--	--	Peak																																																																																					



Mode	108																																																																																																								
	Harmonic																																																																																																								
	U-NII-5-6_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																								
ANT	CDD 14+15																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-08-22  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12890.00</td><td>45.58</td><td>88.20</td><td>-42.62</td><td>58.69</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	12890.00	45.58	88.20	-42.62	58.69	38.58	11.88	63.57	--	--	Peak	Level (dBuV/m) Date: 2024-08-22  PEAK(U-NII)_BE AVG(U-NII)_BE <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12890.00</td><td>46.00</td><td>88.20</td><td>-42.20</td><td>59.11</td><td>38.58</td><td>11.88</td><td>63.57</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	12890.00	46.00	88.20	-42.20	59.11	38.58	11.88	63.57	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12890.00	45.58	88.20	-42.62	58.69	38.58	11.88	63.57	--	--	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12890.00	46.00	88.20	-42.20	59.11	38.58	11.88	63.57	--	--	Peak																																																																																														







Mode	109																																																																																																									
	Harmonic																																																																																																									
	U-NII-6-7_6.425-6.525_802.11be EHT320_CH127_Full RU_6585MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13170.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>60.73</td><td>38.60</td><td>12.04</td><td>63.67</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13170.00	47.70	88.20	-40.50	60.73	38.60	12.04	63.67	--	--	Peak		Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13170.00</td><td>46.21</td><td>88.20</td><td>-41.99</td><td>59.24</td><td>38.60</td><td>12.04</td><td>63.67</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13170.00	46.21	88.20	-41.99	59.24	38.60	12.04	63.67	--	--	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13170.00	47.70	88.20	-40.50	60.73	38.60	12.04	63.67	--	--	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13170.00	46.21	88.20	-41.99	59.24	38.60	12.04	63.67	--	--	Peak																																																																																																







Mode	110																																																																																
	Band Edge																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU_5955MHz																																																																																
ANT	CDD 14+15																																																																																
Pol.	Horizontal					Fundamental																																																																											
Peak	Date: 2024-08-27					Date: 2024-08-27																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5898.45</td><td>51.66</td><td>88.20</td><td>-36.54</td><td>40.20</td><td>35.14</td><td>8.82</td><td>32.50</td><td>200 328 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5898.45	51.66	88.20	-36.54	40.20	35.14	8.82	32.50	200 328 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>81.39</td><td>-----</td><td>-----</td><td>69.96</td><td>35.17</td><td>8.76</td><td>32.50</td><td>200 328 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	81.39	-----	-----	69.96	35.17	8.76	32.50
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 5898.45	51.66	88.20	-36.54	40.20	35.14	8.82	32.50	200 328 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 5955.00	81.39	-----	-----	69.96	35.17	8.76	32.50	200 328 PEAK																																																																									
Avg	Date: 2024-08-27					Date: 2024-08-27																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5906.38</td><td>41.95</td><td>68.20</td><td>-26.25</td><td>30.50</td><td>35.14</td><td>8.81</td><td>32.50</td><td>200 328 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5906.38	41.95	68.20	-26.25	30.50	35.14	8.81	32.50	200 328 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>73.26</td><td>-----</td><td>-----</td><td>61.83</td><td>35.17</td><td>8.76</td><td>32.50</td><td>200 328 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	73.26	-----	-----	61.83	35.17	8.76	32.50
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 5906.38	41.95	68.20	-26.25	30.50	35.14	8.81	32.50	200 328 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 5955.00	73.26	-----	-----	61.83	35.17	8.76	32.50	200 328 AVERAGE																																																																									



		110																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU_5955MHz																																																																																							
ANT		CDD 14+15																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Date: 2024-08-27  PEAK_BE(U-NII)_6E					Date: 2024-08-27  PEAK_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5840.21</td><td>51.49</td><td>88.20</td><td>-36.71</td><td>40.00</td><td>35.10</td><td>8.89</td><td>32.50</td><td>100</td><td>5</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5840.21	51.49	88.20	-36.71	40.00	35.10	8.89	32.50	100	5	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.82</td><td>-----</td><td>-----</td><td>78.39</td><td>35.17</td><td>8.76</td><td>32.50</td><td>100</td><td>5</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	89.82	-----	-----	78.39	35.17	8.76	32.50	100	5
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5840.21	51.49	88.20	-36.71	40.00	35.10	8.89	32.50	100	5	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	89.82	-----	-----	78.39	35.17	8.76	32.50	100	5	PEAK																																																																														
Avg	Date: 2024-08-27  AVG_BE(U-NII)_6E					Date: 2024-08-27  AVG_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5844.24</td><td>41.76</td><td>68.20</td><td>-26.44</td><td>30.27</td><td>35.11</td><td>8.88</td><td>32.50</td><td>100</td><td>5</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5844.24	41.76	68.20	-26.44	30.27	35.11	8.88	32.50	100	5	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>81.89</td><td>-----</td><td>-----</td><td>70.46</td><td>35.17</td><td>8.76</td><td>32.50</td><td>100</td><td>5</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	81.89	-----	-----	70.46	35.17	8.76	32.50	100	5
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5844.24	41.76	68.20	-26.44	30.27	35.11	8.88	32.50	100	5	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5955.00	81.89	-----	-----	70.46	35.17	8.76	32.50	100	5	AVERAGE																																																																														



		111																																																																																																															
Mode		Band Edge																																																																																																															
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																																															
ANT		CDD 14+15																																																																																																															
Pol.		Horizontal					Fundamental																																																																																																										
Peak		Date: 2024-08-27  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7215.87</td><td>50.87</td><td>88.20</td><td>-37.33</td><td>40.30</td><td>35.46</td><td>8.63</td><td>33.52</td><td>100</td><td>141</td><td>PEAK</td></tr><tr><td>2</td><td>7274.01</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>39.20</td><td>35.44</td><td>8.81</td><td>33.58</td><td>100</td><td>141</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7215.87	50.87	88.20	-37.33	40.30	35.46	8.63	33.52	100	141	PEAK	2	7274.01	49.87	74.00	-24.13	39.20	35.44	8.81	33.58	100	141	PEAK	Date: 2024-08-27  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>76.61</td><td>-----</td><td>-----</td><td>65.83</td><td>35.48</td><td>8.71</td><td>33.41</td><td>100</td><td>141</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	76.61	-----	-----	65.83	35.48	8.71	33.41	100	141	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7215.87	50.87	88.20	-37.33	40.30	35.46	8.63	33.52	100	141	PEAK																																																																																																						
2	7274.01	49.87	74.00	-24.13	39.20	35.44	8.81	33.58	100	141	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7095.00	76.61	-----	-----	65.83	35.48	8.71	33.41	100	141	PEAK																																																																																																						
Avg		Date: 2024-08-27  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7224.29</td><td>40.96</td><td>68.20</td><td>-27.24</td><td>30.39</td><td>35.45</td><td>8.65</td><td>33.53</td><td>100</td><td>141</td><td>AVERAGE</td></tr><tr><td>2</td><td>7260.50</td><td>40.84</td><td>54.00</td><td>-13.16</td><td>30.18</td><td>35.45</td><td>8.77</td><td>33.56</td><td>100</td><td>141</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7224.29	40.96	68.20	-27.24	30.39	35.45	8.65	33.53	100	141	AVERAGE	2	7260.50	40.84	54.00	-13.16	30.18	35.45	8.77	33.56	100	141	AVERAGE	Date: 2024-08-27  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>69.32</td><td>-----</td><td>-----</td><td>58.54</td><td>35.48</td><td>8.71</td><td>33.41</td><td>100</td><td>141</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	69.32	-----	-----	58.54	35.48	8.71	33.41	100	141	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7224.29	40.96	68.20	-27.24	30.39	35.45	8.65	33.53	100	141	AVERAGE																																																																																																						
2	7260.50	40.84	54.00	-13.16	30.18	35.45	8.77	33.56	100	141	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	7095.00	69.32	-----	-----	58.54	35.48	8.71	33.41	100	141	AVERAGE																																																																																																						



		111																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																																													
ANT		CDD 14+15																																																																																																													
Pol.		Vertical					Fundamental																																																																																																								
Peak		Level (dBuV/m) Date: 2024-08-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7207.71</td><td>51.07</td><td>88.20</td><td>-37.13</td><td>40.52</td><td>35.46</td><td>8.60</td><td>33.51</td><td>300</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>7313.28</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>39.50</td><td>35.44</td><td>8.94</td><td>33.61</td><td>300</td><td>65</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7207.71	51.07	88.20	-37.13	40.52	35.46	8.60	33.51	300	65	PEAK	2	7313.28	50.27	74.00	-23.73	39.50	35.44	8.94	33.61	300	65	PEAK	Level (dBuV/m) Date: 2024-08-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>80.77</td><td>-----</td><td>-----</td><td>69.99</td><td>35.48</td><td>8.71</td><td>33.41</td><td>300</td><td>65</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	80.77	-----	-----	69.99	35.48	8.71	33.41	300	65	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	7207.71	51.07	88.20	-37.13	40.52	35.46	8.60	33.51	300	65	PEAK																																																																																																				
2	7313.28	50.27	74.00	-23.73	39.50	35.44	8.94	33.61	300	65	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	7095.00	80.77	-----	-----	69.99	35.48	8.71	33.41	300	65	PEAK																																																																																																				
Avg		Level (dBuV/m) Date: 2024-08-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7183.49</td><td>40.91</td><td>68.20</td><td>-27.29</td><td>30.34</td><td>35.46</td><td>8.60</td><td>33.49</td><td>300</td><td>65</td><td>AVERAGE</td></tr><tr><td>2</td><td>7264.83</td><td>40.84</td><td>54.00</td><td>-13.16</td><td>30.18</td><td>35.45</td><td>8.78</td><td>33.57</td><td>300</td><td>65</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7183.49	40.91	68.20	-27.29	30.34	35.46	8.60	33.49	300	65	AVERAGE	2	7264.83	40.84	54.00	-13.16	30.18	35.45	8.78	33.57	300	65	AVERAGE	Level (dBuV/m) Date: 2024-08-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>71.91</td><td>-----</td><td>-----</td><td>61.11</td><td>35.48</td><td>8.72</td><td>33.40</td><td>300</td><td>65</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7095.00	71.91	-----	-----	61.11	35.48	8.72	33.40	300	65	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	7183.49	40.91	68.20	-27.29	30.34	35.46	8.60	33.49	300	65	AVERAGE																																																																																																				
2	7264.83	40.84	54.00	-13.16	30.18	35.45	8.78	33.57	300	65	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	7095.00	71.91	-----	-----	61.11	35.48	8.72	33.40	300	65	AVERAGE																																																																																																				











		112																																																																																			
Mode		Band Edge																																																																																			
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU_5955MHz																																																																																			
ANT		CDD 14+15																																																																																			
Pol.		Horizontal					Fundamental																																																																														
Peak	Date: 2024-08-27					Date: 2024-08-27																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5879.73</td><td>51.43</td><td>88.20</td><td>-36.77</td><td>39.96</td><td>35.13</td><td>8.84</td><td>32.50</td><td>285</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5879.73	51.43	88.20	-36.77	39.96	35.13	8.84	32.50	285	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>81.53</td><td>-----</td><td>-----</td><td>70.10</td><td>35.17</td><td>8.76</td><td>32.50</td><td>285</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	81.53	-----	-----	70.10	35.17	8.76	32.50	285
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5879.73	51.43	88.20	-36.77	39.96	35.13	8.84	32.50	285	0 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5955.00	81.53	-----	-----	70.10	35.17	8.76	32.50	285	0 PEAK																																																																												
Avg	Date: 2024-08-27					Date: 2024-08-27																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5886.10</td><td>41.90</td><td>68.20</td><td>-26.30</td><td>30.44</td><td>35.13</td><td>8.83</td><td>32.50</td><td>285</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5886.10	41.90	68.20	-26.30	30.44	35.13	8.83	32.50	285	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>72.50</td><td>-----</td><td>-----</td><td>61.07</td><td>35.17</td><td>8.76</td><td>32.50</td><td>285</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	72.50	-----	-----	61.07	35.17	8.76	32.50	285
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5886.10	41.90	68.20	-26.30	30.44	35.13	8.83	32.50	285	0 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5955.00	72.50	-----	-----	61.07	35.17	8.76	32.50	285	0 AVERAGE																																																																												







Mode	112																																																																			
	Band Edge																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU_5955MHz																																																																			
ANT	CDD 14+15																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Date: 2024-08-27 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.95</td><td>51.93</td><td>88.20</td><td>-36.27</td><td>40.48</td><td>35.15</td><td>8.80</td><td>32.50</td><td>300</td><td>118 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5917.95	51.93	88.20	-36.27	40.48	35.15	8.80	32.50	300	118 PEAK	Date: 2024-08-27 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>76.71</td><td>-----</td><td>-----</td><td>65.28</td><td>35.17</td><td>8.76</td><td>32.50</td><td>300</td><td>118 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	76.71	-----	-----	65.28	35.17	8.76	32.50	300	118 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																												
1 5917.95	51.93	88.20	-36.27	40.48	35.15	8.80	32.50	300	118 PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																												
1 5955.00	76.71	-----	-----	65.28	35.17	8.76	32.50	300	118 PEAK																																																											
Avg	Date: 2024-08-27 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5886.36</td><td>41.75</td><td>68.20</td><td>-26.45</td><td>30.29</td><td>35.13</td><td>8.83</td><td>32.50</td><td>300</td><td>118 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5886.36	41.75	68.20	-26.45	30.29	35.13	8.83	32.50	300	118 AVERAGE	Date: 2024-08-27 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>70.08</td><td>-----</td><td>-----</td><td>58.65</td><td>35.17</td><td>8.76</td><td>32.50</td><td>300</td><td>118 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5955.00	70.08	-----	-----	58.65	35.17	8.76	32.50	300	118 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																												
1 5886.36	41.75	68.20	-26.45	30.29	35.13	8.83	32.50	300	118 AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor		Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																												
1 5955.00	70.08	-----	-----	58.65	35.17	8.76	32.50	300	118 AVERAGE																																																											



		113																																													
Mode		Band Edge																																													
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																													
ANT		CDD 14+15																																													
Pol.		Horizontal					Fundamental																																								
Peak		Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7168.19 49.79 88.20 -38.41 39.17 35.47 8.62 33.47 200 189 PEAK 2 7255.91 50.72 74.00 -23.28 40.08 35.45 8.75 33.56 200 189 PEAK Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 74.06 ----- ----- 63.28 35.48 8.71 33.41 200 189 PEAK <tr><td></td><td></td><td colspan="10"></td></tr> <tr><td rowspan="2">Avg</td><td></td><td colspan="10"> Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7229.39 41.00 68.20 -27.20 30.41 35.45 8.67 33.53 200 189 AVERAGE 2 7257.69 40.81 54.00 -13.19 30.16 35.45 8.76 33.56 200 189 AVERAGE Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 66.90 ----- ----- 56.12 35.48 8.71 33.41 200 189 AVERAGE <tr><td></td><td></td><td colspan="10"></td></tr></td></tr>																						Avg		Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7229.39 41.00 68.20 -27.20 30.41 35.45 8.67 33.53 200 189 AVERAGE 2 7257.69 40.81 54.00 -13.19 30.16 35.45 8.76 33.56 200 189 AVERAGE Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 66.90 ----- ----- 56.12 35.48 8.71 33.41 200 189 AVERAGE <tr><td></td><td></td><td colspan="10"></td></tr>																					
Avg		Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7229.39 41.00 68.20 -27.20 30.41 35.45 8.67 33.53 200 189 AVERAGE 2 7257.69 40.81 54.00 -13.19 30.16 35.45 8.76 33.56 200 189 AVERAGE Level (dBuV/m) Date: 2024-08-28  Limit Read Ant Cable Preamp APos TPos Remark Freq Level Line Margin Level Factor Loss Factor MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 66.90 ----- ----- 56.12 35.48 8.71 33.41 200 189 AVERAGE <tr><td></td><td></td><td colspan="10"></td></tr>																																													



		113																																																																																																															
Mode		Band Edge																																																																																																															
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																																																																																															
ANT		CDD 14+15																																																																																																															
Pol.		Vertical					Fundamental																																																																																																										
Peak		Level (dBuV/m) Date: 2024-08-28  PEAK_BE(UNII)_6E 709571467197724872997350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7175.58</td><td>50.56</td><td>88.20</td><td>-37.64</td><td>39.97</td><td>35.46</td><td>8.61</td><td>33.48</td><td>200</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7261.26</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>40.12</td><td>35.45</td><td>8.77</td><td>33.56</td><td>200</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7175.58	50.56	88.20	-37.64	39.97	35.46	8.61	33.48	200	360	PEAK	2	7261.26	50.78	74.00	-23.22	40.12	35.45	8.77	33.56	200	360	PEAK	Level (dBuV/m) Date: 2024-08-28  PEAK_BE(UNII)_6E 100022403480472059607200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.32</td><td>-----</td><td>-----</td><td>73.54</td><td>35.48</td><td>8.71</td><td>33.41</td><td>200</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.32	-----	-----	73.54	35.48	8.71	33.41	200	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7175.58	50.56	88.20	-37.64	39.97	35.46	8.61	33.48	200	360	PEAK																																																																																																						
2	7261.26	50.78	74.00	-23.22	40.12	35.45	8.77	33.56	200	360	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7095.00	84.32	-----	-----	73.54	35.48	8.71	33.41	200	360	PEAK																																																																																																						
Avg		Level (dBuV/m) Date: 2024-08-28  AVG_BE(UNII)_6E 709571467197724872997350 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7217.40</td><td>41.01</td><td>68.20</td><td>-27.19</td><td>30.44</td><td>35.46</td><td>8.63</td><td>33.52</td><td>200</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7262.54</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>30.27</td><td>35.45</td><td>8.78</td><td>33.56</td><td>200</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7217.40	41.01	68.20	-27.19	30.44	35.46	8.63	33.52	200	360	AVERAGE	2	7262.54	40.94	54.00	-13.06	30.27	35.45	8.78	33.56	200	360	AVERAGE	Level (dBuV/m) Date: 2024-08-28  AVG_BE(UNII)_6E 100022403480472059607200 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>77.19</td><td>-----</td><td>-----</td><td>66.41</td><td>35.48</td><td>8.71</td><td>33.41</td><td>200</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	77.19	-----	-----	66.41	35.48	8.71	33.41	200	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7217.40	41.01	68.20	-27.19	30.44	35.46	8.63	33.52	200	360	AVERAGE																																																																																																						
2	7262.54	40.94	54.00	-13.06	30.27	35.45	8.78	33.56	200	360	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	7095.00	77.19	-----	-----	66.41	35.48	8.71	33.41	200	360	AVERAGE																																																																																																						







		114																		
Mode		Band Edge																		
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																		
ANT		CDD 14+15																		
Pol.	Horizontal										Fundamental									
Peak	Level (dBuV/m) Date: 2024-08-27																			







	114																																																																																	
Mode	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																																	
ANT	CDD 14+15																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Date: 2024-08-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5882.44</td><td>51.47</td><td>88.20</td><td>-36.73</td><td>40.00</td><td>35.13</td><td>8.84</td><td>32.50</td><td>300</td><td>198</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.44	51.47	88.20	-36.73	40.00	35.13	8.84	32.50	300	198	PEAK	Date: 2024-08-27 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>77.30</td><td>-----</td><td>-----</td><td>65.88</td><td>35.19</td><td>8.73</td><td>32.50</td><td>300</td><td>198</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	77.30	-----	-----	65.88	35.19	8.73	32.50	300	198	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5882.44	51.47	88.20	-36.73	40.00	35.13	8.84	32.50	300	198	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	77.30	-----	-----	65.88	35.19	8.73	32.50	300	198	PEAK																																																																							
Avg	Date: 2024-08-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5906.44</td><td>41.91</td><td>68.20</td><td>-26.29</td><td>30.46</td><td>35.14</td><td>8.81</td><td>32.50</td><td>300</td><td>198</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5906.44	41.91	68.20	-26.29	30.46	35.14	8.81	32.50	300	198	AVERAGE	Date: 2024-08-27 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>69.50</td><td>-----</td><td>-----</td><td>58.08</td><td>35.19</td><td>8.73</td><td>32.50</td><td>300</td><td>198</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	69.50	-----	-----	58.08	35.19	8.73	32.50	300	198	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5906.44	41.91	68.20	-26.29	30.46	35.14	8.81	32.50	300	198	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	69.50	-----	-----	58.08	35.19	8.73	32.50	300	198	AVERAGE																																																																							



		115																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																				
ANT		CDD 14+15																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2024-08-28 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7177.43</td><td>50.57</td><td>88.20</td><td>-37.63</td><td>39.98</td><td>35.46</td><td>8.61</td><td>33.48</td><td>100</td><td>13</td><td>PEAK</td></tr><tr><td>2</td><td>7342.85</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>39.90</td><td>35.43</td><td>9.03</td><td>33.64</td><td>100</td><td>13</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7177.43	50.57	88.20	-37.63	39.98	35.46	8.61	33.48	100	13	PEAK	2	7342.85	50.72	74.00	-23.28	39.90	35.43	9.03	33.64	100	13	PEAK	 Level (dBuV/m) Date: 2024-08-28 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>78.03</td><td>-----</td><td>-----</td><td>67.00</td><td>35.50</td><td>8.84</td><td>33.31</td><td>100</td><td>13</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	78.03	-----	-----	67.00	35.50	8.84	33.31	100	13	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7177.43	50.57	88.20	-37.63	39.98	35.46	8.61	33.48	100	13	PEAK																																																																																											
2	7342.85	50.72	74.00	-23.28	39.90	35.43	9.03	33.64	100	13	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7025.00	78.03	-----	-----	67.00	35.50	8.84	33.31	100	13	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-08-28 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7175.48</td><td>40.93</td><td>68.20</td><td>-27.27</td><td>30.34</td><td>35.46</td><td>8.61</td><td>33.48</td><td>100</td><td>13</td><td>AVERAGE</td></tr><tr><td>2</td><td>7262.58</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>30.39</td><td>35.45</td><td>8.78</td><td>33.56</td><td>100</td><td>13</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7175.48	40.93	68.20	-27.27	30.34	35.46	8.61	33.48	100	13	AVERAGE	2	7262.58	41.06	54.00	-12.94	30.39	35.45	8.78	33.56	100	13	AVERAGE	 Level (dBuV/m) Date: 2024-08-28 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>69.78</td><td>-----</td><td>-----</td><td>58.79</td><td>35.50</td><td>8.82</td><td>33.33</td><td>100</td><td>13</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	69.78	-----	-----	58.79	35.50	8.82	33.33	100	13	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7175.48	40.93	68.20	-27.27	30.34	35.46	8.61	33.48	100	13	AVERAGE																																																																																											
2	7262.58	41.06	54.00	-12.94	30.39	35.45	8.78	33.56	100	13	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7025.00	69.78	-----	-----	58.79	35.50	8.82	33.33	100	13	AVERAGE																																																																																											







	115																																																																																									
Mode	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7140.38</td><td>50.44</td><td>88.20</td><td>-37.76</td><td>39.75</td><td>35.47</td><td>8.66</td><td>33.44</td><td>200</td></tr><tr><td>2 7253.80</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>39.85</td><td>35.45</td><td>8.75</td><td>33.56</td><td>200</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7140.38	50.44	88.20	-37.76	39.75	35.47	8.66	33.44	200	2 7253.80	50.49	74.00	-23.51	39.85	35.45	8.75	33.56	200	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7025.00</td><td>80.47</td><td>-----</td><td>-----</td><td>69.46</td><td>35.50</td><td>8.83</td><td>33.32</td><td>200</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7025.00	80.47	-----	-----	69.46	35.50	8.83	33.32
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7140.38	50.44	88.20	-37.76	39.75	35.47	8.66	33.44	200																																																																																		
2 7253.80	50.49	74.00	-23.51	39.85	35.45	8.75	33.56	200																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7025.00	80.47	-----	-----	69.46	35.50	8.83	33.32	200																																																																																		
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7225.85</td><td>41.22</td><td>68.20</td><td>-26.98</td><td>30.64</td><td>35.45</td><td>8.66</td><td>33.53</td><td>200</td></tr><tr><td>2 7261.60</td><td>41.00</td><td>54.00</td><td>-13.00</td><td>30.34</td><td>35.45</td><td>8.77</td><td>33.56</td><td>200</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7225.85	41.22	68.20	-26.98	30.64	35.45	8.66	33.53	200	2 7261.60	41.00	54.00	-13.00	30.34	35.45	8.77	33.56	200	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7025.00</td><td>72.61</td><td>-----</td><td>-----</td><td>61.60</td><td>35.50</td><td>8.83</td><td>33.32</td><td>200</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7025.00	72.61	-----	-----	61.60	35.50	8.83	33.32
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7225.85	41.22	68.20	-26.98	30.64	35.45	8.66	33.53	200																																																																																		
2 7261.60	41.00	54.00	-13.00	30.34	35.45	8.77	33.56	200																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1 7025.00	72.61	-----	-----	61.60	35.50	8.83	33.32	200																																																																																		







		116																		
Mode		Band Edge																		
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																		
ANT		CDD 14+15																		
Pol.	Horizontal										Fundamental									
Peak	Level (dBuV/m) Date: 2024-08-28																			







		116																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																																										
ANT		CDD 14+15																																																																																										
Pol.	Vertical										Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-28  <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5896.12</td><td>52.24</td><td>88.20</td><td>-35.96</td><td>40.78</td><td>35.14</td><td>8.82</td><td>32.50</td><td>330</td><td>24</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5896.12	52.24	88.20	-35.96	40.78	35.14	8.82	32.50	330	24	PEAK	Level (dBuV/m) Date: 2024-08-28  <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>85.82</td><td>-----</td><td>-----</td><td>74.36</td><td>35.20</td><td>8.78</td><td>32.52</td><td>330</td><td>24</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	85.82	-----	-----	74.36	35.20	8.78	32.52	330	24	PEAK
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5896.12	52.24	88.20	-35.96	40.78	35.14	8.82	32.50	330	24	PEAK																																																																																	
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	85.82	-----	-----	74.36	35.20	8.78	32.52	330	24	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-28  <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5896.40</td><td>41.96</td><td>68.20</td><td>-26.24</td><td>30.50</td><td>35.14</td><td>8.82</td><td>32.50</td><td>330</td><td>24</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5896.40	41.96	68.20	-26.24	30.50	35.14	8.82	32.50	330	24	AVERAGE	Level (dBuV/m) Date: 2024-08-28  <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>76.23</td><td>-----</td><td>-----</td><td>64.82</td><td>35.20</td><td>8.71</td><td>32.50</td><td>330</td><td>24</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	76.23	-----	-----	64.82	35.20	8.71	32.50	330	24	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5896.40	41.96	68.20	-26.24	30.50	35.14	8.82	32.50	330	24	AVERAGE																																																																																	
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	76.23	-----	-----	64.82	35.20	8.71	32.50	330	24	AVERAGE																																																																																	



	117																																																																																																						
Mode	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																																						
ANT	CDD 14+15																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-28  PEAK_BE(UNII_6E) Frequency (MHz) 672568506975710072257350 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.00</td><td>50.61</td><td>88.20</td><td>-37.59</td><td>40.02</td><td>35.45</td><td>8.67</td><td>33.53</td><td>392</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7338.13</td><td>50.77</td><td>74.00</td><td>-23.23</td><td>39.96</td><td>35.43</td><td>9.02</td><td>33.64</td><td>392</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7230.00	50.61	88.20	-37.59	40.02	35.45	8.67	33.53	392	360	PEAK	2	7338.13	50.77	74.00	-23.23	39.96	35.43	9.02	33.64	392	360	PEAK	Level (dBuV/m) Date: 2024-08-28  PEAK_BE(UNII_6E) Frequency (MHz) 100022403480472059607200 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>72.67</td><td>-----</td><td>-----</td><td>61.77</td><td>35.49</td><td>8.77</td><td>33.36</td><td>392</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	72.67	-----	-----	61.77	35.49	8.77	33.36	392	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7230.00	50.61	88.20	-37.59	40.02	35.45	8.67	33.53	392	360	PEAK																																																																																												
2	7338.13	50.77	74.00	-23.23	39.96	35.43	9.02	33.64	392	360	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	72.67	-----	-----	61.77	35.49	8.77	33.36	392	360	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-08-28  AVG_BE(UNII_6E) Frequency (MHz) 672568506975710072257350 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7183.13</td><td>40.99</td><td>68.20</td><td>-27.21</td><td>30.42</td><td>35.46</td><td>8.60</td><td>33.49</td><td>392</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7278.13</td><td>41.02</td><td>54.00</td><td>-12.98</td><td>30.33</td><td>35.44</td><td>8.83</td><td>33.58</td><td>392</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7183.13	40.99	68.20	-27.21	30.42	35.46	8.60	33.49	392	360	AVERAGE	2	7278.13	41.02	54.00	-12.98	30.33	35.44	8.83	33.58	392	360	AVERAGE	Level (dBuV/m) Date: 2024-08-28  AVG_BE(UNII_6E) Frequency (MHz) 100022403480472059607200 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>64.06</td><td>-----</td><td>-----</td><td>53.16</td><td>35.49</td><td>8.77</td><td>33.36</td><td>392</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	64.06	-----	-----	53.16	35.49	8.77	33.36	392	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7183.13	40.99	68.20	-27.21	30.42	35.46	8.60	33.49	392	360	AVERAGE																																																																																												
2	7278.13	41.02	54.00	-12.98	30.33	35.44	8.83	33.58	392	360	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	64.06	-----	-----	53.16	35.49	8.77	33.36	392	360	AVERAGE																																																																																												



		117																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																																							
ANT		CDD 14+15																																																																																																							
Pol.		Vertical					Fundamental																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7200.63</td><td>50.64</td><td>88.20</td><td>-37.56</td><td>40.10</td><td>35.46</td><td>8.58</td><td>33.50</td><td>300</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>7261.25</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>40.21</td><td>35.45</td><td>8.77</td><td>33.56</td><td>300</td><td>93</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7200.63	50.64	88.20	-37.56	40.10	35.46	8.58	33.50	300	93	PEAK	2	7261.25	50.87	74.00	-23.13	40.21	35.45	8.77	33.56	300	93	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>74.49</td><td>-----</td><td>-----</td><td>63.48</td><td>35.47</td><td>8.84</td><td>33.30</td><td>300</td><td>93</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	74.49	-----	-----	63.48	35.47	8.84	33.30	300	93
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7200.63	50.64	88.20	-37.56	40.10	35.46	8.58	33.50	300	93	PEAK																																																																																														
2	7261.25	50.87	74.00	-23.13	40.21	35.45	8.77	33.56	300	93	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6985.00	74.49	-----	-----	63.48	35.47	8.84	33.30	300	93	PEAK																																																																																														
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7231.25</td><td>41.02</td><td>68.20</td><td>-27.18</td><td>30.42</td><td>35.45</td><td>8.68</td><td>33.53</td><td>300</td><td>93</td><td>AVERAGE</td></tr><tr><td>2</td><td>7277.50</td><td>41.04</td><td>54.00</td><td>-12.96</td><td>30.36</td><td>35.44</td><td>8.82</td><td>33.58</td><td>300</td><td>93</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7231.25	41.02	68.20	-27.18	30.42	35.45	8.68	33.53	300	93	AVERAGE	2	7277.50	41.04	54.00	-12.96	30.36	35.44	8.82	33.58	300	93	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>65.36</td><td>-----</td><td>-----</td><td>54.34</td><td>35.48</td><td>8.84</td><td>33.30</td><td>300</td><td>93</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	65.36	-----	-----	54.34	35.48	8.84	33.30	300	93
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7231.25	41.02	68.20	-27.18	30.42	35.45	8.68	33.53	300	93	AVERAGE																																																																																														
2	7277.50	41.04	54.00	-12.96	30.36	35.44	8.82	33.58	300	93	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6985.00	65.36	-----	-----	54.34	35.48	8.84	33.30	300	93	AVERAGE																																																																																														







Mode	118																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Date: 2024-08-28 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5500 to 6265 MHz. A red limit line is at 87.5 dBuV/m until 5959 MHz, then jumps to 122.5 dBuV/m. A blue trace shows a peak at 5625.46 MHz. A red label 'PEAK_BE(U-NII)_6E' points to the limit line at 5959 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.46</td><td>65.79</td><td>88.20</td><td>-22.41</td><td>55.01</td><td>34.97</td><td>8.31</td><td>32.50</td><td>358 0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5625.46	65.79	88.20	-22.41	55.01	34.97	8.31	32.50	358 0 PEAK	Date: 2024-08-28 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7200 MHz. A red limit line is at 70 dBuV/m until 5959 MHz, then jumps to 122.5 dBuV/m. A blue trace shows a peak at 6105.00 MHz. A red label 'PEAK_BE(U-NII)_6E' points to the limit line at 5959 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>81.61</td><td>-----</td><td>-----</td><td>70.16</td><td>35.20</td><td>8.76</td><td>32.51</td><td>358 0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6105.00	81.61	-----	-----	70.16	35.20	8.76	32.51	358 0 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5625.46	65.79	88.20	-22.41	55.01	34.97	8.31	32.50	358 0 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 6105.00	81.61	-----	-----	70.16	35.20	8.76	32.51	358 0 PEAK																																																																		
Avg	Date: 2024-08-28 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5500 to 6265 MHz. A red limit line is at 70 dBuV/m until 5959 MHz, then jumps to 122.5 dBuV/m. A blue trace shows an average level. A red label 'AVG_BE(U-NII)_6E' points to the limit line at 5959 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.70</td><td>45.45</td><td>68.20</td><td>-22.75</td><td>34.68</td><td>34.97</td><td>8.30</td><td>32.50</td><td>358 0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5624.70	45.45	68.20	-22.75	34.68	34.97	8.30	32.50	358 0 AVERAGE	Date: 2024-08-28 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7200 MHz. A red limit line is at 70 dBuV/m until 5959 MHz, then jumps to 122.5 dBuV/m. A blue trace shows an average level. A red label 'AVG_BE(U-NII)_6E' points to the limit line at 5959 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>74.47</td><td>-----</td><td>-----</td><td>63.05</td><td>35.19</td><td>8.73</td><td>32.50</td><td>358 0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6105.00	74.47	-----	-----	63.05	35.19	8.73	32.50	358 0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5624.70	45.45	68.20	-22.75	34.68	34.97	8.30	32.50	358 0 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 6105.00	74.47	-----	-----	63.05	35.19	8.73	32.50	358 0 AVERAGE																																																																		



Mode	118																																																													
	Band Edge																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																													
ANT	CDD 14+15																																																													
Pol.	Vertical	Fundamental																																																												
Peak	Date: 2024-08-28 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5626.23</td><td>59.75</td><td>88.20</td><td>-28.45</td><td>48.97</td><td>34.97</td><td>8.31</td><td>32.50</td><td>330</td><td>0 PEAK</td></tr></tbody></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5626.23	59.75	88.20	-28.45	48.97	34.97	8.31	32.50	330	0 PEAK	Date: 2024-08-28 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>87.66</td><td>-----</td><td>-----</td><td>76.18</td><td>35.20</td><td>8.81</td><td>32.53</td><td>330</td><td>0 PEAK</td></tr></tbody></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	87.66	-----	-----	76.18	35.20	8.81	32.53	330	0 PEAK
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5626.23	59.75	88.20	-28.45	48.97	34.97	8.31	32.50	330	0 PEAK																																																					
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 6105.00	87.66	-----	-----	76.18	35.20	8.81	32.53	330	0 PEAK																																																					
Avg	Date: 2024-08-28 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.46</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>36.40</td><td>34.97</td><td>8.31</td><td>32.50</td><td>330</td><td>0 AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5625.46	47.18	68.20	-21.02	36.40	34.97	8.31	32.50	330	0 AVERAGE	Date: 2024-08-28 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>78.71</td><td>-----</td><td>-----</td><td>67.22</td><td>35.20</td><td>8.83</td><td>32.54</td><td>330</td><td>0 AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	78.71	-----	-----	67.22	35.20	8.83	32.54	330	0 AVERAGE
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5625.46	47.18	68.20	-21.02	36.40	34.97	8.31	32.50	330	0 AVERAGE																																																					
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 6105.00	78.71	-----	-----	67.22	35.20	8.83	32.54	330	0 AVERAGE																																																					







		119																																																																																							
Mode		Band Edge																																																																																							
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																							
ANT		CDD 14+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7200.57</td><td>52.14</td><td>88.20 -36.06</td><td>41.60</td><td>35.46</td><td>8.58</td><td>33.50</td><td>100</td><td>1 PEAK</td></tr><tr><td>2</td><td>7251.39</td><td>51.25</td><td>74.00 -22.75</td><td>40.61</td><td>35.45</td><td>8.74</td><td>33.55</td><td>100</td><td>1 PEAK</td></tr></tbody></table>											Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7200.57	52.14	88.20 -36.06	41.60	35.46	8.58	33.50	100	1 PEAK	2	7251.39	51.25	74.00 -22.75	40.61	35.45	8.74	33.55	100	1 PEAK	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.93</td><td>-----</td><td>68.00</td><td>35.49</td><td>8.79</td><td>33.35</td><td>100</td><td>1 PEAK</td></tr></tbody></table>											Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	78.93	-----	68.00	35.49	8.79	33.35	100
	Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	7200.57	52.14	88.20 -36.06	41.60	35.46	8.58	33.50	100	1 PEAK																																																																																
2	7251.39	51.25	74.00 -22.75	40.61	35.45	8.74	33.55	100	1 PEAK																																																																																
	Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6905.00	78.93	-----	68.00	35.49	8.79	33.35	100	1 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7190.89</td><td>41.56</td><td>68.20 -26.64</td><td>31.00</td><td>35.46</td><td>8.59</td><td>33.49</td><td>100</td><td>1 AVERAGE</td></tr><tr><td>2</td><td>7263.49</td><td>41.34</td><td>54.00 -12.66</td><td>30.68</td><td>35.45</td><td>8.78</td><td>33.57</td><td>100</td><td>1 AVERAGE</td></tr></tbody></table>											Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7190.89	41.56	68.20 -26.64	31.00	35.46	8.59	33.49	100	1 AVERAGE	2	7263.49	41.34	54.00 -12.66	30.68	35.45	8.78	33.57	100	1 AVERAGE	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Preamp Loss Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>69.53</td><td>-----</td><td>58.60</td><td>35.49</td><td>8.79</td><td>33.35</td><td>100</td><td>1 AVERAGE</td></tr></tbody></table>											Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	69.53	-----	58.60	35.49	8.79	33.35	100
	Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	7190.89	41.56	68.20 -26.64	31.00	35.46	8.59	33.49	100	1 AVERAGE																																																																																
2	7263.49	41.34	54.00 -12.66	30.68	35.45	8.78	33.57	100	1 AVERAGE																																																																																
	Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Preamp Loss Factor	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6905.00	69.53	-----	58.60	35.49	8.79	33.35	100	1 AVERAGE																																																																																







Mode	119																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																																						
ANT	CDD 14+15																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7225.37</td><td>50.60</td><td>88.20</td><td>-37.60</td><td>40.02</td><td>35.45</td><td>8.66</td><td>33.53</td><td>112</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7272.56</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>40.05</td><td>35.44</td><td>8.81</td><td>33.57</td><td>112</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7225.37	50.60	88.20	-37.60	40.02	35.45	8.66	33.53	112	360	PEAK	2	7272.56	50.73	74.00	-23.27	40.05	35.44	8.81	33.57	112	360	PEAK	Level (dBuV/m) Date: 2024-08-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>76.89</td><td>-----</td><td>-----</td><td>65.88</td><td>35.47</td><td>8.84</td><td>33.30</td><td>112</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	76.89	-----	-----	65.88	35.47	8.84	33.30	112	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7225.37	50.60	88.20	-37.60	40.02	35.45	8.66	33.53	112	360	PEAK																																																																																												
2	7272.56	50.73	74.00	-23.27	40.05	35.44	8.81	33.57	112	360	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	76.89	-----	-----	65.88	35.47	8.84	33.30	112	360	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-08-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.99</td><td>41.28</td><td>68.20</td><td>-26.92</td><td>30.58</td><td>35.47</td><td>8.67</td><td>33.44</td><td>112</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7302.81</td><td>41.19</td><td>54.00</td><td>-12.81</td><td>30.45</td><td>35.44</td><td>8.90</td><td>33.60</td><td>112</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7130.99	41.28	68.20	-26.92	30.58	35.47	8.67	33.44	112	360	AVERAGE	2	7302.81	41.19	54.00	-12.81	30.45	35.44	8.90	33.60	112	360	AVERAGE	Level (dBuV/m) Date: 2024-08-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>68.51</td><td>-----</td><td>-----</td><td>57.55</td><td>35.42</td><td>8.84</td><td>33.30</td><td>112</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	68.51	-----	-----	57.55	35.42	8.84	33.30	112	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	7130.99	41.28	68.20	-26.92	30.58	35.47	8.67	33.44	112	360	AVERAGE																																																																																												
2	7302.81	41.19	54.00	-12.81	30.45	35.44	8.90	33.60	112	360	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	68.51	-----	-----	57.55	35.42	8.84	33.30	112	360	AVERAGE																																																																																												



Mode	120																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																																													
ANT	CDD 14+15																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	 Level (dBuV/m) Date: 2024-08-28 PEAK_BE(U-NII)_6E <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5792.23</td><td>51.75</td><td>88.20</td><td>-36.45</td><td>40.26</td><td>35.07</td><td>8.92</td><td>32.50</td><td>100</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5792.23	51.75	88.20	-36.45	40.26	35.07	8.92	32.50	100	145	PEAK	 Level (dBuV/m) Date: 2024-08-28 PEAK_BE(U-NII)_6E <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>68.87</td><td>-----</td><td>-----</td><td>57.46</td><td>35.19</td><td>8.72</td><td>32.50</td><td>100</td><td>145</td><td>PEAK</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	68.87	-----	-----	57.46	35.19	8.72	32.50	100	145	PEAK
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5792.23	51.75	88.20	-36.45	40.26	35.07	8.92	32.50	100	145	PEAK																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 6105.00	68.87	-----	-----	57.46	35.19	8.72	32.50	100	145	PEAK																																																																																				
Avg	 Level (dBuV/m) Date: 2024-08-28 AVG_BE(U-NII)_6E <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5840.43</td><td>41.67</td><td>68.20</td><td>-26.53</td><td>30.18</td><td>35.10</td><td>8.89</td><td>32.50</td><td>100</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5840.43	41.67	68.20	-26.53	30.18	35.10	8.89	32.50	100	145	AVERAGE	 Level (dBuV/m) Date: 2024-08-28 AVG_BE(U-NII)_6E <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>58.79</td><td>-----</td><td>-----</td><td>47.37</td><td>35.19</td><td>8.73</td><td>32.50</td><td>100</td><td>145</td><td>AVERAGE</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	58.79	-----	-----	47.37	35.19	8.73	32.50	100	145	AVERAGE
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5840.43	41.67	68.20	-26.53	30.18	35.10	8.89	32.50	100	145	AVERAGE																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 6105.00	58.79	-----	-----	47.37	35.19	8.73	32.50	100	145	AVERAGE																																																																																				







Mode	120																																																																														
	Band Edge																																																																														
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																														
ANT	CDD 14+15																																																																														
Pol.	Vertical					Fundamental																																																																									
Peak	Date: 2024-08-28  PEAK_BE(UNII)_6E					Date: 2024-08-28  PEAK_BE(UNII)_6E																																																																									
	<table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5890.15</td><td>51.26</td><td>88.20</td><td>-36.94</td><td>39.80</td><td>35.13</td><td>8.83</td><td>32.50</td><td>100</td><td>75 PEAK</td></tr></table>					Freq	Level	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5890.15	51.26	88.20	-36.94	39.80	35.13	8.83	32.50	100	75 PEAK	<table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6105.00</td><td>76.45</td><td>-----</td><td>-----</td><td>65.02</td><td>35.18</td><td>8.75</td><td>32.50</td><td>100</td><td>75 PEAK</td></tr></table>					Freq	Level	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	76.45	-----	-----	65.02	35.18	8.75	32.50	100
Freq	Level	Limit		Read	Ant			Cable	Preamp								APos	TPos	Remark																																																												
		Line	Margin																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5890.15	51.26	88.20	-36.94	39.80	35.13	8.83	32.50	100	75 PEAK																																																																					
Freq	Level	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
		Line	Margin																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	76.45	-----	-----	65.02	35.18	8.75	32.50	100	75 PEAK																																																																					
Avg	Date: 2024-08-28  AVG_BE(UNII)_6E					Date: 2024-08-28  AVG_BE(UNII)_6E																																																																									
	<table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5918.46</td><td>41.63</td><td>68.20</td><td>-26.57</td><td>30.18</td><td>35.15</td><td>8.80</td><td>32.50</td><td>100</td><td>75 AVERAGE</td></tr></table>					Freq	Level	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5918.46	41.63	68.20	-26.57	30.18	35.15	8.80	32.50	100	75 AVERAGE	<table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6105.00</td><td>67.05</td><td>-----</td><td>-----</td><td>55.62</td><td>35.17</td><td>8.76</td><td>32.50</td><td>100</td><td>75 AVERAGE</td></tr></table>					Freq	Level	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	67.05	-----	-----	55.62	35.17	8.76	32.50	100
Freq	Level	Limit		Read	Ant			Cable	Preamp								APos	TPos	Remark																																																												
		Line	Margin																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5918.46	41.63	68.20	-26.57	30.18	35.15	8.80	32.50	100	75 AVERAGE																																																																					
Freq	Level	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
		Line	Margin																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6105.00	67.05	-----	-----	55.62	35.17	8.76	32.50	100	75 AVERAGE																																																																					







Mode	121																																																																																																								
	Band Edge																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																								
ANT	CDD 14+15																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-28 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7196.94</td><td>50.46</td><td>88.20</td><td>-37.74</td><td>39.91</td><td>35.46</td><td>8.59</td><td>33.50</td><td>338</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7268.33</td><td>50.51</td><td>74.00</td><td>-23.49</td><td>39.84</td><td>35.45</td><td>8.79</td><td>33.57</td><td>338</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7196.94	50.46	88.20	-37.74	39.91	35.46	8.59	33.50	338	360	PEAK	2	7268.33	50.51	74.00	-23.49	39.84	35.45	8.79	33.57	338	360	PEAK	Level (dBuV/m) Date: 2024-08-28 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>70.68</td><td>-----</td><td>-----</td><td>59.75</td><td>35.39</td><td>8.84</td><td>33.30</td><td>338</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	70.68	-----	-----	59.75	35.39	8.84	33.30	338	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7196.94	50.46	88.20	-37.74	39.91	35.46	8.59	33.50	338	360	PEAK																																																																																														
2	7268.33	50.51	74.00	-23.49	39.84	35.45	8.79	33.57	338	360	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6905.00	70.68	-----	-----	59.75	35.39	8.84	33.30	338	360	PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2024-08-28 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7241.10</td><td>41.15</td><td>68.20</td><td>-27.05</td><td>30.53</td><td>35.45</td><td>8.71</td><td>33.54</td><td>338</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.99</td><td>40.97</td><td>54.00</td><td>-13.03</td><td>30.33</td><td>35.45</td><td>8.74</td><td>33.55</td><td>338</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7241.10	41.15	68.20	-27.05	30.53	35.45	8.71	33.54	338	360	AVERAGE	2	7251.99	40.97	54.00	-13.03	30.33	35.45	8.74	33.55	338	360	AVERAGE	Level (dBuV/m) Date: 2024-08-28 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>63.35</td><td>-----</td><td>-----</td><td>52.45</td><td>35.49</td><td>8.77</td><td>33.36</td><td>338</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	63.35	-----	-----	52.45	35.49	8.77	33.36	338	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7241.10	41.15	68.20	-27.05	30.53	35.45	8.71	33.54	338	360	AVERAGE																																																																																														
2	7251.99	40.97	54.00	-13.03	30.33	35.45	8.74	33.55	338	360	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6905.00	63.35	-----	-----	52.45	35.49	8.77	33.36	338	360	AVERAGE																																																																																														







	121																																																																																																	
Mode	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																	
ANT	CDD 14+15																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7185.44</td><td>51.04</td><td>88.20</td><td>-37.16</td><td>40.47</td><td>35.46</td><td>8.60</td><td>33.49</td><td>300</td><td>94 PEAK</td></tr><tr><td>2</td><td>7258.04</td><td>50.10</td><td>74.00</td><td>-23.90</td><td>39.45</td><td>35.45</td><td>8.76</td><td>33.56</td><td>300</td><td>94 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7185.44	51.04	88.20	-37.16	40.47	35.46	8.60	33.49	300	94 PEAK	2	7258.04	50.10	74.00	-23.90	39.45	35.45	8.76	33.56	300	94 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>72.49</td><td>-----</td><td>-----</td><td>61.55</td><td>35.40</td><td>8.84</td><td>33.30</td><td>300</td><td>94 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	72.49	-----	-----	61.55	35.40	8.84	33.30	300
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7185.44	51.04	88.20	-37.16	40.47	35.46	8.60	33.49	300	94 PEAK																																																																																								
2	7258.04	50.10	74.00	-23.90	39.45	35.45	8.76	33.56	300	94 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	72.49	-----	-----	61.55	35.40	8.84	33.30	300	94 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7204.80</td><td>41.05</td><td>68.20</td><td>-27.15</td><td>30.51</td><td>35.46</td><td>8.59</td><td>33.51</td><td>300</td><td>94 AVERAGE</td></tr><tr><td>2</td><td>7304.63</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>30.25</td><td>35.44</td><td>8.91</td><td>33.61</td><td>300</td><td>94 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7204.80	41.05	68.20	-27.15	30.51	35.46	8.59	33.51	300	94 AVERAGE	2	7304.63	40.99	54.00	-13.01	30.25	35.44	8.91	33.61	300	94 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>63.93</td><td>-----</td><td>-----</td><td>52.99</td><td>35.40</td><td>8.84</td><td>33.30</td><td>300</td><td>94 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	63.93	-----	-----	52.99	35.40	8.84	33.30	300
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7204.80	41.05	68.20	-27.15	30.51	35.46	8.59	33.51	300	94 AVERAGE																																																																																								
2	7304.63	40.99	54.00	-13.01	30.25	35.44	8.91	33.61	300	94 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	63.93	-----	-----	52.99	35.40	8.84	33.30	300	94 AVERAGE																																																																																								



		122																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5858.79</td><td>51.87</td><td>88.20</td><td>-36.33</td><td>40.38</td><td>35.12</td><td>8.87</td><td>32.50</td><td>300</td><td>306</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5858.79	51.87	88.20	-36.33	40.38	35.12	8.87	32.50	300	306	PEAK	 Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>74.22</td><td>-----</td><td>-----</td><td>62.42</td><td>35.20</td><td>9.45</td><td>32.85</td><td>300</td><td>306</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	74.22	-----	-----	62.42	35.20	9.45	32.85	300	306	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5858.79	51.87	88.20	-36.33	40.38	35.12	8.87	32.50	300	306	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	74.22	-----	-----	62.42	35.20	9.45	32.85	300	306	PEAK																																																																															
Avg	 Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.10</td><td>41.59</td><td>68.20</td><td>-26.61</td><td>30.14</td><td>35.15</td><td>8.80</td><td>32.50</td><td>300</td><td>306</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.10	41.59	68.20	-26.61	30.14	35.15	8.80	32.50	300	306	AVERAGE	 Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>66.04</td><td>-----</td><td>-----</td><td>54.24</td><td>35.20</td><td>9.45</td><td>32.85</td><td>300</td><td>306</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	66.04	-----	-----	54.24	35.20	9.45	32.85	300	306	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5913.10	41.59	68.20	-26.61	30.14	35.15	8.80	32.50	300	306	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	66.04	-----	-----	54.24	35.20	9.45	32.85	300	306	AVERAGE																																																																															







		122																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																																		
ANT		CDD 14+15																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-28. The plot shows a red limit line and a blue measured signal. A peak is marked at 5838.90 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-28. The plot shows a red limit line and a blue measured signal. A peak is marked at 6105.00 MHz.																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5838.90	51.53	88.20	-36.67	40.04	35.10	8.89	32.50	100	65	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	75.93	-----	-----	64.50	35.17	8.76	32.50	100	65	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5838.90	51.53	88.20	-36.67	40.04	35.10	8.89	32.50	100	65	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	6105.00	75.93	-----	-----	64.50	35.17	8.76	32.50	100	65	PEAK																																																																									
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-28. The plot shows a red limit line and a blue measured signal. An average is marked at 5841.19 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-08-28. The plot shows a red limit line and a blue measured signal. An average is marked at 6105.00 MHz.																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5841.19	41.77	68.20	-26.43	30.28	35.10	8.89	32.50	100	65	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	67.64	-----	-----	56.21	35.18	8.75	32.50	100	65	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5841.19	41.77	68.20	-26.43	30.28	35.10	8.89	32.50	100	65	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	6105.00	67.64	-----	-----	56.21	35.18	8.75	32.50	100	65	AVERAGE																																																																									



		123																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																																	
ANT		CDD 14+15																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7244.13</td><td>50.82</td><td>88.20</td><td>-37.38</td><td>40.20</td><td>35.45</td><td>8.72</td><td>33.55</td><td>200</td><td>0 PEAK</td></tr><tr><td>2</td><td>7311.89</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>39.24</td><td>35.44</td><td>8.93</td><td>33.61</td><td>200</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7244.13	50.82	88.20	-37.38	40.20	35.45	8.72	33.55	200	0 PEAK	2	7311.89	50.00	74.00	-24.00	39.24	35.44	8.93	33.61	200	0 PEAK	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>74.84</td><td>-----</td><td>-----</td><td>63.97</td><td>35.37</td><td>8.80</td><td>33.30</td><td>200</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	74.84	-----	-----	63.97	35.37	8.80	33.30	200	0 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7244.13	50.82	88.20	-37.38	40.20	35.45	8.72	33.55	200	0 PEAK																																																																																									
2	7311.89	50.00	74.00	-24.00	39.24	35.44	8.93	33.61	200	0 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	74.84	-----	-----	63.97	35.37	8.80	33.30	200	0 PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7134.62</td><td>41.06</td><td>68.20</td><td>-27.14</td><td>30.36</td><td>35.47</td><td>8.67</td><td>33.44</td><td>200</td><td>0 AVERAGE</td></tr><tr><td>2</td><td>7273.77</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>30.18</td><td>35.44</td><td>8.81</td><td>33.58</td><td>200</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7134.62	41.06	68.20	-27.14	30.36	35.47	8.67	33.44	200	0 AVERAGE	2	7273.77	40.85	54.00	-13.15	30.18	35.44	8.81	33.58	200	0 AVERAGE	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>66.33</td><td>-----</td><td>-----</td><td>55.46</td><td>35.37</td><td>8.80</td><td>33.30</td><td>200</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	66.33	-----	-----	55.46	35.37	8.80	33.30	200	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	7134.62	41.06	68.20	-27.14	30.36	35.47	8.67	33.44	200	0 AVERAGE																																																																																									
2	7273.77	40.85	54.00	-13.15	30.18	35.44	8.81	33.58	200	0 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6905.00	66.33	-----	-----	55.46	35.37	8.80	33.30	200	0 AVERAGE																																																																																									



		123																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																																				
ANT		CDD 14+15																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2024-08-28  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7144.91</td><td>50.17</td><td>88.20</td><td>-38.03</td><td>39.50</td><td>35.47</td><td>8.65</td><td>33.45</td><td>100</td><td>65</td><td>PEAK</td></tr><tr><td>2</td><td>7257.44</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>40.39</td><td>35.45</td><td>8.76</td><td>33.56</td><td>100</td><td>65</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7144.91	50.17	88.20	-38.03	39.50	35.47	8.65	33.45	100	65	PEAK	2	7257.44	51.04	74.00	-22.96	40.39	35.45	8.76	33.56	100	65	PEAK	Level (dBuV/m) Date: 2024-08-28  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>75.24</td><td>-----</td><td>-----</td><td>64.31</td><td>35.39</td><td>8.84</td><td>33.30</td><td>100</td><td>65</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	75.24	-----	-----	64.31	35.39	8.84	33.30	100	65	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7144.91	50.17	88.20	-38.03	39.50	35.47	8.65	33.45	100	65	PEAK																																																																																											
2	7257.44	51.04	74.00	-22.96	40.39	35.45	8.76	33.56	100	65	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	75.24	-----	-----	64.31	35.39	8.84	33.30	100	65	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-28  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7157.01</td><td>41.02</td><td>68.20</td><td>-27.18</td><td>30.37</td><td>35.47</td><td>8.64</td><td>33.46</td><td>100</td><td>65</td><td>AVERAGE</td></tr><tr><td>2</td><td>7268.93</td><td>40.96</td><td>54.00</td><td>-13.04</td><td>30.28</td><td>35.45</td><td>8.80</td><td>33.57</td><td>100</td><td>65</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7157.01	41.02	68.20	-27.18	30.37	35.47	8.64	33.46	100	65	AVERAGE	2	7268.93	40.96	54.00	-13.04	30.28	35.45	8.80	33.57	100	65	AVERAGE	Level (dBuV/m) Date: 2024-08-28  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>64.88</td><td>-----</td><td>-----</td><td>53.94</td><td>35.40</td><td>8.84</td><td>33.30</td><td>100</td><td>65</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	64.88	-----	-----	53.94	35.40	8.84	33.30	100	65	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7157.01	41.02	68.20	-27.18	30.37	35.47	8.64	33.46	100	65	AVERAGE																																																																																											
2	7268.93	40.96	54.00	-13.04	30.28	35.45	8.80	33.57	100	65	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	64.88	-----	-----	53.94	35.40	8.84	33.30	100	65	AVERAGE																																																																																											



Mode	124											
	Band Edge											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_5985MHz											
ANT	CDD 14+15											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m) Date: 2024-08-29											







Mode	124	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_5985MHz	
ANT	CDD 14+15	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-29 1 5910.44 51.72 88.20 -36.48 40.26 35.15 8.81 32.50 300 234 PEAK	Level (dBuV/m) Date: 2024-08-29 1 5985.00 79.28 ----- 67.85 35.17 8.76 32.50 300 234 PEAK
	Level (dBuV/m) Date: 2024-08-29 1 5913.00 41.68 68.20 -26.52 30.23 35.15 8.80 32.50 300 234 AVERAGE	Level (dBuV/m) Date: 2024-08-29 1 5985.00 70.67 ----- 59.24 35.17 8.76 32.50 300 234 AVERAGE



	125																																																																										
Mode	Band Edge																																																																										
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																										
ANT	CDD 14+15																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	Level (dBuV/m) Date: 2024-08-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7165.08</td><td>49.51</td><td>88.20</td><td>-38.69</td><td>38.88</td><td>35.47</td><td>8.63</td><td>33.47</td><td>400</td><td>26 PEAK</td></tr><tr><td>2</td><td>7299.95</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>39.34</td><td>35.44</td><td>8.89</td><td>33.60</td><td>400</td><td>26 PEAK</td></tr></tbody></table>		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7165.08	49.51	88.20	-38.69	38.88	35.47	8.63	33.47	400	26 PEAK	2	7299.95	50.07	74.00	-23.93	39.34	35.44	8.89	33.60	400	26 PEAK	Level (dBuV/m) Date: 2024-08-29 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>76.43</td><td>-----</td><td>-----</td><td>65.49</td><td>35.49</td><td>8.80</td><td>33.35</td><td>400</td><td>26 PEAK</td></tr></tbody></table>		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7025.00	76.43	-----	-----	65.49	35.49	8.80	33.35	400	26 PEAK
		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1	7165.08	49.51	88.20	-38.69	38.88	35.47	8.63	33.47	400	26 PEAK																																																																	
2	7299.95	50.07	74.00	-23.93	39.34	35.44	8.89	33.60	400	26 PEAK																																																																	
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1	7025.00	76.43	-----	-----	65.49	35.49	8.80	33.35	400	26 PEAK																																																																	
Avg	Level (dBuV/m) Date: 2024-08-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7168.33</td><td>40.77</td><td>68.20</td><td>-27.43</td><td>30.15</td><td>35.47</td><td>8.62</td><td>33.47</td><td>400</td><td>26 AVERAGE</td></tr><tr><td>2</td><td>7274.60</td><td>40.69</td><td>54.00</td><td>-13.31</td><td>30.02</td><td>35.44</td><td>8.81</td><td>33.58</td><td>400</td><td>26 AVERAGE</td></tr></tbody></table>		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7168.33	40.77	68.20	-27.43	30.15	35.47	8.62	33.47	400	26 AVERAGE	2	7274.60	40.69	54.00	-13.31	30.02	35.44	8.81	33.58	400	26 AVERAGE	Level (dBuV/m) Date: 2024-08-29 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Read Level</th><th>Ant Level</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>67.55</td><td>-----</td><td>-----</td><td>56.61</td><td>35.49</td><td>8.80</td><td>33.35</td><td>400</td><td>26 AVERAGE</td></tr></tbody></table>		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7025.00	67.55	-----	-----	56.61	35.49	8.80	33.35	400	26 AVERAGE
		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1	7168.33	40.77	68.20	-27.43	30.15	35.47	8.62	33.47	400	26 AVERAGE																																																																	
2	7274.60	40.69	54.00	-13.31	30.02	35.44	8.81	33.58	400	26 AVERAGE																																																																	
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1	7025.00	67.55	-----	-----	56.61	35.49	8.80	33.35	400	26 AVERAGE																																																																	



		125																																																																																											
Mode		Band Edge																																																																																											
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																											
ANT		CDD 14+15																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7215.13	50.23	88.20	-37.97	39.67	35.46	8.62	33.52	263	0° PEAK	2	7295.40	49.63	74.00	-24.37	38.91	35.44	8.88	33.60	263	0° PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	81.85	-----	-----	70.90	35.49	8.80	33.34	263	0° PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7215.13	50.23	88.20	-37.97	39.67	35.46	8.62	33.52	263	0° PEAK																																																																																			
2	7295.40	49.63	74.00	-24.37	38.91	35.44	8.88	33.60	263	0° PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7025.00	81.85	-----	-----	70.90	35.49	8.80	33.34	263	0° PEAK																																																																																			
Avg																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7166.70	40.80	68.20	-27.40	30.17	35.47	8.63	33.47	263	0° AVERAGE	2	7274.28	40.70	54.00	-13.30	30.03	35.44	8.81	33.58	263	0° AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	73.69	-----	-----	62.74	35.49	8.80	33.34	263	0° AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7166.70	40.80	68.20	-27.40	30.17	35.47	8.63	33.47	263	0° AVERAGE																																																																																			
2	7274.28	40.70	54.00	-13.30	30.03	35.44	8.81	33.58	263	0° AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	7025.00	73.69	-----	-----	62.74	35.49	8.80	33.34	263	0° AVERAGE																																																																																			







		126																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																																										
ANT		CDD 14+15																																																																																										
Pol.	Horizontal										Fundamental																																																																																	
Peak	Date: 2024-08-29 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5890.80</td><td>50.82</td><td>88.20 -37.38</td><td>39.36</td><td>35.13</td><td>8.83</td><td>32.50</td><td>284</td><td>70 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5890.80	50.82	88.20 -37.38	39.36	35.13	8.83	32.50	284	70 PEAK	Date: 2024-08-29 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>78.41</td><td>-----</td><td>66.96</td><td>35.20</td><td>8.76</td><td>32.51</td><td>284</td><td>70 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6025.00	78.41	-----	66.96	35.20	8.76	32.51	284	70 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 5890.80	50.82	88.20 -37.38	39.36	35.13	8.83	32.50	284	70 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 6025.00	78.41	-----	66.96	35.20	8.76	32.51	284	70 PEAK																																																																																				
Avg	Date: 2024-08-29 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5849.64</td><td>41.85</td><td>68.20 -26.35</td><td>30.36</td><td>35.11</td><td>8.88</td><td>32.50</td><td>284</td><td>70 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5849.64	41.85	68.20 -26.35	30.36	35.11	8.88	32.50	284	70 AVERAGE	Date: 2024-08-29 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>69.69</td><td>-----</td><td>58.27</td><td>35.19</td><td>8.73</td><td>32.50</td><td>284</td><td>70 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6025.00	69.69	-----	58.27	35.19	8.73	32.50	284	70 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 5849.64	41.85	68.20 -26.35	30.36	35.11	8.88	32.50	284	70 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 6025.00	69.69	-----	58.27	35.19	8.73	32.50	284	70 AVERAGE																																																																																				



Mode	126																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical						Fundamental																																																																					
Peak	Level (dBuV/m) Date: 2024-08-29 PEAK_BE(U-NII)_6E						Level (dBuV/m) Date: 2024-08-29 PEAK_BE(U-NII)_6E																																																																					
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5890.52	51.99	88.20	-36.21	40.53	35.13	8.83	32.50	270	340	PEAK		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	85.21	-----	-----	73.78	35.17	8.76	32.50	270	340	PEAK				
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5890.52	51.99	88.20	-36.21	40.53	35.13	8.83	32.50	270	340	PEAK																																																																	
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	6025.00	85.21	-----	-----	73.78	35.17	8.76	32.50	270	340	PEAK																																																																	
Avg	Level (dBuV/m) Date: 2024-08-29 AVG_BE(U-NII)_6E						Level (dBuV/m) Date: 2024-08-29 AVG_BE(U-NII)_6E																																																																					
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5914.60	42.00	68.20	-26.20	30.55	35.15	8.80	32.50	270	340	AVERAGE		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	76.76	-----	-----	65.33	35.17	8.76	32.50	270	340	AVERAGE				
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5914.60	42.00	68.20	-26.20	30.55	35.15	8.80	32.50	270	340	AVERAGE																																																																	
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	6025.00	76.76	-----	-----	65.33	35.17	8.76	32.50	270	340	AVERAGE																																																																	



	127																																																																																		
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																		
ANT	CDD 14+15																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-29  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7236.25</td><td>51.06</td><td>88.20</td><td>-37.14</td><td>40.46</td><td>35.45</td><td>8.69</td><td>33.54</td></tr><tr><td>2</td><td>7289.38</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>40.11</td><td>35.44</td><td>8.86</td><td>33.59</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7236.25	51.06	88.20	-37.14	40.46	35.45	8.69	33.54	2	7289.38	50.82	74.00	-23.18	40.11	35.44	8.86	33.59	Level (dBuV/m) Date: 2024-08-29  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>73.76</td><td>-----</td><td>-----</td><td>62.73</td><td>35.49</td><td>8.84</td><td>33.30</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	73.76	-----	-----	62.73	35.49	8.84	33.30
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	7236.25	51.06	88.20	-37.14	40.46	35.45	8.69	33.54																																																																											
2	7289.38	50.82	74.00	-23.18	40.11	35.44	8.86	33.59																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	6985.00	73.76	-----	-----	62.73	35.49	8.84	33.30																																																																											
Avg	Level (dBuV/m) Date: 2024-08-29  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7227.50</td><td>41.12</td><td>68.20</td><td>-27.08</td><td>30.54</td><td>35.45</td><td>8.66</td><td>33.53</td></tr><tr><td>2</td><td>7306.88</td><td>41.30</td><td>54.00</td><td>-12.70</td><td>30.55</td><td>35.44</td><td>8.92</td><td>33.61</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7227.50	41.12	68.20	-27.08	30.54	35.45	8.66	33.53	2	7306.88	41.30	54.00	-12.70	30.55	35.44	8.92	33.61	Level (dBuV/m) Date: 2024-08-29  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>65.18</td><td>-----</td><td>-----</td><td>54.30</td><td>35.49</td><td>8.76</td><td>33.37</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	65.18	-----	-----	54.30	35.49	8.76	33.37
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	7227.50	41.12	68.20	-27.08	30.54	35.45	8.66	33.53																																																																											
2	7306.88	41.30	54.00	-12.70	30.55	35.44	8.92	33.61																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	6985.00	65.18	-----	-----	54.30	35.49	8.76	33.37																																																																											







	127										
Mode	Band Edge										
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_6985MHz										
ANT	CDD 14+15										
Pol.	Vertical						Fundamental				
Peak											







		128																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																																										
ANT		CDD 14+15																																																																																										
Pol.	Horizontal										Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-29 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5846.28</td><td>51.56</td><td>88.20</td><td>-36.64</td><td>40.07</td><td>35.11</td><td>8.88</td><td>32.50</td><td>287</td><td>54</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5846.28	51.56	88.20	-36.64	40.07	35.11	8.88	32.50	287	54	PEAK	Level (dBuV/m) Date: 2024-08-29 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>82.35</td><td>-----</td><td>-----</td><td>70.93</td><td>35.18</td><td>8.74</td><td>32.50</td><td>287</td><td>54</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	82.35	-----	-----	70.93	35.18	8.74	32.50	287	54	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5846.28	51.56	88.20	-36.64	40.07	35.11	8.88	32.50	287	54	PEAK																																																																																	
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	82.35	-----	-----	70.93	35.18	8.74	32.50	287	54	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-29 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5917.12</td><td>41.77</td><td>68.20</td><td>-26.43</td><td>30.32</td><td>35.15</td><td>8.80</td><td>32.50</td><td>287</td><td>54</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5917.12	41.77	68.20	-26.43	30.32	35.15	8.80	32.50	287	54	AVERAGE	Level (dBuV/m) Date: 2024-08-29 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>71.97</td><td>-----</td><td>-----</td><td>60.55</td><td>35.18</td><td>8.74</td><td>32.50</td><td>287</td><td>54</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	71.97	-----	-----	60.55	35.18	8.74	32.50	287	54	AVERAGE
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5917.12	41.77	68.20	-26.43	30.32	35.15	8.80	32.50	287	54	AVERAGE																																																																																	
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	71.97	-----	-----	60.55	35.18	8.74	32.50	287	54	AVERAGE																																																																																	



		128																																																																																		
Mode		Band Edge																																																																																		
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																																		
ANT		CDD 14+15																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red limit line and a blue measured signal. A peak is marked at 5937.00 MHz with a level of 122.50 dBuV/m. The limit is 87.50 dBuV/m from 5825 to 5937 MHz and 122.50 dBuV/m from 5937 to 6105 MHz.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a red limit line and a blue measured signal. A peak is marked at 6025.00 MHz with a level of 122.50 dBuV/m. The limit is 71.56 dBuV/m from 6025 to 6025 MHz and 122.50 dBuV/m from 6025 to 7200 MHz.																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5826.12	51.26	88.20	-36.94	39.75	35.10	8.91	32.50	271	360	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	82.99	-----	-----	71.56	35.18	8.75	32.50	271	360	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5826.12	51.26	88.20	-36.94	39.75	35.10	8.91	32.50	271	360	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	82.99	-----	-----	71.56	35.18	8.75	32.50	271	360	PEAK																																																																									
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red limit line and a blue measured signal. An average is marked at 5913.48 MHz with a level of 42.29 dBuV/m. The limit is 70.00 dBuV/m from 5825 to 5937 MHz and 122.50 dBuV/m from 5937 to 6105 MHz.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a red limit line and a blue measured signal. An average is marked at 6025.00 MHz with a level of 74.78 dBuV/m. The limit is 71.56 dBuV/m from 6025 to 6025 MHz and 122.50 dBuV/m from 6025 to 7200 MHz.																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.48	42.29	68.20	-25.91	30.84	35.15	8.80	32.50	271	360	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	74.78	-----	-----	63.36	35.18	8.74	32.50	271	360	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5913.48	42.29	68.20	-25.91	30.84	35.15	8.80	32.50	271	360	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6025.00	74.78	-----	-----	63.36	35.18	8.74	32.50	271	360	AVERAGE																																																																									







		129																																																																															
Mode		Band Edge																																																																															
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																															
ANT		CDD 14+15																																																																															
Pol.		Horizontal					Fundamental																																																																										
Peak		Level (dBuV/m) Date: 2024-08-29  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>Line dBuV/m</th><th>Margin dB</th><th>Read Level dBuV</th><th>Ant Factor dB/m</th><th>Cable Loss Factor</th><th>APos dB</th><th>TPos cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7211.88</td><td>51.48</td><td>88.20</td><td>-36.72</td><td>40.93</td><td>35.46</td><td>8.61</td><td>33.52</td><td>286</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>7334.38</td><td>50.68</td><td>74.00</td><td>-23.32</td><td>39.89</td><td>35.43</td><td>9.00</td><td>33.64</td><td>286</td><td>79</td><td>PEAK</td></tr></tbody></table>											Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark	1	7211.88	51.48	88.20	-36.72	40.93	35.46	8.61	33.52	286	79	PEAK	2	7334.38	50.68	74.00	-23.32	39.89	35.43	9.00	33.64	286	79	PEAK	Level (dBuV/m) Date: 2024-08-29  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>Line dBuV/m</th><th>Margin dB</th><th>Read Level dBuV</th><th>Ant Factor dB/m</th><th>Cable Loss Factor</th><th>APos dB</th><th>TPos cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>73.64</td><td>-----</td><td>-----</td><td>62.61</td><td>35.49</td><td>8.84</td><td>33.30</td><td>286</td><td>79</td><td>PEAK</td></tr></tbody></table>											Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark	1	6985.00	73.64	-----	-----	62.61	35.49	8.84	33.30	286	79	PEAK
		Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark																																																																					
1	7211.88	51.48	88.20	-36.72	40.93	35.46	8.61	33.52	286	79	PEAK																																																																						
2	7334.38	50.68	74.00	-23.32	39.89	35.43	9.00	33.64	286	79	PEAK																																																																						
	Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark																																																																						
1	6985.00	73.64	-----	-----	62.61	35.49	8.84	33.30	286	79	PEAK																																																																						
Avg		Level (dBuV/m) Date: 2024-08-29  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>Line dBuV/m</th><th>Margin dB</th><th>Read Level dBuV</th><th>Ant Factor dB/m</th><th>Cable Loss Factor</th><th>APos dB</th><th>TPos cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7132.50</td><td>41.10</td><td>68.20</td><td>-27.10</td><td>30.40</td><td>35.47</td><td>8.67</td><td>33.44</td><td>286</td><td>79</td><td>AVERAGE</td></tr><tr><td>2</td><td>7263.75</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>30.52</td><td>35.45</td><td>8.78</td><td>33.57</td><td>286</td><td>79</td><td>AVERAGE</td></tr></tbody></table>											Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark	1	7132.50	41.10	68.20	-27.10	30.40	35.47	8.67	33.44	286	79	AVERAGE	2	7263.75	41.18	54.00	-12.82	30.52	35.45	8.78	33.57	286	79	AVERAGE	Level (dBuV/m) Date: 2024-08-29  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit Freq</th><th>Level MHz</th><th>Line dBuV/m</th><th>Margin dB</th><th>Read Level dBuV</th><th>Ant Factor dB/m</th><th>Cable Loss Factor</th><th>APos dB</th><th>TPos cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>65.13</td><td>-----</td><td>-----</td><td>54.10</td><td>35.49</td><td>8.84</td><td>33.30</td><td>286</td><td>79</td><td>AVERAGE</td></tr></tbody></table>											Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark	1	6985.00	65.13	-----	-----	54.10	35.49	8.84	33.30	286	79	AVERAGE
		Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark																																																																					
1	7132.50	41.10	68.20	-27.10	30.40	35.47	8.67	33.44	286	79	AVERAGE																																																																						
2	7263.75	41.18	54.00	-12.82	30.52	35.45	8.78	33.57	286	79	AVERAGE																																																																						
	Limit Freq	Level MHz	Line dBuV/m	Margin dB	Read Level dBuV	Ant Factor dB/m	Cable Loss Factor	APos dB	TPos cm	deg	Remark																																																																						
1	6985.00	65.13	-----	-----	54.10	35.49	8.84	33.30	286	79	AVERAGE																																																																						



		129									
Mode		Band Edge									
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_6985MHz									
ANT		CDD 14+15									
Pol.		Vertical					Fundamental				
Peak		Level (dBuV/m) Date: 2024-08-29									



		130																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																																																	
ANT		CDD 14+15																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak	Date: 2024-08-29  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E										Date: 2024-08-29  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5574.97</td><td>51.72</td><td>88.20</td><td>-36.48</td><td>41.02</td><td>34.94</td><td>8.26</td><td>32.50</td><td>290</td><td>10</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5574.97	51.72	88.20	-36.48	41.02	34.94	8.26	32.50	290	10	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>77.27</td><td>-----</td><td>-----</td><td>65.54</td><td>35.20</td><td>9.21</td><td>32.68</td><td>290</td><td>10</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	77.27	-----	-----	65.54	35.20	9.21	32.68	290	10
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5574.97	51.72	88.20	-36.48	41.02	34.94	8.26	32.50	290	10	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6105.00	77.27	-----	-----	65.54	35.20	9.21	32.68	290	10	PEAK																																																																																								
Avg	Date: 2024-08-29  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E										Date: 2024-08-29  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.93</td><td>41.86</td><td>68.20</td><td>-26.34</td><td>30.41</td><td>35.15</td><td>8.80</td><td>32.50</td><td>290</td><td>10</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5916.93	41.86	68.20	-26.34	30.41	35.15	8.80	32.50	290	10	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>68.61</td><td>-----</td><td>-----</td><td>57.18</td><td>35.17</td><td>8.76</td><td>32.50</td><td>290</td><td>10</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	68.61	-----	-----	57.18	35.17	8.76	32.50	290	10
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5916.93	41.86	68.20	-26.34	30.41	35.15	8.80	32.50	290	10	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	6105.00	68.61	-----	-----	57.18	35.17	8.76	32.50	290	10	AVERAGE																																																																																								



		130									
Mode		Band Edge									
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz									
ANT		CDD 14+15									
Pol.	Vertical					Fundamental					
Peak	Level (dBuV/m) Date: 2024-08-29 </										







		131																		
Mode		Band Edge																		
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																		
ANT		CDD 14+15																		
Pol.	Horizontal										Fundamental									
Peak	Level (dBuV/m) Date: 2024-08-29																			







Mode	131									
	Band Edge									
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz									
ANT	CDD 14+15									
Pol.	Vertical					Fundamental				
Peak										



		132																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5781.52</td><td>51.32</td><td>88.20</td><td>-36.88</td><td>39.87</td><td>35.07</td><td>8.88</td><td>32.50</td><td>296</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5781.52	51.32	88.20	-36.88	39.87	35.07	8.88	32.50	296	360	PEAK	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>75.77</td><td>-----</td><td>-----</td><td>63.94</td><td>35.20</td><td>9.38</td><td>32.75</td><td>296</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	75.77	-----	-----	63.94	35.20	9.38	32.75	296	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5781.52	51.32	88.20	-36.88	39.87	35.07	8.88	32.50	296	360	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	75.77	-----	-----	63.94	35.20	9.38	32.75	296	360	PEAK																																																																															
Avg	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5893.98</td><td>41.73</td><td>68.20</td><td>-26.47</td><td>30.26</td><td>35.14</td><td>8.83</td><td>32.50</td><td>296</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5893.98	41.73	68.20	-26.47	30.26	35.14	8.83	32.50	296	360	AVERAGE	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>67.08</td><td>-----</td><td>-----</td><td>55.20</td><td>35.20</td><td>9.46</td><td>32.78</td><td>296</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	67.08	-----	-----	55.20	35.20	9.46	32.78	296	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5893.98	41.73	68.20	-26.47	30.26	35.14	8.83	32.50	296	360	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	67.08	-----	-----	55.20	35.20	9.46	32.78	296	360	AVERAGE																																																																															







		132																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-29 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5987.86</td><td>51.58</td><td>88.20</td><td>-36.62</td><td>40.09</td><td>35.10</td><td>8.89</td><td>32.50</td><td>312</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5987.86	51.58	88.20	-36.62	40.09	35.10	8.89	32.50	312	360	PEAK	 Level (dBuV/m) Date: 2024-08-29 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>79.75</td><td>-----</td><td>-----</td><td>68.32</td><td>35.18</td><td>8.75</td><td>32.50</td><td>312</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	79.75	-----	-----	68.32	35.18	8.75	32.50	312	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5987.86	51.58	88.20	-36.62	40.09	35.10	8.89	32.50	312	360	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	79.75	-----	-----	68.32	35.18	8.75	32.50	312	360	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-08-29 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5987.86</td><td>41.86</td><td>68.20</td><td>-26.34</td><td>30.40</td><td>35.13</td><td>8.83</td><td>32.50</td><td>312</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5987.86	41.86	68.20	-26.34	30.40	35.13	8.83	32.50	312	360	AVERAGE	 Level (dBuV/m) Date: 2024-08-29 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>71.65</td><td>-----</td><td>-----</td><td>60.23</td><td>35.18</td><td>8.74</td><td>32.50</td><td>312</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	71.65	-----	-----	60.23	35.18	8.74	32.50	312	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5987.86	41.86	68.20	-26.34	30.40	35.13	8.83	32.50	312	360	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	6105.00	71.65	-----	-----	60.23	35.18	8.74	32.50	312	360	AVERAGE																																																																															







		133																		
Mode		Band Edge																		
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M_6905MHz																		
ANT		CDD 14+15																		
Pol.	Horizontal										Fundamental									
Peak	Level (dBuV/m) <																			







		133																																																																																																					
Mode		Band Edge																																																																																																					
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																																					
ANT		CDD 14+15																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak		Level (dBuV/m) Date: 2024-08-29  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.15</td><td>51.16</td><td>88.20</td><td>-37.04</td><td>40.44</td><td>35.47</td><td>8.68</td><td>33.43</td><td>278</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7267.12</td><td>51.09</td><td>74.00</td><td>-22.91</td><td>40.42</td><td>35.45</td><td>8.79</td><td>33.57</td><td>278</td><td>360</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-29  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>76.44</td><td>-----</td><td>-----</td><td>65.49</td><td>35.49</td><td>8.80</td><td>33.34</td><td>278</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.15	51.16	88.20	-37.04	40.44	35.47	8.68	33.43	278	360	PEAK	2	7267.12	51.09	74.00	-22.91	40.42	35.45	8.79	33.57	278	360	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	76.44	-----	-----	65.49	35.49	8.80	33.34	278	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7126.15	51.16	88.20	-37.04	40.44	35.47	8.68	33.43	278	360	PEAK																																																																																												
2	7267.12	51.09	74.00	-22.91	40.42	35.45	8.79	33.57	278	360	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	76.44	-----	-----	65.49	35.49	8.80	33.34	278	360	PEAK																																																																																												
Avg		Level (dBuV/m) Date: 2024-08-29  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7193.31</td><td>41.22</td><td>68.20</td><td>-26.98</td><td>30.67</td><td>35.46</td><td>8.59</td><td>33.50</td><td>278</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7271.35</td><td>41.14</td><td>54.00</td><td>-12.86</td><td>30.46</td><td>35.45</td><td>8.80</td><td>33.57</td><td>278</td><td>360</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-29  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>67.31</td><td>-----</td><td>-----</td><td>56.33</td><td>35.44</td><td>8.84</td><td>33.30</td><td>278</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7193.31	41.22	68.20	-26.98	30.67	35.46	8.59	33.50	278	360	AVERAGE	2	7271.35	41.14	54.00	-12.86	30.46	35.45	8.80	33.57	278	360	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	67.31	-----	-----	56.33	35.44	8.84	33.30	278	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7193.31	41.22	68.20	-26.98	30.67	35.46	8.59	33.50	278	360	AVERAGE																																																																																												
2	7271.35	41.14	54.00	-12.86	30.46	35.45	8.80	33.57	278	360	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	67.31	-----	-----	56.33	35.44	8.84	33.30	278	360	AVERAGE																																																																																												







Mode	134																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5816.71</td><td>51.91</td><td>88.20</td><td>-36.29</td><td>40.40</td><td>35.09</td><td>8.92</td><td>32.50</td><td>400</td><td>36</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5816.71	51.91	88.20	-36.29	40.40	35.09	8.92	32.50	400	36	PEAK	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>75.56</td><td>-----</td><td>-----</td><td>64.13</td><td>35.17</td><td>8.76</td><td>32.50</td><td>400</td><td>36</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	75.56	-----	-----	64.13	35.17	8.76	32.50	400	36	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5816.71	51.91	88.20	-36.29	40.40	35.09	8.92	32.50	400	36	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6105.00	75.56	-----	-----	64.13	35.17	8.76	32.50	400	36	PEAK																																																																																	
Avg	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5880.21</td><td>41.86</td><td>68.20</td><td>-26.34</td><td>30.39</td><td>35.13</td><td>8.84</td><td>32.50</td><td>400</td><td>36</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5880.21	41.86	68.20	-26.34	30.39	35.13	8.84	32.50	400	36	AVERAGE	 Date: 2024-08-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>67.24</td><td>-----</td><td>-----</td><td>55.81</td><td>35.17</td><td>8.76</td><td>32.50</td><td>400</td><td>36</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	67.24	-----	-----	55.81	35.17	8.76	32.50	400	36	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5880.21	41.86	68.20	-26.34	30.39	35.13	8.84	32.50	400	36	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	6105.00	67.24	-----	-----	55.81	35.17	8.76	32.50	400	36	AVERAGE																																																																																	



		134																																																																				
Mode		Band Edge																																																																				
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																				
ANT		CDD 14+15																																																																				
Pol.		Vertical					Fundamental																																																															
Peak	 Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue measured signal. A peak is marked at 5901.63 MHz with a level of 51.38 dBuV/m. The limit is 88.20 dBuV/m. The measured signal is 51.38 dBuV/m. The peak is labeled PEAK_BE(U-NII)_6E.					 Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue measured signal. A peak is marked at 6105.00 MHz with a level of 80.19 dBuV/m. The limit is 80.19 dBuV/m. The measured signal is 80.19 dBuV/m. The peak is labeled PEAK_BE(U-NII)_6E.																																																																
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5817.48	51.38	88.20	-36.82	39.87	35.09	8.92	32.50	200	336 PEAK	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	80.19	-----	-----	68.76	35.17	8.76	32.50	200	336 PEAK				
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5817.48	51.38	88.20	-36.82	39.87	35.09	8.92	32.50	200	336 PEAK																																																												
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	6105.00	80.19	-----	-----	68.76	35.17	8.76	32.50	200	336 PEAK																																																												
Avg	 Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue measured signal. An average is marked at 5901.63 MHz with a level of 41.66 dBuV/m. The limit is 68.20 dBuV/m. The measured signal is 41.66 dBuV/m. The average is labeled AVG_BE(U-NII)_6E.					 Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue measured signal. An average is marked at 6105.00 MHz with a level of 71.39 dBuV/m. The limit is 71.39 dBuV/m. The measured signal is 71.39 dBuV/m. The average is labeled AVG_BE(U-NII)_6E.																																																																
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5901.63	41.66	68.20	-26.54	30.20	35.14	8.82	32.50	200	336 AVERAGE	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6105.00	71.39	-----	-----	59.96	35.17	8.76	32.50	200	336 AVERAGE				
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5901.63	41.66	68.20	-26.54	30.20	35.14	8.82	32.50	200	336 AVERAGE																																																												
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	6105.00	71.39	-----	-----	59.96	35.17	8.76	32.50	200	336 AVERAGE																																																												





		135																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																																														
ANT		CDD 14+15																																																																																																														
Pol.	Horizontal										Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-29  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7207.83</td><td>50.55</td><td>88.20</td><td>-37.65</td><td>40.00</td><td>35.46</td><td>8.60</td><td>33.51</td><td>100</td><td>347</td><td>PEAK</td></tr><tr><td>2</td><td>7302.81</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>39.92</td><td>35.44</td><td>8.90</td><td>33.60</td><td>100</td><td>347</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7207.83	50.55	88.20	-37.65	40.00	35.46	8.60	33.51	100	347	PEAK	2	7302.81	50.66	74.00	-23.34	39.92	35.44	8.90	33.60	100	347	PEAK	Level (dBuV/m) Date: 2024-08-29  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>77.31</td><td>-----</td><td>-----</td><td>66.40</td><td>35.38</td><td>8.83</td><td>33.30</td><td>100</td><td>347</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.31	-----	-----	66.40	35.38	8.83	33.30	100	347	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7207.83	50.55	88.20	-37.65	40.00	35.46	8.60	33.51	100	347	PEAK																																																																																																					
2	7302.81	50.66	74.00	-23.34	39.92	35.44	8.90	33.60	100	347	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	6905.00	77.31	-----	-----	66.40	35.38	8.83	33.30	100	347	PEAK																																																																																																					
Avg	Level (dBuV/m) Date: 2024-08-29  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7206.62</td><td>40.92</td><td>68.20</td><td>-27.28</td><td>30.37</td><td>35.46</td><td>8.60</td><td>33.51</td><td>100</td><td>347</td><td>AVERAGE</td></tr><tr><td>2</td><td>7268.33</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>30.27</td><td>35.45</td><td>8.79</td><td>33.57</td><td>100</td><td>347</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7206.62	40.92	68.20	-27.28	30.37	35.46	8.60	33.51	100	347	AVERAGE	2	7268.33	40.94	54.00	-13.06	30.27	35.45	8.79	33.57	100	347	AVERAGE	Level (dBuV/m) Date: 2024-08-29  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>67.37</td><td>-----</td><td>-----</td><td>56.47</td><td>35.38</td><td>8.82</td><td>33.30</td><td>100</td><td>347</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	67.37	-----	-----	56.47	35.38	8.82	33.30	100	347	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7206.62	40.92	68.20	-27.28	30.37	35.46	8.60	33.51	100	347	AVERAGE																																																																																																					
2	7268.33	40.94	54.00	-13.06	30.27	35.45	8.79	33.57	100	347	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	6905.00	67.37	-----	-----	56.47	35.38	8.82	33.30	100	347	AVERAGE																																																																																																					







		135																																																												
Mode		Band Edge																																																												
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																												
ANT		CDD 14+15																																																												
Pol.		Vertical					Fundamental																																																							
Peak	Level (dBuV/m) Date: 2024-08-29 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7153.38</td><td>51.85</td><td>88.20</td><td>-36.35</td><td>41.20</td><td>35.47</td><td>8.64</td><td>33.46</td><td>100</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>7348.19</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>40.29</td><td>35.43</td><td>9.05</td><td>33.65</td><td>100</td><td>93</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7153.38	51.85	88.20	-36.35	41.20	35.47	8.64	33.46	100	93	PEAK	2	7348.19	51.12	74.00	-22.88	40.29	35.43	9.05	33.65	100	93	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7153.38	51.85	88.20	-36.35	41.20	35.47	8.64	33.46	100	93	PEAK																																																			
2	7348.19	51.12	74.00	-22.88	40.29	35.43	9.05	33.65	100	93	PEAK																																																			
Avg	Level (dBuV/m) Date: 2024-08-29 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.77</td><td>40.81</td><td>68.20</td><td>-27.39</td><td>30.23</td><td>35.45</td><td>8.66</td><td>33.53</td><td>100</td><td>93</td><td>AVERAGE</td></tr><tr><td>2</td><td>7307.05</td><td>40.90</td><td>54.00</td><td>-13.10</td><td>30.15</td><td>35.44</td><td>8.92</td><td>33.61</td><td>100</td><td>93</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7224.77	40.81	68.20	-27.39	30.23	35.45	8.66	33.53	100	93	AVERAGE	2	7307.05	40.90	54.00	-13.10	30.15	35.44	8.92	33.61	100	93	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	7224.77	40.81	68.20	-27.39	30.23	35.45	8.66	33.53	100	93	AVERAGE																																																			
2	7307.05	40.90	54.00	-13.10	30.15	35.44	8.92	33.61	100	93	AVERAGE																																																			
Peak	Level (dBuV/m) Date: 2024-08-29 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>70.70</td><td>-----</td><td>-----</td><td>59.71</td><td>35.45</td><td>8.84</td><td>33.30</td><td>100</td><td>93</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	70.70	-----	-----	59.71	35.45	8.84	33.30	100	93	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	6905.00	70.70	-----	-----	59.71	35.45	8.84	33.30	100	93	PEAK																																																			
Avg	Level (dBuV/m) Date: 2024-08-29 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>61.59</td><td>-----</td><td>-----</td><td>50.69</td><td>35.38</td><td>8.82</td><td>33.30</td><td>100</td><td>93</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	61.59	-----	-----	50.69	35.38	8.82	33.30	100	93	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	6905.00	61.59	-----	-----	50.69	35.38	8.82	33.30	100	93	AVERAGE																																																			







Mode	136																																																																																																																																																																																																																
	LF																																																																																																																																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_LF																																																																																																																																																																																																																
ANT	CDD 14+15																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
QPI/ Peak																																																																																																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>54.25</td><td>20.40</td><td>40.00</td><td>-19.60</td><td>35.16</td><td>19.42</td><td>0.75</td><td>34.93</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>113.42</td><td>21.88</td><td>43.50</td><td>-21.62</td><td>39.52</td><td>16.00</td><td>1.13</td><td>34.77</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>287.05</td><td>26.91</td><td>46.00</td><td>-19.09</td><td>41.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>349.13</td><td>28.91</td><td>46.00</td><td>-17.09</td><td>41.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>686.69</td><td>27.68</td><td>46.00</td><td>-18.32</td><td>32.46</td><td>26.87</td><td>2.78</td><td>34.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>948.59</td><td>32.41</td><td>46.00</td><td>-13.59</td><td>33.71</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	54.25	20.40	40.00	-19.60	35.16	19.42	0.75	34.93	--	--	Peak	2	113.42	21.88	43.50	-21.62	39.52	16.00	1.13	34.77	--	--	Peak	3	287.05	26.91	46.00	-19.09	41.06	18.72	1.76	34.63	--	--	Peak	4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	--	--	Peak	5	686.69	27.68	46.00	-18.32	32.46	26.87	2.78	34.43	--	--	Peak	6	948.59	32.41	46.00	-13.59	33.71	29.74	3.26	34.30	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>25.84</td><td>40.00</td><td>-14.16</td><td>42.48</td><td>17.56</td><td>0.54</td><td>34.74</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>24.03</td><td>43.50</td><td>-19.47</td><td>39.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>21.84</td><td>43.50</td><td>-21.66</td><td>39.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>282.20</td><td>21.45</td><td>46.00</td><td>-24.55</td><td>35.78</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>489.78</td><td>25.93</td><td>46.00</td><td>-20.07</td><td>34.87</td><td>23.23</td><td>2.33</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>948.59</td><td>31.69</td><td>46.00</td><td>-14.31</td><td>32.99</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	25.84	40.00	-14.16	42.48	17.56	0.54	34.74	--	--	Peak	2	141.55	24.03	43.50	-19.47	39.23	18.27	1.25	34.72	--	--	Peak	3	198.78	21.84	43.50	-21.66	39.01	16.05	1.48	34.70	--	--	Peak	4	282.20	21.45	46.00	-24.55	35.78	18.57	1.74	34.64	--	--	Peak	5	489.78	25.93	46.00	-20.07	34.87	23.23	2.33	34.50	--	--	Peak	6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																							
	1	54.25	20.40	40.00	-19.60	35.16	19.42	0.75	34.93	--	--	Peak																																																																																																																																																																																																					
	2	113.42	21.88	43.50	-21.62	39.52	16.00	1.13	34.77	--	--	Peak																																																																																																																																																																																																					
	3	287.05	26.91	46.00	-19.09	41.06	18.72	1.76	34.63	--	--	Peak																																																																																																																																																																																																					
	4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	--	--	Peak																																																																																																																																																																																																					
	5	686.69	27.68	46.00	-18.32	32.46	26.87	2.78	34.43	--	--	Peak																																																																																																																																																																																																					
6	948.59	32.41	46.00	-13.59	33.71	29.74	3.26	34.30	--	--	Peak																																																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																								
1	30.00	25.84	40.00	-14.16	42.48	17.56	0.54	34.74	--	--	Peak																																																																																																																																																																																																						
2	141.55	24.03	43.50	-19.47	39.23	18.27	1.25	34.72	--	--	Peak																																																																																																																																																																																																						
3	198.78	21.84	43.50	-21.66	39.01	16.05	1.48	34.70	--	--	Peak																																																																																																																																																																																																						
4	282.20	21.45	46.00	-24.55	35.78	18.57	1.74	34.64	--	--	Peak																																																																																																																																																																																																						
5	489.78	25.93	46.00	-20.07	34.87	23.23	2.33	34.50	--	--	Peak																																																																																																																																																																																																						
6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30	--	--	Peak																																																																																																																																																																																																						





		137																																																																																											
Mode		Band Edge																																																																																											
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																											
ANT		CDD 14+15																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7125.11</td><td>64.54</td><td>88.20</td><td>-23.66</td><td>53.82</td><td>35.47</td><td>8.68</td><td>33.43</td><td>200</td><td>319 PEAK</td></tr><tr><td>2 7345.30</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>39.56</td><td>35.43</td><td>9.04</td><td>33.65</td><td>200</td><td>319 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.11	64.54	88.20	-23.66	53.82	35.47	8.68	33.43	200	319 PEAK	2 7345.30	50.38	74.00	-23.62	39.56	35.43	9.04	33.65	200	319 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7115.00</td><td>85.84</td><td>-----</td><td>-----</td><td>75.08</td><td>35.48</td><td>8.70</td><td>33.42</td><td>200</td><td>319 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	85.84	-----	-----	75.08	35.48	8.70	33.42	200
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																					
1 7125.11	64.54	88.20	-23.66	53.82	35.47	8.68	33.43	200	319 PEAK																																																																																				
2 7345.30	50.38	74.00	-23.62	39.56	35.43	9.04	33.65	200	319 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																					
1 7115.00	85.84	-----	-----	75.08	35.48	8.70	33.42	200	319 PEAK																																																																																				
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7125.11</td><td>54.00</td><td>68.20</td><td>-14.20</td><td>43.28</td><td>35.47</td><td>8.68</td><td>33.43</td><td>200</td><td>319 AVERAGE</td></tr><tr><td>2 7304.41</td><td>40.79</td><td>54.00</td><td>-13.21</td><td>30.05</td><td>35.44</td><td>8.91</td><td>33.61</td><td>200</td><td>319 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.11	54.00	68.20	-14.20	43.28	35.47	8.68	33.43	200	319 AVERAGE	2 7304.41	40.79	54.00	-13.21	30.05	35.44	8.91	33.61	200	319 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 7115.00</td><td>79.48</td><td>-----</td><td>-----</td><td>68.73</td><td>35.48</td><td>8.69</td><td>33.42</td><td>200</td><td>319 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	79.48	-----	-----	68.73	35.48	8.69	33.42	200
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																					
1 7125.11	54.00	68.20	-14.20	43.28	35.47	8.68	33.43	200	319 AVERAGE																																																																																				
2 7304.41	40.79	54.00	-13.21	30.05	35.44	8.91	33.61	200	319 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																					
1 7115.00	79.48	-----	-----	68.73	35.48	8.69	33.42	200	319 AVERAGE																																																																																				







		137																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																			
ANT		CDD 14+15																																																																																																			
Pol.		Vertical					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) PEAK_BE(UNII)_6E					 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) PEAK_BE(UNII)_6E																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>67.95</td><td>88.20</td><td>-20.25</td><td>57.23</td><td>35.47</td><td>8.68</td><td>33.43</td><td>155</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7274.80</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>39.98</td><td>35.44</td><td>8.81</td><td>33.58</td><td>155</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	67.95	88.20	-20.25	57.23	35.47	8.68	33.43	155	360	PEAK	2	7274.80	50.65	74.00	-23.35	39.98	35.44	8.81	33.58	155	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>89.69</td><td>-----</td><td>-----</td><td>78.94</td><td>35.48</td><td>8.69</td><td>33.42</td><td>155</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	89.69	-----	-----	78.94	35.48	8.69	33.42	155	360
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7125.11	67.95	88.20	-20.25	57.23	35.47	8.68	33.43	155	360	PEAK																																																																																										
2	7274.80	50.65	74.00	-23.35	39.98	35.44	8.81	33.58	155	360	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7115.00	89.69	-----	-----	78.94	35.48	8.69	33.42	155	360	PEAK																																																																																										
Avg	 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) AVG_BE(UNII)_6E					 Level (dBuV/m) Date: 2024-08-18 Frequency (MHz) AVG_BE(UNII)_6E																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>47.20</td><td>35.47</td><td>8.68</td><td>33.43</td><td>155</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7263.76</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>30.21</td><td>35.45</td><td>8.78</td><td>33.57</td><td>155</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.11	57.92	68.20	-10.28	47.20	35.47	8.68	33.43	155	360	AVERAGE	2	7263.76	40.87	54.00	-13.13	30.21	35.45	8.78	33.57	155	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>81.82</td><td>-----</td><td>-----</td><td>71.07</td><td>35.48</td><td>8.69</td><td>33.42</td><td>155</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.82	-----	-----	71.07	35.48	8.69	33.42	155	360
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7125.11	57.92	68.20	-10.28	47.20	35.47	8.68	33.43	155	360	AVERAGE																																																																																										
2	7263.76	40.87	54.00	-13.13	30.21	35.45	8.78	33.57	155	360	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7115.00	81.82	-----	-----	71.07	35.48	8.69	33.42	155	360	AVERAGE																																																																																										



Mode	137																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>47.72</td><td>88.20</td><td>-40.48</td><td>60.02</td><td>38.55</td><td>12.73</td><td>63.58</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14230.00	47.72	88.20	-40.48	60.02	38.55	12.73	63.58	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14230.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>59.80</td><td>38.55</td><td>12.73</td><td>63.58</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14230.00	47.50	88.20	-40.70	59.80	38.55	12.73	63.58	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	14230.00	47.72	88.20	-40.48	60.02	38.55	12.73	63.58	--	--	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	14230.00	47.50	88.20	-40.70	59.80	38.55	12.73	63.58	--	--	Peak																																																																																															



		138																																																																																															
Mode		Band Edge																																																																																															
		U-NII-8_6.875-7.125_802.11ax HE 20_CH233_Full RU_7115MHz																																																																																															
ANT		CDD 14+15																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>71.65</td><td>88.20</td><td>-16.55</td><td>60.93</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100 354 PEAK</td></tr><tr><td>2</td><td>7268.69</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>39.51</td><td>35.45</td><td>8.80</td><td>33.57</td><td>100 354 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7125.11	71.65	88.20	-16.55	60.93	35.47	8.68	33.43	100 354 PEAK	2	7268.69	50.19	74.00	-23.81	39.51	35.45	8.80	33.57	100 354 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>80.25</td><td>-----</td><td>-----</td><td>69.50</td><td>35.48</td><td>8.69</td><td>33.42</td><td>100 354 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7115.00	80.25	-----	-----	69.50	35.48	8.69	33.42
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	7125.11	71.65	88.20	-16.55	60.93	35.47	8.68	33.43	100 354 PEAK																																																																																								
2	7268.69	50.19	74.00	-23.81	39.51	35.45	8.80	33.57	100 354 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	7115.00	80.25	-----	-----	69.50	35.48	8.69	33.42	100 354 PEAK																																																																																								
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>61.59</td><td>68.20</td><td>-6.61</td><td>50.87</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100 354 AVERAGE</td></tr><tr><td>2</td><td>7273.16</td><td>40.81</td><td>54.00</td><td>-13.19</td><td>30.14</td><td>35.44</td><td>8.81</td><td>33.58</td><td>100 354 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7125.11	61.59	68.20	-6.61	50.87	35.47	8.68	33.43	100 354 AVERAGE	2	7273.16	40.81	54.00	-13.19	30.14	35.44	8.81	33.58	100 354 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>71.65</td><td>-----</td><td>-----</td><td>60.93</td><td>35.47</td><td>8.68</td><td>33.43</td><td>100 354 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7115.00	71.65	-----	-----	60.93	35.47	8.68	33.43
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	7125.11	61.59	68.20	-6.61	50.87	35.47	8.68	33.43	100 354 AVERAGE																																																																																								
2	7273.16	40.81	54.00	-13.19	30.14	35.44	8.81	33.58	100 354 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	7115.00	71.65	-----	-----	60.93	35.47	8.68	33.43	100 354 AVERAGE																																																																																								