











In-Band Emissions

Test Result


TestMode	Antenna	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20MIMO	Ant15	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant10	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant15	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant10	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant15	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant10	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
11BE80MIMO	Ant15	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant10	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant15	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE160MIMO	Ant10	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant15	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant10	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant15	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS





	Ant10	6985	Puncturing 20M	1	See test graph	See test graph	PASS
			Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE320MIMO	Ant15	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant10	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant15	6905	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant10	6905	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS





Test Graphs


























































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E QP LISN 2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.17	37.32	-17.76	55.08	17.40	9.74	10.18	Average
2 *	0.17	48.02	-17.06	65.08	28.10	9.74	10.18	QP
3	0.18	32.26	-22.42	54.68	12.31	9.77	10.18	Average
4	0.18	42.16	-22.52	64.68	22.21	9.77	10.18	QP
5	0.21	31.99	-21.37	53.36	12.00	9.81	10.18	Average
6	0.21	41.99	-21.37	63.36	22.00	9.81	10.18	QP
7	0.26	26.99	-24.48	51.47	7.20	9.59	10.20	Average
8	0.26	34.89	-26.58	61.47	15.10	9.59	10.20	QP
9	0.32	24.77	-24.98	49.75	4.80	9.76	10.21	Average
10	0.32	32.47	-27.28	59.75	12.50	9.76	10.21	QP
11	0.59	25.58	-20.42	46.00	5.70	9.64	10.24	Average
12	0.59	33.98	-22.02	56.00	14.10	9.64	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Zhaohui Liang	Relative Humidity :	50%
		Temperature :	20-22℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5925-6425	15+10	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5925-6425	15+10	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5925-6425	15+10	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5925-6425	15+10	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6425-6525	15+10	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6425-6525	15+10	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6525-6875	15+10	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6525-6875	15+10	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6525-6875	15+10	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6875-7125	15+10	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6875-7125	15+10	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6875-7125	15+10	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5925-6425	15+10	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5925-6425	15+10	802.11ax HE20	45	6175	MCS0	-	-
Mode 15	U-NII-5	5925-6425	15+10	802.11ax HE20	93	6415	MCS0	-	-
Mode 16	U-NII-5	5925-6425	15+10	802.11ax HE20	97	6435	MCS0	-	-
Mode 17	U-NII-6	6425-6525	15+10	802.11ax HE20	105	6475	MCS0	-	-
Mode 18	U-NII-6	6425-6525	15+10	802.11ax HE20	113	6515	MCS0	-	-
Mode 19	U-NII-7	6525-6875	15+10	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	6525-6875	15+10	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6525-6875	15+10	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 22	U-NII-8	6875-7125	15+10	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	6875-7125	15+10	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	6875-7125	15+10	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 25	U-NII-5	5925-6425	15+10	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5925-6425	15+10	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5925-6425	15+10	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 28	U-NII-6	6425-6525	15+10	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6425-6525	15+10	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-7	6525-6875	15+10	802.11ax HE40	123	6565	MCS0	Full RU	-



Mode 31	U-NII-7	6525-6875	15+10	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6525-6875	15+10	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 33	U-NII-8	6875-7125	15+10	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	6875-7125	15+10	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	6875-7125	15+10	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 36	U-NII-5	5925-6425	15+10	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5925-6425	15+10	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5925-6425	15+10	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 39	U-NII-6	6425-6525	15+10	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 40	U-NII-7	6525-6875	15+10	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6525-6875	15+10	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6525-6875	15+10	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-8	6875-7125	15+10	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	6875-7125	15+10	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 45	U-NII-5	5925-6425	15+10	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5925-6425	15+10	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5925-6425	15+10	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6525-6875	15+10	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 49	U-NII-8	6875-7125	15+10	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-8	6525-7125	15+10	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 51	U-NII-8	6525-7125	15+10	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 52	U-NII-8	6525-7125	15+10	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 53	U-NII-8	6525-7125	15+10	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 54	U-NII-7	6425-6875	15+10	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 55	U-NII-7	6425-6875	15+10	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 56	U-NII-7	6425-6875	15+10	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 57	U-NII-5	5925-6425	15+10	802.11ax HE20	1	5955	MCS0	Partial RU	52/37
Mode 58	U-NII-8	6875-7125	15+10	802.11ax HE20	229	7095	MCS0	Partial RU	52/40
Mode 59	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	-	-
Mode 60	U-NII-5	5925-6425	15+10	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	5925-6425	15+10	802.11be EHT20	93	6415	MCS0	-	-
Mode 62	U-NII-5	5925-6425	15+10	802.11be EHT20	97	6435	MCS0	-	-
Mode 63	U-NII-6	6425-6525	15+10	802.11be EHT20	105	6475	MCS0	-	-
Mode 64	U-NII-6	6425-6525	15+10	802.11be EHT20	113	6515	MCS0	-	-
Mode 65	U-NII-7	6525-6875	15+10	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	6525-6875	15+10	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	6525-6875	15+10	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 68	U-NII-8	6875-7125	15+10	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 69	U-NII-8	6875-7125	15+10	802.11be EHT20	209	6995	MCS0	Full RU	-



Mode 70	U-NII-8	6875-7125	15+10	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 71	U-NII-5	5925-6425	15+10	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	5925-6425	15+10	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	5925-6425	15+10	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 74	U-NII-6	6425-6525	15+10	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 75	U-NII-6	6425-6525	15+10	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 76	U-NII-7	6525-6875	15+10	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	6525-6875	15+10	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	6525-6875	15+10	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 79	U-NII-8	6875-7125	15+10	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 80	U-NII-8	6875-7125	15+10	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 81	U-NII-8	6875-7125	15+10	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 82	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	5925-6425	15+10	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	5925-6425	15+10	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 85	U-NII-6	6425-6525	15+10	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 86	U-NII-7	6525-6875	15+10	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 87	U-NII-7	6525-6875	15+10	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	6525-6875	15+10	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 89	U-NII-8	6875-7125	15+10	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 90	U-NII-8	6875-7125	15+10	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 91	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	5925-6425	15+10	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	5925-6425	15+10	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	6525-6875	15+10	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 95	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 96	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	5925-6425	15+10	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 98	U-NII-8	6525-7125	15+10	802.11a	185	6525	MCS0	Full RU	-
Mode 99	U-NII-8	6525-7125	15+10	802.11be EHT20	185	6525	MCS0	Full RU	-
Mode 100	U-NII-8	6525-7125	15+10	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 101	U-NII-8	6525-7125	15+10	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 102	U-NII-8	6525-7125	15+10	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 103	U-NII-8	6525-7125	15+10	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 104	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 105	U-NII-7	6425-6875	15+10	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 106	U-NII-7	6425-6875	15+10	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 107	U-NII-7	6425-6875	15+10	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 108	U-NII-6	5925-6425	15+10	802.11be EHT320	95	6425	MCS0	Full RU	-



Mode 109	U-NII-7	6425-6875	15+10	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 110	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	Single RU	52/37
Mode 111	U-NII-8	6875-7125	15+10	802.11be EHT20	229	7095	MCS0	Single RU	26/8
Mode 112	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	Small RU	106+26_OFDMA-1
Mode 113	U-NII-8	6875-7125	15+10	802.11be EHT20	229	7095	MCS0	Small RU	52+26_OFDMA-3
Mode 114	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Large RU 484+242	④
Mode 115	U-NII-8	6875-7125	15+10	802.11be EHT80	215	7025	MCS0	Large RU 484+242	①
Mode 116	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Large RU 996+484	④
Mode 117	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Large RU 996+484	①
Mode 118	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484	⑥
Mode 119	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484	⑦
Mode 120	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*3	④
Mode 121	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Large RU 996*3	①
Mode 122	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484	⑧
Mode 123	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484	①
Mode 124	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Puncturing 20M	④
Mode 125	U-NII-8	6875-7125	15+10	802.11be EHT80	215	7025	MCS0	Puncturing 20M	①
Mode 126	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Puncturing 40M	④
Mode 127	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Puncturing 40M	①
Mode 128	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Puncturing 20M	⑧
Mode 129	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Puncturing 20M	①
Mode 130	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M	⑥
Mode 131	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M	⑦
Mode 132	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 80M	④
Mode 133	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Puncturing 80M	①
Mode 134	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 40M	⑧
Mode 135	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Puncturing 40M	①
Mode 136	U-NII-8	6525-7125	15+10	802.11be EHT320-LF	191	6905	MCS0	Full RU	LF

**Co-location:**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 137	CO-TX	6G WIFI MIMO worse	15+10	802.11be EHT160	207	6985	MCS0	Full RU	-
		2.4G WIFI SISO worse	7	11g_Ch11	11	2462	6Mbps		
Mode 138	CO-TX	6G WIFI MIMO worse	15+10	802.11be EHT160	207	6985	MCS0	Full RU	-
		BT/BLE SISO worse	11	Bluetooth-LE	38	2478	2M		
Mode 139	CO-TX	6G WIFI MIMO worse	15+10	802.11be EHT160	207	6985	MCS0	Full RU	-
		BT/BLE SISO worse	7	Bluetooth-LE	38	2478	2M		
		2.4G WIFI SISO worse	11	11g_Ch11	11	2462	6Mbps		
		WWAN worse	13	Part 96 Bnad48					



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	11910.00	47.52	74.00	-26.48	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.42	74.00	-27.58	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.93	88.20	-40.27	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	47.43	88.20	-40.77	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	46.75	88.20	-41.45	V	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	47.85	88.20	-40.35	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.53	88.20	-40.67	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.34	74.00	-27.66	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.52	88.20	-40.68	V	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	47.03	88.20	-41.17	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.40	88.20	-40.80	H	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	48.12	88.20	-40.08	V	Peak	Pass	Harmonic
13	802.11ax HE20	1	5904.24	42.88	68.20	-25.32	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	47.07	74.00	-26.93	H	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	46.29	74.00	-27.71	V	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	47.87	88.20	-40.33	V	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	47.59	88.20	-40.61	V	Peak	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	46.65	88.20	-41.55	H	Peak	Pass	Harmonic
18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge



18	802.11ax HE20	113	13030.00	46.08	88.20	-42.12	H	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	46.70	88.20	-41.50	V	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	46.58	74.00	-27.42	V	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.09	88.20	-41.11	H	Peak	Pass	Harmonic
22	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	189	13790.00	47.46	88.20	-40.74	V	Peak	Pass	Harmonic
23	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	209	13990.00	47.61	88.20	-40.59	H	Peak	Pass	Harmonic
24	802.11ax HE20	229	7259.67	43.58	54.00	-10.42	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	229	14190.00	47.90	88.20	-40.30	V	Peak	Pass	Harmonic
25	802.11ax HE40	3	5923.40	42.74	68.20	-25.46	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	17895.00	47.75	74.00	-26.25	V	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	47.69	74.00	-26.31	H	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	47.77	88.20	-40.43	V	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	47.57	88.20	-40.63	H	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	47.75	88.20	-40.45	H	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.50	88.20	-40.70	V	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	47.63	74.00	-26.37	V	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.15	88.20	-41.05	V	Peak	Pass	Harmonic
33	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	195	13850.00	47.98	88.20	-40.22	V	Peak	Pass	Harmonic
34	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	203	13930.00	47.56	88.20	-40.64	V	Peak	Pass	Harmonic
35	802.11ax HE40	227	7279.61	43.48	54.00	-10.52	V	AVERAGE	Pass	Band Edge
35	802.11ax HE40	227	14170.00	47.76	88.20	-40.44	V	Peak	Pass	Harmonic
36	802.11ax HE80	7	5904.36	43.08	68.20	-25.12	H	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	11970.00	47.72	74.00	-26.28	V	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	47.94	74.00	-26.06	V	Peak	Pass	Harmonic



38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	47.37	88.20	-40.83	V	Peak	Pass	Harmonic
39	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	103	12930.00	47.67	88.20	-40.53	H	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	47.55	74.00	-26.45	V	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	47.75	88.20	-40.45	H	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	47.93	88.20	-40.27	H	Peak	Pass	Harmonic
43	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	199	13890.00	47.69	88.20	-40.51	H	Peak	Pass	Harmonic
44	802.11ax HE80	215	7260.94	43.62	54.00	-10.38	H	AVERAGE	Pass	Band Edge
44	802.11ax HE80	215	14050.00	47.97	88.20	-40.23	V	Peak	Pass	Harmonic
45	802.11ax HE160	15	5922.44	42.81	68.20	-25.39	H	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12050.00	47.40	74.00	-26.60	V	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	47.95	74.00	-26.05	V	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	47.87	74.00	-26.13	V	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	47.47	74.00	-26.53	H	Peak	Pass	Harmonic
49	802.11ax HE160	207	7260.63	43.54	54.00	-10.46	H	AVERAGE	Pass	Band Edge
49	802.11ax HE160	207	13970.00	47.39	88.20	-40.81	H	Peak	Pass	Harmonic
50	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	185	13750.00	47.40	88.20	-40.80	V	Peak	Pass	Harmonic
51	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	187	13770.00	47.62	88.20	-40.58	H	Peak	Pass	Harmonic
52	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	183	13730.00	47.76	88.20	-40.44	V	Peak	Pass	Harmonic
53	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE160	175	13650.00	47.89	88.20	-40.31	V	Peak	Pass	Harmonic
54	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	115	13050.00	47.23	88.20	-40.97	H	Peak	Pass	Harmonic
55	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE80	119	13090.00	47.52	88.20	-40.68	V	Peak	Pass	Harmonic
56	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE160	111	13010.00	47.84	88.20	-40.36	H	Peak	Pass	Harmonic
57	802.11ax HE20	1	5909.14	42.89	68.20	-25.31	V	AVERAGE	Pass	Band Edge



57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	229	7281.92	43.70	54.00	-10.30	V	AVERAGE	Pass	Band Edge
58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	1	5922.16	42.76	68.20	-25.44	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	11910.00	47.69	74.00	-26.31	H	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	47.43	74.00	-26.57	H	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	48.02	88.20	-40.18	H	Peak	Pass	Harmonic
62	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT20	97	12870.00	47.13	88.20	-41.07	H	Peak	Pass	Harmonic
63	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	105	12950.00	47.01	88.20	-41.19	H	Peak	Pass	Harmonic
64	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT20	113	13030.00	47.21	88.20	-40.99	V	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	46.86	88.20	-41.34	V	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	46.35	74.00	-27.65	H	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	46.97	88.20	-41.23	H	Peak	Pass	Harmonic
68	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
68	802.11be EHT20	189	13790.00	47.62	88.20	-40.58	V	Peak	Pass	Harmonic
69	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
69	802.11be EHT20	209	13990.00	47.33	88.20	-40.87	V	Peak	Pass	Harmonic
70	802.11be EHT20	229	7273.91	43.56	54.00	-10.44	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	229	14190.00	47.57	88.20	-40.63	V	Peak	Pass	Harmonic
71	802.11be EHT40	3	5917.00	42.76	68.20	-25.44	H	AVERAGE	Pass	Band Edge
71	802.11be EHT40	3	11930.00	46.88	74.00	-27.12	V	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	46.40	74.00	-27.60	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.74	88.20	-40.46	H	Peak	Pass	Harmonic
74	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
74	802.11be EHT40	99	12890.00	47.66	88.20	-40.54	V	Peak	Pass	Harmonic
75	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
75	802.11be EHT40	107	12970.00	47.65	88.20	-40.55	H	Peak	Pass	Harmonic
76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	48.02	88.20	-40.18	H	Peak	Pass	Harmonic



77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	46.32	74.00	-27.68	H	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	46.90	88.20	-41.30	V	Peak	Pass	Harmonic
79	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
79	802.11be EHT40	195	13850.00	47.39	88.20	-40.81	V	Peak	Pass	Harmonic
80	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
80	802.11be EHT40	203	13930.00	46.77	88.20	-41.43	V	Peak	Pass	Harmonic
81	802.11be EHT40	227	7263.93	43.56	54.00	-10.44	V	AVERAGE	Pass	Band Edge
81	802.11be EHT40	227	14170.00	48.19	88.20	-40.01	H	Peak	Pass	Harmonic
82	802.11be EHT80	7	5908.52	43.02	68.20	-25.18	H	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	17955.00	46.52	74.00	-27.48	V	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	46.69	74.00	-27.31	H	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.38	88.20	-40.82	V	Peak	Pass	Harmonic
85	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	103	12930.00	47.26	88.20	-40.94	H	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	46.80	74.00	-27.20	H	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	46.70	88.20	-41.50	V	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	46.52	88.20	-41.68	H	Peak	Pass	Harmonic
89	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
89	802.11be EHT80	199	13890.00	47.75	88.20	-40.45	H	Peak	Pass	Harmonic
90	802.11be EHT80	215	7258.39	43.54	54.00	-10.46	V	AVERAGE	Pass	Band Edge
90	802.11be EHT80	215	14050.00	46.76	88.20	-41.44	V	Peak	Pass	Harmonic
91	802.11be EHT160	15	5923.84	43.50	68.20	-24.70	V	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	46.95	74.00	-27.05	V	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	46.77	74.00	-27.23	V	Peak	Pass	Harmonic
93	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	79	12690.00	47.50	74.00	-26.50	H	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	46.41	74.00	-27.59	H	Peak	Pass	Harmonic
95	802.11be EHT160	207	7254.38	45.30	54.00	-8.70	V	AVERAGE	Pass	Band Edge
95	802.11be EHT160	207	13970.00	47.03	88.20	-41.17	V	Peak	Pass	Harmonic
96	802.11be EHT320	31	5924.58	47.30	68.20	-20.90	H	AVERAGE	Pass	Band Edge



96	802.11be EHT320	31	12210.00	46.01	74.00	-27.99	H	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	46.81	74.00	-27.19	H	Peak	Pass	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	Band Edge
98	802.11a	185	13750.00	47.91	88.20	-40.29	H	Peak	Pass	Harmonic
99	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
99	802.11be EHT20	185	13750.00	47.69	88.20	-40.51	V	Peak	Pass	Harmonic
100	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
100	802.11be EHT40	187	13770.00	47.61	88.20	-40.59	V	Peak	Pass	Harmonic
101	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
101	802.11be EHT80	183	13730.00	47.73	88.20	-40.47	H	Peak	Pass	Harmonic
102	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
102	802.11be EHT160	175	13650.00	47.85	88.20	-40.35	H	Peak	Pass	Harmonic
103	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT320	159	13490.00	47.47	88.20	-40.73	H	Peak	Pass	Harmonic
104	802.11be EHT320	191	7258.65	45.00	54.00	-9.00	H	AVERAGE	Pass	Band Edge
104	802.11be EHT320	191	13810.00	47.91	88.20	-40.29	V	Peak	Pass	Harmonic
105	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
105	802.11be EHT40	115	13050.00	47.54	88.20	-40.66	H	Peak	Pass	Harmonic
106	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
106	802.11be EHT80	119	13090.00	47.82	88.20	-40.38	H	Peak	Pass	Harmonic
107	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
107	802.11be EHT160	111	13010.00	47.80	88.20	-40.40	H	Peak	Pass	Harmonic
108	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
108	802.11be EHT320	95	12850.00	47.89	88.20	-40.31	H	Peak	Pass	Harmonic
109	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT320	127	13170.00	47.91	88.20	-40.29	H	Peak	Pass	Harmonic
110	802.11be EHT20	1	5911.24	42.98	68.20	-25.22	V	AVERAGE	Pass	Band Edge
110	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
111	802.11be EHT20	229	7275.69	43.71	54.00	-10.29	H	AVERAGE	Pass	Band Edge
111	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	1	5924.82	42.75	68.20	-25.45	H	AVERAGE	Pass	Band Edge
112	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT20	229	7277.02	43.77	54.00	-10.23	H	AVERAGE	Pass	Band Edge
113	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	7	5918.92	42.75	68.20	-25.45	V	AVERAGE	Pass	Band Edge
114	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
115	802.11be EHT80	215	7266.05	43.66	54.00	-10.34	H	AVERAGE	Pass	Band Edge
115	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic



116	802.11be EHT160	15	5924.96	42.80	68.20	-25.40	H	AVERAGE	Pass	Band Edge
116	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT160	207	7266.88	44.54	54.00	-9.46	V	AVERAGE	Pass	Band Edge
117	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT320	31	5922.28	44.37	68.20	-23.83	H	AVERAGE	Pass	Band Edge
118	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT320	191	7290.11	44.46	54.00	-9.54	V	AVERAGE	Pass	Band Edge
119	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT320	31	5899.33	44.33	68.20	-23.87	H	AVERAGE	Pass	Band Edge
120	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT320	191	7299.79	44.57	54.00	-9.43	H	AVERAGE	Pass	Band Edge
121	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT320	31	5913.10	44.18	68.20	-24.02	V	AVERAGE	Pass	Band Edge
122	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT320	191	7256.83	44.50	54.00	-9.50	H	AVERAGE	Pass	Band Edge
123	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT80	7	5924.84	43.05	68.20	-25.15	V	AVERAGE	Pass	Band Edge
124	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT80	215	7275.18	43.73	54.00	-10.27	V	AVERAGE	Pass	Band Edge
125	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	15	5916.84	43.13	68.20	-25.07	H	AVERAGE	Pass	Band Edge
126	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT160	207	7275.63	43.73	54.00	-10.27	H	AVERAGE	Pass	Band Edge
127	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT160	15	5923.28	43.40	68.20	-24.80	H	AVERAGE	Pass	Band Edge
128	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
129	802.11be EHT160	207	7282.50	43.91	54.00	-10.09	V	AVERAGE	Pass	Band Edge
129	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT320	31	5913.10	43.46	68.20	-24.74	H	AVERAGE	Pass	Band Edge
130	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
131	802.11be EHT320	191	7288.29	43.75	54.00	-10.25	V	AVERAGE	Pass	Band Edge
131	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT320	31	5693.55	43.40	68.20	-24.80	H	AVERAGE	Pass	Band Edge
132	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
133	802.11be EHT320	191	7269.54	43.71	54.00	-10.29	H	AVERAGE	Pass	Band Edge
133	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT320	31	5670.60	43.49	68.20	-24.71	V	AVERAGE	Pass	Band Edge
134	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
135	802.11be EHT320	191	7281.03	43.72	54.00	-10.28	V	AVERAGE	Pass	Band Edge



135	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
136	802.11be EHT320-LF	191	40.67	27.51	40.00	-12.49	V	Peak	Pass	LF



Co-location:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
137	802.11be EHT160	207	7288.13	43.78	54.00	-10.22	V	AVERAGE	Pass	Band Edge
	802.11g	11	2483.51	53.36	54.00	-0.64	H	AVERAGE	Pass	Band Edge
137	802.11ax HE160	207	7386.00	47.10	74.00	-26.90	V	Peak	Pass	Harmonic
138	802.11be EHT160	207	7258.75	43.99	54.00	-10.01	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	2483.90	45.15	54.00	-8.85	H	AVERAGE	Pass	Band Edge
138	802.11ax HE160	207	7434.00	48.38	74.00	-25.62	H	Peak	Pass	Harmonic
139	802.11be EHT160	207	7290.00	43.64	54.00	-10.36	V	AVERAGE	Pass	Band Edge
	802.11g	11	2483.55	42.49	54.00	-11.51	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	2483.57	40.88	54.00	-13.12	H	AVERAGE	Pass	Band Edge
139	802.11ax HE160	207	7386.00	47.41	74.00	-26.59	V	Peak	Pass	Harmonic





Mode	1																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																															
ANT	15+10																																																																																																															
Pol.	Horizontal												Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E)												Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.54</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>39.81</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	Peak	2 17865.00	46.09	74.00	-27.91	39.81	42.47	17.85	54.04	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>43.99</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>39.72</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.52	74.00	-26.48	43.99	38.32	15.18	49.97	---	Peak	2 17865.00	46.00	74.00	-28.00	39.72	42.47	17.85	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	Peak																																																																																																							
2 17865.00	46.09	74.00	-27.91	39.81	42.47	17.85	54.04	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 11910.00	47.52	74.00	-26.48	43.99	38.32	15.18	49.97	---	Peak																																																																																																							
2 17865.00	46.00	74.00	-28.00	39.72	42.47	17.85	54.04	---	Peak																																																																																																							





Mode	2																																																																											
	Harmonic																																																																											
	U-NII-5_5925-6425_802.11a_CH45_6175MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12350.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>42.69</td><td>38.65</td><td>15.59</td><td>50.60</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	46.33	74.00	-27.67	42.69	38.65	15.59	50.60	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12350.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>42.78</td><td>38.65</td><td>15.59</td><td>50.60</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	46.42	74.00	-27.58	42.78	38.65	15.59	50.60
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 12350.00	46.33	74.00	-27.67	42.69	38.65	15.59	50.60																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 12350.00	46.42	74.00	-27.58	42.78	38.65	15.59	50.60																																																																					
--- --- Peak						--- --- Peak																																																																						



Mode	3																																																																																															
	Harmonic																																																																																															
	U-NII-5_5925-6425_802.11a_CH93_6415MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	 Date: 2025-08-11 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 12830.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>43.02</td><td>38.80</td><td>16.08</td><td>51.03</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12830.00	46.87	88.20	-41.33	43.02	38.80	16.08	51.03								Peak	 Date: 2025-08-11 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 12830.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>44.08</td><td>38.80</td><td>16.08</td><td>51.03</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 12830.00	47.93	88.20	-40.27	44.08	38.80	16.08	51.03								Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 12830.00	46.87	88.20	-41.33	43.02	38.80	16.08	51.03																																																																																									
							Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																									
1 12830.00	47.93	88.20	-40.27	44.08	38.80	16.08	51.03																																																																																									
							Peak																																																																																									





Mode	4																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11a_CH97_6435MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>43.56</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	47.43	88.20	-40.77	43.56	38.80	16.12	51.05	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.33</td><td>88.20</td><td>-40.87</td><td>43.46</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	47.33	88.20	-40.87	43.46	38.80	16.12	51.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	47.43	88.20	-40.77	43.56	38.80	16.12	51.05	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	47.33	88.20	-40.87	43.46	38.80	16.12	51.05	---	---	Peak																																																																																	



Mode	5																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11a_CH105_6475MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12950.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>42.20</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	46.22	88.20	-41.98	42.20	38.90	16.20	51.08	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12950.00</td><td>46.75</td><td>88.20</td><td>-41.45</td><td>42.73</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	46.75	88.20	-41.45	42.73	38.90	16.20	51.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	46.22	88.20	-41.98	42.20	38.90	16.20	51.08	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	46.75	88.20	-41.45	42.73	38.90	16.20	51.08	---	---	Peak																																																																																	





Mode	6																																																			
	Harmonic																																																			
	U-NII-6_6425-6525_802.11a_CH113_6515MHz																																																			
ANT	15+10																																																			
Pol.	Horizontal						Vertical																																													
Peak Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>43.61</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	47.70	88.20	-40.50	43.61	39.00	16.26	51.17	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13030.00	47.70	88.20	-40.50	43.61	39.00	16.26	51.17	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>43.76</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	47.85	88.20	-40.35	43.76	39.00	16.26	51.17	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	13030.00	47.85	88.20	-40.35	43.76	39.00	16.26	51.17	---	---	Peak																																									





Mode	7																																																																																													
	Harmonic																																																																																													
	U-NII-7_6525-6875_802.11a_CH117_6535MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>42.94</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.94	88.20	-41.26	42.94	39.00	16.27	51.27	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>43.53</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.53	88.20	-40.67	43.53	39.00	16.27	51.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13070.00	46.94	88.20	-41.26	42.94	39.00	16.27	51.27	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13070.00	47.53	88.20	-40.67	43.53	39.00	16.27	51.27	---	---	Peak																																																																																			



Mode	8																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-7_6525-6875_802.11a_CH149_6695MHz																																																																																																																											
ANT	15+10																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13390.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>42.24</td><td>39.50</td><td>16.36</td><td>52.04</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	46.06	74.00	-27.94	42.24	39.50	16.36	52.04							cm	deg							---	---								Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13390.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>42.52</td><td>39.50</td><td>16.36</td><td>52.04</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	46.34	74.00	-27.66	42.52	39.50	16.36	52.04							cm	deg							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 13390.00	46.06	74.00	-27.94	42.24	39.50	16.36	52.04																																																																																																																					
						cm	deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 13390.00	46.34	74.00	-27.66	42.52	39.50	16.36	52.04																																																																																																																					
						cm	deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					



Mode	9																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-7_6525-6875_802.11a_CH181_6855MHz																																																																																																																																										
ANT	15+10																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>42.79</td><td>39.70</td><td>16.45</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>52.22</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>Peak</td><td></td><td></td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13710.00	46.72	88.20	-41.48	42.79	39.70	16.45						52.22								---								---								Peak			<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>43.59</td><td>39.70</td><td>16.45</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>52.22</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>Peak</td><td></td><td></td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13710.00	47.52	88.20	-40.68	43.59	39.70	16.45						52.22								---								---								Peak		
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																				
1	13710.00	46.72	88.20	-41.48	42.79	39.70	16.45																																																																																																																																				
					52.22																																																																																																																																						



					Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																				
1	13710.00	47.52	88.20	-40.68	43.59	39.70	16.45																																																																																																																																				
					52.22																																																																																																																																						

					Peak																																																																																																																																						





Mode	10																																																																																													
	Harmonic																																																																																													
	U-NII-8_6875-7125_802.11a_CH189_6895MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-08-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 720013760.20320.26880.33440.40000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>42.93</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	46.93	88.20	-41.27	42.93	39.70	16.48	52.18	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 720013760.20320.26880.33440.40000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>43.03</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.03	88.20	-41.17	43.03	39.70	16.48	52.18	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13790.00	46.93	88.20	-41.27	42.93	39.70	16.48	52.18	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13790.00	47.03	88.20	-41.17	43.03	39.70	16.48	52.18	---	---	Peak																																																																																			







Mode	11																																																																																												
	Harmonic																																																																																												
	U-NII-8_6875-7125_802.11a_CH209_6995MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.40</td><td>88.20</td><td>-40.80</td><td>43.17</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	47.40	88.20	-40.80	43.17	39.79	16.54	52.10	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.28</td><td>88.20</td><td>-41.92</td><td>42.05</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	46.28	88.20	-41.92	42.05	39.79	16.54	52.10	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	47.40	88.20	-40.80	43.17	39.79	16.54	52.10	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	46.28	88.20	-41.92	42.05	39.79	16.54	52.10	---	---	Peak																																																																																		







Mode	12																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6875-7125_802.11a_CH229_7095MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>41.43</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.97	88.20	-42.23	41.43	39.89	16.64	51.99	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.12</td><td>88.20</td><td>-40.08</td><td>43.58</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.12	88.20	-40.08	43.58	39.89	16.64	51.99	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	14190.00	45.97	88.20	-42.23	41.43	39.89	16.64	51.99	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	14190.00	48.12	88.20	-40.08	43.58	39.89	16.64	51.99	---	---	Peak																																																																																														





		13																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.48</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>38.80</td><td>36.64</td><td>10.88</td><td>32.87</td><td>241 321 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5920.48	53.45	88.20	-34.75	38.80	36.64	10.88	32.87	241 321 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.51</td><td>-----</td><td>-----</td><td>79.75</td><td>36.70</td><td>10.94</td><td>32.88</td><td>241 321 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.51	-----	-----	79.75	36.70	10.94	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5920.48	53.45	88.20	-34.75	38.80	36.64	10.88	32.87	241 321 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	94.51	-----	-----	79.75	36.70	10.94	32.88	241 321 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.46</td><td>42.86</td><td>68.20</td><td>-25.34</td><td>28.25</td><td>36.61</td><td>10.86</td><td>32.86</td><td>241 321 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.46	42.86	68.20	-25.34	28.25	36.61	10.86	32.86	241 321 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.32</td><td>-----</td><td>-----</td><td>69.57</td><td>36.70</td><td>10.93</td><td>32.88</td><td>241 321 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.32	-----	-----	69.57	36.70	10.93	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5907.46	42.86	68.20	-25.34	28.25	36.61	10.86	32.86	241 321 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	84.32	-----	-----	69.57	36.70	10.93	32.88	241 321 AVERAGE																																																																																





		13																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																									
ANT		15+10																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.32</td><td>53.05</td><td>88.20</td><td>-35.15</td><td>38.40</td><td>36.64</td><td>10.88</td><td>32.87</td><td>400</td><td>29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	53.05	88.20	-35.15	38.40	36.64	10.88	32.87	400	29 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.15</td><td>-----</td><td>-----</td><td>75.41</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400</td><td>29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.15	-----	-----	75.41	36.70	10.92	32.88	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5921.32	53.05	88.20	-35.15	38.40	36.64	10.88	32.87	400	29 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	90.15	-----	-----	75.41	36.70	10.92	32.88	400	29 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.24</td><td>42.88</td><td>68.20</td><td>-25.32</td><td>28.28</td><td>36.61</td><td>10.85</td><td>32.86</td><td>400</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5904.24	42.88	68.20	-25.32	28.28	36.61	10.85	32.86	400	29 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>79.90</td><td>-----</td><td>-----</td><td>65.16</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.90	-----	-----	65.16	36.70	10.92	32.88	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5904.24	42.88	68.20	-25.32	28.28	36.61	10.85	32.86	400	29 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	79.90	-----	-----	65.16	36.70	10.92	32.88	400	29 AVERAGE																																																																																	





Mode	13																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																																																					
ANT	15+10																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.54</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>40.54</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	---	Peak	2	17865.00	46.82	74.00	-27.18	40.54	42.47	17.85	54.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>43.11</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>39.47</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.64	74.00	-27.36	43.11	38.32	15.18	49.97	---	---	Peak	2	17865.00	45.75	74.00	-28.25	39.47	42.47	17.85	54.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	---	Peak																																																																																																											
2	17865.00	46.82	74.00	-27.18	40.54	42.47	17.85	54.04	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11910.00	46.64	74.00	-27.36	43.11	38.32	15.18	49.97	---	---	Peak																																																																																																											
2	17865.00	45.75	74.00	-28.25	39.47	42.47	17.85	54.04	---	---	Peak																																																																																																											





Mode	14																																																																																										
	Harmonic																																																																																										
	U-NII-5_5925-6425_802.11ax HE20_CH45_6175MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>42.21</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.85	74.00	-28.15	42.21	38.65	15.59	50.60	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12350.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>42.65</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.29	74.00	-27.71	42.65	38.65	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	12350.00	45.85	74.00	-28.15	42.21	38.65	15.59	50.60	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	12350.00	46.29	74.00	-27.71	42.65	38.65	15.59	50.60	---	---	Peak																																																																																





Mode	15																																																																			
	Harmonic																																																																			
	U-NII-5_5925-6425_802.11ax HE20_CH93_6415MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12830.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>43.33</td><td>38.80</td><td>16.08 51.03</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12830.00	47.18	88.20	-41.02	43.33	38.80	16.08 51.03	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12830.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>44.02</td><td>38.80</td><td>16.08 51.03</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12830.00	47.87	88.20	-40.33	44.02	38.80	16.08 51.03
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12830.00	47.18	88.20	-41.02	43.33	38.80	16.08 51.03																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12830.00	47.87	88.20	-40.33	44.02	38.80	16.08 51.03																																																														
Peak						Peak																																																														





Mode	16																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5925-6425_802.11ax HE20_CH97_6435MHz																																																																																																		
ANT	15+10																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>43.17</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.04	88.20	-41.16	43.17	38.80	16.12	51.05	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>43.72</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.59	88.20	-40.61	43.72	38.80	16.12	51.05	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	47.04	88.20	-41.16	43.17	38.80	16.12	51.05	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	47.59	88.20	-40.61	43.72	38.80	16.12	51.05	---	---	Peak																																																																																								





Mode	17																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11ax HE20_CH105_6475MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.65</td><td>88.20</td><td>-41.55</td><td>42.63</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	46.65	88.20	-41.55	42.63	38.90	16.20	51.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.19</td><td>88.20</td><td>-42.01</td><td>42.17</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	46.19	88.20	-42.01	42.17	38.90	16.20	51.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	46.65	88.20	-41.55	42.63	38.90	16.20	51.08	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	46.19	88.20	-42.01	42.17	38.90	16.20	51.08	---	---	Peak																																																																																	





Mode	18																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6425-6525_802.11ax HE20_CH113_6515MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.08</td><td>88.20</td><td>-42.12</td><td>41.99</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.08	88.20	-42.12	41.99	39.00	16.26	51.17	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>45.67</td><td>88.20</td><td>-42.53</td><td>41.58</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	45.67	88.20	-42.53	41.58	39.00	16.26	51.17	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	13030.00	46.08	88.20	-42.12	41.99	39.00	16.26	51.17	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	13030.00	45.67	88.20	-42.53	41.58	39.00	16.26	51.17	---	---	Peak																																																																																														





Mode	19																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.21</td><td>88.20</td><td>-41.99</td><td>42.21</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	46.21	88.20	-41.99	42.21	39.00	16.27	51.27	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.70</td><td>88.20</td><td>-41.50</td><td>42.70</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	46.70	88.20	-41.50	42.70	39.00	16.27	51.27	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	46.21	88.20	-41.99	42.21	39.00	16.27	51.27	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	46.70	88.20	-41.50	42.70	39.00	16.27	51.27	---	---	Peak																																																																																														





Mode	20																																																																																										
	Harmonic																																																																																										
	U-NII-7_6525-6875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal					Vertical																																																																																					
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>42.24</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.06	74.00	-27.94	42.24	39.50	16.36	52.04	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>42.76</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.58	74.00	-27.42	42.76	39.50	16.36	52.04	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13390.00	46.06	74.00	-27.94	42.24	39.50	16.36	52.04	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13390.00	46.58	74.00	-27.42	42.76	39.50	16.36	52.04	---	Peak																																																																																	





Mode	21																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>43.16</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.09	88.20	-41.11	43.16	39.70	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>42.95</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	46.88	88.20	-41.32	42.95	39.70	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.09	88.20	-41.11	43.16	39.70	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	46.88	88.20	-41.32	42.95	39.70	16.45	52.22	---	---	Peak																																																																																	



Mode	22																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-8_6875-7125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																																																										
ANT	15+10																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																		
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13790.00</td><td>46.74</td><td>88.20</td><td>-41.46</td><td>42.74</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13790.00	46.74	88.20	-41.46	42.74	39.70	16.48	52.18	---									deg									Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 13790.00</td><td>47.46</td><td>88.20</td><td>-40.74</td><td>43.46</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13790.00	47.46	88.20	-40.74	43.46	39.70	16.48	52.18	---									deg								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																			
1 13790.00	46.74	88.20	-41.46	42.74	39.70	16.48	52.18	---																																																																																																																			
								deg																																																																																																																			
								Peak																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																			
1 13790.00	47.46	88.20	-40.74	43.46	39.70	16.48	52.18	---																																																																																																																			
								deg																																																																																																																			
								Peak																																																																																																																			



Mode	23																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11ax HE20_CH209_Full RU_6995MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>43.38</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	47.61	88.20	-40.59	43.38	39.79	16.54	52.10	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>42.25</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	46.48	88.20	-41.72	42.25	39.79	16.54	52.10	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13990.00	47.61	88.20	-40.59	43.38	39.79	16.54	52.10	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13990.00	46.48	88.20	-41.72	42.25	39.79	16.54	52.10	---	---	Peak																																																																																	





Mode	24																																																																
	Band Edge																																																																
	U-NII-8_6875-7125_802.11ax HE20_CH229_Full RU_7095MHz																																																																
ANT	15+10																																																																
Pol.	Horizontal					Fundamental																																																											
Peak	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7244.54</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>37.93</td><td>36.59</td><td>11.90</td><td>33.15</td><td>192</td><td>317 PEAK</td></tr><tr><td>2</td><td>7268.57</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>38.58</td><td>36.60</td><td>11.94</td><td>33.15</td><td>192</td><td>317 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7244.54	53.27	88.20	-34.93	37.93	36.59	11.90	33.15	192	317 PEAK	2	7268.57	53.97	74.00	-20.03	38.58	36.60	11.94	33.15	192	317 PEAK	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>94.91</td><td>-----</td><td>-----</td><td>80.07</td><td>36.48</td><td>11.48</td><td>33.12</td><td>192</td><td>317 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7095.00	94.91	-----	-----	80.07	36.48	11.48	33.12	192	317 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	7244.54	53.27	88.20	-34.93	37.93	36.59	11.90	33.15	192	317 PEAK																																																							
2	7268.57	53.97	74.00	-20.03	38.58	36.60	11.94	33.15	192	317 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	7095.00	94.91	-----	-----	80.07	36.48	11.48	33.12	192	317 PEAK																																																							
Avg	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7136.40</td><td>43.28</td><td>68.20</td><td>-24.92</td><td>28.38</td><td>36.43</td><td>11.60</td><td>33.13</td><td>192</td><td>317 AVERAGE</td></tr><tr><td>2</td><td>7272.57</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>28.08</td><td>36.60</td><td>11.95</td><td>33.15</td><td>192</td><td>317 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7136.40	43.28	68.20	-24.92	28.38	36.43	11.60	33.13	192	317 AVERAGE	2	7272.57	43.48	54.00	-10.52	28.08	36.60	11.95	33.15	192	317 AVERAGE	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>85.24</td><td>-----</td><td>-----</td><td>70.40</td><td>36.48</td><td>11.48</td><td>33.12</td><td>192</td><td>317 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7095.00	85.24	-----	-----	70.40	36.48	11.48	33.12	192	317 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	7136.40	43.28	68.20	-24.92	28.38	36.43	11.60	33.13	192	317 AVERAGE																																																							
2	7272.57	43.48	54.00	-10.52	28.08	36.60	11.95	33.15	192	317 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	7095.00	85.24	-----	-----	70.40	36.48	11.48	33.12	192	317 AVERAGE																																																							



Mode	24																																																								
	Band Edge																																																								
	U-NII-8_6875-7125_802.11ax HE20_CH229_Full RU_7095MHz																																																								
ANT	15+10																																																								
Pol.	Vertical	Fundamental																																																							
Peak	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7127.95</td><td>53.17</td><td>88.20</td><td>-35.03</td><td>38.29</td><td>36.44</td><td>11.57</td><td>33.13</td><td>252</td><td>331 PEAK</td></tr><tr><td>2</td><td>7341.55</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>39.17</td><td>36.52</td><td>12.00</td><td>33.17</td><td>252</td><td>331 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7127.95	53.17	88.20	-35.03	38.29	36.44	11.57	33.13	252	331 PEAK	2	7341.55	54.52	74.00	-19.48	39.17	36.52	12.00	33.17	252	331 PEAK	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7095.00</td><td>95.91</td><td>-----</td><td>-----</td><td>81.06</td><td>36.49</td><td>11.48</td><td>33.12</td><td>252</td><td>331 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7095.00	95.91	-----	-----	81.06	36.49	11.48	33.12	252	331 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	7127.95	53.17	88.20	-35.03	38.29	36.44	11.57	33.13	252	331 PEAK																																															
2	7341.55	54.52	74.00	-19.48	39.17	36.52	12.00	33.17	252	331 PEAK																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	7095.00	95.91	-----	-----	81.06	36.49	11.48	33.12	252	331 PEAK																																															
Avg	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7201.82</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>28.14</td><td>36.50</td><td>11.82</td><td>33.14</td><td>252</td><td>331 AVERAGE</td></tr><tr><td>2</td><td>7259.67</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>28.20</td><td>36.60</td><td>11.93</td><td>33.15</td><td>252</td><td>331 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7201.82	43.32	68.20	-24.88	28.14	36.50	11.82	33.14	252	331 AVERAGE	2	7259.67	43.58	54.00	-10.42	28.20	36.60	11.93	33.15	252	331 AVERAGE	Level (dBuV/m) Date: 2025-08-08 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7095.00</td><td>85.69</td><td>-----</td><td>-----</td><td>70.82</td><td>36.50</td><td>11.49</td><td>33.12</td><td>252</td><td>331 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7095.00	85.69	-----	-----	70.82	36.50	11.49	33.12	252	331 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	7201.82	43.32	68.20	-24.88	28.14	36.50	11.82	33.14	252	331 AVERAGE																																															
2	7259.67	43.58	54.00	-10.42	28.20	36.60	11.93	33.15	252	331 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	7095.00	85.69	-----	-----	70.82	36.50	11.49	33.12	252	331 AVERAGE																																															



Mode	24																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>42.70</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	47.24	88.20	-40.96	42.70	39.89	16.64	51.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>43.36</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	47.90	88.20	-40.30	43.36	39.89	16.64	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	47.24	88.20	-40.96	42.70	39.89	16.64	51.99	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	47.90	88.20	-40.30	43.36	39.89	16.64	51.99	---	---	Peak																																																																																	



		25																																																																															
Mode		Band Edge																																																																															
		U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																															
ANT		15+10																																																																															
Pol.		Horizontal					Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E																																																																											
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5864.84</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>39.05</td><td>36.53</td><td>10.83</td><td>32.85</td><td>239 321 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5864.84	53.56	88.20	-34.64	39.05	36.53	10.83	32.85	239 321 PEAK	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>92.29</td><td>-----</td><td>-----</td><td>77.53</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239 321 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	92.29	-----	-----	77.53	36.70	10.95	32.89
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5864.84	53.56	88.20	-34.64	39.05	36.53	10.83	32.85	239 321 PEAK																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	92.29	-----	-----	77.53	36.70	10.95	32.89	239 321 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E																																																																											
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.40</td><td>42.74</td><td>68.20</td><td>-25.46</td><td>28.08</td><td>36.65</td><td>10.88</td><td>32.87</td><td>239 321 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5923.40	42.74	68.20	-25.46	28.08	36.65	10.88	32.87	239 321 AVERAGE	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>83.19</td><td>-----</td><td>-----</td><td>68.43</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239 321 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	83.19	-----	-----	68.43	36.70	10.95	32.89
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5923.40	42.74	68.20	-25.46	28.08	36.65	10.88	32.87	239 321 AVERAGE																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5965.00	83.19	-----	-----	68.43	36.70	10.95	32.89	239 321 AVERAGE																																																																									



		25									
Mode		Band Edge									
		U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz									
ANT		15+10									
Pol.		Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-08-09										





Mode	25																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																									
ANT	15+10																																																																																																																									
Pol.	Horizontal								Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>43.71</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>40.51</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	47.30	74.00	-26.70	43.71	38.36	15.19	49.96	---	---	Peak	2	17895.00	46.77	74.00	-27.23	40.51	42.49	17.84	54.07	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>43.83</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>41.49</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	47.42	74.00	-26.58	43.83	38.36	15.19	49.96	---	---	Peak	2	17895.00	47.75	74.00	-26.25	41.49	42.49	17.84	54.07	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11930.00	47.30	74.00	-26.70	43.71	38.36	15.19	49.96	---	---	Peak																																																																																																															
2	17895.00	46.77	74.00	-27.23	40.51	42.49	17.84	54.07	---	---	Peak																																																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	11930.00	47.42	74.00	-26.58	43.83	38.36	15.19	49.96	---	---	Peak																																																																																																															
2	17895.00	47.75	74.00	-26.25	41.49	42.49	17.84	54.07	---	---	Peak																																																																																																															





Mode	26																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE40_CH43_Full RU_6165MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>44.05</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	47.69	74.00	-26.31	44.05	38.63	15.57	50.56	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>43.36</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	47.00	74.00	-27.00	43.36	38.63	15.57	50.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	47.69	74.00	-26.31	44.05	38.63	15.57	50.56	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	47.00	74.00	-27.00	43.36	38.63	15.57	50.56	---	---	Peak																																																																																	





Mode	27																																																																																							
	Harmonic																																																																																							
	U-NII-5_5925-6425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																							
ANT	15+10																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>43.26</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.09	88.20	-41.11	43.26	38.80	16.05	51.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>43.94</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.77	88.20	-40.43	43.94	38.80	16.05	51.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12810.00	47.09	88.20	-41.11	43.26	38.80	16.05	51.02	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12810.00	47.77	88.20	-40.43	43.94	38.80	16.05	51.02	---	---	Peak																																																																														





Mode	28																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6425-6525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>43.69</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.57	88.20	-40.63	43.69	38.80	16.14	51.06	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>43.67</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.55	88.20	-40.65	43.67	38.80	16.14	51.06	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12890.00	47.57	88.20	-40.63	43.69	38.80	16.14	51.06	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12890.00	47.55	88.20	-40.65	43.67	38.80	16.14	51.06	---	---	Peak																																																																																														





Mode	29																																																																																										
	Harmonic																																																																																										
	U-NII-6_6425-6525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.75</td><td>88.20</td><td>-40.45</td><td>43.68</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	47.75	88.20	-40.45	43.68	38.94	16.22	51.09	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>43.46</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	47.53	88.20	-40.67	43.46	38.94	16.22	51.09	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12970.00	47.75	88.20	-40.45	43.68	38.94	16.22	51.09	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12970.00	47.53	88.20	-40.67	43.46	38.94	16.22	51.09	---	---	Peak																																																																																





Mode	30																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>43.34</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13130.00	47.25	88.20	-40.95	43.34	39.03	16.29	51.41	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>43.59</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13130.00	47.50	88.20	-40.70	43.59	39.03	16.29	51.41	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13130.00	47.25	88.20	-40.95	43.34	39.03	16.29	51.41	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13130.00	47.50	88.20	-40.70	43.59	39.03	16.29	51.41	---	---	Peak																																																																																	





Mode	31																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>42.44</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13370.00	46.31	74.00	-27.69	42.44	39.50	16.36	51.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>43.76</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13370.00	47.63	74.00	-26.37	43.76	39.50	16.36	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13370.00	46.31	74.00	-27.69	42.44	39.50	16.36	51.99	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13370.00	47.63	74.00	-26.37	43.76	39.50	16.36	51.99	---	---	Peak																																																																																	





Mode	32																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-6875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.32</td><td>88.20</td><td>-41.88</td><td>42.40</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.32	88.20	-41.88	42.40	39.69	16.45	52.22	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.23</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.15	88.20	-41.05	43.23	39.69	16.45	52.22	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13690.00	46.32	88.20	-41.88	42.40	39.69	16.45	52.22	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13690.00	47.15	88.20	-41.05	43.23	39.69	16.45	52.22	---	---	Peak																																																																																															



Mode	33																																																																											
	Harmonic																																																																											
	U-NII-8_6875-7125_802.11ax HE40_CH195_Full RU_6925MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13850.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>43.66</td><td>39.70</td><td>16.50</td><td>52.16</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13850.00	47.70	88.20	-40.50	43.66	39.70	16.50	52.16	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13850.00</td><td>47.98</td><td>88.20</td><td>-40.22</td><td>43.94</td><td>39.70</td><td>16.50</td><td>52.16</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13850.00	47.98	88.20	-40.22	43.94	39.70	16.50	52.16
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 13850.00	47.70	88.20	-40.50	43.66	39.70	16.50	52.16																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 13850.00	47.98	88.20	-40.22	43.94	39.70	16.50	52.16																																																																					
Peak						Peak																																																																						
Avg						Avg																																																																						



Mode	34	
	Harmonic	
	U-NII-8_6875-7125_802.11ax HE40_CH203_Full RU_6965MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13930.00 47.54 88.20 -40.66 43.42 39.73 16.52 52.13 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13930.00 47.56 88.20 -40.64 43.44 39.73 16.52 52.13 --- --- Peak





Mode	35																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7227.45</td><td>53.95</td><td>88.20</td><td>-34.25</td><td>38.68</td><td>36.55</td><td>11.87</td><td>33.15 395 149 PEAK</td></tr><tr><td>2</td><td>7291.58</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>37.59</td><td>36.60</td><td>11.98</td><td>33.16 395 149 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7227.45	53.95	88.20	-34.25	38.68	36.55	11.87	33.15 395 149 PEAK	2	7291.58	53.01	74.00	-20.99	37.59	36.60	11.98	33.16 395 149 PEAK	Level (dBuV/m) Date: 2025-08-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>91.31</td><td>-----</td><td>-----</td><td>76.51</td><td>36.45</td><td>11.47</td><td>33.12 395 149 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7085.00	91.31	-----	-----	76.51	36.45	11.47	33.12 395 149 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7227.45	53.95	88.20	-34.25	38.68	36.55	11.87	33.15 395 149 PEAK																																																																											
2	7291.58	53.01	74.00	-20.99	37.59	36.60	11.98	33.16 395 149 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7085.00	91.31	-----	-----	76.51	36.45	11.47	33.12 395 149 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7212.63</td><td>43.42</td><td>68.20</td><td>-24.78</td><td>28.19</td><td>36.53</td><td>11.84</td><td>33.14 395 149 AVERAGE</td></tr><tr><td>2</td><td>7261.65</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>28.08</td><td>36.60</td><td>11.93</td><td>33.15 395 149 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7212.63	43.42	68.20	-24.78	28.19	36.53	11.84	33.14 395 149 AVERAGE	2	7261.65	43.46	54.00	-10.54	28.08	36.60	11.93	33.15 395 149 AVERAGE	Level (dBuV/m) Date: 2025-08-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>80.97</td><td>-----</td><td>-----</td><td>66.12</td><td>36.49</td><td>11.48</td><td>33.12 395 149 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7085.00	80.97	-----	-----	66.12	36.49	11.48	33.12 395 149 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7212.63	43.42	68.20	-24.78	28.19	36.53	11.84	33.14 395 149 AVERAGE																																																																											
2	7261.65	43.46	54.00	-10.54	28.08	36.60	11.93	33.15 395 149 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7085.00	80.97	-----	-----	66.12	36.49	11.48	33.12 395 149 AVERAGE																																																																											







Mode	35																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-08 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7170.17</td><td>53.59</td><td>88.20</td><td>-34.61</td><td>38.57</td><td>36.44</td><td>11.71</td><td>33.13 349 335 PEAK</td></tr><tr><td>2</td><td>7272.48</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>37.62</td><td>36.60</td><td>11.95</td><td>33.15 349 335 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7170.17	53.59	88.20	-34.61	38.57	36.44	11.71	33.13 349 335 PEAK	2	7272.48	53.02	74.00	-20.98	37.62	36.60	11.95	33.15 349 335 PEAK	Level (dBuV/m) Date: 2025-08-08 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>94.49</td><td>-----</td><td>-----</td><td>79.70</td><td>36.44</td><td>11.46</td><td>349 335 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7085.00	94.49	-----	-----	79.70	36.44	11.46	349 335 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																											
1	7170.17	53.59	88.20	-34.61	38.57	36.44	11.71	33.13 349 335 PEAK																																																																											
2	7272.48	53.02	74.00	-20.98	37.62	36.60	11.95	33.15 349 335 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																											
1	7085.00	94.49	-----	-----	79.70	36.44	11.46	349 335 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-08 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7209.50</td><td>43.46</td><td>68.20</td><td>-24.74</td><td>28.24</td><td>36.52</td><td>11.84</td><td>349 335 AVERAGE</td></tr><tr><td>2</td><td>7279.61</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>28.08</td><td>36.60</td><td>11.96</td><td>349 335 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7209.50	43.46	68.20	-24.74	28.24	36.52	11.84	349 335 AVERAGE	2	7279.61	43.48	54.00	-10.52	28.08	36.60	11.96	349 335 AVERAGE	Level (dBuV/m) Date: 2025-08-08 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>85.77</td><td>-----</td><td>-----</td><td>70.98</td><td>36.44</td><td>11.46</td><td>349 335 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	7085.00	85.77	-----	-----	70.98	36.44	11.46	349 335 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																											
1	7209.50	43.46	68.20	-24.74	28.24	36.52	11.84	349 335 AVERAGE																																																																											
2	7279.61	43.48	54.00	-10.52	28.08	36.60	11.96	349 335 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																																											
1	7085.00	85.77	-----	-----	70.98	36.44	11.46	349 335 AVERAGE																																																																											



Mode	35																																																																			
	Harmonic																																																																			
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full RU_7085MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 14170.00</td><td>47.41</td><td>88.20</td><td>-40.79</td><td>42.91</td><td>39.87</td><td>16.63 52.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 14170.00	47.41	88.20	-40.79	42.91	39.87	16.63 52.00	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 14170.00</td><td>47.76</td><td>88.20</td><td>-40.44</td><td>43.26</td><td>39.87</td><td>16.63 52.00</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 14170.00	47.76	88.20	-40.44	43.26	39.87	16.63 52.00
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 14170.00	47.41	88.20	-40.79	42.91	39.87	16.63 52.00																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 14170.00	47.76	88.20	-40.44	43.26	39.87	16.63 52.00																																																														
Peak						Peak																																																														





		36																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																									
ANT		15+10																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5874.28</td><td>53.24</td><td>88.20</td><td>-34.96</td><td>38.70</td><td>36.55</td><td>10.84</td><td>32.85</td><td>168</td><td>324 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5874.28	53.24	88.20	-34.96	38.70	36.55	10.84	32.85	168	324 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>95.61</td><td>-----</td><td>-----</td><td>80.82</td><td>36.70</td><td>10.98</td><td>32.89</td><td>168</td><td>324 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	95.61	-----	-----	80.82	36.70	10.98	32.89	168
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5874.28	53.24	88.20	-34.96	38.70	36.55	10.84	32.85	168	324 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	95.61	-----	-----	80.82	36.70	10.98	32.89	168	324 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.36</td><td>43.08</td><td>68.20</td><td>-25.12</td><td>28.48</td><td>36.61</td><td>10.85</td><td>32.86</td><td>168</td><td>324 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5904.36	43.08	68.20	-25.12	28.48	36.61	10.85	32.86	168	324 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>86.33</td><td>-----</td><td>-----</td><td>71.54</td><td>36.70</td><td>10.98</td><td>32.89</td><td>168</td><td>324 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.33	-----	-----	71.54	36.70	10.98	32.89	168
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5904.36	43.08	68.20	-25.12	28.48	36.61	10.85	32.86	168	324 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	86.33	-----	-----	71.54	36.70	10.98	32.89	168	324 AVERAGE																																																																																	





Mode	36																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-08 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5913.80</td><td>53.03</td><td>88.20</td><td>-35.17</td><td>38.40</td><td>36.63</td><td>10.87</td><td>32.87</td><td>388 342 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5913.80	53.03	88.20	-35.17	38.40	36.63	10.87	32.87	388 342 PEAK	Level (dBuV/m) Date: 2025-08-08 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>90.54</td><td>-----</td><td>-----</td><td>75.77</td><td>36.70</td><td>10.96</td><td>32.89</td><td>388 342 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	90.54	-----	-----	75.77	36.70	10.96	32.89	388 342 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5913.80	53.03	88.20	-35.17	38.40	36.63	10.87	32.87	388 342 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	90.54	-----	-----	75.77	36.70	10.96	32.89	388 342 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-08 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5910.28</td><td>42.65</td><td>68.20</td><td>-25.55</td><td>28.03</td><td>36.62</td><td>10.86</td><td>32.86</td><td>388 342 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5910.28	42.65	68.20	-25.55	28.03	36.62	10.86	32.86	388 342 AVERAGE	Level (dBuV/m) Date: 2025-08-08 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>82.05</td><td>-----</td><td>-----</td><td>67.28</td><td>36.70</td><td>10.96</td><td>32.89</td><td>388 342 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	82.05	-----	-----	67.28	36.70	10.96	32.89	388 342 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5910.28	42.65	68.20	-25.55	28.03	36.62	10.86	32.86	388 342 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	82.05	-----	-----	67.28	36.70	10.96	32.89	388 342 AVERAGE																																																																		





Mode	36																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																			
ANT	15+10																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>43.76</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>40.96</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	47.49	74.00	-26.51	43.76	38.44	15.21	49.92	---	---	Peak	2 17955.00	47.30	74.00	-26.70	40.96	42.67	17.82	54.15	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>43.99</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>40.08</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	47.72	74.00	-26.28	43.99	38.44	15.21	49.92	---	---	Peak	2 17955.00	46.42	74.00	-27.58	40.08	42.67	17.82	54.15	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11970.00	47.49	74.00	-26.51	43.76	38.44	15.21	49.92	---	---	Peak																																																																																																										
2 17955.00	47.30	74.00	-26.70	40.96	42.67	17.82	54.15	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11970.00	47.72	74.00	-26.28	43.99	38.44	15.21	49.92	---	---	Peak																																																																																																										
2 17955.00	46.42	74.00	-27.58	40.08	42.67	17.82	54.15	---	---	Peak																																																																																																										





Mode	37																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11ax HE80_CH39_Full RU_6145MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>44.22</td><td>38.60</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.87	74.00	-26.13	44.22	38.60	15.53	50.48	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>44.29</td><td>38.60</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.94	74.00	-26.06	44.29	38.60	15.53	50.48	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12290.00	47.87	74.00	-26.13	44.22	38.60	15.53	50.48	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12290.00	47.94	74.00	-26.06	44.29	38.60	15.53	50.48	---	---	Peak																																																																																															





Mode	38																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-5_5925-6425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																																										
ANT	15+10																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 12770.00</td><td>47.11</td><td>88.20</td><td>-41.09</td><td>43.34</td><td>38.77</td><td>16.01</td><td>51.01</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	47.11	88.20	-41.09	43.34	38.77	16.01	51.01							cm	deg							---	---								Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 12770.00</td><td>47.37</td><td>88.20</td><td>-40.83</td><td>43.60</td><td>38.77</td><td>16.01</td><td>51.01</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	47.37	88.20	-40.83	43.60	38.77	16.01	51.01							cm	deg							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1 12770.00	47.11	88.20	-41.09	43.34	38.77	16.01	51.01																																																																																																																				
						cm	deg																																																																																																																				
						---	---																																																																																																																				
							Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1 12770.00	47.37	88.20	-40.83	43.60	38.77	16.01	51.01																																																																																																																				
						cm	deg																																																																																																																				
						---	---																																																																																																																				
							Peak																																																																																																																				





Mode	39																																																																																			
	Harmonic																																																																																			
	U-NII-6_6425-6525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																			
ANT	15+10																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg	 Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12930.00</td><td>47.67</td><td>88.20</td><td>-40.53</td><td>43.70</td><td>38.86</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12930.00	47.67	88.20	-40.53	43.70	38.86	16.18	51.07	---	---	Peak	 Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12930.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>43.27</td><td>38.86</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12930.00	47.24	88.20	-40.96	43.27	38.86	16.18	51.07	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1 12930.00	47.67	88.20	-40.53	43.70	38.86	16.18	51.07	---	---	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1 12930.00	47.24	88.20	-40.96	43.27	38.86	16.18	51.07	---	---	Peak																																																																										





Mode	40																																																																			
	Harmonic																																																																			
	U-NII-7_6525-6875_802.11ax HE80_CH135_Full RU_6625MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13250.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>43.25</td><td>39.30</td><td>16.32 51.70</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13250.00	47.17	74.00	-26.83	43.25	39.30	16.32 51.70	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13250.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>43.63</td><td>39.30</td><td>16.32 51.70</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13250.00	47.55	74.00	-26.45	43.63	39.30	16.32 51.70
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13250.00	47.17	74.00	-26.83	43.25	39.30	16.32 51.70																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13250.00	47.55	74.00	-26.45	43.63	39.30	16.32 51.70																																																														
Peak						Peak																																																														





Mode	41																																																																																		
	Harmonic																																																																																		
	U-NII-7_6525-6875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13410.00</td><td>47.75</td><td>88.20</td><td>-40.45</td><td>43.95</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13410.00	47.75	88.20	-40.45	43.95	39.51	16.37	52.08	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13410.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.35</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13410.00	47.15	88.20	-41.05	43.35	39.51	16.37	52.08	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 13410.00	47.75	88.20	-40.45	43.95	39.51	16.37	52.08	---	---	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 13410.00	47.15	88.20	-41.05	43.35	39.51	16.37	52.08	---	---	Peak																																																																									







Mode	42																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>44.19</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	47.93	88.20	-40.27	44.19	39.60	16.41	52.27	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>47.58</td><td>88.20</td><td>-40.62</td><td>43.84</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	47.58	88.20	-40.62	43.84	39.60	16.41	52.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	47.93	88.20	-40.27	44.19	39.60	16.41	52.27	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	47.58	88.20	-40.62	43.84	39.60	16.41	52.27	---	---	Peak																																																																																	



Mode	43																																																																			
	Harmonic																																																																			
	U-NII-8_6875-7125_802.11ax HE80_CH199_Full RU_6945MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13890.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>43.62</td><td>39.70</td><td>16.51 52.14</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13890.00	47.69	88.20	-40.51	43.62	39.70	16.51 52.14	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13890.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>43.18</td><td>39.70</td><td>16.51 52.14</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13890.00	47.25	88.20	-40.95	43.18	39.70	16.51 52.14
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13890.00	47.69	88.20	-40.51	43.62	39.70	16.51 52.14																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13890.00	47.25	88.20	-40.95	43.18	39.70	16.51 52.14																																																														
Peak						Peak																																																														





		44																																																																																																														
Mode			Band Edge																																																																																																													
			U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																													
ANT			15+10																																																																																																													
Pol.	Horizontal										Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-08-09 										Level (dBuV/m) Date: 2025-08-09 																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7229.92</td><td>53.07</td><td>88.20</td><td>-35.13</td><td>37.79</td><td>36.56</td><td>11.87</td><td>33.15</td><td>186</td><td>307 PEAK</td></tr><tr><td>2</td><td>7252.91</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>37.77</td><td>36.60</td><td>11.91</td><td>33.15</td><td>186</td><td>307 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7229.92	53.07	88.20	-35.13	37.79	36.56	11.87	33.15	186	307 PEAK	2	7252.91	53.13	74.00	-20.87	37.77	36.60	11.91	33.15	186	307 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>96.26</td><td>-----</td><td>-----</td><td>81.59</td><td>36.34</td><td>11.43</td><td>33.10</td><td>186</td><td>307 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	96.26	-----	-----	81.59	36.34	11.43	33.10	186
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7229.92	53.07	88.20	-35.13	37.79	36.56	11.87	33.15	186	307 PEAK																																																																																																						
2	7252.91	53.13	74.00	-20.87	37.77	36.60	11.91	33.15	186	307 PEAK																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7025.00	96.26	-----	-----	81.59	36.34	11.43	33.10	186	307 PEAK																																																																																																						
Avg	Level (dBuV/m) Date: 2025-08-09 										Level (dBuV/m) Date: 2025-08-09 																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7223.71</td><td>43.49</td><td>68.20</td><td>-24.71</td><td>28.22</td><td>36.55</td><td>11.86</td><td>33.14</td><td>186</td><td>307 AVERAGE</td></tr><tr><td>2</td><td>7260.94</td><td>43.62</td><td>54.00</td><td>-10.38</td><td>28.24</td><td>36.60</td><td>11.93</td><td>33.15</td><td>186</td><td>307 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7223.71	43.49	68.20	-24.71	28.22	36.55	11.86	33.14	186	307 AVERAGE	2	7260.94	43.62	54.00	-10.38	28.24	36.60	11.93	33.15	186	307 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>86.48</td><td>-----</td><td>-----</td><td>71.87</td><td>36.30</td><td>11.41</td><td>33.10</td><td>186</td><td>307 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	86.48	-----	-----	71.87	36.30	11.41	33.10	186
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7223.71	43.49	68.20	-24.71	28.22	36.55	11.86	33.14	186	307 AVERAGE																																																																																																						
2	7260.94	43.62	54.00	-10.38	28.24	36.60	11.93	33.15	186	307 AVERAGE																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7025.00	86.48	-----	-----	71.87	36.30	11.41	33.10	186	307 AVERAGE																																																																																																						



Mode	44																																																																
	Band Edge																																																																
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz																																																																
ANT	15+10																																																																
Pol.	Vertical					Fundamental																																																											
Peak	Level (dBuV/m) Date: 2025-08-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7162.39</td><td>54.05</td><td>88.20</td><td>-34.15</td><td>39.07</td><td>36.42</td><td>11.69</td><td>33.13</td><td>341</td><td>324 PEAK</td></tr><tr><td>2</td><td>7284.30</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>38.28</td><td>36.60</td><td>11.97</td><td>33.16</td><td>341</td><td>324 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7162.39	54.05	88.20	-34.15	39.07	36.42	11.69	33.13	341	324 PEAK	2	7284.30	53.69	74.00	-20.31	38.28	36.60	11.97	33.16	341	324 PEAK	Level (dBuV/m) Date: 2025-08-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7025.00</td><td>95.27</td><td>-----</td><td>-----</td><td>80.53</td><td>36.40</td><td>11.45</td><td>33.11</td><td>341</td><td>324 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7025.00	95.27	-----	-----	80.53	36.40	11.45	33.11	341	324 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	7162.39	54.05	88.20	-34.15	39.07	36.42	11.69	33.13	341	324 PEAK																																																							
2	7284.30	53.69	74.00	-20.31	38.28	36.60	11.97	33.16	341	324 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	7025.00	95.27	-----	-----	80.53	36.40	11.45	33.11	341	324 PEAK																																																							
Avg	Level (dBuV/m) Date: 2025-08-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7229.19</td><td>43.43</td><td>68.20</td><td>-24.77</td><td>28.15</td><td>36.56</td><td>11.87</td><td>33.15</td><td>341</td><td>324 AVERAGE</td></tr><tr><td>2</td><td>7281.02</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>28.17</td><td>36.60</td><td>11.96</td><td>33.16</td><td>341</td><td>324 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7229.19	43.43	68.20	-24.77	28.15	36.56	11.87	33.15	341	324 AVERAGE	2	7281.02	43.57	54.00	-10.43	28.17	36.60	11.96	33.16	341	324 AVERAGE	Level (dBuV/m) Date: 2025-08-09 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7025.00</td><td>87.30</td><td>-----</td><td>-----</td><td>72.66</td><td>36.32</td><td>11.42</td><td>33.10</td><td>341</td><td>324 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7025.00	87.30	-----	-----	72.66	36.32	11.42	33.10	341	324 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	7229.19	43.43	68.20	-24.77	28.15	36.56	11.87	33.15	341	324 AVERAGE																																																							
2	7281.02	43.57	54.00	-10.43	28.17	36.60	11.96	33.16	341	324 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	7025.00	87.30	-----	-----	72.66	36.32	11.42	33.10	341	324 AVERAGE																																																							



Mode	44																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Level (dBuV/m) Frequency (MHz) Date: 2025-08-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>42.99</td><td>39.80</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	47.29	88.20	-40.91	42.99	39.80	16.57	52.07	---	---	Peak	 Level (dBuV/m) Frequency (MHz) Date: 2025-08-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>43.67</td><td>39.80</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	47.97	88.20	-40.23	43.67	39.80	16.57	52.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	47.29	88.20	-40.91	42.99	39.80	16.57	52.07	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	47.97	88.20	-40.23	43.67	39.80	16.57	52.07	---	---	Peak																																																																																	