





Mode	45																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5893.60</td><td>52.73</td><td>88.20</td><td>-35.47</td><td>38.16</td><td>36.59</td><td>10.84</td><td>32.86</td><td>371 339 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5893.60	52.73	88.20	-35.47	38.16	36.59	10.84	32.86	371 339 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>90.57</td><td>-----</td><td>-----</td><td>75.91</td><td>36.51</td><td>11.06</td><td>32.91</td><td>371 339 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	90.57	-----	-----	75.91	36.51	11.06	32.91	371 339 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5893.60	52.73	88.20	-35.47	38.16	36.59	10.84	32.86	371 339 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	90.57	-----	-----	75.91	36.51	11.06	32.91	371 339 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.44</td><td>42.81</td><td>68.20</td><td>-25.39</td><td>28.16</td><td>36.64</td><td>10.88</td><td>32.87</td><td>371 339 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5922.44	42.81	68.20	-25.39	28.16	36.64	10.88	32.87	371 339 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>81.28</td><td>-----</td><td>-----</td><td>66.51</td><td>36.66</td><td>11.01</td><td>32.90</td><td>371 339 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	81.28	-----	-----	66.51	36.66	11.01	32.90	371 339 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5922.44	42.81	68.20	-25.39	28.16	36.64	10.88	32.87	371 339 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	81.28	-----	-----	66.51	36.66	11.01	32.90	371 339 AVERAGE																																																																		





Mode	45																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.56</td><td>52.86</td><td>88.20</td><td>-35.34</td><td>38.20</td><td>36.65</td><td>10.88</td><td>32.87</td><td>341 338 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5923.56	52.86	88.20	-35.34	38.20	36.65	10.88	32.87	341 338 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>89.84</td><td>-----</td><td>-----</td><td>75.25</td><td>36.41</td><td>11.09</td><td>32.91</td><td>341 338 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	89.84	-----	-----	75.25	36.41	11.09	32.91	341 338 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5923.56	52.86	88.20	-35.34	38.20	36.65	10.88	32.87	341 338 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	89.84	-----	-----	75.25	36.41	11.09	32.91	341 338 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>42.59</td><td>68.20</td><td>-25.61</td><td>27.92</td><td>36.65</td><td>10.89</td><td>32.87</td><td>341 338 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	42.59	68.20	-25.61	27.92	36.65	10.89	32.87	341 338 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>80.30</td><td>-----</td><td>-----</td><td>65.71</td><td>36.41</td><td>11.09</td><td>32.91</td><td>341 338 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	80.30	-----	-----	65.71	36.41	11.09	32.91	341 338 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.96	42.59	68.20	-25.61	27.92	36.65	10.89	32.87	341 338 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	80.30	-----	-----	65.71	36.41	11.09	32.91	341 338 AVERAGE																																																																		





Mode	45																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>43.36</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.14	74.00	-26.86	43.36	38.50	15.28	50.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>43.62</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.40	74.00	-26.60	43.62	38.50	15.28	50.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12050.00	47.14	74.00	-26.86	43.36	38.50	15.28	50.00	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12050.00	47.40	74.00	-26.60	43.62	38.50	15.28	50.00	---	---	Peak																																																																																															





Mode	46																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>43.64</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.28	74.00	-26.72	43.64	38.67	15.61	50.64	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>44.31</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.95	74.00	-26.05	44.31	38.67	15.61	50.64	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12370.00	47.28	74.00	-26.72	43.64	38.67	15.61	50.64	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12370.00	47.95	74.00	-26.05	44.31	38.67	15.61	50.64	---	---	Peak																																																																																															







Mode	47																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>43.70</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	47.35	74.00	-26.65	43.70	38.70	15.93	50.98	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>44.22</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	47.87	74.00	-26.13	44.22	38.70	15.93	50.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	47.35	74.00	-26.65	43.70	38.70	15.93	50.98	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	47.87	74.00	-26.13	44.22	38.70	15.93	50.98	---	---	Peak																																																																																	



Mode	48																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-6875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>43.52</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	47.47	74.00	-26.53	43.52	39.50	16.34	51.89	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>43.21</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	47.16	74.00	-26.84	43.21	39.50	16.34	51.89	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13330.00	47.47	74.00	-26.53	43.52	39.50	16.34	51.89	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13330.00	47.16	74.00	-26.84	43.21	39.50	16.34	51.89	---	---	Peak																																																																																															





		49																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6875-7125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																												
ANT		15+10																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2025-08-09 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.25</td><td>53.68</td><td>88.20</td><td>-34.52</td><td>38.44</td><td>36.53</td><td>11.85</td><td>33.14</td><td>184</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>7284.38</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>38.21</td><td>36.60</td><td>11.97</td><td>33.16</td><td>184</td><td>313</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg	1	7216.25	53.68	88.20	-34.52	38.44	36.53	11.85	33.14	184	313	PEAK	2	7284.38	53.62	74.00	-20.38	38.21	36.60	11.97	33.16	184	313	PEAK	 Level (dBuV/m) Date: 2025-08-09 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>95.34</td><td>-----</td><td>-----</td><td>80.78</td><td>36.30</td><td>11.35</td><td>33.09</td><td>184</td><td>313</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg	1	6985.00	95.34	-----	-----	80.78	36.30	11.35	33.09	184	313	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg																																																																																			
1	7216.25	53.68	88.20	-34.52	38.44	36.53	11.85	33.14	184	313	PEAK																																																																																			
2	7284.38	53.62	74.00	-20.38	38.21	36.60	11.97	33.16	184	313	PEAK																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg																																																																																			
1	6985.00	95.34	-----	-----	80.78	36.30	11.35	33.09	184	313	PEAK																																																																																			
Avg	 Level (dBuV/m) Date: 2025-08-09 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.75</td><td>44.25</td><td>68.20</td><td>-23.95</td><td>29.36</td><td>36.43</td><td>11.59</td><td>33.13</td><td>184</td><td>313</td><td>AVERAGE</td></tr><tr><td>2</td><td>7260.63</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>28.16</td><td>36.60</td><td>11.93</td><td>33.15</td><td>184</td><td>313</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg	1	7133.75	44.25	68.20	-23.95	29.36	36.43	11.59	33.13	184	313	AVERAGE	2	7260.63	43.54	54.00	-10.46	28.16	36.60	11.93	33.15	184	313	AVERAGE	 Level (dBuV/m) Date: 2025-08-09 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>86.32</td><td>-----</td><td>-----</td><td>71.86</td><td>36.24</td><td>11.30</td><td>33.08</td><td>184</td><td>313</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg	1	6985.00	86.32	-----	-----	71.86	36.24	11.30	33.08	184	313	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg																																																																																			
1	7133.75	44.25	68.20	-23.95	29.36	36.43	11.59	33.13	184	313	AVERAGE																																																																																			
2	7260.63	43.54	54.00	-10.46	28.16	36.60	11.93	33.15	184	313	AVERAGE																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	Factor	Loss	Factor	dB	cm	deg																																																																																			
1	6985.00	86.32	-----	-----	71.86	36.24	11.30	33.08	184	313	AVERAGE																																																																																			





Mode	49																																																																																																
	Band Edge																																																																																																
	U-NII-8_6875-7125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																
ANT	15+10																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.75</td><td>53.94</td><td>88.20</td><td>-34.26</td><td>39.05</td><td>36.43</td><td>11.59</td><td>33.13</td><td>356</td><td>360 PEAK</td></tr><tr><td>2</td><td>7280.63</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>38.48</td><td>36.60</td><td>11.96</td><td>33.16</td><td>356</td><td>360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7133.75	53.94	88.20	-34.26	39.05	36.43	11.59	33.13	356	360 PEAK	2	7280.63	53.88	74.00	-20.12	38.48	36.60	11.96	33.16	356	360 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>97.86</td><td>-----</td><td>-----</td><td>83.42</td><td>36.23</td><td>11.29</td><td>33.08</td><td>356</td><td>360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.86	-----	-----	83.42	36.23	11.29	33.08	356	360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7133.75	53.94	88.20	-34.26	39.05	36.43	11.59	33.13	356	360 PEAK																																																																																							
2	7280.63	53.88	74.00	-20.12	38.48	36.60	11.96	33.16	356	360 PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	97.86	-----	-----	83.42	36.23	11.29	33.08	356	360 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7139.38</td><td>44.01</td><td>68.20</td><td>-24.19</td><td>29.11</td><td>36.42</td><td>11.61</td><td>33.13</td><td>356</td><td>360 AVERAGE</td></tr><tr><td>2</td><td>7275.00</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>28.12</td><td>36.60</td><td>11.95</td><td>33.15</td><td>356</td><td>360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7139.38	44.01	68.20	-24.19	29.11	36.42	11.61	33.13	356	360 AVERAGE	2	7275.00	43.52	54.00	-10.48	28.12	36.60	11.95	33.15	356	360 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>87.56</td><td>-----</td><td>-----</td><td>73.12</td><td>36.23</td><td>11.29</td><td>33.08</td><td>356</td><td>360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.56	-----	-----	73.12	36.23	11.29	33.08	356	360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7139.38	44.01	68.20	-24.19	29.11	36.42	11.61	33.13	356	360 AVERAGE																																																																																							
2	7275.00	43.52	54.00	-10.48	28.12	36.60	11.95	33.15	356	360 AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	87.56	-----	-----	73.12	36.23	11.29	33.08	356	360 AVERAGE																																																																																							





Mode	49																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.39</td><td>88.20</td><td>-40.81</td><td>43.20</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.39	88.20	-40.81	43.20	39.77	16.53	52.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.37</td><td>88.20</td><td>-40.83</td><td>43.18</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	47.37	88.20	-40.83	43.18	39.77	16.53	52.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13970.00	47.39	88.20	-40.81	43.20	39.77	16.53	52.11	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13970.00	47.37	88.20	-40.83	43.18	39.77	16.53	52.11	---	---	Peak																																																																																	





Mode	50	
	Harmonic	
	U-NII-8_6525-7125_802.11ax HE20_CH185_Full RU_6525MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 47.22 88.20 -40.98 43.25 39.70 16.47 52.20 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 47.40 88.20 -40.80 43.43 39.70 16.47 52.20 --- --- Peak







Mode	51																																																																													
	Harmonic																																																																													
	U-NII-8_6525-7125_802.11ax HE40_CH187_Full RU_6885MHz																																																																													
ANT	15+10																																																																													
Pol.	Horizontal							Vertical																																																																						
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13770.00</td><td>47.62</td><td>88.20</td><td>-40.58</td><td>43.64</td><td>39.70</td><td>16.47</td><td>52.19</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13770.00	47.62	88.20	-40.58	43.64	39.70	16.47	52.19	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13770.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>43.09</td><td>39.70</td><td>16.47</td><td>52.19</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13770.00	47.07	88.20	-41.13	43.09	39.70	16.47	52.19
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13770.00	47.62	88.20	-40.58	43.64	39.70	16.47	52.19																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13770.00	47.07	88.20	-41.13	43.09	39.70	16.47	52.19																																																																							
	Peak							Peak																																																																						





Mode	52																																																																																											
	Harmonic																																																																																											
	U-NII-8_6525-7125_802.11ax HE80_CH183_Full RU_6865MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13730.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>43.33</td><td>39.70</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13730.00	47.28	88.20	-40.92	43.33	39.70	16.46	52.21	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13730.00</td><td>47.76</td><td>88.20</td><td>-40.44</td><td>43.81</td><td>39.70</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13730.00	47.76	88.20	-40.44	43.81	39.70	16.46	52.21	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13730.00	47.28	88.20	-40.92	43.33	39.70	16.46	52.21	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13730.00	47.76	88.20	-40.44	43.81	39.70	16.46	52.21	---	---	Peak																																																																																	





Mode	53																																																																																											
	Harmonic																																																																																											
	U-NII-8_6525-7125_802.11ax HE160_CH175_Full RU_6825MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Date: 2025-08-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13650.00</td><td>47.63</td><td>88.20</td><td>-40.57</td><td>43.78</td><td>39.65</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13650.00	47.63	88.20	-40.57	43.78	39.65	16.44	52.24	---	---	Peak	 Date: 2025-08-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13650.00</td><td>47.63</td><td>88.20</td><td>-40.57</td><td>43.78</td><td>39.65</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13650.00	47.63	88.20	-40.57	43.78	39.65	16.44	52.24	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13650.00	47.63	88.20	-40.57	43.78	39.65	16.44	52.24	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13650.00	47.63	88.20	-40.57	43.78	39.65	16.44	52.24	---	---	Peak																																																																																	
	 Date: 2025-08-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13650.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>44.04</td><td>39.65</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13650.00	47.89	88.20	-40.31	44.04	39.65	16.44	52.24	---	---	Peak	 Date: 2025-08-11 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13650.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>44.04</td><td>39.65</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13650.00	47.89	88.20	-40.31	44.04	39.65	16.44	52.24	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13650.00	47.89	88.20	-40.31	44.04	39.65	16.44	52.24	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13650.00	47.89	88.20	-40.31	44.04	39.65	16.44	52.24	---	---	Peak																																																																																	





Mode	54																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6425-6875_802.11ax HE40_CH115_Full RU_6525MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13050.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.19</td><td>39.00</td><td>16.26</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13050.00	47.23	88.20	-40.97	43.19	39.00	16.26	51.22	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13050.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>42.98</td><td>39.00</td><td>16.26</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13050.00	47.02	88.20	-41.18	42.98	39.00	16.26	51.22	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13050.00	47.23	88.20	-40.97	43.19	39.00	16.26	51.22	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13050.00	47.02	88.20	-41.18	42.98	39.00	16.26	51.22	---	---	Peak																																																																																																







Mode	55																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6425-6875_802.11ax HE80_CH119_Full RU_6545MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.10</td><td>88.20</td><td>-41.10</td><td>43.14</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	47.10	88.20	-41.10	43.14	39.00	16.28	51.32	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>43.56</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	47.52	88.20	-40.68	43.56	39.00	16.28	51.32	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13090.00	47.10	88.20	-41.10	43.14	39.00	16.28	51.32	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13090.00	47.52	88.20	-40.68	43.56	39.00	16.28	51.32	---	---	Peak																																																																																															



Mode	56																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6425-6875_802.11ax HE160_CH111_Full RU_6505MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.84</td><td>88.20</td><td>-40.36</td><td>43.71</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	47.84	88.20	-40.36	43.71	39.00	16.25	51.12	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>43.46</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	47.59	88.20	-40.61	43.46	39.00	16.25	51.12	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13010.00	47.84	88.20	-40.36	43.71	39.00	16.25	51.12	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13010.00	47.59	88.20	-40.61	43.46	39.00	16.25	51.12	---	---	Peak																																																																																															



		57																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																									
ANT		15+10																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-08-09 					Level (dBuV/m) Date: 2025-08-09 																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.66</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>38.69</td><td>36.61</td><td>10.85</td><td>32.86</td><td>186</td><td>50 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5904.66	53.29	88.20	-34.91	38.69	36.61	10.85	32.86	186	50 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.66</td><td>-----</td><td>-----</td><td>81.92</td><td>36.70</td><td>10.92</td><td>32.88</td><td>186</td><td>50 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.66	-----	-----	81.92	36.70	10.92	32.88	186
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5904.66	53.29	88.20	-34.91	38.69	36.61	10.85	32.86	186	50 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	96.66	-----	-----	81.92	36.70	10.92	32.88	186	50 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-09 					Level (dBuV/m) Date: 2025-08-09 																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.60</td><td>42.82</td><td>68.20</td><td>-25.38</td><td>28.20</td><td>36.62</td><td>10.86</td><td>32.86</td><td>186</td><td>50 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5907.60	42.82	68.20	-25.38	28.20	36.62	10.86	32.86	186	50 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>88.20</td><td>-----</td><td>-----</td><td>73.46</td><td>36.70</td><td>10.92</td><td>32.88</td><td>186</td><td>50 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.20	-----	-----	73.46	36.70	10.92	32.88	186
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5907.60	42.82	68.20	-25.38	28.20	36.62	10.86	32.86	186	50 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	88.20	-----	-----	73.46	36.70	10.92	32.88	186	50 AVERAGE																																																																																	



Mode	57																																																																																			
	Band Edge																																																																																			
	U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																			
ANT	15+10																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.14</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>38.28</td><td>36.65</td><td>10.88</td><td>32.87</td><td>184</td><td>278 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.14	52.94	88.20	-35.26	38.28	36.65	10.88	32.87	184	278 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.53</td><td>-----</td><td>-----</td><td>80.79</td><td>36.70</td><td>10.92</td><td>32.88</td><td>184</td><td>278 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.53	-----	-----	80.79	36.70	10.92	32.88	184	278 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5923.14	52.94	88.20	-35.26	38.28	36.65	10.88	32.87	184	278 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	95.53	-----	-----	80.79	36.70	10.92	32.88	184	278 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.14</td><td>42.89</td><td>68.20</td><td>-25.31</td><td>28.27</td><td>36.62</td><td>10.86</td><td>32.86</td><td>184</td><td>278 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5909.14	42.89	68.20	-25.31	28.27	36.62	10.86	32.86	184	278 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.02</td><td>-----</td><td>-----</td><td>68.28</td><td>36.70</td><td>10.92</td><td>32.88</td><td>184</td><td>278 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.02	-----	-----	68.28	36.70	10.92	32.88	184	278 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5909.14	42.89	68.20	-25.31	28.27	36.62	10.86	32.86	184	278 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	83.02	-----	-----	68.28	36.70	10.92	32.88	184	278 AVERAGE																																																																										







Mode	58																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7168.00</td><td>53.46</td><td>88.20</td><td>-34.74</td><td>38.44</td><td>36.44</td><td>11.71</td><td>33.13 239 310 PEAK</td></tr><tr><td>2</td><td>7322.86</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>38.01</td><td>36.55</td><td>12.00</td><td>33.16 239 310 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7168.00	53.46	88.20	-34.74	38.44	36.44	11.71	33.13 239 310 PEAK	2	7322.86	53.40	74.00	-20.60	38.01	36.55	12.00	33.16 239 310 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.65</td><td>-----</td><td>-----</td><td>75.78</td><td>36.49</td><td>11.50</td><td>33.12 239 310 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	90.65	-----	-----	75.78	36.49	11.50	33.12 239 310 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7168.00	53.46	88.20	-34.74	38.44	36.44	11.71	33.13 239 310 PEAK																																																																											
2	7322.86	53.40	74.00	-20.60	38.01	36.55	12.00	33.16 239 310 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	90.65	-----	-----	75.78	36.49	11.50	33.12 239 310 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7135.96</td><td>43.67</td><td>68.20</td><td>-24.53</td><td>28.77</td><td>36.43</td><td>11.60</td><td>33.13 239 310 AVERAGE</td></tr><tr><td>2</td><td>7284.59</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>28.18</td><td>36.60</td><td>11.97</td><td>33.16 239 310 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7135.96	43.67	68.20	-24.53	28.77	36.43	11.60	33.13 239 310 AVERAGE	2	7284.59	43.59	54.00	-10.41	28.18	36.60	11.97	33.16 239 310 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>83.45</td><td>-----</td><td>-----</td><td>68.58</td><td>36.49</td><td>11.50</td><td>33.12 239 310 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	83.45	-----	-----	68.58	36.49	11.50	33.12 239 310 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7135.96	43.67	68.20	-24.53	28.77	36.43	11.60	33.13 239 310 AVERAGE																																																																											
2	7284.59	43.59	54.00	-10.41	28.18	36.60	11.97	33.16 239 310 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	83.45	-----	-----	68.58	36.49	11.50	33.12 239 310 AVERAGE																																																																											



Mode	58																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7157.76</td><td>52.58</td><td>88.20</td><td>-35.62</td><td>37.62</td><td>36.42</td><td>11.67</td><td>33.13</td><td>255 329 PEAK</td></tr><tr><td>2</td><td>7320.63</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>38.11</td><td>36.56</td><td>12.01</td><td>33.16</td><td>255 329 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7157.76	52.58	88.20	-35.62	37.62	36.42	11.67	33.13	255 329 PEAK	2	7320.63	53.52	74.00	-20.48	38.11	36.56	12.01	33.16	255 329 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>94.87</td><td>-----</td><td>-----</td><td>80.00</td><td>36.50</td><td>11.49</td><td>33.12</td><td>255 329 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.87	-----	-----	80.00	36.50	11.49	33.12	255 329 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7157.76	52.58	88.20	-35.62	37.62	36.42	11.67	33.13	255 329 PEAK																																																																																			
2	7320.63	53.52	74.00	-20.48	38.11	36.56	12.01	33.16	255 329 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	94.87	-----	-----	80.00	36.50	11.49	33.12	255 329 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7215.61</td><td>43.53</td><td>68.20</td><td>-24.67</td><td>28.29</td><td>36.53</td><td>11.85</td><td>33.14</td><td>255 329 AVERAGE</td></tr><tr><td>2</td><td>7281.92</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>28.29</td><td>36.60</td><td>11.97</td><td>33.16</td><td>255 329 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7215.61	43.53	68.20	-24.67	28.29	36.53	11.85	33.14	255 329 AVERAGE	2	7281.92	43.70	54.00	-10.30	28.29	36.60	11.97	33.16	255 329 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>85.47</td><td>-----</td><td>-----</td><td>70.60</td><td>36.50</td><td>11.49</td><td>33.12</td><td>255 329 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.47	-----	-----	70.60	36.50	11.49	33.12	255 329 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7215.61	43.53	68.20	-24.67	28.29	36.53	11.85	33.14	255 329 AVERAGE																																																																																			
2	7281.92	43.70	54.00	-10.30	28.29	36.60	11.97	33.16	255 329 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	85.47	-----	-----	70.60	36.50	11.49	33.12	255 329 AVERAGE																																																																																			



Mode	59																																																																																									
	Band Edge																																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																									
ANT	15+10																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-09 						Level (dBuV/m) Date: 2025-08-09 																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.02</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>38.47</td><td>36.62</td><td>10.86</td><td>32.86</td><td>252 322 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5908.02	53.09	88.20	-35.11	38.47	36.62	10.86	32.86	252 322 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.66</td><td>-----</td><td>-----</td><td>77.90</td><td>36.70</td><td>10.94</td><td>32.88</td><td>252 322 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.66	-----	-----	77.90	36.70	10.94	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5908.02	53.09	88.20	-35.11	38.47	36.62	10.86	32.86	252 322 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	92.66	-----	-----	77.90	36.70	10.94	32.88	252 322 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-09 						Level (dBuV/m) Date: 2025-08-09 																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.16</td><td>42.76</td><td>68.20</td><td>-25.44</td><td>28.11</td><td>36.64</td><td>10.88</td><td>32.87</td><td>252 322 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5922.16	42.76	68.20	-25.44	28.11	36.64	10.88	32.87	252 322 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.67</td><td>-----</td><td>-----</td><td>69.91</td><td>36.70</td><td>10.94</td><td>32.88</td><td>252 322 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.67	-----	-----	69.91	36.70	10.94	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5922.16	42.76	68.20	-25.44	28.11	36.64	10.88	32.87	252 322 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	84.67	-----	-----	69.91	36.70	10.94	32.88	252 322 AVERAGE																																																																																	





		59																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																								
ANT		15+10																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.56</td><td>52.72</td><td>88.20</td><td>-35.48</td><td>38.22</td><td>36.51</td><td>10.83</td><td>32.84</td><td>400 20 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5853.56	52.72	88.20	-35.48	38.22	36.51	10.83	32.84	400 20 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.70</td><td>-----</td><td>-----</td><td>72.95</td><td>36.70</td><td>10.93</td><td>32.88</td><td>400 20 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.70	-----	-----	72.95	36.70	10.93	32.88	400 20 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5853.56	52.72	88.20	-35.48	38.22	36.51	10.83	32.84	400 20 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	87.70	-----	-----	72.95	36.70	10.93	32.88	400 20 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.46</td><td>42.62</td><td>68.20</td><td>-25.58</td><td>28.01</td><td>36.61</td><td>10.86</td><td>32.86</td><td>400 20 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.46	42.62	68.20	-25.58	28.01	36.61	10.86	32.86	400 20 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>79.72</td><td>-----</td><td>-----</td><td>64.98</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400 20 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.72	-----	-----	64.98	36.70	10.92	32.88	400 20 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5907.46	42.62	68.20	-25.58	28.01	36.61	10.86	32.86	400 20 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	79.72	-----	-----	64.98	36.70	10.92	32.88	400 20 AVERAGE																																																																																	





Mode	59																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>44.16</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>40.85</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.69	74.00	-26.31	44.16	38.32	15.18	49.97	---	Peak	2 17865.00	47.13	74.00	-26.87	40.85	42.47	17.85	54.04	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>43.74</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>41.18</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.27	74.00	-26.73	43.74	38.32	15.18	49.97	---	Peak	2 17865.00	47.46	74.00	-26.54	41.18	42.47	17.85	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	47.69	74.00	-26.31	44.16	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	47.13	74.00	-26.87	40.85	42.47	17.85	54.04	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	47.27	74.00	-26.73	43.74	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	47.46	74.00	-26.54	41.18	42.47	17.85	54.04	---	Peak																																																																																									





Mode	60																																																																																													
	Harmonic																																																																																													
	U-NII-5_5925-6425_802.11be EHT20_CH45_6175MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>43.79</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.43	74.00	-26.57	43.79	38.65	15.59	50.60	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>42.51</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.15	74.00	-27.85	42.51	38.65	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	47.43	74.00	-26.57	43.79	38.65	15.59	50.60	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	46.15	74.00	-27.85	42.51	38.65	15.59	50.60	---	---	Peak																																																																																			





Mode	61																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH93_6415MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12830.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>44.17</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12830.00	48.02	88.20	-40.18	44.17	38.80	16.08	51.03	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12830.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>43.51</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12830.00	47.36	88.20	-40.84	43.51	38.80	16.08	51.03	---	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12830.00	48.02	88.20	-40.18	44.17	38.80	16.08	51.03	---	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12830.00	47.36	88.20	-40.84	43.51	38.80	16.08	51.03	---	---	---	Peak																																																																																															





Mode	62																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH97_6435MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>43.26</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.13	88.20	-41.07	43.26	38.80	16.12	51.05	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>43.22</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.09	88.20	-41.11	43.22	38.80	16.12	51.05	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12870.00	47.13	88.20	-41.07	43.26	38.80	16.12	51.05	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12870.00	47.09	88.20	-41.11	43.22	38.80	16.12	51.05	---	---	Peak																																																																																															





Mode	63																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11be EHT20_CH105_6475MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.01</td><td>88.20</td><td>-41.19</td><td>42.99</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	47.01	88.20	-41.19	42.99	38.90	16.20	51.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.65</td><td>88.20</td><td>-41.55</td><td>42.63</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	46.65	88.20	-41.55	42.63	38.90	16.20	51.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	47.01	88.20	-41.19	42.99	38.90	16.20	51.08	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	46.65	88.20	-41.55	42.63	38.90	16.20	51.08	---	---	Peak																																																																																	



Mode	64																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6425-6525_802.11be EHT20_CH113_6515MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>42.78</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	46.87	88.20	-41.33	42.78	39.00	16.26	51.17	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>47.21</td><td>88.20</td><td>-40.99</td><td>43.12</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	47.21	88.20	-40.99	43.12	39.00	16.26	51.17	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13030.00	46.87	88.20	-41.33	42.78	39.00	16.26	51.17	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13030.00	47.21	88.20	-40.99	43.12	39.00	16.26	51.17	---	---	Peak																																																																																														





Mode	65																																																																			
	Harmonic																																																																			
	U-NII-7_6525-6875_802.11be EHT20_CH117_Full RU_6535MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13070.00</td><td>46.04</td><td>88.20</td><td>-42.16</td><td>42.04</td><td>39.00</td><td>16.27 51.27</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13070.00	46.04	88.20	-42.16	42.04	39.00	16.27 51.27	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13070.00</td><td>46.86</td><td>88.20</td><td>-41.34</td><td>42.86</td><td>39.00</td><td>16.27 51.27</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13070.00	46.86	88.20	-41.34	42.86	39.00	16.27 51.27
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13070.00	46.04	88.20	-42.16	42.04	39.00	16.27 51.27																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13070.00	46.86	88.20	-41.34	42.86	39.00	16.27 51.27																																																														
Peak						Peak																																																														





Mode	66																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-6875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>42.53</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.35	74.00	-27.65	42.53	39.50	16.36	52.04	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>42.26</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.08	74.00	-27.92	42.26	39.50	16.36	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	46.35	74.00	-27.65	42.53	39.50	16.36	52.04	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	46.08	74.00	-27.92	42.26	39.50	16.36	52.04	---	---	Peak																																																																																		





Mode	67																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-7_6525-6875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																																																												
ANT	15+10																																																																																																																												
Pol.	Horizontal							Vertical																																																																																																																					
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13710.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>43.04</td><td>39.70</td><td>16.45</td><td>52.22</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	46.97	88.20	-41.23	43.04	39.70	16.45	52.22							cm	deg							---	---								Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13710.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>43.02</td><td>39.70</td><td>16.45</td><td>52.22</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	46.95	88.20	-41.25	43.02	39.70	16.45	52.22							cm	deg							---	---							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																						
1 13710.00	46.97	88.20	-41.23	43.04	39.70	16.45	52.22																																																																																																																						
						cm	deg																																																																																																																						
						---	---																																																																																																																						
							Peak																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																						
1 13710.00	46.95	88.20	-41.25	43.02	39.70	16.45	52.22																																																																																																																						
						cm	deg																																																																																																																						
						---	---																																																																																																																						
							Peak																																																																																																																						



Mode	68																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-8_6875-7125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																																										
ANT	15+10																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>47.35</td><td>88.20</td><td>-40.85</td><td>43.35</td><td>39.70</td><td>16.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>52.18</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13790.00	47.35	88.20	-40.85	43.35	39.70	16.48								52.18							---	---								Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>47.62</td><td>88.20</td><td>-40.58</td><td>43.62</td><td>39.70</td><td>16.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>52.18</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13790.00	47.62	88.20	-40.58	43.62	39.70	16.48								52.18							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																				
1	13790.00	47.35	88.20	-40.85	43.35	39.70	16.48																																																																																																																				
							52.18																																																																																																																				
						---	---																																																																																																																				
							Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																				
1	13790.00	47.62	88.20	-40.58	43.62	39.70	16.48																																																																																																																				
							52.18																																																																																																																				
						---	---																																																																																																																				
							Peak																																																																																																																				







Mode	69																																																																																															
	Harmonic																																																																																															
	U-NII-8_6875-7125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>42.58</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	46.81	88.20	-41.39	42.58	39.79	16.54	52.10	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.33</td><td>88.20</td><td>-40.87</td><td>43.10</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	47.33	88.20	-40.87	43.10	39.79	16.54	52.10	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13990.00	46.81	88.20	-41.39	42.58	39.79	16.54	52.10	---	---	Peak																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13990.00	47.33	88.20	-40.87	43.10	39.79	16.54	52.10	---	---	Peak																																																																																					





Mode	70																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7228.52</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>38.55</td><td>36.56</td><td>11.87</td><td>33.15 PEAK</td></tr><tr><td>2</td><td>7278.80</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>38.47</td><td>36.60</td><td>11.96</td><td>33.16 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7228.52	53.83	88.20	-34.37	38.55	36.56	11.87	33.15 PEAK	2	7278.80	53.87	74.00	-20.13	38.47	36.60	11.96	33.16 PEAK	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>94.04</td><td>-----</td><td>-----</td><td>79.19</td><td>36.49</td><td>11.48</td><td>33.12 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	94.04	-----	-----	79.19	36.49	11.48	33.12 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7228.52	53.83	88.20	-34.37	38.55	36.56	11.87	33.15 PEAK																																																																											
2	7278.80	53.87	74.00	-20.13	38.47	36.60	11.96	33.16 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	94.04	-----	-----	79.19	36.49	11.48	33.12 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7220.06</td><td>43.31</td><td>68.20</td><td>-24.89</td><td>28.05</td><td>36.54</td><td>11.86</td><td>33.14 AVERAGE</td></tr><tr><td>2</td><td>7273.91</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>28.16</td><td>36.60</td><td>11.95</td><td>33.15 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7220.06	43.31	68.20	-24.89	28.05	36.54	11.86	33.14 AVERAGE	2	7273.91	43.56	54.00	-10.44	28.16	36.60	11.95	33.15 AVERAGE	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>85.33</td><td>-----</td><td>-----</td><td>70.49</td><td>36.48</td><td>11.48</td><td>33.12 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7095.00	85.33	-----	-----	70.49	36.48	11.48	33.12 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7220.06	43.31	68.20	-24.89	28.05	36.54	11.86	33.14 AVERAGE																																																																											
2	7273.91	43.56	54.00	-10.44	28.16	36.60	11.95	33.15 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7095.00	85.33	-----	-----	70.49	36.48	11.48	33.12 AVERAGE																																																																											







		70																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-8_6875-7125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																							
ANT		15+10																																																																																																							
Pol.		Vertical					Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.40</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>38.83</td><td>36.44</td><td>11.59</td><td>33.13</td><td>253</td><td>333 PEAK</td></tr><tr><td>2</td><td>7340.66</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>38.21</td><td>36.52</td><td>12.00</td><td>33.17</td><td>253</td><td>333 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7132.40	53.73	88.20	-34.47	38.83	36.44	11.59	33.13	253	333 PEAK	2	7340.66	53.56	74.00	-20.44	38.21	36.52	12.00	33.17	253	333 PEAK	Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>94.99</td><td>-----</td><td>-----</td><td>80.12</td><td>36.50</td><td>11.49</td><td>33.12</td><td>253</td><td>333 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.99	-----	-----	80.12	36.50	11.49	33.12	253	333 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7132.40	53.73	88.20	-34.47	38.83	36.44	11.59	33.13	253	333 PEAK																																																																																															
2	7340.66	53.56	74.00	-20.44	38.21	36.52	12.00	33.17	253	333 PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7095.00	94.99	-----	-----	80.12	36.50	11.49	33.12	253	333 PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7212.50</td><td>43.26</td><td>68.20</td><td>-24.94</td><td>28.04</td><td>36.52</td><td>11.84</td><td>33.14</td><td>253</td><td>333 AVERAGE</td></tr><tr><td>2</td><td>7279.25</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>28.16</td><td>36.60</td><td>11.96</td><td>33.16</td><td>253</td><td>333 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7212.50	43.26	68.20	-24.94	28.04	36.52	11.84	33.14	253	333 AVERAGE	2	7279.25	43.56	54.00	-10.44	28.16	36.60	11.96	33.16	253	333 AVERAGE	Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_BE Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>85.76</td><td>-----</td><td>-----</td><td>70.89</td><td>36.50</td><td>11.49</td><td>33.12</td><td>253</td><td>333 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.76	-----	-----	70.89	36.50	11.49	33.12	253	333 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7212.50	43.26	68.20	-24.94	28.04	36.52	11.84	33.14	253	333 AVERAGE																																																																																															
2	7279.25	43.56	54.00	-10.44	28.16	36.60	11.96	33.16	253	333 AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7095.00	85.76	-----	-----	70.89	36.50	11.49	33.12	253	333 AVERAGE																																																																																															



Mode	70	
	Harmonic	
	U-NII-8_6875-7125_802.11be EHT20_CH229_Full RU_7095MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 47.22 88.20 -40.98 42.68 39.89 16.64 51.99 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 47.57 88.20 -40.63 43.03 39.89 16.64 51.99 --- --- Peak



		71																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																								
ANT		15+10																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Date: 2025-08-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5884.20</td><td>52.88</td><td>88.20</td><td>-35.32</td><td>38.32</td><td>36.57</td><td>10.84</td><td>32.85</td><td>239 321 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5884.20	52.88	88.20	-35.32	38.32	36.57	10.84	32.85	239 321 PEAK	 Date: 2025-08-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>92.31</td><td>-----</td><td>-----</td><td>77.55</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239 321 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.31	-----	-----	77.55	36.70	10.95	32.89	239 321 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5884.20	52.88	88.20	-35.32	38.32	36.57	10.84	32.85	239 321 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	92.31	-----	-----	77.55	36.70	10.95	32.89	239 321 PEAK																																																																																	
Avg	 Date: 2025-08-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.00</td><td>42.76</td><td>68.20</td><td>-25.44</td><td>28.13</td><td>36.63</td><td>10.87</td><td>32.87</td><td>239 321 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.00	42.76	68.20	-25.44	28.13	36.63	10.87	32.87	239 321 AVERAGE	 Date: 2025-08-09 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>83.10</td><td>-----</td><td>-----</td><td>68.34</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239 321 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	83.10	-----	-----	68.34	36.70	10.95	32.89	239 321 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5917.00	42.76	68.20	-25.44	28.13	36.63	10.87	32.87	239 321 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	83.10	-----	-----	68.34	36.70	10.95	32.89	239 321 AVERAGE																																																																																	





		71																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																
ANT		15+10																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5910.44</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>37.99</td><td>36.62</td><td>10.86</td><td>32.86</td><td>378 18 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5910.44	52.61	88.20	-35.59	37.99	36.62	10.86	32.86	378 18 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>87.99</td><td>-----</td><td>-----</td><td>73.21</td><td>36.70</td><td>10.97</td><td>32.89</td><td>378 18 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	87.99	-----	-----	73.21	36.70	10.97	32.89	378 18 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5910.44	52.61	88.20	-35.59	37.99	36.62	10.86	32.86	378 18 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5965.00	87.99	-----	-----	73.21	36.70	10.97	32.89	378 18 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.60</td><td>42.70</td><td>68.20</td><td>-25.50</td><td>28.04</td><td>36.65</td><td>10.88</td><td>32.87</td><td>378 18 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5922.60	42.70	68.20	-25.50	28.04	36.65	10.88	32.87	378 18 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>78.92</td><td>-----</td><td>-----</td><td>64.16</td><td>36.70</td><td>10.94</td><td>32.88</td><td>378 18 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	78.92	-----	-----	64.16	36.70	10.94	32.88	378 18 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5922.60	42.70	68.20	-25.50	28.04	36.65	10.88	32.87	378 18 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5965.00	78.92	-----	-----	64.16	36.70	10.94	32.88	378 18 AVERAGE																																																																										





Mode	71																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>43.08</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17895.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>39.97</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	46.67	74.00	-27.33	43.08	38.36	15.19	49.96	---	--- Peak	2 17895.00	46.23	74.00	-27.77	39.97	42.49	17.84	54.07	---	--- Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>43.29</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17895.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>39.71</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	46.88	74.00	-27.12	43.29	38.36	15.19	49.96	---	--- Peak	2 17895.00	45.97	74.00	-28.03	39.71	42.49	17.84	54.07	---	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	46.67	74.00	-27.33	43.08	38.36	15.19	49.96	---	--- Peak																																																																																									
2 17895.00	46.23	74.00	-27.77	39.97	42.49	17.84	54.07	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	46.88	74.00	-27.12	43.29	38.36	15.19	49.96	---	--- Peak																																																																																									
2 17895.00	45.97	74.00	-28.03	39.71	42.49	17.84	54.07	---	--- Peak																																																																																									





Mode	72																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11be EHT40_CH43_Full RU_6165MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>42.33</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	45.97	74.00	-28.03	42.33	38.63	15.57	50.56	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>42.76</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	46.40	74.00	-27.60	42.76	38.63	15.57	50.56	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12330.00	45.97	74.00	-28.03	42.33	38.63	15.57	50.56	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12330.00	46.40	74.00	-27.60	42.76	38.63	15.57	50.56	---	---	Peak																																																																																															





Mode	73																																																									
	Harmonic																																																									
	U-NII-5_5925-6425_802.11be EHT40_CH91_Full RU_6405MHz																																																									
ANT	15+10																																																									
Pol.	Horizontal					Vertical																																																				
Peak Avg																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.91</td><td>38.80</td><td>16.05</td><td>51.02</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 12810.00	47.74	88.20	-40.46	43.91	38.80	16.05	51.02	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 12810.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.32</td><td>38.80</td><td>16.05</td><td>51.02</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 12810.00	47.15	88.20	-41.05	43.32	38.80	16.05	51.02
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 12810.00	47.74	88.20	-40.46	43.91	38.80	16.05	51.02																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 12810.00	47.15	88.20	-41.05	43.32	38.80	16.05	51.02																																																			
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.91</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.74	88.20	-40.46	43.91	38.80	16.05	51.02	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.32</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.15	88.20	-41.05	43.32	38.80	16.05	51.02	---	Peak					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12810.00	47.74	88.20	-40.46	43.91	38.80	16.05	51.02	---	Peak																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	12810.00	47.15	88.20	-41.05	43.32	38.80	16.05	51.02	---	Peak																																																





Mode	74																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>43.73</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	47.61	88.20	-40.59	43.73	38.80	16.14	51.06	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.66</td><td>88.20</td><td>-40.54</td><td>43.78</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	47.66	88.20	-40.54	43.78	38.80	16.14	51.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12890.00	47.61	88.20	-40.59	43.73	38.80	16.14	51.06	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12890.00	47.66	88.20	-40.54	43.78	38.80	16.14	51.06	---	---	Peak																																																																																	





Mode	75																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.65</td><td>88.20</td><td>-40.55</td><td>43.58</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	47.65	88.20	-40.55	43.58	38.94	16.22	51.09	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.31</td><td>88.20</td><td>-41.89</td><td>42.24</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	46.31	88.20	-41.89	42.24	38.94	16.22	51.09	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12970.00	47.65	88.20	-40.55	43.58	38.94	16.22	51.09	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12970.00	46.31	88.20	-41.89	42.24	38.94	16.22	51.09	---	---	Peak																																																																																	





Mode	76																																																																																																				
	Harmonic																																																																																																				
	U-NII-7_6525-6875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																				
ANT	15+10																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>44.11</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	48.02	88.20	-40.18	44.11	39.03	16.29	51.41	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>43.11</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.02	88.20	-41.18	43.11	39.03	16.29	51.41	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13130.00	48.02	88.20	-40.18	44.11	39.03	16.29	51.41	---	---	Peak																																																																																										
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13130.00	47.02	88.20	-41.18	43.11	39.03	16.29	51.41	---	---	Peak																																																																																										





Mode	77																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>42.45</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	46.32	74.00	-27.68	42.45	39.50	16.36	51.99	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>42.18</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	46.05	74.00	-27.95	42.18	39.50	16.36	51.99	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13370.00	46.32	74.00	-27.68	42.45	39.50	16.36	51.99	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13370.00	46.05	74.00	-27.95	42.18	39.50	16.36	51.99	---	---	Peak																																																																																														





Mode	78																																																																																							
	Harmonic																																																																																							
	U-NII-7_6525-6875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																							
ANT	15+10																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>42.85</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.77	88.20	-41.43	42.85	39.69	16.45	52.22	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.90</td><td>88.20</td><td>-41.30</td><td>42.98</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.90	88.20	-41.30	42.98	39.69	16.45	52.22	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	13690.00	46.77	88.20	-41.43	42.85	39.69	16.45	52.22	---	---	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	13690.00	46.90	88.20	-41.30	42.98	39.69	16.45	52.22	---	---	Peak																																																																													



Mode	79																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-8_6875-7125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																																																											
ANT	15+10																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13850.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>42.79</td><td>39.70</td><td>16.50</td><td>52.16</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13850.00	46.83	88.20	-41.37	42.79	39.70	16.50	52.16							cm	deg							---	---								Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13850.00</td><td>47.39</td><td>88.20</td><td>-40.81</td><td>43.35</td><td>39.70</td><td>16.50</td><td>52.16</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13850.00	47.39	88.20	-40.81	43.35	39.70	16.50	52.16							cm	deg							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 13850.00	46.83	88.20	-41.37	42.79	39.70	16.50	52.16																																																																																																																					
						cm	deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 13850.00	47.39	88.20	-40.81	43.35	39.70	16.50	52.16																																																																																																																					
						cm	deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					



Mode	80																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6875-7125_802.11be EHT40_CH203_Full RU_6965MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>46.34</td><td>88.20</td><td>-41.86</td><td>42.22</td><td>39.73</td><td>16.52</td><td>52.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	46.34	88.20	-41.86	42.22	39.73	16.52	52.13	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>42.65</td><td>39.73</td><td>16.52</td><td>52.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	46.77	88.20	-41.43	42.65	39.73	16.52	52.13	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13930.00	46.34	88.20	-41.86	42.22	39.73	16.52	52.13	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13930.00	46.77	88.20	-41.43	42.65	39.73	16.52	52.13	---	---	Peak																																																																																															





Mode	81																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7149.08</td><td>52.97</td><td>88.20</td><td>-35.23</td><td>38.06</td><td>36.40</td><td>11.64</td><td>33.13 393 150 PEAK</td></tr><tr><td>2</td><td>7332.90</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>37.95</td><td>36.53</td><td>12.00</td><td>33.17 393 150 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7149.08	52.97	88.20	-35.23	38.06	36.40	11.64	33.13 393 150 PEAK	2	7332.90	53.31	74.00	-20.69	37.95	36.53	12.00	33.17 393 150 PEAK	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>91.03</td><td>-----</td><td>-----</td><td>76.23</td><td>36.45</td><td>11.47</td><td>33.12 393 150 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7085.00	91.03	-----	-----	76.23	36.45	11.47	33.12 393 150 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7149.08	52.97	88.20	-35.23	38.06	36.40	11.64	33.13 393 150 PEAK																																																																											
2	7332.90	53.31	74.00	-20.69	37.95	36.53	12.00	33.17 393 150 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7085.00	91.03	-----	-----	76.23	36.45	11.47	33.12 393 150 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.62</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>28.20</td><td>36.53</td><td>11.85</td><td>33.14 393 150 AVERAGE</td></tr><tr><td>2</td><td>7272.48</td><td>43.51</td><td>54.00</td><td>-10.49</td><td>28.11</td><td>36.60</td><td>11.95</td><td>33.15 393 150 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7216.62	43.44	68.20	-24.76	28.20	36.53	11.85	33.14 393 150 AVERAGE	2	7272.48	43.51	54.00	-10.49	28.11	36.60	11.95	33.15 393 150 AVERAGE	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>81.23</td><td>-----</td><td>-----</td><td>66.43</td><td>36.45</td><td>11.47</td><td>33.12 393 150 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7085.00	81.23	-----	-----	66.43	36.45	11.47	33.12 393 150 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7216.62	43.44	68.20	-24.76	28.20	36.53	11.85	33.14 393 150 AVERAGE																																																																											
2	7272.48	43.51	54.00	-10.49	28.11	36.60	11.95	33.15 393 150 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																											
1	7085.00	81.23	-----	-----	66.43	36.45	11.47	33.12 393 150 AVERAGE																																																																											







Mode	81																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7228.31</td><td>53.64</td><td>88.20</td><td>-34.56</td><td>38.36</td><td>36.56</td><td>11.87</td><td>33.15</td><td>378 343 PEAK</td></tr><tr><td>2</td><td>7276.19</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>37.88</td><td>36.60</td><td>11.96</td><td>33.16</td><td>378 343 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7228.31	53.64	88.20	-34.56	38.36	36.56	11.87	33.15	378 343 PEAK	2	7276.19	53.28	74.00	-20.72	37.88	36.60	11.96	33.16	378 343 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>95.52</td><td>-----</td><td>-----</td><td>80.72</td><td>36.45</td><td>11.47</td><td>33.12</td><td>378 343 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	95.52	-----	-----	80.72	36.45	11.47	33.12	378 343 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7228.31	53.64	88.20	-34.56	38.36	36.56	11.87	33.15	378 343 PEAK																																																																																			
2	7276.19	53.28	74.00	-20.72	37.88	36.60	11.96	33.16	378 343 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7085.00	95.52	-----	-----	80.72	36.45	11.47	33.12	378 343 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7224.89</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>28.08</td><td>36.55</td><td>11.87</td><td>33.14</td><td>378 343 AVERAGE</td></tr><tr><td>2</td><td>7263.93</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>28.18</td><td>36.60</td><td>11.93</td><td>33.15</td><td>378 343 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7224.89	43.36	68.20	-24.84	28.08	36.55	11.87	33.14	378 343 AVERAGE	2	7263.93	43.56	54.00	-10.44	28.18	36.60	11.93	33.15	378 343 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>86.02</td><td>-----</td><td>-----</td><td>71.23</td><td>36.44</td><td>11.46</td><td>33.11</td><td>378 343 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	86.02	-----	-----	71.23	36.44	11.46	33.11	378 343 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7224.89	43.36	68.20	-24.84	28.08	36.55	11.87	33.14	378 343 AVERAGE																																																																																			
2	7263.93	43.56	54.00	-10.44	28.18	36.60	11.93	33.15	378 343 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7085.00	86.02	-----	-----	71.23	36.44	11.46	33.11	378 343 AVERAGE																																																																																			



Mode	81																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>48.19</td><td>88.20</td><td>-40.01</td><td>43.69</td><td>39.87</td><td>16.63</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	48.19	88.20	-40.01	43.69	39.87	16.63	52.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>42.50</td><td>39.87</td><td>16.63</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	47.00	88.20	-41.20	42.50	39.87	16.63	52.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14170.00	48.19	88.20	-40.01	43.69	39.87	16.63	52.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14170.00	47.00	88.20	-41.20	42.50	39.87	16.63	52.00	---	---	Peak																																																																																	





Mode	82																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.92</td><td>52.79</td><td>88.20</td><td>-35.41</td><td>38.16</td><td>36.63</td><td>10.87</td><td>32.87</td><td>239</td><td>320 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.92	52.79	88.20	-35.41	38.16	36.63	10.87	32.87	239	320 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.72</td><td>-----</td><td>-----</td><td>81.92</td><td>36.69</td><td>11.01</td><td>32.90</td><td>239</td><td>320 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.72	-----	-----	81.92	36.69	11.01	32.90	239
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5914.92	52.79	88.20	-35.41	38.16	36.63	10.87	32.87	239	320 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	96.72	-----	-----	81.92	36.69	11.01	32.90	239	320 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.52</td><td>43.02</td><td>68.20</td><td>-25.18</td><td>28.40</td><td>36.62</td><td>10.86</td><td>32.86</td><td>239</td><td>320 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.52	43.02	68.20	-25.18	28.40	36.62	10.86	32.86	239	320 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>86.99</td><td>-----</td><td>-----</td><td>72.20</td><td>36.70</td><td>10.98</td><td>32.89</td><td>239</td><td>320 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.99	-----	-----	72.20	36.70	10.98	32.89	239
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5908.52	43.02	68.20	-25.18	28.40	36.62	10.86	32.86	239	320 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	86.99	-----	-----	72.20	36.70	10.98	32.89	239	320 AVERAGE																																																																																	





		82																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5904.84</td><td>52.82</td><td>88.20</td><td>-35.38</td><td>38.22</td><td>36.61</td><td>10.85</td><td>32.86</td><td>387 338 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5904.84	52.82	88.20	-35.38	38.22	36.61	10.85	32.86	387 338 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>89.76</td><td>-----</td><td>-----</td><td>74.98</td><td>36.70</td><td>10.97</td><td>32.89</td><td>387 338 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	89.76	-----	-----	74.98	36.70	10.97	32.89
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5904.84	52.82	88.20	-35.38	38.22	36.61	10.85	32.86	387 338 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	89.76	-----	-----	74.98	36.70	10.97	32.89	387 338 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5905.80</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>28.03</td><td>36.61</td><td>10.86</td><td>32.86</td><td>387 338 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5905.80	42.64	68.20	-25.56	28.03	36.61	10.86	32.86	387 338 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>81.62</td><td>-----</td><td>-----</td><td>66.85</td><td>36.70</td><td>10.96</td><td>32.89</td><td>387 338 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	81.62	-----	-----	66.85	36.70	10.96	32.89
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5905.80	42.64	68.20	-25.56	28.03	36.61	10.86	32.86	387 338 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	81.62	-----	-----	66.85	36.70	10.96	32.89	387 338 AVERAGE																																																																																





Mode	82																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-08-12  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>42.13</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17955.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>39.56</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>--- Peak</td></tr></table> Level (dBuV/m) Date: 2025-08-12  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>42.13</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17955.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>40.18</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	--- Peak	2 17955.00	45.90	74.00	-28.10	39.56	42.67	17.82	54.15	---	--- Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	--- Peak	2 17955.00	46.52	74.00	-27.48	40.18	42.67	17.82	54.15	---	--- Peak	
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	--- Peak																																																																																									
2 17955.00	45.90	74.00	-28.10	39.56	42.67	17.82	54.15	---	--- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	--- Peak																																																																																									
2 17955.00	46.52	74.00	-27.48	40.18	42.67	17.82	54.15	---	--- Peak																																																																																									





Mode	83																																																			
	Harmonic																																																			
	U-NII-5_5925-6425_802.11be EHT80_CH39_Full RU_6145MHz																																																			
ANT	15+10																																																			
Pol.	Horizontal						Vertical																																													
Peak Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>43.04</td><td>38.60</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12290.00	46.69	74.00	-27.31	43.04	38.60	15.53	50.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	12290.00	46.69	74.00	-27.31	43.04	38.60	15.53	50.48	---	---	Peak																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>42.23</td><td>38.60</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12290.00	45.88	74.00	-28.12	42.23	38.60	15.53	50.48	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	12290.00	45.88	74.00	-28.12	42.23	38.60	15.53	50.48	---	---	Peak																																									





Mode	84																																																																			
	Harmonic																																																																			
	U-NII-5_5925-6425_802.11be EHT80_CH87_Full RU_6385MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12770.00</td><td>46.15</td><td>88.20</td><td>-42.05</td><td>42.38</td><td>38.77</td><td>16.01 51.01</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12770.00	46.15	88.20	-42.05	42.38	38.77	16.01 51.01	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12770.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>43.61</td><td>38.77</td><td>16.01 51.01</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12770.00	47.38	88.20	-40.82	43.61	38.77	16.01 51.01
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12770.00	46.15	88.20	-42.05	42.38	38.77	16.01 51.01																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12770.00	47.38	88.20	-40.82	43.61	38.77	16.01 51.01																																																														
Peak						Peak																																																														





Mode	85																																																																																																							
	Harmonic																																																																																																							
	U-NII-6_6425-6525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																																							
ANT	15+10																																																																																																							
Pol.	Horizontal										Vertical																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-08-12  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12930.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>43.29</td><td>38.86</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-08-12  <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12930.00</td><td>46.60</td><td>88.20</td><td>-41.60</td><td>42.63</td><td>38.86</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12930.00	47.26	88.20	-40.94	43.29	38.86	16.18	51.07	---	---	Peak			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12930.00	46.60	88.20	-41.60	42.63	38.86	16.18	51.07	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12930.00	47.26	88.20	-40.94	43.29	38.86	16.18	51.07	---	---	Peak																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12930.00	46.60	88.20	-41.60	42.63	38.86	16.18	51.07	---	---	Peak																																																																																													





Mode	86																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>42.88</td><td>39.30</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	46.80	74.00	-27.20	42.88	39.30	16.32	51.70	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>42.33</td><td>39.30</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	46.25	74.00	-27.75	42.33	39.30	16.32	51.70	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	13250.00	46.80	74.00	-27.20	42.88	39.30	16.32	51.70	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	13250.00	46.25	74.00	-27.75	42.33	39.30	16.32	51.70	---	---	Peak																																																																																														





Mode	87																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-6875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.98</td><td>88.20</td><td>-42.22</td><td>42.18</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.98	88.20	-42.22	42.18	39.51	16.37	52.08	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>46.70</td><td>88.20</td><td>-41.50</td><td>42.90</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	46.70	88.20	-41.50	42.90	39.51	16.37	52.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	45.98	88.20	-42.22	42.18	39.51	16.37	52.08	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	46.70	88.20	-41.50	42.90	39.51	16.37	52.08	---	---	Peak																																																																																		



Mode	88																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-6875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>46.52</td><td>88.20</td><td>-41.68</td><td>42.78</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	46.52	88.20	-41.68	42.78	39.60	16.41	52.27	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>42.72</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	46.46	88.20	-41.74	42.72	39.60	16.41	52.27	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13570.00	46.52	88.20	-41.68	42.78	39.60	16.41	52.27	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13570.00	46.46	88.20	-41.74	42.72	39.60	16.41	52.27	---	---	Peak																																																																																															



Mode	89																																																																																															
	Harmonic																																																																																															
	U-NII-8_6875-7125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13890.00</td><td>47.75</td><td>88.20</td><td>-40.45</td><td>43.68</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13890.00	47.75	88.20	-40.45	43.68	39.70	16.51	52.14	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13890.00</td><td>46.67</td><td>88.20</td><td>-41.53</td><td>42.60</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13890.00	46.67	88.20	-41.53	42.60	39.70	16.51	52.14	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13890.00	47.75	88.20	-40.45	43.68	39.70	16.51	52.14	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13890.00	46.67	88.20	-41.53	42.60	39.70	16.51	52.14	---	---	Peak																																																																																					





Mode	90																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7138.30</td><td>53.64</td><td>88.20</td><td>-34.56</td><td>38.74</td><td>36.42</td><td>11.61</td><td>33.13</td><td>183</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>7275.91</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>38.33</td><td>36.60</td><td>11.96</td><td>33.16</td><td>183</td><td>316</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7138.30	53.64	88.20	-34.56	38.74	36.42	11.61	33.13	183	316	PEAK	2	7275.91	53.73	74.00	-20.27	38.33	36.60	11.96	33.16	183	316	PEAK	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>96.27</td><td>-----</td><td>-----</td><td>81.56</td><td>36.38</td><td>11.44</td><td>33.11</td><td>183</td><td>316</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	96.27	-----	-----	81.56	36.38	11.44	33.11	183	316	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																				
1	7138.30	53.64	88.20	-34.56	38.74	36.42	11.61	33.13	183	316	PEAK																																																																																	
2	7275.91	53.73	74.00	-20.27	38.33	36.60	11.96	33.16	183	316	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																				
1	7025.00	96.27	-----	-----	81.56	36.38	11.44	33.11	183	316	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7221.89</td><td>43.50</td><td>68.20</td><td>-24.70</td><td>28.24</td><td>36.54</td><td>11.86</td><td>33.14</td><td>183</td><td>316</td><td>AVERAGE</td></tr><tr><td>2</td><td>7279.92</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>28.13</td><td>36.60</td><td>11.96</td><td>33.16</td><td>183</td><td>316</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7221.89	43.50	68.20	-24.70	28.24	36.54	11.86	33.14	183	316	AVERAGE	2	7279.92	43.53	54.00	-10.47	28.13	36.60	11.96	33.16	183	316	AVERAGE	Level (dBuV/m) Date: 2025-08-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>86.80</td><td>-----</td><td>-----</td><td>72.09</td><td>36.38</td><td>11.44</td><td>33.11</td><td>183</td><td>316</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	86.80	-----	-----	72.09	36.38	11.44	33.11	183	316	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																				
1	7221.89	43.50	68.20	-24.70	28.24	36.54	11.86	33.14	183	316	AVERAGE																																																																																	
2	7279.92	43.53	54.00	-10.47	28.13	36.60	11.96	33.16	183	316	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																				
1	7025.00	86.80	-----	-----	72.09	36.38	11.44	33.11	183	316	AVERAGE																																																																																	







Mode	90																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7142.32</td><td>53.01</td><td>88.20</td><td>-35.19</td><td>38.10</td><td>36.42</td><td>11.62</td><td>33.13 385 339 PEAK</td></tr><tr><td>2</td><td>7267.51</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>38.41</td><td>36.60</td><td>11.94</td><td>33.15 385 339 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7142.32	53.01	88.20	-35.19	38.10	36.42	11.62	33.13 385 339 PEAK	2	7267.51	53.80	74.00	-20.20	38.41	36.60	11.94	33.15 385 339 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>96.98</td><td>-----</td><td>-----</td><td>82.34</td><td>36.32</td><td>11.42</td><td>385 339 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	96.98	-----	-----	82.34	36.32	11.42	385 339 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7142.32	53.01	88.20	-35.19	38.10	36.42	11.62	33.13 385 339 PEAK																																																																											
2	7267.51	53.80	74.00	-20.20	38.41	36.60	11.94	33.15 385 339 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7025.00	96.98	-----	-----	82.34	36.32	11.42	385 339 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7218.60</td><td>43.71</td><td>68.20</td><td>-24.49</td><td>28.46</td><td>36.54</td><td>11.85</td><td>385 339 AVERAGE</td></tr><tr><td>2</td><td>7258.39</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>28.17</td><td>36.60</td><td>11.92</td><td>385 339 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7218.60	43.71	68.20	-24.49	28.46	36.54	11.85	385 339 AVERAGE	2	7258.39	43.54	54.00	-10.46	28.17	36.60	11.92	385 339 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>87.69</td><td>-----</td><td>-----</td><td>73.04</td><td>36.33</td><td>11.42</td><td>385 339 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	87.69	-----	-----	73.04	36.33	11.42	385 339 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7218.60	43.71	68.20	-24.49	28.46	36.54	11.85	385 339 AVERAGE																																																																											
2	7258.39	43.54	54.00	-10.46	28.17	36.60	11.92	385 339 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7025.00	87.69	-----	-----	73.04	36.33	11.42	385 339 AVERAGE																																																																											







Mode	90																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>46.40</td><td>88.20</td><td>-41.80</td><td>42.10</td><td>39.80</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	46.40	88.20	-41.80	42.10	39.80	16.57	52.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>46.76</td><td>88.20</td><td>-41.44</td><td>42.46</td><td>39.80</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	46.76	88.20	-41.44	42.46	39.80	16.57	52.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	46.40	88.20	-41.80	42.10	39.80	16.57	52.07	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	46.76	88.20	-41.44	42.46	39.80	16.57	52.07	---	---	Peak																																																																																	





Mode	91																																																																																		
	Band Edge																																																																																		
	U-NII-5_5925-6425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5923.56</td><td>52.83</td><td>88.20 -35.37</td><td>38.17</td><td>36.65</td><td>10.88</td><td>32.87</td><td>230</td><td>26</td><td>PEAK</td></tr></table> Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6025.00</td><td>93.25</td><td>-----</td><td>78.59</td><td>36.51</td><td>11.06</td><td>32.91</td><td>230</td><td>26</td><td>PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5923.56	52.83	88.20 -35.37	38.17	36.65	10.88	32.87	230	26	PEAK	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6025.00	93.25	-----	78.59	36.51	11.06	32.91	230	26	PEAK	Avg	Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5912.36</td><td>43.25</td><td>68.20 -24.95</td><td>28.62</td><td>36.62</td><td>10.87</td><td>32.86</td><td>230</td><td>26</td><td>AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6025.00</td><td>84.40</td><td>-----</td><td>69.68</td><td>36.59</td><td>11.04</td><td>32.91</td><td>230</td><td>26</td><td>AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5912.36	43.25	68.20 -24.95	28.62	36.62	10.87	32.86	230	26	AVERAGE	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6025.00	84.40	-----	69.68	36.59	11.04	32.91	230	26	AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																									
1 5923.56	52.83	88.20 -35.37	38.17	36.65	10.88	32.87	230	26	PEAK																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																										
1 6025.00	93.25	-----	78.59	36.51	11.06	32.91	230	26	PEAK																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																										
1 5912.36	43.25	68.20 -24.95	28.62	36.62	10.87	32.86	230	26	AVERAGE																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																										
1 6025.00	84.40	-----	69.68	36.59	11.04	32.91	230	26	AVERAGE																																																																										





		91																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-5_5925-6425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT		15+10																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5889.40</td><td>53.26</td><td>88.20</td><td>-34.94</td><td>38.70</td><td>36.58</td><td>10.84</td><td>32.86</td><td>140</td><td>359</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5889.40	53.26	88.20	-34.94	38.70	36.58	10.84	32.86	140	359	PEAK	Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>94.00</td><td>-----</td><td>-----</td><td>79.23</td><td>36.70</td><td>10.96</td><td>32.89</td><td>140</td><td>359</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.00	-----	-----	79.23	36.70	10.96	32.89	140	359	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5889.40	53.26	88.20	-34.94	38.70	36.58	10.84	32.86	140	359	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6025.00	94.00	-----	-----	79.23	36.70	10.96	32.89	140	359	PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.84</td><td>43.50</td><td>68.20</td><td>-24.70</td><td>28.84</td><td>36.65</td><td>10.88</td><td>32.87</td><td>140</td><td>359</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.84	43.50	68.20	-24.70	28.84	36.65	10.88	32.87	140	359	AVERAGE	Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.77</td><td>-----</td><td>-----</td><td>70.02</td><td>36.70</td><td>10.93</td><td>32.88</td><td>140</td><td>359</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.77	-----	-----	70.02	36.70	10.93	32.88	140	359	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5923.84	43.50	68.20	-24.70	28.84	36.65	10.88	32.87	140	359	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6025.00	84.77	-----	-----	70.02	36.70	10.93	32.88	140	359	AVERAGE																																																																																									





Mode	91																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>42.90</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	46.68	74.00	-27.32	42.90	38.50	15.28	50.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>43.17</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	46.95	74.00	-27.05	43.17	38.50	15.28	50.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	46.68	74.00	-27.32	42.90	38.50	15.28	50.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	46.95	74.00	-27.05	43.17	38.50	15.28	50.00	---	---	Peak																																																																																	





Mode	92																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>42.78</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	46.42	74.00	-27.58	42.78	38.67	15.61	50.64	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>43.13</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	46.77	74.00	-27.23	43.13	38.67	15.61	50.64	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	46.42	74.00	-27.58	42.78	38.67	15.61	50.64	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	46.77	74.00	-27.23	43.13	38.67	15.61	50.64	---	---	Peak																																																																																	







Mode	93																																																																																							
	Harmonic																																																																																							
	U-NII-5_5925-6425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																							
ANT	15+10																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>12690.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>43.85</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	12690.00	47.50	74.00	-26.50	43.85	38.70	15.93	50.98	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>12690.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>43.36</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	12690.00	47.01	74.00	-26.99	43.36	38.70	15.93	50.98	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																
1	12690.00	47.50	74.00	-26.50	43.85	38.70	15.93	50.98	---	Peak																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																
1	12690.00	47.01	74.00	-26.99	43.36	38.70	15.93	50.98	---	Peak																																																																														



Mode	94																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-12  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-12  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>42.46</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13330.00	46.41	74.00	-27.59	42.46	39.50	16.34	51.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>41.87</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13330.00	45.82	74.00	-28.18	41.87	39.50	16.34	51.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13330.00	46.41	74.00	-27.59	42.46	39.50	16.34	51.89	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13330.00	45.82	74.00	-28.18	41.87	39.50	16.34	51.89	---	---	Peak																																																																																	





		95																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6875-7125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																												
ANT		15+10																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2025-08-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7128.13</td><td>54.49</td><td>88.20</td><td>-33.71</td><td>39.61</td><td>36.44</td><td>11.57</td><td>33.13</td><td>400 20 PEAK</td></tr><tr><td>2</td><td>7319.38</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>38.29</td><td>36.56</td><td>12.01</td><td>33.16</td><td>400 20 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7128.13	54.49	88.20	-33.71	39.61	36.44	11.57	33.13	400 20 PEAK	2	7319.38	53.70	74.00	-20.30	38.29	36.56	12.01	33.16	400 20 PEAK	Level (dBuV/m) Date: 2025-08-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>92.44</td><td>-----</td><td>-----</td><td>77.89</td><td>36.30</td><td>11.34</td><td>33.09</td><td>400 20 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	92.44	-----	-----	77.89	36.30	11.34	33.09	400 20 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
1	7128.13	54.49	88.20	-33.71	39.61	36.44	11.57	33.13	400 20 PEAK																																																																																					
2	7319.38	53.70	74.00	-20.30	38.29	36.56	12.01	33.16	400 20 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
1	6985.00	92.44	-----	-----	77.89	36.30	11.34	33.09	400 20 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-08-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7213.13</td><td>43.75</td><td>68.20</td><td>-24.45</td><td>28.52</td><td>36.53</td><td>11.84</td><td>33.14</td><td>400 20 AVERAGE</td></tr><tr><td>2</td><td>7261.25</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>28.39</td><td>36.60</td><td>11.93</td><td>33.15</td><td>400 20 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7213.13	43.75	68.20	-24.45	28.52	36.53	11.84	33.14	400 20 AVERAGE	2	7261.25	43.77	54.00	-10.23	28.39	36.60	11.93	33.15	400 20 AVERAGE	Level (dBuV/m) Date: 2025-08-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>83.76</td><td>-----</td><td>-----</td><td>69.24</td><td>36.28</td><td>11.33</td><td>33.09</td><td>400 20 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	83.76	-----	-----	69.24	36.28	11.33	33.09	400 20 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
1	7213.13	43.75	68.20	-24.45	28.52	36.53	11.84	33.14	400 20 AVERAGE																																																																																					
2	7261.25	43.77	54.00	-10.23	28.39	36.60	11.93	33.15	400 20 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
1	6985.00	83.76	-----	-----	69.24	36.28	11.33	33.09	400 20 AVERAGE																																																																																					



Mode	95																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6875-7125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7143.13</td><td>55.17</td><td>88.20</td><td>-33.03</td><td>40.27</td><td>36.41</td><td>11.62</td><td>33.13</td><td>332</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7273.75</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>39.27</td><td>36.60</td><td>11.95</td><td>33.15</td><td>332</td><td>360</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7143.13	55.17	88.20	-33.03	40.27	36.41	11.62	33.13	332	360	PEAK	2	7273.75	54.67	74.00	-19.33	39.27	36.60	11.95	33.15	332	360	PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>96.16</td><td>-----</td><td>-----</td><td>81.72</td><td>36.23</td><td>11.29</td><td>33.08</td><td>332</td><td>360</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	96.16	-----	-----	81.72	36.23	11.29	33.08	332	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7143.13	55.17	88.20	-33.03	40.27	36.41	11.62	33.13	332	360	PEAK																																																																																							
2	7273.75	54.67	74.00	-19.33	39.27	36.60	11.95	33.15	332	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	96.16	-----	-----	81.72	36.23	11.29	33.08	332	360	PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.88</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>30.99</td><td>36.44</td><td>11.59</td><td>33.13</td><td>332</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7254.38</td><td>45.30</td><td>54.00</td><td>-8.70</td><td>29.93</td><td>36.60</td><td>11.92</td><td>33.15</td><td>332</td><td>360</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.88	45.89	68.20	-22.31	30.99	36.44	11.59	33.13	332	360	AVERAGE	2	7254.38	45.30	54.00	-8.70	29.93	36.60	11.92	33.15	332	360	AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>87.68</td><td>-----</td><td>-----</td><td>73.24</td><td>36.23</td><td>11.29</td><td>33.08</td><td>332</td><td>360</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.68	-----	-----	73.24	36.23	11.29	33.08	332	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7131.88	45.89	68.20	-22.31	30.99	36.44	11.59	33.13	332	360	AVERAGE																																																																																							
2	7254.38	45.30	54.00	-8.70	29.93	36.60	11.92	33.15	332	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	87.68	-----	-----	73.24	36.23	11.29	33.08	332	360	AVERAGE																																																																																							



Mode	95																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6875-7125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>46.98</td><td>88.20</td><td>-41.22</td><td>42.79</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	46.98	88.20	-41.22	42.79	39.77	16.53	52.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>42.84</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	47.03	88.20	-41.17	42.84	39.77	16.53	52.11	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13970.00	46.98	88.20	-41.22	42.79	39.77	16.53	52.11	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13970.00	47.03	88.20	-41.17	42.84	39.77	16.53	52.11	---	---	Peak																																																																																															





Mode	96																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>57.57</td><td>88.20</td><td>-30.63</td><td>42.91</td><td>36.65</td><td>10.88</td><td>32.87</td><td>258 309 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	57.57	88.20	-30.63	42.91	36.65	10.88	32.87	258 309 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>98.69</td><td>-----</td><td>-----</td><td>84.03</td><td>36.51</td><td>11.06</td><td>32.91</td><td>258 309 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	98.69	-----	-----	84.03	36.51	11.06	32.91	258 309 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5924.58	57.57	88.20	-30.63	42.91	36.65	10.88	32.87	258 309 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	98.69	-----	-----	84.03	36.51	11.06	32.91	258 309 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>47.30</td><td>68.20</td><td>-20.90</td><td>32.64</td><td>36.65</td><td>10.88</td><td>32.87</td><td>258 309 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	47.30	68.20	-20.90	32.64	36.65	10.88	32.87	258 309 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.60</td><td>-----</td><td>-----</td><td>74.99</td><td>36.44</td><td>11.08</td><td>32.91</td><td>258 309 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	89.60	-----	-----	74.99	36.44	11.08	32.91	258 309 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5924.58	47.30	68.20	-20.90	32.64	36.65	10.88	32.87	258 309 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	89.60	-----	-----	74.99	36.44	11.08	32.91	258 309 AVERAGE																																																																									





Mode	96																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Full RU_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5757.81</td><td>53.76</td><td>88.20</td><td>-34.44</td><td>39.03</td><td>36.68</td><td>10.85</td><td>32.80</td><td>157 261 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5757.81	53.76	88.20	-34.44	39.03	36.68	10.85	32.80	157 261 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>95.32</td><td>-----</td><td>-----</td><td>80.56</td><td>36.70</td><td>10.94</td><td>32.88</td><td>157 261 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	95.32	-----	-----	80.56	36.70	10.94	32.88	157 261 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5757.81	53.76	88.20	-34.44	39.03	36.68	10.85	32.80	157 261 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	95.32	-----	-----	80.56	36.70	10.94	32.88	157 261 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5913.10</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>29.86</td><td>36.63</td><td>10.87</td><td>32.87</td><td>157 261 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5913.10	44.49	68.20	-23.71	29.86	36.63	10.87	32.87	157 261 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>86.47</td><td>-----</td><td>-----</td><td>71.71</td><td>36.70</td><td>10.94</td><td>32.88</td><td>157 261 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	86.47	-----	-----	71.71	36.70	10.94	32.88	157 261 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5913.10	44.49	68.20	-23.71	29.86	36.63	10.87	32.87	157 261 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	86.47	-----	-----	71.71	36.70	10.94	32.88	157 261 AVERAGE																																																																		





Mode	96																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>42.29</td><td>38.60</td><td>15.44</td><td>50.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12210.00	46.01	74.00	-27.99	42.29	38.60	15.44	50.32	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>42.02</td><td>38.60</td><td>15.44</td><td>50.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12210.00	45.74	74.00	-28.26	42.02	38.60	15.44	50.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12210.00	46.01	74.00	-27.99	42.29	38.60	15.44	50.32	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12210.00	45.74	74.00	-28.26	42.02	38.60	15.44	50.32	---	---	Peak																																																																																	



Mode	97																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>43.25</td><td>38.70</td><td>15.77</td><td>50.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12530.00	46.81	74.00	-27.19	43.25	38.70	15.77	50.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>43.06</td><td>38.70</td><td>15.77</td><td>50.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12530.00	46.62	74.00	-27.38	43.06	38.70	15.77	50.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12530.00	46.81	74.00	-27.19	43.25	38.70	15.77	50.91	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12530.00	46.62	74.00	-27.38	43.06	38.70	15.77	50.91	---	---	Peak																																																																																	





Mode	98																																																																																															
	Harmonic																																																																																															
	U-NII-8_6525-7125_802.11a_CH185_Full RU_6525MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2025-08-12  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)						Level (dBuV/m) Date: 2025-08-12  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>47.91</td><td>88.20</td><td>-40.29</td><td>43.94</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	47.91	88.20	-40.29	43.94	39.70	16.47	52.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>43.84</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	47.81	88.20	-40.39	43.84	39.70	16.47	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13750.00	47.91	88.20	-40.29	43.94	39.70	16.47	52.20	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13750.00	47.81	88.20	-40.39	43.84	39.70	16.47	52.20	---	---	Peak																																																																																					





Mode	99										
	Harmonic										
	U-NII-8_6525-7125_802.11be EHT20_CH185_Full RU_6525MHz										
ANT	15+10										
Pol.	Horizontal						Vertical				
Peak Avg	Level (dBuV/m) </										





Mode	100																																																																																												
	Harmonic																																																																																												
	U-NII-8_6525-7125_802.11be EHT40_CH187_Full RU_6885MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-08-12  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-12  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>42.53</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	46.50	88.20	-41.70	42.53	39.70	16.47	52.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>43.64</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	47.61	88.20	-40.59	43.64	39.70	16.47	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13770.00	46.50	88.20	-41.70	42.53	39.70	16.47	52.20	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13770.00	47.61	88.20	-40.59	43.64	39.70	16.47	52.20	---	---	Peak																																																																																		





Mode	101																																																																																											
	Harmonic																																																																																											
	U-NII-8_6525-7125_802.11be EHT80_CH183_Full RU_6865MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal Polarization. The plot shows a red line for the peak signal and a blue line for the average signal. The peak signal is a series of pulses between 7200 and 40000 MHz, with a maximum level of approximately 87.5 dBuV/m. The average signal is a noisy baseline around 40 dBuV/m. A vertical blue line is at 13760 MHz.						 Level (dBuV/m) vs Frequency (MHz) for Vertical Polarization. The plot shows a red line for the peak signal and a blue line for the average signal. The peak signal is a series of pulses between 7200 and 40000 MHz, with a maximum level of approximately 87.5 dBuV/m. The average signal is a noisy baseline around 40 dBuV/m. A vertical blue line is at 13760 MHz.																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>47.73</td><td>88.20</td><td>-40.47</td><td>43.78</td><td>39.70</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13730.00	47.73	88.20	-40.47	43.78	39.70	16.46	52.21	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.20</td><td>39.70</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13730.00	47.15	88.20	-41.05	43.20	39.70	16.46	52.21	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13730.00	47.73	88.20	-40.47	43.78	39.70	16.46	52.21	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13730.00	47.15	88.20	-41.05	43.20	39.70	16.46	52.21	---	---	Peak																																																																																	



Mode	102																																																																																											
	Harmonic																																																																																											
	U-NII-8_6525-7125_802.11be EHT160_CH175_Full RU_6825MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>44.00</td><td>39.65</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13650.00	47.85	88.20	-40.35	44.00	39.65	16.44	52.24	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>43.97</td><td>39.65</td><td>16.44</td><td>52.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13650.00	47.82	88.20	-40.38	43.97	39.65	16.44	52.24	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13650.00	47.85	88.20	-40.35	44.00	39.65	16.44	52.24	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13650.00	47.82	88.20	-40.38	43.97	39.65	16.44	52.24	---	---	Peak																																																																																	



Mode	103																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6525-7125_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>47.47</td><td>88.20</td><td>-40.73</td><td>43.77</td><td>39.59</td><td>16.39</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	47.47	88.20	-40.73	43.77	39.59	16.39	52.28	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>43.66</td><td>39.59</td><td>16.39</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	47.36	88.20	-40.84	43.66	39.59	16.39	52.28	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13490.00	47.47	88.20	-40.73	43.77	39.59	16.39	52.28	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13490.00	47.36	88.20	-40.84	43.66	39.59	16.39	52.28	---	---	Peak																																																																																															





		104																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																	
ANT		15+10																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII_6E)					Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII_6E)																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7209.04</td><td>56.24</td><td>88.20</td><td>-31.96</td><td>41.02</td><td>36.52</td><td>11.84</td><td>33.14</td><td>189 308 PEAK</td></tr><tr><td>2</td><td>7296.76</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>39.36</td><td>36.60</td><td>11.99</td><td>33.16</td><td>189 308 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7209.04	56.24	88.20	-31.96	41.02	36.52	11.84	33.14	189 308 PEAK	2	7296.76	54.79	74.00	-19.21	39.36	36.60	11.99	33.16	189 308 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>93.69</td><td>-----</td><td>-----</td><td>79.08</td><td>36.30</td><td>11.41</td><td>33.10</td><td>189 308 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	93.69	-----	-----	79.08	36.30	11.41	33.10
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7209.04	56.24	88.20	-31.96	41.02	36.52	11.84	33.14	189 308 PEAK																																																																																										
2	7296.76	54.79	74.00	-19.21	39.36	36.60	11.99	33.16	189 308 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	93.69	-----	-----	79.08	36.30	11.41	33.10	189 308 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII_6E)					Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII_6E)																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7218.72</td><td>46.52</td><td>68.20</td><td>-21.68</td><td>31.27</td><td>36.54</td><td>11.85</td><td>33.14</td><td>189 308 AVERAGE</td></tr><tr><td>2</td><td>7258.65</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>29.63</td><td>36.60</td><td>11.92</td><td>33.15</td><td>189 308 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7218.72	46.52	68.20	-21.68	31.27	36.54	11.85	33.14	189 308 AVERAGE	2	7258.65	45.00	54.00	-9.00	29.63	36.60	11.92	33.15	189 308 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>83.57</td><td>-----</td><td>-----</td><td>69.11</td><td>36.24</td><td>11.30</td><td>33.08</td><td>189 308 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.57	-----	-----	69.11	36.24	11.30	33.08
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7218.72	46.52	68.20	-21.68	31.27	36.54	11.85	33.14	189 308 AVERAGE																																																																																										
2	7258.65	45.00	54.00	-9.00	29.63	36.60	11.92	33.15	189 308 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	83.57	-----	-----	69.11	36.24	11.30	33.08	189 308 AVERAGE																																																																																										





Mode	104																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7208.43</td><td>54.09</td><td>88.20</td><td>-34.11</td><td>38.87</td><td>36.52</td><td>11.84</td><td>33.14</td><td>392 349 PEAK</td></tr><tr><td>2</td><td>7302.81</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>38.79</td><td>36.59</td><td>12.00</td><td>33.16</td><td>392 349 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7208.43	54.09	88.20	-34.11	38.87	36.52	11.84	33.14	392 349 PEAK	2	7302.81	54.22	74.00	-19.78	38.79	36.59	12.00	33.16	392 349 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>94.21</td><td>-----</td><td>-----</td><td>79.74</td><td>36.26</td><td>11.28</td><td>33.07</td><td>392 349 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	94.21	-----	-----	79.74	36.26	11.28	33.07	392 349 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7208.43	54.09	88.20	-34.11	38.87	36.52	11.84	33.14	392 349 PEAK																																																																																			
2	7302.81	54.22	74.00	-19.78	38.79	36.59	12.00	33.16	392 349 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	94.21	-----	-----	79.74	36.26	11.28	33.07	392 349 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7210.85</td><td>45.11</td><td>68.20</td><td>-23.09</td><td>29.89</td><td>36.52</td><td>11.84</td><td>33.14</td><td>392 349 AVERAGE</td></tr><tr><td>2</td><td>7271.96</td><td>44.42</td><td>54.00</td><td>-9.58</td><td>29.02</td><td>36.60</td><td>11.95</td><td>33.15</td><td>392 349 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7210.85	45.11	68.20	-23.09	29.89	36.52	11.84	33.14	392 349 AVERAGE	2	7271.96	44.42	54.00	-9.58	29.02	36.60	11.95	33.15	392 349 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>85.05</td><td>-----</td><td>-----</td><td>70.58</td><td>36.26</td><td>11.28</td><td>33.07</td><td>392 349 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	85.05	-----	-----	70.58	36.26	11.28	33.07	392 349 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7210.85	45.11	68.20	-23.09	29.89	36.52	11.84	33.14	392 349 AVERAGE																																																																																			
2	7271.96	44.42	54.00	-9.58	29.02	36.60	11.95	33.15	392 349 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	85.05	-----	-----	70.58	36.26	11.28	33.07	392 349 AVERAGE																																																																																			





Mode	104																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>43.83</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	47.83	88.20	-40.37	43.83	39.70	16.48	52.18	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>47.91</td><td>88.20</td><td>-40.29</td><td>43.91</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	47.91	88.20	-40.29	43.91	39.70	16.48	52.18	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	13810.00	47.83	88.20	-40.37	43.83	39.70	16.48	52.18	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	13810.00	47.91	88.20	-40.29	43.91	39.70	16.48	52.18	---	---	Peak																																																																																														





Mode	105	
	Harmonic	
	U-NII-7_6425-6875_802.11be EHT40_CH115_Full RU_6525MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB cm deg 1 13050.00 47.54 88.20 -40.66 43.50 39.00 16.26 51.22 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 47.49 88.20 -40.71 43.45 39.00 16.26 51.22 --- --- Peak



Mode	106																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6425-6875_802.11be EHT80_CH119_Full RU_6545MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>43.86</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	47.82	88.20	-40.38	43.86	39.00	16.28	51.32	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.05</td><td>88.20</td><td>-41.15</td><td>43.09</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	47.05	88.20	-41.15	43.09	39.00	16.28	51.32	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13090.00	47.82	88.20	-40.38	43.86	39.00	16.28	51.32	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13090.00	47.05	88.20	-41.15	43.09	39.00	16.28	51.32	---	---	Peak																																																																																															



Mode	107																																																										
	Harmonic																																																										
	U-NII-7_6425-6875_802.11be EHT160_CH111_Full RU_6505MHz																																																										
ANT	15+10																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13010.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>43.67</td><td>39.00</td><td>16.25</td><td>51.12</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13010.00	47.80	88.20	-40.40	43.67	39.00	16.25	51.12	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13010.00</td><td>47.65</td><td>88.20</td><td>-40.55</td><td>43.52</td><td>39.00</td><td>16.25</td><td>51.12</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13010.00	47.65	88.20	-40.55	43.52	39.00	16.25	51.12
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 13010.00	47.80	88.20	-40.40	43.67	39.00	16.25	51.12																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 13010.00	47.65	88.20	-40.55	43.52	39.00	16.25	51.12																																																				
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13010.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>43.67</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13010.00	47.80	88.20	-40.40	43.67	39.00	16.25	51.12	---	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13010.00</td><td>47.65</td><td>88.20</td><td>-40.55</td><td>43.52</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13010.00	47.65	88.20	-40.55	43.52	39.00	16.25	51.12	---									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																		
1	13010.00	47.80	88.20	-40.40	43.67	39.00	16.25	51.12	---																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																		
1	13010.00	47.65	88.20	-40.55	43.52	39.00	16.25	51.12	---																																																		



Mode	108																																																																																											
	Harmonic																																																																																											
	U-NII-6_5925-6425_802.11be EHT320_CH95_Full RU_6425MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-12 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-12 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>44.03</td><td>38.80</td><td>16.10</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12850.00	47.89	88.20	-40.31	44.03	38.80	16.10	51.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>47.71</td><td>88.20</td><td>-40.49</td><td>43.85</td><td>38.80</td><td>16.10</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12850.00	47.71	88.20	-40.49	43.85	38.80	16.10	51.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12850.00	47.89	88.20	-40.31	44.03	38.80	16.10	51.04	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12850.00	47.71	88.20	-40.49	43.85	38.80	16.10	51.04	---	---	Peak																																																																																	



Mode	109																																																																																									
	Harmonic																																																																																									
	U-NII-7_6425-6875_802.11be EHT320_CH127_Full RU_6585MHz																																																																																									
ANT	15+10																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-08-12 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13170.00</td><td>47.91</td><td>88.20</td><td>-40.29</td><td>44.05</td><td>39.07</td><td>16.30</td><td>51.51</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13170.00	47.91	88.20	-40.29	44.05	39.07	16.30	51.51	---	Peak	Level (dBuV/m) Date: 2025-08-12 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13170.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>43.84</td><td>39.07</td><td>16.30</td><td>51.51</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13170.00	47.70	88.20	-40.50	43.84	39.07	16.30	51.51	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	13170.00	47.91	88.20	-40.29	44.05	39.07	16.30	51.51	---	Peak																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	13170.00	47.70	88.20	-40.50	43.84	39.07	16.30	51.51	---	Peak																																																																																



Mode	110																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT20_CH1_Single RU_5955MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5829.20</td><td>52.68</td><td>88.20</td><td>-35.52</td><td>38.14</td><td>36.54</td><td>10.83</td><td>32.83</td><td>202</td><td>49</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5829.20	52.68	88.20	-35.52	38.14	36.54	10.83	32.83	202	49	PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>93.90</td><td>-----</td><td>-----</td><td>79.16</td><td>36.70</td><td>10.92</td><td>32.88</td><td>202</td><td>49</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	93.90	-----	-----	79.16	36.70	10.92	32.88	202	49	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5829.20	52.68	88.20	-35.52	38.14	36.54	10.83	32.83	202	49	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	93.90	-----	-----	79.16	36.70	10.92	32.88	202	49	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5910.82</td><td>42.71</td><td>68.20</td><td>-25.49</td><td>28.09</td><td>36.62</td><td>10.86</td><td>32.86</td><td>202</td><td>49</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.82	42.71	68.20	-25.49	28.09	36.62	10.86	32.86	202	49	AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>86.65</td><td>-----</td><td>-----</td><td>71.91</td><td>36.70</td><td>10.92</td><td>32.88</td><td>202</td><td>49</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.65	-----	-----	71.91	36.70	10.92	32.88	202	49	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5910.82	42.71	68.20	-25.49	28.09	36.62	10.86	32.86	202	49	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	86.65	-----	-----	71.91	36.70	10.92	32.88	202	49	AVERAGE																																																																							



Mode	110																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11be EHT20_CH1_Single RU_5955MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5981.70</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>38.39</td><td>36.56</td><td>10.84</td><td>32.85</td><td>188</td><td>276</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5981.70	52.94	88.20	-35.26	38.39	36.56	10.84	32.85	188	276	PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.17</td><td>-----</td><td>-----</td><td>80.43</td><td>36.70</td><td>10.92</td><td>32.88</td><td>188</td><td>276</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.17	-----	-----	80.43	36.70	10.92	32.88	188	276	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5981.70	52.94	88.20	-35.26	38.39	36.56	10.84	32.85	188	276	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	95.17	-----	-----	80.43	36.70	10.92	32.88	188	276	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.24</td><td>42.98</td><td>68.20</td><td>-25.22</td><td>28.36</td><td>36.62</td><td>10.86</td><td>32.86</td><td>188</td><td>276</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5911.24	42.98	68.20	-25.22	28.36	36.62	10.86	32.86	188	276	AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.69</td><td>-----</td><td>-----</td><td>71.95</td><td>36.70</td><td>10.92</td><td>32.88</td><td>188</td><td>276</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.69	-----	-----	71.95	36.70	10.92	32.88	188	276	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5911.24	42.98	68.20	-25.22	28.36	36.62	10.86	32.86	188	276	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	86.69	-----	-----	71.95	36.70	10.92	32.88	188	276	AVERAGE																																																																																







Mode	111																																																																																													
	Band Edge																																																																																													
	U-NII-8_6875-7125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7238.31</td><td>54.25</td><td>88.20</td><td>-33.95</td><td>38.93</td><td>36.58</td><td>11.89</td><td>33.15</td><td>237</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>7321.97</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>38.30</td><td>36.56</td><td>12.00</td><td>33.16</td><td>237</td><td>310</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7238.31	54.25	88.20	-33.95	38.93	36.58	11.89	33.15	237	310	PEAK	2	7321.97	53.70	74.00	-20.30	38.30	36.56	12.00	33.16	237	310	PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.03</td><td>-----</td><td>-----</td><td>74.16</td><td>36.49</td><td>11.50</td><td>33.12</td><td>237</td><td>310</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.03	-----	-----	74.16	36.49	11.50	33.12	237	310	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7238.31	54.25	88.20	-33.95	38.93	36.58	11.89	33.15	237	310	PEAK																																																																																			
2	7321.97	53.70	74.00	-20.30	38.30	36.56	12.00	33.16	237	310	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	89.03	-----	-----	74.16	36.49	11.50	33.12	237	310	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7204.49</td><td>43.39</td><td>68.20</td><td>-24.81</td><td>28.19</td><td>36.51</td><td>11.83</td><td>33.14</td><td>237</td><td>310</td><td>AVERAGE</td></tr><tr><td>2</td><td>7275.69</td><td>43.71</td><td>54.00</td><td>-10.29</td><td>28.32</td><td>36.60</td><td>11.95</td><td>33.16</td><td>237</td><td>310</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7204.49	43.39	68.20	-24.81	28.19	36.51	11.83	33.14	237	310	AVERAGE	2	7275.69	43.71	54.00	-10.29	28.32	36.60	11.95	33.16	237	310	AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.92</td><td>-----</td><td>-----</td><td>68.05</td><td>36.50</td><td>11.49</td><td>33.12</td><td>237</td><td>310</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.92	-----	-----	68.05	36.50	11.49	33.12	237	310	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7204.49	43.39	68.20	-24.81	28.19	36.51	11.83	33.14	237	310	AVERAGE																																																																																			
2	7275.69	43.71	54.00	-10.29	28.32	36.60	11.95	33.16	237	310	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	82.92	-----	-----	68.05	36.50	11.49	33.12	237	310	AVERAGE																																																																																			







		111																																																																			
Mode		Band Edge																																																																			
		U-NII-8_6875-7125_802.11be EHT20_CH229_Single RU_7095MHz																																																																			
ANT		15+10																																																																			
Pol.		Vertical																																																																			
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7157.76</td><td>53.62</td><td>88.20</td><td>-34.58</td><td>38.66</td><td>36.42</td><td>11.67</td><td>33.13</td><td>278</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>7255.22</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>38.17</td><td>36.60</td><td>11.92</td><td>33.15</td><td>278</td><td>331</td><td>PEAK</td></tr></tbody></table>													Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7157.76	53.62	88.20	-34.58	38.66	36.42	11.67	33.13	278	331	PEAK	2	7255.22	53.54	74.00	-20.46	38.17	36.60	11.92	33.15	278	331	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	7157.76	53.62	88.20	-34.58	38.66	36.42	11.67	33.13	278	331	PEAK																																																										
2	7255.22	53.54	74.00	-20.46	38.17	36.60	11.92	33.15	278	331	PEAK																																																										
	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.52</td><td>-----</td><td>-----</td><td>76.65</td><td>36.49</td><td>11.50</td><td>33.12</td><td>278</td><td>331</td><td>PEAK</td></tr></tbody></table>													Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	91.52	-----	-----	76.65	36.49	11.50	33.12	278	331	PEAK												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	7095.00	91.52	-----	-----	76.65	36.49	11.50	33.12	278	331	PEAK																																																										
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7218.73</td><td>43.63</td><td>68.20</td><td>-24.57</td><td>28.38</td><td>36.54</td><td>11.85</td><td>33.14</td><td>278</td><td>331</td><td>AVERAGE</td></tr><tr><td>2</td><td>7291.71</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>28.14</td><td>36.60</td><td>11.98</td><td>33.16</td><td>278</td><td>331</td><td>AVERAGE</td></tr></tbody></table>													Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7218.73	43.63	68.20	-24.57	28.38	36.54	11.85	33.14	278	331	AVERAGE	2	7291.71	43.56	54.00	-10.44	28.14	36.60	11.98	33.16	278	331	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	7218.73	43.63	68.20	-24.57	28.38	36.54	11.85	33.14	278	331	AVERAGE																																																										
2	7291.71	43.56	54.00	-10.44	28.14	36.60	11.98	33.16	278	331	AVERAGE																																																										
	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.81</td><td>-----</td><td>-----</td><td>69.94</td><td>36.50</td><td>11.49</td><td>33.12</td><td>278</td><td>331</td><td>AVERAGE</td></tr></tbody></table>													Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.81	-----	-----	69.94	36.50	11.49	33.12	278	331	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	7095.00	84.81	-----	-----	69.94	36.50	11.49	33.12	278	331	AVERAGE																																																										



Mode	112																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH1_Small RU_5955MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Date: 2025-08-10  Level (dBuV/m) 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5853. 5881. 5909. 5937. 5965 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5851.18</td><td>52.92</td><td>88.20</td><td>-35.28</td><td>38.43</td><td>36.50</td><td>10.83</td><td>32.84</td><td>191 48 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5851.18	52.92	88.20	-35.28	38.43	36.50	10.83	32.84	191 48 PEAK	Date: 2025-08-10  Level (dBuV/m) 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>92.63</td><td>-----</td><td>77.89</td><td>36.70</td><td>10.92</td><td>32.88</td><td>191</td><td>48 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5955.00	92.63	-----	77.89	36.70	10.92	32.88	191	48 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 5851.18	52.92	88.20	-35.28	38.43	36.50	10.83	32.84	191 48 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 5955.00	92.63	-----	77.89	36.70	10.92	32.88	191	48 PEAK																																																																		
Avg	Date: 2025-08-10  Level (dBuV/m) 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5853. 5881. 5909. 5937. 5965 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.82</td><td>42.75</td><td>68.20</td><td>-25.45</td><td>28.08</td><td>36.65</td><td>10.89</td><td>32.87</td><td>191 48 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5924.82	42.75	68.20	-25.45	28.08	36.65	10.89	32.87	191 48 AVERAGE	Date: 2025-08-10  Level (dBuV/m) 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>85.88</td><td>-----</td><td>71.14</td><td>36.70</td><td>10.92</td><td>32.88</td><td>191</td><td>48 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 5955.00	85.88	-----	71.14	36.70	10.92	32.88	191	48 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 5924.82	42.75	68.20	-25.45	28.08	36.65	10.89	32.87	191 48 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 5955.00	85.88	-----	71.14	36.70	10.92	32.88	191	48 AVERAGE																																																																		







Mode	112																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11be EHT20_CH1_Small RU_5955MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5890.52</td><td>52.99</td><td>88.20</td><td>-35.21</td><td>38.43</td><td>36.58</td><td>10.84</td><td>32.86</td><td>185</td><td>256 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5890.52	52.99	88.20	-35.21	38.43	36.58	10.84	32.86	185	256 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.57</td><td>-----</td><td>-----</td><td>80.83</td><td>36.70</td><td>10.92</td><td>32.88</td><td>185</td><td>256 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.57	-----	-----	80.83	36.70	10.92	32.88	185
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5890.52	52.99	88.20	-35.21	38.43	36.58	10.84	32.86	185	256 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	95.57	-----	-----	80.83	36.70	10.92	32.88	185	256 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.48</td><td>42.65</td><td>68.20</td><td>-25.55</td><td>28.04</td><td>36.61</td><td>10.86</td><td>32.86</td><td>185</td><td>256 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5906.48	42.65	68.20	-25.55	28.04	36.61	10.86	32.86	185	256 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.08</td><td>-----</td><td>-----</td><td>71.34</td><td>36.70</td><td>10.92</td><td>32.88</td><td>185</td><td>256 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.08	-----	-----	71.34	36.70	10.92	32.88	185
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5906.48	42.65	68.20	-25.55	28.04	36.61	10.86	32.86	185	256 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	86.08	-----	-----	71.34	36.70	10.92	32.88	185	256 AVERAGE																																																																																	







Mode	113																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT20_CH229_Small RU_7095MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7219.62</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>38.45</td><td>36.54</td><td>11.86</td><td>33.14</td><td>246 325 PEAK</td></tr><tr><td>2</td><td>7263.23</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>39.48</td><td>36.60</td><td>11.93</td><td>33.15</td><td>246 325 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7219.62	53.71	88.20	-34.49	38.45	36.54	11.86	33.14	246 325 PEAK	2	7263.23	54.86	74.00	-19.14	39.48	36.60	11.93	33.15	246 325 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.41</td><td>-----</td><td>-----</td><td>73.56</td><td>36.49</td><td>11.48</td><td>33.12</td><td>246 325 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.41	-----	-----	73.56	36.49	11.48	33.12	246 325 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7219.62	53.71	88.20	-34.49	38.45	36.54	11.86	33.14	246 325 PEAK																																																																																			
2	7263.23	54.86	74.00	-19.14	39.48	36.60	11.93	33.15	246 325 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	88.41	-----	-----	73.56	36.49	11.48	33.12	246 325 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.51</td><td>43.44</td><td>68.20</td><td>-24.76</td><td>28.17</td><td>36.55</td><td>11.86</td><td>33.14</td><td>246 325 AVERAGE</td></tr><tr><td>2</td><td>7277.02</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>28.37</td><td>36.60</td><td>11.96</td><td>33.16</td><td>246 325 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7224.51	43.44	68.20	-24.76	28.17	36.55	11.86	33.14	246 325 AVERAGE	2	7277.02	43.77	54.00	-10.23	28.37	36.60	11.96	33.16	246 325 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.94</td><td>-----</td><td>-----</td><td>65.09</td><td>36.49</td><td>11.48</td><td>33.12</td><td>246 325 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	79.94	-----	-----	65.09	36.49	11.48	33.12	246 325 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7224.51	43.44	68.20	-24.76	28.17	36.55	11.86	33.14	246 325 AVERAGE																																																																																			
2	7277.02	43.77	54.00	-10.23	28.37	36.60	11.96	33.16	246 325 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	79.94	-----	-----	65.09	36.49	11.48	33.12	246 325 AVERAGE																																																																																			



Mode	113																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT20_CH229_Small RU_7095MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-10  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7219.17</td><td>54.96</td><td>88.20</td><td>-33.24</td><td>39.70</td><td>36.54</td><td>11.86</td><td>33.14</td><td>278 330 PEAK</td></tr><tr><td>2</td><td>7348.67</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>37.81</td><td>36.50</td><td>12.00</td><td>33.17</td><td>278 330 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7219.17	54.96	88.20	-33.24	39.70	36.54	11.86	33.14	278 330 PEAK	2	7348.67	53.14	74.00	-20.86	37.81	36.50	12.00	33.17	278 330 PEAK	Level (dBuV/m) Date: 2025-08-10  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>93.62</td><td>-----</td><td>-----</td><td>78.75</td><td>36.50</td><td>11.49</td><td>33.12</td><td>278 330 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	93.62	-----	-----	78.75	36.50	11.49	33.12	278 330 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7219.17	54.96	88.20	-33.24	39.70	36.54	11.86	33.14	278 330 PEAK																																																																																			
2	7348.67	53.14	74.00	-20.86	37.81	36.50	12.00	33.17	278 330 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	93.62	-----	-----	78.75	36.50	11.49	33.12	278 330 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-10  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7212.94</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>28.28</td><td>36.53</td><td>11.84</td><td>33.14</td><td>278 330 AVERAGE</td></tr><tr><td>2</td><td>7268.57</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>28.18</td><td>36.60</td><td>11.94</td><td>33.15</td><td>278 330 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7212.94	43.51	68.20	-24.69	28.28	36.53	11.84	33.14	278 330 AVERAGE	2	7268.57	43.57	54.00	-10.43	28.18	36.60	11.94	33.15	278 330 AVERAGE	Level (dBuV/m) Date: 2025-08-10  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>83.83</td><td>-----</td><td>-----</td><td>68.96</td><td>36.50</td><td>11.49</td><td>33.12</td><td>278 330 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	83.83	-----	-----	68.96	36.50	11.49	33.12	278 330 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7212.94	43.51	68.20	-24.69	28.28	36.53	11.84	33.14	278 330 AVERAGE																																																																																			
2	7268.57	43.57	54.00	-10.43	28.18	36.60	11.94	33.15	278 330 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	83.83	-----	-----	68.96	36.50	11.49	33.12	278 330 AVERAGE																																																																																			







		114																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																																						
ANT		15+10																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	 Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5885 5897 5929 5961 5993 6025 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.52</td><td>52.89</td><td>88.20</td><td>-35.31</td><td>38.29</td><td>36.61</td><td>10.85</td><td>32.86</td><td>265</td><td>315</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5904.52	52.89	88.20	-35.31	38.29	36.61	10.85	32.86	265	315	PEAK	 Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.51</td><td>-----</td><td>-----</td><td>73.75</td><td>36.70</td><td>10.95</td><td>32.89</td><td>265</td><td>315</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.51	-----	-----	73.75	36.70	10.95	32.89	265	315	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5904.52	52.89	88.20	-35.31	38.29	36.61	10.85	32.86	265	315	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	88.51	-----	-----	73.75	36.70	10.95	32.89	265	315	PEAK																																																																													
Avg	 Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5885 5897 5929 5961 5993 6025 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.04</td><td>42.70</td><td>68.20</td><td>-25.50</td><td>28.05</td><td>36.64</td><td>10.88</td><td>32.87</td><td>265</td><td>315</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5920.04	42.70	68.20	-25.50	28.05	36.64	10.88	32.87	265	315	AVERAGE	 Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>79.69</td><td>-----</td><td>-----</td><td>64.90</td><td>36.70</td><td>10.98</td><td>32.89</td><td>265</td><td>315</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	79.69	-----	-----	64.90	36.70	10.98	32.89	265	315	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5920.04	42.70	68.20	-25.50	28.05	36.64	10.88	32.87	265	315	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	79.69	-----	-----	64.90	36.70	10.98	32.89	265	315	AVERAGE																																																																													



Mode	114																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5875.08</td><td>53.22</td><td>88.20</td><td>-34.98</td><td>38.68</td><td>36.55</td><td>10.84</td><td>32.85</td><td>400 348 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5875.08	53.22	88.20	-34.98	38.68	36.55	10.84	32.85	400 348 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>82.25</td><td>-----</td><td>-----</td><td>67.50</td><td>36.70</td><td>10.93</td><td>32.88</td><td>400 348 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	82.25	-----	-----	67.50	36.70	10.93	32.88	400 348 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5875.08	53.22	88.20	-34.98	38.68	36.55	10.84	32.85	400 348 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	82.25	-----	-----	67.50	36.70	10.93	32.88	400 348 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5918.92</td><td>42.75</td><td>68.20</td><td>-25.45</td><td>28.10</td><td>36.64</td><td>10.88</td><td>32.87</td><td>400 348 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5918.92	42.75	68.20	-25.45	28.10	36.64	10.88	32.87	400 348 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>78.42</td><td>-----</td><td>-----</td><td>63.66</td><td>36.70</td><td>10.94</td><td>32.88</td><td>400 348 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	78.42	-----	-----	63.66	36.70	10.94	32.88	400 348 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5918.92	42.75	68.20	-25.45	28.10	36.64	10.88	32.87	400 348 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	78.42	-----	-----	63.66	36.70	10.94	32.88	400 348 AVERAGE																																																																		



		115																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																		
ANT		15+10																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7165.68</td><td>53.14</td><td>88.20</td><td>-35.06</td><td>38.14</td><td>36.43</td><td>11.70</td><td>33.13</td><td>253 312 PEAK</td></tr><tr><td>2</td><td>7272.99</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>38.42</td><td>36.60</td><td>11.95</td><td>33.15</td><td>253 312 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7165.68	53.14	88.20	-35.06	38.14	36.43	11.70	33.13	253 312 PEAK	2	7272.99	53.82	74.00	-20.18	38.42	36.60	11.95	33.15	253 312 PEAK	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>92.67</td><td>-----</td><td>-----</td><td>77.89</td><td>36.43</td><td>11.46</td><td>33.11</td><td>253 312 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	92.67	-----	-----	77.89	36.43	11.46	33.11	253 312 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7165.68	53.14	88.20	-35.06	38.14	36.43	11.70	33.13	253 312 PEAK																																																																																											
2	7272.99	53.82	74.00	-20.18	38.42	36.60	11.95	33.15	253 312 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	92.67	-----	-----	77.89	36.43	11.46	33.11	253 312 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.78</td><td>43.52</td><td>68.20</td><td>-24.68</td><td>28.28</td><td>36.53</td><td>11.85</td><td>33.14</td><td>253 312 AVERAGE</td></tr><tr><td>2</td><td>7266.05</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>28.27</td><td>36.60</td><td>11.94</td><td>33.15</td><td>253 312 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.78	43.52	68.20	-24.68	28.28	36.53	11.85	33.14	253 312 AVERAGE	2	7266.05	43.66	54.00	-10.34	28.27	36.60	11.94	33.15	253 312 AVERAGE	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>81.77</td><td>-----</td><td>-----</td><td>67.02</td><td>36.41</td><td>11.45</td><td>33.11</td><td>253 312 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	81.77	-----	-----	67.02	36.41	11.45	33.11	253 312 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7216.78	43.52	68.20	-24.68	28.28	36.53	11.85	33.14	253 312 AVERAGE																																																																																											
2	7266.05	43.66	54.00	-10.34	28.27	36.60	11.94	33.15	253 312 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	81.77	-----	-----	67.02	36.41	11.45	33.11	253 312 AVERAGE																																																																																											



		115																																																																																																										
Mode	Band Edge																																																																																																											
	U-NII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																											
ANT	15+10																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7199.99</td><td>53.26</td><td>88.20</td><td>-34.94</td><td>38.09</td><td>36.50</td><td>11.81</td><td>33.14</td><td>400</td><td>296 PEAK</td></tr><tr><td>2</td><td>7267.15</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>37.28</td><td>36.60</td><td>11.94</td><td>33.15</td><td>400</td><td>296 PEAK</td></tr></table>								Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7199.99	53.26	88.20	-34.94	38.09	36.50	11.81	33.14	400	296 PEAK	2	7267.15	52.67	74.00	-21.33	37.28	36.60	11.94	33.15	400	296 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>91.30</td><td>-----</td><td>-----</td><td>76.66</td><td>36.32</td><td>11.42</td><td>33.10</td><td>400</td><td>296 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	91.30	-----	-----	76.66	36.32	11.42	33.10	400	296 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7199.99	53.26	88.20	-34.94	38.09	36.50	11.81	33.14	400	296 PEAK																																																																																																		
2	7267.15	52.67	74.00	-21.33	37.28	36.60	11.94	33.15	400	296 PEAK																																																																																																		
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7025.00	91.30	-----	-----	76.66	36.32	11.42	33.10	400	296 PEAK																																																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7230.28</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>28.12</td><td>36.56</td><td>11.87</td><td>33.15</td><td>400</td><td>296 AVERAGE</td></tr><tr><td>2</td><td>7284.30</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>28.20</td><td>36.60</td><td>11.97</td><td>33.16</td><td>400</td><td>296 AVERAGE</td></tr></table>								Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7230.28	43.40	68.20	-24.80	28.12	36.56	11.87	33.15	400	296 AVERAGE	2	7284.30	43.61	54.00	-10.39	28.20	36.60	11.97	33.16	400	296 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>80.62</td><td>-----</td><td>-----</td><td>65.98</td><td>36.32</td><td>11.42</td><td>33.10</td><td>400</td><td>296 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7025.00	80.62	-----	-----	65.98	36.32	11.42	33.10	400	296 AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7230.28	43.40	68.20	-24.80	28.12	36.56	11.87	33.15	400	296 AVERAGE																																																																																																		
2	7284.30	43.61	54.00	-10.39	28.20	36.60	11.97	33.16	400	296 AVERAGE																																																																																																		
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7025.00	80.62	-----	-----	65.98	36.32	11.42	33.10	400	296 AVERAGE																																																																																																		







Mode	116																																																																											
	Band Edge																																																																											
	U-NII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.44</td><td>53.38</td><td>88.20</td><td>-34.82</td><td>38.75</td><td>36.63</td><td>10.87</td><td>32.87</td><td>180 322 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5915.44	53.38	88.20	-34.82	38.75	36.63	10.87	32.87	180 322 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>87.80</td><td>-----</td><td>-----</td><td>73.14</td><td>36.51</td><td>11.06</td><td>32.91</td><td>180 322 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.80	-----	-----	73.14	36.51	11.06	32.91	180 322 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5915.44	53.38	88.20	-34.82	38.75	36.63	10.87	32.87	180 322 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6025.00	87.80	-----	-----	73.14	36.51	11.06	32.91	180 322 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>42.80</td><td>68.20</td><td>-25.40</td><td>28.13</td><td>36.65</td><td>10.89</td><td>32.87</td><td>180 322 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	42.80	68.20	-25.40	28.13	36.65	10.89	32.87	180 322 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>79.95</td><td>-----</td><td>-----</td><td>65.29</td><td>36.51</td><td>11.06</td><td>32.91</td><td>180 322 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	79.95	-----	-----	65.29	36.51	11.06	32.91	180 322 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5924.96	42.80	68.20	-25.40	28.13	36.65	10.89	32.87	180 322 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6025.00	79.95	-----	-----	65.29	36.51	11.06	32.91	180 322 AVERAGE																																																																			



Mode	116																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5900.88</td><td>52.73</td><td>88.20</td><td>-35.47</td><td>38.14</td><td>36.60</td><td>10.85</td><td>32.86</td><td>307 262 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5900.88	52.73	88.20	-35.47	38.14	36.60	10.85	32.86	307 262 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>84.62</td><td>-----</td><td>-----</td><td>69.86</td><td>36.70</td><td>10.94</td><td>32.88</td><td>307 262 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	84.62	-----	-----	69.86	36.70	10.94	32.88	307 262 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5900.88	52.73	88.20	-35.47	38.14	36.60	10.85	32.86	307 262 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	84.62	-----	-----	69.86	36.70	10.94	32.88	307 262 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>27.97</td><td>36.65</td><td>10.89</td><td>32.87</td><td>307 262 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	42.64	68.20	-25.56	27.97	36.65	10.89	32.87	307 262 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>72.44</td><td>-----</td><td>-----</td><td>57.68</td><td>36.70</td><td>10.94</td><td>32.88</td><td>307 262 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	72.44	-----	-----	57.68	36.70	10.94	32.88	307 262 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.96	42.64	68.20	-25.56	27.97	36.65	10.89	32.87	307 262 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	72.44	-----	-----	57.68	36.70	10.94	32.88	307 262 AVERAGE																																																																		



		117																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																																	
ANT		15+10																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.00</td><td>56.29</td><td>88.20</td><td>-31.91</td><td>41.39</td><td>36.42</td><td>11.61</td><td>33.13</td><td>198</td><td>315 PEAK</td></tr><tr><td>2</td><td>7283.13</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>38.27</td><td>36.60</td><td>11.97</td><td>33.16</td><td>198</td><td>315 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7140.00	56.29	88.20	-31.91	41.39	36.42	11.61	33.13	198	315 PEAK	2	7283.13	53.68	74.00	-20.32	38.27	36.60	11.97	33.16	198	315 PEAK	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>90.02</td><td>-----</td><td>-----</td><td>75.35</td><td>36.34</td><td>11.43</td><td>33.10</td><td>198</td><td>315 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	90.02	-----	-----	75.35	36.34	11.43	33.10	198	315 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7140.00	56.29	88.20	-31.91	41.39	36.42	11.61	33.13	198	315 PEAK																																																																																									
2	7283.13	53.68	74.00	-20.32	38.27	36.60	11.97	33.16	198	315 PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	90.02	-----	-----	75.35	36.34	11.43	33.10	198	315 PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.00</td><td>44.90</td><td>68.20</td><td>-23.30</td><td>30.00</td><td>36.42</td><td>11.61</td><td>33.13</td><td>198</td><td>315 AVERAGE</td></tr><tr><td>2</td><td>7275.00</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>29.06</td><td>36.60</td><td>11.95</td><td>33.15</td><td>198</td><td>315 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7140.00	44.90	68.20	-23.30	30.00	36.42	11.61	33.13	198	315 AVERAGE	2	7275.00	44.46	54.00	-9.54	29.06	36.60	11.95	33.15	198	315 AVERAGE	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.67</td><td>-----</td><td>-----</td><td>68.08</td><td>36.30</td><td>11.39</td><td>33.10</td><td>198</td><td>315 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.67	-----	-----	68.08	36.30	11.39	33.10	198	315 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7140.00	44.90	68.20	-23.30	30.00	36.42	11.61	33.13	198	315 AVERAGE																																																																																									
2	7275.00	44.46	54.00	-9.54	29.06	36.60	11.95	33.15	198	315 AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	82.67	-----	-----	68.08	36.30	11.39	33.10	198	315 AVERAGE																																																																																									