



Mode	117																																																																																										
	Band Edge																																																																																										
	U-NII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7210.63</td><td>53.55</td><td>88.20</td><td>-34.65</td><td>38.33</td><td>36.52</td><td>11.84</td><td>33.14</td><td>400</td><td>2 PEAK</td></tr><tr><td>2</td><td>7283.13</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>38.05</td><td>36.60</td><td>11.97</td><td>33.16</td><td>400</td><td>2 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7210.63	53.55	88.20	-34.65	38.33	36.52	11.84	33.14	400	2 PEAK	2	7283.13	53.46	74.00	-20.54	38.05	36.60	11.97	33.16	400	2 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>89.37</td><td>-----</td><td>-----</td><td>74.79</td><td>36.30</td><td>11.38</td><td>33.10</td><td>400</td><td>2 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	89.37	-----	-----	74.79	36.30	11.38	33.10	400	2 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7210.63	53.55	88.20	-34.65	38.33	36.52	11.84	33.14	400	2 PEAK																																																																																	
2	7283.13	53.46	74.00	-20.54	38.05	36.60	11.97	33.16	400	2 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6985.00	89.37	-----	-----	74.79	36.30	11.38	33.10	400	2 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7213.75</td><td>44.25</td><td>68.20</td><td>-23.95</td><td>29.01</td><td>36.53</td><td>11.85</td><td>33.14</td><td>400</td><td>2 AVERAGE</td></tr><tr><td>2</td><td>7266.88</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>29.15</td><td>36.60</td><td>11.94</td><td>33.15</td><td>400</td><td>2 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7213.75	44.25	68.20	-23.95	29.01	36.53	11.85	33.14	400	2 AVERAGE	2	7266.88	44.54	54.00	-9.46	29.15	36.60	11.94	33.15	400	2 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>80.28</td><td>-----</td><td>-----</td><td>65.72</td><td>36.30</td><td>11.35</td><td>33.09</td><td>400</td><td>2 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.28	-----	-----	65.72	36.30	11.35	33.09	400	2 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7213.75	44.25	68.20	-23.95	29.01	36.53	11.85	33.14	400	2 AVERAGE																																																																																	
2	7266.88	44.54	54.00	-9.46	29.15	36.60	11.94	33.15	400	2 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6985.00	80.28	-----	-----	65.72	36.30	11.35	33.09	400	2 AVERAGE																																																																																	



Mode	118																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5872.56</td><td>53.79</td><td>88.20</td><td>-34.41</td><td>39.25</td><td>36.55</td><td>10.84</td><td>32.85</td><td>199 315 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5872.56	53.79	88.20	-34.41	39.25	36.55	10.84	32.85	199 315 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>92.35</td><td>-----</td><td>-----</td><td>77.56</td><td>36.70</td><td>10.98</td><td>32.89</td><td>199 315 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	92.35	-----	-----	77.56	36.70	10.98	32.89	199 315 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5872.56	53.79	88.20	-34.41	39.25	36.55	10.84	32.85	199 315 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	92.35	-----	-----	77.56	36.70	10.98	32.89	199 315 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.28</td><td>44.37</td><td>68.20</td><td>-23.83</td><td>29.72</td><td>36.64</td><td>10.88</td><td>32.87</td><td>199 315 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5922.28	44.37	68.20	-23.83	29.72	36.64	10.88	32.87	199 315 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>83.74</td><td>-----</td><td>-----</td><td>69.13</td><td>36.44</td><td>11.08</td><td>32.91</td><td>199 315 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	83.74	-----	-----	69.13	36.44	11.08	32.91	199 315 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5922.28	44.37	68.20	-23.83	29.72	36.64	10.88	32.87	199 315 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	83.74	-----	-----	69.13	36.44	11.08	32.91	199 315 AVERAGE																																																																		



Mode	118																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5651.47</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>39.16</td><td>36.50</td><td>10.81</td><td>32.76</td><td>177 268 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5651.47	53.71	88.20	-34.49	39.16	36.50	10.81	32.76	177 268 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>85.91</td><td>-----</td><td>-----</td><td>71.16</td><td>36.70</td><td>10.93</td><td>32.88</td><td>177 268 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	85.91	-----	-----	71.16	36.70	10.93	32.88	177 268 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5651.47	53.71	88.20	-34.49	39.16	36.50	10.81	32.76	177 268 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	85.91	-----	-----	71.16	36.70	10.93	32.88	177 268 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5697.37</td><td>44.33</td><td>68.20</td><td>-23.87</td><td>29.62</td><td>36.59</td><td>10.90</td><td>32.78</td><td>177 268 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5697.37	44.33	68.20	-23.87	29.62	36.59	10.90	32.78	177 268 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>76.62</td><td>-----</td><td>-----</td><td>61.93</td><td>36.56</td><td>11.04</td><td>32.91</td><td>177 268 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	76.62	-----	-----	61.93	36.56	11.04	32.91	177 268 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5697.37	44.33	68.20	-23.87	29.62	36.59	10.90	32.78	177 268 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	76.62	-----	-----	61.93	36.56	11.04	32.91	177 268 AVERAGE																																																																		



Mode	119																																																								
	Band Edge																																																								
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																								
ANT	15+10																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Level (dBuV/m) Date: 2025-08-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7237.47</td><td>53.26</td><td>88.20</td><td>-34.94</td><td>37.95</td><td>36.57</td><td>11.89</td><td>33.15</td><td>202</td><td>314 PEAK</td></tr><tr><td>2</td><td>7281.64</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>37.68</td><td>36.60</td><td>11.97</td><td>33.16</td><td>202</td><td>314 PEAK</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7237.47	53.26	88.20	-34.94	37.95	36.57	11.89	33.15	202	314 PEAK	2	7281.64	53.09	74.00	-20.91	37.68	36.60	11.97	33.16	202	314 PEAK	Level (dBuV/m) Date: 2025-08-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>87.45</td><td>-----</td><td>-----</td><td>73.03</td><td>36.23</td><td>11.27</td><td>33.08</td><td>202</td><td>314 PEAK</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	87.45	-----	-----	73.03	36.23	11.27	33.08	202	314 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																															
1	7237.47	53.26	88.20	-34.94	37.95	36.57	11.89	33.15	202	314 PEAK																																															
2	7281.64	53.09	74.00	-20.91	37.68	36.60	11.97	33.16	202	314 PEAK																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																
1	6905.00	87.45	-----	-----	73.03	36.23	11.27	33.08	202	314 PEAK																																															
Avg	Level (dBuV/m) Date: 2025-08-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7221.74</td><td>44.42</td><td>68.20</td><td>-23.78</td><td>29.16</td><td>36.54</td><td>11.86</td><td>33.14</td><td>202</td><td>314 AVERAGE</td></tr><tr><td>2</td><td>7284.66</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>28.96</td><td>36.60</td><td>11.97</td><td>33.16</td><td>202</td><td>314 AVERAGE</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7221.74	44.42	68.20	-23.78	29.16	36.54	11.86	33.14	202	314 AVERAGE	2	7284.66	44.37	54.00	-9.63	28.96	36.60	11.97	33.16	202	314 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.23</td><td>-----</td><td>-----</td><td>65.80</td><td>36.24</td><td>11.27</td><td>33.08</td><td>202</td><td>314 AVERAGE</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	80.23	-----	-----	65.80	36.24	11.27	33.08	202	314 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																
1	7221.74	44.42	68.20	-23.78	29.16	36.54	11.86	33.14	202	314 AVERAGE																																															
2	7284.66	44.37	54.00	-9.63	28.96	36.60	11.97	33.16	202	314 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																
1	6905.00	80.23	-----	-----	65.80	36.24	11.27	33.08	202	314 AVERAGE																																															



Mode	119																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7152.17</td><td>53.59</td><td>88.20</td><td>-34.61</td><td>38.67</td><td>36.40</td><td>11.65</td><td>33.13</td><td>392 350 PEAK</td></tr><tr><td>2</td><td>7284.06</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>38.13</td><td>36.60</td><td>11.97</td><td>33.16</td><td>392 350 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7152.17	53.59	88.20	-34.61	38.67	36.40	11.65	33.13	392 350 PEAK	2	7284.06	53.54	74.00	-20.46	38.13	36.60	11.97	33.16	392 350 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>88.14</td><td>-----</td><td>-----</td><td>73.67</td><td>36.26</td><td>11.28</td><td>33.07</td><td>392 350 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	88.14	-----	-----	73.67	36.26	11.28	33.07	392 350 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7152.17	53.59	88.20	-34.61	38.67	36.40	11.65	33.13	392 350 PEAK																																																																																			
2	7284.06	53.54	74.00	-20.46	38.13	36.60	11.97	33.16	392 350 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	88.14	-----	-----	73.67	36.26	11.28	33.07	392 350 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7139.46</td><td>44.39</td><td>68.20</td><td>-23.81</td><td>29.49</td><td>36.42</td><td>11.61</td><td>33.13</td><td>392 350 AVERAGE</td></tr><tr><td>2</td><td>7290.11</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>29.04</td><td>36.60</td><td>11.98</td><td>33.16</td><td>392 350 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7139.46	44.39	68.20	-23.81	29.49	36.42	11.61	33.13	392 350 AVERAGE	2	7290.11	44.46	54.00	-9.54	29.04	36.60	11.98	33.16	392 350 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.82</td><td>-----</td><td>-----</td><td>65.39</td><td>36.24</td><td>11.27</td><td>33.08</td><td>392 350 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.82	-----	-----	65.39	36.24	11.27	33.08	392 350 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7139.46	44.39	68.20	-23.81	29.49	36.42	11.61	33.13	392 350 AVERAGE																																																																																			
2	7290.11	44.46	54.00	-9.54	29.04	36.60	11.98	33.16	392 350 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	79.82	-----	-----	65.39	36.24	11.27	33.08	392 350 AVERAGE																																																																																			



Mode	120																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5908.51</td><td>53.91</td><td>88.20</td><td>-34.29</td><td>39.29</td><td>36.62</td><td>10.86</td><td>32.86</td><td>206 313 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5908.51	53.91	88.20	-34.29	39.29	36.62	10.86	32.86	206 313 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>91.51</td><td>-----</td><td>-----</td><td>76.71</td><td>36.69</td><td>11.01</td><td>32.90</td><td>206 313 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	91.51	-----	-----	76.71	36.69	11.01	32.90	206 313 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5908.51	53.91	88.20	-34.29	39.29	36.62	10.86	32.86	206 313 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	91.51	-----	-----	76.71	36.69	11.01	32.90	206 313 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5899.33</td><td>44.33</td><td>68.20</td><td>-23.87</td><td>29.74</td><td>36.60</td><td>10.85</td><td>32.86</td><td>206 313 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5899.33	44.33	68.20	-23.87	29.74	36.60	10.85	32.86	206 313 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>82.49</td><td>-----</td><td>-----</td><td>67.98</td><td>36.31</td><td>11.12</td><td>32.92</td><td>206 313 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	82.49	-----	-----	67.98	36.31	11.12	32.92	206 313 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5899.33	44.33	68.20	-23.87	29.74	36.60	10.85	32.86	206 313 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	82.49	-----	-----	67.98	36.31	11.12	32.92	206 313 AVERAGE																																																																		



Mode	120																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5689.72</td><td>53.35</td><td>88.20</td><td>-34.85</td><td>38.66</td><td>36.58</td><td>10.89</td><td>32.78</td><td>394</td><td>6</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5689.72	53.35	88.20	-34.85	38.66	36.58	10.89	32.78	394	6	PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>86.94</td><td>-----</td><td>-----</td><td>72.14</td><td>36.70</td><td>11.00</td><td>32.90</td><td>394</td><td>6</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	86.94	-----	-----	72.14	36.70	11.00	32.90	394	6	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5689.72	53.35	88.20	-34.85	38.66	36.58	10.89	32.78	394	6	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	86.94	-----	-----	72.14	36.70	11.00	32.90	394	6	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5657.59</td><td>44.29</td><td>68.20</td><td>-23.91</td><td>29.71</td><td>36.52</td><td>10.82</td><td>32.76</td><td>394</td><td>6</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5657.59	44.29	68.20	-23.91	29.71	36.52	10.82	32.76	394	6	AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>78.79</td><td>-----</td><td>-----</td><td>64.24</td><td>36.33</td><td>11.14</td><td>32.92</td><td>394</td><td>6</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	78.79	-----	-----	64.24	36.33	11.14	32.92	394	6	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5657.59	44.29	68.20	-23.91	29.71	36.52	10.82	32.76	394	6	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	78.79	-----	-----	64.24	36.33	11.14	32.92	394	6	AVERAGE																																																																																



		121																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																		
ANT		15+10																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7229.61</td><td>53.41</td><td>88.20</td><td>-34.79</td><td>38.13</td><td>36.56</td><td>11.87</td><td>33.15</td><td>200</td><td>307 PEAK</td></tr><tr><td>2 7266.51</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>38.00</td><td>36.60</td><td>11.94</td><td>33.15</td><td>200</td><td>307 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7229.61	53.41	88.20	-34.79	38.13	36.56	11.87	33.15	200	307 PEAK	2 7266.51	53.39	74.00	-20.61	38.00	36.60	11.94	33.15	200	307 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>86.02</td><td>-----</td><td>-----</td><td>71.59</td><td>36.24</td><td>11.27</td><td>33.08</td><td>200</td><td>307 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	86.02	-----	-----	71.59	36.24	11.27	33.08	200	307 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7229.61	53.41	88.20	-34.79	38.13	36.56	11.87	33.15	200	307 PEAK																																																																																											
2 7266.51	53.39	74.00	-20.61	38.00	36.60	11.94	33.15	200	307 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 6905.00	86.02	-----	-----	71.59	36.24	11.27	33.08	200	307 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7212.67</td><td>44.29</td><td>68.20</td><td>-23.91</td><td>29.06</td><td>36.53</td><td>11.84</td><td>33.14</td><td>200</td><td>307 AVERAGE</td></tr><tr><td>2 7299.79</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>29.13</td><td>36.60</td><td>12.00</td><td>33.16</td><td>200</td><td>307 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7212.67	44.29	68.20	-23.91	29.06	36.53	11.84	33.14	200	307 AVERAGE	2 7299.79	44.57	54.00	-9.43	29.13	36.60	12.00	33.16	200	307 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>77.32</td><td>-----</td><td>-----</td><td>62.83</td><td>36.28</td><td>11.28</td><td>33.07</td><td>200</td><td>307 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6905.00	77.32	-----	-----	62.83	36.28	11.28	33.07	200	307 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7212.67	44.29	68.20	-23.91	29.06	36.53	11.84	33.14	200	307 AVERAGE																																																																																											
2 7299.79	44.57	54.00	-9.43	29.13	36.60	12.00	33.16	200	307 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 6905.00	77.32	-----	-----	62.83	36.28	11.28	33.07	200	307 AVERAGE																																																																																											



Mode	121																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	7197.54	53.53	88.20	-34.67	38.36	36.50	11.81	33.14	397	2 PEAK	2	7252.60	54.07	74.00	-19.93	38.71	36.60	11.91	33.15	397	2 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	6905.00	86.94	-----	-----	72.44	36.29	11.28	33.07	397	2 PEAK					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																										
1	7197.54	53.53	88.20	-34.67	38.36	36.50	11.81	33.14	397	2 PEAK																																																																																								
2	7252.60	54.07	74.00	-19.93	38.71	36.60	11.91	33.15	397	2 PEAK																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	86.94	-----	-----	72.44	36.29	11.28	33.07	397	2 PEAK																																																																																								
Avg																																																																																																		
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	7138.86	44.27	68.20	-23.93	29.37	36.42	11.61	33.13	397	2 AVERAGE	2	7282.85	44.46	54.00	-9.54	29.05	36.60	11.97	33.16	397	2 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	6905.00	79.96	-----	-----	65.46	36.29	11.28	33.07	397	2 AVERAGE					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																										
1	7138.86	44.27	68.20	-23.93	29.37	36.42	11.61	33.13	397	2 AVERAGE																																																																																								
2	7282.85	44.46	54.00	-9.54	29.05	36.60	11.97	33.16	397	2 AVERAGE																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	79.96	-----	-----	65.46	36.29	11.28	33.07	397	2 AVERAGE																																																																																								



Mode	122																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.16</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>38.97</td><td>36.70</td><td>10.85</td><td>32.80</td><td>212 336 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5750.16	53.72	88.20	-34.48	38.97	36.70	10.85	32.80	212 336 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>90.42</td><td>-----</td><td>-----</td><td>75.84</td><td>36.35</td><td>11.16</td><td>32.93</td><td>212 336 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	90.42	-----	-----	75.84	36.35	11.16	32.93	212 336 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5750.16	53.72	88.20	-34.48	38.97	36.70	10.85	32.80	212 336 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	90.42	-----	-----	75.84	36.35	11.16	32.93	212 336 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5685.90</td><td>44.08</td><td>68.20</td><td>-24.12</td><td>29.39</td><td>36.57</td><td>10.89</td><td>32.77</td><td>212 336 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5685.90	44.08	68.20	-24.12	29.39	36.57	10.89	32.77	212 336 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>80.71</td><td>-----</td><td>-----</td><td>66.13</td><td>36.35</td><td>11.16</td><td>32.93</td><td>212 336 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	80.71	-----	-----	66.13	36.35	11.16	32.93	212 336 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5685.90	44.08	68.20	-24.12	29.39	36.57	10.89	32.77	212 336 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	80.71	-----	-----	66.13	36.35	11.16	32.93	212 336 AVERAGE																																																																									







Mode	122	
	Band Edge	
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz	
ANT	15+10	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-08-10	







Mode	123																																																																																										
	Band Edge																																																																																										
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7170.92</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>38.80</td><td>36.44</td><td>11.72</td><td>33.13</td><td>206</td><td>334 PEAK</td></tr><tr><td>2</td><td>7338.51</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>38.91</td><td>36.52</td><td>12.00</td><td>33.17</td><td>206</td><td>334 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7170.92	53.83	88.20	-34.37	38.80	36.44	11.72	33.13	206	334 PEAK	2	7338.51	54.26	74.00	-19.74	38.91	36.52	12.00	33.17	206	334 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>83.66</td><td>-----</td><td>-----</td><td>69.20</td><td>36.24</td><td>11.30</td><td>33.08</td><td>206</td><td>334 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.66	-----	-----	69.20	36.24	11.30	33.08	206	334 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7170.92	53.83	88.20	-34.37	38.80	36.44	11.72	33.13	206	334 PEAK																																																																																	
2	7338.51	54.26	74.00	-19.74	38.91	36.52	12.00	33.17	206	334 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6905.00	83.66	-----	-----	69.20	36.24	11.30	33.08	206	334 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7157.61</td><td>44.25</td><td>68.20</td><td>-23.95</td><td>29.29</td><td>36.42</td><td>11.67</td><td>33.13</td><td>206</td><td>334 AVERAGE</td></tr><tr><td>2</td><td>7256.83</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>29.13</td><td>36.60</td><td>11.92</td><td>33.15</td><td>206</td><td>334 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7157.61	44.25	68.20	-23.95	29.29	36.42	11.67	33.13	206	334 AVERAGE	2	7256.83	44.50	54.00	-9.50	29.13	36.60	11.92	33.15	206	334 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>75.28</td><td>-----</td><td>-----</td><td>60.78</td><td>36.29</td><td>11.28</td><td>33.07</td><td>206</td><td>334 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	75.28	-----	-----	60.78	36.29	11.28	33.07	206	334 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7157.61	44.25	68.20	-23.95	29.29	36.42	11.67	33.13	206	334 AVERAGE																																																																																	
2	7256.83	44.50	54.00	-9.50	29.13	36.60	11.92	33.15	206	334 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6905.00	75.28	-----	-----	60.78	36.29	11.28	33.07	206	334 AVERAGE																																																																																	



		123																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																																		
ANT		15+10																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7157.01</td><td>53.10</td><td>88.20</td><td>-35.10</td><td>38.15</td><td>36.41</td><td>11.67</td><td>33.13</td><td>360</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7267.72</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>38.20</td><td>36.60</td><td>11.94</td><td>33.15</td><td>360</td><td>0</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7157.01	53.10	88.20	-35.10	38.15	36.41	11.67	33.13	360	0	PEAK	2	7267.72	53.59	74.00	-20.41	38.20	36.60	11.94	33.15	360	0	PEAK	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>85.18</td><td>-----</td><td>-----</td><td>70.71</td><td>36.26</td><td>11.28</td><td>33.07</td><td>360</td><td>0</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	85.18	-----	-----	70.71	36.26	11.28	33.07	360	0	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7157.01	53.10	88.20	-35.10	38.15	36.41	11.67	33.13	360	0	PEAK																																																																																									
2	7267.72	53.59	74.00	-20.41	38.20	36.60	11.94	33.15	360	0	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6905.00	85.18	-----	-----	70.71	36.26	11.28	33.07	360	0	PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7145.51</td><td>44.24</td><td>68.20</td><td>-23.96</td><td>29.33</td><td>36.41</td><td>11.63</td><td>33.13</td><td>360</td><td>0</td><td>AVERAGE</td></tr><tr><td>2</td><td>7261.07</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>29.10</td><td>36.60</td><td>11.93</td><td>33.15</td><td>360</td><td>0</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7145.51	44.24	68.20	-23.96	29.33	36.41	11.63	33.13	360	0	AVERAGE	2	7261.07	44.48	54.00	-9.52	29.10	36.60	11.93	33.15	360	0	AVERAGE	 Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.15</td><td>-----</td><td>-----</td><td>64.71</td><td>36.23</td><td>11.29</td><td>33.08</td><td>360</td><td>0</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.15	-----	-----	64.71	36.23	11.29	33.08	360	0	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7145.51	44.24	68.20	-23.96	29.33	36.41	11.63	33.13	360	0	AVERAGE																																																																																									
2	7261.07	44.48	54.00	-9.52	29.10	36.60	11.93	33.15	360	0	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6905.00	79.15	-----	-----	64.71	36.23	11.29	33.08	360	0	AVERAGE																																																																																									



		124																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M_5985MHz																																																																																										
ANT		15+10																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5879.08</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>38.79</td><td>36.56</td><td>10.84</td><td>32.85</td><td>206</td><td>314</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5879.08	53.34	88.20	-34.86	38.79	36.56	10.84	32.85	206	314	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.72</td><td>-----</td><td>73.93</td><td>36.70</td><td>10.98</td><td>32.89</td><td>206</td><td>314</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.72	-----	73.93	36.70	10.98	32.89	206	314
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5879.08	53.34	88.20	-34.86	38.79	36.56	10.84	32.85	206	314	PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	88.72	-----	73.93	36.70	10.98	32.89	206	314	PEAK																																																																																		
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.56</td><td>42.86</td><td>68.20</td><td>-25.34</td><td>28.24</td><td>36.62</td><td>10.86</td><td>32.86</td><td>206</td><td>314</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.56	42.86	68.20	-25.34	28.24	36.62	10.86	32.86	206	314	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>80.69</td><td>-----</td><td>65.90</td><td>36.70</td><td>10.98</td><td>32.89</td><td>206</td><td>314</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	80.69	-----	65.90	36.70	10.98	32.89	206	314
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5907.56	42.86	68.20	-25.34	28.24	36.62	10.86	32.86	206	314	AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	80.69	-----	65.90	36.70	10.98	32.89	206	314	AVERAGE																																																																																		



Mode	124																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M_5985MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5917.80</td><td>52.90</td><td>88.20</td><td>-35.30</td><td>38.26</td><td>36.64</td><td>10.87</td><td>32.87</td><td>392 3 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5917.80	52.90	88.20	-35.30	38.26	36.64	10.87	32.87	392 3 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>85.27</td><td>-----</td><td>-----</td><td>70.48</td><td>36.70</td><td>10.99</td><td>32.90</td><td>392 3 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	85.27	-----	-----	70.48	36.70	10.99	32.90	392 3 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5917.80	52.90	88.20	-35.30	38.26	36.64	10.87	32.87	392 3 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	85.27	-----	-----	70.48	36.70	10.99	32.90	392 3 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.84</td><td>43.05</td><td>68.20</td><td>-25.15</td><td>28.38</td><td>36.65</td><td>10.89</td><td>32.87</td><td>392 3 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.84	43.05	68.20	-25.15	28.38	36.65	10.89	32.87	392 3 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>75.31</td><td>-----</td><td>-----</td><td>60.51</td><td>36.70</td><td>11.00</td><td>32.90</td><td>392 3 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	75.31	-----	-----	60.51	36.70	11.00	32.90	392 3 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.84	43.05	68.20	-25.15	28.38	36.65	10.89	32.87	392 3 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	75.31	-----	-----	60.51	36.70	11.00	32.90	392 3 AVERAGE																																																																		



Mode	125																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7203.64</td><td>53.57</td><td>88.20</td><td>-34.63</td><td>38.37</td><td>36.51</td><td>11.83</td><td>33.14</td><td>198 314 PEAK</td></tr><tr><td>2 7349.27</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>39.17</td><td>36.50</td><td>12.00</td><td>33.17</td><td>198 314 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7203.64	53.57	88.20	-34.63	38.37	36.51	11.83	33.14	198 314 PEAK	2 7349.27	54.50	74.00	-19.50	39.17	36.50	12.00	33.17	198 314 PEAK	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>91.66</td><td>-----</td><td>-----</td><td>76.99</td><td>36.34</td><td>11.43</td><td>33.10</td><td>198 314 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	91.66	-----	-----	76.99	36.34	11.43	33.10	198 314 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7203.64	53.57	88.20	-34.63	38.37	36.51	11.83	33.14	198 314 PEAK																																																																											
2 7349.27	54.50	74.00	-19.50	39.17	36.50	12.00	33.17	198 314 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	91.66	-----	-----	76.99	36.34	11.43	33.10	198 314 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7217.51</td><td>43.65</td><td>68.20</td><td>-24.55</td><td>28.40</td><td>36.54</td><td>11.85</td><td>33.14</td><td>198 314 AVERAGE</td></tr><tr><td>2 7275.91</td><td>43.69</td><td>54.00</td><td>-10.31</td><td>28.29</td><td>36.60</td><td>11.96</td><td>33.16</td><td>198 314 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7217.51	43.65	68.20	-24.55	28.40	36.54	11.85	33.14	198 314 AVERAGE	2 7275.91	43.69	54.00	-10.31	28.29	36.60	11.96	33.16	198 314 AVERAGE	Level (dBuV/m) Date: 2025-08-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7025.00</td><td>82.49</td><td>-----</td><td>-----</td><td>67.78</td><td>36.38</td><td>11.44</td><td>33.11</td><td>198 314 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	82.49	-----	-----	67.78	36.38	11.44	33.11	198 314 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7217.51	43.65	68.20	-24.55	28.40	36.54	11.85	33.14	198 314 AVERAGE																																																																											
2 7275.91	43.69	54.00	-10.31	28.29	36.60	11.96	33.16	198 314 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	82.49	-----	-----	67.78	36.38	11.44	33.11	198 314 AVERAGE																																																																											



		125																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																																			
ANT	15+10																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E						Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7208.75</td><td>53.60</td><td>88.20</td><td>-34.60</td><td>38.38</td><td>36.52</td><td>11.84</td><td>33.14</td><td>354 312 PEAK</td></tr><tr><td>2</td><td>7291.24</td><td>53.49</td><td>74.00</td><td>-20.51</td><td>38.07</td><td>36.60</td><td>11.98</td><td>33.16</td><td>354 312 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7208.75	53.60	88.20	-34.60	38.38	36.52	11.84	33.14	354 312 PEAK	2	7291.24	53.49	74.00	-20.51	38.07	36.60	11.98	33.16	354 312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>93.26</td><td>-----</td><td>-----</td><td>78.62</td><td>36.32</td><td>11.42</td><td>33.10</td><td>354 312 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.26	-----	-----	78.62	36.32	11.42	33.10
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7208.75	53.60	88.20	-34.60	38.38	36.52	11.84	33.14	354 312 PEAK																																																																																											
2	7291.24	53.49	74.00	-20.51	38.07	36.60	11.98	33.16	354 312 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	93.26	-----	-----	78.62	36.32	11.42	33.10	354 312 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E						Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7204.37</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>28.34</td><td>36.51</td><td>11.83</td><td>33.14</td><td>354 312 AVERAGE</td></tr><tr><td>2</td><td>7275.18</td><td>43.73</td><td>54.00</td><td>-10.27</td><td>28.34</td><td>36.60</td><td>11.95</td><td>33.16</td><td>354 312 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7204.37	43.54	68.20	-24.66	28.34	36.51	11.83	33.14	354 312 AVERAGE	2	7275.18	43.73	54.00	-10.27	28.34	36.60	11.95	33.16	354 312 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>84.73</td><td>-----</td><td>-----</td><td>70.09</td><td>36.32</td><td>11.42</td><td>33.10</td><td>354 312 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	84.73	-----	-----	70.09	36.32	11.42	33.10
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7204.37	43.54	68.20	-24.66	28.34	36.51	11.83	33.14	354 312 AVERAGE																																																																																											
2	7275.18	43.73	54.00	-10.27	28.34	36.60	11.95	33.16	354 312 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	84.73	-----	-----	70.09	36.32	11.42	33.10	354 312 AVERAGE																																																																																											







Mode	126									
	Band Edge									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M_6025MHz									
ANT	15+10									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2025-08-10									



Mode	126																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881 5937 5993 6049 6105 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5886.60</td><td>52.97</td><td>88.20</td><td>-35.23</td><td>38.41</td><td>36.57</td><td>10.84</td><td>32.85</td><td>397 336 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5886.60	52.97	88.20	-35.23	38.41	36.57	10.84	32.85	397 336 PEAK	Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>88.35</td><td>-----</td><td>-----</td><td>73.60</td><td>36.70</td><td>10.93</td><td>32.88</td><td>397 336 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	88.35	-----	-----	73.60	36.70	10.93	32.88	397 336 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5886.60	52.97	88.20	-35.23	38.41	36.57	10.84	32.85	397 336 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	88.35	-----	-----	73.60	36.70	10.93	32.88	397 336 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881 5937 5993 6049 6105 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5910.12</td><td>43.07</td><td>68.20</td><td>-25.13</td><td>28.45</td><td>36.62</td><td>10.86</td><td>32.86</td><td>397 336 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5910.12	43.07	68.20	-25.13	28.45	36.62	10.86	32.86	397 336 AVERAGE	Level (dBuV/m) Date: 2025-08-10 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>78.49</td><td>-----</td><td>-----</td><td>63.85</td><td>36.49</td><td>11.06</td><td>32.91</td><td>397 336 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	78.49	-----	-----	63.85	36.49	11.06	32.91	397 336 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5910.12	43.07	68.20	-25.13	28.45	36.62	10.86	32.86	397 336 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	78.49	-----	-----	63.85	36.49	11.06	32.91	397 336 AVERAGE																																																																		







		127																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																																				
ANT		15+10																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.88</td><td>53.69</td><td>88.20</td><td>-34.51</td><td>38.38</td><td>36.57</td><td>11.89</td><td>33.15</td><td>100</td><td>339 PEAK</td></tr><tr><td>2</td><td>7340.63</td><td>53.49</td><td>74.00</td><td>-20.51</td><td>38.14</td><td>36.52</td><td>12.00</td><td>33.17</td><td>100</td><td>339 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7236.88	53.69	88.20	-34.51	38.38	36.57	11.89	33.15	100	339 PEAK	2	7340.63	53.49	74.00	-20.51	38.14	36.52	12.00	33.17	100	339 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>87.45</td><td>-----</td><td>-----</td><td>72.84</td><td>36.30</td><td>11.41</td><td>33.10</td><td>100</td><td>339 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.45	-----	-----	72.84	36.30	11.41	33.10	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7236.88	53.69	88.20	-34.51	38.38	36.57	11.89	33.15	100	339 PEAK																																																																																												
2	7340.63	53.49	74.00	-20.51	38.14	36.52	12.00	33.17	100	339 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	87.45	-----	-----	72.84	36.30	11.41	33.10	100	339 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.38</td><td>43.73</td><td>68.20</td><td>-24.47</td><td>28.49</td><td>36.53</td><td>11.85</td><td>33.14</td><td>100</td><td>339 AVERAGE</td></tr><tr><td>2</td><td>7275.63</td><td>43.73</td><td>54.00</td><td>-10.27</td><td>28.34</td><td>36.60</td><td>11.95</td><td>33.16</td><td>100</td><td>339 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.38	43.73	68.20	-24.47	28.49	36.53	11.85	33.14	100	339 AVERAGE	2	7275.63	43.73	54.00	-10.27	28.34	36.60	11.95	33.16	100	339 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>77.68</td><td>-----</td><td>-----</td><td>62.93</td><td>36.41</td><td>11.45</td><td>33.11</td><td>100</td><td>339 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	77.68	-----	-----	62.93	36.41	11.45	33.11	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7214.38	43.73	68.20	-24.47	28.49	36.53	11.85	33.14	100	339 AVERAGE																																																																																												
2	7275.63	43.73	54.00	-10.27	28.34	36.60	11.95	33.16	100	339 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	77.68	-----	-----	62.93	36.41	11.45	33.11	100	339 AVERAGE																																																																																												







Mode	127																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																																						
ANT	15+10																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7163.13</td><td>53.22</td><td>88.20</td><td>-34.98</td><td>38.23</td><td>36.43</td><td>11.69</td><td>33.13</td><td>400</td><td>15 PEAK</td></tr><tr><td>2</td><td>7343.75</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>38.13</td><td>36.51</td><td>12.00</td><td>33.17</td><td>400</td><td>15 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7163.13	53.22	88.20	-34.98	38.23	36.43	11.69	33.13	400	15 PEAK	2	7343.75	53.47	74.00	-20.53	38.13	36.51	12.00	33.17	400	15 PEAK	Level (dBuV/m) Date: 2025-08-10 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>88.68</td><td>-----</td><td>-----</td><td>74.12</td><td>36.30</td><td>11.35</td><td>33.09</td><td>400</td><td>15 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	88.68	-----	-----	74.12	36.30	11.35	33.09	400	15 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7163.13	53.22	88.20	-34.98	38.23	36.43	11.69	33.13	400	15 PEAK																																																																																													
2	7343.75	53.47	74.00	-20.53	38.13	36.51	12.00	33.17	400	15 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	88.68	-----	-----	74.12	36.30	11.35	33.09	400	15 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7214.38</td><td>43.52</td><td>68.20</td><td>-24.68</td><td>28.28</td><td>36.53</td><td>11.85</td><td>33.14</td><td>400</td><td>15 AVERAGE</td></tr><tr><td>2</td><td>7280.00</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>28.14</td><td>36.60</td><td>11.96</td><td>33.16</td><td>400</td><td>15 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7214.38	43.52	68.20	-24.68	28.28	36.53	11.85	33.14	400	15 AVERAGE	2	7280.00	43.54	54.00	-10.46	28.14	36.60	11.96	33.16	400	15 AVERAGE	Level (dBuV/m) Date: 2025-08-10 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>82.60</td><td>-----</td><td>-----</td><td>68.02</td><td>36.30</td><td>11.38</td><td>33.10</td><td>400</td><td>15 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.60	-----	-----	68.02	36.30	11.38	33.10	400	15 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7214.38	43.52	68.20	-24.68	28.28	36.53	11.85	33.14	400	15 AVERAGE																																																																																													
2	7280.00	43.54	54.00	-10.46	28.14	36.60	11.96	33.16	400	15 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	82.60	-----	-----	68.02	36.30	11.38	33.10	400	15 AVERAGE																																																																																													



		128																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																																										
ANT		15+10																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>53.19</td><td>88.20</td><td>-35.01</td><td>38.64</td><td>36.55</td><td>10.83</td><td>32.83</td><td>261</td><td>315</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	53.19	88.20	-35.01	38.64	36.55	10.83	32.83	261	315	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>94.52</td><td>-----</td><td>79.78</td><td>36.61</td><td>11.03</td><td>32.90</td><td>261</td><td>315</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.52	-----	79.78	36.61	11.03	32.90	261	315
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	53.19	88.20	-35.01	38.64	36.55	10.83	32.83	261	315	PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	94.52	-----	79.78	36.61	11.03	32.90	261	315	PEAK																																																																																		
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.28</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>28.74</td><td>36.65</td><td>10.88</td><td>32.87</td><td>261</td><td>315</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.28	43.40	68.20	-24.80	28.74	36.65	10.88	32.87	261	315	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.86</td><td>-----</td><td>70.06</td><td>36.69</td><td>11.01</td><td>32.90</td><td>261</td><td>315</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.86	-----	70.06	36.69	11.01	32.90	261	315
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5923.28	43.40	68.20	-24.80	28.74	36.65	10.88	32.87	261	315	AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	84.86	-----	70.06	36.69	11.01	32.90	261	315	AVERAGE																																																																																		



Mode	128																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-11  PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5905.36</td><td>53.04</td><td>88.20</td><td>-35.16</td><td>38.44</td><td>36.61</td><td>10.85</td><td>32.86</td><td>400 76 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5905.36	53.04	88.20	-35.16	38.44	36.61	10.85	32.86	400 76 PEAK	Level (dBuV/m) Date: 2025-08-11  PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>90.22</td><td>-----</td><td>-----</td><td>75.48</td><td>36.61</td><td>11.03</td><td>32.90</td><td>400 76 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	90.22	-----	-----	75.48	36.61	11.03	32.90	400 76 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5905.36	53.04	88.20	-35.16	38.44	36.61	10.85	32.86	400 76 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	90.22	-----	-----	75.48	36.61	11.03	32.90	400 76 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-11  AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5905.36</td><td>43.10</td><td>68.20</td><td>-25.10</td><td>28.50</td><td>36.61</td><td>10.85</td><td>32.86</td><td>400 76 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5905.36	43.10	68.20	-25.10	28.50	36.61	10.85	32.86	400 76 AVERAGE	Level (dBuV/m) Date: 2025-08-11  AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>80.82</td><td>-----</td><td>-----</td><td>66.14</td><td>36.54</td><td>11.05</td><td>32.91</td><td>400 76 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	80.82	-----	-----	66.14	36.54	11.05	32.91	400 76 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5905.36	43.10	68.20	-25.10	28.50	36.61	10.85	32.86	400 76 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	80.82	-----	-----	66.14	36.54	11.05	32.91	400 76 AVERAGE																																																																		



Mode	129																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																																																						
ANT	15+10																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7233.13</td><td>54.24</td><td>88.20</td><td>-33.96</td><td>38.94</td><td>36.57</td><td>11.88</td><td>33.15</td><td>198</td><td>308</td><td>PEAK</td></tr><tr><td>2</td><td>7296.25</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>38.70</td><td>36.60</td><td>11.99</td><td>33.16</td><td>198</td><td>308</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7233.13	54.24	88.20	-33.96	38.94	36.57	11.88	33.15	198	308	PEAK	2	7296.25	54.13	74.00	-19.87	38.70	36.60	11.99	33.16	198	308	PEAK	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>89.39</td><td>-----</td><td>-----</td><td>74.78</td><td>36.30</td><td>11.41</td><td>33.10</td><td>198</td><td>308</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	89.39	-----	-----	74.78	36.30	11.41	33.10	198	308	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7233.13	54.24	88.20	-33.96	38.94	36.57	11.88	33.15	198	308	PEAK																																																																																												
2	7296.25	54.13	74.00	-19.87	38.70	36.60	11.99	33.16	198	308	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	89.39	-----	-----	74.78	36.30	11.41	33.10	198	308	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.25</td><td>43.76</td><td>68.20</td><td>-24.44</td><td>28.52</td><td>36.53</td><td>11.85</td><td>33.14</td><td>198</td><td>308</td><td>AVERAGE</td></tr><tr><td>2</td><td>7264.38</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>28.48</td><td>36.60</td><td>11.93</td><td>33.15</td><td>198</td><td>308</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.25	43.76	68.20	-24.44	28.52	36.53	11.85	33.14	198	308	AVERAGE	2	7264.38	43.86	54.00	-10.14	28.48	36.60	11.93	33.15	198	308	AVERAGE	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>79.32</td><td>-----</td><td>-----</td><td>64.74</td><td>36.30</td><td>11.38</td><td>33.10</td><td>198</td><td>308</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	79.32	-----	-----	64.74	36.30	11.38	33.10	198	308	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7216.25	43.76	68.20	-24.44	28.52	36.53	11.85	33.14	198	308	AVERAGE																																																																																												
2	7264.38	43.86	54.00	-10.14	28.48	36.60	11.93	33.15	198	308	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	79.32	-----	-----	64.74	36.30	11.38	33.10	198	308	AVERAGE																																																																																												



Mode	129																																																																																							
	Band Edge																																																																																							
	U-NII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																																							
ANT	15+10																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7159.38</td><td>53.75</td><td>88.20</td><td>-34.45</td><td>38.78</td><td>36.42</td><td>11.68</td><td>33.13</td><td>371 34 PEAK</td></tr><tr><td>2</td><td>7258.75</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>38.44</td><td>36.60</td><td>11.92</td><td>33.15</td><td>371 34 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7159.38	53.75	88.20	-34.45	38.78	36.42	11.68	33.13	371 34 PEAK	2	7258.75	53.81	74.00	-20.19	38.44	36.60	11.92	33.15	371 34 PEAK	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>87.68</td><td>-----</td><td>-----</td><td>73.15</td><td>36.29</td><td>11.33</td><td>33.09</td><td>371 34 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6985.00	87.68	-----	-----	73.15	36.29	11.33	33.09	371 34 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	7159.38	53.75	88.20	-34.45	38.78	36.42	11.68	33.13	371 34 PEAK																																																																															
2	7258.75	53.81	74.00	-20.19	38.44	36.60	11.92	33.15	371 34 PEAK																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	6985.00	87.68	-----	-----	73.15	36.29	11.33	33.09	371 34 PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7146.88</td><td>43.93</td><td>68.20</td><td>-24.27</td><td>29.01</td><td>36.41</td><td>11.64</td><td>33.13</td><td>371 34 AVERAGE</td></tr><tr><td>2</td><td>7282.50</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>28.50</td><td>36.60</td><td>11.97</td><td>33.16</td><td>371 34 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7146.88	43.93	68.20	-24.27	29.01	36.41	11.64	33.13	371 34 AVERAGE	2	7282.50	43.91	54.00	-10.09	28.50	36.60	11.97	33.16	371 34 AVERAGE	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>79.11</td><td>-----</td><td>-----</td><td>64.59</td><td>36.28</td><td>11.33</td><td>33.09</td><td>371 34 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6985.00	79.11	-----	-----	64.59	36.28	11.33	33.09	371 34 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	7146.88	43.93	68.20	-24.27	29.01	36.41	11.64	33.13	371 34 AVERAGE																																																																															
2	7282.50	43.91	54.00	-10.09	28.50	36.60	11.97	33.16	371 34 AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																															
1	6985.00	79.11	-----	-----	64.59	36.28	11.33	33.09	371 34 AVERAGE																																																																															



Mode	130																																																																											
	Band Edge																																																																											
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5614.75</td><td>54.00</td><td>88.20</td><td>-34.20</td><td>39.66</td><td>36.36</td><td>10.73</td><td>32.75</td><td>263 316 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5614.75	54.00	88.20	-34.20	39.66	36.36	10.73	32.75	263 316 PEAK	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>92.70</td><td>-----</td><td>-----</td><td>78.04</td><td>36.51</td><td>11.06</td><td>32.91</td><td>263 316 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.70	-----	-----	78.04	36.51	11.06	32.91	263 316 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5614.75	54.00	88.20	-34.20	39.66	36.36	10.73	32.75	263 316 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	92.70	-----	-----	78.04	36.51	11.06	32.91	263 316 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.10</td><td>43.46</td><td>68.20</td><td>-24.74</td><td>28.83</td><td>36.63</td><td>10.87</td><td>32.87</td><td>263 316 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.10	43.46	68.20	-24.74	28.83	36.63	10.87	32.87	263 316 AVERAGE	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>83.00</td><td>-----</td><td>-----</td><td>68.20</td><td>36.69</td><td>11.01</td><td>32.90</td><td>263 316 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.00	-----	-----	68.20	36.69	11.01	32.90	263 316 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5913.10	43.46	68.20	-24.74	28.83	36.63	10.87	32.87	263 316 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	83.00	-----	-----	68.20	36.69	11.01	32.90	263 316 AVERAGE																																																																			



Mode	130																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5696.61</td><td>53.75</td><td>88.20</td><td>-34.45</td><td>39.04</td><td>36.59</td><td>10.90</td><td>32.78</td><td>186</td><td>260 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5696.61	53.75	88.20	-34.45	39.04	36.59	10.90	32.78	186	260 PEAK	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>86.40</td><td>-----</td><td>-----</td><td>71.65</td><td>36.70</td><td>10.93</td><td>32.88</td><td>186</td><td>260 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	86.40	-----	-----	71.65	36.70	10.93	32.88	186	260 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5696.61	53.75	88.20	-34.45	39.04	36.59	10.90	32.78	186	260 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6105.00	86.40	-----	-----	71.65	36.70	10.93	32.88	186	260 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5664.48</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>28.72</td><td>36.53</td><td>10.84</td><td>32.77</td><td>186</td><td>260 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5664.48	43.32	68.20	-24.88	28.72	36.53	10.84	32.77	186	260 AVERAGE	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>80.40</td><td>-----</td><td>-----</td><td>65.64</td><td>36.70</td><td>10.94</td><td>32.88</td><td>186</td><td>260 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	80.40	-----	-----	65.64	36.70	10.94	32.88	186	260 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5664.48	43.32	68.20	-24.88	28.72	36.53	10.84	32.77	186	260 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 6105.00	80.40	-----	-----	65.64	36.70	10.94	32.88	186	260 AVERAGE																																																																									







Mode	131																																																																																		
	Band Edge																																																																																		
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7130.39</td><td>53.28</td><td>88.20 -34.92</td><td>38.39</td><td>36.44</td><td>11.58</td><td>33.13</td><td>243</td><td>312 PEAK</td></tr><tr><td>2 7292.53</td><td>54.09</td><td>74.00 -19.91</td><td>38.67</td><td>36.60</td><td>11.98</td><td>33.16</td><td>243</td><td>312 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7130.39	53.28	88.20 -34.92	38.39	36.44	11.58	33.13	243	312 PEAK	2 7292.53	54.09	74.00 -19.91	38.67	36.60	11.98	33.16	243	312 PEAK	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6905.00</td><td>86.70</td><td>-----</td><td>72.24</td><td>36.24</td><td>11.30</td><td>33.08</td><td>243</td><td>312 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	86.70	-----	72.24	36.24	11.30	33.08	243	312 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7130.39	53.28	88.20 -34.92	38.39	36.44	11.58	33.13	243	312 PEAK																																																																											
2 7292.53	54.09	74.00 -19.91	38.67	36.60	11.98	33.16	243	312 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 6905.00	86.70	-----	72.24	36.24	11.30	33.08	243	312 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7215.69</td><td>43.53</td><td>68.20 -24.67</td><td>28.29</td><td>36.53</td><td>11.85</td><td>33.14</td><td>243</td><td>312 AVERAGE</td></tr><tr><td>2 7260.46</td><td>43.60</td><td>54.00 -10.40</td><td>28.22</td><td>36.60</td><td>11.93</td><td>33.15</td><td>243</td><td>312 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7215.69	43.53	68.20 -24.67	28.29	36.53	11.85	33.14	243	312 AVERAGE	2 7260.46	43.60	54.00 -10.40	28.22	36.60	11.93	33.15	243	312 AVERAGE	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6905.00</td><td>77.18</td><td>-----</td><td>62.72</td><td>36.24</td><td>11.30</td><td>33.08</td><td>243</td><td>312 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	77.18	-----	62.72	36.24	11.30	33.08	243	312 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7215.69	43.53	68.20 -24.67	28.29	36.53	11.85	33.14	243	312 AVERAGE																																																																											
2 7260.46	43.60	54.00 -10.40	28.22	36.60	11.93	33.15	243	312 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 6905.00	77.18	-----	62.72	36.24	11.30	33.08	243	312 AVERAGE																																																																											



Mode	131																																																			
	Band Edge																																																			
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																			
ANT	15+10																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-08-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7239.89</td><td>53.67</td><td>88.20</td><td>-34.53</td><td>38.35</td><td>36.58</td><td>11.89</td><td>33.15</td><td>356</td><td>0 PEAK</td></tr><tr><td>2 7271.35</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>38.22</td><td>36.60</td><td>11.95</td><td>33.15</td><td>356</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7239.89	53.67	88.20	-34.53	38.35	36.58	11.89	33.15	356	0 PEAK	2 7271.35	53.62	74.00	-20.38	38.22	36.60	11.95	33.15	356	0 PEAK	Level (dBuV/m) Date: 2025-08-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6905.00</td><td>87.29</td><td>-----</td><td>-----</td><td>72.85</td><td>36.23</td><td>11.29</td><td>33.08</td><td>356</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 6905.00	87.29	-----	-----	72.85	36.23	11.29	33.08	356	0 PEAK
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																										
1 7239.89	53.67	88.20	-34.53	38.35	36.58	11.89	33.15	356	0 PEAK																																											
2 7271.35	53.62	74.00	-20.38	38.22	36.60	11.95	33.15	356	0 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 6905.00	87.29	-----	-----	72.85	36.23	11.29	33.08	356	0 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-08-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7225.37</td><td>43.76</td><td>68.20</td><td>-24.44</td><td>28.49</td><td>36.55</td><td>11.87</td><td>33.15</td><td>356</td><td>0 AVERAGE</td></tr><tr><td>2 7288.29</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>28.33</td><td>36.60</td><td>11.98</td><td>33.16</td><td>356</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7225.37	43.76	68.20	-24.44	28.49	36.55	11.87	33.15	356	0 AVERAGE	2 7288.29	43.75	54.00	-10.25	28.33	36.60	11.98	33.16	356	0 AVERAGE	Level (dBuV/m) Date: 2025-08-11 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6905.00</td><td>80.20</td><td>-----</td><td>-----</td><td>65.70</td><td>36.27</td><td>11.32</td><td>33.09</td><td>356</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 6905.00	80.20	-----	-----	65.70	36.27	11.32	33.09	356	0 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 7225.37	43.76	68.20	-24.44	28.49	36.55	11.87	33.15	356	0 AVERAGE																																											
2 7288.29	43.75	54.00	-10.25	28.33	36.60	11.98	33.16	356	0 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 6905.00	80.20	-----	-----	65.70	36.27	11.32	33.09	356	0 AVERAGE																																											



Mode	132																																																																																			
	Band Edge																																																																																			
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																																			
ANT	15+10																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-11  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5797.59</td><td>53.98</td><td>88.20</td><td>-34.22</td><td>39.38</td><td>36.60</td><td>10.82</td><td>32.82</td><td>249</td><td>322 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5797.59	53.98	88.20	-34.22	39.38	36.60	10.82	32.82	249	322 PEAK	Level (dBuV/m) Date: 2025-08-11  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>92.10</td><td>-----</td><td>-----</td><td>77.44</td><td>36.51</td><td>11.06</td><td>32.91</td><td>249</td><td>322 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.10	-----	-----	77.44	36.51	11.06	32.91	249	322 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5797.59	53.98	88.20	-34.22	39.38	36.60	10.82	32.82	249	322 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	92.10	-----	-----	77.44	36.51	11.06	32.91	249	322 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-08-11  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5693.55</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>28.69</td><td>36.59</td><td>10.90</td><td>32.78</td><td>249</td><td>322 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5693.55	43.40	68.20	-24.80	28.69	36.59	10.90	32.78	249	322 AVERAGE	Level (dBuV/m) Date: 2025-08-11  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.47</td><td>-----</td><td>-----</td><td>67.81</td><td>36.51</td><td>11.06</td><td>32.91</td><td>249</td><td>322 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.47	-----	-----	67.81	36.51	11.06	32.91	249	322 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5693.55	43.40	68.20	-24.80	28.69	36.59	10.90	32.78	249	322 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	6105.00	82.47	-----	-----	67.81	36.51	11.06	32.91	249	322 AVERAGE																																																																										



Mode	132																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5675.19</td><td>53.37</td><td>88.20</td><td>-34.83</td><td>38.73</td><td>36.55</td><td>10.86</td><td>32.77</td><td>400 5 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5675.19	53.37	88.20	-34.83	38.73	36.55	10.86	32.77	400 5 PEAK	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>86.14</td><td>-----</td><td>-----</td><td>71.52</td><td>36.46</td><td>11.07</td><td>32.91</td><td>400 5 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	86.14	-----	-----	71.52	36.46	11.07	32.91	400 5 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5675.19	53.37	88.20	-34.83	38.73	36.55	10.86	32.77	400 5 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	86.14	-----	-----	71.52	36.46	11.07	32.91	400 5 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5680.54</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>28.68</td><td>36.56</td><td>10.87</td><td>32.77</td><td>400 5 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5680.54	43.34	68.20	-24.86	28.68	36.56	10.87	32.77	400 5 AVERAGE	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>77.85</td><td>-----</td><td>-----</td><td>63.23</td><td>36.46</td><td>11.07</td><td>32.91</td><td>400 5 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	77.85	-----	-----	63.23	36.46	11.07	32.91	400 5 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5680.54	43.34	68.20	-24.86	28.68	36.56	10.87	32.77	400 5 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	77.85	-----	-----	63.23	36.46	11.07	32.91	400 5 AVERAGE																																																																		







Mode	133																																																																																					
	Band Edge																																																																																					
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																					
ANT	15+10																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7191.49</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>38.71</td><td>36.48</td><td>11.78</td><td>33.14</td><td>248 312 PEAK</td></tr><tr><td>2</td><td>7299.18</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>38.13</td><td>36.60</td><td>12.00</td><td>33.16</td><td>248 312 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7191.49	53.83	88.20	-34.37	38.71	36.48	11.78	33.14	248 312 PEAK	2	7299.18	53.57	74.00	-20.43	38.13	36.60	12.00	33.16	248 312 PEAK	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>85.94</td><td>-----</td><td>-----</td><td>71.48</td><td>36.24</td><td>11.30</td><td>33.08</td><td>248 312 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	85.94	-----	-----	71.48	36.24	11.30	33.08	248 312 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	7191.49	53.83	88.20	-34.37	38.71	36.48	11.78	33.14	248 312 PEAK																																																																													
2	7299.18	53.57	74.00	-20.43	38.13	36.60	12.00	33.16	248 312 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	6905.00	85.94	-----	-----	71.48	36.24	11.30	33.08	248 312 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7221.14</td><td>43.62</td><td>68.20</td><td>-24.58</td><td>28.36</td><td>36.54</td><td>11.86</td><td>33.14</td><td>248 312 AVERAGE</td></tr><tr><td>2</td><td>7269.54</td><td>43.71</td><td>54.00</td><td>-10.29</td><td>28.32</td><td>36.60</td><td>11.94</td><td>33.15</td><td>248 312 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7221.14	43.62	68.20	-24.58	28.36	36.54	11.86	33.14	248 312 AVERAGE	2	7269.54	43.71	54.00	-10.29	28.32	36.60	11.94	33.15	248 312 AVERAGE	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>76.90</td><td>-----</td><td>-----</td><td>62.43</td><td>36.26</td><td>11.28</td><td>33.07</td><td>248 312 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	76.90	-----	-----	62.43	36.26	11.28	33.07	248 312 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	7221.14	43.62	68.20	-24.58	28.36	36.54	11.86	33.14	248 312 AVERAGE																																																																													
2	7269.54	43.71	54.00	-10.29	28.32	36.60	11.94	33.15	248 312 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																														
1	6905.00	76.90	-----	-----	62.43	36.26	11.28	33.07	248 312 AVERAGE																																																																													



Mode	133																																																																																															
	Band Edge																																																																																															
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.55</td><td>54.15</td><td>88.20</td><td>-34.05</td><td>39.26</td><td>36.45</td><td>11.57</td><td>33.13</td><td>394</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7345.77</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>38.69</td><td>36.51</td><td>12.00</td><td>33.17</td><td>394</td><td>0</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	7125.55	54.15	88.20	-34.05	39.26	36.45	11.57	33.13	394	0	PEAK	2	7345.77	54.03	74.00	-19.97	38.69	36.51	12.00	33.17	394	0	PEAK	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>86.45</td><td>-----</td><td>-----</td><td>71.95</td><td>36.29</td><td>11.28</td><td>33.07</td><td>394</td><td>0</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	6905.00	86.45	-----	-----	71.95	36.29	11.28	33.07	394	0	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																									
1	7125.55	54.15	88.20	-34.05	39.26	36.45	11.57	33.13	394	0	PEAK																																																																																					
2	7345.77	54.03	74.00	-19.97	38.69	36.51	12.00	33.17	394	0	PEAK																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																									
1	6905.00	86.45	-----	-----	71.95	36.29	11.28	33.07	394	0	PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7215.69</td><td>43.64</td><td>68.20</td><td>-24.56</td><td>28.40</td><td>36.53</td><td>11.85</td><td>33.14</td><td>394</td><td>0</td><td>AVERAGE</td></tr><tr><td>2</td><td>7295.55</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>28.25</td><td>36.60</td><td>11.99</td><td>33.16</td><td>394</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	7215.69	43.64	68.20	-24.56	28.40	36.53	11.85	33.14	394	0	AVERAGE	2	7295.55	43.68	54.00	-10.32	28.25	36.60	11.99	33.16	394	0	AVERAGE	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>79.24</td><td>-----</td><td>-----</td><td>64.74</td><td>36.29</td><td>11.28</td><td>33.07</td><td>394</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg	1	6905.00	79.24	-----	-----	64.74	36.29	11.28	33.07	394	0	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																									
1	7215.69	43.64	68.20	-24.56	28.40	36.53	11.85	33.14	394	0	AVERAGE																																																																																					
2	7295.55	43.68	54.00	-10.32	28.25	36.60	11.99	33.16	394	0	AVERAGE																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	cm	deg																																																																																									
1	6905.00	79.24	-----	-----	64.74	36.29	11.28	33.07	394	0	AVERAGE																																																																																					



Mode	134																																																																																								
	Band Edge																																																																																								
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																																								
ANT	15+10																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5678.25</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>39.45</td><td>36.56</td><td>10.87</td><td>32.77</td><td>257 316 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5678.25	54.11	88.20	-34.09	39.45	36.56	10.87	32.77	257 316 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>91.26</td><td>-----</td><td>-----</td><td>76.47</td><td>36.70</td><td>10.98</td><td>32.89</td><td>257 316 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	91.26	-----	-----	76.47	36.70	10.98	32.89
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5678.25	54.11	88.20	-34.09	39.45	36.56	10.87	32.77	257 316 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	91.26	-----	-----	76.47	36.70	10.98	32.89	257 316 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5691.25</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>28.67</td><td>36.58</td><td>10.90</td><td>32.78</td><td>257 316 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5691.25	43.37	68.20	-24.83	28.67	36.58	10.90	32.78	257 316 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>81.72</td><td>-----</td><td>-----</td><td>67.11</td><td>36.44</td><td>11.08</td><td>32.91</td><td>257 316 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	81.72	-----	-----	67.11	36.44	11.08	32.91
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5691.25	43.37	68.20	-24.83	28.67	36.58	10.90	32.78	257 316 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	81.72	-----	-----	67.11	36.44	11.08	32.91	257 316 AVERAGE																																																																																



Mode	134	
	Band Edge	
	U-NII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M_6105MHz	
ANT	15+10	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-08-11	





Mode	135																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																																										
ANT	15+10																																																																																																										
Pol.	Horizontal					Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7130.99</td><td>53.76</td><td>88.20</td><td>-34.44</td><td>38.87</td><td>36.44</td><td>11.58</td><td>33.13</td><td>250</td><td>311 PEAK</td></tr><tr><td>2</td><td>7254.41</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>37.83</td><td>36.60</td><td>11.92</td><td>33.15</td><td>250</td><td>311 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg		1	7130.99	53.76	88.20	-34.44	38.87	36.44	11.58	33.13	250	311 PEAK	2	7254.41	53.20	74.00	-20.80	37.83	36.60	11.92	33.15	250	311 PEAK	Level (dBuV/m) Date: 2025-08-11 PEAK_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>88.12</td><td>-----</td><td>-----</td><td>73.53</td><td>36.30</td><td>11.39</td><td>33.10</td><td>250</td><td>311 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg		1	6905.00	88.12	-----	-----	73.53	36.30	11.39	33.10	250	311 PEAK
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg																																																																																																		
1	7130.99	53.76	88.20	-34.44	38.87	36.44	11.58	33.13	250	311 PEAK																																																																																																	
2	7254.41	53.20	74.00	-20.80	37.83	36.60	11.92	33.15	250	311 PEAK																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg																																																																																																		
1	6905.00	88.12	-----	-----	73.53	36.30	11.39	33.10	250	311 PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7213.27</td><td>43.48</td><td>68.20</td><td>-24.72</td><td>28.25</td><td>36.53</td><td>11.84</td><td>33.14</td><td>250</td><td>311 AVERAGE</td></tr><tr><td>2</td><td>7310.68</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>28.22</td><td>36.58</td><td>12.01</td><td>33.16</td><td>250</td><td>311 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg		1	7213.27	43.48	68.20	-24.72	28.25	36.53	11.84	33.14	250	311 AVERAGE	2	7310.68	43.65	54.00	-10.35	28.22	36.58	12.01	33.16	250	311 AVERAGE	Level (dBuV/m) Date: 2025-08-11 AVG_BE(UNII)_6E <table><tr><th colspan="2"></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6905.00</td><td>78.37</td><td>-----</td><td>-----</td><td>63.90</td><td>36.26</td><td>11.28</td><td>33.07</td><td>250</td><td>311 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg		1	6905.00	78.37	-----	-----	63.90	36.26	11.28	33.07	250	311 AVERAGE
			Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg																																																																																																		
1	7213.27	43.48	68.20	-24.72	28.25	36.53	11.84	33.14	250	311 AVERAGE																																																																																																	
2	7310.68	43.65	54.00	-10.35	28.22	36.58	12.01	33.16	250	311 AVERAGE																																																																																																	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB		cm	deg																																																																																																		
1	6905.00	78.37	-----	-----	63.90	36.26	11.28	33.07	250	311 AVERAGE																																																																																																	



Mode	135																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7244.73</td><td>53.65</td><td>88.20</td><td>-34.55</td><td>38.31</td><td>36.59</td><td>11.90</td><td>33.15</td><td>300</td><td>319</td><td>PEAK</td></tr><tr><td>2</td><td>7259.86</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>39.30</td><td>36.60</td><td>11.93</td><td>33.15</td><td>300</td><td>319</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7244.73	53.65	88.20	-34.55	38.31	36.59	11.90	33.15	300	319	PEAK	2	7259.86	54.68	74.00	-19.32	39.30	36.60	11.93	33.15	300	319	PEAK	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>86.48</td><td>-----</td><td>-----</td><td>71.95</td><td>36.29</td><td>11.33</td><td>33.09</td><td>300</td><td>319</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	86.48	-----	-----	71.95	36.29	11.33	33.09	300	319	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7244.73	53.65	88.20	-34.55	38.31	36.59	11.90	33.15	300	319	PEAK																																																																																	
2	7259.86	54.68	74.00	-19.32	39.30	36.60	11.93	33.15	300	319	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	86.48	-----	-----	71.95	36.29	11.33	33.09	300	319	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7209.64</td><td>43.59</td><td>68.20</td><td>-24.61</td><td>28.37</td><td>36.52</td><td>11.84</td><td>33.14</td><td>300</td><td>319</td><td>AVERAGE</td></tr><tr><td>2</td><td>7281.03</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>28.32</td><td>36.60</td><td>11.96</td><td>33.16</td><td>300</td><td>319</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7209.64	43.59	68.20	-24.61	28.37	36.52	11.84	33.14	300	319	AVERAGE	2	7281.03	43.72	54.00	-10.28	28.32	36.60	11.96	33.16	300	319	AVERAGE	Level (dBuV/m) Date: 2025-08-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.61</td><td>-----</td><td>-----</td><td>63.14</td><td>36.25</td><td>11.31</td><td>33.09</td><td>300</td><td>319</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.61	-----	-----	63.14	36.25	11.31	33.09	300	319	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7209.64	43.59	68.20	-24.61	28.37	36.52	11.84	33.14	300	319	AVERAGE																																																																																	
2	7281.03	43.72	54.00	-10.28	28.32	36.60	11.96	33.16	300	319	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	77.61	-----	-----	63.14	36.25	11.31	33.09	300	319	AVERAGE																																																																																	







Mode	136																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	U-NII-8_6525-7125_802.11be EHT320-LF_CH191_Full RU_6905MHz																																																																																																																																																																																																																											
ANT	15+10																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
QPI Peak																																																																																																																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>32.91</td><td>21.06</td><td>40.00</td><td>-18.94</td><td>27.74</td><td>23.46</td><td>1.06</td><td>31.20</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>155.13</td><td>23.34</td><td>43.50</td><td>-20.16</td><td>35.76</td><td>16.40</td><td>2.26</td><td>31.08</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>221.09</td><td>28.29</td><td>46.00</td><td>-17.71</td><td>41.09</td><td>15.41</td><td>2.69</td><td>30.90</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>320.03</td><td>28.47</td><td>46.00</td><td>-17.53</td><td>36.27</td><td>19.84</td><td>3.22</td><td>30.86</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>573.20</td><td>27.33</td><td>46.00</td><td>-18.67</td><td>29.06</td><td>24.95</td><td>4.32</td><td>31.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>804.06</td><td>32.01</td><td>46.00</td><td>-13.99</td><td>31.89</td><td>26.13</td><td>5.09</td><td>31.10</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	32.91	21.06	40.00	-18.94	27.74	23.46	1.06	31.20	---	---	---	Peak	2	155.13	23.34	43.50	-20.16	35.76	16.40	2.26	31.08	---	---	---	Peak	3	221.09	28.29	46.00	-17.71	41.09	15.41	2.69	30.90	---	---	---	Peak	4	320.03	28.47	46.00	-17.53	36.27	19.84	3.22	30.86	---	---	---	Peak	5	573.20	27.33	46.00	-18.67	29.06	24.95	4.32	31.00	---	---	---	Peak	6	804.06	32.01	46.00	-13.99	31.89	26.13	5.09	31.10	---	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>40.67</td><td>27.51</td><td>40.00</td><td>-12.49</td><td>38.88</td><td>18.66</td><td>1.17</td><td>31.20</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.16</td><td>24.53</td><td>40.00</td><td>-15.47</td><td>41.36</td><td>13.04</td><td>1.38</td><td>31.25</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>157.07</td><td>21.58</td><td>43.50</td><td>-21.92</td><td>34.01</td><td>16.36</td><td>2.28</td><td>31.07</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>224.00</td><td>21.53</td><td>46.00</td><td>-24.47</td><td>33.98</td><td>15.74</td><td>2.71</td><td>30.90</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>528.58</td><td>29.98</td><td>46.00</td><td>-16.02</td><td>32.27</td><td>24.44</td><td>4.14</td><td>30.87</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>838.98</td><td>31.22</td><td>46.00</td><td>-14.78</td><td>30.67</td><td>26.41</td><td>5.20</td><td>31.06</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	40.67	27.51	40.00	-12.49	38.88	18.66	1.17	31.20	---	---	---	Peak	2	57.16	24.53	40.00	-15.47	41.36	13.04	1.38	31.25	---	---	---	Peak	3	157.07	21.58	43.50	-21.92	34.01	16.36	2.28	31.07	---	---	---	Peak	4	224.00	21.53	46.00	-24.47	33.98	15.74	2.71	30.90	---	---	---	Peak	5	528.58	29.98	46.00	-16.02	32.27	24.44	4.14	30.87	---	---	---	Peak	6	838.98	31.22	46.00	-14.78	30.67	26.41	5.20	31.06	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																
	1	32.91	21.06	40.00	-18.94	27.74	23.46	1.06	31.20	---	---	---	Peak																																																																																																																																																																																																															
	2	155.13	23.34	43.50	-20.16	35.76	16.40	2.26	31.08	---	---	---	Peak																																																																																																																																																																																																															
	3	221.09	28.29	46.00	-17.71	41.09	15.41	2.69	30.90	---	---	---	Peak																																																																																																																																																																																																															
	4	320.03	28.47	46.00	-17.53	36.27	19.84	3.22	30.86	---	---	---	Peak																																																																																																																																																																																																															
	5	573.20	27.33	46.00	-18.67	29.06	24.95	4.32	31.00	---	---	---	Peak																																																																																																																																																																																																															
	6	804.06	32.01	46.00	-13.99	31.89	26.13	5.09	31.10	---	---	---	Peak																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	40.67	27.51	40.00	-12.49	38.88	18.66	1.17	31.20	---	---	---	Peak																																																																																																																																																																																																																
2	57.16	24.53	40.00	-15.47	41.36	13.04	1.38	31.25	---	---	---	Peak																																																																																																																																																																																																																
3	157.07	21.58	43.50	-21.92	34.01	16.36	2.28	31.07	---	---	---	Peak																																																																																																																																																																																																																
4	224.00	21.53	46.00	-24.47	33.98	15.74	2.71	30.90	---	---	---	Peak																																																																																																																																																																																																																
5	528.58	29.98	46.00	-16.02	32.27	24.44	4.14	30.87	---	---	---	Peak																																																																																																																																																																																																																
6	838.98	31.22	46.00	-14.78	30.67	26.41	5.20	31.06	---	---	---	Peak																																																																																																																																																																																																																







		137																																																																																																				
Mode		Band Edge																																																																																																				
		CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz																																																																																																				
ANT		15+10																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.63</td><td>53.97</td><td>88.20</td><td>-34.23</td><td>39.06</td><td>36.42</td><td>11.62</td><td>33.13</td><td>218</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>7283.13</td><td>53.51</td><td>74.00</td><td>-20.49</td><td>38.10</td><td>36.60</td><td>11.97</td><td>33.16</td><td>218</td><td>314</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>94.65</td><td>-----</td><td>-----</td><td>80.19</td><td>36.24</td><td>11.30</td><td>33.08</td><td>218</td><td>314</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.63	53.97	88.20	-34.23	39.06	36.42	11.62	33.13	218	314	PEAK	2	7283.13	53.51	74.00	-20.49	38.10	36.60	11.97	33.16	218	314	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	94.65	-----	-----	80.19	36.24	11.30	33.08	218	314	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7140.63	53.97	88.20	-34.23	39.06	36.42	11.62	33.13	218	314	PEAK																																																																																											
2	7283.13	53.51	74.00	-20.49	38.10	36.60	11.97	33.16	218	314	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	94.65	-----	-----	80.19	36.24	11.30	33.08	218	314	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7137.50</td><td>44.33</td><td>68.20</td><td>-23.87</td><td>29.44</td><td>36.42</td><td>11.60</td><td>33.13</td><td>218</td><td>314</td><td>AVERAGE</td></tr><tr><td>2</td><td>7277.50</td><td>43.69</td><td>54.00</td><td>-10.31</td><td>28.29</td><td>36.60</td><td>11.96</td><td>33.16</td><td>218</td><td>314</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>86.01</td><td>-----</td><td>-----</td><td>71.55</td><td>36.24</td><td>11.30</td><td>33.08</td><td>218</td><td>314</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7137.50	44.33	68.20	-23.87	29.44	36.42	11.60	33.13	218	314	AVERAGE	2	7277.50	43.69	54.00	-10.31	28.29	36.60	11.96	33.16	218	314	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	86.01	-----	-----	71.55	36.24	11.30	33.08	218	314	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7137.50	44.33	68.20	-23.87	29.44	36.42	11.60	33.13	218	314	AVERAGE																																																																																											
2	7277.50	43.69	54.00	-10.31	28.29	36.60	11.96	33.16	218	314	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	86.01	-----	-----	71.55	36.24	11.30	33.08	218	314	AVERAGE																																																																																											







Mode	137																																																																																																							
	Band Edge																																																																																																							
	CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz																																																																																																							
ANT	15+10																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7136.88</td><td>53.97</td><td>88.20</td><td>-34.23</td><td>39.07</td><td>36.43</td><td>11.60</td><td>33.13</td><td>181</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>7296.88</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>38.25</td><td>36.60</td><td>11.99</td><td>33.16</td><td>181</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7136.88	53.97	88.20	-34.23	39.07	36.43	11.60	33.13	181	293	PEAK	2	7296.88	53.68	74.00	-20.32	38.25	36.60	11.99	33.16	181	293	PEAK	 Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>94.91</td><td>-----</td><td>-----</td><td>80.31</td><td>36.30</td><td>11.40</td><td>33.10</td><td>181</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	94.91	-----	-----	80.31	36.30	11.40	33.10	181	293	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7136.88	53.97	88.20	-34.23	39.07	36.43	11.60	33.13	181	293	PEAK																																																																																													
2	7296.88	53.68	74.00	-20.32	38.25	36.60	11.99	33.16	181	293	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	6985.00	94.91	-----	-----	80.31	36.30	11.40	33.10	181	293	PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7137.50</td><td>43.79</td><td>68.20</td><td>-24.41</td><td>28.90</td><td>36.42</td><td>11.60</td><td>33.13</td><td>181</td><td>293</td><td>AVERAGE</td></tr><tr><td>2</td><td>7288.13</td><td>43.78</td><td>54.00</td><td>-10.22</td><td>28.36</td><td>36.60</td><td>11.98</td><td>33.16</td><td>181</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7137.50	43.79	68.20	-24.41	28.90	36.42	11.60	33.13	181	293	AVERAGE	2	7288.13	43.78	54.00	-10.22	28.36	36.60	11.98	33.16	181	293	AVERAGE	 Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>85.65</td><td>-----</td><td>-----</td><td>71.05</td><td>36.30</td><td>11.40</td><td>33.10</td><td>181</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	85.65	-----	-----	71.05	36.30	11.40	33.10	181	293	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	7137.50	43.79	68.20	-24.41	28.90	36.42	11.60	33.13	181	293	AVERAGE																																																																																													
2	7288.13	43.78	54.00	-10.22	28.36	36.60	11.98	33.16	181	293	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	6985.00	85.65	-----	-----	71.05	36.30	11.40	33.10	181	293	AVERAGE																																																																																													





Mode	137																																																																																						
	Band Edge																																																																																						
	CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz																																																																																						
ANT	7																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>64.98</td><td>74.00</td><td>-9.02</td><td>59.98</td><td>30.63</td><td>6.98</td><td>32.61</td><td>174</td><td>9 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	64.98	74.00	-9.02	59.98	30.63	6.98	32.61	174	9 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.58</td><td>-----</td><td>-----</td><td>101.57</td><td>30.67</td><td>6.95</td><td>32.61</td><td>174</td><td>9 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	106.58	-----	-----	101.57	30.67	6.95	32.61	174
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.55	64.98	74.00	-9.02	59.98	30.63	6.98	32.61	174	9 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	106.58	-----	-----	101.57	30.67	6.95	32.61	174	9 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>53.36</td><td>54.00</td><td>-0.64</td><td>48.36</td><td>30.63</td><td>6.98</td><td>32.61</td><td>174</td><td>9 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	53.36	54.00	-0.64	48.36	30.63	6.98	32.61	174	9 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.75</td><td>-----</td><td>-----</td><td>92.74</td><td>30.67</td><td>6.95</td><td>32.61</td><td>174</td><td>9 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	97.75	-----	-----	92.74	30.67	6.95	32.61	174
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.51	53.36	54.00	-0.64	48.36	30.63	6.98	32.61	174	9 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	97.75	-----	-----	92.74	30.67	6.95	32.61	174	9 AVERAGE																																																																													



Mode	137																																																																																						
	Band Edge																																																																																						
	CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz																																																																																						
ANT	7																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>63.89</td><td>74.00</td><td>-10.11</td><td>58.89</td><td>30.63</td><td>6.98</td><td>32.61</td><td>359</td><td>248 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	63.89	74.00	-10.11	58.89	30.63	6.98	32.61	359	248 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.17</td><td>-----</td><td>-----</td><td>99.16</td><td>30.67</td><td>6.95</td><td>32.61</td><td>359</td><td>248 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	104.17	-----	-----	99.16	30.67	6.95	32.61	359
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.51	63.89	74.00	-10.11	58.89	30.63	6.98	32.61	359	248 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	104.17	-----	-----	99.16	30.67	6.95	32.61	359	248 PEAK																																																																													
Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>51.57</td><td>54.00</td><td>-2.43</td><td>46.57</td><td>30.63</td><td>6.98</td><td>32.61</td><td>359</td><td>248 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.51	51.57	54.00	-2.43	46.57	30.63	6.98	32.61	359	248 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.14</td><td>-----</td><td>-----</td><td>90.13</td><td>30.68</td><td>6.95</td><td>32.62</td><td>359</td><td>248 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	95.14	-----	-----	90.13	30.68	6.95	32.62	359
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2483.51	51.57	54.00	-2.43	46.57	30.63	6.98	32.61	359	248 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2462.00	95.14	-----	-----	90.13	30.68	6.95	32.62	359	248 AVERAGE																																																																													







Mode	137																																																																																																																																									
	Harmonic																																																																																																																																									
	CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz																																																																																																																																									
ANT	15+10																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>51.36</td><td>35.54</td><td>10.32</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>50.65</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>13790.00</td><td>47.40</td><td>88.20</td><td>-40.80</td><td>43.40</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.57	74.00	-29.43	51.36	35.54	10.32	52.65	---	---	Peak	2	7386.00	46.95	74.00	-27.05	50.65	36.57	11.98	52.25	---	---	Peak	3	13790.00	47.40	88.20	-40.80	43.40	39.70	16.48	52.18	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>52.71</td><td>35.54</td><td>10.32</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>50.80</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>13790.00</td><td>47.33</td><td>88.20</td><td>-40.87</td><td>43.33</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.92	74.00	-28.08	52.71	35.54	10.32	52.65	---	---	Peak	2	7386.00	47.10	74.00	-26.90	50.80	36.57	11.98	52.25	---	---	Peak	3	13790.00	47.33	88.20	-40.87	43.33	39.70	16.48	52.18	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4924.00	44.57	74.00	-29.43	51.36	35.54	10.32	52.65	---	---	Peak																																																																																																																															
2	7386.00	46.95	74.00	-27.05	50.65	36.57	11.98	52.25	---	---	Peak																																																																																																																															
3	13790.00	47.40	88.20	-40.80	43.40	39.70	16.48	52.18	---	---	Peak																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4924.00	45.92	74.00	-28.08	52.71	35.54	10.32	52.65	---	---	Peak																																																																																																																															
2	7386.00	47.10	74.00	-26.90	50.80	36.57	11.98	52.25	---	---	Peak																																																																																																																															
3	13790.00	47.33	88.20	-40.87	43.33	39.70	16.48	52.18	---	---	Peak																																																																																																																															







Mode	138																																																														
	Band Edge																																																														
	CO-TX_802.11be EHT160_CH207_6985MHz+Bluetooth-LE_CH38_2478MHz																																																														
ANT	15+10																																																														
Pol.	Horizontal																																																														
Peak	Level (dBuV/m) Date: 2025-08-25 Frequency (MHz)																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7147.50</td><td>54.27</td><td>88.20</td><td>-33.93</td><td>39.36</td><td>36.40</td><td>11.64</td><td>33.13</td><td>228</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>7285.63</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>37.72</td><td>36.60</td><td>11.97</td><td>33.16</td><td>228</td><td>316</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7147.50	54.27	88.20	-33.93	39.36	36.40	11.64	33.13	228	316	PEAK	2	7285.63	53.13	74.00	-20.87	37.72	36.60	11.97	33.16	228	316	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7147.50	54.27	88.20	-33.93	39.36	36.40	11.64	33.13	228	316	PEAK																																																				
2	7285.63	53.13	74.00	-20.87	37.72	36.60	11.97	33.16	228	316	PEAK																																																				
Fundamental	Level (dBuV/m) Date: 2025-08-25 Frequency (MHz)																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>95.92</td><td>-----</td><td>-----</td><td>81.33</td><td>36.30</td><td>11.39</td><td>33.10</td><td>228</td><td>316</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	95.92	-----	-----	81.33	36.30	11.39	33.10	228	316	PEAK												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	6985.00	95.92	-----	-----	81.33	36.30	11.39	33.10	228	316	PEAK																																																				
Avg	Level (dBuV/m) Date: 2025-08-25 Frequency (MHz)																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.88</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>30.62</td><td>36.45</td><td>11.57</td><td>33.13</td><td>228</td><td>316</td><td>AVERAGE</td></tr><tr><td>2</td><td>7258.75</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>28.47</td><td>36.60</td><td>11.92</td><td>33.15</td><td>228</td><td>316</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.88	45.51	68.20	-22.69	30.62	36.45	11.57	33.13	228	316	AVERAGE	2	7258.75	43.84	54.00	-10.16	28.47	36.60	11.92	33.15	228	316	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	7126.88	45.51	68.20	-22.69	30.62	36.45	11.57	33.13	228	316	AVERAGE																																																				
2	7258.75	43.84	54.00	-10.16	28.47	36.60	11.92	33.15	228	316	AVERAGE																																																				
Avg	Level (dBuV/m) Date: 2025-08-25 Frequency (MHz)																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>86.60</td><td>-----</td><td>-----</td><td>72.01</td><td>36.30</td><td>11.39</td><td>33.10</td><td>228</td><td>316</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	86.60	-----	-----	72.01	36.30	11.39	33.10	228	316	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	6985.00	86.60	-----	-----	72.01	36.30	11.39	33.10	228	316	AVERAGE																																																				







		138																																																																																																				
Mode		Band Edge																																																																																																				
		CO-TX_802.11be EHT160_CH207_6985MHz+Bluetooth-LE_CH38_2478MHz																																																																																																				
ANT		15+10																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7216.25</td><td>54.16</td><td>88.20</td><td>-34.04</td><td>38.92</td><td>36.53</td><td>11.85</td><td>33.14</td><td>174</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>7258.13</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>39.32</td><td>36.60</td><td>11.92</td><td>33.15</td><td>174</td><td>307</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7216.25	54.16	88.20	-34.04	38.92	36.53	11.85	33.14	174	307	PEAK	2	7258.13	54.69	74.00	-19.31	39.32	36.60	11.92	33.15	174	307	PEAK	 Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>95.88</td><td>-----</td><td>-----</td><td>81.29</td><td>36.30</td><td>11.39</td><td>33.10</td><td>174</td><td>307</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	95.88	-----	-----	81.29	36.30	11.39	33.10	174	307	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7216.25	54.16	88.20	-34.04	38.92	36.53	11.85	33.14	174	307	PEAK																																																																																											
2	7258.13	54.69	74.00	-19.31	39.32	36.60	11.92	33.15	174	307	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	95.88	-----	-----	81.29	36.30	11.39	33.10	174	307	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.63</td><td>44.20</td><td>68.20</td><td>-24.00</td><td>29.29</td><td>36.42</td><td>11.62</td><td>33.13</td><td>174</td><td>307</td><td>AVERAGE</td></tr><tr><td>2</td><td>7258.75</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>28.62</td><td>36.60</td><td>11.92</td><td>33.15</td><td>174</td><td>307</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7140.63	44.20	68.20	-24.00	29.29	36.42	11.62	33.13	174	307	AVERAGE	2	7258.75	43.99	54.00	-10.01	28.62	36.60	11.92	33.15	174	307	AVERAGE	 Level (dBuV/m) Date: 2025-08-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>86.41</td><td>-----</td><td>-----</td><td>71.82</td><td>36.30</td><td>11.39</td><td>33.10</td><td>174</td><td>307</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	86.41	-----	-----	71.82	36.30	11.39	33.10	174	307	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7140.63	44.20	68.20	-24.00	29.29	36.42	11.62	33.13	174	307	AVERAGE																																																																																											
2	7258.75	43.99	54.00	-10.01	28.62	36.60	11.92	33.15	174	307	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6985.00	86.41	-----	-----	71.82	36.30	11.39	33.10	174	307	AVERAGE																																																																																											





		138																																																																																								
Mode		Band Edge																																																																																								
		CO-TX_802.11be EHT160_CH207_6985MHz+Bluetooth-LE_CH38_2478MHz																																																																																								
ANT		11																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-25  PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.97</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>52.91</td><td>30.62</td><td>6.98</td><td>32.60</td><td>292</td><td>181</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.97	57.91	74.00	-16.09	52.91	30.62	6.98	32.60	292	181	PEAK	Level (dBuV/m) Date: 2025-08-25  PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>105.11</td><td>-----</td><td>-----</td><td>100.11</td><td>30.64</td><td>6.97</td><td>32.61</td><td>292</td><td>181</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.11	-----	-----	100.11	30.64	6.97	32.61	292	181	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2487.97	57.91	74.00	-16.09	52.91	30.62	6.98	32.60	292	181	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2478.00	105.11	-----	-----	100.11	30.64	6.97	32.61	292	181	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-08-25  AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.90</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>40.15</td><td>30.63</td><td>6.98</td><td>32.61</td><td>292</td><td>181</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.90	45.15	54.00	-8.85	40.15	30.63	6.98	32.61	292	181	AVERAGE	Level (dBuV/m) Date: 2025-08-25  AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>103.71</td><td>-----</td><td>-----</td><td>98.71</td><td>30.64</td><td>6.97</td><td>32.61</td><td>292</td><td>181</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.71	-----	-----	98.71	30.64	6.97	32.61	292	181	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.90	45.15	54.00	-8.85	40.15	30.63	6.98	32.61	292	181	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2478.00	103.71	-----	-----	98.71	30.64	6.97	32.61	292	181	AVERAGE																																																																															







Mode	138																																																																																									
	Band Edge																																																																																									
	CO-TX_802.11be EHT160_CH207_6985MHz+Bluetooth-LE_CH38_2478MHz																																																																																									
ANT	11																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-25  PEAK_BE_74						Level (dBuV/m) Date: 2025-08-25  PEAK_74																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.81</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>49.43</td><td>30.62</td><td>6.98</td><td>32.60</td><td>358</td><td>99</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2487.81	54.43	74.00	-19.57	49.43	30.62	6.98	32.60	358	99	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>108.28</td><td>-----</td><td>-----</td><td>103.28</td><td>30.64</td><td>6.97</td><td>32.61</td><td>358</td><td>99</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	108.28	-----	-----	103.28	30.64	6.97	32.61	358	99
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2487.81	54.43	74.00	-19.57	49.43	30.62	6.98	32.60	358	99	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2478.00	108.28	-----	-----	103.28	30.64	6.97	32.61	358	99	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-08-25  AVG_BE_54						Level (dBuV/m) Date: 2025-08-25  AVG_54																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.61</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>39.62</td><td>30.63</td><td>6.98</td><td>32.61</td><td>358</td><td>99</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.61	44.62	54.00	-9.38	39.62	30.63	6.98	32.61	358	99	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.56</td><td>-----</td><td>-----</td><td>100.56</td><td>30.64</td><td>6.97</td><td>32.61</td><td>358</td><td>99</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	105.56	-----	-----	100.56	30.64	6.97	32.61	358	99
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.61	44.62	54.00	-9.38	39.62	30.63	6.98	32.61	358	99	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2478.00	105.56	-----	-----	100.56	30.64	6.97	32.61	358	99	AVERAGE																																																																															



Mode		138																																																																																																																																																			
		Harmonic																																																																																																																																																			
		CO-TX_802.11be EHT160_CH207_6985MHz+Bluetooth-LE_CH38_2478MHz																																																																																																																																																			
ANT		15+10																																																																																																																																																			
Pol.		Horizontal					Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>52.37</td><td>35.71</td><td>10.33</td><td>52.67</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>52.05</td><td>36.60</td><td>12.00</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>13970.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>43.51</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4956.00	45.74	74.00	-28.26	52.37	35.71	10.33	52.67	---	---	Peak	2	7434.00	48.38	74.00	-25.62	52.05	36.60	12.00	52.27	---	---	Peak	3	13970.00	47.70	88.20	-40.50	43.51	39.77	16.53	52.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>51.81</td><td>35.71</td><td>10.33</td><td>52.67</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>51.64</td><td>36.60</td><td>12.00</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>13970.00</td><td>46.36</td><td>88.20</td><td>-41.84</td><td>42.17</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4956.00	45.18	74.00	-28.82	51.81	35.71	10.33	52.67	---	---	Peak	2	7434.00	47.97	74.00	-26.03	51.64	36.60	12.00	52.27	---	---	Peak	3	13970.00	46.36	88.20	-41.84	42.17	39.77	16.53	52.11	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	4956.00	45.74	74.00	-28.26	52.37	35.71	10.33	52.67	---	---	Peak																																																																																																																																										
2	7434.00	48.38	74.00	-25.62	52.05	36.60	12.00	52.27	---	---	Peak																																																																																																																																										
3	13970.00	47.70	88.20	-40.50	43.51	39.77	16.53	52.11	---	---	Peak																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	4956.00	45.18	74.00	-28.82	51.81	35.71	10.33	52.67	---	---	Peak																																																																																																																																										
2	7434.00	47.97	74.00	-26.03	51.64	36.60	12.00	52.27	---	---	Peak																																																																																																																																										
3	13970.00	46.36	88.20	-41.84	42.17	39.77	16.53	52.11	---	---	Peak																																																																																																																																										







		139																																																																																																																	
Mode		Band Edge																																																																																																																	
		CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+B48																																																																																																																	
ANT		15+10																																																																																																																	
Pol.		Horizontal					Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.50</td><td>53.98</td><td>88.20</td><td>-34.22</td><td>39.08</td><td>36.44</td><td>11.59</td><td>33.13</td><td>230</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>7330.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>38.92</td><td>36.54</td><td>12.00</td><td>33.17</td><td>230</td><td>310</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.50	53.98	88.20	-34.22	39.08	36.44	11.59	33.13	230	310	PEAK	2	7330.00	54.29	74.00	-19.71	38.92	36.54	12.00	33.17	230	310	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>95.38</td><td>-----</td><td>-----</td><td>80.92</td><td>36.24</td><td>11.30</td><td>33.08</td><td>230</td><td>310</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	95.38	-----	-----	80.92	36.24	11.30	33.08	230	310
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7132.50	53.98	88.20	-34.22	39.08	36.44	11.59	33.13	230	310	PEAK																																																																																																								
2	7330.00	54.29	74.00	-19.71	38.92	36.54	12.00	33.17	230	310	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	6985.00	95.38	-----	-----	80.92	36.24	11.30	33.08	230	310	PEAK																																																																																																								
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.13</td><td>44.35</td><td>68.20</td><td>-23.85</td><td>29.46</td><td>36.43</td><td>11.59</td><td>33.13</td><td>230</td><td>310</td><td>AVERAGE</td></tr><tr><td>2</td><td>7263.13</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>28.11</td><td>36.60</td><td>11.93</td><td>33.15</td><td>230</td><td>310</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.13	44.35	68.20	-23.85	29.46	36.43	11.59	33.13	230	310	AVERAGE	2	7263.13	43.49	54.00	-10.51	28.11	36.60	11.93	33.15	230	310	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>85.33</td><td>-----</td><td>-----</td><td>70.74</td><td>36.30</td><td>11.39</td><td>33.10</td><td>230</td><td>310</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	85.33	-----	-----	70.74	36.30	11.39	33.10	230	310
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	7133.13	44.35	68.20	-23.85	29.46	36.43	11.59	33.13	230	310	AVERAGE																																																																																																								
2	7263.13	43.49	54.00	-10.51	28.11	36.60	11.93	33.15	230	310	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	6985.00	85.33	-----	-----	70.74	36.30	11.39	33.10	230	310	AVERAGE																																																																																																								



Mode	139																																																																																										
	Band Edge																																																																																										
	CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+B48																																																																																										
ANT	15+10																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7137.50</td><td>53.67</td><td>88.20</td><td>-34.53</td><td>38.78</td><td>36.42</td><td>11.60</td><td>33.13</td><td>184</td><td>58 PEAK</td></tr><tr><td>2</td><td>7272.50</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>38.48</td><td>36.60</td><td>11.95</td><td>33.15</td><td>184</td><td>58 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7137.50	53.67	88.20	-34.53	38.78	36.42	11.60	33.13	184	58 PEAK	2	7272.50	53.88	74.00	-20.12	38.48	36.60	11.95	33.15	184	58 PEAK	Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>91.72</td><td>-----</td><td>-----</td><td>77.30</td><td>36.22</td><td>11.28</td><td>33.08</td><td>184</td><td>58 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	91.72	-----	-----	77.30	36.22	11.28	33.08	184	58 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7137.50	53.67	88.20	-34.53	38.78	36.42	11.60	33.13	184	58 PEAK																																																																																	
2	7272.50	53.88	74.00	-20.12	38.48	36.60	11.95	33.15	184	58 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6985.00	91.72	-----	-----	77.30	36.22	11.28	33.08	184	58 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7145.63</td><td>43.60</td><td>68.20</td><td>-24.60</td><td>28.69</td><td>36.41</td><td>11.63</td><td>33.13</td><td>184</td><td>58 AVERAGE</td></tr><tr><td>2</td><td>7290.00</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>28.22</td><td>36.60</td><td>11.98</td><td>33.16</td><td>184</td><td>58 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7145.63	43.60	68.20	-24.60	28.69	36.41	11.63	33.13	184	58 AVERAGE	2	7290.00	43.64	54.00	-10.36	28.22	36.60	11.98	33.16	184	58 AVERAGE	Level (dBuV/m) Date: 2025-08-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.53</td><td>-----</td><td>-----</td><td>68.11</td><td>36.22</td><td>11.28</td><td>33.08</td><td>184</td><td>58 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	82.53	-----	-----	68.11	36.22	11.28	33.08	184	58 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7145.63	43.60	68.20	-24.60	28.69	36.41	11.63	33.13	184	58 AVERAGE																																																																																	
2	7290.00	43.64	54.00	-10.36	28.22	36.60	11.98	33.16	184	58 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	6985.00	82.53	-----	-----	68.11	36.22	11.28	33.08	184	58 AVERAGE																																																																																	



		139																																																																																							
Mode		Band Edge																																																																																							
		CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+B48																																																																																							
ANT		7																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>52.72</td><td>74.00</td><td>-21.28</td><td>47.72</td><td>30.63</td><td>6.98</td><td>32.61</td><td>323</td><td>332</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.66	52.72	74.00	-21.28	47.72	30.63	6.98	32.61	323	332	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.35</td><td>-----</td><td>-----</td><td>102.34</td><td>30.67</td><td>6.95</td><td>32.61</td><td>323</td><td>332</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	107.35	-----	-----	102.34	30.67	6.95	32.61	323	332
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2483.66	52.72	74.00	-21.28	47.72	30.63	6.98	32.61	323	332	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2462.00	107.35	-----	-----	102.34	30.67	6.95	32.61	323	332	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>37.49</td><td>30.63</td><td>6.98</td><td>32.61</td><td>323</td><td>332</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	42.49	54.00	-11.51	37.49	30.63	6.98	32.61	323	332	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.24</td><td>-----</td><td>-----</td><td>94.23</td><td>30.67</td><td>6.95</td><td>32.61</td><td>323</td><td>332</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	99.24	-----	-----	94.23	30.67	6.95	32.61	323	332
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2483.55	42.49	54.00	-11.51	37.49	30.63	6.98	32.61	323	332	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2462.00	99.24	-----	-----	94.23	30.67	6.95	32.61	323	332	AVERAGE																																																																														







Mode	139																																																																																											
	Band Edge																																																																																											
	CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+B48																																																																																											
ANT	7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-08-25 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>42.95</td><td>30.63</td><td>6.98</td><td>32.61</td><td>333</td><td>225</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	47.95	74.00	-26.05	42.95	30.63	6.98	32.61	333	225	PEAK	Level (dBuV/m) Date: 2025-08-25 PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.81</td><td>-----</td><td>-----</td><td>97.80</td><td>30.68</td><td>6.95</td><td>32.62</td><td>333</td><td>225</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	102.81	-----	-----	97.80	30.68	6.95	32.62	333	225	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.55	47.95	74.00	-26.05	42.95	30.63	6.98	32.61	333	225	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	102.81	-----	-----	97.80	30.68	6.95	32.62	333	225	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-25 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>37.45</td><td>54.00</td><td>-16.55</td><td>32.45</td><td>30.63</td><td>6.98</td><td>32.61</td><td>333</td><td>225</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.62	37.45	54.00	-16.55	32.45	30.63	6.98	32.61	333	225	AVERAGE	Level (dBuV/m) Date: 2025-08-25 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.93</td><td>-----</td><td>-----</td><td>88.92</td><td>30.68</td><td>6.95</td><td>32.62</td><td>333</td><td>225</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	93.93	-----	-----	88.92	30.68	6.95	32.62	333	225	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.62	37.45	54.00	-16.55	32.45	30.63	6.98	32.61	333	225	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2462.00	93.93	-----	-----	88.92	30.68	6.95	32.62	333	225	AVERAGE																																																																																	





		139										
Mode		Band Edge										
		CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+B48										
ANT		11										
Pol.		Horizontal										Fundamental
Peak	Level (dBuV/m) Date: 2025-08-25											



		139																																																																																							
Mode		Band Edge																																																																																							
		CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+B48																																																																																							
ANT		11																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.65</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>44.38</td><td>30.63</td><td>6.98</td><td>32.61</td><td>285</td><td>56</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.65	49.38	74.00	-24.62	44.38	30.63	6.98	32.61	285	56	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.75</td><td>-----</td><td>-----</td><td>100.75</td><td>30.64</td><td>6.97</td><td>32.61</td><td>285</td><td>56</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	105.75	-----	-----	100.75	30.64	6.97	32.61	285	56
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2483.65	49.38	74.00	-24.62	44.38	30.63	6.98	32.61	285	56	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2478.00	105.75	-----	-----	100.75	30.64	6.97	32.61	285	56	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>40.15</td><td>54.00</td><td>-13.85</td><td>35.15</td><td>30.63</td><td>6.98</td><td>32.61</td><td>285</td><td>56</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	40.15	54.00	-13.85	35.15	30.63	6.98	32.61	285	56	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.44</td><td>-----</td><td>-----</td><td>100.44</td><td>30.64</td><td>6.97</td><td>32.61</td><td>285</td><td>56</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	105.44	-----	-----	100.44	30.64	6.97	32.61	285	56
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2483.52	40.15	54.00	-13.85	35.15	30.63	6.98	32.61	285	56	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2478.00	105.44	-----	-----	100.44	30.64	6.97	32.61	285	56	AVERAGE																																																																														



Mode	139																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	CO-TX_802.11be EHT160_CH207_6985MHz+11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+B48																																																																																																																																																																																																	
ANT	15+10																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>51.95</td><td>35.54</td><td>10.32</td><td>52.65</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>51.97</td><td>35.71</td><td>10.33</td><td>52.67</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>50.27</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>50.58</td><td>36.60</td><td>12.00</td><td>52.27</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>13970.00</td><td>47.94</td><td>88.20</td><td>-40.26</td><td>43.75</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	4924.00	45.16	74.00	-28.84	51.95	35.54	10.32	52.65	---	---	---	Peak	2	4956.00	45.34	74.00	-28.66	51.97	35.71	10.33	52.67	---	---	---	Peak	3	7386.00	46.57	74.00	-27.43	50.27	36.57	11.98	52.25	---	---	---	Peak	4	7434.00	46.91	74.00	-27.09	50.58	36.60	12.00	52.27	---	---	---	Peak	5	13970.00	47.94	88.20	-40.26	43.75	39.77	16.53	52.11	---	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>52.02</td><td>35.54</td><td>10.32</td><td>52.65</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>52.41</td><td>35.71</td><td>10.33</td><td>52.67</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>50.77</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>51.08</td><td>36.60</td><td>12.00</td><td>52.27</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>13970.00</td><td>48.16</td><td>88.20</td><td>-40.04</td><td>43.97</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	4924.00	45.23	74.00	-28.77	52.02	35.54	10.32	52.65	---	---	---	Peak	2	4956.00	45.78	74.00	-28.22	52.41	35.71	10.33	52.67	---	---	---	Peak	3	7386.00	47.07	74.00	-26.93	50.77	36.57	11.98	52.25	---	---	---	Peak	4	7434.00	47.41	74.00	-26.59	51.08	36.60	12.00	52.27	---	---	---	Peak	5	13970.00	48.16	88.20	-40.04	43.97	39.77	16.53	52.11	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	4924.00	45.16	74.00	-28.84	51.95	35.54	10.32	52.65	---	---	---	Peak																																																																																																																																																																																						
2	4956.00	45.34	74.00	-28.66	51.97	35.71	10.33	52.67	---	---	---	Peak																																																																																																																																																																																						
3	7386.00	46.57	74.00	-27.43	50.27	36.57	11.98	52.25	---	---	---	Peak																																																																																																																																																																																						
4	7434.00	46.91	74.00	-27.09	50.58	36.60	12.00	52.27	---	---	---	Peak																																																																																																																																																																																						
5	13970.00	47.94	88.20	-40.26	43.75	39.77	16.53	52.11	---	---	---	Peak																																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	4924.00	45.23	74.00	-28.77	52.02	35.54	10.32	52.65	---	---	---	Peak																																																																																																																																																																																						
2	4956.00	45.78	74.00	-28.22	52.41	35.71	10.33	52.67	---	---	---	Peak																																																																																																																																																																																						
3	7386.00	47.07	74.00	-26.93	50.77	36.57	11.98	52.25	---	---	---	Peak																																																																																																																																																																																						
4	7434.00	47.41	74.00	-26.59	51.08	36.60	12.00	52.27	---	---	---	Peak																																																																																																																																																																																						
5	13970.00	48.16	88.20	-40.04	43.97	39.77	16.53	52.11	---	---	---	Peak																																																																																																																																																																																						


Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.

Appendix D. Duty Cycle Plots


Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	15+10	99.057	-	-	10Hz
802.11ax HE20	15+10	99.632	-	-	10Hz
802.11ax HE40	15+10	99.634	-	-	10Hz
802.11ax HE80	15+10	99.632	-	-	10Hz
802.11ax HE160	15+10	99.632	-	-	10Hz
802.11be EHT20	15+10	99.632	-	-	10Hz
802.11be EHT40	15+10	99.632	-	-	10Hz
802.11be EHT80	15+10	99.816	-	-	10Hz
802.11be EHT160	15+10	99.817	-	-	10Hz
802.11be EHT320	15+10	99.633	-	-	10Hz
802.11be EHT20 Small RU	15+10	99.769	-	-	10Hz
802.11be EHT80 Large RU 484+242	15+10	98.214	-	-	10Hz
802.11be EHT160 Large RU 996+484	15+10	98.936	-	-	10Hz
802.11be EHT320 Large RU 996*2+484	15+10	96.667	0.580	1.724	3KHz
802.11be EHT320 Large RU 996*3	15+10	96.078	0.490	2.041	3KHz
802.11be EHT320 Large RU 996*3+484	15+10	97.727	0.430	2.326	3KHz
802.11be EHT80 Puncturing 20M	15+10	99.633	-	-	10Hz
802.11be EHT160 Puncturing 20M	15+10	99.633	-	-	10Hz
802.11be EHT160 Puncturing 40M	15+10	99.816	-	-	10Hz
802.11be EHT320 Puncturing 80+40M	15+10	99.816	-	-	10Hz
802.11be EHT320 Puncturing 80M	15+10	99.816	-	-	10Hz
802.11be EHT320 Puncturing 40M	15+10	99.634	-	-	10Hz



802.11a




802.11ax HE20






802.11ax HE40




802.11ax HE80






802.11ax HE160




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT320






802.11be EHT20_Small RU




802.11be EHT80 Large RU 484+242






802.11be EHT160 Large RU 996+484




802.11be EHT320 Large RU 996*2+484






802.11be EHT320 Large RU 996*3




802.11be EHT320 Large RU 996*3+484




802.11be EHT80 Puncturing 20M




802.11be EHT160 Puncturing 20M




802.11be EHT160 Puncturing 40M



802.11be 320 Puncturing 80+40M



802.11be EHT320 Puncturing 80M



802.11be EHT320 Puncturing 40M

