






















In-Band Emissions

Test Result


TestMode	Antenna	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20MIMO	Ant15	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant10	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant15	6855	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant10	6855	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
11BE80MIMO	Ant15	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant10	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant15	6785	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant10	6785	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE160MIMO	Ant15	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant10	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant15	6665	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant10	6665	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE320MIMO	Ant15	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS






			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant10	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant15	6265	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant10	6265	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS





Test Graphs


























































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E QP LISN 2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.17	37.32	-17.76	55.08	17.40	9.74	10.18	Average
2 *	0.17	48.02	-17.06	65.08	28.10	9.74	10.18	QP
3	0.18	32.26	-22.42	54.68	12.31	9.77	10.18	Average
4	0.18	42.16	-22.52	64.68	22.21	9.77	10.18	QP
5	0.21	31.99	-21.37	53.36	12.00	9.81	10.18	Average
6	0.21	41.99	-21.37	63.36	22.00	9.81	10.18	QP
7	0.26	26.99	-24.48	51.47	7.20	9.59	10.20	Average
8	0.26	34.89	-26.58	61.47	15.10	9.59	10.20	QP
9	0.32	24.77	-24.98	49.75	4.80	9.76	10.21	Average
10	0.32	32.47	-27.28	59.75	12.50	9.76	10.21	QP
11	0.59	25.58	-20.42	46.00	5.70	9.64	10.24	Average
12	0.59	33.98	-22.02	56.00	14.10	9.64	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Zhaohui Liang	Relative Humidity :	50%
		Temperature :	20-22℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5925-6425	15+10	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5925-6425	15+10	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5925-6425	15+10	802.11a	93	6415	6Mbps	-	-
Mode 7	U-NII-7	6525-6875	15+10	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6525-6875	15+10	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6525-6875	15+10	802.11a	181	6855	6Mbps	-	-
Mode 13	U-NII-5	5925-6425	15+10	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5925-6425	15+10	802.11ax HE20	45	6175	MCS0	-	-
Mode 15	U-NII-5	5925-6425	15+10	802.11ax HE20	93	6415	MCS0	-	-
Mode 19	U-NII-7	6525-6875	15+10	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	6525-6875	15+10	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6525-6875	15+10	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-5	5925-6425	15+10	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5925-6425	15+10	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5925-6425	15+10	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 30	U-NII-7	6525-6875	15+10	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	6525-6875	15+10	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6525-6875	15+10	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 36	U-NII-5	5925-6425	15+10	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5925-6425	15+10	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5925-6425	15+10	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 40	U-NII-7	6525-6875	15+10	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6525-6875	15+10	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6525-6875	15+10	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 45	U-NII-5	5925-6425	15+10	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5925-6425	15+10	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5925-6425	15+10	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6525-6875	15+10	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 57	U-NII-5	5925-6425	15+10	802.11ax HE20	1	5955	MCS0	Partial RU	52/37
Mode 59	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	-	-



Mode 60	U-NII-5	5925-6425	15+10	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	5925-6425	15+10	802.11be EHT20	93	6415	MCS0	-	-
Mode 65	U-NII-7	6525-6875	15+10	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	6525-6875	15+10	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	6525-6875	15+10	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 71	U-NII-5	5925-6425	15+10	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	5925-6425	15+10	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	5925-6425	15+10	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 76	U-NII-7	6525-6875	15+10	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	6525-6875	15+10	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	6525-6875	15+10	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 82	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	5925-6425	15+10	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	5925-6425	15+10	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 86	U-NII-7	6525-6875	15+10	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 87	U-NII-7	6525-6875	15+10	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	6525-6875	15+10	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 91	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	5925-6425	15+10	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	5925-6425	15+10	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	6525-6875	15+10	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 96	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	5925-6425	15+10	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 110	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	Single RU	52/37
Mode 112	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	Small RU	106+26_OFDMA-1
Mode 114	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Large RU 484+242	④
Mode 116	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Large RU 996+484	④
Mode 118	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484	⑥
Mode 120	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*3	④
Mode 122	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484	⑧
Mode 124	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Puncturing 20M	④
Mode 126	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Puncturing 40M	④
Mode 128	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Puncturing 20M	⑧
Mode 130	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M	⑥
Mode 132	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 80M	④
Mode 134	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 40M	⑧



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	11910.00	47.52	74.00	-26.48	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.42	74.00	-27.58	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.93	88.20	-40.27	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.53	88.20	-40.67	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.34	74.00	-27.66	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.52	88.20	-40.68	V	Peak	Pass	Harmonic
13	802.11ax HE20	1	5904.24	42.88	68.20	-25.32	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	47.07	74.00	-26.93	H	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	46.29	74.00	-27.71	V	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	47.87	88.20	-40.33	V	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	46.70	88.20	-41.50	V	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	46.58	74.00	-27.42	V	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.09	88.20	-41.11	H	Peak	Pass	Harmonic
25	802.11ax HE40	3	5923.40	42.74	68.20	-25.46	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	17895.00	47.75	74.00	-26.25	V	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	47.69	74.00	-26.31	H	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	47.77	88.20	-40.43	V	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.50	88.20	-40.70	V	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	47.63	74.00	-26.37	V	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.15	88.20	-41.05	V	Peak	Pass	Harmonic



36	802.11ax HE80	7	5904.36	43.08	68.20	-25.12	H	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	11970.00	47.72	74.00	-26.28	V	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	47.94	74.00	-26.06	V	Peak	Pass	Harmonic
38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	47.37	88.20	-40.83	V	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	47.55	74.00	-26.45	V	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	47.75	88.20	-40.45	H	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	47.93	88.20	-40.27	H	Peak	Pass	Harmonic
45	802.11ax HE160	15	5922.44	42.81	68.20	-25.39	H	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12050.00	47.40	74.00	-26.60	V	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	47.95	74.00	-26.05	V	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	47.87	74.00	-26.13	V	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	47.47	74.00	-26.53	H	Peak	Pass	Harmonic
57	802.11ax HE20	1	5909.14	42.89	68.20	-25.31	V	AVERAGE	Pass	Band Edge
57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	1	5922.16	42.76	68.20	-25.44	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	11910.00	47.69	74.00	-26.31	H	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	47.43	74.00	-26.57	H	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	48.02	88.20	-40.18	H	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	46.86	88.20	-41.34	V	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	46.35	74.00	-27.65	H	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	46.97	88.20	-41.23	H	Peak	Pass	Harmonic
71	802.11be EHT40	3	5917.00	42.76	68.20	-25.44	H	AVERAGE	Pass	Band Edge
71	802.11be EHT40	3	11930.00	46.88	74.00	-27.12	V	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	46.40	74.00	-27.60	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.74	88.20	-40.46	H	Peak	Pass	Harmonic



76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	48.02	88.20	-40.18	H	Peak	Pass	Harmonic
77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	46.32	74.00	-27.68	H	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	46.90	88.20	-41.30	V	Peak	Pass	Harmonic
82	802.11be EHT80	7	5908.52	43.02	68.20	-25.18	H	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	17955.00	46.52	74.00	-27.48	V	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	46.69	74.00	-27.31	H	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.38	88.20	-40.82	V	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	46.80	74.00	-27.20	H	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	46.70	88.20	-41.50	V	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	46.52	88.20	-41.68	H	Peak	Pass	Harmonic
91	802.11be EHT160	15	5923.84	43.50	68.20	-24.70	V	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	46.95	74.00	-27.05	V	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	46.77	74.00	-27.23	V	Peak	Pass	Harmonic
93	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	79	12690.00	47.50	74.00	-26.50	H	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	46.41	74.00	-27.59	H	Peak	Pass	Harmonic
96	802.11be EHT320	31	5924.58	47.30	68.20	-20.90	H	AVERAGE	Pass	Band Edge
96	802.11be EHT320	31	12210.00	46.01	74.00	-27.99	H	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	46.81	74.00	-27.19	H	Peak	Pass	Harmonic
110	802.11be EHT20	1	5911.24	42.98	68.20	-25.22	V	AVERAGE	Pass	Band Edge
110	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	1	5924.82	42.75	68.20	-25.45	H	AVERAGE	Pass	Band Edge
112	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	7	5918.92	42.75	68.20	-25.45	V	AVERAGE	Pass	Band Edge
114	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT160	15	5924.96	42.80	68.20	-25.40	H	AVERAGE	Pass	Band Edge
116	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT320	31	5922.28	44.37	68.20	-23.83	H	AVERAGE	Pass	Band Edge
118	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic





120	802.11be EHT320	31	5899.33	44.33	68.20	-23.87	H	AVERAGE	Pass	Band Edge
120	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT320	31	5913.10	44.18	68.20	-24.02	V	AVERAGE	Pass	Band Edge
122	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT80	7	5924.84	43.05	68.20	-25.15	V	AVERAGE	Pass	Band Edge
124	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	15	5916.84	43.13	68.20	-25.07	H	AVERAGE	Pass	Band Edge
126	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT160	15	5923.28	43.40	68.20	-24.80	H	AVERAGE	Pass	Band Edge
128	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT320	31	5913.10	43.46	68.20	-24.74	H	AVERAGE	Pass	Band Edge
130	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT320	31	5693.55	43.40	68.20	-24.80	H	AVERAGE	Pass	Band Edge
132	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT320	31	5670.60	43.49	68.20	-24.71	V	AVERAGE	Pass	Band Edge
134	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																																			
ANT	15+10																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.54</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>39.81</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	---	Peak	2 17865.00	46.09	74.00	-27.91	39.81	42.47	17.85	54.04	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>43.99</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>39.72</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.52	74.00	-26.48	43.99	38.32	15.18	49.97	---	---	Peak	2 17865.00	46.00	74.00	-28.00	39.72	42.47	17.85	54.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	---	Peak																																																																																																										
2 17865.00	46.09	74.00	-27.91	39.81	42.47	17.85	54.04	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11910.00	47.52	74.00	-26.48	43.99	38.32	15.18	49.97	---	---	Peak																																																																																																										
2 17865.00	46.00	74.00	-28.00	39.72	42.47	17.85	54.04	---	---	Peak																																																																																																										





Mode	2																																																																																												
	Harmonic																																																																																												
	U-NII-5_5925-6425_802.11a_CH45_6175MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>42.69</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.33	74.00	-27.67	42.69	38.65	15.59	50.60	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>42.78</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.42	74.00	-27.58	42.78	38.65	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	46.33	74.00	-27.67	42.69	38.65	15.59	50.60	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	46.42	74.00	-27.58	42.78	38.65	15.59	50.60	---	---	Peak																																																																																		





Mode	3																																																																																													
	Harmonic																																																																																													
	U-NII-5_5925-6425_802.11a_CH93_6415MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>43.02</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.87	88.20	-41.33	43.02	38.80	16.08	51.03	---	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>44.08</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.93	88.20	-40.27	44.08	38.80	16.08	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	46.87	88.20	-41.33	43.02	38.80	16.08	51.03	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12830.00	47.93	88.20	-40.27	44.08	38.80	16.08	51.03	---	---	Peak																																																																																			





Mode	7																																																																															
	Harmonic																																																																															
	U-NII-7_6525-6875_802.11a_CH117_6535MHz																																																																															
ANT	15+10																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-08-11  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>42.94</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	Level	Line	Margin	Level	Factor	Loss	Factor			dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.94	88.20	-41.26	42.94	39.00	16.27	51.27	---	---	Peak	Level (dBuV/m) Date: 2025-08-11  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>43.53</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	Level	Line	Margin	Level	Factor	Loss	Factor			dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	47.53	88.20	-40.67	43.53	39.00	16.27	51.27	---	---	Peak
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
MHz	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13070.00	46.94	88.20	-41.26	42.94	39.00	16.27	51.27	---	---	Peak																																																																						
Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13070.00	47.53	88.20	-40.67	43.53	39.00	16.27	51.27	---	---	Peak																																																																						







Mode	8	
	Harmonic	
	U-NII-7_6525-6875_802.11a_CH149_6695MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 46.06 74.00 -27.94 42.24 39.50 16.36 52.04 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 46.34 74.00 -27.66 42.52 39.50 16.36 52.04 --- --- Peak







Mode	9																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-6875_802.11a_CH181_6855MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>42.79</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	46.72	88.20	-41.48	42.79	39.70	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>43.59</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.52	88.20	-40.68	43.59	39.70	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13710.00	46.72	88.20	-41.48	42.79	39.70	16.45	52.22	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13710.00	47.52	88.20	-40.68	43.59	39.70	16.45	52.22	---	---	Peak																																																																																		



		13																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.48</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>38.80</td><td>36.64</td><td>10.88</td><td>32.87</td><td>241 321 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5920.48	53.45	88.20	-34.75	38.80	36.64	10.88	32.87	241 321 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.51</td><td>-----</td><td>-----</td><td>79.75</td><td>36.70</td><td>10.94</td><td>32.88</td><td>241 321 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.51	-----	-----	79.75	36.70	10.94	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5920.48	53.45	88.20	-34.75	38.80	36.64	10.88	32.87	241 321 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	94.51	-----	-----	79.75	36.70	10.94	32.88	241 321 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.46</td><td>42.86</td><td>68.20</td><td>-25.34</td><td>28.25</td><td>36.61</td><td>10.86</td><td>32.86</td><td>241 321 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.46	42.86	68.20	-25.34	28.25	36.61	10.86	32.86	241 321 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.32</td><td>-----</td><td>-----</td><td>69.57</td><td>36.70</td><td>10.93</td><td>32.88</td><td>241 321 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.32	-----	-----	69.57	36.70	10.93	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5907.46	42.86	68.20	-25.34	28.25	36.61	10.86	32.86	241 321 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	84.32	-----	-----	69.57	36.70	10.93	32.88	241 321 AVERAGE																																																																																





		13																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																									
ANT		15+10																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.32</td><td>53.05</td><td>88.20</td><td>-35.15</td><td>38.40</td><td>36.64</td><td>10.88</td><td>32.87</td><td>400</td><td>29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	53.05	88.20	-35.15	38.40	36.64	10.88	32.87	400	29 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.15</td><td>-----</td><td>-----</td><td>75.41</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400</td><td>29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.15	-----	-----	75.41	36.70	10.92	32.88	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5921.32	53.05	88.20	-35.15	38.40	36.64	10.88	32.87	400	29 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	90.15	-----	-----	75.41	36.70	10.92	32.88	400	29 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.24</td><td>42.88</td><td>68.20</td><td>-25.32</td><td>28.28</td><td>36.61</td><td>10.85</td><td>32.86</td><td>400</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5904.24	42.88	68.20	-25.32	28.28	36.61	10.85	32.86	400	29 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>79.90</td><td>-----</td><td>-----</td><td>65.16</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.90	-----	-----	65.16	36.70	10.92	32.88	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5904.24	42.88	68.20	-25.32	28.28	36.61	10.85	32.86	400	29 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	79.90	-----	-----	65.16	36.70	10.92	32.88	400	29 AVERAGE																																																																																	





Mode	13																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.54</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>40.54</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	Peak	2 17865.00	46.82	74.00	-27.18	40.54	42.47	17.85	54.04	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>43.11</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>39.47</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.64	74.00	-27.36	43.11	38.32	15.18	49.97	---	Peak	2 17865.00	45.75	74.00	-28.25	39.47	42.47	17.85	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	47.07	74.00	-26.93	43.54	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	46.82	74.00	-27.18	40.54	42.47	17.85	54.04	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	46.64	74.00	-27.36	43.11	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	45.75	74.00	-28.25	39.47	42.47	17.85	54.04	---	Peak																																																																																									





Mode	14																																																																																												
	Harmonic																																																																																												
	U-NII-5_5925-6425_802.11ax HE20_CH45_6175MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	 Date: 2025-08-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>42.21</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.85	74.00	-28.15	42.21	38.65	15.59	50.60	---	---	Peak	 Date: 2025-08-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>42.65</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.29	74.00	-27.71	42.65	38.65	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	45.85	74.00	-28.15	42.21	38.65	15.59	50.60	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	46.29	74.00	-27.71	42.65	38.65	15.59	50.60	---	---	Peak																																																																																		





Mode	15																																																										
	Harmonic																																																										
	U-NII-5_5925-6425_802.11ax HE20_CH93_6415MHz																																																										
ANT	15+10																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 12830.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>43.33</td><td>38.80</td><td>16.08</td><td>51.03</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 12830.00	47.18	88.20	-41.02	43.33	38.80	16.08	51.03	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 12830.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>44.02</td><td>38.80</td><td>16.08</td><td>51.03</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 12830.00	47.87	88.20	-40.33	44.02	38.80	16.08	51.03
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 12830.00	47.18	88.20	-41.02	43.33	38.80	16.08	51.03																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																				
1 12830.00	47.87	88.20	-40.33	44.02	38.80	16.08	51.03																																																				
<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 12830.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>43.33</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1 12830.00	47.18	88.20	-41.02	43.33	38.80	16.08	51.03	---	---	Peak	<table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 12830.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>44.02</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1 12830.00	47.87	88.20	-40.33	44.02	38.80	16.08	51.03	---	---	Peak					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																	
1 12830.00	47.18	88.20	-41.02	43.33	38.80	16.08	51.03	---	---	Peak																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																	
1 12830.00	47.87	88.20	-40.33	44.02	38.80	16.08	51.03	---	---	Peak																																																	





Mode	19																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.21</td><td>88.20</td><td>-41.99</td><td>42.21</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	46.21	88.20	-41.99	42.21	39.00	16.27	51.27	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.70</td><td>88.20</td><td>-41.50</td><td>42.70</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	46.70	88.20	-41.50	42.70	39.00	16.27	51.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	46.21	88.20	-41.99	42.21	39.00	16.27	51.27	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	46.70	88.20	-41.50	42.70	39.00	16.27	51.27	---	---	Peak																																																																																	



Mode	20																																																																															
	Harmonic																																																																															
	U-NII-7_6525-6875_802.11ax HE20_CH149_Full RU_6695MHz																																																																															
ANT	15+10																																																																															
Pol.	Horizontal										Vertical																																																																					
Peak Avg	 Level (dBuV/m) Frequency (MHz) Date: 2025-08-11 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13390.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>42.24</td><td>39.50</td><td>16.36</td><td>52.04</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	46.06	74.00	-27.94	42.24	39.50	16.36	52.04	 Level (dBuV/m) Frequency (MHz) Date: 2025-08-11 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13390.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>42.76</td><td>39.50</td><td>16.36</td><td>52.04</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	46.58	74.00	-27.42	42.76	39.50	16.36	52.04
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13390.00	46.06	74.00	-27.94	42.24	39.50	16.36	52.04																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																									
1 13390.00	46.58	74.00	-27.42	42.76	39.50	16.36	52.04																																																																									



Mode	21																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)						 Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>43.16</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.09	88.20	-41.11	43.16	39.70	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>42.95</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	46.88	88.20	-41.32	42.95	39.70	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.09	88.20	-41.11	43.16	39.70	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	46.88	88.20	-41.32	42.95	39.70	16.45	52.22	---	---	Peak																																																																																	



Mode	25																																																																											
	Band Edge																																																																											
	U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5864.84</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>39.05</td><td>36.53</td><td>10.83</td><td>32.85</td><td>239 321 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5864.84	53.56	88.20	-34.64	39.05	36.53	10.83	32.85	239 321 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>92.29</td><td>-----</td><td>-----</td><td>77.53</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239 321 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.29	-----	-----	77.53	36.70	10.95	32.89	239 321 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5864.84	53.56	88.20	-34.64	39.05	36.53	10.83	32.85	239 321 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5965.00	92.29	-----	-----	77.53	36.70	10.95	32.89	239 321 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.40</td><td>42.74</td><td>68.20</td><td>-25.46</td><td>28.08</td><td>36.65</td><td>10.88</td><td>32.87</td><td>239 321 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	42.74	68.20	-25.46	28.08	36.65	10.88	32.87	239 321 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>83.19</td><td>-----</td><td>-----</td><td>68.43</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239 321 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	83.19	-----	-----	68.43	36.70	10.95	32.89	239 321 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5923.40	42.74	68.20	-25.46	28.08	36.65	10.88	32.87	239 321 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5965.00	83.19	-----	-----	68.43	36.70	10.95	32.89	239 321 AVERAGE																																																																			



Mode	25																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-09 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5841.32</td><td>52.75</td><td>88.20</td><td>-35.45</td><td>38.24</td><td>36.52</td><td>10.83</td><td>32.84</td><td>378 18 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5841.32	52.75	88.20	-35.45	38.24	36.52	10.83	32.84	378 18 PEAK	Level (dBuV/m) Date: 2025-08-09 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>88.33</td><td>-----</td><td>-----</td><td>73.57</td><td>36.70</td><td>10.94</td><td>32.88</td><td>378 18 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	88.33	-----	-----	73.57	36.70	10.94	32.88	378 18 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5841.32	52.75	88.20	-35.45	38.24	36.52	10.83	32.84	378 18 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5965.00	88.33	-----	-----	73.57	36.70	10.94	32.88	378 18 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-09 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5857 5889 5921 5953 5985 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5906.12</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>28.03</td><td>36.61</td><td>10.86</td><td>32.86</td><td>378 18 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5906.12	42.64	68.20	-25.56	28.03	36.61	10.86	32.86	378 18 AVERAGE	Level (dBuV/m) Date: 2025-08-09 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>79.07</td><td>-----</td><td>-----</td><td>64.31</td><td>36.70</td><td>10.94</td><td>32.88</td><td>378 18 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	79.07	-----	-----	64.31	36.70	10.94	32.88	378 18 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5906.12	42.64	68.20	-25.56	28.03	36.61	10.86	32.86	378 18 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5965.00	79.07	-----	-----	64.31	36.70	10.94	32.88	378 18 AVERAGE																																																																		





		25																
Mode		Harmonic																
		U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																
ANT		15+10																
Pol.		Horizontal										Vertical						
Peak Avg																		





Mode	26																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE40_CH43_Full RU_6165MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>44.05</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	47.69	74.00	-26.31	44.05	38.63	15.57	50.56	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>43.36</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	47.00	74.00	-27.00	43.36	38.63	15.57	50.56	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	47.69	74.00	-26.31	44.05	38.63	15.57	50.56	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	47.00	74.00	-27.00	43.36	38.63	15.57	50.56	---	---	Peak																																																																																	





Mode	27																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>43.26</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12810.00	47.09	88.20	-41.11	43.26	38.80	16.05	51.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>43.94</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12810.00	47.77	88.20	-40.43	43.94	38.80	16.05	51.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12810.00	47.09	88.20	-41.11	43.26	38.80	16.05	51.02	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12810.00	47.77	88.20	-40.43	43.94	38.80	16.05	51.02	---	---	Peak																																																																																	





Mode	30																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-7_6525-6875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																																																			
ANT	15+10																																																																																																																																			
Pol.	Horizontal							Vertical																																																																																																																												
Peak Avg																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>13130.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>43.34</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	13130.00	47.25	88.20	-40.95	43.34	39.03	16.29	51.41	---	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>13130.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>43.59</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	13130.00	47.50	88.20	-40.70	43.59	39.03	16.29	51.41	---	---	---	---	---	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	13130.00	47.25	88.20	-40.95	43.34	39.03	16.29	51.41	---	---	---	---	---	Peak																																																																																																																						
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	13130.00	47.50	88.20	-40.70	43.59	39.03	16.29	51.41	---	---	---	---	---	Peak																																																																																																																						



Mode	31																																																																																										
	Harmonic																																																																																										
	U-NII-7_6525-6875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal										Vertical																																																																																
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>42.44</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	46.31	74.00	-27.69	42.44	39.50	16.36	51.99	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>43.76</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	47.63	74.00	-26.37	43.76	39.50	16.36	51.99	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13370.00	46.31	74.00	-27.69	42.44	39.50	16.36	51.99	---	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13370.00	47.63	74.00	-26.37	43.76	39.50	16.36	51.99	---	---	Peak																																																																																	



Mode	32																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-6875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.32</td><td>88.20</td><td>-41.88</td><td>42.40</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.32	88.20	-41.88	42.40	39.69	16.45	52.22	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.23</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.15	88.20	-41.05	43.23	39.69	16.45	52.22	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13690.00	46.32	88.20	-41.88	42.40	39.69	16.45	52.22	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13690.00	47.15	88.20	-41.05	43.23	39.69	16.45	52.22	---	---	Peak																																																																																															





Mode	36																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-08 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5874.28</td><td>53.24</td><td>88.20</td><td>-34.96</td><td>38.70</td><td>36.55</td><td>10.84</td><td>32.85</td><td>168 324 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5874.28	53.24	88.20	-34.96	38.70	36.55	10.84	32.85	168 324 PEAK	Level (dBuV/m) Date: 2025-08-08 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>95.61</td><td>-----</td><td>-----</td><td>80.82</td><td>36.70</td><td>10.98</td><td>32.89</td><td>168 324 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	95.61	-----	-----	80.82	36.70	10.98	32.89	168 324 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5874.28	53.24	88.20	-34.96	38.70	36.55	10.84	32.85	168 324 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	95.61	-----	-----	80.82	36.70	10.98	32.89	168 324 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-08 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5904.36</td><td>43.08</td><td>68.20</td><td>-25.12</td><td>28.48</td><td>36.61</td><td>10.85</td><td>32.86</td><td>168 324 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5904.36	43.08	68.20	-25.12	28.48	36.61	10.85	32.86	168 324 AVERAGE	Level (dBuV/m) Date: 2025-08-08 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>86.33</td><td>-----</td><td>-----</td><td>71.54</td><td>36.70</td><td>10.98</td><td>32.89</td><td>168 324 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	86.33	-----	-----	71.54	36.70	10.98	32.89	168 324 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5904.36	43.08	68.20	-25.12	28.48	36.61	10.85	32.86	168 324 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	86.33	-----	-----	71.54	36.70	10.98	32.89	168 324 AVERAGE																																																																		





Mode	36	
	Band Edge	
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	15+10	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-08-08 <	





Mode	36																																																																																																																
	Harmonic																																																																																																																
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																
ANT	15+10																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>43.76</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>40.96</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	47.49	74.00	-26.51	43.76	38.44	15.21	49.92	---	Peak	2	17955.00	47.30	74.00	-26.70	40.96	42.67	17.82	54.15	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>43.99</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>40.08</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	47.72	74.00	-26.28	43.99	38.44	15.21	49.92	---	Peak	2	17955.00	46.42	74.00	-27.58	40.08	42.67	17.82	54.15	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11970.00	47.49	74.00	-26.51	43.76	38.44	15.21	49.92	---	Peak																																																																																																							
2	17955.00	47.30	74.00	-26.70	40.96	42.67	17.82	54.15	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11970.00	47.72	74.00	-26.28	43.99	38.44	15.21	49.92	---	Peak																																																																																																							
2	17955.00	46.42	74.00	-27.58	40.08	42.67	17.82	54.15	---	Peak																																																																																																							





Mode	37																																																																																					
	Harmonic																																																																																					
	U-NII-5_5925-6425_802.11ax HE80_CH39_Full RU_6145MHz																																																																																					
ANT	15+10																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-08-11  Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12290.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>44.22</td><td>38.60</td><td>15.53 50.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12290.00	47.87	74.00	-26.13	44.22	38.60	15.53 50.48							cm deg							--- --- Peak	Level (dBuV/m) Date: 2025-08-11  Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12290.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>44.29</td><td>38.60</td><td>15.53 50.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12290.00	47.94	74.00	-26.06	44.29	38.60	15.53 50.48							cm deg							--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																
1 12290.00	47.87	74.00	-26.13	44.22	38.60	15.53 50.48																																																																																
						cm deg																																																																																
						--- --- Peak																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																
1 12290.00	47.94	74.00	-26.06	44.29	38.60	15.53 50.48																																																																																
						cm deg																																																																																
						--- --- Peak																																																																																





Mode	38	
	Harmonic	
	U-NII-5_5925-6425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 47.11 88.20 -41.09 43.34 38.77 16.01 51.01 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 47.37 88.20 -40.83 43.60 38.77 16.01 51.01 --- --- Peak





Mode	40																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-7_6525-6875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																																																															
ANT	15+10																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																					
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13250.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>43.25</td><td>39.30</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	13250.00	47.17	74.00	-26.83	43.25	39.30	16.32	51.70	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13250.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>43.63</td><td>39.30</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	13250.00	47.55	74.00	-26.45	43.63	39.30	16.32	51.70	---	---	---	---	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	13250.00	47.17	74.00	-26.83	43.25	39.30	16.32	51.70	---	---	---	---	Peak																																																																																																																			
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	13250.00	47.55	74.00	-26.45	43.63	39.30	16.32	51.70	---	---	---	---	Peak																																																																																																																			







Mode	41																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-6875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.75</td><td>88.20</td><td>-40.45</td><td>43.95</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.75	88.20	-40.45	43.95	39.51	16.37	52.08	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.35</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.15	88.20	-41.05	43.35	39.51	16.37	52.08	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13410.00	47.75	88.20	-40.45	43.95	39.51	16.37	52.08	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13410.00	47.15	88.20	-41.05	43.35	39.51	16.37	52.08	---	---	Peak																																																																																															



Mode	42																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>44.19</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	47.93	88.20	-40.27	44.19	39.60	16.41	52.27	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>47.58</td><td>88.20</td><td>-40.62</td><td>43.84</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	47.58	88.20	-40.62	43.84	39.60	16.41	52.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	47.93	88.20	-40.27	44.19	39.60	16.41	52.27	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	47.58	88.20	-40.62	43.84	39.60	16.41	52.27	---	---	Peak																																																																																	





		45																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5893.60</td><td>52.73</td><td>88.20</td><td>-35.47</td><td>38.16</td><td>36.59</td><td>10.84</td><td>32.86</td><td>371</td><td>339 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5893.60	52.73	88.20	-35.47	38.16	36.59	10.84	32.86	371	339 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>90.57</td><td>-----</td><td>-----</td><td>75.91</td><td>36.51</td><td>11.06</td><td>32.91</td><td>371</td><td>339 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	90.57	-----	-----	75.91	36.51	11.06	32.91	371
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5893.60	52.73	88.20	-35.47	38.16	36.59	10.84	32.86	371	339 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	90.57	-----	-----	75.91	36.51	11.06	32.91	371	339 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.44</td><td>42.81</td><td>68.20</td><td>-25.39</td><td>28.16</td><td>36.64</td><td>10.88</td><td>32.87</td><td>371</td><td>339 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5922.44	42.81	68.20	-25.39	28.16	36.64	10.88	32.87	371	339 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>81.28</td><td>-----</td><td>-----</td><td>66.51</td><td>36.66</td><td>11.01</td><td>32.90</td><td>371</td><td>339 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	81.28	-----	-----	66.51	36.66	11.01	32.90	371
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5922.44	42.81	68.20	-25.39	28.16	36.64	10.88	32.87	371	339 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	81.28	-----	-----	66.51	36.66	11.01	32.90	371	339 AVERAGE																																																																																





Mode	45																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.56</td><td>52.86</td><td>88.20</td><td>-35.34</td><td>38.20</td><td>36.65</td><td>10.88</td><td>32.87</td><td>341 338 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5923.56	52.86	88.20	-35.34	38.20	36.65	10.88	32.87	341 338 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>89.84</td><td>-----</td><td>-----</td><td>75.25</td><td>36.41</td><td>11.09</td><td>32.91</td><td>341 338 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	89.84	-----	-----	75.25	36.41	11.09	32.91	341 338 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5923.56	52.86	88.20	-35.34	38.20	36.65	10.88	32.87	341 338 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	89.84	-----	-----	75.25	36.41	11.09	32.91	341 338 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>42.59</td><td>68.20</td><td>-25.61</td><td>27.92</td><td>36.65</td><td>10.89</td><td>32.87</td><td>341 338 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	42.59	68.20	-25.61	27.92	36.65	10.89	32.87	341 338 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>80.30</td><td>-----</td><td>-----</td><td>65.71</td><td>36.41</td><td>11.09</td><td>32.91</td><td>341 338 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	80.30	-----	-----	65.71	36.41	11.09	32.91	341 338 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.96	42.59	68.20	-25.61	27.92	36.65	10.89	32.87	341 338 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	80.30	-----	-----	65.71	36.41	11.09	32.91	341 338 AVERAGE																																																																		





Mode	45																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>43.36</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	47.14	74.00	-26.86	43.36	38.50	15.28	50.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>43.62</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	47.40	74.00	-26.60	43.62	38.50	15.28	50.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	47.14	74.00	-26.86	43.36	38.50	15.28	50.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	47.40	74.00	-26.60	43.62	38.50	15.28	50.00	---	---	Peak																																																																																	





Mode	46																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>43.64</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	47.28	74.00	-26.72	43.64	38.67	15.61	50.64	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>44.31</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	47.95	74.00	-26.05	44.31	38.67	15.61	50.64	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	47.28	74.00	-26.72	43.64	38.67	15.61	50.64	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	47.95	74.00	-26.05	44.31	38.67	15.61	50.64	---	---	Peak																																																																																	



Mode	47																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>43.70</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.35	74.00	-26.65	43.70	38.70	15.93	50.98	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>44.22</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.87	74.00	-26.13	44.22	38.70	15.93	50.98	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12690.00	47.35	74.00	-26.65	43.70	38.70	15.93	50.98	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12690.00	47.87	74.00	-26.13	44.22	38.70	15.93	50.98	---	---	Peak																																																																																															







Mode	48	
	Harmonic	
	U-NII-7_6525-6875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13330.00 47.47 74.00 -26.53 43.52 39.50 16.34 51.89 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13330.00 47.16 74.00 -26.84 43.21 39.50 16.34 51.89 --- --- Peak







Mode	57																																																																																								
	Band Edge																																																																																								
	U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																								
ANT	15+10																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5904.66</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>38.69</td><td>36.61</td><td>10.85</td><td>32.86</td><td>186 50 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5904.66	53.29	88.20	-34.91	38.69	36.61	10.85	32.86	186 50 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>96.66</td><td>-----</td><td>-----</td><td>81.92</td><td>36.70</td><td>10.92</td><td>32.88</td><td>186 50 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.66	-----	-----	81.92	36.70	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5904.66	53.29	88.20	-34.91	38.69	36.61	10.85	32.86	186 50 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	96.66	-----	-----	81.92	36.70	10.92	32.88	186 50 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.60</td><td>42.82</td><td>68.20</td><td>-25.38</td><td>28.20</td><td>36.62</td><td>10.86</td><td>32.86</td><td>186 50 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.60	42.82	68.20	-25.38	28.20	36.62	10.86	32.86	186 50 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>88.20</td><td>-----</td><td>-----</td><td>73.46</td><td>36.70</td><td>10.92</td><td>32.88</td><td>186 50 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.20	-----	-----	73.46	36.70	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5907.60	42.82	68.20	-25.38	28.20	36.62	10.86	32.86	186 50 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	88.20	-----	-----	73.46	36.70	10.92	32.88	186 50 AVERAGE																																																																																



Mode	57																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09  PEAK_BE(UNII)_6E																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.14</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>38.28</td><td>36.65</td><td>10.88</td><td>32.87</td><td>184</td><td>278 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.14	52.94	88.20	-35.26	38.28	36.65	10.88	32.87	184	278 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>95.53</td><td>-----</td><td>-----</td><td>80.79</td><td>36.70</td><td>10.92</td><td>32.88</td><td>184</td><td>278 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.53	-----	-----	80.79	36.70	10.92	32.88	184
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5923.14	52.94	88.20	-35.26	38.28	36.65	10.88	32.87	184	278 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	95.53	-----	-----	80.79	36.70	10.92	32.88	184	278 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-09  AVG_BE(UNII)_6E																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.14</td><td>42.89</td><td>68.20</td><td>-25.31</td><td>28.27</td><td>36.62</td><td>10.86</td><td>32.86</td><td>184</td><td>278 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5909.14	42.89	68.20	-25.31	28.27	36.62	10.86	32.86	184	278 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.02</td><td>-----</td><td>-----</td><td>68.28</td><td>36.70</td><td>10.92</td><td>32.88</td><td>184</td><td>278 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.02	-----	-----	68.28	36.70	10.92	32.88	184
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5909.14	42.89	68.20	-25.31	28.27	36.62	10.86	32.86	184	278 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	83.02	-----	-----	68.28	36.70	10.92	32.88	184	278 AVERAGE																																																																																	



		59																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.02</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>38.47</td><td>36.62</td><td>10.86</td><td>32.86</td><td>252 322 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.02	53.09	88.20	-35.11	38.47	36.62	10.86	32.86	252 322 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.66</td><td>-----</td><td>-----</td><td>77.90</td><td>36.70</td><td>10.94</td><td>32.88</td><td>252 322 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.66	-----	-----	77.90	36.70	10.94	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5908.02	53.09	88.20	-35.11	38.47	36.62	10.86	32.86	252 322 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	92.66	-----	-----	77.90	36.70	10.94	32.88	252 322 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.16</td><td>42.76</td><td>68.20</td><td>-25.44</td><td>28.11</td><td>36.64</td><td>10.88</td><td>32.87</td><td>252 322 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.16	42.76	68.20	-25.44	28.11	36.64	10.88	32.87	252 322 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.67</td><td>-----</td><td>-----</td><td>69.91</td><td>36.70</td><td>10.94</td><td>32.88</td><td>252 322 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.67	-----	-----	69.91	36.70	10.94	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5922.16	42.76	68.20	-25.44	28.11	36.64	10.88	32.87	252 322 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	84.67	-----	-----	69.91	36.70	10.94	32.88	252 322 AVERAGE																																																																																





		59																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																								
ANT		15+10																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.56</td><td>52.72</td><td>88.20</td><td>-35.48</td><td>38.22</td><td>36.51</td><td>10.83</td><td>32.84</td><td>400</td><td>20</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5853.56	52.72	88.20	-35.48	38.22	36.51	10.83	32.84	400	20	PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.70</td><td>-----</td><td>-----</td><td>72.95</td><td>36.70</td><td>10.93</td><td>32.88</td><td>400</td><td>20</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.70	-----	-----	72.95	36.70	10.93	32.88	400	20	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5853.56	52.72	88.20	-35.48	38.22	36.51	10.83	32.84	400	20	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	87.70	-----	-----	72.95	36.70	10.93	32.88	400	20	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.46</td><td>42.62</td><td>68.20</td><td>-25.58</td><td>28.01</td><td>36.61</td><td>10.86</td><td>32.86</td><td>400</td><td>20</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5907.46	42.62	68.20	-25.58	28.01	36.61	10.86	32.86	400	20	AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>79.72</td><td>-----</td><td>-----</td><td>64.98</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400</td><td>20</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.72	-----	-----	64.98	36.70	10.92	32.88	400	20	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5907.46	42.62	68.20	-25.58	28.01	36.61	10.86	32.86	400	20	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5955.00	79.72	-----	-----	64.98	36.70	10.92	32.88	400	20	AVERAGE																																																																															





Mode	59																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>44.16</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>40.85</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.69	74.00	-26.31	44.16	38.32	15.18	49.97	---	Peak	2 17865.00	47.13	74.00	-26.87	40.85	42.47	17.85	54.04	---	Peak	Level (dBuV/m) Date: 2025-08-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>43.74</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>41.18</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.27	74.00	-26.73	43.74	38.32	15.18	49.97	---	Peak	2 17865.00	47.46	74.00	-26.54	41.18	42.47	17.85	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	47.69	74.00	-26.31	44.16	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	47.13	74.00	-26.87	40.85	42.47	17.85	54.04	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	47.27	74.00	-26.73	43.74	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	47.46	74.00	-26.54	41.18	42.47	17.85	54.04	---	Peak																																																																																									





Mode	60																																																																																												
	Harmonic																																																																																												
	U-NII-5_5925-6425_802.11be EHT20_CH45_6175MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>43.79</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.43	74.00	-26.57	43.79	38.65	15.59	50.60	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>42.51</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.15	74.00	-27.85	42.51	38.65	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	47.43	74.00	-26.57	43.79	38.65	15.59	50.60	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	46.15	74.00	-27.85	42.51	38.65	15.59	50.60	---	---	Peak																																																																																		





Mode	61																																																																							
	Harmonic																																																																							
	U-NII-5_5925-6425_802.11be EHT20_CH93_6415MHz																																																																							
ANT	15+10																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>44.17</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	12830.00	48.02	88.20	-40.18	44.17	38.80	16.08	51.03	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>43.51</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	12830.00	47.36	88.20	-40.84	43.51	38.80	16.08	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																
1	12830.00	48.02	88.20	-40.18	44.17	38.80	16.08	51.03	---	---	Peak																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																
1	12830.00	47.36	88.20	-40.84	43.51	38.80	16.08	51.03	---	---	Peak																																																													





Mode	65																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-7_6525-6875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																																	
ANT	15+10																																																																																																																																	
Pol.	Horizontal							Vertical																																																																																																																										
Peak Avg	 Date: 2025-08-11 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.04</td><td>88.20</td><td>-42.16</td><td>42.04</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	13070.00	46.04	88.20	-42.16	42.04	39.00	16.27	51.27	---	---	---	---	---	Peak	 Date: 2025-08-11 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.86</td><td>88.20</td><td>-41.34</td><td>42.86</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	13070.00	46.86	88.20	-41.34	42.86	39.00	16.27	51.27	---	---	---	---	---	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	13070.00	46.04	88.20	-42.16	42.04	39.00	16.27	51.27	---	---	---	---	---	Peak																																																																																																																				
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	13070.00	46.86	88.20	-41.34	42.86	39.00	16.27	51.27	---	---	---	---	---	Peak																																																																																																																				



Mode	66																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-6875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13390.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>42.53</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13390.00	46.35	74.00	-27.65	42.53	39.50	16.36	52.04	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13390.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>42.26</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13390.00	46.08	74.00	-27.92	42.26	39.50	16.36	52.04	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13390.00	46.35	74.00	-27.65	42.53	39.50	16.36	52.04	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13390.00	46.08	74.00	-27.92	42.26	39.50	16.36	52.04	---	---	Peak																																																																																																



Mode	67																																																																			
	Harmonic																																																																			
	U-NII-7_6525-6875_802.11be EHT20_CH181_Full RU_6855MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13710.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>43.04</td><td>39.70</td><td>16.45 52.22</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13710.00	46.97	88.20	-41.23	43.04	39.70	16.45 52.22	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13710.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>43.02</td><td>39.70</td><td>16.45 52.22</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13710.00	46.95	88.20	-41.25	43.02	39.70	16.45 52.22
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13710.00	46.97	88.20	-41.23	43.04	39.70	16.45 52.22																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13710.00	46.95	88.20	-41.25	43.02	39.70	16.45 52.22																																																														
Peak						Peak																																																														





		71																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																								
ANT		15+10																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-09 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5884.20</td><td>52.88</td><td>88.20</td><td>-35.32</td><td>38.32</td><td>36.57</td><td>10.84</td><td>32.85</td><td>239</td><td>321</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5884.20	52.88	88.20	-35.32	38.32	36.57	10.84	32.85	239	321	PEAK	Level (dBuV/m) Date: 2025-08-09 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>92.31</td><td>-----</td><td>-----</td><td>77.55</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239</td><td>321</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.31	-----	-----	77.55	36.70	10.95	32.89	239	321	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5884.20	52.88	88.20	-35.32	38.32	36.57	10.84	32.85	239	321	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	92.31	-----	-----	77.55	36.70	10.95	32.89	239	321	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-08-09 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.00</td><td>42.76</td><td>68.20</td><td>-25.44</td><td>28.13</td><td>36.63</td><td>10.87</td><td>32.87</td><td>239</td><td>321</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5917.00	42.76	68.20	-25.44	28.13	36.63	10.87	32.87	239	321	AVERAGE	Level (dBuV/m) Date: 2025-08-09 1 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>83.10</td><td>-----</td><td>-----</td><td>68.34</td><td>36.70</td><td>10.95</td><td>32.89</td><td>239</td><td>321</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	83.10	-----	-----	68.34	36.70	10.95	32.89	239	321	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5917.00	42.76	68.20	-25.44	28.13	36.63	10.87	32.87	239	321	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5965.00	83.10	-----	-----	68.34	36.70	10.95	32.89	239	321	AVERAGE																																																																															





Mode	71																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.44</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>37.99</td><td>36.62</td><td>10.86</td><td>32.86</td><td>378</td><td>18</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.44	52.61	88.20	-35.59	37.99	36.62	10.86	32.86	378	18	PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.99</td><td>-----</td><td>-----</td><td>73.21</td><td>36.70</td><td>10.97</td><td>32.89</td><td>378</td><td>18</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.99	-----	-----	73.21	36.70	10.97	32.89	378	18	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5910.44	52.61	88.20	-35.59	37.99	36.62	10.86	32.86	378	18	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	87.99	-----	-----	73.21	36.70	10.97	32.89	378	18	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.60</td><td>42.70</td><td>68.20</td><td>-25.50</td><td>28.04</td><td>36.65</td><td>10.88</td><td>32.87</td><td>378</td><td>18</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.60	42.70	68.20	-25.50	28.04	36.65	10.88	32.87	378	18	AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>78.92</td><td>-----</td><td>-----</td><td>64.16</td><td>36.70</td><td>10.94</td><td>32.88</td><td>378</td><td>18</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	78.92	-----	-----	64.16	36.70	10.94	32.88	378	18	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5922.60	42.70	68.20	-25.50	28.04	36.65	10.88	32.87	378	18	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	78.92	-----	-----	64.16	36.70	10.94	32.88	378	18	AVERAGE																																																																							





Mode	71																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-08-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>43.08</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>39.97</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	46.67	74.00	-27.33	43.08	38.36	15.19	49.96	---	Peak	2 17895.00	46.23	74.00	-27.77	39.97	42.49	17.84	54.07	---	Peak	Level (dBuV/m) Date: 2025-08-11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>43.29</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>39.71</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	46.88	74.00	-27.12	43.29	38.36	15.19	49.96	---	Peak	2 17895.00	45.97	74.00	-28.03	39.71	42.49	17.84	54.07	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	46.67	74.00	-27.33	43.08	38.36	15.19	49.96	---	Peak																																																																																									
2 17895.00	46.23	74.00	-27.77	39.97	42.49	17.84	54.07	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11930.00	46.88	74.00	-27.12	43.29	38.36	15.19	49.96	---	Peak																																																																																									
2 17895.00	45.97	74.00	-28.03	39.71	42.49	17.84	54.07	---	Peak																																																																																									





Mode	72																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5925-6425_802.11be EHT40_CH43_Full RU_6165MHz																																																																																																		
ANT	15+10																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>42.33</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	45.97	74.00	-28.03	42.33	38.63	15.57	50.56	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>42.76</td><td>38.63</td><td>15.57</td><td>50.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	46.40	74.00	-27.60	42.76	38.63	15.57	50.56	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12330.00	45.97	74.00	-28.03	42.33	38.63	15.57	50.56	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm		deg																																																																																								
1	12330.00	46.40	74.00	-27.60	42.76	38.63	15.57	50.56	---	---	Peak																																																																																								





Mode	73																																																																									
	Harmonic																																																																									
	U-NII-5_5925-6425_802.11be EHT40_CH91_Full RU_6405MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12810.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.91</td><td>38.80</td><td>16.05</td><td>51.02 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	47.74	88.20	-40.46	43.91	38.80	16.05	51.02 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12810.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.32</td><td>38.80</td><td>16.05</td><td>51.02 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	47.15	88.20	-41.05	43.32	38.80	16.05	51.02 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 12810.00	47.74	88.20	-40.46	43.91	38.80	16.05	51.02 --- --- Peak																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 12810.00	47.15	88.20	-41.05	43.32	38.80	16.05	51.02 --- --- Peak																																																																			





Mode	76																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-08-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13130.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>44.11</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13130.00	48.02	88.20	-40.18	44.11	39.03	16.29	51.41	---	---	Peak		Level (dBuV/m) Date: 2025-08-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13130.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>43.11</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13130.00	47.02	88.20	-41.18	43.11	39.03	16.29	51.41	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13130.00	48.02	88.20	-40.18	44.11	39.03	16.29	51.41	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 13130.00	47.02	88.20	-41.18	43.11	39.03	16.29	51.41	---	---	Peak																																																																																															



Mode	77																																																																											
	Harmonic																																																																											
	U-NII-7_6525-6875_802.11be EHT40_CH147_Full RU_6685MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13370.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>42.45</td><td>39.50</td><td>16.36</td><td>51.99</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	46.32	74.00	-27.68	42.45	39.50	16.36	51.99	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13370.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>42.18</td><td>39.50</td><td>16.36</td><td>51.99</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	46.05	74.00	-27.95	42.18	39.50	16.36	51.99
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 13370.00	46.32	74.00	-27.68	42.45	39.50	16.36	51.99																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 13370.00	46.05	74.00	-27.95	42.18	39.50	16.36	51.99																																																																					
Peak						Peak																																																																						



Mode	78																																																																																																											
	Harmonic																																																																																																											
	U-NII-7_6525-6875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																											
ANT	15+10																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13690.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>42.85</td><td>39.69</td><td>16.45</td><td>52.22</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>cm</td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13690.00	46.77	88.20	-41.43	42.85	39.69	16.45	52.22						cm		deg						---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13690.00</td><td>46.90</td><td>88.20</td><td>-41.30</td><td>42.98</td><td>39.69</td><td>16.45</td><td>52.22</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>cm</td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13690.00	46.90	88.20	-41.30	42.98	39.69	16.45	52.22						cm		deg						---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1 13690.00	46.77	88.20	-41.43	42.85	39.69	16.45	52.22																																																																																																					
					cm		deg																																																																																																					
					---	---	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																					
1 13690.00	46.90	88.20	-41.30	42.98	39.69	16.45	52.22																																																																																																					
					cm		deg																																																																																																					
					---	---	Peak																																																																																																					





Mode	82																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.92</td><td>52.79</td><td>88.20</td><td>-35.41</td><td>38.16</td><td>36.63</td><td>10.87</td><td>32.87</td><td>239</td><td>320</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.92	52.79	88.20	-35.41	38.16	36.63	10.87	32.87	239	320	PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.72</td><td>-----</td><td>-----</td><td>81.92</td><td>36.69</td><td>11.01</td><td>32.90</td><td>239</td><td>320</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.72	-----	-----	81.92	36.69	11.01	32.90	239	320	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5914.92	52.79	88.20	-35.41	38.16	36.63	10.87	32.87	239	320	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	96.72	-----	-----	81.92	36.69	11.01	32.90	239	320	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.52</td><td>43.02</td><td>68.20</td><td>-25.18</td><td>28.40</td><td>36.62</td><td>10.86</td><td>32.86</td><td>239</td><td>320</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.52	43.02	68.20	-25.18	28.40	36.62	10.86	32.86	239	320	AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>86.99</td><td>-----</td><td>-----</td><td>72.20</td><td>36.70</td><td>10.98</td><td>32.89</td><td>239</td><td>320</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.99	-----	-----	72.20	36.70	10.98	32.89	239	320	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5908.52	43.02	68.20	-25.18	28.40	36.62	10.86	32.86	239	320	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	86.99	-----	-----	72.20	36.70	10.98	32.89	239	320	AVERAGE																																																																							



Mode	82																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5904.84</td><td>52.82</td><td>88.20</td><td>-35.38</td><td>38.22</td><td>36.61</td><td>10.85</td><td>32.86</td><td>387 338 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5904.84	52.82	88.20	-35.38	38.22	36.61	10.85	32.86	387 338 PEAK	Level (dBuV/m) Date: 2025-08-09 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>89.76</td><td>-----</td><td>-----</td><td>74.98</td><td>36.70</td><td>10.97</td><td>32.89</td><td>387 338 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	89.76	-----	-----	74.98	36.70	10.97	32.89	387 338 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5904.84	52.82	88.20	-35.38	38.22	36.61	10.85	32.86	387 338 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	89.76	-----	-----	74.98	36.70	10.97	32.89	387 338 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5905.80</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>28.03</td><td>36.61</td><td>10.86</td><td>32.86</td><td>387 338 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5905.80	42.64	68.20	-25.56	28.03	36.61	10.86	32.86	387 338 AVERAGE	Level (dBuV/m) Date: 2025-08-09 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>81.62</td><td>-----</td><td>-----</td><td>66.85</td><td>36.70</td><td>10.96</td><td>32.89</td><td>387 338 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	81.62	-----	-----	66.85	36.70	10.96	32.89	387 338 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5905.80	42.64	68.20	-25.56	28.03	36.61	10.86	32.86	387 338 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	81.62	-----	-----	66.85	36.70	10.96	32.89	387 338 AVERAGE																																																																		



Mode	82																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																	
ANT	15+10																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>42.13</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>39.56</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	Peak	2	17955.00	45.90	74.00	-28.10	39.56	42.67	17.82	54.15	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>42.13</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>40.18</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	Peak	2	17955.00	46.52	74.00	-27.48	40.18	42.67	17.82	54.15	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	Peak																																																																																																								
2	17955.00	45.90	74.00	-28.10	39.56	42.67	17.82	54.15	---	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11970.00	45.86	74.00	-28.14	42.13	38.44	15.21	49.92	---	Peak																																																																																																								
2	17955.00	46.52	74.00	-27.48	40.18	42.67	17.82	54.15	---	Peak																																																																																																								