
































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	XuRuibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E QP LISN 2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.17	37.32	-17.76	55.08	17.40	9.74	10.18	Average
2 *	0.17	48.02	-17.06	65.08	28.10	9.74	10.18	QP
3	0.18	32.26	-22.42	54.68	12.31	9.77	10.18	Average
4	0.18	42.16	-22.52	64.68	22.21	9.77	10.18	QP
5	0.21	31.99	-21.37	53.36	12.00	9.81	10.18	Average
6	0.21	41.99	-21.37	63.36	22.00	9.81	10.18	QP
7	0.26	26.99	-24.48	51.47	7.20	9.59	10.20	Average
8	0.26	34.89	-26.58	61.47	15.10	9.59	10.20	QP
9	0.32	24.77	-24.98	49.75	4.80	9.76	10.21	Average
10	0.32	32.47	-27.28	59.75	12.50	9.76	10.21	QP
11	0.59	25.58	-20.42	46.00	5.70	9.64	10.24	Average
12	0.59	33.98	-22.02	56.00	14.10	9.64	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Zhaohui Liang	Relative Humidity :	50%
		Temperature :	20-22℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5925-6425	15+10	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5925-6425	15+10	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5925-6425	15+10	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5925-6425	15+10	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6425-6525	15+10	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6425-6525	15+10	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6525-6875	15+10	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6525-6875	15+10	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6525-6875	15+10	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6875-7125	15+10	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6875-7125	15+10	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6875-7125	15+10	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5925-6425	15+10	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5925-6425	15+10	802.11ax HE20	45	6175	MCS0	-	-
Mode 15	U-NII-5	5925-6425	15+10	802.11ax HE20	93	6415	MCS0	-	-
Mode 16	U-NII-5	5925-6425	15+10	802.11ax HE20	97	6435	MCS0	-	-
Mode 17	U-NII-6	6425-6525	15+10	802.11ax HE20	105	6475	MCS0	-	-
Mode 18	U-NII-6	6425-6525	15+10	802.11ax HE20	113	6515	MCS0	-	-
Mode 19	U-NII-7	6525-6875	15+10	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	6525-6875	15+10	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6525-6875	15+10	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 22	U-NII-8	6875-7125	15+10	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	6875-7125	15+10	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	6875-7125	15+10	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 25	U-NII-5	5925-6425	15+10	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5925-6425	15+10	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5925-6425	15+10	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 28	U-NII-6	6425-6525	15+10	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6425-6525	15+10	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-7	6525-6875	15+10	802.11ax HE40	123	6565	MCS0	Full RU	-



Mode 31	U-NII-7	6525-6875	15+10	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6525-6875	15+10	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 33	U-NII-8	6875-7125	15+10	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	6875-7125	15+10	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	6875-7125	15+10	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 36	U-NII-5	5925-6425	15+10	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5925-6425	15+10	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5925-6425	15+10	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 39	U-NII-6	6425-6525	15+10	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 40	U-NII-7	6525-6875	15+10	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6525-6875	15+10	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6525-6875	15+10	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-8	6875-7125	15+10	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	6875-7125	15+10	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 45	U-NII-5	5925-6425	15+10	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5925-6425	15+10	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5925-6425	15+10	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6525-6875	15+10	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 49	U-NII-8	6875-7125	15+10	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-8	6525-7125	15+10	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 51	U-NII-8	6525-7125	15+10	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 52	U-NII-8	6525-7125	15+10	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 53	U-NII-8	6525-7125	15+10	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 54	U-NII-7	6425-6875	15+10	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 55	U-NII-7	6425-6875	15+10	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 56	U-NII-7	6425-6875	15+10	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 57	U-NII-5	5925-6425	15+10	802.11ax HE20	1	5955	MCS0	Partial RU	106/53
Mode 58	U-NII-8	6875-7125	15+10	802.11ax HE20	229	7095	MCS0	Partial RU	26/8
Mode 59	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	-	-
Mode 60	U-NII-5	5925-6425	15+10	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	5925-6425	15+10	802.11be EHT20	93	6415	MCS0	-	-
Mode 62	U-NII-5	5925-6425	15+10	802.11be EHT20	97	6435	MCS0	-	-
Mode 63	U-NII-6	6425-6525	15+10	802.11be EHT20	105	6475	MCS0	-	-
Mode 64	U-NII-6	6425-6525	15+10	802.11be EHT20	113	6515	MCS0	-	-
Mode 65	U-NII-7	6525-6875	15+10	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	6525-6875	15+10	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	6525-6875	15+10	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 68	U-NII-8	6875-7125	15+10	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 69	U-NII-8	6875-7125	15+10	802.11be EHT20	209	6995	MCS0	Full RU	-



Mode 70	U-NII-8	6875-7125	15+10	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 71	U-NII-5	5925-6425	15+10	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	5925-6425	15+10	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	5925-6425	15+10	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 74	U-NII-6	6425-6525	15+10	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 75	U-NII-6	6425-6525	15+10	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 76	U-NII-7	6525-6875	15+10	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	6525-6875	15+10	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	6525-6875	15+10	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 79	U-NII-8	6875-7125	15+10	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 80	U-NII-8	6875-7125	15+10	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 81	U-NII-8	6875-7125	15+10	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 82	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	5925-6425	15+10	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	5925-6425	15+10	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 85	U-NII-6	6425-6525	15+10	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 86	U-NII-7	6525-6875	15+10	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 87	U-NII-7	6525-6875	15+10	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	6525-6875	15+10	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 89	U-NII-8	6875-7125	15+10	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 90	U-NII-8	6875-7125	15+10	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 91	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	5925-6425	15+10	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	5925-6425	15+10	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	6525-6875	15+10	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 95	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 96	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	5925-6425	15+10	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 98	U-NII-8	6525-7125	15+10	802.11a	185	6525	MCS0	Full RU	-
Mode 99	U-NII-8	6525-7125	15+10	802.11be EHT20	185	6525	MCS0	Full RU	-
Mode 100	U-NII-8	6525-7125	15+10	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 101	U-NII-8	6525-7125	15+10	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 102	U-NII-8	6525-7125	15+10	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 103	U-NII-8	6525-7125	15+10	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 104	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 105	U-NII-7	6425-6875	15+10	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 106	U-NII-7	6425-6875	15+10	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 107	U-NII-7	6425-6875	15+10	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 108	U-NII-6	5925-6425	15+10	802.11be EHT320	95	6425	MCS0	Full RU	-



Mode 109	U-NII-7	6425-6875	15+10	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 110	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	Single RU	52/37
Mode 111	U-NII-8	6875-7125	15+10	802.11be EHT20	229	7095	MCS0	Single RU	52/40
Mode 112	U-NII-5	5925-6425	15+10	802.11be EHT20	1	5955	MCS0	Small RU	106+26_OFDMA_1
Mode 113	U-NII-8	6875-7125	15+10	802.11be EHT20	229	7095	MCS0	Small RU	106+26_OFDMA_2
Mode 114	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Large RU 484+242	④
Mode 115	U-NII-8	6875-7125	15+10	802.11be EHT80	215	7025	MCS0	Large RU 484+242	①
Mode 116	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Large RU 996+484	④
Mode 117	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Large RU 996+484	①
Mode 118	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484	⑥
Mode 119	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484	⑦
Mode 120	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*3	④
Mode 121	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Large RU 996*3	①
Mode 122	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484	⑧
Mode 123	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484	①
Mode 124	U-NII-5	5925-6425	15+10	802.11be EHT80	7	5985	MCS0	Puncturing 20M	④
Mode 125	U-NII-8	6875-7125	15+10	802.11be EHT80	215	7025	MCS0	Puncturing 20M	①
Mode 126	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Puncturing 40M	④
Mode 127	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Puncturing 40M	①
Mode 128	U-NII-5	5925-6425	15+10	802.11be EHT160	15	6025	MCS0	Puncturing 20M	⑧
Mode 129	U-NII-8	6875-7125	15+10	802.11be EHT160	207	6985	MCS0	Puncturing 20M	①
Mode 130	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M	⑥
Mode 131	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M	⑦
Mode 132	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 80M	④
Mode 133	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Puncturing 80M	①
Mode 134	U-NII-5	5925-6425	15+10	802.11be EHT320	31	6105	MCS0	Puncturing 40M	⑧
Mode 135	U-NII-8	6525-7125	15+10	802.11be EHT320	191	6905	MCS0	Puncturing 40M	①
Mode 136	U-NII-8	6525-7125	15+10	802.11be EHT40-LF	227	7085	MCS0	Full RU	LF

**Co-location:**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 137	CO-TX	6G WIFI MIMO	15+10	802.11be EHT40	227	7085	MCS0	Full RU	-
		2.4G WIFI SISO	7	11g_Ch11	11	2462	6Mbps	-	-
Mode 138	CO-TX	6G WIFI MIMO	15+10	802.11be EHT40	227	7085	MCS0	Full RU	-
		BT/BLE SISO	11	Bluetooth-LE	38	2478	2M	-	-
Mode 139	CO-TX	6G WIFI MIMO	15+10	802.11be EHT40	227	7085	MCS0	Full RU	-
		BT/BLE SISO	7	Bluetooth-LE	38	2478	2M	-	-
		2.4G WIFI SISO	11	11g_Ch11	11	2462	6Mbps	-	-
		WWAN	13	Part 96 Bnad48	-	-	-	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	11910.00	47.87	74.00	-26.13	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	47.40	74.00	-26.60	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.67	88.20	-40.53	H	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	47.92	88.20	-40.28	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	46.97	88.20	-41.23	H	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.38	88.20	-41.82	H	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.35	88.20	-41.85	H	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.59	74.00	-27.41	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	46.22	88.20	-41.98	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	47.31	88.20	-40.89	H	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.02	88.20	-41.18	H	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	46.61	88.20	-41.59	H	Peak	Pass	Harmonic
13	802.11ax HE20	1	5916.00	42.81	68.20	-25.39	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	47.47	74.00	-26.53	V	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	47.35	74.00	-26.65	V	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	46.83	88.20	-41.37	V	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	46.66	88.20	-41.54	H	Peak	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	46.51	88.20	-41.69	H	Peak	Pass	Harmonic
18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge



18	802.11ax HE20	113	13030.00	46.55	88.20	-41.65	H	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	46.48	88.20	-41.72	V	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	46.87	74.00	-27.13	H	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.08	88.20	-41.12	H	Peak	Pass	Harmonic
22	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	189	13790.00	46.76	88.20	-41.44	V	Peak	Pass	Harmonic
23	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	209	13990.00	47.04	88.20	-41.16	H	Peak	Pass	Harmonic
24	802.11ax HE20	229	7267.68	43.74	54.00	-10.26	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	229	14190.00	47.54	88.20	-40.66	H	Peak	Pass	Harmonic
25	802.11ax HE40	3	5923.88	42.98	68.20	-25.22	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	11930.00	47.53	74.00	-26.47	V	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	47.37	74.00	-26.63	V	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	47.12	88.20	-41.08	H	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	46.86	88.20	-41.34	V	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	46.51	88.20	-41.69	H	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	46.40	88.20	-41.80	H	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	46.87	74.00	-27.13	H	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.07	88.20	-41.13	H	Peak	Pass	Harmonic
33	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	195	13850.00	47.33	88.20	-40.87	H	Peak	Pass	Harmonic
34	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	203	13930.00	46.80	88.20	-41.40	H	Peak	Pass	Harmonic
35	802.11ax HE40	227	7298.99	43.75	54.00	-10.25	V	AVERAGE	Pass	Band Edge
35	802.11ax HE40	227	14170.00	47.54	88.20	-40.66	H	Peak	Pass	Harmonic
36	802.11ax HE80	7	5923.56	43.42	68.20	-24.78	V	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	11970.00	47.19	74.00	-26.81	V	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	47.17	74.00	-26.83	V	Peak	Pass	Harmonic



38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	47.13	88.20	-41.07	V	Peak	Pass	Harmonic
39	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	103	12930.00	46.89	88.20	-41.31	V	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	46.74	74.00	-27.26	H	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	46.33	88.20	-41.87	H	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	46.88	88.20	-41.32	H	Peak	Pass	Harmonic
43	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	199	13890.00	47.05	88.20	-41.15	H	Peak	Pass	Harmonic
44	802.11ax HE80	215	7258.02	43.85	54.00	-10.15	V	AVERAGE	Pass	Band Edge
44	802.11ax HE80	215	14050.00	47.66	88.20	-40.54	H	Peak	Pass	Harmonic
45	802.11ax HE160	15	5891.08	43.09	68.20	-25.11	H	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12050.00	47.07	74.00	-26.93	V	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	47.39	74.00	-26.61	V	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	47.41	74.00	-26.59	H	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	46.81	74.00	-27.19	V	Peak	Pass	Harmonic
49	802.11ax HE160	207	7281.25	43.63	54.00	-10.37	V	AVERAGE	Pass	Band Edge
49	802.11ax HE160	207	13970.00	47.22	88.20	-40.98	H	Peak	Pass	Harmonic
50	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	185	13750.00	47.53	88.20	-40.67	H	Peak	Pass	Harmonic
51	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	187	13770.00	46.78	88.20	-41.42	V	Peak	Pass	Harmonic
52	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	183	13730.00	47.08	88.20	-41.12	H	Peak	Pass	Harmonic
53	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE160	175	13650.00	46.97	88.20	-41.23	H	Peak	Pass	Harmonic
54	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	115	13050.00	46.57	88.20	-41.63	H	Peak	Pass	Harmonic
55	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE80	119	13090.00	46.48	88.20	-41.72	V	Peak	Pass	Harmonic
56	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE160	111	13010.00	46.26	88.20	-41.94	V	Peak	Pass	Harmonic
57	802.11ax HE20	1	5922.30	43.12	68.20	-25.08	V	AVERAGE	Pass	Band Edge



57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	229	7292.15	43.84	54.00	-10.16	H	AVERAGE	Pass	Band Edge
58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	1	5922.86	43.14	68.20	-25.06	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	17865.00	47.96	74.00	-26.04	H	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	47.45	74.00	-26.55	V	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	47.23	88.20	-40.97	V	Peak	Pass	Harmonic
62	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT20	97	12870.00	47.74	88.20	-40.46	H	Peak	Pass	Harmonic
63	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	105	12950.00	46.71	88.20	-41.49	H	Peak	Pass	Harmonic
64	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT20	113	13030.00	47.23	88.20	-40.97	H	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	46.87	88.20	-41.33	H	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	46.37	74.00	-27.63	H	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	47.30	88.20	-40.90	H	Peak	Pass	Harmonic
68	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
68	802.11be EHT20	189	13790.00	46.62	88.20	-41.58	H	Peak	Pass	Harmonic
69	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
69	802.11be EHT20	209	13990.00	47.20	88.20	-41.00	V	Peak	Pass	Harmonic
70	802.11be EHT20	229	7312.62	43.62	54.00	-10.38	V	AVERAGE	Pass	Band Edge
70	802.11be EHT20	229	14190.00	47.18	88.20	-41.02	V	Peak	Pass	Harmonic
71	802.11be EHT40	3	5893.80	43.13	68.20	-25.07	H	AVERAGE	Pass	Band Edge
71	802.11be EHT40	3	11930.00	47.15	74.00	-26.85	H	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	47.49	74.00	-26.51	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.23	88.20	-40.97	V	Peak	Pass	Harmonic
74	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
74	802.11be EHT40	99	12890.00	47.74	88.20	-40.46	H	Peak	Pass	Harmonic
75	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
75	802.11be EHT40	107	12970.00	46.71	88.20	-41.49	H	Peak	Pass	Harmonic
76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	47.41	88.20	-40.79	V	Peak	Pass	Harmonic



77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	46.04	74.00	-27.96	H	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	47.18	88.20	-41.02	H	Peak	Pass	Harmonic
79	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
79	802.11be EHT40	195	13850.00	46.70	88.20	-41.50	V	Peak	Pass	Harmonic
80	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
80	802.11be EHT40	203	13930.00	47.56	88.20	-40.64	V	Peak	Pass	Harmonic
81	802.11be EHT40	227	7255.95	45.35	54.00	-8.65	V	AVERAGE	Pass	Band Edge
81	802.11be EHT40	227	14170.00	46.96	88.20	-41.24	V	Peak	Pass	Harmonic
82	802.11be EHT80	7	5917.00	43.10	68.20	-25.10	H	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	17955.00	47.12	74.00	-26.88	H	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	47.43	74.00	-26.57	V	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.55	88.20	-40.65	V	Peak	Pass	Harmonic
85	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	103	12930.00	47.09	88.20	-41.11	H	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	47.01	74.00	-26.99	V	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	46.85	88.20	-41.35	V	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	47.19	88.20	-41.01	V	Peak	Pass	Harmonic
89	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
89	802.11be EHT80	199	13890.00	46.63	88.20	-41.57	V	Peak	Pass	Harmonic
90	802.11be EHT80	215	7280.65	43.70	54.00	-10.30	V	AVERAGE	Pass	Band Edge
90	802.11be EHT80	215	14050.00	47.28	88.20	-40.92	H	Peak	Pass	Harmonic
91	802.11be EHT160	15	5921.32	43.13	68.20	-25.07	V	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	46.77	74.00	-27.23	H	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	47.56	74.00	-26.44	V	Peak	Pass	Harmonic
93	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	79	12690.00	47.48	74.00	-26.52	V	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	46.38	74.00	-27.62	V	Peak	Pass	Harmonic
95	802.11be EHT160	207	7268.13	43.67	54.00	-10.33	H	AVERAGE	Pass	Band Edge
95	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT320	31	5688.96	43.26	68.20	-24.94	H	AVERAGE	Pass	Band Edge



96	802.11be EHT320	31	12210.00	46.97	74.00	-27.03	H	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	46.87	74.00	-27.13	V	Peak	Pass	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	Band Edge
98	802.11a	185	13750.00	47.30	88.20	-40.90	H	Peak	Pass	Harmonic
99	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
99	802.11be EHT20	185	13750.00	47.74	88.20	-40.46	V	Peak	Pass	Harmonic
100	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
100	802.11be EHT40	187	13770.00	47.21	88.20	-40.99	H	Peak	Pass	Harmonic
101	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
101	802.11be EHT80	183	13730.00	47.77	88.20	-40.43	V	Peak	Pass	Harmonic
102	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
102	802.11be EHT160	175	13650.00	47.39	88.20	-40.81	H	Peak	Pass	Harmonic
103	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT320	159	13490.00	47.36	88.20	-40.84	H	Peak	Pass	Harmonic
104	802.11be EHT320	191	7258.04	43.67	54.00	-10.33	V	AVERAGE	Pass	Band Edge
104	802.11be EHT320	191	13810.00	46.95	88.20	-41.25	H	Peak	Pass	Harmonic
105	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
105	802.11be EHT40	115	13050.00	47.56	88.20	-40.64	H	Peak	Pass	Harmonic
106	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
106	802.11be EHT80	119	13090.00	47.25	88.20	-40.95	H	Peak	Pass	Harmonic
107	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
107	802.11be EHT160	111	13010.00	47.85	88.20	-40.35	H	Peak	Pass	Harmonic
108	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
108	802.11be EHT320	95	12850.00	48.07	88.20	-40.13	H	Peak	Pass	Harmonic
109	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT320	127	13170.00	47.35	88.20	-40.85	V	Peak	Pass	Harmonic
110	802.11be EHT20	1	5921.04	43.00	68.20	-25.20	H	AVERAGE	Pass	Band Edge
110	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
111	802.11be EHT20	229	7285.48	43.72	54.00	-10.28	H	AVERAGE	Pass	Band Edge
111	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	1	5922.86	43.00	68.20	-25.20	H	AVERAGE	Pass	Band Edge
112	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT20	229	7271.24	43.73	54.00	-10.27	H	AVERAGE	Pass	Band Edge
113	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	7	5919.56	42.92	68.20	-25.28	H	AVERAGE	Pass	Band Edge
114	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
115	802.11be EHT80	215	7266.78	43.61	54.00	-10.39	V	AVERAGE	Pass	Band Edge
115	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic



116	802.11be EHT160	15	5900.60	43.80	68.20	-24.40	V	AVERAGE	Pass	Band Edge
116	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT160	207	7291.88	44.50	54.00	-9.50	V	AVERAGE	Pass	Band Edge
117	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT320	31	5670.60	44.31	68.20	-23.89	H	AVERAGE	Pass	Band Edge
118	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT320	191	7285.87	44.56	54.00	-9.44	H	AVERAGE	Pass	Band Edge
119	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT320	31	5695.08	44.13	68.20	-24.07	H	AVERAGE	Pass	Band Edge
120	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT320	191	7282.85	44.52	54.00	-9.48	H	AVERAGE	Pass	Band Edge
121	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT320	31	5711.91	44.18	68.20	-24.02	V	AVERAGE	Pass	Band Edge
122	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT320	191	7305.84	44.46	54.00	-9.54	V	AVERAGE	Pass	Band Edge
123	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT80	7	5913.96	42.74	68.20	-25.46	V	AVERAGE	Pass	Band Edge
124	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT80	215	7289.41	43.56	54.00	-10.44	V	AVERAGE	Pass	Band Edge
125	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	15	5900.32	42.80	68.20	-25.40	H	AVERAGE	Pass	Band Edge
126	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT160	207	7260.00	43.61	54.00	-10.39	H	AVERAGE	Pass	Band Edge
127	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT160	15	5924.68	42.87	68.20	-25.33	H	AVERAGE	Pass	Band Edge
128	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
129	802.11be EHT160	207	7263.13	43.53	54.00	-10.47	H	AVERAGE	Pass	Band Edge
129	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT320	31	5699.67	43.16	68.20	-25.04	H	AVERAGE	Pass	Band Edge
130	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
131	802.11be EHT320	191	7264.70	43.50	54.00	-10.50	V	AVERAGE	Pass	Band Edge
131	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT320	31	5688.19	43.17	68.20	-25.03	V	AVERAGE	Pass	Band Edge
132	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
133	802.11be EHT320	191	7279.82	43.55	54.00	-10.45	V	AVERAGE	Pass	Band Edge
133	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT320	31	5688.19	43.27	68.20	-24.93	V	AVERAGE	Pass	Band Edge
134	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
135	802.11be EHT320	191	7286.48	43.71	54.00	-10.29	V	AVERAGE	Pass	Band Edge





135	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
136	802.11be EHT40-LF	227	38.73	28.54	40.00	-11.46	V	Peak	Pass	Band Edge



Co-location:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
137	802.11be EHT40	227	7271.63	43.69	54.00	-10.31	H	AVERAGE	Pass	Band Edge
	802.11g	11	2483.51	52.98	54.00	-1.02	H	AVERAGE	Pass	Band Edge
137	802.11be EHT40	227	7386.00	47.52	74.00	-26.48	V	Peak	Pass	Harmonic
138	802.11be EHT40	227	7292.72	43.65	54.00	-10.35	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	2483.54	40.38	54.00	-13.62	V	AVERAGE	Pass	Band Edge
138	802.11be EHT40	227	7434.00	47.75	74.00	-26.25	V	Peak	Pass	Harmonic
139	802.11be EHT40	227	7269.06	43.55	54.00	-10.45	V	AVERAGE	Pass	Band Edge
	802.11g	11	2483.55	43.19	54.00	-10.81	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	2483.52	42.32	54.00	-11.68	V	AVERAGE	Pass	Band Edge
139	802.11be EHT40	227	7434.00	47.05	74.00	-26.95	V	Peak	Pass	Harmonic





Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																					
ANT	15+10																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-08-14  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>43.85</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>40.13</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.38	74.00	-26.62	43.85	38.32	15.18	49.97	---	Peak	2	17865.00	46.41	74.00	-27.59	40.13	42.47	17.85	54.04	---	Peak	Level (dBuV/m) Date: 2025-08-14  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>44.34</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>39.58</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.87	74.00	-26.13	44.34	38.32	15.18	49.97	---	Peak	2	17865.00	45.86	74.00	-28.14	39.58	42.47	17.85	54.04	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11910.00	47.38	74.00	-26.62	43.85	38.32	15.18	49.97	---	Peak																																																																																												
2	17865.00	46.41	74.00	-27.59	40.13	42.47	17.85	54.04	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11910.00	47.87	74.00	-26.13	44.34	38.32	15.18	49.97	---	Peak																																																																																												
2	17865.00	45.86	74.00	-28.14	39.58	42.47	17.85	54.04	---	Peak																																																																																												





Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11a_CH45_6175MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>42.58</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.22	74.00	-27.78	42.58	38.65	15.59	50.60	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>43.76</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.40	74.00	-26.60	43.76	38.65	15.59	50.60	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12350.00	46.22	74.00	-27.78	42.58	38.65	15.59	50.60	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12350.00	47.40	74.00	-26.60	43.76	38.65	15.59	50.60	---	---	Peak																																																																																															





Mode	3																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11a_CH93_6415MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.67</td><td>88.20</td><td>-40.53</td><td>43.82</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	47.67	88.20	-40.53	43.82	38.80	16.08	51.03	---	---	Peak	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.45</td><td>88.20</td><td>-41.75</td><td>42.60</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	46.45	88.20	-41.75	42.60	38.80	16.08	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	47.67	88.20	-40.53	43.82	38.80	16.08	51.03	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	46.45	88.20	-41.75	42.60	38.80	16.08	51.03	---	---	Peak																																																																																	





Mode	4																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11a_CH97_6435MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>44.05</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.92	88.20	-40.28	44.05	38.80	16.12	51.05	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>42.91</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.78	88.20	-41.42	42.91	38.80	16.12	51.05	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12870.00	47.92	88.20	-40.28	44.05	38.80	16.12	51.05	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12870.00	46.78	88.20	-41.42	42.91	38.80	16.12	51.05	---	---	Peak																																																																																															





Mode	5																																																																																					
	Harmonic																																																																																					
	U-NII-6_6425-6525_802.11a_CH105_6475MHz																																																																																					
ANT	15+10																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg																																																																																						
	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>42.95</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	46.97	88.20	-41.23	42.95	38.90	16.20	51.08	---	---	Peak	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>41.84</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	45.86	88.20	-42.34	41.84	38.90	16.20	51.08	---	---	Peak
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12950.00	46.97	88.20	-41.23	42.95	38.90	16.20	51.08	---	---	Peak																																																																												
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12950.00	45.86	88.20	-42.34	41.84	38.90	16.20	51.08	---	---	Peak																																																																												





Mode	6																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6425-6525_802.11a_CH113_6515MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>46.38</td><td>88.20</td><td>-41.82</td><td>42.29</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	46.38	88.20	-41.82	42.29	39.00	16.26	51.17	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>46.13</td><td>88.20</td><td>-42.07</td><td>42.04</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	46.13	88.20	-42.07	42.04	39.00	16.26	51.17	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13030.00	46.38	88.20	-41.82	42.29	39.00	16.26	51.17	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13030.00	46.13	88.20	-42.07	42.04	39.00	16.26	51.17	---	---	Peak																																																																																														





Mode	7																																																																																	
	Harmonic																																																																																	
	U-NII-7_6525-6875_802.11a_CH117_6535MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg																																																																																		
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>42.35</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	46.35	88.20	-41.85	42.35	39.00	16.27	51.27	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>45.77</td><td>88.20</td><td>-42.43</td><td>41.77</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	45.77	88.20	-42.43	41.77	39.00	16.27	51.27	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13070.00	46.35	88.20	-41.85	42.35	39.00	16.27	51.27	---	---	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13070.00	45.77	88.20	-42.43	41.77	39.00	16.27	51.27	---	---	Peak																																																																								





Mode	8																																																																																												
	Harmonic																																																																																												
	U-NII-7_6525-6875_802.11a_CH149_6695MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>42.68</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.50	74.00	-27.50	42.68	39.50	16.36	52.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>42.77</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.59	74.00	-27.41	42.77	39.50	16.36	52.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	46.50	74.00	-27.50	42.68	39.50	16.36	52.04	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	46.59	74.00	-27.41	42.77	39.50	16.36	52.04	---	---	Peak																																																																																		





Mode	9																																																									
	Harmonic																																																									
	U-NII-7_6525-6875_802.11a_CH181_6855MHz																																																									
ANT	15+10																																																									
Pol.	Horizontal	Vertical																																																								
Peak Avg	Level (dBuV/m) Date: 2025-08-14  Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13710.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>42.29</td><td>39.70</td><td>16.45 52.22 --- --- Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13710.00	46.22	88.20	-41.98	42.29	39.70	16.45 52.22 --- --- Peak	Level (dBuV/m) Date: 2025-08-14  Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13710.00</td><td>45.62</td><td>88.20</td><td>-42.58</td><td>41.69</td><td>39.70</td><td>16.45 52.22 --- --- Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13710.00	45.62	88.20	-42.58	41.69	39.70	16.45 52.22 --- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																				
1 13710.00	46.22	88.20	-41.98	42.29	39.70	16.45 52.22 --- --- Peak																																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																				
1 13710.00	45.62	88.20	-42.58	41.69	39.70	16.45 52.22 --- --- Peak																																																				





Mode	10																																																																																												
	Harmonic																																																																																												
	U-NII-8_6875-7125_802.11a_CH189_6895MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>43.31</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.31	88.20	-40.89	43.31	39.70	16.48	52.18	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>45.66</td><td>88.20</td><td>-42.54</td><td>41.66</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	45.66	88.20	-42.54	41.66	39.70	16.48	52.18	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13790.00	47.31	88.20	-40.89	43.31	39.70	16.48	52.18	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13790.00	45.66	88.20	-42.54	41.66	39.70	16.48	52.18	---	---	Peak																																																																																		



Mode	11																																																																																																						
	Harmonic																																																																																																						
	U-NII-8_6875-7125_802.11a_CH209_6995MHz																																																																																																						
ANT	15+10																																																																																																						
Pol.	Horizontal										Vertical																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-08-14  <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>42.79</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	47.02	88.20	-41.18	42.79	39.79	16.54	52.10	---	---	Peak	Level (dBuV/m) Date: 2025-08-14  <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>45.79</td><td>88.20</td><td>-42.41</td><td>41.56</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	45.79	88.20	-42.41	41.56	39.79	16.54	52.10	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13990.00	47.02	88.20	-41.18	42.79	39.79	16.54	52.10	---	---	Peak																																																																																												
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	13990.00	45.79	88.20	-42.41	41.56	39.79	16.54	52.10	---	---	Peak																																																																																												







Mode	12																																																																																												
	Harmonic																																																																																												
	U-NII-8_6875-7125_802.11a_CH229_7095MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	 Date: 2025-08-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>46.61</td><td>88.20</td><td>-41.59</td><td>42.07</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	46.61	88.20	-41.59	42.07	39.89	16.64	51.99	---	---	Peak	 Date: 2025-08-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>45.90</td><td>88.20</td><td>-42.30</td><td>41.36</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.90	88.20	-42.30	41.36	39.89	16.64	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	46.61	88.20	-41.59	42.07	39.89	16.64	51.99	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	45.90	88.20	-42.30	41.36	39.89	16.64	51.99	---	---	Peak																																																																																		





Mode	13																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5832.84</td><td>53.31</td><td>88.20</td><td>-34.89</td><td>38.78</td><td>36.53</td><td>10.83</td><td>32.83</td><td>278</td><td>315</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5832.84	53.31	88.20	-34.89	38.78	36.53	10.83	32.83	278	315	PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>86.93</td><td>-----</td><td>-----</td><td>72.17</td><td>36.70</td><td>10.94</td><td>32.88</td><td>278</td><td>315</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.93	-----	-----	72.17	36.70	10.94	32.88	278	315	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5832.84	53.31	88.20	-34.89	38.78	36.53	10.83	32.83	278	315	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	86.93	-----	-----	72.17	36.70	10.94	32.88	278	315	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.38</td><td>42.76</td><td>68.20</td><td>-25.44</td><td>28.14</td><td>36.62</td><td>10.86</td><td>32.86</td><td>278</td><td>315</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5911.38	42.76	68.20	-25.44	28.14	36.62	10.86	32.86	278	315	AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>76.71</td><td>-----</td><td>-----</td><td>61.96</td><td>36.70</td><td>10.93</td><td>32.88</td><td>278</td><td>315</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	76.71	-----	-----	61.96	36.70	10.93	32.88	278	315	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5911.38	42.76	68.20	-25.44	28.14	36.62	10.86	32.86	278	315	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	76.71	-----	-----	61.96	36.70	10.93	32.88	278	315	AVERAGE																																																																																



Mode	13																																																																																									
	Band Edge																																																																																									
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																									
ANT	15+10																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5900.18</td><td>52.62</td><td>88.20</td><td>-35.58</td><td>38.03</td><td>36.60</td><td>10.85</td><td>32.86</td><td>400</td><td>23</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5900.18	52.62	88.20	-35.58	38.03	36.60	10.85	32.86	400	23	PEAK	Level (dBuV/m) Date: 2025-08-13  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>81.30</td><td>-----</td><td>-----</td><td>66.56</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400</td><td>23</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5955.00	81.30	-----	-----	66.56	36.70	10.92	32.88	400	23	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5900.18	52.62	88.20	-35.58	38.03	36.60	10.85	32.86	400	23	PEAK																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	81.30	-----	-----	66.56	36.70	10.92	32.88	400	23	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-08-13  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5916.00</td><td>42.81</td><td>68.20</td><td>-25.39</td><td>28.18</td><td>36.63</td><td>10.87</td><td>32.87</td><td>400</td><td>23</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5916.00	42.81	68.20	-25.39	28.18	36.63	10.87	32.87	400	23	AVERAGE	Level (dBuV/m) Date: 2025-08-13  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>72.18</td><td>-----</td><td>-----</td><td>57.44</td><td>36.70</td><td>10.92</td><td>32.88</td><td>400</td><td>23</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5955.00	72.18	-----	-----	57.44	36.70	10.92	32.88	400	23	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5916.00	42.81	68.20	-25.39	28.18	36.63	10.87	32.87	400	23	AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	72.18	-----	-----	57.44	36.70	10.92	32.88	400	23	AVERAGE																																																																															





Mode	13																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																																	
ANT	15+10																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>43.21</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>40.45</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table> Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>43.94</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>Peak</td></tr><tr><td>2 17865.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>40.21</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.74	74.00	-27.26	43.21	38.32	15.18	49.97	---	Peak	2 17865.00	46.73	74.00	-27.27	40.45	42.47	17.85	54.04	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	47.47	74.00	-26.53	43.94	38.32	15.18	49.97	---	Peak	2 17865.00	46.49	74.00	-27.51	40.21	42.47	17.85	54.04	---	Peak	
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	46.74	74.00	-27.26	43.21	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	46.73	74.00	-27.27	40.45	42.47	17.85	54.04	---	Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11910.00	47.47	74.00	-26.53	43.94	38.32	15.18	49.97	---	Peak																																																																																									
2 17865.00	46.49	74.00	-27.51	40.21	42.47	17.85	54.04	---	Peak																																																																																									





Mode	14																																																																																													
	Harmonic																																																																																													
	U-NII-5_5925-6425_802.11ax HE20_CH45_6175MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>43.34</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.98	74.00	-27.02	43.34	38.65	15.59	50.60	---	---	Peak	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>43.71</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	47.35	74.00	-26.65	43.71	38.65	15.59	50.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	46.98	74.00	-27.02	43.34	38.65	15.59	50.60	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12350.00	47.35	74.00	-26.65	43.71	38.65	15.59	50.60	---	---	Peak																																																																																			





Mode	15																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE20_CH93_6415MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.64</td><td>88.20</td><td>-41.56</td><td>42.79</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	46.64	88.20	-41.56	42.79	38.80	16.08	51.03	---	---	Peak	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.83</td><td>88.20</td><td>-41.37</td><td>42.98</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	46.83	88.20	-41.37	42.98	38.80	16.08	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	46.64	88.20	-41.56	42.79	38.80	16.08	51.03	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	46.83	88.20	-41.37	42.98	38.80	16.08	51.03	---	---	Peak																																																																																	





Mode	16																																																																																															
	Harmonic																																																																																															
	U-NII-5_5925-6425_802.11ax HE20_CH97_6435MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>46.66</td><td>88.20</td><td>-41.54</td><td>42.79</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	46.66	88.20	-41.54	42.79	38.80	16.12	51.05	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>46.45</td><td>88.20</td><td>-41.75</td><td>42.58</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	46.45	88.20	-41.75	42.58	38.80	16.12	51.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12870.00	46.66	88.20	-41.54	42.79	38.80	16.12	51.05	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12870.00	46.45	88.20	-41.75	42.58	38.80	16.12	51.05	---	---	Peak																																																																																					





Mode	17																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6425-6525_802.11ax HE20_CH105_6475MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>42.49</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.51	88.20	-41.69	42.49	38.90	16.20	51.08	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.09</td><td>88.20</td><td>-42.11</td><td>42.07</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.09	88.20	-42.11	42.07	38.90	16.20	51.08	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12950.00	46.51	88.20	-41.69	42.49	38.90	16.20	51.08	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12950.00	46.09	88.20	-42.11	42.07	38.90	16.20	51.08	---	---	Peak																																																																																														





Mode	18																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11ax HE20_CH113_6515MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.55</td><td>88.20</td><td>-41.65</td><td>42.46</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	46.55	88.20	-41.65	42.46	39.00	16.26	51.17	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>42.26</td><td>39.00</td><td>16.26</td><td>51.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	46.35	88.20	-41.85	42.26	39.00	16.26	51.17	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	46.55	88.20	-41.65	42.46	39.00	16.26	51.17	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	46.35	88.20	-41.85	42.26	39.00	16.26	51.17	---	---	Peak																																																																																	







Mode	19																																																																																				
	Harmonic																																																																																				
	U-NII-7_6525-6875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																				
ANT	15+10																																																																																				
Pol.	Horizontal					Vertical																																																																															
Peak Avg																																																																																					
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.42</td><td>88.20</td><td>-41.78</td><td>42.42</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	13070.00	46.42	88.20	-41.78	42.42	39.00	16.27	51.27	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>42.48</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	13070.00	46.48	88.20	-41.72	42.48	39.00	16.27	51.27	---
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	13070.00	46.42	88.20	-41.78	42.42	39.00	16.27	51.27	---	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	13070.00	46.48	88.20	-41.72	42.48	39.00	16.27	51.27	---	Peak																																																																											





Mode	20																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.05</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	46.87	74.00	-27.13	43.05	39.50	16.36	52.04	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>42.72</td><td>39.50</td><td>16.36</td><td>52.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	46.54	74.00	-27.46	42.72	39.50	16.36	52.04	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13390.00	46.87	74.00	-27.13	43.05	39.50	16.36	52.04	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13390.00	46.54	74.00	-27.46	42.72	39.50	16.36	52.04	---	---	Peak																																																																																														





Mode	21																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>43.15</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.08	88.20	-41.12	43.15	39.70	16.45	52.22	---	---	Peak	 Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>43.15</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.08	88.20	-41.12	43.15	39.70	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.08	88.20	-41.12	43.15	39.70	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.08	88.20	-41.12	43.15	39.70	16.45	52.22	---	---	Peak																																																																																	
	 Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>42.36</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	46.29	88.20	-41.91	42.36	39.70	16.45	52.22	---	---	Peak	 Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>42.36</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	46.29	88.20	-41.91	42.36	39.70	16.45	52.22	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	46.29	88.20	-41.91	42.36	39.70	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	46.29	88.20	-41.91	42.36	39.70	16.45	52.22	---	---	Peak																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>43.15</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.08	88.20	-41.12	43.15	39.70	16.45	52.22	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>42.36</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	46.29	88.20	-41.91	42.36	39.70	16.45	52.22	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.08	88.20	-41.12	43.15	39.70	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	46.29	88.20	-41.91	42.36	39.70	16.45	52.22	---	---	Peak																																																																																	



Mode	22																																																																																	
	Harmonic																																																																																	
	U-NII-8_6875-7125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	 Level (dBuV/m) Frequency (MHz) Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13790.00</td><td>46.56</td><td>88.20</td><td>-41.64</td><td>42.56</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	46.56	88.20	-41.64	42.56	39.70	16.48	52.18	---	---	Peak	 Level (dBuV/m) Frequency (MHz) Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13790.00</td><td>46.76</td><td>88.20</td><td>-41.44</td><td>42.76</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13790.00	46.76	88.20	-41.44	42.76	39.70	16.48	52.18	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13790.00	46.56	88.20	-41.64	42.56	39.70	16.48	52.18	---	---	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13790.00	46.76	88.20	-41.44	42.76	39.70	16.48	52.18	---	---	Peak																																																																								



Mode	23																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11ax HE20_CH209_Full RU_6995MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>42.81</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	47.04	88.20	-41.16	42.81	39.79	16.54	52.10	---	---	Peak	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.03</td><td>88.20</td><td>-42.17</td><td>41.80</td><td>39.79</td><td>16.54</td><td>52.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	46.03	88.20	-42.17	41.80	39.79	16.54	52.10	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13990.00	47.04	88.20	-41.16	42.81	39.79	16.54	52.10	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13990.00	46.03	88.20	-42.17	41.80	39.79	16.54	52.10	---	---	Peak																																																																																	





Mode	24																																																																																													
	Band Edge																																																																																													
	U-NII-8_6875-7125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7234.75</td><td>53.22</td><td>88.20</td><td>-34.98</td><td>37.92</td><td>36.57</td><td>11.88</td><td>33.15</td><td>204</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>7320.19</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>38.12</td><td>36.56</td><td>12.01</td><td>33.16</td><td>204</td><td>318</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7234.75	53.22	88.20	-34.98	37.92	36.57	11.88	33.15	204	318	PEAK	2	7320.19	53.53	74.00	-20.47	38.12	36.56	12.01	33.16	204	318	PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>87.07</td><td>-----</td><td>-----</td><td>72.23</td><td>36.48</td><td>11.48</td><td>33.12</td><td>204</td><td>318</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.07	-----	-----	72.23	36.48	11.48	33.12	204	318	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7234.75	53.22	88.20	-34.98	37.92	36.57	11.88	33.15	204	318	PEAK																																																																																			
2	7320.19	53.53	74.00	-20.47	38.12	36.56	12.01	33.16	204	318	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	87.07	-----	-----	72.23	36.48	11.48	33.12	204	318	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7227.63</td><td>43.46</td><td>68.20</td><td>-24.74</td><td>28.18</td><td>36.56</td><td>11.87</td><td>33.15</td><td>204</td><td>318</td><td>AVERAGE</td></tr><tr><td>2</td><td>7267.68</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>28.35</td><td>36.60</td><td>11.94</td><td>33.15</td><td>204</td><td>318</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7227.63	43.46	68.20	-24.74	28.18	36.56	11.87	33.15	204	318	AVERAGE	2	7267.68	43.74	54.00	-10.26	28.35	36.60	11.94	33.15	204	318	AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>77.81</td><td>-----</td><td>-----</td><td>62.97</td><td>36.48</td><td>11.48</td><td>33.12</td><td>204</td><td>318</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	77.81	-----	-----	62.97	36.48	11.48	33.12	204	318	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7227.63	43.46	68.20	-24.74	28.18	36.56	11.87	33.15	204	318	AVERAGE																																																																																			
2	7267.68	43.74	54.00	-10.26	28.35	36.60	11.94	33.15	204	318	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	77.81	-----	-----	62.97	36.48	11.48	33.12	204	318	AVERAGE																																																																																			







Mode	24																																																																																												
	Band Edge																																																																																												
	U-NII-8_6875-7125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E																																																																																							
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit Line</th><th>Margin (dB)</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7223.62</td><td>53.22</td><td>88.20</td><td>-34.98</td><td>37.95</td><td>36.55</td><td>11.86</td><td>33.14</td><td>396</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>7310.84</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>37.85</td><td>36.58</td><td>12.01</td><td>33.16</td><td>396</td><td>14</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7223.62	53.22	88.20	-34.98	37.95	36.55	11.86	33.14	396	14	PEAK	2	7310.84	53.28	74.00	-20.72	37.85	36.58	12.01	33.16	396	14	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit Line</th><th>Margin (dB)</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.65</td><td>-----</td><td>-----</td><td>71.81</td><td>36.48</td><td>11.48</td><td>33.12</td><td>396</td><td>14</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	86.65	-----	-----	71.81	36.48	11.48	33.12	396	14
	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7223.62	53.22	88.20	-34.98	37.95	36.55	11.86	33.14	396	14	PEAK																																																																																		
2	7310.84	53.28	74.00	-20.72	37.85	36.58	12.01	33.16	396	14	PEAK																																																																																		
	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	86.65	-----	-----	71.81	36.48	11.48	33.12	396	14	PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E																																																																																							
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit Line</th><th>Margin (dB)</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7221.40</td><td>43.50</td><td>68.20</td><td>-24.70</td><td>28.24</td><td>36.54</td><td>11.86</td><td>33.14</td><td>396</td><td>14</td><td>AVERAGE</td></tr><tr><td>2</td><td>7301.05</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>28.13</td><td>36.60</td><td>12.00</td><td>33.16</td><td>396</td><td>14</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7221.40	43.50	68.20	-24.70	28.24	36.54	11.86	33.14	396	14	AVERAGE	2	7301.05	43.57	54.00	-10.43	28.13	36.60	12.00	33.16	396	14	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit Line</th><th>Margin (dB)</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.21</td><td>-----</td><td>-----</td><td>63.37</td><td>36.48</td><td>11.48</td><td>33.12</td><td>396</td><td>14</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	78.21	-----	-----	63.37	36.48	11.48	33.12	396	14
	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7221.40	43.50	68.20	-24.70	28.24	36.54	11.86	33.14	396	14	AVERAGE																																																																																		
2	7301.05	43.57	54.00	-10.43	28.13	36.60	12.00	33.16	396	14	AVERAGE																																																																																		
	Freq	Level	Limit Line	Margin (dB)	Read Level	Ant Factor	Cable Loss	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	78.21	-----	-----	63.37	36.48	11.48	33.12	396	14	AVERAGE																																																																																		







Mode	24																																																																											
	Harmonic																																																																											
	U-NII-8_6875-7125_802.11ax HE20_CH229_Full RU_7095MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 14190.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>43.00</td><td>39.89</td><td>16.64</td><td>51.99</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 14190.00	47.54	88.20	-40.66	43.00	39.89	16.64	51.99	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 14190.00</td><td>46.82</td><td>88.20</td><td>-41.38</td><td>42.28</td><td>39.89</td><td>16.64</td><td>51.99</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 14190.00	46.82	88.20	-41.38	42.28	39.89	16.64	51.99
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																					
1 14190.00	47.54	88.20	-40.66	43.00	39.89	16.64	51.99																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																					
1 14190.00	46.82	88.20	-41.38	42.28	39.89	16.64	51.99																																																																					





Mode	25																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-13  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.56</td><td>52.36</td><td>88.20</td><td>-35.84</td><td>37.73</td><td>36.63</td><td>10.87</td><td>32.87</td><td>251 322 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5915.56	52.36	88.20	-35.84	37.73	36.63	10.87	32.87	251 322 PEAK	Level (dBuV/m) Date: 2025-08-13  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>81.67</td><td>-----</td><td>-----</td><td>66.91</td><td>36.70</td><td>10.95</td><td>32.89</td><td>251 322 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	81.67	-----	-----	66.91	36.70	10.95	32.89	251 322 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5915.56	52.36	88.20	-35.84	37.73	36.63	10.87	32.87	251 322 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	81.67	-----	-----	66.91	36.70	10.95	32.89	251 322 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-08-13  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.88</td><td>42.98</td><td>68.20</td><td>-25.22</td><td>28.32</td><td>36.65</td><td>10.88</td><td>32.87</td><td>251 322 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	42.98	68.20	-25.22	28.32	36.65	10.88	32.87	251 322 AVERAGE	Level (dBuV/m) Date: 2025-08-13  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>73.36</td><td>-----</td><td>-----</td><td>58.60</td><td>36.70</td><td>10.95</td><td>32.89</td><td>251 322 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	73.36	-----	-----	58.60	36.70	10.95	32.89	251 322 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5923.88	42.98	68.20	-25.22	28.32	36.65	10.88	32.87	251 322 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	73.36	-----	-----	58.60	36.70	10.95	32.89	251 322 AVERAGE																																																																									





		25																																																																																											
Mode		Band Edge																																																																																											
		U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																											
ANT		15+10																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.48</td><td>53.39</td><td>88.20</td><td>-34.81</td><td>38.76</td><td>36.63</td><td>10.87</td><td>32.87</td><td>394</td><td>28</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.48	53.39	88.20	-34.81	38.76	36.63	10.87	32.87	394	28	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>79.11</td><td>-----</td><td>-----</td><td>64.36</td><td>36.70</td><td>10.93</td><td>32.88</td><td>394</td><td>28</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	79.11	-----	-----	64.36	36.70	10.93	32.88	394	28
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5917.48	53.39	88.20	-34.81	38.76	36.63	10.87	32.87	394	28	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5965.00	79.11	-----	-----	64.36	36.70	10.93	32.88	394	28	PEAK																																																																																		
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.80</td><td>42.86</td><td>68.20</td><td>-25.34</td><td>28.23</td><td>36.63</td><td>10.87</td><td>32.87</td><td>394</td><td>28</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.80	42.86	68.20	-25.34	28.23	36.63	10.87	32.87	394	28	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>69.53</td><td>-----</td><td>-----</td><td>54.75</td><td>36.70</td><td>10.97</td><td>32.89</td><td>394</td><td>28</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	69.53	-----	-----	54.75	36.70	10.97	32.89	394	28
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5913.80	42.86	68.20	-25.34	28.23	36.63	10.87	32.87	394	28	AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5965.00	69.53	-----	-----	54.75	36.70	10.97	32.89	394	28	AVERAGE																																																																																		



Mode	25																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5925-6425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																			
ANT	15+10																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>43.34</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>40.82</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11930.00	46.93	74.00	-27.07	43.34	38.36	15.19	49.96	---	---	Peak	2	17895.00	47.08	74.00	-26.92	40.82	42.49	17.84	54.07	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>43.94</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>39.66</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11930.00	47.53	74.00	-26.47	43.94	38.36	15.19	49.96	---	---	Peak	2	17895.00	45.92	74.00	-28.08	39.66	42.49	17.84	54.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11930.00	46.93	74.00	-27.07	43.34	38.36	15.19	49.96	---	---	Peak																																																																																																									
2	17895.00	47.08	74.00	-26.92	40.82	42.49	17.84	54.07	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11930.00	47.53	74.00	-26.47	43.94	38.36	15.19	49.96	---	---	Peak																																																																																																									
2	17895.00	45.92	74.00	-28.08	39.66	42.49	17.84	54.07	---	---	Peak																																																																																																									



Mode	26																																																																																															
	Harmonic																																																																																															
	U-NII-5_5925-6425_802.11ax HE40_CH43_Full RU_6165MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12330.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>43.71</td><td>38.63</td><td>15.57 50.56</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12330.00	47.35	74.00	-26.65	43.71	38.63	15.57 50.56							cm deg							--- --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12330.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>43.73</td><td>38.63</td><td>15.57 50.56</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12330.00	47.37	74.00	-26.63	43.73	38.63	15.57 50.56							cm deg							--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 12330.00	47.35	74.00	-26.65	43.71	38.63	15.57 50.56																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 12330.00	47.37	74.00	-26.63	43.73	38.63	15.57 50.56																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										





Mode	27																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5925-6425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>47.12</td><td>88.20</td><td>-41.08</td><td>43.29</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12810.00	47.12	88.20	-41.08	43.29	38.80	16.05	51.02	---	---	Peak	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12810.00</td><td>46.52</td><td>88.20</td><td>-41.68</td><td>42.69</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12810.00	46.52	88.20	-41.68	42.69	38.80	16.05	51.02	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12810.00	47.12	88.20	-41.08	43.29	38.80	16.05	51.02	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12810.00	46.52	88.20	-41.68	42.69	38.80	16.05	51.02	---	---	Peak																																																																																														





Mode	28																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>42.63</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	46.51	88.20	-41.69	42.63	38.80	16.14	51.06	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>46.86</td><td>88.20</td><td>-41.34</td><td>42.98</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	46.86	88.20	-41.34	42.98	38.80	16.14	51.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12890.00	46.51	88.20	-41.69	42.63	38.80	16.14	51.06	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12890.00	46.86	88.20	-41.34	42.98	38.80	16.14	51.06	---	---	Peak																																																																																	





Mode	29																																																																																											
	Harmonic																																																																																											
	U-NII-6_6425-6525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>42.44</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	46.51	88.20	-41.69	42.44	38.94	16.22	51.09	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.09</td><td>88.20</td><td>-42.11</td><td>42.02</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	46.09	88.20	-42.11	42.02	38.94	16.22	51.09	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12970.00	46.51	88.20	-41.69	42.44	38.94	16.22	51.09	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12970.00	46.09	88.20	-42.11	42.02	38.94	16.22	51.09	---	---	Peak																																																																																	





Mode	30																																																																																		
	Harmonic																																																																																		
	U-NII-7_6525-6875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg	 Date: 2025-08-14 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>46.40</td><td>88.20</td><td>-41.80</td><td>42.49</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13130.00	46.40	88.20	-41.80	42.49	39.03	16.29	51.41	---	---	Peak	 Date: 2025-08-14 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>45.96</td><td>88.20</td><td>-42.24</td><td>42.05</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13130.00	45.96	88.20	-42.24	42.05	39.03	16.29	51.41	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 13130.00	46.40	88.20	-41.80	42.49	39.03	16.29	51.41	---	---	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 13130.00	45.96	88.20	-42.24	42.05	39.03	16.29	51.41	---	---	Peak																																																																									





Mode	31																																																																																			
	Harmonic																																																																																			
	U-NII-7_6525-6875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																			
ANT	15+10																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13370.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.00</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13370.00	46.87	74.00	-27.13	43.00	39.50	16.36	51.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13370.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>42.67</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13370.00	46.54	74.00	-27.46	42.67	39.50	16.36	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13370.00	46.87	74.00	-27.13	43.00	39.50	16.36	51.99	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13370.00	46.54	74.00	-27.46	42.67	39.50	16.36	51.99	---	---	Peak																																																																									





Mode	32																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>43.15</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	47.07	88.20	-41.13	43.15	39.69	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.20</td><td>88.20</td><td>-42.00</td><td>42.28</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	46.20	88.20	-42.00	42.28	39.69	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	47.07	88.20	-41.13	43.15	39.69	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	46.20	88.20	-42.00	42.28	39.69	16.45	52.22	---	---	Peak																																																																																	



Mode	33																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.33</td><td>88.20</td><td>-40.87</td><td>43.29</td><td>39.70</td><td>16.50</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13850.00	47.33	88.20	-40.87	43.29	39.70	16.50	52.16	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>42.44</td><td>39.70</td><td>16.50</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13850.00	46.48	88.20	-41.72	42.44	39.70	16.50	52.16	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13850.00	47.33	88.20	-40.87	43.29	39.70	16.50	52.16	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13850.00	46.48	88.20	-41.72	42.44	39.70	16.50	52.16	---	---	Peak																																																																																	



Mode	34																																																																			
	Harmonic																																																																			
	U-NII-8_6875-7125_802.11ax HE40_CH203_Full RU_6965MHz																																																																			
ANT	15+10																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13930.00</td><td>46.80</td><td>88.20</td><td>-41.40</td><td>42.68</td><td>39.73</td><td>16.52 52.13</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13930.00	46.80	88.20	-41.40	42.68	39.73	16.52 52.13	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13930.00</td><td>45.91</td><td>88.20</td><td>-42.29</td><td>41.79</td><td>39.73</td><td>16.52 52.13</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13930.00	45.91	88.20	-42.29	41.79	39.73	16.52 52.13
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13930.00	46.80	88.20	-41.40	42.68	39.73	16.52 52.13																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 13930.00	45.91	88.20	-42.29	41.79	39.73	16.52 52.13																																																														
Peak						Peak																																																														





Mode	35																																																																																		
	Band Edge																																																																																		
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7153.92</td><td>53.06</td><td>88.20 -35.14</td><td>38.12</td><td>36.41</td><td>11.66</td><td>33.13</td><td>222</td><td>322 PEAK</td></tr><tr><td>2 7289.87</td><td>53.96</td><td>74.00 -20.04</td><td>38.54</td><td>36.60</td><td>11.98</td><td>33.16</td><td>222</td><td>322 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7153.92	53.06	88.20 -35.14	38.12	36.41	11.66	33.13	222	322 PEAK	2 7289.87	53.96	74.00 -20.04	38.54	36.60	11.98	33.16	222	322 PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>87.71</td><td>-----</td><td>72.84</td><td>36.50</td><td>11.49</td><td>33.12</td><td>222</td><td>322 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	87.71	-----	72.84	36.50	11.49	33.12	222	322 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7153.92	53.06	88.20 -35.14	38.12	36.41	11.66	33.13	222	322 PEAK																																																																											
2 7289.87	53.96	74.00 -20.04	38.54	36.60	11.98	33.16	222	322 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7085.00	87.71	-----	72.84	36.50	11.49	33.12	222	322 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7220.61</td><td>43.52</td><td>68.20 -24.68</td><td>28.26</td><td>36.54</td><td>11.86</td><td>33.14</td><td>222</td><td>322 AVERAGE</td></tr><tr><td>2 7266.78</td><td>43.62</td><td>54.00 -10.38</td><td>28.23</td><td>36.60</td><td>11.94</td><td>33.15</td><td>222</td><td>322 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7220.61	43.52	68.20 -24.68	28.26	36.54	11.86	33.14	222	322 AVERAGE	2 7266.78	43.62	54.00 -10.38	28.23	36.60	11.94	33.15	222	322 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7085.00</td><td>78.88</td><td>-----</td><td>64.07</td><td>36.46</td><td>11.47</td><td>33.12</td><td>222</td><td>322 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	78.88	-----	64.07	36.46	11.47	33.12	222	322 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7220.61	43.52	68.20 -24.68	28.26	36.54	11.86	33.14	222	322 AVERAGE																																																																											
2 7266.78	43.62	54.00 -10.38	28.23	36.60	11.94	33.15	222	322 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7085.00	78.88	-----	64.07	36.46	11.47	33.12	222	322 AVERAGE																																																																											



Mode	35																																																																																																
	Band Edge																																																																																																
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																
ANT	15+10																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7213.49</td><td>53.81</td><td>88.20</td><td>-34.39</td><td>38.58</td><td>36.53</td><td>11.84</td><td>33.14</td><td>289</td><td>331 PEAK</td></tr><tr><td>2</td><td>7269.35</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>38.08</td><td>36.60</td><td>11.94</td><td>33.15</td><td>289</td><td>331 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7213.49	53.81	88.20	-34.39	38.58	36.53	11.84	33.14	289	331 PEAK	2	7269.35	53.47	74.00	-20.53	38.08	36.60	11.94	33.15	289	331 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>88.84</td><td>-----</td><td>-----</td><td>74.05</td><td>36.44</td><td>11.46</td><td>33.11</td><td>289</td><td>331 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	88.84	-----	-----	74.05	36.44	11.46	33.11	289	331 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7213.49	53.81	88.20	-34.39	38.58	36.53	11.84	33.14	289	331 PEAK																																																																																							
2	7269.35	53.47	74.00	-20.53	38.08	36.60	11.94	33.15	289	331 PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	88.84	-----	-----	74.05	36.44	11.46	33.11	289	331 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7220.61</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>28.28</td><td>36.54</td><td>11.86</td><td>33.14</td><td>289</td><td>331 AVERAGE</td></tr><tr><td>2</td><td>7298.99</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>28.31</td><td>36.60</td><td>12.00</td><td>33.16</td><td>289</td><td>331 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7220.61	43.54	68.20	-24.66	28.28	36.54	11.86	33.14	289	331 AVERAGE	2	7298.99	43.75	54.00	-10.25	28.31	36.60	12.00	33.16	289	331 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>79.96</td><td>-----</td><td>-----</td><td>65.17</td><td>36.44</td><td>11.46</td><td>33.11</td><td>289</td><td>331 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	79.96	-----	-----	65.17	36.44	11.46	33.11	289	331 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7220.61	43.54	68.20	-24.66	28.28	36.54	11.86	33.14	289	331 AVERAGE																																																																																							
2	7298.99	43.75	54.00	-10.25	28.31	36.60	12.00	33.16	289	331 AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7085.00	79.96	-----	-----	65.17	36.44	11.46	33.11	289	331 AVERAGE																																																																																							



Mode	35																																																																													
	Harmonic																																																																													
	U-NII-8_6875-7125_802.11ax HE40_CH227_Full RU_7085MHz																																																																													
ANT	15+10																																																																													
Pol.	Horizontal							Vertical																																																																						
Peak Avg	 Date: 2025-08-14							 Date: 2025-08-14																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 14170.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>43.04</td><td>39.87</td><td>16.63 52.00</td><td>---</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 14170.00	47.54	88.20	-40.66	43.04	39.87	16.63 52.00	---	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 14170.00</td><td>46.82</td><td>88.20</td><td>-41.38</td><td>42.32</td><td>39.87</td><td>16.63 52.00</td><td>---</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 14170.00	46.82	88.20	-41.38	42.32	39.87	16.63 52.00	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																							
1 14170.00	47.54	88.20	-40.66	43.04	39.87	16.63 52.00	---																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																							
1 14170.00	46.82	88.20	-41.38	42.32	39.87	16.63 52.00	---																																																																							
Peak							Peak																																																																							





Mode	36																																																																																			
	Band Edge																																																																																			
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																			
ANT	15+10																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5901.80</td><td>52.65</td><td>88.20</td><td>-35.55</td><td>38.06</td><td>36.60</td><td>10.85</td><td>32.86</td><td>246</td><td>123 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5901.80	52.65	88.20	-35.55	38.06	36.60	10.85	32.86	246	123 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>85.04</td><td>-----</td><td>-----</td><td>70.28</td><td>36.70</td><td>10.94</td><td>32.88</td><td>246</td><td>123 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	85.04	-----	-----	70.28	36.70	10.94	32.88	246	123 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5901.80	52.65	88.20	-35.55	38.06	36.60	10.85	32.86	246	123 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	85.04	-----	-----	70.28	36.70	10.94	32.88	246	123 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.36</td><td>43.17</td><td>68.20</td><td>-25.03</td><td>28.51</td><td>36.65</td><td>10.88</td><td>32.87</td><td>246</td><td>123 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	43.17	68.20	-25.03	28.51	36.65	10.88	32.87	246	123 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>75.61</td><td>-----</td><td>-----</td><td>60.83</td><td>36.70</td><td>10.97</td><td>32.89</td><td>246</td><td>123 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	75.61	-----	-----	60.83	36.70	10.97	32.89	246	123 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5924.36	43.17	68.20	-25.03	28.51	36.65	10.88	32.87	246	123 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	75.61	-----	-----	60.83	36.70	10.97	32.89	246	123 AVERAGE																																																																										





Mode	36																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5880.36</td><td>53.12</td><td>88.20</td><td>-35.08</td><td>38.57</td><td>36.56</td><td>10.84</td><td>32.85</td><td>108 356 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5880.36	53.12	88.20	-35.08	38.57	36.56	10.84	32.85	108 356 PEAK	Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>82.46</td><td>-----</td><td>-----</td><td>67.66</td><td>36.69</td><td>11.01</td><td>32.90</td><td>108 356 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5985.00	82.46	-----	-----	67.66	36.69	11.01	32.90	108 356 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5880.36	53.12	88.20	-35.08	38.57	36.56	10.84	32.85	108 356 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	82.46	-----	-----	67.66	36.69	11.01	32.90	108 356 PEAK																																																																		
Avg	Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.56</td><td>43.42</td><td>68.20</td><td>-24.78</td><td>28.76</td><td>36.65</td><td>10.88</td><td>32.87</td><td>108 356 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5923.56	43.42	68.20	-24.78	28.76	36.65	10.88	32.87	108 356 AVERAGE	Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>73.14</td><td>-----</td><td>-----</td><td>58.37</td><td>36.66</td><td>11.01</td><td>32.90</td><td>108 356 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1 5985.00	73.14	-----	-----	58.37	36.66	11.01	32.90	108 356 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5923.56	43.42	68.20	-24.78	28.76	36.65	10.88	32.87	108 356 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	73.14	-----	-----	58.37	36.66	11.01	32.90	108 356 AVERAGE																																																																		





Mode	36																																																																																										
	Harmonic																																																																																										
	U-NII-5_5925-6425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>43.20</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>40.78</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1	11970.00	46.93	74.00	-27.07	43.20	38.44	15.21	49.92	---	Peak	2	17955.00	47.12	74.00	-26.88	40.78	42.67	17.82	54.15	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>43.46</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>39.77</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1	11970.00	47.19	74.00	-26.81	43.46	38.44	15.21	49.92	---	Peak	2	17955.00	46.11	74.00	-27.89	39.77	42.67	17.82	54.15	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
1	11970.00	46.93	74.00	-27.07	43.20	38.44	15.21	49.92	---	Peak																																																																																	
2	17955.00	47.12	74.00	-26.88	40.78	42.67	17.82	54.15	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
1	11970.00	47.19	74.00	-26.81	43.46	38.44	15.21	49.92	---	Peak																																																																																	
2	17955.00	46.11	74.00	-27.89	39.77	42.67	17.82	54.15	---	Peak																																																																																	





Mode	37	
	Harmonic	
	U-NII-5_5925-6425_802.11ax HE80_CH39_Full RU_6145MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12290.00 46.86 74.00 -27.14 43.21 38.60 15.53 50.48 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12290.00 47.17 74.00 -26.83 43.52 38.60 15.53 50.48 --- --- Peak





Mode	38																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>43.04</td><td>38.77</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	46.81	88.20	-41.39	43.04	38.77	16.01	51.01	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>43.36</td><td>38.77</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.13	88.20	-41.07	43.36	38.77	16.01	51.01	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12770.00	46.81	88.20	-41.39	43.04	38.77	16.01	51.01	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12770.00	47.13	88.20	-41.07	43.36	38.77	16.01	51.01	---	---	Peak																																																																																															





Mode	39																																																																																										
	Harmonic																																																																																										
	U-NII-6_6425-6525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12930.00</td><td>46.13</td><td>88.20</td><td>-42.07</td><td>42.16</td><td>38.86</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12930.00	46.13	88.20	-42.07	42.16	38.86	16.18	51.07	---	---	Peak	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12930.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>42.92</td><td>38.86</td><td>16.18</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12930.00	46.89	88.20	-41.31	42.92	38.86	16.18	51.07	---	---	Peak
	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 12930.00	46.13	88.20	-42.07	42.16	38.86	16.18	51.07	---	---	Peak																																																																																	
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 12930.00	46.89	88.20	-41.31	42.92	38.86	16.18	51.07	---	---	Peak																																																																																	





Mode	40																																																																																										
	Harmonic																																																																																										
	U-NII-7_6525-6875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>42.82</td><td>39.30</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13250.00	46.74	74.00	-27.26	42.82	39.30	16.32	51.70	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>41.82</td><td>39.30</td><td>16.32</td><td>51.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13250.00	45.74	74.00	-28.26	41.82	39.30	16.32	51.70	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13250.00	46.74	74.00	-27.26	42.82	39.30	16.32	51.70	---	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13250.00	45.74	74.00	-28.26	41.82	39.30	16.32	51.70	---	---	Peak																																																																																	





Mode	41																																																																																		
	Harmonic																																																																																		
	U-NII-7_6525-6875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																		
ANT	15+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg	 Date: 2025-08-14						 Date: 2025-08-14																																																																												
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13410.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>42.53</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13410.00	46.33	88.20	-41.87	42.53	39.51	16.37	52.08	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13410.00</td><td>46.14</td><td>88.20</td><td>-42.06</td><td>42.34</td><td>39.51</td><td>16.37</td><td>52.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13410.00	46.14	88.20	-42.06	42.34	39.51	16.37	52.08	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 13410.00	46.33	88.20	-41.87	42.53	39.51	16.37	52.08	---	---	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1 13410.00	46.14	88.20	-42.06	42.34	39.51	16.37	52.08	---	---	Peak																																																																									







Mode	42																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13570.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>43.14</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13570.00	46.88	88.20	-41.32	43.14	39.60	16.41	52.27	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13570.00</td><td>46.04</td><td>88.20</td><td>-42.16</td><td>42.30</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13570.00	46.04	88.20	-42.16	42.30	39.60	16.41	52.27	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13570.00	46.88	88.20	-41.32	43.14	39.60	16.41	52.27	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13570.00	46.04	88.20	-42.16	42.30	39.60	16.41	52.27	---	---	Peak																																																																																														



Mode	43																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>47.05</td><td>88.20</td><td>-41.15</td><td>42.98</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13890.00	47.05	88.20	-41.15	42.98	39.70	16.51	52.14	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>46.80</td><td>88.20</td><td>-41.40</td><td>42.73</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13890.00	46.80	88.20	-41.40	42.73	39.70	16.51	52.14	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13890.00	47.05	88.20	-41.15	42.98	39.70	16.51	52.14	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13890.00	46.80	88.20	-41.40	42.73	39.70	16.51	52.14	---	---	Peak																																																																																	





		44																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																												
ANT		15+10																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7208.75</td><td>53.78</td><td>88.20</td><td>-34.42</td><td>38.56</td><td>36.52</td><td>11.84</td><td>33.14</td><td>225 124 PEAK</td></tr><tr><td>2</td><td>7305.11</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>37.94</td><td>36.59</td><td>12.01</td><td>33.16</td><td>225 124 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7208.75	53.78	88.20	-34.42	38.56	36.52	11.84	33.14	225 124 PEAK	2	7305.11	53.38	74.00	-20.62	37.94	36.59	12.01	33.16	225 124 PEAK	 Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>84.56</td><td>-----</td><td>-----</td><td>69.95</td><td>36.30</td><td>11.41</td><td>33.10</td><td>225 124 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	84.56	-----	-----	69.95	36.30	11.41	33.10	225 124 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																						
1	7208.75	53.78	88.20	-34.42	38.56	36.52	11.84	33.14	225 124 PEAK																																																																																					
2	7305.11	53.38	74.00	-20.62	37.94	36.59	12.01	33.16	225 124 PEAK																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																						
1	7025.00	84.56	-----	-----	69.95	36.30	11.41	33.10	225 124 PEAK																																																																																					
Avg	 Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7213.13</td><td>43.60</td><td>68.20</td><td>-24.60</td><td>28.37</td><td>36.53</td><td>11.84</td><td>33.14</td><td>225 124 AVERAGE</td></tr><tr><td>2</td><td>7275.54</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>28.35</td><td>36.60</td><td>11.95</td><td>33.16</td><td>225 124 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7213.13	43.60	68.20	-24.60	28.37	36.53	11.84	33.14	225 124 AVERAGE	2	7275.54	43.74	54.00	-10.26	28.35	36.60	11.95	33.16	225 124 AVERAGE	 Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>75.41</td><td>-----</td><td>-----</td><td>60.80</td><td>36.30</td><td>11.41</td><td>33.10</td><td>225 124 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7025.00	75.41	-----	-----	60.80	36.30	11.41	33.10	225 124 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																						
1	7213.13	43.60	68.20	-24.60	28.37	36.53	11.84	33.14	225 124 AVERAGE																																																																																					
2	7275.54	43.74	54.00	-10.26	28.35	36.60	11.95	33.16	225 124 AVERAGE																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																						
1	7025.00	75.41	-----	-----	60.80	36.30	11.41	33.10	225 124 AVERAGE																																																																																					







Mode	44																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7212.03</td><td>54.18</td><td>88.20</td><td>-34.02</td><td>38.96</td><td>36.52</td><td>11.84</td><td>33.14</td><td>100 355 PEAK</td></tr><tr><td>2</td><td>7307.66</td><td>54.12</td><td>74.00</td><td>-19.88</td><td>38.69</td><td>36.58</td><td>12.01</td><td>33.16</td><td>100 355 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7212.03	54.18	88.20	-34.02	38.96	36.52	11.84	33.14	100 355 PEAK	2	7307.66	54.12	74.00	-19.88	38.69	36.58	12.01	33.16	100 355 PEAK	Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>85.32</td><td>-----</td><td>-----</td><td>70.58</td><td>36.40</td><td>11.45</td><td>33.11</td><td>100 355 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	85.32	-----	-----	70.58	36.40	11.45	33.11	100 355 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7212.03	54.18	88.20	-34.02	38.96	36.52	11.84	33.14	100 355 PEAK																																																																																			
2	7307.66	54.12	74.00	-19.88	38.69	36.58	12.01	33.16	100 355 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	85.32	-----	-----	70.58	36.40	11.45	33.11	100 355 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7212.40</td><td>43.60</td><td>68.20</td><td>-24.60</td><td>28.38</td><td>36.52</td><td>11.84</td><td>33.14</td><td>100 355 AVERAGE</td></tr><tr><td>2</td><td>7258.02</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>28.48</td><td>36.60</td><td>11.92</td><td>33.15</td><td>100 355 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7212.40	43.60	68.20	-24.60	28.38	36.52	11.84	33.14	100 355 AVERAGE	2	7258.02	43.85	54.00	-10.15	28.48	36.60	11.92	33.15	100 355 AVERAGE	Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>76.28</td><td>-----</td><td>-----</td><td>61.54</td><td>36.40</td><td>11.45</td><td>33.11</td><td>100 355 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	76.28	-----	-----	61.54	36.40	11.45	33.11	100 355 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7212.40	43.60	68.20	-24.60	28.38	36.52	11.84	33.14	100 355 AVERAGE																																																																																			
2	7258.02	43.85	54.00	-10.15	28.48	36.60	11.92	33.15	100 355 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	76.28	-----	-----	61.54	36.40	11.45	33.11	100 355 AVERAGE																																																																																			



Mode	44																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6875-7125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>47.66</td><td>88.20</td><td>-40.54</td><td>43.36</td><td>39.80</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	47.66	88.20	-40.54	43.36	39.80	16.57	52.07	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>46.64</td><td>88.20</td><td>-41.56</td><td>42.34</td><td>39.80</td><td>16.57</td><td>52.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	46.64	88.20	-41.56	42.34	39.80	16.57	52.07	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	14050.00	47.66	88.20	-40.54	43.36	39.80	16.57	52.07	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	14050.00	46.64	88.20	-41.56	42.34	39.80	16.57	52.07	---	---	Peak																																																																																															





Mode	45																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-08-13 					Level (dBuV/m) Date: 2025-08-13 																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5868.40</td><td>52.84</td><td>88.20</td><td>-35.36</td><td>38.32</td><td>36.54</td><td>10.83</td><td>32.85</td><td>242</td><td>123 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5868.40	52.84	88.20	-35.36	38.32	36.54	10.83	32.85	242	123 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>84.04</td><td>-----</td><td>-----</td><td>69.28</td><td>36.64</td><td>11.02</td><td>32.90</td><td>242</td><td>123 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.04	-----	-----	69.28	36.64	11.02	32.90	242
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5868.40	52.84	88.20	-35.36	38.32	36.54	10.83	32.85	242	123 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	84.04	-----	-----	69.28	36.64	11.02	32.90	242	123 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-13 					Level (dBuV/m) Date: 2025-08-13 																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5891.08</td><td>43.09</td><td>68.20</td><td>-25.11</td><td>28.53</td><td>36.58</td><td>10.84</td><td>32.86</td><td>242</td><td>123 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5891.08	43.09	68.20	-25.11	28.53	36.58	10.84	32.86	242	123 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>75.37</td><td>-----</td><td>-----</td><td>60.61</td><td>36.64</td><td>11.02</td><td>32.90</td><td>242</td><td>123 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	75.37	-----	-----	60.61	36.64	11.02	32.90	242
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5891.08	43.09	68.20	-25.11	28.53	36.58	10.84	32.86	242	123 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	75.37	-----	-----	60.61	36.64	11.02	32.90	242	123 AVERAGE																																																																																	





		45																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5836.20</td><td>53.33</td><td>88.20</td><td>-34.87</td><td>38.80</td><td>36.53</td><td>10.83</td><td>32.83</td><td>113</td><td>356 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5836.20	53.33	88.20	-34.87	38.80	36.53	10.83	32.83	113	356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>81.00</td><td>-----</td><td>-----</td><td>66.26</td><td>36.61</td><td>11.03</td><td>32.90</td><td>113</td><td>356 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	81.00	-----	-----	66.26	36.61	11.03	32.90	113
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5836.20	53.33	88.20	-34.87	38.80	36.53	10.83	32.83	113	356 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	81.00	-----	-----	66.26	36.61	11.03	32.90	113	356 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5923.28</td><td>43.02</td><td>68.20</td><td>-25.18</td><td>28.36</td><td>36.65</td><td>10.88</td><td>32.87</td><td>113</td><td>356 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5923.28	43.02	68.20	-25.18	28.36	36.65	10.88	32.87	113	356 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>72.85</td><td>-----</td><td>-----</td><td>58.19</td><td>36.51</td><td>11.06</td><td>32.91</td><td>113</td><td>356 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	72.85	-----	-----	58.19	36.51	11.06	32.91	113
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5923.28	43.02	68.20	-25.18	28.36	36.65	10.88	32.87	113	356 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	72.85	-----	-----	58.19	36.51	11.06	32.91	113	356 AVERAGE																																																																																





Mode	45																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5925-6425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12050.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>42.85</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12050.00	46.63	74.00	-27.37	42.85	38.50	15.28	50.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12050.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.29</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12050.00	47.07	74.00	-26.93	43.29	38.50	15.28	50.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12050.00	46.63	74.00	-27.37	42.85	38.50	15.28	50.00	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12050.00	47.07	74.00	-26.93	43.29	38.50	15.28	50.00	---	---	Peak																																																																																														





Mode	46																																																																																												
	Harmonic																																																																																												
	U-NII-5_5925-6425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>43.30</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.94	74.00	-27.06	43.30	38.67	15.61	50.64	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>43.75</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.39	74.00	-26.61	43.75	38.67	15.61	50.64	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12370.00	46.94	74.00	-27.06	43.30	38.67	15.61	50.64	---	Peak																																																																																			
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12370.00	47.39	74.00	-26.61	43.75	38.67	15.61	50.64	---	Peak																																																																																			







Mode	47																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>43.76</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	47.41	74.00	-26.59	43.76	38.70	15.93	50.98	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>42.96</td><td>38.70</td><td>15.93</td><td>50.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	46.61	74.00	-27.39	42.96	38.70	15.93	50.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	47.41	74.00	-26.59	43.76	38.70	15.93	50.98	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	46.61	74.00	-27.39	42.96	38.70	15.93	50.98	---	---	Peak																																																																																	



Mode	48																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6525-6875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>42.83</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	46.78	74.00	-27.22	42.83	39.50	16.34	51.89	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>42.86</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	46.81	74.00	-27.19	42.86	39.50	16.34	51.89	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13330.00	46.78	74.00	-27.22	42.83	39.50	16.34	51.89	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13330.00	46.81	74.00	-27.19	42.86	39.50	16.34	51.89	---	---	Peak																																																																																															





		49																																																																																								
Mode		Band Edge																																																																																								
		U-NII-8_6875-7125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																								
ANT		15+10																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7216.88</td><td>54.14</td><td>88.20</td><td>-34.06</td><td>38.90</td><td>36.53</td><td>11.85</td><td>33.14</td><td>219</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>7341.25</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>38.21</td><td>36.52</td><td>12.00</td><td>33.17</td><td>219</td><td>126</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	7216.88	54.14	88.20	-34.06	38.90	36.53	11.85	33.14	219	126	PEAK	2	7341.25	53.56	74.00	-20.44	38.21	36.52	12.00	33.17	219	126	PEAK	 Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>86.39</td><td>-----</td><td>-----</td><td>71.93</td><td>36.24</td><td>11.30</td><td>33.08</td><td>219</td><td>126</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	6985.00	86.39	-----	-----	71.93	36.24	11.30	33.08	219	126	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																															
1	7216.88	54.14	88.20	-34.06	38.90	36.53	11.85	33.14	219	126	PEAK																																																																															
2	7341.25	53.56	74.00	-20.44	38.21	36.52	12.00	33.17	219	126	PEAK																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																															
1	6985.00	86.39	-----	-----	71.93	36.24	11.30	33.08	219	126	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7221.88</td><td>43.61</td><td>68.20</td><td>-24.59</td><td>28.35</td><td>36.54</td><td>11.86</td><td>33.14</td><td>219</td><td>126</td><td>AVERAGE</td></tr><tr><td>2</td><td>7290.00</td><td>43.60</td><td>54.00</td><td>-10.40</td><td>28.18</td><td>36.60</td><td>11.98</td><td>33.16</td><td>219</td><td>126</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	7221.88	43.61	68.20	-24.59	28.35	36.54	11.86	33.14	219	126	AVERAGE	2	7290.00	43.60	54.00	-10.40	28.18	36.60	11.98	33.16	219	126	AVERAGE	 Level (dBuV/m) Date: 2025-08-13 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>76.38</td><td>-----</td><td>-----</td><td>61.92</td><td>36.24</td><td>11.30</td><td>33.08</td><td>219</td><td>126</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark	1	6985.00	76.38	-----	-----	61.92	36.24	11.30	33.08	219	126	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																															
1	7221.88	43.61	68.20	-24.59	28.35	36.54	11.86	33.14	219	126	AVERAGE																																																																															
2	7290.00	43.60	54.00	-10.40	28.18	36.60	11.98	33.16	219	126	AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg	Remark																																																																															
1	6985.00	76.38	-----	-----	61.92	36.24	11.30	33.08	219	126	AVERAGE																																																																															





Mode	49																																																																																													
	Band Edge																																																																																													
	U-NII-8_6875-7125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7197.50</td><td>53.78</td><td>88.20</td><td>-34.42</td><td>38.62</td><td>36.49</td><td>11.81</td><td>33.14</td><td>105</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>7309.38</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>38.00</td><td>36.58</td><td>12.01</td><td>33.16</td><td>105</td><td>293</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7197.50	53.78	88.20	-34.42	38.62	36.49	11.81	33.14	105	293	PEAK	2	7309.38	53.43	74.00	-20.57	38.00	36.58	12.01	33.16	105	293	PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>85.19</td><td>-----</td><td>-----</td><td>70.73</td><td>36.24</td><td>11.30</td><td>33.08</td><td>105</td><td>293</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	85.19	-----	-----	70.73	36.24	11.30	33.08	105	293	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7197.50	53.78	88.20	-34.42	38.62	36.49	11.81	33.14	105	293	PEAK																																																																																			
2	7309.38	53.43	74.00	-20.57	38.00	36.58	12.01	33.16	105	293	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	85.19	-----	-----	70.73	36.24	11.30	33.08	105	293	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7201.25</td><td>43.47</td><td>68.20</td><td>-24.73</td><td>28.29</td><td>36.50</td><td>11.82</td><td>33.14</td><td>105</td><td>293</td><td>AVERAGE</td></tr><tr><td>2</td><td>7281.25</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>28.23</td><td>36.60</td><td>11.96</td><td>33.16</td><td>105</td><td>293</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7201.25	43.47	68.20	-24.73	28.29	36.50	11.82	33.14	105	293	AVERAGE	2	7281.25	43.63	54.00	-10.37	28.23	36.60	11.96	33.16	105	293	AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>76.58</td><td>-----</td><td>-----</td><td>62.12</td><td>36.24</td><td>11.30</td><td>33.08</td><td>105</td><td>293</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	76.58	-----	-----	62.12	36.24	11.30	33.08	105	293	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7201.25	43.47	68.20	-24.73	28.29	36.50	11.82	33.14	105	293	AVERAGE																																																																																			
2	7281.25	43.63	54.00	-10.37	28.23	36.60	11.96	33.16	105	293	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	76.58	-----	-----	62.12	36.24	11.30	33.08	105	293	AVERAGE																																																																																			





Mode	49																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6875-7125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13970.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>43.03</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13970.00	47.22	88.20	-40.98	43.03	39.77	16.53	52.11	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13970.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>42.84</td><td>39.77</td><td>16.53</td><td>52.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13970.00	47.03	88.20	-41.17	42.84	39.77	16.53	52.11	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13970.00	47.22	88.20	-40.98	43.03	39.77	16.53	52.11	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13970.00	47.03	88.20	-41.17	42.84	39.77	16.53	52.11	---	---	Peak																																																																																														





Mode	50																																																																																												
	Harmonic																																																																																												
	U-NII-8_6525-7125_802.11ax HE20_CH185_Full RU_6525MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>43.56</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.53	88.20	-40.67	43.56	39.70	16.47	52.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>42.36</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	46.33	88.20	-41.87	42.36	39.70	16.47	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	47.53	88.20	-40.67	43.56	39.70	16.47	52.20	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	46.33	88.20	-41.87	42.36	39.70	16.47	52.20	---	---	Peak																																																																																		





Mode	51																																																																																											
	Harmonic																																																																																											
	U-NII-8_6525-7125_802.11ax HE40_CH187_Full RU_6885MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>46.57</td><td>88.20</td><td>-41.63</td><td>42.59</td><td>39.70</td><td>16.47</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	46.57	88.20	-41.63	42.59	39.70	16.47	52.19	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>42.80</td><td>39.70</td><td>16.47</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	46.78	88.20	-41.42	42.80	39.70	16.47	52.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13770.00	46.57	88.20	-41.63	42.59	39.70	16.47	52.19	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13770.00	46.78	88.20	-41.42	42.80	39.70	16.47	52.19	---	---	Peak																																																																																	





Mode	52																																																																													
	Harmonic																																																																													
	U-NII-8_6525-7125_802.11ax HE80_CH183_Full RU_6865MHz																																																																													
ANT	15+10																																																																													
Pol.	Horizontal							Vertical																																																																						
Peak Avg	 Date: 2025-08-14 Level (dBuV/m) Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)							 Date: 2025-08-14 Level (dBuV/m) Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13730.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>43.13</td><td>39.70</td><td>16.46</td><td>52.21</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13730.00	47.08	88.20	-41.12	43.13	39.70	16.46	52.21	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13730.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>42.34</td><td>39.70</td><td>16.46</td><td>52.21</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13730.00	46.29	88.20	-41.91	42.34	39.70	16.46	52.21
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13730.00	47.08	88.20	-41.12	43.13	39.70	16.46	52.21																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13730.00	46.29	88.20	-41.91	42.34	39.70	16.46	52.21																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13730.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>43.13</td><td>39.70</td><td>16.46</td><td>52.21</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13730.00	47.08	88.20	-41.12	43.13	39.70	16.46	52.21	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13730.00</td><td>46.29</td><td>88.20</td><td>-41.91</td><td>42.34</td><td>39.70</td><td>16.46</td><td>52.21</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13730.00	46.29	88.20	-41.91	42.34	39.70	16.46	52.21	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13730.00	47.08	88.20	-41.12	43.13	39.70	16.46	52.21																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13730.00	46.29	88.20	-41.91	42.34	39.70	16.46	52.21																																																																							





Mode	53																																																																																							
	Harmonic																																																																																							
	U-NII-8_6525-7125_802.11ax HE160_CH175_Full RU_6825MHz																																																																																							
ANT	15+10																																																																																							
Pol.	Horizontal										Vertical																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-08-14  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>43.12</td><td>39.65</td><td>16.44</td><td>52.24</td><td>--- --- Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 13650.00	46.97	88.20	-41.23	43.12	39.65	16.44	52.24	--- --- Peak	Level (dBuV/m) Date: 2025-08-14  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>42.63</td><td>39.65</td><td>16.44</td><td>52.24</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 13650.00	46.48	88.20	-41.72	42.63	39.65	16.44	52.24	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																
1 13650.00	46.97	88.20	-41.23	43.12	39.65	16.44	52.24	--- --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																
1 13650.00	46.48	88.20	-41.72	42.63	39.65	16.44	52.24	--- --- Peak																																																																																





Mode	54																																																																										
	Harmonic																																																																										
	U-NII-7_6425-6875_802.11ax HE40_CH115_Full RU_6525MHz																																																																										
ANT	15+10																																																																										
Pol.	Horizontal						Vertical																																																																				
Peak Avg																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13050.00</td><td>46.57</td><td>88.20</td><td>-41.63</td><td>42.53</td><td>39.00</td><td>16.26</td><td>51.22</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13050.00	46.57	88.20	-41.63	42.53	39.00	16.26	51.22	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13050.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>42.31</td><td>39.00</td><td>16.26</td><td>51.22</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13050.00	46.35	88.20	-41.85	42.31	39.00	16.26	51.22
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1 13050.00	46.57	88.20	-41.63	42.53	39.00	16.26	51.22																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																				
1 13050.00	46.35	88.20	-41.85	42.31	39.00	16.26	51.22																																																																				
Peak						Peak																																																																					



Mode	55																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6425-6875_802.11ax HE80_CH119_Full RU_6545MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13090.00</td><td>46.42</td><td>88.20</td><td>-41.78</td><td>42.46</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13090.00	46.42	88.20	-41.78	42.46	39.00	16.28	51.32	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13090.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>42.52</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13090.00	46.48	88.20	-41.72	42.52	39.00	16.28	51.32	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13090.00	46.42	88.20	-41.78	42.46	39.00	16.28	51.32	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13090.00	46.48	88.20	-41.72	42.52	39.00	16.28	51.32	---	---	Peak																																																																																														



Mode	56																																																																																														
	Harmonic																																																																																														
	U-NII-7_6425-6875_802.11ax HE160_CH111_Full RU_6505MHz																																																																																														
ANT	15+10																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>42.09</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	46.22	88.20	-41.98	42.09	39.00	16.25	51.12	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>46.26</td><td>88.20</td><td>-41.94</td><td>42.13</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	46.26	88.20	-41.94	42.13	39.00	16.25	51.12	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13010.00	46.22	88.20	-41.98	42.09	39.00	16.25	51.12	---	---	Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13010.00	46.26	88.20	-41.94	42.13	39.00	16.25	51.12	---	---	Peak																																																																																				







		57																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5832.84</td><td>52.79</td><td>88.20</td><td>-35.41</td><td>38.26</td><td>36.53</td><td>10.83</td><td>32.83</td><td>145 130 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5832.84	52.79	88.20	-35.41	38.26	36.53	10.83	32.83	145 130 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.69</td><td>-----</td><td>-----</td><td>72.95</td><td>36.70</td><td>10.92</td><td>32.88</td><td>145 130 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.69	-----	-----	72.95	36.70	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5832.84	52.79	88.20	-35.41	38.26	36.53	10.83	32.83	145 130 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	87.69	-----	-----	72.95	36.70	10.92	32.88	145 130 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5885.90</td><td>42.98</td><td>68.20</td><td>-25.22</td><td>28.42</td><td>36.57</td><td>10.84</td><td>32.85</td><td>145 130 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5885.90	42.98	68.20	-25.22	28.42	36.57	10.84	32.85	145 130 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>80.03</td><td>-----</td><td>-----</td><td>65.29</td><td>36.70</td><td>10.92</td><td>32.88</td><td>145 130 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	80.03	-----	-----	65.29	36.70	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5885.90	42.98	68.20	-25.22	28.42	36.57	10.84	32.85	145 130 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	80.03	-----	-----	65.29	36.70	10.92	32.88	145 130 AVERAGE																																																																																



		57																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5908.44</td><td>54.31</td><td>88.20</td><td>-33.89</td><td>39.69</td><td>36.62</td><td>10.86</td><td>32.86</td><td>396</td><td>35 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5908.44	54.31	88.20	-33.89	39.69	36.62	10.86	32.86	396	35 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>86.41</td><td>-----</td><td>-----</td><td>71.67</td><td>36.70</td><td>10.92</td><td>32.88</td><td>396</td><td>35 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	86.41	-----	-----	71.67	36.70	10.92	32.88	396
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5908.44	54.31	88.20	-33.89	39.69	36.62	10.86	32.86	396	35 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	86.41	-----	-----	71.67	36.70	10.92	32.88	396	35 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5922.30</td><td>43.12</td><td>68.20</td><td>-25.08</td><td>28.47</td><td>36.64</td><td>10.88</td><td>32.87</td><td>396</td><td>35 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5922.30	43.12	68.20	-25.08	28.47	36.64	10.88	32.87	396	35 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>77.11</td><td>-----</td><td>-----</td><td>62.37</td><td>36.70</td><td>10.92</td><td>32.88</td><td>396</td><td>35 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	77.11	-----	-----	62.37	36.70	10.92	32.88	396
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5922.30	43.12	68.20	-25.08	28.47	36.64	10.88	32.87	396	35 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	77.11	-----	-----	62.37	36.70	10.92	32.88	396	35 AVERAGE																																																																																



Mode	58																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6875-7125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																																						
ANT	15+10																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-08-13  Frequency (MHz)						Level (dBuV/m) Date: 2025-08-13  Frequency (MHz)																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7201.37</td><td>53.90</td><td>88.20</td><td>-34.30</td><td>38.72</td><td>36.50</td><td>11.82</td><td>33.14</td><td>100</td><td>316 PEAK</td></tr><tr><td>2</td><td>7266.34</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>38.97</td><td>36.60</td><td>11.94</td><td>33.15</td><td>100</td><td>316 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7201.37	53.90	88.20	-34.30	38.72	36.50	11.82	33.14	100	316 PEAK	2	7266.34	54.36	74.00	-19.64	38.97	36.60	11.94	33.15	100	316 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.22</td><td>-----</td><td>-----</td><td>67.35</td><td>36.49</td><td>11.50</td><td>33.12</td><td>100</td><td>316 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.22	-----	-----	67.35	36.49	11.50	33.12	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7201.37	53.90	88.20	-34.30	38.72	36.50	11.82	33.14	100	316 PEAK																																																																																													
2	7266.34	54.36	74.00	-19.64	38.97	36.60	11.94	33.15	100	316 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	82.22	-----	-----	67.35	36.49	11.50	33.12	100	316 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-08-13  Frequency (MHz)						Level (dBuV/m) Date: 2025-08-13  Frequency (MHz)																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7229.85</td><td>43.69</td><td>68.20</td><td>-24.51</td><td>28.41</td><td>36.56</td><td>11.87</td><td>33.15</td><td>100</td><td>316 AVERAGE</td></tr><tr><td>2</td><td>7292.15</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>28.42</td><td>36.60</td><td>11.98</td><td>33.16</td><td>100</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7229.85	43.69	68.20	-24.51	28.41	36.56	11.87	33.15	100	316 AVERAGE	2	7292.15	43.84	54.00	-10.16	28.42	36.60	11.98	33.16	100	316 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>74.58</td><td>-----</td><td>-----</td><td>59.71</td><td>36.50</td><td>11.49</td><td>33.12</td><td>100</td><td>316 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	74.58	-----	-----	59.71	36.50	11.49	33.12	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7229.85	43.69	68.20	-24.51	28.41	36.56	11.87	33.15	100	316 AVERAGE																																																																																													
2	7292.15	43.84	54.00	-10.16	28.42	36.60	11.98	33.16	100	316 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	74.58	-----	-----	59.71	36.50	11.49	33.12	100	316 AVERAGE																																																																																													