







Mode	58																																																																																																								
	Band Edge																																																																																																								
	U-NII-8_6875-7125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Vertical					Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7210.72</td><td>54.66</td><td>88.20</td><td>-33.54</td><td>39.44</td><td>36.52</td><td>11.84</td><td>33.14</td><td>391</td><td>1 PEAK</td></tr><tr><td>2</td><td>7291.71</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>38.75</td><td>36.60</td><td>11.98</td><td>33.16</td><td>391</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7210.72	54.66	88.20	-33.54	39.44	36.52	11.84	33.14	391	1 PEAK	2	7291.71	54.17	74.00	-19.83	38.75	36.60	11.98	33.16	391	1 PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>85.09</td><td>-----</td><td>-----</td><td>70.22</td><td>36.50</td><td>11.49</td><td>33.12</td><td>391</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.09	-----	-----	70.22	36.50	11.49	33.12	391	1 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7210.72	54.66	88.20	-33.54	39.44	36.52	11.84	33.14	391	1 PEAK																																																																																															
2	7291.71	54.17	74.00	-19.83	38.75	36.60	11.98	33.16	391	1 PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7095.00	85.09	-----	-----	70.22	36.50	11.49	33.12	391	1 PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7208.94</td><td>43.67</td><td>68.20</td><td>-24.53</td><td>28.45</td><td>36.52</td><td>11.84</td><td>33.14</td><td>391</td><td>1 AVERAGE</td></tr><tr><td>2</td><td>7274.35</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>28.30</td><td>36.60</td><td>11.95</td><td>33.15</td><td>391</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7208.94	43.67	68.20	-24.53	28.45	36.52	11.84	33.14	391	1 AVERAGE	2	7274.35	43.70	54.00	-10.30	28.30	36.60	11.95	33.15	391	1 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>77.87</td><td>-----</td><td>-----</td><td>63.00</td><td>36.50</td><td>11.49</td><td>33.12</td><td>391</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	77.87	-----	-----	63.00	36.50	11.49	33.12	391	1 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7208.94	43.67	68.20	-24.53	28.45	36.52	11.84	33.14	391	1 AVERAGE																																																																																															
2	7274.35	43.70	54.00	-10.30	28.30	36.60	11.95	33.15	391	1 AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7095.00	77.87	-----	-----	63.00	36.50	11.49	33.12	391	1 AVERAGE																																																																																															





Mode	59																																																																																								
	Band Edge																																																																																								
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																								
ANT	15+10																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5833.68</td><td>52.90</td><td>88.20</td><td>-35.30</td><td>38.37</td><td>36.53</td><td>10.83</td><td>32.83</td><td>278 318 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5833.68	52.90	88.20	-35.30	38.37	36.53	10.83	32.83	278 318 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>85.46</td><td>-----</td><td>-----</td><td>70.71</td><td>36.70</td><td>10.93</td><td>32.88</td><td>278 318 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.46	-----	-----	70.71	36.70	10.93	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5833.68	52.90	88.20	-35.30	38.37	36.53	10.83	32.83	278 318 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	85.46	-----	-----	70.71	36.70	10.93	32.88	278 318 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.86</td><td>43.14</td><td>68.20</td><td>-25.06</td><td>28.48</td><td>36.65</td><td>10.88</td><td>32.87</td><td>278 318 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5922.86	43.14	68.20	-25.06	28.48	36.65	10.88	32.87	278 318 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>76.98</td><td>-----</td><td>-----</td><td>62.23</td><td>36.70</td><td>10.93</td><td>32.88</td><td>278 318 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	76.98	-----	-----	62.23	36.70	10.93	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5922.86	43.14	68.20	-25.06	28.48	36.65	10.88	32.87	278 318 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	76.98	-----	-----	62.23	36.70	10.93	32.88	278 318 AVERAGE																																																																																





Mode	59																																																																																									
	Band Edge																																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																									
ANT	15+10																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	 Date: 2025-08-13 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5881.70</td><td>53.21</td><td>88.20</td><td>-34.99</td><td>38.66</td><td>36.56</td><td>10.84</td><td>32.85</td><td>396</td><td>36</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5881.70	53.21	88.20	-34.99	38.66	36.56	10.84	32.85	396	36	PEAK	 Date: 2025-08-13 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>80.70</td><td>-----</td><td>-----</td><td>65.96</td><td>36.70</td><td>10.92</td><td>32.88</td><td>396</td><td>36</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	80.70	-----	-----	65.96	36.70	10.92	32.88	396	36	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5881.70	53.21	88.20	-34.99	38.66	36.56	10.84	32.85	396	36	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	80.70	-----	-----	65.96	36.70	10.92	32.88	396	36	PEAK																																																																															
Avg	 Date: 2025-08-13 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.58</td><td>42.99</td><td>68.20</td><td>-25.21</td><td>28.33</td><td>36.65</td><td>10.88</td><td>32.87</td><td>396</td><td>36</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.58	42.99	68.20	-25.21	28.33	36.65	10.88	32.87	396	36	AVERAGE	 Date: 2025-08-13 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>72.82</td><td>-----</td><td>-----</td><td>58.08</td><td>36.70</td><td>10.92</td><td>32.88</td><td>396</td><td>36</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	72.82	-----	-----	58.08	36.70	10.92	32.88	396	36	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5922.58	42.99	68.20	-25.21	28.33	36.65	10.88	32.87	396	36	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	72.82	-----	-----	58.08	36.70	10.92	32.88	396	36	AVERAGE																																																																															





Mode	59																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5925-6425_802.11be EHT20_CH1_5955MHz																																																																																																																			
ANT	15+10																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>43.62</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>41.68</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	47.15	74.00	-26.85	43.62	38.32	15.18	49.97	---	---	Peak	2	17865.00	47.96	74.00	-26.04	41.68	42.47	17.85	54.04	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>43.51</td><td>38.32</td><td>15.18</td><td>49.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>40.34</td><td>42.47</td><td>17.85</td><td>54.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	47.04	74.00	-26.96	43.51	38.32	15.18	49.97	---	---	Peak	2	17865.00	46.62	74.00	-27.38	40.34	42.47	17.85	54.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11910.00	47.15	74.00	-26.85	43.62	38.32	15.18	49.97	---	---	Peak																																																																																																									
2	17865.00	47.96	74.00	-26.04	41.68	42.47	17.85	54.04	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11910.00	47.04	74.00	-26.96	43.51	38.32	15.18	49.97	---	---	Peak																																																																																																									
2	17865.00	46.62	74.00	-27.38	40.34	42.47	17.85	54.04	---	---	Peak																																																																																																									





Mode	60																																																																																										
	Harmonic																																																																																										
	U-NII-5_5925-6425_802.11be EHT20_CH45_6175MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a series of pulses between 7200 and 40000 MHz. The peak level is approximately 87.5 dBuV/m. The average level is approximately 43.10 dBuV/m. A vertical blue line is at 12350.00 MHz.						 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a noisy baseline between 7200 and 40000 MHz. The average level is approximately 43.10 dBuV/m. A vertical blue line is at 12350.00 MHz.																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>43.10</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	46.74	74.00	-27.26	43.10	38.65	15.59	50.60	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>43.81</td><td>38.65</td><td>15.59</td><td>50.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	47.45	74.00	-26.55	43.81	38.65	15.59	50.60	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12350.00	46.74	74.00	-27.26	43.10	38.65	15.59	50.60	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12350.00	47.45	74.00	-26.55	43.81	38.65	15.59	50.60	---	---	Peak																																																																																





Mode	61																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT20_CH93_6415MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.99</td><td>88.20</td><td>-41.21</td><td>43.14</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	46.99	88.20	-41.21	43.14	38.80	16.08	51.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.38</td><td>38.80</td><td>16.08</td><td>51.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	47.23	88.20	-40.97	43.38	38.80	16.08	51.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	46.99	88.20	-41.21	43.14	38.80	16.08	51.03	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	47.23	88.20	-40.97	43.38	38.80	16.08	51.03	---	---	Peak																																																																																	





Mode	62																																																																																							
	Harmonic																																																																																							
	U-NII-5_5925-6425_802.11be EHT20_CH97_6435MHz																																																																																							
ANT	15+10																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.87</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	47.74	88.20	-40.46	43.87	38.80	16.12	51.05	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>43.29</td><td>38.80</td><td>16.12</td><td>51.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	47.16	88.20	-41.04	43.29	38.80	16.12	51.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12870.00	47.74	88.20	-40.46	43.87	38.80	16.12	51.05	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12870.00	47.16	88.20	-41.04	43.29	38.80	16.12	51.05	---	---	Peak																																																																														





Mode	63																																																																																										
	Harmonic																																																																																										
	U-NII-6_6425-6525_802.11be EHT20_CH105_6475MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>46.71</td><td>88.20</td><td>-41.49</td><td>42.69</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	46.71	88.20	-41.49	42.69	38.90	16.20	51.08	---	---	Peak	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>46.36</td><td>88.20</td><td>-41.84</td><td>42.34</td><td>38.90</td><td>16.20</td><td>51.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	46.36	88.20	-41.84	42.34	38.90	16.20	51.08	---	---	Peak
	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 12950.00	46.71	88.20	-41.49	42.69	38.90	16.20	51.08	---	---	Peak																																																																																	
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 12950.00	46.36	88.20	-41.84	42.34	38.90	16.20	51.08	---	---	Peak																																																																																	





Mode	64																																																																											
	Harmonic																																																																											
	U-NII-6_6425-6525_802.11be EHT20_CH113_6515MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13030.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.14</td><td>39.00</td><td>16.26</td><td>51.17</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	47.23	88.20	-40.97	43.14	39.00	16.26	51.17	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13030.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>42.39</td><td>39.00</td><td>16.26</td><td>51.17</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	46.48	88.20	-41.72	42.39	39.00	16.26	51.17
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 13030.00	47.23	88.20	-40.97	43.14	39.00	16.26	51.17																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 13030.00	46.48	88.20	-41.72	42.39	39.00	16.26	51.17																																																																					
Peak						Peak																																																																						
Avg						Avg																																																																						





Mode	65																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6525-6875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																								
ANT	15+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.87</td><td>88.20</td><td>-41.33</td><td>42.87</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	46.87	88.20	-41.33	42.87	39.00	16.27	51.27	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>46.56</td><td>88.20</td><td>-41.64</td><td>42.56</td><td>39.00</td><td>16.27</td><td>51.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	46.56	88.20	-41.64	42.56	39.00	16.27	51.27	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	46.87	88.20	-41.33	42.87	39.00	16.27	51.27	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	46.56	88.20	-41.64	42.56	39.00	16.27	51.27	---	---	Peak																																																																																														





Mode	66	
	Harmonic	
	U-NII-7_6525-6875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 46.37 74.00 -27.63 42.55 39.50 16.36 52.04 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 46.21 74.00 -27.79 42.39 39.50 16.36 52.04 --- --- Peak





Mode	67																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>43.37</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.30	88.20	-40.90	43.37	39.70	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.30</td><td>39.70</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.23	88.20	-40.97	43.30	39.70	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.30	88.20	-40.90	43.37	39.70	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	47.23	88.20	-40.97	43.30	39.70	16.45	52.22	---	---	Peak																																																																																	



Mode	68																																																																	
	Harmonic																																																																	
	U-NII-8_6875-7125_802.11be EHT20_CH189_Full RU_6895MHz																																																																	
ANT	15+10																																																																	
Pol.	Horizontal					Vertical																																																												
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. The frequency range is from 7200 MHz to 40000 MHz. A vertical line is drawn at 13760 MHz.					 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. The frequency range is from 7200 MHz to 40000 MHz. A vertical line is drawn at 13760 MHz.																																																												
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13790.00</td><td>46.62</td><td>88.20</td><td>-41.58</td><td>42.62</td><td>39.70</td><td>16.48 52.18</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13790.00	46.62	88.20	-41.58	42.62	39.70	16.48 52.18	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13790.00</td><td>46.17</td><td>88.20</td><td>-42.03</td><td>42.17</td><td>39.70</td><td>16.48 52.18</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13790.00	46.17	88.20	-42.03	42.17	39.70	16.48 52.18
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																												
1 13790.00	46.62	88.20	-41.58	42.62	39.70	16.48 52.18																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																												
1 13790.00	46.17	88.20	-42.03	42.17	39.70	16.48 52.18																																																												
Peak					Peak																																																													



Mode	69																																																																													
	Harmonic																																																																													
	U-NII-8_6875-7125_802.11be EHT20_CH209_Full RU_6995MHz																																																																													
ANT	15+10																																																																													
Pol.	Horizontal							Vertical																																																																						
Peak Avg	 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13990.00</td><td>46.71</td><td>88.20</td><td>-41.49</td><td>42.48</td><td>39.79</td><td>16.54</td><td>52.10</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	46.71	88.20	-41.49	42.48	39.79	16.54	52.10	 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13990.00</td><td>47.20</td><td>88.20</td><td>-41.00</td><td>42.97</td><td>39.79</td><td>16.54</td><td>52.10</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	47.20	88.20	-41.00	42.97	39.79	16.54	52.10
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13990.00	46.71	88.20	-41.49	42.48	39.79	16.54	52.10																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1 13990.00	47.20	88.20	-41.00	42.97	39.79	16.54	52.10																																																																							



Mode	70																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7202.26</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>38.38</td><td>36.50</td><td>11.82</td><td>33.14</td><td>400 41 PEAK</td></tr><tr><td>2</td><td>7257.89</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>37.44</td><td>36.60</td><td>11.92</td><td>33.15</td><td>400 41 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7202.26	53.56	88.20	-34.64	38.38	36.50	11.82	33.14	400 41 PEAK	2	7257.89	52.81	74.00	-21.19	37.44	36.60	11.92	33.15	400 41 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>85.05</td><td>-----</td><td>-----</td><td>70.21</td><td>36.48</td><td>11.48</td><td>33.12</td><td>400 41 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.05	-----	-----	70.21	36.48	11.48	33.12	400 41 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7202.26	53.56	88.20	-34.64	38.38	36.50	11.82	33.14	400 41 PEAK																																																																																			
2	7257.89	52.81	74.00	-21.19	37.44	36.60	11.92	33.15	400 41 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	85.05	-----	-----	70.21	36.48	11.48	33.12	400 41 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7220.95</td><td>43.62</td><td>68.20</td><td>-24.58</td><td>28.36</td><td>36.54</td><td>11.86</td><td>33.14</td><td>400 41 AVERAGE</td></tr><tr><td>2</td><td>7287.70</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>28.15</td><td>36.60</td><td>11.98</td><td>33.16</td><td>400 41 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7220.95	43.62	68.20	-24.58	28.36	36.54	11.86	33.14	400 41 AVERAGE	2	7287.70	43.57	54.00	-10.43	28.15	36.60	11.98	33.16	400 41 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>75.93</td><td>-----</td><td>-----</td><td>61.09</td><td>36.48</td><td>11.48</td><td>33.12</td><td>400 41 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	75.93	-----	-----	61.09	36.48	11.48	33.12	400 41 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7220.95	43.62	68.20	-24.58	28.36	36.54	11.86	33.14	400 41 AVERAGE																																																																																			
2	7287.70	43.57	54.00	-10.43	28.15	36.60	11.98	33.16	400 41 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	75.93	-----	-----	61.09	36.48	11.48	33.12	400 41 AVERAGE																																																																																			







Mode	70																																																																																																											
	Band Edge																																																																																																											
	U-NII-8_6875-7125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																											
ANT	15+10																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7210.27</td><td>53.63</td><td>88.20</td><td>-34.57</td><td>38.41</td><td>36.52</td><td>11.84</td><td>33.14</td><td>308</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>7293.93</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>38.49</td><td>36.60</td><td>11.99</td><td>33.16</td><td>308</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7210.27	53.63	88.20	-34.57	38.41	36.52	11.84	33.14	308	320	PEAK	2	7293.93	53.92	74.00	-20.08	38.49	36.60	11.99	33.16	308	320	PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.08</td><td>-----</td><td>-----</td><td>72.21</td><td>36.50</td><td>11.49</td><td>33.12</td><td>308</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.08	-----	-----	72.21	36.50	11.49	33.12	308	320	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7210.27	53.63	88.20	-34.57	38.41	36.52	11.84	33.14	308	320	PEAK																																																																																																	
2	7293.93	53.92	74.00	-20.08	38.49	36.60	11.99	33.16	308	320	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7095.00	87.08	-----	-----	72.21	36.50	11.49	33.12	308	320	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7217.84</td><td>43.52</td><td>68.20</td><td>-24.68</td><td>28.27</td><td>36.54</td><td>11.85</td><td>33.14</td><td>308</td><td>320</td><td>AVERAGE</td></tr><tr><td>2</td><td>7312.62</td><td>43.62</td><td>54.00</td><td>-10.38</td><td>28.20</td><td>36.57</td><td>12.01</td><td>33.16</td><td>308</td><td>320</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7217.84	43.52	68.20	-24.68	28.27	36.54	11.85	33.14	308	320	AVERAGE	2	7312.62	43.62	54.00	-10.38	28.20	36.57	12.01	33.16	308	320	AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.29</td><td>-----</td><td>-----</td><td>64.42</td><td>36.50</td><td>11.49</td><td>33.12</td><td>308</td><td>320</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	79.29	-----	-----	64.42	36.50	11.49	33.12	308	320	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7217.84	43.52	68.20	-24.68	28.27	36.54	11.85	33.14	308	320	AVERAGE																																																																																																	
2	7312.62	43.62	54.00	-10.38	28.20	36.57	12.01	33.16	308	320	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7095.00	79.29	-----	-----	64.42	36.50	11.49	33.12	308	320	AVERAGE																																																																																																	



Mode	70																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>42.39</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	46.93	88.20	-41.27	42.39	39.89	16.64	51.99	---	---	Peak	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>14190.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>42.64</td><td>39.89</td><td>16.64</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14190.00	47.18	88.20	-41.02	42.64	39.89	16.64	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	46.93	88.20	-41.27	42.39	39.89	16.64	51.99	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14190.00	47.18	88.20	-41.02	42.64	39.89	16.64	51.99	---	---	Peak																																																																																	





		71																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																						
ANT		15+10																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5871.40</td><td>53.82</td><td>88.20</td><td>-34.38</td><td>39.29</td><td>36.54</td><td>10.84</td><td>32.85</td><td>187 125 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5871.40	53.82	88.20	-34.38	39.29	36.54	10.84	32.85	187 125 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>82.36</td><td>-----</td><td>67.58</td><td>36.70</td><td>10.97</td><td>32.89</td><td>187 125 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	82.36	-----	67.58	36.70	10.97	32.89
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5871.40	53.82	88.20	-34.38	39.29	36.54	10.84	32.85	187 125 PEAK																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5965.00	82.36	-----	67.58	36.70	10.97	32.89	187 125 PEAK																																																																																
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.80</td><td>43.13</td><td>68.20</td><td>-25.07</td><td>28.56</td><td>36.59</td><td>10.84</td><td>32.86</td><td>187 125 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5893.80	43.13	68.20	-25.07	28.56	36.59	10.84	32.86	187 125 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>72.83</td><td>-----</td><td>58.08</td><td>36.70</td><td>10.93</td><td>32.88</td><td>187 125 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	72.83	-----	58.08	36.70	10.93	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5893.80	43.13	68.20	-25.07	28.56	36.59	10.84	32.86	187 125 AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5965.00	72.83	-----	58.08	36.70	10.93	32.88	187 125 AVERAGE																																																																																





		71																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5862.92</td><td>53.01</td><td>88.20</td><td>-35.19</td><td>38.50</td><td>36.53</td><td>10.83</td><td>32.85</td><td>164</td><td>354 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5862.92	53.01	88.20	-35.19	38.50	36.53	10.83	32.85	164	354 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>77.92</td><td>-----</td><td>-----</td><td>63.15</td><td>36.70</td><td>10.96</td><td>32.89</td><td>164</td><td>354 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5965.00	77.92	-----	-----	63.15	36.70	10.96	32.89	164
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5862.92	53.01	88.20	-35.19	38.50	36.53	10.83	32.85	164	354 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5965.00	77.92	-----	-----	63.15	36.70	10.96	32.89	164	354 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5910.76</td><td>43.09</td><td>68.20</td><td>-25.11</td><td>28.47</td><td>36.62</td><td>10.86</td><td>32.86</td><td>164</td><td>354 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5910.76	43.09	68.20	-25.11	28.47	36.62	10.86	32.86	164	354 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>69.24</td><td>-----</td><td>-----</td><td>54.48</td><td>36.70</td><td>10.95</td><td>32.89</td><td>164</td><td>354 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5965.00	69.24	-----	-----	54.48	36.70	10.95	32.89	164
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5910.76	43.09	68.20	-25.11	28.47	36.62	10.86	32.86	164	354 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5965.00	69.24	-----	-----	54.48	36.70	10.95	32.89	164	354 AVERAGE																																																																																





Mode	71																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5925-6425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																	
ANT	15+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>43.56</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>40.70</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	47.15	74.00	-26.85	43.56	38.36	15.19	49.96	---	---	Peak	2	17895.00	46.96	74.00	-27.04	40.70	42.49	17.84	54.07	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>43.45</td><td>38.36</td><td>15.19</td><td>49.96</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>40.42</td><td>42.49</td><td>17.84</td><td>54.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11930.00	47.04	74.00	-26.96	43.45	38.36	15.19	49.96	---	---	Peak	2	17895.00	46.68	74.00	-27.32	40.42	42.49	17.84	54.07	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11930.00	47.15	74.00	-26.85	43.56	38.36	15.19	49.96	---	---	Peak																																																																																																																							
2	17895.00	46.96	74.00	-27.04	40.70	42.49	17.84	54.07	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11930.00	47.04	74.00	-26.96	43.45	38.36	15.19	49.96	---	---	Peak																																																																																																																							
2	17895.00	46.68	74.00	-27.32	40.42	42.49	17.84	54.07	---	---	Peak																																																																																																																							





Mode	72																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-5_5925-6425_802.11be EHT40_CH43_Full RU_6165MHz																																																																																																																											
ANT	15+10																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12330.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>43.39</td><td>38.63</td><td>15.57</td><td>50.56</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	47.03	74.00	-26.97	43.39	38.63	15.57	50.56							cm	deg							---	---								Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12330.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>43.85</td><td>38.63</td><td>15.57</td><td>50.56</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12330.00	47.49	74.00	-26.51	43.85	38.63	15.57	50.56							cm	deg							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 12330.00	47.03	74.00	-26.97	43.39	38.63	15.57	50.56																																																																																																																					
						cm	deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																					
1 12330.00	47.49	74.00	-26.51	43.85	38.63	15.57	50.56																																																																																																																					
						cm	deg																																																																																																																					
						---	---																																																																																																																					
							Peak																																																																																																																					





Mode	73																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT40_CH91_Full RU_6405MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.76</td><td>88.20</td><td>-41.44</td><td>42.93</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12810.00	46.76	88.20	-41.44	42.93	38.80	16.05	51.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.40</td><td>38.80</td><td>16.05</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12810.00	47.23	88.20	-40.97	43.40	38.80	16.05	51.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12810.00	46.76	88.20	-41.44	42.93	38.80	16.05	51.02	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12810.00	47.23	88.20	-40.97	43.40	38.80	16.05	51.02	---	---	Peak																																																																																	





Mode	74																																																											
	Harmonic																																																											
	U-NII-6_6425-6525_802.11be EHT40_CH99_Full RU_6445MHz																																																											
ANT	15+10																																																											
Pol.	Horizontal						Vertical																																																					
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak signal and a blue line for the average signal. A vertical blue line is drawn at 12890.00 MHz. The signal level is approximately 88.20 dBuV/m, and the average level is approximately 43.86 dBuV/m. The plot includes a grid and a date stamp of 2025-08-14.						 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak signal and a blue line for the average signal. A vertical blue line is drawn at 12890.00 MHz. The signal level is approximately 88.20 dBuV/m, and the average level is approximately 43.28 dBuV/m. The plot includes a grid and a date stamp of 2025-08-14.																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 12890.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.86</td><td>38.80</td><td>16.14</td><td>51.06</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 12890.00	47.74	88.20	-40.46	43.86	38.80	16.14	51.06	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 12890.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>43.28</td><td>38.80</td><td>16.14</td><td>51.06</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 12890.00	47.16	88.20	-41.04	43.28	38.80	16.14	51.06
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																					
1 12890.00	47.74	88.20	-40.46	43.86	38.80	16.14	51.06																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																					
1 12890.00	47.16	88.20	-41.04	43.28	38.80	16.14	51.06																																																					
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.86</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.74	88.20	-40.46	43.86	38.80	16.14	51.06	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>43.28</td><td>38.80</td><td>16.14</td><td>51.06</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.16	88.20	-41.04	43.28	38.80	16.14	51.06	---	Peak					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	12890.00	47.74	88.20	-40.46	43.86	38.80	16.14	51.06	---	Peak																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	12890.00	47.16	88.20	-41.04	43.28	38.80	16.14	51.06	---	Peak																																																		





Mode	75																																																																																												
	Harmonic																																																																																												
	U-NII-6_6425-6525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.71</td><td>88.20</td><td>-41.49</td><td>42.64</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	46.71	88.20	-41.49	42.64	38.94	16.22	51.09	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.33</td><td>88.20</td><td>-41.87</td><td>42.26</td><td>38.94</td><td>16.22</td><td>51.09</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	46.33	88.20	-41.87	42.26	38.94	16.22	51.09	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12970.00	46.71	88.20	-41.49	42.64	38.94	16.22	51.09	---	Peak																																																																																			
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12970.00	46.33	88.20	-41.87	42.26	38.94	16.22	51.09	---	Peak																																																																																			





Mode	76																																																																																																				
	Harmonic																																																																																																				
	U-NII-7_6525-6875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																				
ANT	15+10																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>46.82</td><td>88.20</td><td>-41.38</td><td>42.91</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	46.82	88.20	-41.38	42.91	39.03	16.29	51.41	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.41</td><td>88.20</td><td>-40.79</td><td>43.50</td><td>39.03</td><td>16.29</td><td>51.41</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.41	88.20	-40.79	43.50	39.03	16.29	51.41	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13130.00	46.82	88.20	-41.38	42.91	39.03	16.29	51.41	---	---	Peak																																																																																										
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13130.00	47.41	88.20	-40.79	43.50	39.03	16.29	51.41	---	---	Peak																																																																																										





Mode	77																																																																																	
	Harmonic																																																																																	
	U-NII-7_6525-6875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13370.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>42.17</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13370.00	46.04	74.00	-27.96	42.17	39.50	16.36	51.99	---	---	Peak	 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13370.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>41.99</td><td>39.50</td><td>16.36</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13370.00	45.86	74.00	-28.14	41.99	39.50	16.36	51.99	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13370.00	46.04	74.00	-27.96	42.17	39.50	16.36	51.99	---	---	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13370.00	45.86	74.00	-28.14	41.99	39.50	16.36	51.99	---	---	Peak																																																																								





Mode	78																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>43.26</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	47.18	88.20	-41.02	43.26	39.69	16.45	52.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>43.10</td><td>39.69</td><td>16.45</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	47.02	88.20	-41.18	43.10	39.69	16.45	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	47.18	88.20	-41.02	43.26	39.69	16.45	52.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	47.02	88.20	-41.18	43.10	39.69	16.45	52.22	---	---	Peak																																																																																	



Mode	79																																																																																	
	Harmonic																																																																																	
	U-NII-8_6875-7125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	 Date: 2025-08-14 Level (dBuV/m) vs Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)					 Date: 2025-08-14 Level (dBuV/m) vs Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)																																																																												
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13850.00</td><td>45.95</td><td>88.20</td><td>-42.25</td><td>41.91</td><td>39.70</td><td>16.50</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13850.00	45.95	88.20	-42.25	41.91	39.70	16.50	52.16	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13850.00</td><td>46.70</td><td>88.20</td><td>-41.50</td><td>42.66</td><td>39.70</td><td>16.50</td><td>52.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13850.00	46.70	88.20	-41.50	42.66	39.70	16.50	52.16	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13850.00	45.95	88.20	-42.25	41.91	39.70	16.50	52.16	---	---	Peak																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 13850.00	46.70	88.20	-41.50	42.66	39.70	16.50	52.16	---	---	Peak																																																																								



Mode	80																																																																																											
	Harmonic																																																																																											
	U-NII-8_6875-7125_802.11be EHT40_CH203_Full RU_6965MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-08-14  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>43.13</td><td>39.73</td><td>16.52</td><td>52.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13930.00	47.25	88.20	-40.95	43.13	39.73	16.52	52.13	---	---	Peak	Level (dBuV/m) Date: 2025-08-14  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>47.56</td><td>88.20</td><td>-40.64</td><td>43.44</td><td>39.73</td><td>16.52</td><td>52.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13930.00	47.56	88.20	-40.64	43.44	39.73	16.52	52.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13930.00	47.25	88.20	-40.95	43.13	39.73	16.52	52.13	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13930.00	47.56	88.20	-40.64	43.44	39.73	16.52	52.13	---	---	Peak																																																																																	

Mode

ANT

Pol.

Peak

Avg

81

Band Edge

U-NII-8_6875-7125_802.11be EHT40_CH227_Full RU_7085MHz

15+10

Horizontal

Fundamental

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

7065

7122

7179

7236

7293

7350

Limit

Read

Ant

Cable

Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

1

7216.91

53.49

88.20

-34.71

38.25

36.53

11.85

33.14

400

41

PEAK

2

7305.54

53.13

74.00

-20.87

37.69

36.59

12.01

33.16

400

41

PEAK

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2240

3480

4720

5960

7200

Limit

Read

Ant

Cable

Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

1

7085.00

86.04

71.23

36.46

11.47

33.12

400

41

PEAK

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

7065

7122

7179

7236

7293

7350

Limit

Read

Ant

Cable

Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

1

7226.31

44.46

68.20

-23.74

29.19

36.55

11.87

33.15

400

41

AVERAGE

2

7293.86

44.64

54.00

-9.36

29.21

36.60

11.99

33.16

400

41

AVERAGE

Level (dBuV/m)

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2240

3480

4720

5960

7200

Limit

Read

Ant

Cable

Preamp

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

cm

deg

1

7085.00

77.13

62.32

36.46

11.47

33.12

400

41

AVERAGE



Mode	81																																																																																										
	Band Edge																																																																																										
	U-NII-8_6875-7125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7240.56</td><td>53.59</td><td>88.20</td><td>-34.61</td><td>38.27</td><td>36.58</td><td>11.89</td><td>33.15</td><td>383</td><td>3 PEAK</td></tr><tr><td>2</td><td>7269.35</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>38.64</td><td>36.60</td><td>11.94</td><td>33.15</td><td>383</td><td>3 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7240.56	53.59	88.20	-34.61	38.27	36.58	11.89	33.15	383	3 PEAK	2	7269.35	54.03	74.00	-19.97	38.64	36.60	11.94	33.15	383	3 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>88.65</td><td>-----</td><td>-----</td><td>73.85</td><td>36.45</td><td>11.47</td><td>33.12</td><td>383</td><td>3 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	88.65	-----	-----	73.85	36.45	11.47	33.12	383	3 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7240.56	53.59	88.20	-34.61	38.27	36.58	11.89	33.15	383	3 PEAK																																																																																	
2	7269.35	54.03	74.00	-19.97	38.64	36.60	11.94	33.15	383	3 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7085.00	88.65	-----	-----	73.85	36.45	11.47	33.12	383	3 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7225.46</td><td>44.66</td><td>68.20</td><td>-23.54</td><td>29.39</td><td>36.55</td><td>11.87</td><td>33.15</td><td>383</td><td>3 AVERAGE</td></tr><tr><td>2</td><td>7255.95</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>29.98</td><td>36.60</td><td>11.92</td><td>33.15</td><td>383</td><td>3 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7225.46	44.66	68.20	-23.54	29.39	36.55	11.87	33.15	383	3 AVERAGE	2	7255.95	45.35	54.00	-8.65	29.98	36.60	11.92	33.15	383	3 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>80.43</td><td>-----</td><td>-----</td><td>65.63</td><td>36.45</td><td>11.47</td><td>33.12</td><td>383</td><td>3 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7085.00	80.43	-----	-----	65.63	36.45	11.47	33.12	383	3 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7225.46	44.66	68.20	-23.54	29.39	36.55	11.87	33.15	383	3 AVERAGE																																																																																	
2	7255.95	45.35	54.00	-8.65	29.98	36.60	11.92	33.15	383	3 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	7085.00	80.43	-----	-----	65.63	36.45	11.47	33.12	383	3 AVERAGE																																																																																	



Mode	81																																																																																										
	Harmonic																																																																																										
	U-NII-8_6875-7125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>42.43</td><td>39.87</td><td>16.63</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	46.93	88.20	-41.27	42.43	39.87	16.63	52.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>46.96</td><td>88.20</td><td>-41.24</td><td>42.46</td><td>39.87</td><td>16.63</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	46.96	88.20	-41.24	42.46	39.87	16.63	52.00	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	14170.00	46.93	88.20	-41.27	42.43	39.87	16.63	52.00	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	14170.00	46.96	88.20	-41.24	42.46	39.87	16.63	52.00	---	---	Peak																																																																																





Mode	82																																																																																								
	Band Edge																																																																																								
	U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																								
ANT	15+10																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5917.16</td><td>53.32</td><td>88.20</td><td>-34.88</td><td>38.69</td><td>36.63</td><td>10.87</td><td>32.87</td><td>274</td><td>317</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5917.16	53.32	88.20	-34.88	38.69	36.63	10.87	32.87	274	317	PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5985.00</td><td>83.42</td><td>-----</td><td>-----</td><td>68.66</td><td>36.70</td><td>10.95</td><td>32.89</td><td>274</td><td>317</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5985.00	83.42	-----	-----	68.66	36.70	10.95	32.89	274	317	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5917.16	53.32	88.20	-34.88	38.69	36.63	10.87	32.87	274	317	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	83.42	-----	-----	68.66	36.70	10.95	32.89	274	317	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5917.00</td><td>43.10</td><td>68.20</td><td>-25.10</td><td>28.47</td><td>36.63</td><td>10.87</td><td>32.87</td><td>274</td><td>317</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5917.00	43.10	68.20	-25.10	28.47	36.63	10.87	32.87	274	317	AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5985.00</td><td>77.06</td><td>-----</td><td>-----</td><td>62.27</td><td>36.70</td><td>10.98</td><td>32.89</td><td>274</td><td>317</td><td>AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5985.00	77.06	-----	-----	62.27	36.70	10.98	32.89	274	317	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5917.00	43.10	68.20	-25.10	28.47	36.63	10.87	32.87	274	317	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	77.06	-----	-----	62.27	36.70	10.98	32.89	274	317	AVERAGE																																																																														





		82																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																						
ANT		15+10																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5869.00</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>39.21</td><td>36.54</td><td>10.83</td><td>32.85</td><td>400</td><td>343</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5869.00	53.73	88.20	-34.47	39.21	36.54	10.83	32.85	400	343	PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>80.12</td><td>-----</td><td>-----</td><td>65.32</td><td>36.70</td><td>11.00</td><td>32.90</td><td>400</td><td>343</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	80.12	-----	-----	65.32	36.70	11.00	32.90	400	343	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5869.00	53.73	88.20	-34.47	39.21	36.54	10.83	32.85	400	343	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	80.12	-----	-----	65.32	36.70	11.00	32.90	400	343	PEAK																																																																													
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.04</td><td>42.98</td><td>68.20</td><td>-25.22</td><td>28.35</td><td>36.62</td><td>10.87</td><td>32.86</td><td>400</td><td>343</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5912.04	42.98	68.20	-25.22	28.35	36.62	10.87	32.86	400	343	AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>72.33</td><td>-----</td><td>-----</td><td>57.57</td><td>36.64</td><td>11.02</td><td>32.90</td><td>400</td><td>343</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	72.33	-----	-----	57.57	36.64	11.02	32.90	400	343	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5912.04	42.98	68.20	-25.22	28.35	36.62	10.87	32.86	400	343	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	72.33	-----	-----	57.57	36.64	11.02	32.90	400	343	AVERAGE																																																																													



Mode	82																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5925-6425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																			
ANT	15+10																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>43.01</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>40.78</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	46.74	74.00	-27.26	43.01	38.44	15.21	49.92	---	---	Peak	2 17955.00	47.12	74.00	-26.88	40.78	42.67	17.82	54.15	---	---	Peak	 Date: 2025-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>43.17</td><td>38.44</td><td>15.21</td><td>49.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17955.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>39.91</td><td>42.67</td><td>17.82</td><td>54.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	46.90	74.00	-27.10	43.17	38.44	15.21	49.92	---	---	Peak	2 17955.00	46.25	74.00	-27.75	39.91	42.67	17.82	54.15	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11970.00	46.74	74.00	-27.26	43.01	38.44	15.21	49.92	---	---	Peak																																																																																																										
2 17955.00	47.12	74.00	-26.88	40.78	42.67	17.82	54.15	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11970.00	46.90	74.00	-27.10	43.17	38.44	15.21	49.92	---	---	Peak																																																																																																										
2 17955.00	46.25	74.00	-27.75	39.91	42.67	17.82	54.15	---	---	Peak																																																																																																										





Mode	83																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT80_CH39_Full RU_6145MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>43.43</td><td>38.60</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12290.00	47.08	74.00	-26.92	43.43	38.60	15.53	50.48	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>43.78</td><td>38.60</td><td>15.53</td><td>50.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12290.00	47.43	74.00	-26.57	43.78	38.60	15.53	50.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12290.00	47.08	74.00	-26.92	43.43	38.60	15.53	50.48	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12290.00	47.43	74.00	-26.57	43.78	38.60	15.53	50.48	---	---	Peak																																																																																	





Mode	84																																																																																												
	Harmonic																																																																																												
	U-NII-5_5925-6425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>43.20</td><td>38.77</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	46.97	88.20	-41.23	43.20	38.77	16.01	51.01	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>43.78</td><td>38.77</td><td>16.01</td><td>51.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	47.55	88.20	-40.65	43.78	38.77	16.01	51.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	46.97	88.20	-41.23	43.20	38.77	16.01	51.01	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	47.55	88.20	-40.65	43.78	38.77	16.01	51.01	---	---	Peak																																																																																		





Mode	85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	U-NII-6_6425-6525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
ANT	15+10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	Date: 2025-08-14						Date: 2025-08-14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>12930.00</td><td>47.09</td><td>88.20</td><td>-41.11</td><td>43.12</td><td>38.86</td><td>16.18</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12930.00	47.09	88.20	-41.11	43.12	38.86	16.18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
1	12930.00	47.09	88.20	-41.11	43.12	38.86	16.18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													





Mode	86																																																															
	Harmonic																																																															
	U-NII-7_6525-6875_802.11be EHT80_CH135_Full RU_6625MHz																																																															
ANT	15+10																																																															
Pol.	Horizontal					Vertical																																																										
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. A vertical line is drawn at 13760 MHz.					 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 52.5 dBuV/m. A vertical line is drawn at 13760 MHz.																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13250.00</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>42.58</td><td>39.30</td><td>16.32</td><td>51.70</td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 13250.00	46.50	74.00	-27.50	42.58	39.30	16.32	51.70	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 13250.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>43.09</td><td>39.30</td><td>16.32</td><td>51.70</td><td>--- --- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 13250.00	47.01	74.00	-26.99	43.09	39.30	16.32	51.70	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
1 13250.00	46.50	74.00	-27.50	42.58	39.30	16.32	51.70	--- --- Peak																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
1 13250.00	47.01	74.00	-26.99	43.09	39.30	16.32	51.70	--- --- Peak																																																								







Mode	87																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13410.00</td><td>46.37</td><td>88.20</td><td>-41.83</td><td>42.57</td><td>39.51</td><td>16.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13410.00	46.37	88.20	-41.83	42.57	39.51	16.37									<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13410.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.05</td><td>39.51</td><td>16.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13410.00	46.85	88.20	-41.35	43.05	39.51	16.37								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																					
1	13410.00	46.37	88.20	-41.83	42.57	39.51	16.37																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																					
1	13410.00	46.85	88.20	-41.35	43.05	39.51	16.37																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13410.00</td><td>46.37</td><td>88.20</td><td>-41.83</td><td>42.57</td><td>39.51</td><td>16.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13410.00	46.37	88.20	-41.83	42.57	39.51	16.37									<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13410.00</td><td>46.85</td><td>88.20</td><td>-41.35</td><td>43.05</td><td>39.51</td><td>16.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13410.00	46.85	88.20	-41.35	43.05	39.51	16.37								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																					
1	13410.00	46.37	88.20	-41.83	42.57	39.51	16.37																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																					
1	13410.00	46.85	88.20	-41.35	43.05	39.51	16.37																																																																																					



Mode	88																																																																																											
	Harmonic																																																																																											
	U-NII-7_6525-6875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>43.42</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	47.16	88.20	-41.04	43.42	39.60	16.41	52.27	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>47.19</td><td>88.20</td><td>-41.01</td><td>43.45</td><td>39.60</td><td>16.41</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	47.19	88.20	-41.01	43.45	39.60	16.41	52.27	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	47.16	88.20	-41.04	43.42	39.60	16.41	52.27	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	47.19	88.20	-41.01	43.45	39.60	16.41	52.27	---	---	Peak																																																																																	



Mode	89																																																																																									
	Harmonic																																																																																									
	U-NII-8_6875-7125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																									
ANT	15+10																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg	 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>42.15</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	46.22	88.20	-41.98	42.15	39.70	16.51	52.14	---	---	Peak	 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>42.15</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	46.22	88.20	-41.98	42.15	39.70	16.51	52.14	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13890.00	46.22	88.20	-41.98	42.15	39.70	16.51	52.14	---	---	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13890.00	46.22	88.20	-41.98	42.15	39.70	16.51	52.14	---	---	Peak																																																																															
 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>46.63</td><td>88.20</td><td>-41.57</td><td>42.56</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	46.63	88.20	-41.57	42.56	39.70	16.51	52.14	---	---	Peak	 Date: 2025-08-14 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>46.63</td><td>88.20</td><td>-41.57</td><td>42.56</td><td>39.70</td><td>16.51</td><td>52.14</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	46.63	88.20	-41.57	42.56	39.70	16.51	52.14	---	---	Peak	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13890.00	46.63	88.20	-41.57	42.56	39.70	16.51	52.14	---	---	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	13890.00	46.63	88.20	-41.57	42.56	39.70	16.51	52.14	---	---	Peak																																																																															





Mode	90																																																	
	Band Edge																																																	
	U-NII-8_6875-7125_802.11be EHT80_CH215_Full RU_7025MHz																																																	
ANT	15+10																																																	
Pol.	Horizontal	Fundamental																																																
Peak	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7205.10</td><td>53.42</td><td>88.20 -34.78</td><td>38.22</td><td>36.51</td><td>11.83</td><td>33.14</td><td>225</td><td>313 PEAK</td></tr><tr><td>2</td><td>7318.98</td><td>53.22</td><td>74.00 -20.78</td><td>37.81</td><td>36.56</td><td>12.01</td><td>33.16</td><td>225</td><td>313 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1	7205.10	53.42	88.20 -34.78	38.22	36.51	11.83	33.14	225	313 PEAK	2	7318.98	53.22	74.00 -20.78	37.81	36.56	12.01	33.16	225	313 PEAK	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>87.99</td><td>-----</td><td>73.38</td><td>36.30</td><td>11.41</td><td>33.10</td><td>225</td><td>313 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1	7025.00	87.99	-----	73.38	36.30	11.41	33.10	225	313 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																									
1	7205.10	53.42	88.20 -34.78	38.22	36.51	11.83	33.14	225	313 PEAK																																									
2	7318.98	53.22	74.00 -20.78	37.81	36.56	12.01	33.16	225	313 PEAK																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																										
1	7025.00	87.99	-----	73.38	36.30	11.41	33.10	225	313 PEAK																																									
Avg	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7219.33</td><td>43.68</td><td>68.20 -24.52</td><td>28.42</td><td>36.54</td><td>11.86</td><td>33.14</td><td>225</td><td>313 AVERAGE</td></tr><tr><td>2</td><td>7301.82</td><td>43.57</td><td>54.00 -10.43</td><td>28.13</td><td>36.60</td><td>12.00</td><td>33.16</td><td>225</td><td>313 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1	7219.33	43.68	68.20 -24.52	28.42	36.54	11.86	33.14	225	313 AVERAGE	2	7301.82	43.57	54.00 -10.43	28.13	36.60	12.00	33.16	225	313 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>79.15</td><td>-----</td><td>64.54</td><td>36.30</td><td>11.41</td><td>33.10</td><td>225</td><td>313 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1	7025.00	79.15	-----	64.54	36.30	11.41	33.10	225	313 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																										
1	7219.33	43.68	68.20 -24.52	28.42	36.54	11.86	33.14	225	313 AVERAGE																																									
2	7301.82	43.57	54.00 -10.43	28.13	36.60	12.00	33.16	225	313 AVERAGE																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																										
1	7025.00	79.15	-----	64.54	36.30	11.41	33.10	225	313 AVERAGE																																									



Mode	90																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7237.22</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>39.02</td><td>36.57</td><td>11.89</td><td>33.15</td><td>369 327 PEAK</td></tr><tr><td>2</td><td>7276.64</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>38.27</td><td>36.60</td><td>11.96</td><td>33.16</td><td>369 327 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7237.22	54.33	88.20	-33.87	39.02	36.57	11.89	33.15	369 327 PEAK	2	7276.64	53.67	74.00	-20.33	38.27	36.60	11.96	33.16	369 327 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>88.14</td><td>-----</td><td>-----</td><td>73.40</td><td>36.40</td><td>11.45</td><td>33.11</td><td>369 327 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	88.14	-----	-----	73.40	36.40	11.45	33.11	369 327 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7237.22	54.33	88.20	-33.87	39.02	36.57	11.89	33.15	369 327 PEAK																																																																																			
2	7276.64	53.67	74.00	-20.33	38.27	36.60	11.96	33.16	369 327 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	88.14	-----	-----	73.40	36.40	11.45	33.11	369 327 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7208.38</td><td>43.67</td><td>68.20</td><td>-24.53</td><td>28.45</td><td>36.52</td><td>11.84</td><td>33.14</td><td>369 327 AVERAGE</td></tr><tr><td>2</td><td>7280.65</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>28.30</td><td>36.60</td><td>11.96</td><td>33.16</td><td>369 327 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7208.38	43.67	68.20	-24.53	28.45	36.52	11.84	33.14	369 327 AVERAGE	2	7280.65	43.70	54.00	-10.30	28.30	36.60	11.96	33.16	369 327 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>79.42</td><td>-----</td><td>-----</td><td>64.78</td><td>36.32</td><td>11.42</td><td>33.10</td><td>369 327 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	79.42	-----	-----	64.78	36.32	11.42	33.10	369 327 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7208.38	43.67	68.20	-24.53	28.45	36.52	11.84	33.14	369 327 AVERAGE																																																																																			
2	7280.65	43.70	54.00	-10.30	28.30	36.60	11.96	33.16	369 327 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	79.42	-----	-----	64.78	36.32	11.42	33.10	369 327 AVERAGE																																																																																			







Mode	90																																																																										
	Harmonic																																																																										
	U-NII-8_6875-7125_802.11be EHT80_CH215_Full RU_7025MHz																																																																										
ANT	15+10																																																																										
Pol.	Horizontal						Vertical																																																																				
Peak Avg																																																																											
	Date: 2025-08-14						Date: 2025-08-14																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>14050.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>42.98</td><td>39.80</td><td>16.57</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	14050.00	47.28	88.20	-40.92	42.98	39.80	16.57	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>14050.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>42.74</td><td>39.80</td><td>16.57</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	14050.00	47.04	88.20	-41.16	42.74	39.80
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																				
1	14050.00	47.28	88.20	-40.92	42.98	39.80	16.57																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																				
1	14050.00	47.04	88.20	-41.16	42.74	39.80	16.57																																																																				





Mode	91																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Full RU_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5893.60</td><td>52.59</td><td>88.20</td><td>-35.61</td><td>38.02</td><td>36.59</td><td>10.84</td><td>32.86</td><td>278 313 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5893.60	52.59	88.20	-35.61	38.02	36.59	10.84	32.86	278 313 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>85.52</td><td>-----</td><td>-----</td><td>70.91</td><td>36.44</td><td>11.08</td><td>32.91</td><td>278 313 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	85.52	-----	-----	70.91	36.44	11.08	32.91	278 313 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5893.60	52.59	88.20	-35.61	38.02	36.59	10.84	32.86	278 313 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	85.52	-----	-----	70.91	36.44	11.08	32.91	278 313 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.68</td><td>42.97</td><td>68.20</td><td>-25.23</td><td>28.31</td><td>36.65</td><td>10.88</td><td>32.87</td><td>278 313 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.68	42.97	68.20	-25.23	28.31	36.65	10.88	32.87	278 313 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>76.81</td><td>-----</td><td>-----</td><td>62.15</td><td>36.51</td><td>11.06</td><td>32.91</td><td>278 313 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	76.81	-----	-----	62.15	36.51	11.06	32.91	278 313 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.68	42.97	68.20	-25.23	28.31	36.65	10.88	32.87	278 313 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	76.81	-----	-----	62.15	36.51	11.06	32.91	278 313 AVERAGE																																																																		





		91																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5925-6425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																						
ANT		15+10																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5832.56</td><td>52.66</td><td>88.20</td><td>-35.54</td><td>38.13</td><td>36.53</td><td>10.83</td><td>32.83</td><td>400</td><td>23</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5832.56	52.66	88.20	-35.54	38.13	36.53	10.83	32.83	400	23	PEAK	 Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>82.01</td><td>-----</td><td>-----</td><td>67.32</td><td>36.56</td><td>11.04</td><td>32.91</td><td>400</td><td>23</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	82.01	-----	-----	67.32	36.56	11.04	32.91	400	23	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5832.56	52.66	88.20	-35.54	38.13	36.53	10.83	32.83	400	23	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	82.01	-----	-----	67.32	36.56	11.04	32.91	400	23	PEAK																																																																													
Avg	 Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.32</td><td>43.13</td><td>68.20</td><td>-25.07</td><td>28.48</td><td>36.64</td><td>10.88</td><td>32.87</td><td>400</td><td>23</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.32	43.13	68.20	-25.07	28.48	36.64	10.88	32.87	400	23	AVERAGE	 Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>72.45</td><td>-----</td><td>-----</td><td>57.83</td><td>36.46</td><td>11.07</td><td>32.91</td><td>400</td><td>23</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	72.45	-----	-----	57.83	36.46	11.07	32.91	400	23	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5921.32	43.13	68.20	-25.07	28.48	36.64	10.88	32.87	400	23	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	72.45	-----	-----	57.83	36.46	11.07	32.91	400	23	AVERAGE																																																																													





Mode	91																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>42.99</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	46.77	74.00	-27.23	42.99	38.50	15.28	50.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>42.92</td><td>38.50</td><td>15.28</td><td>50.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	46.70	74.00	-27.30	42.92	38.50	15.28	50.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	46.77	74.00	-27.23	42.99	38.50	15.28	50.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	46.70	74.00	-27.30	42.92	38.50	15.28	50.00	---	---	Peak																																																																																	





Mode	92																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>43.37</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.01	74.00	-26.99	43.37	38.67	15.61	50.64	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>43.92</td><td>38.67</td><td>15.61</td><td>50.64</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.56	74.00	-26.44	43.92	38.67	15.61	50.64	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12370.00	47.01	74.00	-26.99	43.37	38.67	15.61	50.64	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12370.00	47.56	74.00	-26.44	43.92	38.67	15.61	50.64	---	---	Peak																																																																																															



Mode	93																																																																								
	Harmonic																																																																								
	U-NII-5_5925-6425_802.11be EHT160_CH79_Full RU_6345MHz																																																																								
ANT	15+10																																																																								
Pol.	Horizontal					Vertical																																																																			
Peak Avg																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12690.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>43.56</td><td>38.70</td><td>15.93</td><td>50.98</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12690.00	47.21	74.00	-26.79	43.56	38.70	15.93	50.98	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12690.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>43.83</td><td>38.70</td><td>15.93</td><td>50.98</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12690.00	47.48	74.00	-26.52	43.83	38.70	15.93
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 12690.00	47.21	74.00	-26.79	43.56	38.70	15.93	50.98																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 12690.00	47.48	74.00	-26.52	43.83	38.70	15.93	50.98																																																																		



Mode	94																																																																																						
	Harmonic																																																																																						
	U-NII-7_6525-6875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																						
ANT	15+10																																																																																						
Pol.	Horizontal						Vertical																																																																																
Peak Avg	 Date: 2025-08-14 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>41.86</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13330.00	45.81	74.00	-28.19	41.86	39.50	16.34	51.89	---	---	Peak	 Date: 2025-08-14 <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>42.43</td><td>39.50</td><td>16.34</td><td>51.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13330.00	46.38	74.00	-27.62	42.43	39.50	16.34	51.89	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	13330.00	45.81	74.00	-28.19	41.86	39.50	16.34	51.89	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	13330.00	46.38	74.00	-27.62	42.43	39.50	16.34	51.89	---	---	Peak																																																																												





Mode	95																																														
	Band Edge																																														
	U-NII-8_6875-7125_802.11be EHT160_CH207_Full RU_6985MHz																																														
ANT	15+10																																														
Pol.	Horizontal	Fundamental																																													
Peak	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7221.88</td><td>53.30</td><td>88.20 -34.90</td><td>38.04</td><td>36.54</td><td>11.86</td><td>33.14</td><td>397</td><td>42 PEAK</td></tr><tr><td>2 7277.50</td><td>53.74</td><td>74.00 -20.26</td><td>38.34</td><td>36.60</td><td>11.96</td><td>33.16</td><td>397</td><td>42 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1 7221.88	53.30	88.20 -34.90	38.04	36.54	11.86	33.14	397	42 PEAK	2 7277.50	53.74	74.00 -20.26	38.34	36.60	11.96	33.16	397	42 PEAK	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6985.00</td><td>86.33</td><td>-----</td><td>71.74</td><td>36.30</td><td>11.39</td><td>33.10</td><td>397</td><td>42 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1 6985.00	86.33	-----	71.74	36.30	11.39	33.10	397	42 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																						
1 7221.88	53.30	88.20 -34.90	38.04	36.54	11.86	33.14	397	42 PEAK																																							
2 7277.50	53.74	74.00 -20.26	38.34	36.60	11.96	33.16	397	42 PEAK																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																							
1 6985.00	86.33	-----	71.74	36.30	11.39	33.10	397	42 PEAK																																							
Avg	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7139.38</td><td>43.50</td><td>68.20 -24.70</td><td>28.60</td><td>36.42</td><td>11.61</td><td>33.13</td><td>397</td><td>42 AVERAGE</td></tr><tr><td>2 7268.13</td><td>43.67</td><td>54.00 -10.33</td><td>28.28</td><td>36.60</td><td>11.94</td><td>33.15</td><td>397</td><td>42 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1 7139.38	43.50	68.20 -24.70	28.60	36.42	11.61	33.13	397	42 AVERAGE	2 7268.13	43.67	54.00 -10.33	28.28	36.60	11.94	33.15	397	42 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6985.00</td><td>77.77</td><td>-----</td><td>63.19</td><td>36.30</td><td>11.38</td><td>33.10</td><td>397</td><td>42 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark	1 6985.00	77.77	-----	63.19	36.30	11.38	33.10	397	42 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																							
1 7139.38	43.50	68.20 -24.70	28.60	36.42	11.61	33.13	397	42 AVERAGE																																							
2 7268.13	43.67	54.00 -10.33	28.28	36.60	11.94	33.15	397	42 AVERAGE																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	cm	deg	Remark																																							
1 6985.00	77.77	-----	63.19	36.30	11.38	33.10	397	42 AVERAGE																																							



Mode	95																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6875-7125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																					
ANT	15+10																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7139.38</td><td>53.58</td><td>88.20</td><td>-34.62</td><td>38.68</td><td>36.42</td><td>11.61</td><td>33.13</td><td>400</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7296.88</td><td>53.82</td><td>74.00</td><td>-20.18</td><td>38.39</td><td>36.60</td><td>11.99</td><td>33.16</td><td>400</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7139.38	53.58	88.20	-34.62	38.68	36.42	11.61	33.13	400	360	PEAK	2	7296.88	53.82	74.00	-20.18	38.39	36.60	11.99	33.16	400	360	PEAK	PEAK_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>89.15</td><td>-----</td><td>-----</td><td>74.65</td><td>36.27</td><td>11.32</td><td>33.09</td><td>400</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	89.15	-----	-----	74.65	36.27	11.32	33.09	400	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7139.38	53.58	88.20	-34.62	38.68	36.42	11.61	33.13	400	360	PEAK																																																																																											
2	7296.88	53.82	74.00	-20.18	38.39	36.60	11.99	33.16	400	360	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	89.15	-----	-----	74.65	36.27	11.32	33.09	400	360	PEAK																																																																																											
Avg	AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7222.50</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>28.29</td><td>36.54</td><td>11.86</td><td>33.14</td><td>400</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7258.75</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>28.26</td><td>36.60</td><td>11.92</td><td>33.15</td><td>400</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7222.50	43.55	68.20	-24.65	28.29	36.54	11.86	33.14	400	360	AVERAGE	2	7258.75	43.63	54.00	-10.37	28.26	36.60	11.92	33.15	400	360	AVERAGE	AVG_BE(UNII_6E) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>79.80</td><td>-----</td><td>-----</td><td>65.36</td><td>36.23</td><td>11.29</td><td>33.08</td><td>400</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	79.80	-----	-----	65.36	36.23	11.29	33.08	400	360	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7222.50	43.55	68.20	-24.65	28.29	36.54	11.86	33.14	400	360	AVERAGE																																																																																											
2	7258.75	43.63	54.00	-10.37	28.26	36.60	11.92	33.15	400	360	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	79.80	-----	-----	65.36	36.23	11.29	33.08	400	360	AVERAGE																																																																																											



Mode	95																																																																																														
	Harmonic																																																																																														
	U-NII-8_6875-7125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																														
ANT	15+10																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	 Date: 2025-08-14						 Date: 2025-08-14																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>42.72</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	46.72	88.20	-41.48	42.72	39.70	16.48	52.18	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.17</td><td>88.20</td><td>-42.03</td><td>42.17</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	46.17	88.20	-42.03	42.17	39.70	16.48	52.18	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13790.00	46.72	88.20	-41.48	42.72	39.70	16.48	52.18	---	---	Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13790.00	46.17	88.20	-42.03	42.17	39.70	16.48	52.18	---	---	Peak																																																																																				





Mode	96																																																																											
	Band Edge																																																																											
	U-NII-5_5925-6425_802.11be EHT320_CH31_Full RU_6105MHz																																																																											
ANT	15+10																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5654.53</td><td>53.95</td><td>88.20</td><td>-34.25</td><td>39.38</td><td>36.51</td><td>10.82</td><td>32.76</td><td>255 325 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5654.53	53.95	88.20	-34.25	39.38	36.51	10.82	32.76	255 325 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>88.08</td><td>-----</td><td>-----</td><td>73.47</td><td>36.44</td><td>11.08</td><td>32.91</td><td>255 325 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	88.08	-----	-----	73.47	36.44	11.08	32.91	255 325 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5654.53	53.95	88.20	-34.25	39.38	36.51	10.82	32.76	255 325 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	88.08	-----	-----	73.47	36.44	11.08	32.91	255 325 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5688.96</td><td>43.26</td><td>68.20</td><td>-24.94</td><td>28.57</td><td>36.58</td><td>10.89</td><td>32.78</td><td>255 325 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5688.96	43.26	68.20	-24.94	28.57	36.58	10.89	32.78	255 325 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>79.02</td><td>-----</td><td>-----</td><td>64.49</td><td>36.32</td><td>11.13</td><td>32.92</td><td>255 325 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	79.02	-----	-----	64.49	36.32	11.13	32.92	255 325 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5688.96	43.26	68.20	-24.94	28.57	36.58	10.89	32.78	255 325 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	79.02	-----	-----	64.49	36.32	11.13	32.92	255 325 AVERAGE																																																																			





Mode	96																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Full RU_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5680.54</td><td>53.35</td><td>88.20</td><td>-34.85</td><td>38.69</td><td>36.56</td><td>10.87</td><td>32.77</td><td>383 345 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5680.54	53.35	88.20	-34.85	38.69	36.56	10.87	32.77	383 345 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>85.16</td><td>-----</td><td>-----</td><td>70.50</td><td>36.39</td><td>11.20</td><td>32.93</td><td>383 345 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	85.16	-----	-----	70.50	36.39	11.20	32.93	383 345 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5680.54	53.35	88.20	-34.85	38.69	36.56	10.87	32.77	383 345 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	85.16	-----	-----	70.50	36.39	11.20	32.93	383 345 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5643.82</td><td>43.20</td><td>68.20</td><td>-25.00</td><td>28.69</td><td>36.48</td><td>10.79</td><td>32.76</td><td>383 345 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5643.82	43.20	68.20	-25.00	28.69	36.48	10.79	32.76	383 345 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>75.64</td><td>-----</td><td>-----</td><td>60.98</td><td>36.39</td><td>11.20</td><td>32.93</td><td>383 345 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	75.64	-----	-----	60.98	36.39	11.20	32.93	383 345 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5643.82	43.20	68.20	-25.00	28.69	36.48	10.79	32.76	383 345 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	75.64	-----	-----	60.98	36.39	11.20	32.93	383 345 AVERAGE																																																																		



Mode	96																																																																																															
	Harmonic																																																																																															
	U-NII-5_5925-6425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																															
ANT	15+10																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12210.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>43.25</td><td>38.60</td><td>15.44 50.32</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12210.00	46.97	74.00	-27.03	43.25	38.60	15.44 50.32							cm deg							--- --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12210.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>43.24</td><td>38.60</td><td>15.44 50.32</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12210.00	46.96	74.00	-27.04	43.24	38.60	15.44 50.32							cm deg							--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 12210.00	46.97	74.00	-27.03	43.25	38.60	15.44 50.32																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 12210.00	46.96	74.00	-27.04	43.24	38.60	15.44 50.32																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										



Mode	97																																																																																											
	Harmonic																																																																																											
	U-NII-5_5925-6425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>43.23</td><td>38.70</td><td>15.77</td><td>50.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12530.00	46.79	74.00	-27.21	43.23	38.70	15.77	50.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>43.31</td><td>38.70</td><td>15.77</td><td>50.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12530.00	46.87	74.00	-27.13	43.31	38.70	15.77	50.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12530.00	46.79	74.00	-27.21	43.23	38.70	15.77	50.91	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12530.00	46.87	74.00	-27.13	43.31	38.70	15.77	50.91	---	---	Peak																																																																																	



Mode	98																																																																																												
	Harmonic																																																																																												
	U-NII-8_6525-7125_802.11a_CH185_Full RU_6525MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>43.33</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.30	88.20	-40.90	43.33	39.70	16.47	52.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.26</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.23	88.20	-40.97	43.26	39.70	16.47	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	47.30	88.20	-40.90	43.33	39.70	16.47	52.20	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	47.23	88.20	-40.97	43.26	39.70	16.47	52.20	---	---	Peak																																																																																		





Mode	99																																																																																												
	Harmonic																																																																																												
	U-NII-8_6525-7125_802.11be EHT20_CH185_Full RU_6525MHz																																																																																												
ANT	15+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.62</td><td>88.20</td><td>-40.58</td><td>43.65</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.62	88.20	-40.58	43.65	39.70	16.47	52.20	---	---	Peak	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>43.77</td><td>39.70</td><td>16.47</td><td>52.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.74	88.20	-40.46	43.77	39.70	16.47	52.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	47.62	88.20	-40.58	43.65	39.70	16.47	52.20	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13750.00	47.74	88.20	-40.46	43.77	39.70	16.47	52.20	---	---	Peak																																																																																		





Mode	100																																																																																										
	Harmonic																																																																																										
	U-NII-8_6525-7125_802.11be EHT40_CH187_Full RU_6885MHz																																																																																										
ANT	15+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>47.21</td><td>88.20</td><td>-40.99</td><td>43.23</td><td>39.70</td><td>16.47</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	47.21	88.20	-40.99	43.23	39.70	16.47	52.19	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>46.59</td><td>88.20</td><td>-41.61</td><td>42.61</td><td>39.70</td><td>16.47</td><td>52.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13770.00	46.59	88.20	-41.61	42.61	39.70	16.47	52.19	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13770.00	47.21	88.20	-40.99	43.23	39.70	16.47	52.19	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13770.00	46.59	88.20	-41.61	42.61	39.70	16.47	52.19	---	---	Peak																																																																																





Mode	101																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6525-7125_802.11be EHT80_CH183_Full RU_6865MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>47.62</td><td>88.20</td><td>-40.58</td><td>43.67</td><td>39.70</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	47.62	88.20	-40.58	43.67	39.70	16.46	52.21	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>43.82</td><td>39.70</td><td>16.46</td><td>52.21</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	47.77	88.20	-40.43	43.82	39.70	16.46	52.21	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	47.62	88.20	-40.58	43.67	39.70	16.46	52.21	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13730.00	47.77	88.20	-40.43	43.82	39.70	16.46	52.21	---	---	Peak																																																																																															



Mode	102	
	Harmonic	
	U-NII-8_6525-7125_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	15+10	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 47.39 88.20 -40.81 43.54 39.65 16.44 52.24 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 46.71 88.20 -41.49 42.86 39.65 16.44 52.24 --- --- Peak



Mode	103																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6525-7125_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>43.66</td><td>39.59</td><td>16.39</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	47.36	88.20	-40.84	43.66	39.59	16.39	52.28	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>47.15</td><td>88.20</td><td>-41.05</td><td>43.45</td><td>39.59</td><td>16.39</td><td>52.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	47.15	88.20	-41.05	43.45	39.59	16.39	52.28	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13490.00	47.36	88.20	-40.84	43.66	39.59	16.39	52.28	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13490.00	47.15	88.20	-41.05	43.45	39.59	16.39	52.28	---	---	Peak																																																																																															







Mode	104																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																					
ANT	15+10																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.03</td><td>53.15</td><td>88.20</td><td>-35.05</td><td>37.86</td><td>36.56</td><td>11.88</td><td>33.15</td><td>389</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>7276.19</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>38.07</td><td>36.60</td><td>11.96</td><td>33.16</td><td>389</td><td>40</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7232.03	53.15	88.20	-35.05	37.86	36.56	11.88	33.15	389	40	PEAK	2	7276.19	53.47	74.00	-20.53	38.07	36.60	11.96	33.16	389	40	PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>82.73</td><td>-----</td><td>-----</td><td>68.27</td><td>36.24</td><td>11.30</td><td>33.08</td><td>389</td><td>40</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	82.73	-----	-----	68.27	36.24	11.30	33.08	389	40	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7232.03	53.15	88.20	-35.05	37.86	36.56	11.88	33.15	389	40	PEAK																																																																																											
2	7276.19	53.47	74.00	-20.53	38.07	36.60	11.96	33.16	389	40	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	82.73	-----	-----	68.27	36.24	11.30	33.08	389	40	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7223.56</td><td>43.49</td><td>68.20</td><td>-24.71</td><td>28.22</td><td>36.55</td><td>11.86</td><td>33.14</td><td>389</td><td>40</td><td>AVERAGE</td></tr><tr><td>2</td><td>7284.06</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>28.25</td><td>36.60</td><td>11.97</td><td>33.16</td><td>389</td><td>40</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7223.56	43.49	68.20	-24.71	28.22	36.55	11.86	33.14	389	40	AVERAGE	2	7284.06	43.66	54.00	-10.34	28.25	36.60	11.97	33.16	389	40	AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>74.70</td><td>-----</td><td>-----</td><td>60.24</td><td>36.24</td><td>11.30</td><td>33.08</td><td>389</td><td>40</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	74.70	-----	-----	60.24	36.24	11.30	33.08	389	40	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7223.56	43.49	68.20	-24.71	28.22	36.55	11.86	33.14	389	40	AVERAGE																																																																																											
2	7284.06	43.66	54.00	-10.34	28.25	36.60	11.97	33.16	389	40	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	74.70	-----	-----	60.24	36.24	11.30	33.08	389	40	AVERAGE																																																																																											





Mode	104																																																						
	Band Edge																																																						
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																						
ANT	15+10																																																						
Pol.	Vertical	Fundamental																																																					
Peak	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7130.99</td><td>53.86</td><td>88.20</td><td>-34.34</td><td>38.97</td><td>36.44</td><td>11.58</td><td>33.13</td><td>400</td><td>3 PEAK</td></tr><tr><td>2</td><td>7281.03</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>38.36</td><td>36.60</td><td>11.96</td><td>33.16</td><td>400</td><td>3 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7130.99	53.86	88.20	-34.34	38.97	36.44	11.58	33.13	400	3 PEAK	2	7281.03	53.76	74.00	-20.24	38.36	36.60	11.96	33.16	400	3 PEAK	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>6905.00</td><td>85.46</td><td>-----</td><td>-----</td><td>71.02</td><td>36.23</td><td>11.29</td><td>33.08</td><td>400</td><td>3 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	6905.00	85.46	-----	-----	71.02	36.23	11.29	33.08	400	3 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																													
1	7130.99	53.86	88.20	-34.34	38.97	36.44	11.58	33.13	400	3 PEAK																																													
2	7281.03	53.76	74.00	-20.24	38.36	36.60	11.96	33.16	400	3 PEAK																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	6905.00	85.46	-----	-----	71.02	36.23	11.29	33.08	400	3 PEAK																																													
Avg	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>7215.69</td><td>43.59</td><td>68.20</td><td>-24.61</td><td>28.35</td><td>36.53</td><td>11.85</td><td>33.14</td><td>400</td><td>3 AVERAGE</td></tr><tr><td>2</td><td>7258.04</td><td>43.67</td><td>54.00</td><td>-10.33</td><td>28.30</td><td>36.60</td><td>11.92</td><td>33.15</td><td>400</td><td>3 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	7215.69	43.59	68.20	-24.61	28.35	36.53	11.85	33.14	400	3 AVERAGE	2	7258.04	43.67	54.00	-10.33	28.30	36.60	11.92	33.15	400	3 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>6905.00</td><td>77.46</td><td>-----</td><td>-----</td><td>63.02</td><td>36.23</td><td>11.29</td><td>33.08</td><td>400</td><td>3 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	6905.00	77.46	-----	-----	63.02	36.23	11.29	33.08	400	3 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	7215.69	43.59	68.20	-24.61	28.35	36.53	11.85	33.14	400	3 AVERAGE																																													
2	7258.04	43.67	54.00	-10.33	28.30	36.60	11.92	33.15	400	3 AVERAGE																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	6905.00	77.46	-----	-----	63.02	36.23	11.29	33.08	400	3 AVERAGE																																													





Mode	104																																																																																											
	Harmonic																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Date: 2025-08-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>42.95</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	46.95	88.20	-41.25	42.95	39.70	16.48	52.18	---	---	Peak	 Date: 2025-08-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>42.95</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	46.95	88.20	-41.25	42.95	39.70	16.48	52.18	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	46.95	88.20	-41.25	42.95	39.70	16.48	52.18	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	46.95	88.20	-41.25	42.95	39.70	16.48	52.18	---	---	Peak																																																																																	
	 Date: 2025-08-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>46.76</td><td>88.20</td><td>-41.44</td><td>42.76</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	46.76	88.20	-41.44	42.76	39.70	16.48	52.18	---	---	Peak	 Date: 2025-08-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13810.00</td><td>46.76</td><td>88.20</td><td>-41.44</td><td>42.76</td><td>39.70</td><td>16.48</td><td>52.18</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13810.00	46.76	88.20	-41.44	42.76	39.70	16.48	52.18	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	46.76	88.20	-41.44	42.76	39.70	16.48	52.18	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13810.00	46.76	88.20	-41.44	42.76	39.70	16.48	52.18	---	---	Peak																																																																																	



Mode	105																																																																																											
	Harmonic																																																																																											
	U-NII-7_6425-6875_802.11be EHT40_CH115_Full RU_6525MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.56</td><td>88.20</td><td>-40.64</td><td>43.52</td><td>39.00</td><td>16.26</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.56	88.20	-40.64	43.52	39.00	16.26	51.22	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>46.98</td><td>88.20</td><td>-41.22</td><td>42.94</td><td>39.00</td><td>16.26</td><td>51.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	46.98	88.20	-41.22	42.94	39.00	16.26	51.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	47.56	88.20	-40.64	43.52	39.00	16.26	51.22	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	46.98	88.20	-41.22	42.94	39.00	16.26	51.22	---	---	Peak																																																																																	





Mode	106																																																																																											
	Harmonic																																																																																											
	U-NII-7_6425-6875_802.11be EHT80_CH119_Full RU_6545MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>43.29</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13090.00	47.25	88.20	-40.95	43.29	39.00	16.28	51.32	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.08</td><td>88.20</td><td>-41.12</td><td>43.12</td><td>39.00</td><td>16.28</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13090.00	47.08	88.20	-41.12	43.12	39.00	16.28	51.32	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13090.00	47.25	88.20	-40.95	43.29	39.00	16.28	51.32	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13090.00	47.08	88.20	-41.12	43.12	39.00	16.28	51.32	---	---	Peak																																																																																	





Mode	107																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6425-6875_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																									
ANT	15+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2025-08-14 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>47.85</td><td>88.20</td><td>-40.35</td><td>43.72</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	47.85	88.20	-40.35	43.72	39.00	16.25	51.12	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>42.65</td><td>39.00</td><td>16.25</td><td>51.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	46.78	88.20	-41.42	42.65	39.00	16.25	51.12	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13010.00	47.85	88.20	-40.35	43.72	39.00	16.25	51.12	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13010.00	46.78	88.20	-41.42	42.65	39.00	16.25	51.12	---	---	Peak																																																																																															



Mode	108																																																																																
	Harmonic																																																																																
	U-NII-6_5925-6425_802.11be EHT320_CH95_Full RU_6425MHz																																																																																
ANT	15+10																																																																																
Pol.	Horizontal					Vertical																																																																											
Peak Avg																																																																																	
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12850.00</td><td>48.07</td><td>88.20</td><td>-40.13</td><td>44.21</td><td>38.80</td><td>16.10</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12850.00	48.07	88.20	-40.13	44.21	38.80	16.10	51.04	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12850.00</td><td>47.58</td><td>88.20</td><td>-40.62</td><td>43.72</td><td>38.80</td><td>16.10</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12850.00	47.58	88.20	-40.62	43.72	38.80	16.10	51.04	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 12850.00	48.07	88.20	-40.13	44.21	38.80	16.10	51.04	---	---	Peak																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 12850.00	47.58	88.20	-40.62	43.72	38.80	16.10	51.04	---	---	Peak																																																																							



Mode	109																																																									
	Harmonic																																																									
	U-NII-7_6425-6875_802.11be EHT320_CH127_Full RU_6585MHz																																																									
ANT	15+10																																																									
Pol.	Horizontal					Vertical																																																				
Peak Avg																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13170.00</td><td>46.73</td><td>88.20</td><td>-41.47</td><td>42.87</td><td>39.07</td><td>16.30</td><td>51.51</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13170.00	46.73	88.20	-41.47	42.87	39.07	16.30	51.51	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13170.00</td><td>47.35</td><td>88.20</td><td>-40.85</td><td>43.49</td><td>39.07</td><td>16.30</td><td>51.51</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13170.00	47.35	88.20	-40.85	43.49	39.07	16.30	51.51
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 13170.00	46.73	88.20	-41.47	42.87	39.07	16.30	51.51																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 13170.00	47.35	88.20	-40.85	43.49	39.07	16.30	51.51																																																			
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13170.00</td><td>46.73</td><td>88.20</td><td>-41.47</td><td>42.87</td><td>39.07</td><td>16.30</td><td>51.51</td><td>---</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13170.00	46.73	88.20	-41.47	42.87	39.07	16.30	51.51	---	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13170.00</td><td>47.35</td><td>88.20</td><td>-40.85</td><td>43.49</td><td>39.07</td><td>16.30</td><td>51.51</td><td>---</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13170.00	47.35	88.20	-40.85	43.49	39.07	16.30	51.51	---									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																	
1	13170.00	46.73	88.20	-41.47	42.87	39.07	16.30	51.51	---																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																	
1	13170.00	47.35	88.20	-40.85	43.49	39.07	16.30	51.51	---																																																	







Mode	110																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT20_CH1_Single RU_5955MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5832.70</td><td>53.34</td><td>88.20</td><td>-34.86</td><td>38.81</td><td>36.53</td><td>10.83</td><td>32.83</td><td>186</td><td>126</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5832.70	53.34	88.20	-34.86	38.81	36.53	10.83	32.83	186	126	PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>89.16</td><td>-----</td><td>-----</td><td>74.42</td><td>36.70</td><td>10.92</td><td>32.88</td><td>186</td><td>126</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.16	-----	-----	74.42	36.70	10.92	32.88	186	126	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5832.70	53.34	88.20	-34.86	38.81	36.53	10.83	32.83	186	126	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	89.16	-----	-----	74.42	36.70	10.92	32.88	186	126	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.04</td><td>43.00</td><td>68.20</td><td>-25.20</td><td>28.35</td><td>36.64</td><td>10.88</td><td>32.87</td><td>186</td><td>126</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5921.04	43.00	68.20	-25.20	28.35	36.64	10.88	32.87	186	126	AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>80.99</td><td>-----</td><td>-----</td><td>66.25</td><td>36.70</td><td>10.92</td><td>32.88</td><td>186</td><td>126</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	80.99	-----	-----	66.25	36.70	10.92	32.88	186	126	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5921.04	43.00	68.20	-25.20	28.35	36.64	10.88	32.87	186	126	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	80.99	-----	-----	66.25	36.70	10.92	32.88	186	126	AVERAGE																																																																							



Mode	110																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH1_Single RU_5955MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.08</td><td>53.37</td><td>88.20</td><td>-34.83</td><td>38.72</td><td>36.64</td><td>10.88</td><td>32.87</td><td>396 28 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5919.08	53.37	88.20	-34.83	38.72	36.64	10.88	32.87	396 28 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>84.81</td><td>-----</td><td>-----</td><td>70.07</td><td>36.70</td><td>10.92</td><td>32.88</td><td>396 28 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	84.81	-----	-----	70.07	36.70	10.92	32.88	396 28 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5919.08	53.37	88.20	-34.83	38.72	36.64	10.88	32.87	396 28 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	84.81	-----	-----	70.07	36.70	10.92	32.88	396 28 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.82</td><td>42.99</td><td>68.20</td><td>-25.21</td><td>28.32</td><td>36.65</td><td>10.89</td><td>32.87</td><td>396 28 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5924.82	42.99	68.20	-25.21	28.32	36.65	10.89	32.87	396 28 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>77.34</td><td>-----</td><td>-----</td><td>62.60</td><td>36.70</td><td>10.92</td><td>32.88</td><td>396 28 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	77.34	-----	-----	62.60	36.70	10.92	32.88	396 28 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5924.82	42.99	68.20	-25.21	28.32	36.65	10.89	32.87	396 28 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	77.34	-----	-----	62.60	36.70	10.92	32.88	396 28 AVERAGE																																																																		







		111																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6875-7125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																																		
ANT		15+10																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7243.65</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>37.93</td><td>36.59</td><td>11.90</td><td>33.15</td><td>398 188 PEAK</td></tr><tr><td>2</td><td>7287.70</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>38.31</td><td>36.60</td><td>11.98</td><td>33.16</td><td>398 188 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7243.65	53.27	88.20	-34.93	37.93	36.59	11.90	33.15	398 188 PEAK	2	7287.70	53.73	74.00	-20.27	38.31	36.60	11.98	33.16	398 188 PEAK	 Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.57</td><td>-----</td><td>-----</td><td>67.70</td><td>36.50</td><td>11.49</td><td>33.12</td><td>398 188 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.57	-----	-----	67.70	36.50	11.49	33.12	398 188 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7243.65	53.27	88.20	-34.93	37.93	36.59	11.90	33.15	398 188 PEAK																																																																																											
2	7287.70	53.73	74.00	-20.27	38.31	36.60	11.98	33.16	398 188 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	82.57	-----	-----	67.70	36.50	11.49	33.12	398 188 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6905 6994. 7083. 7172. 7261. 7350 Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7213.39</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>28.28</td><td>36.53</td><td>11.84</td><td>33.14</td><td>398 188 AVERAGE</td></tr><tr><td>2</td><td>7285.48</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>28.31</td><td>36.60</td><td>11.97</td><td>33.16</td><td>398 188 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7213.39	43.51	68.20	-24.69	28.28	36.53	11.84	33.14	398 188 AVERAGE	2	7285.48	43.72	54.00	-10.28	28.31	36.60	11.97	33.16	398 188 AVERAGE	 Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>73.86</td><td>-----</td><td>-----</td><td>58.99</td><td>36.50</td><td>11.49</td><td>33.12</td><td>398 188 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	73.86	-----	-----	58.99	36.50	11.49	33.12	398 188 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7213.39	43.51	68.20	-24.69	28.28	36.53	11.84	33.14	398 188 AVERAGE																																																																																											
2	7285.48	43.72	54.00	-10.28	28.31	36.60	11.97	33.16	398 188 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	73.86	-----	-----	58.99	36.50	11.49	33.12	398 188 AVERAGE																																																																																											



Mode	111																																																																																											
	Band Edge																																																																																											
	U-NII-8_6875-7125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																											
ANT	15+10																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7145.75</td><td>54.00</td><td>88.20</td><td>-34.20</td><td>39.09</td><td>36.41</td><td>11.63</td><td>33.13</td><td>374 333 PEAK</td></tr><tr><td>2</td><td>7343.77</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>39.08</td><td>36.51</td><td>12.00</td><td>33.17</td><td>374 333 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7145.75	54.00	88.20	-34.20	39.09	36.41	11.63	33.13	374 333 PEAK	2	7343.77	54.42	74.00	-19.58	39.08	36.51	12.00	33.17	374 333 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.44</td><td>-----</td><td>-----</td><td>71.57</td><td>36.49</td><td>11.50</td><td>33.12</td><td>374 333 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	86.44	-----	-----	71.57	36.49	11.50	33.12	374 333 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7145.75	54.00	88.20	-34.20	39.09	36.41	11.63	33.13	374 333 PEAK																																																																																			
2	7343.77	54.42	74.00	-19.58	39.08	36.51	12.00	33.17	374 333 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	86.44	-----	-----	71.57	36.49	11.50	33.12	374 333 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7207.60</td><td>43.62</td><td>68.20</td><td>-24.58</td><td>28.41</td><td>36.52</td><td>11.83</td><td>33.14</td><td>374 333 AVERAGE</td></tr><tr><td>2</td><td>7308.62</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>28.27</td><td>36.58</td><td>12.01</td><td>33.16</td><td>374 333 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7207.60	43.62	68.20	-24.58	28.41	36.52	11.83	33.14	374 333 AVERAGE	2	7308.62	43.70	54.00	-10.30	28.27	36.58	12.01	33.16	374 333 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.38</td><td>-----</td><td>-----</td><td>63.51</td><td>36.50</td><td>11.49</td><td>33.12</td><td>374 333 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	78.38	-----	-----	63.51	36.50	11.49	33.12	374 333 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7207.60	43.62	68.20	-24.58	28.41	36.52	11.83	33.14	374 333 AVERAGE																																																																																			
2	7308.62	43.70	54.00	-10.30	28.27	36.58	12.01	33.16	374 333 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	78.38	-----	-----	63.51	36.50	11.49	33.12	374 333 AVERAGE																																																																																			







		112																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5925-6425_802.11be EHT20_CH1_Small RU_5955MHz																																																																																							
ANT		15+10																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5890.66</td><td>53.37</td><td>88.20</td><td>-34.83</td><td>38.81</td><td>36.58</td><td>10.84</td><td>32.86</td><td>160 129 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5890.66	53.37	88.20	-34.83	38.81	36.58	10.84	32.86	160 129 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>87.30</td><td>-----</td><td>-----</td><td>72.56</td><td>36.70</td><td>10.92</td><td>32.88</td><td>160 129 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.30	-----	-----	72.56	36.70	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5890.66	53.37	88.20	-34.83	38.81	36.58	10.84	32.86	160 129 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	87.30	-----	-----	72.56	36.70	10.92	32.88	160 129 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-08-13  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-08-13  AVG_BE(UNII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.86</td><td>43.00</td><td>68.20</td><td>-25.20</td><td>28.34</td><td>36.65</td><td>10.88</td><td>32.87</td><td>160 129 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5922.86	43.00	68.20	-25.20	28.34	36.65	10.88	32.87	160 129 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>79.46</td><td>-----</td><td>-----</td><td>64.72</td><td>36.70</td><td>10.92</td><td>32.88</td><td>160 129 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.46	-----	-----	64.72	36.70	10.92	32.88
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5922.86	43.00	68.20	-25.20	28.34	36.65	10.88	32.87	160 129 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	79.46	-----	-----	64.72	36.70	10.92	32.88	160 129 AVERAGE																																																																																



Mode	112																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT20_CH1_Small RU_5955MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.90</td><td>52.74</td><td>88.20</td><td>-35.46</td><td>38.09</td><td>36.64</td><td>10.88</td><td>32.87</td><td>110 356 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5920.90	52.74	88.20	-35.46	38.09	36.64	10.88	32.87	110 356 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>82.65</td><td>-----</td><td>-----</td><td>67.90</td><td>36.70</td><td>10.93</td><td>32.88</td><td>110 356 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	82.65	-----	-----	67.90	36.70	10.93	32.88	110 356 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5920.90	52.74	88.20	-35.46	38.09	36.64	10.88	32.87	110 356 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	82.65	-----	-----	67.90	36.70	10.93	32.88	110 356 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5911.10</td><td>42.96</td><td>68.20</td><td>-25.24</td><td>28.34</td><td>36.62</td><td>10.86</td><td>32.86</td><td>110 356 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5911.10	42.96	68.20	-25.24	28.34	36.62	10.86	32.86	110 356 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>75.13</td><td>-----</td><td>-----</td><td>60.38</td><td>36.70</td><td>10.93</td><td>32.88</td><td>110 356 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	75.13	-----	-----	60.38	36.70	10.93	32.88	110 356 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5911.10	42.96	68.20	-25.24	28.34	36.62	10.86	32.86	110 356 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	75.13	-----	-----	60.38	36.70	10.93	32.88	110 356 AVERAGE																																																																		



Mode	113																																																																																																													
	Band Edge																																																																																																													
	U-NII-8_6875-7125_802.11be EHT20_CH229_Small RU_7095MHz																																																																																																													
ANT	15+10																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7212.05</td><td>53.32</td><td>88.20</td><td>-34.88</td><td>38.10</td><td>36.52</td><td>11.84</td><td>33.14</td><td>400</td><td>188 PEAK</td></tr><tr><td>2</td><td>7277.47</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>37.41</td><td>36.60</td><td>11.96</td><td>33.16</td><td>400</td><td>188 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7212.05	53.32	88.20	-34.88	38.10	36.52	11.84	33.14	400	188 PEAK	2	7277.47	52.81	74.00	-21.19	37.41	36.60	11.96	33.16	400	188 PEAK	Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.13</td><td>-----</td><td>-----</td><td>67.26</td><td>36.50</td><td>11.49</td><td>33.12</td><td>400</td><td>188 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	82.13	-----	-----	67.26	36.50	11.49	33.12	400	188 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7212.05	53.32	88.20	-34.88	38.10	36.52	11.84	33.14	400	188 PEAK																																																																																																				
2	7277.47	52.81	74.00	-21.19	37.41	36.60	11.96	33.16	400	188 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	82.13	-----	-----	67.26	36.50	11.49	33.12	400	188 PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2025-08-13  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7209.83</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>28.14</td><td>36.52</td><td>11.84</td><td>33.14</td><td>400</td><td>188 AVERAGE</td></tr><tr><td>2</td><td>7271.24</td><td>43.73</td><td>54.00</td><td>-10.27</td><td>28.33</td><td>36.60</td><td>11.95</td><td>33.15</td><td>400</td><td>188 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7209.83	43.36	68.20	-24.84	28.14	36.52	11.84	33.14	400	188 AVERAGE	2	7271.24	43.73	54.00	-10.27	28.33	36.60	11.95	33.15	400	188 AVERAGE	Level (dBuV/m) Date: 2025-08-13  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>72.28</td><td>-----</td><td>-----</td><td>57.41</td><td>36.50</td><td>11.49</td><td>33.12</td><td>400</td><td>188 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	72.28	-----	-----	57.41	36.50	11.49	33.12	400	188 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7209.83	43.36	68.20	-24.84	28.14	36.52	11.84	33.14	400	188 AVERAGE																																																																																																				
2	7271.24	43.73	54.00	-10.27	28.33	36.60	11.95	33.15	400	188 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7095.00	72.28	-----	-----	57.41	36.50	11.49	33.12	400	188 AVERAGE																																																																																																				



Mode	113																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6875-7125_802.11be EHT20_CH229_Small RU_7095MHz																																																																																																			
ANT	15+10																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7154.65</td><td>53.50</td><td>88.20</td><td>-34.70</td><td>38.56</td><td>36.41</td><td>11.66</td><td>33.13</td><td>299</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7308.17</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>37.69</td><td>36.58</td><td>12.01</td><td>33.16</td><td>299</td><td>327</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7154.65	53.50	88.20	-34.70	38.56	36.41	11.66	33.13	299	327	PEAK	2	7308.17	53.12	74.00	-20.88	37.69	36.58	12.01	33.16	299	327	PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.01</td><td>-----</td><td>-----</td><td>71.14</td><td>36.50</td><td>11.49</td><td>33.12</td><td>299</td><td>327</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	86.01	-----	-----	71.14	36.50	11.49	33.12	299	327	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7154.65	53.50	88.20	-34.70	38.56	36.41	11.66	33.13	299	327	PEAK																																																																																									
2	7308.17	53.12	74.00	-20.88	37.69	36.58	12.01	33.16	299	327	PEAK																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	86.01	-----	-----	71.14	36.50	11.49	33.12	299	327	PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7213.83</td><td>43.49</td><td>68.20</td><td>-24.71</td><td>28.25</td><td>36.53</td><td>11.85</td><td>33.14</td><td>299</td><td>327</td><td>AVERAGE</td></tr><tr><td>2</td><td>7254.33</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>28.18</td><td>36.60</td><td>11.92</td><td>33.15</td><td>299</td><td>327</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7213.83	43.49	68.20	-24.71	28.25	36.53	11.85	33.14	299	327	AVERAGE	2	7254.33	43.55	54.00	-10.45	28.18	36.60	11.92	33.15	299	327	AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>76.90</td><td>-----</td><td>-----</td><td>62.03</td><td>36.50</td><td>11.49</td><td>33.12</td><td>299</td><td>327</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	76.90	-----	-----	62.03	36.50	11.49	33.12	299	327	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7213.83	43.49	68.20	-24.71	28.25	36.53	11.85	33.14	299	327	AVERAGE																																																																																									
2	7254.33	43.55	54.00	-10.45	28.18	36.60	11.92	33.15	299	327	AVERAGE																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	76.90	-----	-----	62.03	36.50	11.49	33.12	299	327	AVERAGE																																																																																									



Mode	114																																																																																														
	Band Edge																																																																																														
	U-NII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																																														
ANT	15+10																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.36</td><td>52.62</td><td>88.20</td><td>-35.58</td><td>38.02</td><td>36.61</td><td>10.85</td><td>32.86</td><td>250</td><td>323</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5904.36	52.62	88.20	-35.58	38.02	36.61	10.85	32.86	250	323	PEAK	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>87.89</td><td>-----</td><td>-----</td><td>73.10</td><td>36.70</td><td>10.99</td><td>32.90</td><td>250</td><td>323</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.89	-----	-----	73.10	36.70	10.99	32.90	250	323	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5904.36	52.62	88.20	-35.58	38.02	36.61	10.85	32.86	250	323	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5985.00	87.89	-----	-----	73.10	36.70	10.99	32.90	250	323	PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.56</td><td>42.92</td><td>68.20</td><td>-25.28</td><td>28.27</td><td>36.64</td><td>10.88</td><td>32.87</td><td>250</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5919.56	42.92	68.20	-25.28	28.27	36.64	10.88	32.87	250	323	AVERAGE	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>77.79</td><td>-----</td><td>-----</td><td>63.00</td><td>36.70</td><td>10.98</td><td>32.89</td><td>250</td><td>323</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	77.79	-----	-----	63.00	36.70	10.98	32.89	250	323	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5919.56	42.92	68.20	-25.28	28.27	36.64	10.88	32.87	250	323	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5985.00	77.79	-----	-----	63.00	36.70	10.98	32.89	250	323	AVERAGE																																																																																				



Mode	114																																											
	Band Edge																																											
	U-NII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																											
ANT	15+10																																											
Pol.	Vertical	Fundamental																																										
Peak	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5920.52</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>38.62</td><td>36.64</td><td>10.88</td><td>32.87</td><td>124</td><td>15 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5920.52	53.27	88.20	-34.93	38.62	36.64	10.88	32.87	124	15 PEAK	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5985.00</td><td>82.42</td><td>-----</td><td>-----</td><td>67.62</td><td>36.70</td><td>11.00</td><td>32.90</td><td>124</td><td>15 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5985.00	82.42	-----	-----	67.62	36.70	11.00	32.90	124	15 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																		
1	5920.52	53.27	88.20	-34.93	38.62	36.64	10.88	32.87	124	15 PEAK																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																			
1	5985.00	82.42	-----	-----	67.62	36.70	11.00	32.90	124	15 PEAK																																		
Avg	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5894.60</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>28.34</td><td>36.59</td><td>10.84</td><td>32.86</td><td>124</td><td>15 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5894.60	42.91	68.20	-25.29	28.34	36.59	10.84	32.86	124	15 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5985.00</td><td>73.95</td><td>-----</td><td>-----</td><td>59.16</td><td>36.70</td><td>10.99</td><td>32.90</td><td>124</td><td>15 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5985.00	73.95	-----	-----	59.16	36.70	10.99	32.90	124	15 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																		
1	5894.60	42.91	68.20	-25.29	28.34	36.59	10.84	32.86	124	15 AVERAGE																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																			
1	5985.00	73.95	-----	-----	59.16	36.70	10.99	32.90	124	15 AVERAGE																																		







Mode	115																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																		
ANT	15+10																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII_6E)					Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII_6E)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7191.23</td><td>53.49</td><td>88.20</td><td>-34.71</td><td>38.37</td><td>36.48</td><td>11.78</td><td>33.14</td><td>211 318 PEAK</td></tr><tr><td>2</td><td>7342.70</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>38.36</td><td>36.51</td><td>12.00</td><td>33.17</td><td>211 318 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7191.23	53.49	88.20	-34.71	38.37	36.48	11.78	33.14	211 318 PEAK	2	7342.70	53.70	74.00	-20.30	38.36	36.51	12.00	33.17	211 318 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>81.32</td><td>-----</td><td>-----</td><td>66.65</td><td>36.34</td><td>11.43</td><td>33.10</td><td>211 318 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	81.32	-----	-----	66.65	36.34	11.43	33.10
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7191.23	53.49	88.20	-34.71	38.37	36.48	11.78	33.14	211 318 PEAK																																																																																										
2	7342.70	53.70	74.00	-20.30	38.36	36.51	12.00	33.17	211 318 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	81.32	-----	-----	66.65	36.34	11.43	33.10	211 318 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII_6E)					Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII_6E)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7217.87</td><td>43.50</td><td>68.20</td><td>-24.70</td><td>28.25</td><td>36.54</td><td>11.85</td><td>33.14</td><td>211 318 AVERAGE</td></tr><tr><td>2</td><td>7274.81</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>28.18</td><td>36.60</td><td>11.95</td><td>33.15</td><td>211 318 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7217.87	43.50	68.20	-24.70	28.25	36.54	11.85	33.14	211 318 AVERAGE	2	7274.81	43.58	54.00	-10.42	28.18	36.60	11.95	33.15	211 318 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>73.49</td><td>-----</td><td>-----</td><td>58.71</td><td>36.43</td><td>11.46</td><td>33.11</td><td>211 318 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	73.49	-----	-----	58.71	36.43	11.46	33.11
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7217.87	43.50	68.20	-24.70	28.25	36.54	11.85	33.14	211 318 AVERAGE																																																																																										
2	7274.81	43.58	54.00	-10.42	28.18	36.60	11.95	33.15	211 318 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	73.49	-----	-----	58.71	36.43	11.46	33.11	211 318 AVERAGE																																																																																										



Mode	115																																																																																																
	Band Edge																																																																																																
	U-NII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																
ANT	15+10																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7161.30</td><td>53.74</td><td>88.20</td><td>-34.46</td><td>38.77</td><td>36.42</td><td>11.68</td><td>33.13</td><td>315</td><td>319 PEAK</td></tr><tr><td>2</td><td>7267.51</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>37.65</td><td>36.60</td><td>11.94</td><td>33.15</td><td>315</td><td>319 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7161.30	53.74	88.20	-34.46	38.77	36.42	11.68	33.13	315	319 PEAK	2	7267.51	53.04	74.00	-20.96	37.65	36.60	11.94	33.15	315	319 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>83.13</td><td>-----</td><td>-----</td><td>68.49</td><td>36.32</td><td>11.42</td><td>33.10</td><td>315</td><td>319 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	83.13	-----	-----	68.49	36.32	11.42	33.10	315	319 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7161.30	53.74	88.20	-34.46	38.77	36.42	11.68	33.13	315	319 PEAK																																																																																							
2	7267.51	53.04	74.00	-20.96	37.65	36.60	11.94	33.15	315	319 PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	83.13	-----	-----	68.49	36.32	11.42	33.10	315	319 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7228.46</td><td>43.60</td><td>68.20</td><td>-24.60</td><td>28.32</td><td>36.56</td><td>11.87</td><td>33.15</td><td>315</td><td>319 AVERAGE</td></tr><tr><td>2</td><td>7266.78</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>28.22</td><td>36.60</td><td>11.94</td><td>33.15</td><td>315</td><td>319 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7228.46	43.60	68.20	-24.60	28.32	36.56	11.87	33.15	315	319 AVERAGE	2	7266.78	43.61	54.00	-10.39	28.22	36.60	11.94	33.15	315	319 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>75.00</td><td>-----</td><td>-----</td><td>60.36</td><td>36.32</td><td>11.42</td><td>33.10</td><td>315</td><td>319 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	75.00	-----	-----	60.36	36.32	11.42	33.10	315	319 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7228.46	43.60	68.20	-24.60	28.32	36.56	11.87	33.15	315	319 AVERAGE																																																																																							
2	7266.78	43.61	54.00	-10.39	28.22	36.60	11.94	33.15	315	319 AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																										
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	75.00	-----	-----	60.36	36.32	11.42	33.10	315	319 AVERAGE																																																																																							



Mode	116																																											
	Band Edge																																											
	U-NII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																											
ANT	15+10																																											
Pol.	Horizontal	Fundamental																																										
Peak	Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5880.44</td><td>52.71</td><td>88.20</td><td>-35.49</td><td>38.16</td><td>36.56</td><td>10.84</td><td>32.85</td><td>245</td><td>319 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5880.44	52.71	88.20	-35.49	38.16	36.56	10.84	32.85	245	319 PEAK	Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>83.14</td><td>-----</td><td>-----</td><td>68.34</td><td>36.69</td><td>11.01</td><td>32.90</td><td>245</td><td>319 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	83.14	-----	-----	68.34	36.69	11.01	32.90	245	319 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																			
1	5880.44	52.71	88.20	-35.49	38.16	36.56	10.84	32.85	245	319 PEAK																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																				
1	6025.00	83.14	-----	-----	68.34	36.69	11.01	32.90	245	319 PEAK																																		
Avg	Level (dBuV/m) Date: 2025-08-13  AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5908.16</td><td>43.65</td><td>68.20</td><td>-24.55</td><td>29.03</td><td>36.62</td><td>10.86</td><td>32.86</td><td>245</td><td>319 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5908.16	43.65	68.20	-24.55	29.03	36.62	10.86	32.86	245	319 AVERAGE	Level (dBuV/m) Date: 2025-08-13  AVG_BE(UNII)_6E Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>75.11</td><td>-----</td><td>-----</td><td>60.45</td><td>36.51</td><td>11.06</td><td>32.91</td><td>245</td><td>319 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	75.11	-----	-----	60.45	36.51	11.06	32.91	245	319 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																			
1	5908.16	43.65	68.20	-24.55	29.03	36.62	10.86	32.86	245	319 AVERAGE																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																				
1	6025.00	75.11	-----	-----	60.45	36.51	11.06	32.91	245	319 AVERAGE																																		



Mode	116																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5849.36</td><td>52.81</td><td>88.20 -35.39</td><td>38.32</td><td>36.50</td><td>10.83</td><td>32.84</td><td>376</td><td>344 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5849.36	52.81	88.20 -35.39	38.32	36.50	10.83	32.84	376	344 PEAK	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>80.97</td><td>-----</td><td>66.33</td><td>36.49</td><td>11.06</td><td>32.91</td><td>376</td><td>344 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	80.97	-----	66.33	36.49	11.06	32.91	376	344 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5849.36	52.81	88.20 -35.39	38.32	36.50	10.83	32.84	376	344 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	80.97	-----	66.33	36.49	11.06	32.91	376	344 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5900.60</td><td>43.80</td><td>68.20 -24.40</td><td>29.21</td><td>36.60</td><td>10.85</td><td>32.86</td><td>376</td><td>344 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5900.60	43.80	68.20 -24.40	29.21	36.60	10.85	32.86	376	344 AVERAGE	Level (dBuV/m) Date: 2025-08-13 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>71.52</td><td>-----</td><td>56.88</td><td>36.49</td><td>11.06</td><td>32.91</td><td>376</td><td>344 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	71.52	-----	56.88	36.49	11.06	32.91	376	344 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5900.60	43.80	68.20 -24.40	29.21	36.60	10.85	32.86	376	344 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	71.52	-----	56.88	36.49	11.06	32.91	376	344 AVERAGE																																																																		



Mode	117																																																			
	Band Edge																																																			
	U-NII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																			
ANT	15+10																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7213.13</td><td>53.04</td><td>88.20</td><td>-35.16</td><td>37.81</td><td>36.53</td><td>11.84</td><td>33.14</td><td>218</td><td>312 PEAK</td></tr><tr><td>2 7343.13</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>38.04</td><td>36.51</td><td>12.00</td><td>33.17</td><td>218</td><td>312 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7213.13	53.04	88.20	-35.16	37.81	36.53	11.84	33.14	218	312 PEAK	2 7343.13	53.38	74.00	-20.62	38.04	36.51	12.00	33.17	218	312 PEAK	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6985.00</td><td>79.01</td><td>-----</td><td>-----</td><td>64.40</td><td>36.30</td><td>11.41</td><td>33.10</td><td>218</td><td>312 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 6985.00	79.01	-----	-----	64.40	36.30	11.41	33.10	218	312 PEAK
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																										
1 7213.13	53.04	88.20	-35.16	37.81	36.53	11.84	33.14	218	312 PEAK																																											
2 7343.13	53.38	74.00	-20.62	38.04	36.51	12.00	33.17	218	312 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 6985.00	79.01	-----	-----	64.40	36.30	11.41	33.10	218	312 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7213.13</td><td>44.55</td><td>68.20</td><td>-23.65</td><td>29.32</td><td>36.53</td><td>11.84</td><td>33.14</td><td>218</td><td>312 AVERAGE</td></tr><tr><td>2 7276.25</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>28.97</td><td>36.60</td><td>11.96</td><td>33.16</td><td>218</td><td>312 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7213.13	44.55	68.20	-23.65	29.32	36.53	11.84	33.14	218	312 AVERAGE	2 7276.25	44.37	54.00	-9.63	28.97	36.60	11.96	33.16	218	312 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6985.00</td><td>71.21</td><td>-----</td><td>-----</td><td>56.62</td><td>36.30</td><td>11.39</td><td>33.10</td><td>218</td><td>312 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 6985.00	71.21	-----	-----	56.62	36.30	11.39	33.10	218	312 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 7213.13	44.55	68.20	-23.65	29.32	36.53	11.84	33.14	218	312 AVERAGE																																											
2 7276.25	44.37	54.00	-9.63	28.97	36.60	11.96	33.16	218	312 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 6985.00	71.21	-----	-----	56.62	36.30	11.39	33.10	218	312 AVERAGE																																											



Mode	117																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																																			
ANT	15+10																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.25</td><td>54.22</td><td>88.20</td><td>-33.98</td><td>38.91</td><td>36.57</td><td>11.89</td><td>33.15</td><td>384</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>7281.25</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>37.59</td><td>36.60</td><td>11.96</td><td>33.16</td><td>384</td><td>328</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7236.25	54.22	88.20	-33.98	38.91	36.57	11.89	33.15	384	328	PEAK	2	7281.25	52.99	74.00	-21.01	37.59	36.60	11.96	33.16	384	328	PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>80.38</td><td>-----</td><td>-----</td><td>65.79</td><td>36.30</td><td>11.39</td><td>33.10</td><td>384</td><td>328</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.38	-----	-----	65.79	36.30	11.39	33.10	384	328	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7236.25	54.22	88.20	-33.98	38.91	36.57	11.89	33.15	384	328	PEAK																																																																																									
2	7281.25	52.99	74.00	-21.01	37.59	36.60	11.96	33.16	384	328	PEAK																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	80.38	-----	-----	65.79	36.30	11.39	33.10	384	328	PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.00</td><td>44.39</td><td>68.20</td><td>-23.81</td><td>29.11</td><td>36.56</td><td>11.87</td><td>33.15</td><td>384</td><td>328</td><td>AVERAGE</td></tr><tr><td>2</td><td>7291.88</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>29.08</td><td>36.60</td><td>11.98</td><td>33.16</td><td>384</td><td>328</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7230.00	44.39	68.20	-23.81	29.11	36.56	11.87	33.15	384	328	AVERAGE	2	7291.88	44.50	54.00	-9.50	29.08	36.60	11.98	33.16	384	328	AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>72.20</td><td>-----</td><td>-----</td><td>57.56</td><td>36.32</td><td>11.42</td><td>33.10</td><td>384</td><td>328</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	72.20	-----	-----	57.56	36.32	11.42	33.10	384	328	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7230.00	44.39	68.20	-23.81	29.11	36.56	11.87	33.15	384	328	AVERAGE																																																																																									
2	7291.88	44.50	54.00	-9.50	29.08	36.60	11.98	33.16	384	328	AVERAGE																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	72.20	-----	-----	57.56	36.32	11.42	33.10	384	328	AVERAGE																																																																																									



Mode	118																																																																																	
	Band Edge																																																																																	
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																																	
ANT	15+10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5697.37</td><td>53.88</td><td>88.20</td><td>-34.32</td><td>39.17</td><td>36.59</td><td>10.90</td><td>32.78</td><td>305</td><td>318</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5697.37	53.88	88.20	-34.32	39.17	36.59	10.90	32.78	305	318	PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.27</td><td>-----</td><td>-----</td><td>67.61</td><td>36.51</td><td>11.06</td><td>32.91</td><td>305</td><td>318</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.27	-----	-----	67.61	36.51	11.06	32.91	305	318	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5697.37	53.88	88.20	-34.32	39.17	36.59	10.90	32.78	305	318	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	82.27	-----	-----	67.61	36.51	11.06	32.91	305	318	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.60</td><td>44.31</td><td>68.20</td><td>-23.89</td><td>29.69</td><td>36.54</td><td>10.85</td><td>32.77</td><td>305</td><td>318</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.60	44.31	68.20	-23.89	29.69	36.54	10.85	32.77	305	318	AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>72.73</td><td>-----</td><td>-----</td><td>58.07</td><td>36.51</td><td>11.06</td><td>32.91</td><td>305</td><td>318</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	72.73	-----	-----	58.07	36.51	11.06	32.91	305	318	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5670.60	44.31	68.20	-23.89	29.69	36.54	10.85	32.77	305	318	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	72.73	-----	-----	58.07	36.51	11.06	32.91	305	318	AVERAGE																																																																							



Mode	118																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5866.44</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>38.78</td><td>36.53</td><td>10.83</td><td>32.85</td><td>157 354 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5866.44	53.29	88.20	-34.91	38.78	36.53	10.83	32.85	157 354 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>78.16</td><td>-----</td><td>-----</td><td>63.63</td><td>36.34</td><td>11.11</td><td>32.92</td><td>157 354 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	78.16	-----	-----	63.63	36.34	11.11	32.92	157 354 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5866.44	53.29	88.20	-34.91	38.78	36.53	10.83	32.85	157 354 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	78.16	-----	-----	63.63	36.34	11.11	32.92	157 354 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5738.68</td><td>44.01</td><td>68.20</td><td>-24.19</td><td>29.27</td><td>36.68</td><td>10.86</td><td>32.80</td><td>157 354 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5738.68	44.01	68.20	-24.19	29.27	36.68	10.86	32.80	157 354 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>69.04</td><td>-----</td><td>-----</td><td>54.51</td><td>36.32</td><td>11.13</td><td>32.92</td><td>157 354 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	69.04	-----	-----	54.51	36.32	11.13	32.92	157 354 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5738.68	44.01	68.20	-24.19	29.27	36.68	10.86	32.80	157 354 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	69.04	-----	-----	54.51	36.32	11.13	32.92	157 354 AVERAGE																																																																		



Mode	119																																																																																																				
	Band Edge																																																																																																				
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																																				
ANT	15+10																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7137.65</td><td>53.15</td><td>88.20</td><td>-35.05</td><td>38.25</td><td>36.42</td><td>11.61</td><td>33.13</td><td>264</td><td>315</td><td>PEAK</td></tr><tr><td>2</td><td>7264.09</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>38.21</td><td>36.60</td><td>11.93</td><td>33.15</td><td>264</td><td>315</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7137.65	53.15	88.20	-35.05	38.25	36.42	11.61	33.13	264	315	PEAK	2	7264.09	53.59	74.00	-20.41	38.21	36.60	11.93	33.15	264	315	PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.49</td><td>-----</td><td>-----</td><td>64.88</td><td>36.30</td><td>11.41</td><td>33.10</td><td>264</td><td>315</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.49	-----	-----	64.88	36.30	11.41	33.10	264	315	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7137.65	53.15	88.20	-35.05	38.25	36.42	11.61	33.13	264	315	PEAK																																																																																										
2	7264.09	53.59	74.00	-20.41	38.21	36.60	11.93	33.15	264	315	PEAK																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	79.49	-----	-----	64.88	36.30	11.41	33.10	264	315	PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7225.37</td><td>44.29</td><td>68.20</td><td>-23.91</td><td>29.02</td><td>36.55</td><td>11.87</td><td>33.15</td><td>264</td><td>315</td><td>AVERAGE</td></tr><tr><td>2</td><td>7285.87</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>29.15</td><td>36.60</td><td>11.97</td><td>33.16</td><td>264</td><td>315</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7225.37	44.29	68.20	-23.91	29.02	36.55	11.87	33.15	264	315	AVERAGE	2	7285.87	44.56	54.00	-9.44	29.15	36.60	11.97	33.16	264	315	AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>69.78</td><td>-----</td><td>-----</td><td>55.39</td><td>36.20</td><td>11.27</td><td>33.08</td><td>264</td><td>315</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	69.78	-----	-----	55.39	36.20	11.27	33.08	264	315	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7225.37	44.29	68.20	-23.91	29.02	36.55	11.87	33.15	264	315	AVERAGE																																																																																										
2	7285.87	44.56	54.00	-9.44	29.15	36.60	11.97	33.16	264	315	AVERAGE																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	69.78	-----	-----	55.39	36.20	11.27	33.08	264	315	AVERAGE																																																																																										



Mode	119																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																																			
ANT	15+10																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7206.01</td><td>53.67</td><td>88.20</td><td>-34.53</td><td>38.47</td><td>36.51</td><td>11.83</td><td>33.14</td><td>396 330 PEAK</td></tr><tr><td>2</td><td>7340.93</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>38.54</td><td>36.52</td><td>12.00</td><td>33.17</td><td>396 330 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7206.01	53.67	88.20	-34.53	38.47	36.51	11.83	33.14	396 330 PEAK	2	7340.93	53.89	74.00	-20.11	38.54	36.52	12.00	33.17	396 330 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>79.11</td><td>-----</td><td>-----</td><td>64.69</td><td>36.22</td><td>11.28</td><td>33.08</td><td>396 330 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.11	-----	-----	64.69	36.22	11.28	33.08	396 330 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7206.01	53.67	88.20	-34.53	38.47	36.51	11.83	33.14	396 330 PEAK																																																																																											
2	7340.93	53.89	74.00	-20.11	38.54	36.52	12.00	33.17	396 330 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	79.11	-----	-----	64.69	36.22	11.28	33.08	396 330 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7226.58</td><td>44.26</td><td>68.20</td><td>-23.94</td><td>28.99</td><td>36.55</td><td>11.87</td><td>33.15</td><td>396 330 AVERAGE</td></tr><tr><td>2</td><td>7345.77</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>29.01</td><td>36.51</td><td>12.00</td><td>33.17</td><td>396 330 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7226.58	44.26	68.20	-23.94	28.99	36.55	11.87	33.15	396 330 AVERAGE	2	7345.77	44.35	54.00	-9.65	29.01	36.51	12.00	33.17	396 330 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>70.13</td><td>-----</td><td>-----</td><td>55.71</td><td>36.22</td><td>11.28</td><td>33.08</td><td>396 330 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	70.13	-----	-----	55.71	36.22	11.28	33.08	396 330 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7226.58	44.26	68.20	-23.94	28.99	36.55	11.87	33.15	396 330 AVERAGE																																																																																											
2	7345.77	44.35	54.00	-9.65	29.01	36.51	12.00	33.17	396 330 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6905.00	70.13	-----	-----	55.71	36.22	11.28	33.08	396 330 AVERAGE																																																																																											







Mode	120																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5695.84</td><td>53.44</td><td>88.20</td><td>-34.76</td><td>38.73</td><td>36.59</td><td>10.90</td><td>32.78</td><td>280 316 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5695.84	53.44	88.20	-34.76	38.73	36.59	10.90	32.78	280 316 PEAK	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>82.00</td><td>-----</td><td>67.49</td><td>36.31</td><td>11.12</td><td>32.92</td><td>280 316 PEAK</td><td></td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	82.00	-----	67.49	36.31	11.12	32.92	280 316 PEAK	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5695.84	53.44	88.20	-34.76	38.73	36.59	10.90	32.78	280 316 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	82.00	-----	67.49	36.31	11.12	32.92	280 316 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5695.08</td><td>44.13</td><td>68.20</td><td>-24.07</td><td>29.42</td><td>36.59</td><td>10.90</td><td>32.78</td><td>280 316 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5695.08	44.13	68.20	-24.07	29.42	36.59	10.90	32.78	280 316 AVERAGE	Level (dBuV/m) Date: 2025-08-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>72.86</td><td>-----</td><td>58.20</td><td>36.51</td><td>11.06</td><td>32.91</td><td>280 316 AVERAGE</td><td></td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	72.86	-----	58.20	36.51	11.06	32.91	280 316 AVERAGE	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5695.08	44.13	68.20	-24.07	29.42	36.59	10.90	32.78	280 316 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	72.86	-----	58.20	36.51	11.06	32.91	280 316 AVERAGE																																																																			



Mode	120																																																																									
	Band Edge																																																																									
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																									
ANT	15+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5643.82</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>39.05</td><td>36.48</td><td>10.79</td><td>32.76</td><td>401 22 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5643.82	53.56	88.20	-34.64	39.05	36.48	10.79	32.76	401 22 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>76.60</td><td>-----</td><td>-----</td><td>61.91</td><td>36.56</td><td>11.04</td><td>32.91</td><td>401 22 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	76.60	-----	-----	61.91	36.56	11.04	32.91	401 22 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5643.82	53.56	88.20	-34.64	39.05	36.48	10.79	32.76	401 22 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	76.60	-----	-----	61.91	36.56	11.04	32.91	401 22 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5672.13</td><td>43.97</td><td>68.20</td><td>-24.23</td><td>29.34</td><td>36.54</td><td>10.86</td><td>32.77</td><td>401 22 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5672.13	43.97	68.20	-24.23	29.34	36.54	10.86	32.77	401 22 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>68.45</td><td>-----</td><td>-----</td><td>53.79</td><td>36.39</td><td>11.20</td><td>32.93</td><td>401 22 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	68.45	-----	-----	53.79	36.39	11.20	32.93	401 22 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5672.13	43.97	68.20	-24.23	29.34	36.54	10.86	32.77	401 22 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	68.45	-----	-----	53.79	36.39	11.20	32.93	401 22 AVERAGE																																																																		







Mode	121																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																														
ANT	15+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7146.72</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>38.79</td><td>36.41</td><td>11.64</td><td>33.13</td><td>247</td><td>316 PEAK</td></tr><tr><td>2</td><td>7291.32</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>39.01</td><td>36.60</td><td>11.98</td><td>33.16</td><td>247</td><td>316 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7146.72	53.71	88.20	-34.49	38.79	36.41	11.64	33.13	247	316 PEAK	2	7291.32	54.43	74.00	-19.57	39.01	36.60	11.98	33.16	247	316 PEAK	Level (dBuV/m) Date: 2025-08-13  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.33</td><td>-----</td><td>-----</td><td>63.74</td><td>36.30</td><td>11.39</td><td>33.10</td><td>247</td><td>316 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	78.33	-----	-----	63.74	36.30	11.39	33.10	247	316 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7146.72	53.71	88.20	-34.49	38.79	36.41	11.64	33.13	247	316 PEAK																																																																																																					
2	7291.32	54.43	74.00	-19.57	39.01	36.60	11.98	33.16	247	316 PEAK																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	78.33	-----	-----	63.74	36.30	11.39	33.10	247	316 PEAK																																																																																																					
Avg	Level (dBuV/m) Date: 2025-08-13  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7210.25</td><td>44.18</td><td>68.20</td><td>-24.02</td><td>28.96</td><td>36.52</td><td>11.84</td><td>33.14</td><td>247</td><td>316 AVERAGE</td></tr><tr><td>2</td><td>7282.85</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>29.11</td><td>36.60</td><td>11.97</td><td>33.16</td><td>247</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7210.25	44.18	68.20	-24.02	28.96	36.52	11.84	33.14	247	316 AVERAGE	2	7282.85	44.52	54.00	-9.48	29.11	36.60	11.97	33.16	247	316 AVERAGE	Level (dBuV/m) Date: 2025-08-14  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>69.13</td><td>-----</td><td>-----</td><td>54.67</td><td>36.24</td><td>11.30</td><td>33.08</td><td>247</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	69.13	-----	-----	54.67	36.24	11.30	33.08	247	316 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7210.25	44.18	68.20	-24.02	28.96	36.52	11.84	33.14	247	316 AVERAGE																																																																																																					
2	7282.85	44.52	54.00	-9.48	29.11	36.60	11.97	33.16	247	316 AVERAGE																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6905.00	69.13	-----	-----	54.67	36.24	11.30	33.08	247	316 AVERAGE																																																																																																					







Mode	121																																																																																														
	Band Edge																																																																																														
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																														
ANT	15+10																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7239.29</td><td>53.16</td><td>88.20</td><td>-35.04</td><td>37.84</td><td>36.58</td><td>11.89</td><td>33.15</td><td>369</td><td>5 PEAK</td></tr><tr><td>2</td><td>7314.31</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>38.42</td><td>36.57</td><td>12.01</td><td>33.16</td><td>369</td><td>5 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7239.29	53.16	88.20	-35.04	37.84	36.58	11.89	33.15	369	5 PEAK	2	7314.31	53.84	74.00	-20.16	38.42	36.57	12.01	33.16	369	5 PEAK	Level (dBuV/m) Date: 2025-08-13 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.12</td><td>-----</td><td>-----</td><td>63.68</td><td>36.23</td><td>11.29</td><td>33.08</td><td>369</td><td>5 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	78.12	-----	-----	63.68	36.23	11.29	33.08	369	5 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7239.29	53.16	88.20	-35.04	37.84	36.58	11.89	33.15	369	5 PEAK																																																																																					
2	7314.31	53.84	74.00	-20.16	38.42	36.57	12.01	33.16	369	5 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	78.12	-----	-----	63.68	36.23	11.29	33.08	369	5 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7226.58</td><td>44.42</td><td>68.20</td><td>-23.78</td><td>29.15</td><td>36.55</td><td>11.87</td><td>33.15</td><td>369</td><td>5 AVERAGE</td></tr><tr><td>2</td><td>7350.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>29.12</td><td>36.50</td><td>11.99</td><td>33.17</td><td>369</td><td>5 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7226.58	44.42	68.20	-23.78	29.15	36.55	11.87	33.15	369	5 AVERAGE	2	7350.00	44.44	54.00	-9.56	29.12	36.50	11.99	33.17	369	5 AVERAGE	Level (dBuV/m) Date: 2025-08-13 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>69.57</td><td>-----</td><td>-----</td><td>55.13</td><td>36.23</td><td>11.29</td><td>33.08</td><td>369</td><td>5 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	69.57	-----	-----	55.13	36.23	11.29	33.08	369	5 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7226.58	44.42	68.20	-23.78	29.15	36.55	11.87	33.15	369	5 AVERAGE																																																																																					
2	7350.00	44.44	54.00	-9.56	29.12	36.50	11.99	33.17	369	5 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	69.57	-----	-----	55.13	36.23	11.29	33.08	369	5 AVERAGE																																																																																					



Mode	122																																																																													
	Band Edge																																																																													
	U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																													
ANT	15+10																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-08-14  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5809.06</td><td>53.93</td><td>88.20</td><td>-34.27</td><td>39.35</td><td>36.58</td><td>10.82</td><td>32.82</td><td>281</td><td>316 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5809.06	53.93	88.20	-34.27	39.35	36.58	10.82	32.82	281	316 PEAK	Level (dBuV/m) Date: 2025-08-14  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>81.03</td><td>-----</td><td>-----</td><td>66.27</td><td>36.70</td><td>10.95</td><td>32.89</td><td>281</td><td>316 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	81.03	-----	-----	66.27	36.70	10.95	32.89	281	316 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5809.06	53.93	88.20	-34.27	39.35	36.58	10.82	32.82	281	316 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 6105.00	81.03	-----	-----	66.27	36.70	10.95	32.89	281	316 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-08-14  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5600.22</td><td>44.09</td><td>68.20</td><td>-24.11</td><td>29.83</td><td>36.30</td><td>10.70</td><td>32.74</td><td>281</td><td>316 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5600.22	44.09	68.20	-24.11	29.83	36.30	10.70	32.74	281	316 AVERAGE	Level (dBuV/m) Date: 2025-08-14  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>72.08</td><td>-----</td><td>-----</td><td>57.42</td><td>36.51</td><td>11.06</td><td>32.91</td><td>281</td><td>316 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	72.08	-----	-----	57.42	36.51	11.06	32.91	281	316 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5600.22	44.09	68.20	-24.11	29.83	36.30	10.70	32.74	281	316 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 6105.00	72.08	-----	-----	57.42	36.51	11.06	32.91	281	316 AVERAGE																																																																					



		122																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																																						
ANT		15+10																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 Level (dBuV/m) Date: 2025-08-14 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5553.55</td><td>53.19</td><td>88.20</td><td>-35.01</td><td>39.06</td><td>36.21</td><td>10.64</td><td>32.72</td><td>400</td><td>22</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5553.55	53.19	88.20	-35.01	39.06	36.21	10.64	32.72	400	22	PEAK	 Level (dBuV/m) Date: 2025-08-14 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>77.10</td><td>-----</td><td>-----</td><td>62.45</td><td>36.37</td><td>11.21</td><td>32.93</td><td>400</td><td>22</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	77.10	-----	-----	62.45	36.37	11.21	32.93	400	22	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5553.55	53.19	88.20	-35.01	39.06	36.21	10.64	32.72	400	22	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	77.10	-----	-----	62.45	36.37	11.21	32.93	400	22	PEAK																																																																													
Avg	 Level (dBuV/m) Date: 2025-08-14 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5711.91</td><td>44.18</td><td>68.20</td><td>-24.02</td><td>29.46</td><td>36.62</td><td>10.88</td><td>32.78</td><td>400</td><td>22</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5711.91	44.18	68.20	-24.02	29.46	36.62	10.88	32.78	400	22	AVERAGE	 Level (dBuV/m) Date: 2025-08-14 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>67.55</td><td>-----</td><td>-----</td><td>52.90</td><td>36.37</td><td>11.21</td><td>32.93</td><td>400</td><td>22</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	67.55	-----	-----	52.90	36.37	11.21	32.93	400	22	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5711.91	44.18	68.20	-24.02	29.46	36.62	10.88	32.78	400	22	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6105.00	67.55	-----	-----	52.90	36.37	11.21	32.93	400	22	AVERAGE																																																																													



Mode	123																																																																																													
	Band Edge																																																																																													
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																													
ANT	15+10																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7211.46</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>37.72</td><td>36.52</td><td>11.84</td><td>33.14</td><td>237</td><td>310 PEAK</td></tr><tr><td>2</td><td>7266.51</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>38.29</td><td>36.60</td><td>11.94</td><td>33.15</td><td>237</td><td>310 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7211.46	52.94	88.20	-35.26	37.72	36.52	11.84	33.14	237	310 PEAK	2	7266.51	53.68	74.00	-20.32	38.29	36.60	11.94	33.15	237	310 PEAK	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.48</td><td>-----</td><td>62.73</td><td>36.41</td><td>11.45</td><td>33.11</td><td>237</td><td>310 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.48	-----	62.73	36.41	11.45	33.11	237	310 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7211.46	52.94	88.20	-35.26	37.72	36.52	11.84	33.14	237	310 PEAK																																																																																				
2	7266.51	53.68	74.00	-20.32	38.29	36.60	11.94	33.15	237	310 PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	77.48	-----	62.73	36.41	11.45	33.11	237	310 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7218.72</td><td>44.17</td><td>68.20</td><td>-24.03</td><td>28.92</td><td>36.54</td><td>11.85</td><td>33.14</td><td>237</td><td>310 AVERAGE</td></tr><tr><td>2</td><td>7270.75</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>28.87</td><td>36.60</td><td>11.95</td><td>33.15</td><td>237</td><td>310 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7218.72	44.17	68.20	-24.03	28.92	36.54	11.85	33.14	237	310 AVERAGE	2	7270.75	44.27	54.00	-9.73	28.87	36.60	11.95	33.15	237	310 AVERAGE	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>68.83</td><td>-----</td><td>54.36</td><td>36.26</td><td>11.28</td><td>33.07</td><td>237</td><td>310 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	68.83	-----	54.36	36.26	11.28	33.07	237	310 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7218.72	44.17	68.20	-24.03	28.92	36.54	11.85	33.14	237	310 AVERAGE																																																																																				
2	7270.75	44.27	54.00	-9.73	28.87	36.60	11.95	33.15	237	310 AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	68.83	-----	54.36	36.26	11.28	33.07	237	310 AVERAGE																																																																																					



Mode	123																																																																																							
	Band Edge																																																																																							
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																							
ANT	15+10																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7153.98</td><td>53.51</td><td>88.20</td><td>-34.69</td><td>38.57</td><td>36.41</td><td>11.66</td><td>33.13</td><td>400 3 PEAK</td></tr><tr><td>2</td><td>7274.98</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>38.82</td><td>36.60</td><td>11.95</td><td>33.15</td><td>400 3 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7153.98	53.51	88.20	-34.69	38.57	36.41	11.66	33.13	400 3 PEAK	2	7274.98	54.22	74.00	-19.78	38.82	36.60	11.95	33.15	400 3 PEAK	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.57</td><td>-----</td><td>-----</td><td>62.82</td><td>36.41</td><td>11.45</td><td>33.11</td><td>400 3 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.57	-----	-----	62.82	36.41	11.45	33.11	400 3 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7153.98	53.51	88.20	-34.69	38.57	36.41	11.66	33.13	400 3 PEAK																																																																															
2	7274.98	54.22	74.00	-19.78	38.82	36.60	11.95	33.15	400 3 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	77.57	-----	-----	62.82	36.41	11.45	33.11	400 3 PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7210.25</td><td>44.30</td><td>68.20</td><td>-23.90</td><td>29.08</td><td>36.52</td><td>11.84</td><td>33.14</td><td>400 3 AVERAGE</td></tr><tr><td>2</td><td>7305.84</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>29.02</td><td>36.59</td><td>12.01</td><td>33.16</td><td>400 3 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7210.25	44.30	68.20	-23.90	29.08	36.52	11.84	33.14	400 3 AVERAGE	2	7305.84	44.46	54.00	-9.54	29.02	36.59	12.01	33.16	400 3 AVERAGE	Level (dBuV/m) Date: 2025-08-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>69.03</td><td>-----</td><td>-----</td><td>54.59</td><td>36.23</td><td>11.29</td><td>33.08</td><td>400 3 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	69.03	-----	-----	54.59	36.23	11.29	33.08	400 3 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	7210.25	44.30	68.20	-23.90	29.08	36.52	11.84	33.14	400 3 AVERAGE																																																																															
2	7305.84	44.46	54.00	-9.54	29.02	36.59	12.01	33.16	400 3 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																															
1	6905.00	69.03	-----	-----	54.59	36.23	11.29	33.08	400 3 AVERAGE																																																																															